

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Edge 1RB Left	21.91	/	/	24.91	/	/	<=30	Pass
		Edge 1RB Right	21.82	/	/	24.82	/	/	<=30	Pass
		Outer Full	21.87	/	/	24.87	/	/	<=30	Pass
		Inner Full	21.87	/	/	24.87	/	/	<=30	Pass
		Inner 1RB Left	21.94	/	/	24.94	/	/	<=30	Pass
		Inner 1RB Right	21.86	/	/	24.86	/	/	<=30	Pass
	1745	Edge 1RB Left	22.24	/	/	25.24	/	/	<=30	Pass
		Edge 1RB Right	22.20	/	/	25.20	/	/	<=30	Pass
		Outer Full	22.24	/	/	25.24	/	/	<=30	Pass
		Inner Full	22.21	/	/	25.21	/	/	<=30	Pass
		Inner 1RB Left	22.25	/	/	25.25	/	/	<=30	Pass
		Inner 1RB Right	22.22	/	/	25.22	/	/	<=30	Pass
	1777.5	Edge 1RB Left	22.05	/	/	25.05	/	/	<=30	Pass
		Edge 1RB Right	22.16	/	/	25.16	/	/	<=30	Pass
		Outer Full	22.08	/	/	25.08	/	/	<=30	Pass
		Inner Full	21.98	/	/	24.98	/	/	<=30	Pass
		Inner 1RB Left	22.07	/	/	25.07	/	/	<=30	Pass
		Inner 1RB Right	22.16	/	/	25.16	/	/	<=30	Pass
DFT-s-OFDM QPSK	1712.5	Edge 1RB Left	21.94	/	/	24.94	/	/	<=30	Pass
		Edge 1RB Right	21.88	/	/	24.88	/	/	<=30	Pass
		Outer Full	21.91	/	/	24.91	/	/	<=30	Pass
		Inner Full	21.85	/	/	24.85	/	/	<=30	Pass
		Inner 1RB Left	21.94	/	/	24.94	/	/	<=30	Pass
		Inner 1RB Right	21.84	/	/	24.84	/	/	<=30	Pass
	1745	Edge 1RB Left	22.24	/	/	25.24	/	/	<=30	Pass
		Edge 1RB Right	22.16	/	/	25.16	/	/	<=30	Pass
		Outer Full	22.27	/	/	25.27	/	/	<=30	Pass
		Inner Full	22.15	/	/	25.15	/	/	<=30	Pass
		Inner 1RB Left	22.25	/	/	25.25	/	/	<=30	Pass
		Inner 1RB Right	22.22	/	/	25.22	/	/	<=30	Pass
	1777.5	Edge 1RB Left	22.05	/	/	25.05	/	/	<=30	Pass
		Edge 1RB Right	22.13	/	/	25.13	/	/	<=30	Pass
		Outer Full	22.14	/	/	25.14	/	/	<=30	Pass
		Inner Full	21.93	/	/	24.93	/	/	<=30	Pass
		Inner 1RB Left	22.09	/	/	25.09	/	/	<=30	Pass
		Inner 1RB Right	22.13	/	/	25.13	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1712.5	Edge 1RB Left	20.90	/	/	23.90	/	/	<=30	Pass
		Edge 1RB Right	20.83	/	/	23.83	/	/	<=30	Pass
		Outer Full	20.91	/	/	23.91	/	/	<=30	Pass
		Inner Full	22.05	/	/	25.05	/	/	<=30	Pass
		Inner 1RB Left	21.85	/	/	24.85	/	/	<=30	Pass
		Inner 1RB Right	21.78	/	/	24.78	/	/	<=30	Pass
	1745	Edge 1RB Left	21.24	/	/	24.24	/	/	<=30	Pass
		Edge 1RB Right	21.10	/	/	24.10	/	/	<=30	Pass
		Outer Full	21.32	/	/	24.32	/	/	<=30	Pass
		Inner Full	22.36	/	/	25.36	/	/	<=30	Pass

		Inner_1RB_Left	22.19	/	/	25.19	/	/	<=30	Pass
		Inner_1RB_Right	22.13	/	/	25.13	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	20.99	/	/	23.99	/	/	<=30	Pass
		Edge_1RB_Right	20.95	/	/	23.95	/	/	<=30	Pass
		Outer_Full	21.12	/	/	24.12	/	/	<=30	Pass
		Inner_Full	22.16	/	/	25.16	/	/	<=30	Pass
		Inner_1RB_Left	21.88	/	/	24.88	/	/	<=30	Pass
		Inner_1RB_Right	21.89	/	/	24.89	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1712.5	Edge_1RB_Left	20.63	/	/	23.63	/	/	<=30	Pass
		Edge_1RB_Right	20.57	/	/	23.57	/	/	<=30	Pass
		Outer_Full	20.45	/	/	23.45	/	/	<=30	Pass
		Inner_Full	20.50	/	/	23.50	/	/	<=30	Pass
		Inner_1RB_Left	20.64	/	/	23.64	/	/	<=30	Pass
		Inner_1RB_Right	20.58	/	/	23.58	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.96	/	/	23.96	/	/	<=30	Pass
		Edge_1RB_Right	20.94	/	/	23.94	/	/	<=30	Pass
		Outer_Full	20.75	/	/	23.75	/	/	<=30	Pass
		Inner_Full	20.81	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Left	20.96	/	/	23.96	/	/	<=30	Pass
		Inner_1RB_Right	20.92	/	/	23.92	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	20.75	/	/	23.75	/	/	<=30	Pass
		Edge_1RB_Right	20.86	/	/	23.86	/	/	<=30	Pass
		Outer_Full	20.54	/	/	23.54	/	/	<=30	Pass
		Inner_Full	20.69	/	/	23.69	/	/	<=30	Pass
		Inner_1RB_Left	20.73	/	/	23.73	/	/	<=30	Pass
		Inner_1RB_Right	20.89	/	/	23.89	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1712.5	Edge_1RB_Left	17.90	/	/	20.90	/	/	<=30	Pass
		Edge_1RB_Right	17.86	/	/	20.86	/	/	<=30	Pass
		Outer_Full	18.30	/	/	21.30	/	/	<=30	Pass
		Inner_Full	18.39	/	/	21.39	/	/	<=30	Pass
		Inner_1RB_Left	17.94	/	/	20.94	/	/	<=30	Pass
		Inner_1RB_Right	17.87	/	/	20.87	/	/	<=30	Pass
	1745	Edge_1RB_Left	18.21	/	/	21.21	/	/	<=30	Pass
		Edge_1RB_Right	18.15	/	/	21.15	/	/	<=30	Pass
		Outer_Full	18.68	/	/	21.68	/	/	<=30	Pass
		Inner_Full	18.72	/	/	21.72	/	/	<=30	Pass
		Inner_1RB_Left	18.30	/	/	21.30	/	/	<=30	Pass
		Inner_1RB_Right	18.26	/	/	21.26	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	18.03	/	/	21.03	/	/	<=30	Pass
		Edge_1RB_Right	18.13	/	/	21.13	/	/	<=30	Pass
		Outer_Full	18.49	/	/	21.49	/	/	<=30	Pass
		Inner_Full	18.62	/	/	21.62	/	/	<=30	Pass
		Inner_1RB_Left	18.06	/	/	21.06	/	/	<=30	Pass
		Inner_1RB_Right	18.15	/	/	21.15	/	/	<=30	Pass
CP-OFDM QPSK	1712.5	Edge_1RB_Left	19.90	/	/	22.90	/	/	<=30	Pass
		Edge_1RB_Right	19.78	/	/	22.78	/	/	<=30	Pass
		Outer_Full	19.91	/	/	22.91	/	/	<=30	Pass
		Inner_Full	21.40	/	/	24.40	/	/	<=30	Pass
		Inner_1RB_Left	21.38	/	/	24.38	/	/	<=30	Pass
		Inner_1RB_Right	21.29	/	/	24.29	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.26	/	/	23.26	/	/	<=30	Pass
		Edge_1RB_Right	20.12	/	/	23.12	/	/	<=30	Pass
		Outer_Full	20.28	/	/	23.28	/	/	<=30	Pass
		Inner_Full	21.76	/	/	24.76	/	/	<=30	Pass
		Inner_1RB_Left	21.68	/	/	24.68	/	/	<=30	Pass
		Inner_1RB_Right	21.58	/	/	24.58	/	/	<=30	Pass

	1777.5	Edge_1RB_Left	19.99	/	/	22.99	/	/	<=30	Pass
		Edge_1RB_Right	20.23	/	/	23.23	/	/	<=30	Pass
		Outer_Full	20.21	/	/	23.21	/	/	<=30	Pass
		Inner_Full	21.62	/	/	24.62	/	/	<=30	Pass
		Inner_1RB_Left	21.49	/	/	24.49	/	/	<=30	Pass
		Inner_1RB_Right	21.67	/	/	24.67	/	/	<=30	Pass
CP-OFDM 16 QAM	1712.5	Edge_1RB_Left	20.00	/	/	23.00	/	/	<=30	Pass
		Edge_1RB_Right	19.94	/	/	22.94	/	/	<=30	Pass
		Outer_Full	19.92	/	/	22.92	/	/	<=30	Pass
		Inner_Full	20.81	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Left	21.09	/	/	24.09	/	/	<=30	Pass
		Inner_1RB_Right	20.94	/	/	23.94	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.32	/	/	23.32	/	/	<=30	Pass
		Edge_1RB_Right	20.36	/	/	23.36	/	/	<=30	Pass
		Outer_Full	20.30	/	/	23.30	/	/	<=30	Pass
		Inner_Full	21.14	/	/	24.14	/	/	<=30	Pass
		Inner_1RB_Left	21.44	/	/	24.44	/	/	<=30	Pass
		Inner_1RB_Right	21.37	/	/	24.37	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	20.12	/	/	23.12	/	/	<=30	Pass
		Edge_1RB_Right	20.30	/	/	23.30	/	/	<=30	Pass
		Outer_Full	20.14	/	/	23.14	/	/	<=30	Pass
		Inner_Full	21.09	/	/	24.09	/	/	<=30	Pass
		Inner_1RB_Left	21.21	/	/	24.21	/	/	<=30	Pass
		Inner_1RB_Right	21.36	/	/	24.36	/	/	<=30	Pass
CP-OFDM 64 QAM	1712.5	Edge_1RB_Left	19.59	/	/	22.59	/	/	<=30	Pass
		Edge_1RB_Right	19.42	/	/	22.42	/	/	<=30	Pass
		Outer_Full	19.44	/	/	22.44	/	/	<=30	Pass
		Inner_Full	19.40	/	/	22.40	/	/	<=30	Pass
		Inner_1RB_Left	19.59	/	/	22.59	/	/	<=30	Pass
		Inner_1RB_Right	19.42	/	/	22.42	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.91	/	/	22.91	/	/	<=30	Pass
		Edge_1RB_Right	19.85	/	/	22.85	/	/	<=30	Pass
		Outer_Full	19.74	/	/	22.74	/	/	<=30	Pass
		Inner_Full	19.80	/	/	22.80	/	/	<=30	Pass
		Inner_1RB_Left	19.88	/	/	22.88	/	/	<=30	Pass
		Inner_1RB_Right	19.87	/	/	22.87	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	19.64	/	/	22.64	/	/	<=30	Pass
		Edge_1RB_Right	19.84	/	/	22.84	/	/	<=30	Pass
		Outer_Full	19.62	/	/	22.62	/	/	<=30	Pass
		Inner_Full	19.66	/	/	22.66	/	/	<=30	Pass
		Inner_1RB_Left	19.68	/	/	22.68	/	/	<=30	Pass
		Inner_1RB_Right	19.82	/	/	22.82	/	/	<=30	Pass
CP-OFDM 256 QAM	1712.5	Edge_1RB_Left	16.09	/	/	19.09	/	/	<=30	Pass
		Edge_1RB_Right	15.99	/	/	18.99	/	/	<=30	Pass
		Outer_Full	16.44	/	/	19.44	/	/	<=30	Pass
		Inner_Full	16.46	/	/	19.46	/	/	<=30	Pass
		Inner_1RB_Left	16.09	/	/	19.09	/	/	<=30	Pass
		Inner_1RB_Right	16.01	/	/	19.01	/	/	<=30	Pass
	1745	Edge_1RB_Left	16.35	/	/	19.35	/	/	<=30	Pass
		Edge_1RB_Right	16.29	/	/	19.29	/	/	<=30	Pass
		Outer_Full	16.81	/	/	19.81	/	/	<=30	Pass
		Inner_Full	16.78	/	/	19.78	/	/	<=30	Pass
		Inner_1RB_Left	16.36	/	/	19.36	/	/	<=30	Pass
		Inner_1RB_Right	16.30	/	/	19.30	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	16.10	/	/	19.10	/	/	<=30	Pass
		Edge_1RB_Right	16.20	/	/	19.20	/	/	<=30	Pass

		Outer_Full	16.72	/	/	19.72	/	/	<=30	Pass
		Inner_Full	16.70	/	/	19.70	/	/	<=30	Pass
		Inner_1RB_Left	16.02	/	/	19.02	/	/	<=30	Pass
		Inner_1RB_Right	16.20	/	/	19.20	/	/	<=30	Pass
Note1: Antenna Gain: Ant0: 3.00dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1715	Edge_1RB_Left	21.99	/	/	24.99	/	/	<=30	Pass
		Edge_1RB_Right	21.89	/	/	24.89	/	/	<=30	Pass
		Outer_Full	21.94	/	/	24.94	/	/	<=30	Pass
		Inner_Full	21.92	/	/	24.92	/	/	<=30	Pass
		Inner_1RB_Left	21.97	/	/	24.97	/	/	<=30	Pass
		Inner_1RB_Right	21.94	/	/	24.94	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.21	/	/	25.21	/	/	<=30	Pass
		Edge_1RB_Right	22.16	/	/	25.16	/	/	<=30	Pass
		Outer_Full	22.19	/	/	25.19	/	/	<=30	Pass
		Inner_Full	22.21	/	/	25.21	/	/	<=30	Pass
		Inner_1RB_Left	22.23	/	/	25.23	/	/	<=30	Pass
		Inner_1RB_Right	22.20	/	/	25.20	/	/	<=30	Pass
	1775	Edge_1RB_Left	22.03	/	/	25.03	/	/	<=30	Pass
		Edge_1RB_Right	22.11	/	/	25.11	/	/	<=30	Pass
		Outer_Full	22.07	/	/	25.07	/	/	<=30	Pass
		Inner_Full	22.12	/	/	25.12	/	/	<=30	Pass
		Inner_1RB_Left	22.04	/	/	25.04	/	/	<=30	Pass
		Inner_1RB_Right	22.08	/	/	25.08	/	/	<=30	Pass
DFT-s-OFDM QPSK	1715	Edge_1RB_Left	22.01	/	/	25.01	/	/	<=30	Pass
		Edge_1RB_Right	21.89	/	/	24.89	/	/	<=30	Pass
		Outer_Full	21.89	/	/	24.89	/	/	<=30	Pass
		Inner_Full	21.97	/	/	24.97	/	/	<=30	Pass
		Inner_1RB_Left	22.01	/	/	25.01	/	/	<=30	Pass
		Inner_1RB_Right	21.91	/	/	24.91	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.22	/	/	25.22	/	/	<=30	Pass
		Edge_1RB_Right	22.05	/	/	25.05	/	/	<=30	Pass
		Outer_Full	22.26	/	/	25.26	/	/	<=30	Pass
		Inner_Full	22.26	/	/	25.26	/	/	<=30	Pass
		Inner_1RB_Left	22.20	/	/	25.20	/	/	<=30	Pass
		Inner_1RB_Right	22.15	/	/	25.15	/	/	<=30	Pass
	1775	Edge_1RB_Left	21.95	/	/	24.95	/	/	<=30	Pass
		Edge_1RB_Right	22.07	/	/	25.07	/	/	<=30	Pass
		Outer_Full	22.11	/	/	25.11	/	/	<=30	Pass
		Inner_Full	22.05	/	/	25.05	/	/	<=30	Pass
		Inner_1RB_Left	22.03	/	/	25.03	/	/	<=30	Pass
		Inner_1RB_Right	22.09	/	/	25.09	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1715	Edge_1RB_Left	20.96	/	/	23.96	/	/	<=30	Pass
		Edge_1RB_Right	20.77	/	/	23.77	/	/	<=30	Pass
		Outer_Full	20.91	/	/	23.91	/	/	<=30	Pass
		Inner_Full	21.95	/	/	24.95	/	/	<=30	Pass
		Inner_1RB_Left	21.84	/	/	24.84	/	/	<=30	Pass
		Inner_1RB_Right	21.67	/	/	24.67	/	/	<=30	Pass

	1745	Edge_1RB_Left	21.20	/	/	24.20	/	/	<=30	Pass
		Edge_1RB_Right	21.20	/	/	24.20	/	/	<=30	Pass
		Outer_Full	21.26	/	/	24.26	/	/	<=30	Pass
		Inner_Full	22.30	/	/	25.30	/	/	<=30	Pass
		Inner_1RB_Left	22.16	/	/	25.16	/	/	<=30	Pass
		Inner_1RB_Right	22.10	/	/	25.10	/	/	<=30	Pass
	1775	Edge_1RB_Left	20.75	/	/	23.75	/	/	<=30	Pass
		Edge_1RB_Right	21.01	/	/	24.01	/	/	<=30	Pass
		Outer_Full	21.07	/	/	24.07	/	/	<=30	Pass
		Inner_Full	22.09	/	/	25.09	/	/	<=30	Pass
		Inner_1RB_Left	21.87	/	/	24.87	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1715	Inner_1RB_Right	21.86	/	/	24.86	/	/	<=30	Pass
		Edge_1RB_Left	20.64	/	/	23.64	/	/	<=30	Pass
		Edge_1RB_Right	20.48	/	/	23.48	/	/	<=30	Pass
		Outer_Full	20.47	/	/	23.47	/	/	<=30	Pass
		Inner_Full	20.45	/	/	23.45	/	/	<=30	Pass
		Inner_1RB_Left	20.62	/	/	23.62	/	/	<=30	Pass
	1745	Inner_1RB_Right	20.48	/	/	23.48	/	/	<=30	Pass
		Edge_1RB_Left	20.96	/	/	23.96	/	/	<=30	Pass
		Edge_1RB_Right	20.81	/	/	23.81	/	/	<=30	Pass
		Outer_Full	20.82	/	/	23.82	/	/	<=30	Pass
		Inner_Full	20.76	/	/	23.76	/	/	<=30	Pass
		Inner_1RB_Left	20.96	/	/	23.96	/	/	<=30	Pass
	1775	Inner_1RB_Right	20.97	/	/	23.97	/	/	<=30	Pass
		Edge_1RB_Left	20.81	/	/	23.81	/	/	<=30	Pass
		Edge_1RB_Right	20.71	/	/	23.71	/	/	<=30	Pass
		Outer_Full	20.56	/	/	23.56	/	/	<=30	Pass
		Inner_Full	20.60	/	/	23.60	/	/	<=30	Pass
		Inner_1RB_Left	20.83	/	/	23.83	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1715	Inner_1RB_Right	20.79	/	/	23.79	/	/	<=30	Pass
		Edge_1RB_Left	18.09	/	/	21.09	/	/	<=30	Pass
		Edge_1RB_Right	17.92	/	/	20.92	/	/	<=30	Pass
		Outer_Full	18.39	/	/	21.39	/	/	<=30	Pass
		Inner_Full	18.38	/	/	21.38	/	/	<=30	Pass
		Inner_1RB_Left	18.13	/	/	21.13	/	/	<=30	Pass
	1745	Inner_1RB_Right	17.92	/	/	20.92	/	/	<=30	Pass
		Edge_1RB_Left	18.16	/	/	21.16	/	/	<=30	Pass
		Edge_1RB_Right	18.15	/	/	21.15	/	/	<=30	Pass
		Outer_Full	18.68	/	/	21.68	/	/	<=30	Pass
		Inner_Full	18.69	/	/	21.69	/	/	<=30	Pass
		Inner_1RB_Left	18.27	/	/	21.27	/	/	<=30	Pass
	1775	Inner_1RB_Right	18.25	/	/	21.25	/	/	<=30	Pass
		Edge_1RB_Left	17.98	/	/	20.98	/	/	<=30	Pass
		Edge_1RB_Right	18.07	/	/	21.07	/	/	<=30	Pass
		Outer_Full	18.48	/	/	21.48	/	/	<=30	Pass
		Inner_Full	18.52	/	/	21.52	/	/	<=30	Pass
		Inner_1RB_Left	18.01	/	/	21.01	/	/	<=30	Pass
CP-OFDM QPSK	1715	Inner_1RB_Right	18.06	/	/	21.06	/	/	<=30	Pass
		Edge_1RB_Left	19.88	/	/	22.88	/	/	<=30	Pass
		Edge_1RB_Right	19.90	/	/	22.90	/	/	<=30	Pass
		Outer_Full	19.94	/	/	22.94	/	/	<=30	Pass
		Inner_Full	21.47	/	/	24.47	/	/	<=30	Pass
		Inner_1RB_Left	21.34	/	/	24.34	/	/	<=30	Pass
	1745	Inner_1RB_Right	21.45	/	/	24.45	/	/	<=30	Pass
		Edge_1RB_Left	20.33	/	/	23.33	/	/	<=30	Pass
		Edge_1RB_Right	20.26	/	/	23.26	/	/	<=30	Pass

		Outer_Full	20.24	/	/	23.24	/	/	<=30	Pass
		Inner_Full	21.71	/	/	24.71	/	/	<=30	Pass
		Inner_1RB_Left	21.60	/	/	24.60	/	/	<=30	Pass
		Inner_1RB_Right	21.56	/	/	24.56	/	/	<=30	Pass
	1775	Edge_1RB_Left	19.92	/	/	22.92	/	/	<=30	Pass
		Edge_1RB_Right	20.02	/	/	23.02	/	/	<=30	Pass
		Outer_Full	20.07	/	/	23.07	/	/	<=30	Pass
		Inner_Full	21.52	/	/	24.52	/	/	<=30	Pass
		Inner_1RB_Left	21.41	/	/	24.41	/	/	<=30	Pass
		Inner_1RB_Right	21.59	/	/	24.59	/	/	<=30	Pass
		Edge_1RB_Left	20.13	/	/	23.13	/	/	<=30	Pass
		Edge_1RB_Right	20.11	/	/	23.11	/	/	<=30	Pass
CP-OFDM 16 QAM	1715	Outer_Full	19.91	/	/	22.91	/	/	<=30	Pass
		Inner_Full	21.01	/	/	24.01	/	/	<=30	Pass
		Inner_1RB_Left	21.14	/	/	24.14	/	/	<=30	Pass
		Inner_1RB_Right	21.09	/	/	24.09	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.31	/	/	23.31	/	/	<=30	Pass
		Edge_1RB_Right	20.35	/	/	23.35	/	/	<=30	Pass
		Outer_Full	20.23	/	/	23.23	/	/	<=30	Pass
		Inner_Full	21.24	/	/	24.24	/	/	<=30	Pass
		Inner_1RB_Left	21.44	/	/	24.44	/	/	<=30	Pass
		Inner_1RB_Right	21.45	/	/	24.45	/	/	<=30	Pass
	1775	Edge_1RB_Left	20.10	/	/	23.10	/	/	<=30	Pass
		Edge_1RB_Right	20.43	/	/	23.43	/	/	<=30	Pass
		Outer_Full	20.11	/	/	23.11	/	/	<=30	Pass
		Inner_Full	21.13	/	/	24.13	/	/	<=30	Pass
		Inner_1RB_Left	21.21	/	/	24.21	/	/	<=30	Pass
		Inner_1RB_Right	21.28	/	/	24.28	/	/	<=30	Pass
CP-OFDM 64 QAM	1715	Edge_1RB_Left	19.62	/	/	22.62	/	/	<=30	Pass
		Edge_1RB_Right	19.51	/	/	22.51	/	/	<=30	Pass
		Outer_Full	19.52	/	/	22.52	/	/	<=30	Pass
		Inner_Full	19.42	/	/	22.42	/	/	<=30	Pass
		Inner_1RB_Left	19.60	/	/	22.60	/	/	<=30	Pass
		Inner_1RB_Right	19.54	/	/	22.54	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.81	/	/	22.81	/	/	<=30	Pass
		Edge_1RB_Right	19.82	/	/	22.82	/	/	<=30	Pass
		Outer_Full	19.73	/	/	22.73	/	/	<=30	Pass
		Inner_Full	19.77	/	/	22.77	/	/	<=30	Pass
		Inner_1RB_Left	19.77	/	/	22.77	/	/	<=30	Pass
		Inner_1RB_Right	19.82	/	/	22.82	/	/	<=30	Pass
	1775	Edge_1RB_Left	19.80	/	/	22.80	/	/	<=30	Pass
		Edge_1RB_Right	19.69	/	/	22.69	/	/	<=30	Pass
		Outer_Full	19.63	/	/	22.63	/	/	<=30	Pass
		Inner_Full	19.56	/	/	22.56	/	/	<=30	Pass
		Inner_1RB_Left	19.60	/	/	22.60	/	/	<=30	Pass
		Inner_1RB_Right	19.80	/	/	22.80	/	/	<=30	Pass
CP-OFDM 256 QAM	1715	Edge_1RB_Left	15.91	/	/	18.91	/	/	<=30	Pass
		Edge_1RB_Right	16.00	/	/	19.00	/	/	<=30	Pass
		Outer_Full	16.39	/	/	19.39	/	/	<=30	Pass
		Inner_Full	16.43	/	/	19.43	/	/	<=30	Pass
		Inner_1RB_Left	16.19	/	/	19.19	/	/	<=30	Pass
		Inner_1RB_Right	16.08	/	/	19.08	/	/	<=30	Pass
	1745	Edge_1RB_Left	16.32	/	/	19.32	/	/	<=30	Pass
		Edge_1RB_Right	16.31	/	/	19.31	/	/	<=30	Pass
		Outer_Full	16.67	/	/	19.67	/	/	<=30	Pass
		Inner_Full	16.72	/	/	19.72	/	/	<=30	Pass

		Inner_1RB_Left	16.31	/	/	19.31	/	/	<=30	Pass
		Inner_1RB_Right	16.44	/	/	19.44	/	/	<=30	Pass
	1775	Edge_1RB_Left	16.13	/	/	19.13	/	/	<=30	Pass
		Edge_1RB_Right	16.32	/	/	19.32	/	/	<=30	Pass
		Outer_Full	16.54	/	/	19.54	/	/	<=30	Pass
		Inner_Full	16.58	/	/	19.58	/	/	<=30	Pass
		Inner_1RB_Left	16.21	/	/	19.21	/	/	<=30	Pass
		Inner_1RB_Right	16.36	/	/	19.36	/	/	<=30	Pass
Note1: Antenna Gain: Ant0: 3.00dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1717.5	Edge_1RB_Left	22.05	/	/	25.05	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	25.12	/	/	<=30	Pass
		Outer_Full	22.01	/	/	25.01	/	/	<=30	Pass
		Inner_Full	22.06	/	/	25.06	/	/	<=30	Pass
		Inner_1RB_Left	22.08	/	/	25.08	/	/	<=30	Pass
		Inner_1RB_Right	22.10	/	/	25.10	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.34	/	/	25.34	/	/	<=30	Pass
		Edge_1RB_Right	22.24	/	/	25.24	/	/	<=30	Pass
		Outer_Full	22.38	/	/	25.38	/	/	<=30	Pass
		Inner_Full	22.34	/	/	25.34	/	/	<=30	Pass
		Inner_1RB_Left	22.34	/	/	25.34	/	/	<=30	Pass
		Inner_1RB_Right	22.24	/	/	25.24	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	22.02	/	/	25.02	/	/	<=30	Pass
		Edge_1RB_Right	22.07	/	/	25.07	/	/	<=30	Pass
		Outer_Full	22.10	/	/	25.10	/	/	<=30	Pass
		Inner_Full	22.08	/	/	25.08	/	/	<=30	Pass
		Inner_1RB_Left	22.05	/	/	25.05	/	/	<=30	Pass
		Inner_1RB_Right	22.05	/	/	25.05	/	/	<=30	Pass
DFT-s-OFDM QPSK	1717.5	Edge_1RB_Left	22.03	/	/	25.03	/	/	<=30	Pass
		Edge_1RB_Right	22.10	/	/	25.10	/	/	<=30	Pass
		Outer_Full	22.06	/	/	25.06	/	/	<=30	Pass
		Inner_Full	22.03	/	/	25.03	/	/	<=30	Pass
		Inner_1RB_Left	22.03	/	/	25.03	/	/	<=30	Pass
		Inner_1RB_Right	22.12	/	/	25.12	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.37	/	/	25.37	/	/	<=30	Pass
		Edge_1RB_Right	22.27	/	/	25.27	/	/	<=30	Pass
		Outer_Full	22.34	/	/	25.34	/	/	<=30	Pass
		Inner_Full	22.28	/	/	25.28	/	/	<=30	Pass
		Inner_1RB_Left	22.36	/	/	25.36	/	/	<=30	Pass
		Inner_1RB_Right	22.28	/	/	25.28	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	22.15	/	/	25.15	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	25.12	/	/	<=30	Pass
		Outer_Full	22.12	/	/	25.12	/	/	<=30	Pass
		Inner_Full	22.11	/	/	25.11	/	/	<=30	Pass
		Inner_1RB_Left	22.02	/	/	25.02	/	/	<=30	Pass
		Inner_1RB_Right	22.08	/	/	25.08	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1717.5	Edge_1RB_Left	21.25	/	/	24.25	/	/	<=30	Pass
		Edge_1RB_Right	21.05	/	/	24.05	/	/	<=30	Pass

		Outer_Full	21.17	/	/	24.17	/	/	<=30	Pass
		Inner_Full	22.05	/	/	25.05	/	/	<=30	Pass
		Inner_1RB_Left	21.95	/	/	24.95	/	/	<=30	Pass
		Inner_1RB_Right	22.00	/	/	25.00	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.32	/	/	24.32	/	/	<=30	Pass
		Edge_1RB_Right	21.18	/	/	24.18	/	/	<=30	Pass
		Outer_Full	21.42	/	/	24.42	/	/	<=30	Pass
		Inner_Full	22.41	/	/	25.41	/	/	<=30	Pass
	1772.5	Inner_1RB_Left	22.26	/	/	25.26	/	/	<=30	Pass
		Inner_1RB_Right	22.17	/	/	25.17	/	/	<=30	Pass
		Edge_1RB_Left	20.99	/	/	23.99	/	/	<=30	Pass
		Edge_1RB_Right	20.91	/	/	23.91	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1717.5	Outer_Full	21.16	/	/	24.16	/	/	<=30	Pass
		Inner_Full	22.11	/	/	25.11	/	/	<=30	Pass
		Inner_1RB_Left	21.93	/	/	24.93	/	/	<=30	Pass
		Inner_1RB_Right	21.86	/	/	24.86	/	/	<=30	Pass
		Edge_1RB_Left	20.96	/	/	23.96	/	/	<=30	Pass
		Edge_1RB_Right	20.88	/	/	23.88	/	/	<=30	Pass
	1745	Outer_Full	20.65	/	/	23.65	/	/	<=30	Pass
		Inner_Full	20.58	/	/	23.58	/	/	<=30	Pass
		Inner_1RB_Left	20.61	/	/	23.61	/	/	<=30	Pass
		Inner_1RB_Right	20.80	/	/	23.80	/	/	<=30	Pass
		Edge_1RB_Left	21.03	/	/	24.03	/	/	<=30	Pass
		Edge_1RB_Right	20.95	/	/	23.95	/	/	<=30	Pass
	1772.5	Outer_Full	20.90	/	/	23.90	/	/	<=30	Pass
		Inner_Full	20.87	/	/	23.87	/	/	<=30	Pass
		Inner_1RB_Left	21.05	/	/	24.05	/	/	<=30	Pass
		Inner_1RB_Right	20.95	/	/	23.95	/	/	<=30	Pass
		Edge_1RB_Left	20.54	/	/	23.54	/	/	<=30	Pass
		Edge_1RB_Right	20.93	/	/	23.93	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1717.5	Outer_Full	20.66	/	/	23.66	/	/	<=30	Pass
		Inner_Full	20.64	/	/	23.64	/	/	<=30	Pass
		Inner_1RB_Left	20.65	/	/	23.65	/	/	<=30	Pass
		Inner_1RB_Right	20.61	/	/	23.61	/	/	<=30	Pass
		Edge_1RB_Left	18.05	/	/	21.05	/	/	<=30	Pass
		Edge_1RB_Right	18.14	/	/	21.14	/	/	<=30	Pass
	1745	Outer_Full	18.50	/	/	21.50	/	/	<=30	Pass
		Inner_Full	18.53	/	/	21.53	/	/	<=30	Pass
		Inner_1RB_Left	18.03	/	/	21.03	/	/	<=30	Pass
		Inner_1RB_Right	18.05	/	/	21.05	/	/	<=30	Pass
		Edge_1RB_Left	18.34	/	/	21.34	/	/	<=30	Pass
		Edge_1RB_Right	18.21	/	/	21.21	/	/	<=30	Pass
	1772.5	Outer_Full	18.77	/	/	21.77	/	/	<=30	Pass
		Inner_Full	18.75	/	/	21.75	/	/	<=30	Pass
		Inner_1RB_Left	18.35	/	/	21.35	/	/	<=30	Pass
		Inner_1RB_Right	18.23	/	/	21.23	/	/	<=30	Pass
		Edge_1RB_Left	18.10	/	/	21.10	/	/	<=30	Pass
		Edge_1RB_Right	18.08	/	/	21.08	/	/	<=30	Pass
CP-OFDM QPSK	1717.5	Outer_Full	18.51	/	/	21.51	/	/	<=30	Pass
		Inner_Full	18.46	/	/	21.46	/	/	<=30	Pass
		Inner_1RB_Left	18.03	/	/	21.03	/	/	<=30	Pass
		Inner_1RB_Right	18.10	/	/	21.10	/	/	<=30	Pass
	1717.5	Edge_1RB_Left	20.15	/	/	23.15	/	/	<=30	Pass
		Edge_1RB_Right	20.13	/	/	23.13	/	/	<=30	Pass
		Outer_Full	20.11	/	/	23.11	/	/	<=30	Pass
		Inner_Full	21.55	/	/	24.55	/	/	<=30	Pass

		Inner_1RB_Left	21.61	/	/	24.61	/	/	<=30	Pass
		Inner_1RB_Right	21.64	/	/	24.64	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.50	/	/	23.50	/	/	<=30	Pass
		Edge_1RB_Right	20.23	/	/	23.23	/	/	<=30	Pass
		Outer_Full	20.39	/	/	23.39	/	/	<=30	Pass
		Inner_Full	21.80	/	/	24.80	/	/	<=30	Pass
		Inner_1RB_Left	21.87	/	/	24.87	/	/	<=30	Pass
		Inner_1RB_Right	21.80	/	/	24.80	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	20.14	/	/	23.14	/	/	<=30	Pass
		Edge_1RB_Right	20.07	/	/	23.07	/	/	<=30	Pass
		Outer_Full	20.09	/	/	23.09	/	/	<=30	Pass
		Inner_Full	21.54	/	/	24.54	/	/	<=30	Pass
		Inner_1RB_Left	21.83	/	/	24.83	/	/	<=30	Pass
		Inner_1RB_Right	21.67	/	/	24.67	/	/	<=30	Pass
CP-OFDM 16 QAM	1717.5	Edge_1RB_Left	20.03	/	/	23.03	/	/	<=30	Pass
		Edge_1RB_Right	20.29	/	/	23.29	/	/	<=30	Pass
		Outer_Full	20.08	/	/	23.08	/	/	<=30	Pass
		Inner_Full	21.16	/	/	24.16	/	/	<=30	Pass
		Inner_1RB_Left	21.26	/	/	24.26	/	/	<=30	Pass
		Inner_1RB_Right	21.32	/	/	24.32	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.53	/	/	23.53	/	/	<=30	Pass
		Edge_1RB_Right	20.44	/	/	23.44	/	/	<=30	Pass
		Outer_Full	20.23	/	/	23.23	/	/	<=30	Pass
		Inner_Full	21.44	/	/	24.44	/	/	<=30	Pass
		Inner_1RB_Left	21.56	/	/	24.56	/	/	<=30	Pass
		Inner_1RB_Right	21.44	/	/	24.44	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	20.30	/	/	23.30	/	/	<=30	Pass
		Edge_1RB_Right	20.32	/	/	23.32	/	/	<=30	Pass
		Outer_Full	20.15	/	/	23.15	/	/	<=30	Pass
		Inner_Full	21.12	/	/	24.12	/	/	<=30	Pass
		Inner_1RB_Left	21.28	/	/	24.28	/	/	<=30	Pass
		Inner_1RB_Right	21.29	/	/	24.29	/	/	<=30	Pass
CP-OFDM 64 QAM	1717.5	Edge_1RB_Left	19.75	/	/	22.75	/	/	<=30	Pass
		Edge_1RB_Right	19.84	/	/	22.84	/	/	<=30	Pass
		Outer_Full	19.60	/	/	22.60	/	/	<=30	Pass
		Inner_Full	19.64	/	/	22.64	/	/	<=30	Pass
		Inner_1RB_Left	19.72	/	/	22.72	/	/	<=30	Pass
		Inner_1RB_Right	19.86	/	/	22.86	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.94	/	/	22.94	/	/	<=30	Pass
		Edge_1RB_Right	19.91	/	/	22.91	/	/	<=30	Pass
		Outer_Full	19.89	/	/	22.89	/	/	<=30	Pass
		Inner_Full	19.82	/	/	22.82	/	/	<=30	Pass
		Inner_1RB_Left	19.96	/	/	22.96	/	/	<=30	Pass
		Inner_1RB_Right	19.91	/	/	22.91	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	19.64	/	/	22.64	/	/	<=30	Pass
		Edge_1RB_Right	19.70	/	/	22.70	/	/	<=30	Pass
		Outer_Full	19.58	/	/	22.58	/	/	<=30	Pass
		Inner_Full	19.56	/	/	22.56	/	/	<=30	Pass
		Inner_1RB_Left	19.74	/	/	22.74	/	/	<=30	Pass
		Inner_1RB_Right	19.78	/	/	22.78	/	/	<=30	Pass
CP-OFDM 256 QAM	1717.5	Edge_1RB_Left	16.13	/	/	19.13	/	/	<=30	Pass
		Edge_1RB_Right	16.18	/	/	19.18	/	/	<=30	Pass
		Outer_Full	16.57	/	/	19.57	/	/	<=30	Pass
		Inner_Full	16.51	/	/	19.51	/	/	<=30	Pass
		Inner_1RB_Left	16.14	/	/	19.14	/	/	<=30	Pass
		Inner_1RB_Right	16.21	/	/	19.21	/	/	<=30	Pass

	1745	Edge_1RB_Left	16.39	/	/	19.39	/	/	<=30	Pass
		Edge_1RB_Right	16.29	/	/	19.29	/	/	<=30	Pass
		Outer_Full	16.82	/	/	19.82	/	/	<=30	Pass
		Inner_Full	16.80	/	/	19.80	/	/	<=30	Pass
		Inner_1RB_Left	16.42	/	/	19.42	/	/	<=30	Pass
		Inner_1RB_Right	16.30	/	/	19.30	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	16.15	/	/	19.15	/	/	<=30	Pass
		Edge_1RB_Right	16.32	/	/	19.32	/	/	<=30	Pass
		Outer_Full	16.58	/	/	19.58	/	/	<=30	Pass
		Inner_Full	16.59	/	/	19.59	/	/	<=30	Pass
		Inner_1RB_Left	16.13	/	/	19.13	/	/	<=30	Pass
		Inner_1RB_Right	15.95	/	/	18.95	/	/	<=30	Pass
Note1: Antenna Gain: Ant0: 3.00dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15_S_20M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1720	Edge_1RB_Left	22.07	/	/	25.07	/	/	<=30	Pass
		Edge_1RB_Right	22.04	/	/	25.04	/	/	<=30	Pass
		Outer_Full	22.04	/	/	25.04	/	/	<=30	Pass
		Inner_Full	20.45	/	/	23.45	/	/	<=30	Pass
		Inner_1RB_Left	21.96	/	/	24.96	/	/	<=30	Pass
		Inner_1RB_Right	22.06	/	/	25.06	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.22	/	/	25.22	/	/	<=30	Pass
		Edge_1RB_Right	22.24	/	/	25.24	/	/	<=30	Pass
		Outer_Full	22.31	/	/	25.31	/	/	<=30	Pass
		Inner_Full	22.35	/	/	25.35	/	/	<=30	Pass
		Inner_1RB_Left	22.35	/	/	25.35	/	/	<=30	Pass
		Inner_1RB_Right	22.15	/	/	25.15	/	/	<=30	Pass
	1770	Edge_1RB_Left	22.07	/	/	25.07	/	/	<=30	Pass
		Edge_1RB_Right	22.07	/	/	25.07	/	/	<=30	Pass
		Outer_Full	22.09	/	/	25.09	/	/	<=30	Pass
		Inner_Full	22.10	/	/	25.10	/	/	<=30	Pass
		Inner_1RB_Left	22.13	/	/	25.13	/	/	<=30	Pass
		Inner_1RB_Right	22.03	/	/	25.03	/	/	<=30	Pass
DFT-s-OFDM QPSK	1720	Edge_1RB_Left	21.98	/	/	24.98	/	/	<=30	Pass
		Edge_1RB_Right	22.06	/	/	25.06	/	/	<=30	Pass
		Outer_Full	22.07	/	/	25.07	/	/	<=30	Pass
		Inner_Full	21.98	/	/	24.98	/	/	<=30	Pass
		Inner_1RB_Left	22.01	/	/	25.01	/	/	<=30	Pass
		Inner_1RB_Right	22.08	/	/	25.08	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.33	/	/	25.33	/	/	<=30	Pass
		Edge_1RB_Right	22.27	/	/	25.27	/	/	<=30	Pass
		Outer_Full	22.30	/	/	25.30	/	/	<=30	Pass
		Inner_Full	22.36	/	/	25.36	/	/	<=30	Pass
		Inner_1RB_Left	22.34	/	/	25.34	/	/	<=30	Pass
		Inner_1RB_Right	22.29	/	/	25.29	/	/	<=30	Pass
	1770	Edge_1RB_Left	22.11	/	/	25.11	/	/	<=30	Pass
		Edge_1RB_Right	22.06	/	/	25.06	/	/	<=30	Pass
		Outer_Full	22.16	/	/	25.16	/	/	<=30	Pass
		Inner_Full	22.12	/	/	25.12	/	/	<=30	Pass

DFT-s-OFDM 16 QAM	1720	Inner_1RB_Left	22.17	/	/	25.17	/	/	<=30	Pass
		Inner_1RB_Right	22.03	/	/	25.03	/	/	<=30	Pass
		Edge_1RB_Left	20.97	/	/	23.97	/	/	<=30	Pass
		Edge_1RB_Right	20.98	/	/	23.98	/	/	<=30	Pass
		Outer_Full	20.97	/	/	23.97	/	/	<=30	Pass
		Inner_Full	22.07	/	/	25.07	/	/	<=30	Pass
	1745	Inner_1RB_Left	21.82	/	/	24.82	/	/	<=30	Pass
		Inner_1RB_Right	21.84	/	/	24.84	/	/	<=30	Pass
		Edge_1RB_Left	21.23	/	/	24.23	/	/	<=30	Pass
		Edge_1RB_Right	21.07	/	/	24.07	/	/	<=30	Pass
		Outer_Full	21.29	/	/	24.29	/	/	<=30	Pass
		Inner_Full	22.39	/	/	25.39	/	/	<=30	Pass
	1770	Inner_1RB_Left	22.17	/	/	25.17	/	/	<=30	Pass
		Inner_1RB_Right	22.01	/	/	25.01	/	/	<=30	Pass
		Edge_1RB_Left	20.96	/	/	23.96	/	/	<=30	Pass
		Edge_1RB_Right	21.11	/	/	24.11	/	/	<=30	Pass
		Outer_Full	21.18	/	/	24.18	/	/	<=30	Pass
		Inner_Full	22.13	/	/	25.13	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1720	Inner_1RB_Left	21.95	/	/	24.95	/	/	<=30	Pass
		Inner_1RB_Right	21.77	/	/	24.77	/	/	<=30	Pass
		Edge_1RB_Left	20.70	/	/	23.70	/	/	<=30	Pass
		Edge_1RB_Right	20.82	/	/	23.82	/	/	<=30	Pass
		Outer_Full	20.59	/	/	23.59	/	/	<=30	Pass
		Inner_Full	20.57	/	/	23.57	/	/	<=30	Pass
	1745	Inner_1RB_Left	20.73	/	/	23.73	/	/	<=30	Pass
		Inner_1RB_Right	20.82	/	/	23.82	/	/	<=30	Pass
		Edge_1RB_Left	20.99	/	/	23.99	/	/	<=30	Pass
		Edge_1RB_Right	21.05	/	/	24.05	/	/	<=30	Pass
		Outer_Full	20.86	/	/	23.86	/	/	<=30	Pass
		Inner_Full	20.86	/	/	23.86	/	/	<=30	Pass
	1770	Inner_1RB_Left	21.06	/	/	24.06	/	/	<=30	Pass
		Inner_1RB_Right	20.87	/	/	23.87	/	/	<=30	Pass
		Edge_1RB_Left	20.79	/	/	23.79	/	/	<=30	Pass
		Edge_1RB_Right	20.52	/	/	23.52	/	/	<=30	Pass
		Outer_Full	20.69	/	/	23.69	/	/	<=30	Pass
		Inner_Full	20.67	/	/	23.67	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1720	Inner_1RB_Left	20.81	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Right	20.77	/	/	23.77	/	/	<=30	Pass
		Edge_1RB_Left	17.93	/	/	20.93	/	/	<=30	Pass
		Edge_1RB_Right	18.07	/	/	21.07	/	/	<=30	Pass
		Outer_Full	18.55	/	/	21.55	/	/	<=30	Pass
		Inner_Full	18.52	/	/	21.52	/	/	<=30	Pass
	1745	Inner_1RB_Left	17.94	/	/	20.94	/	/	<=30	Pass
		Inner_1RB_Right	18.10	/	/	21.10	/	/	<=30	Pass
		Edge_1RB_Left	18.33	/	/	21.33	/	/	<=30	Pass
		Edge_1RB_Right	18.17	/	/	21.17	/	/	<=30	Pass
		Outer_Full	18.80	/	/	21.80	/	/	<=30	Pass
		Inner_Full	18.81	/	/	21.81	/	/	<=30	Pass
	1770	Inner_1RB_Left	18.31	/	/	21.31	/	/	<=30	Pass
		Inner_1RB_Right	18.19	/	/	21.19	/	/	<=30	Pass
		Edge_1RB_Left	18.13	/	/	21.13	/	/	<=30	Pass
		Edge_1RB_Right	18.05	/	/	21.05	/	/	<=30	Pass
		Outer_Full	18.63	/	/	21.63	/	/	<=30	Pass
		Inner_Full	18.59	/	/	21.59	/	/	<=30	Pass
		Inner_1RB_Left	18.09	/	/	21.09	/	/	<=30	Pass
		Inner_1RB_Right	18.10	/	/	21.10	/	/	<=30	Pass

CP-OFDM QPSK	1720	Edge_1RB_Left	20.04	/	/	23.04	/	/	<=30	Pass
		Edge_1RB_Right	20.10	/	/	23.10	/	/	<=30	Pass
		Outer_Full	20.04	/	/	23.04	/	/	<=30	Pass
		Inner_Full	21.50	/	/	24.50	/	/	<=30	Pass
		Inner_1RB_Left	21.50	/	/	24.50	/	/	<=30	Pass
	1745	Inner_1RB_Right	21.63	/	/	24.63	/	/	<=30	Pass
		Edge_1RB_Left	20.31	/	/	23.31	/	/	<=30	Pass
		Edge_1RB_Right	20.27	/	/	23.27	/	/	<=30	Pass
		Outer_Full	20.34	/	/	23.34	/	/	<=30	Pass
		Inner_Full	21.83	/	/	24.83	/	/	<=30	Pass
	1770	Inner_1RB_Left	21.80	/	/	24.80	/	/	<=30	Pass
		Inner_1RB_Right	21.85	/	/	24.85	/	/	<=30	Pass
		Edge_1RB_Left	20.14	/	/	23.14	/	/	<=30	Pass
		Edge_1RB_Right	19.99	/	/	22.99	/	/	<=30	Pass
		Outer_Full	20.06	/	/	23.06	/	/	<=30	Pass
CP-OFDM 16 QAM	1720	Inner_Full	21.61	/	/	24.61	/	/	<=30	Pass
		Inner_1RB_Left	21.68	/	/	24.68	/	/	<=30	Pass
		Inner_1RB_Right	21.91	/	/	24.91	/	/	<=30	Pass
		Edge_1RB_Left	20.37	/	/	23.37	/	/	<=30	Pass
		Edge_1RB_Right	20.23	/	/	23.23	/	/	<=30	Pass
	1745	Outer_Full	20.03	/	/	23.03	/	/	<=30	Pass
		Inner_Full	21.02	/	/	24.02	/	/	<=30	Pass
		Inner_1RB_Left	21.15	/	/	24.15	/	/	<=30	Pass
		Inner_1RB_Right	21.30	/	/	24.30	/	/	<=30	Pass
		Edge_1RB_Left	20.53	/	/	23.53	/	/	<=30	Pass
	1770	Edge_1RB_Right	20.38	/	/	23.38	/	/	<=30	Pass
		Outer_Full	20.31	/	/	23.31	/	/	<=30	Pass
		Inner_Full	21.29	/	/	24.29	/	/	<=30	Pass
		Inner_1RB_Left	21.59	/	/	24.59	/	/	<=30	Pass
		Inner_1RB_Right	21.52	/	/	24.52	/	/	<=30	Pass
CP-OFDM 64 QAM	1720	Edge_1RB_Left	20.34	/	/	23.34	/	/	<=30	Pass
		Edge_1RB_Right	20.12	/	/	23.12	/	/	<=30	Pass
		Outer_Full	20.15	/	/	23.15	/	/	<=30	Pass
		Inner_Full	21.13	/	/	24.13	/	/	<=30	Pass
		Inner_1RB_Left	21.31	/	/	24.31	/	/	<=30	Pass
	1745	Inner_1RB_Right	21.30	/	/	24.30	/	/	<=30	Pass
		Edge_1RB_Left	19.72	/	/	22.72	/	/	<=30	Pass
		Edge_1RB_Right	19.74	/	/	22.74	/	/	<=30	Pass
		Outer_Full	19.55	/	/	22.55	/	/	<=30	Pass
		Inner_Full	19.49	/	/	22.49	/	/	<=30	Pass
	1770	Inner_1RB_Left	19.64	/	/	22.64	/	/	<=30	Pass
		Inner_1RB_Right	19.79	/	/	22.79	/	/	<=30	Pass
		Edge_1RB_Left	20.03	/	/	23.03	/	/	<=30	Pass
		Edge_1RB_Right	19.84	/	/	22.84	/	/	<=30	Pass
		Outer_Full	19.90	/	/	22.90	/	/	<=30	Pass
CP-OFDM 256 QAM	1720	Inner_Full	19.92	/	/	22.92	/	/	<=30	Pass
		Inner_1RB_Left	19.97	/	/	22.97	/	/	<=30	Pass
		Inner_1RB_Right	19.87	/	/	22.87	/	/	<=30	Pass
		Edge_1RB_Left	19.80	/	/	22.80	/	/	<=30	Pass
		Edge_1RB_Right	19.84	/	/	22.84	/	/	<=30	Pass
	1745	Outer_Full	19.67	/	/	22.67	/	/	<=30	Pass
		Inner_Full	19.65	/	/	22.65	/	/	<=30	Pass
		Inner_1RB_Left	19.74	/	/	22.74	/	/	<=30	Pass
		Inner_1RB_Right	19.62	/	/	22.62	/	/	<=30	Pass
	1770	Edge_1RB_Left	16.16	/	/	19.16	/	/	<=30	Pass
		Edge_1RB_Right	16.15	/	/	19.15	/	/	<=30	Pass

		Outer_Full	16.54	/	/	19.54	/	/	<=30	Pass
		Inner_Full	16.45	/	/	19.45	/	/	<=30	Pass
		Inner_1RB_Left	15.88	/	/	18.88	/	/	<=30	Pass
		Inner_1RB_Right	16.20	/	/	19.20	/	/	<=30	Pass
	1745	Edge_1RB_Left	16.43	/	/	19.43	/	/	<=30	Pass
		Edge_1RB_Right	16.35	/	/	19.35	/	/	<=30	Pass
		Outer_Full	16.78	/	/	19.78	/	/	<=30	Pass
		Inner_Full	16.76	/	/	19.76	/	/	<=30	Pass
	1770	Inner_1RB_Left	16.42	/	/	19.42	/	/	<=30	Pass
		Inner_1RB_Right	16.39	/	/	19.39	/	/	<=30	Pass
		Edge_1RB_Left	16.19	/	/	19.19	/	/	<=30	Pass
		Edge_1RB_Right	16.13	/	/	19.13	/	/	<=30	Pass
		Outer_Full	16.61	/	/	19.61	/	/	<=30	Pass
		Inner_Full	16.58	/	/	19.58	/	/	<=30	Pass
		Inner_1RB_Left	16.29	/	/	19.29	/	/	<=30	Pass
		Inner_1RB_Right	16.14	/	/	19.14	/	/	<=30	Pass

Note1: Antenna Gain: Ant0: 3.00dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.5 15_S_30M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1725	Edge_1RB_Left	22.03	/	/	25.03	/	/	<=30	Pass
		Edge_1RB_Right	22.28	/	/	25.28	/	/	<=30	Pass
		Outer_Full	22.26	/	/	25.26	/	/	<=30	Pass
		Inner_Full	22.16	/	/	25.16	/	/	<=30	Pass
		Inner_1RB_Left	21.99	/	/	24.99	/	/	<=30	Pass
		Inner_1RB_Right	22.31	/	/	25.31	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.12	/	/	25.12	/	/	<=30	Pass
		Edge_1RB_Right	22.08	/	/	25.08	/	/	<=30	Pass
		Outer_Full	22.46	/	/	25.46	/	/	<=30	Pass
		Inner_Full	22.46	/	/	25.46	/	/	<=30	Pass
		Inner_1RB_Left	22.12	/	/	25.12	/	/	<=30	Pass
		Inner_1RB_Right	22.20	/	/	25.20	/	/	<=30	Pass
	1765	Edge_1RB_Left	22.29	/	/	25.29	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	25.12	/	/	<=30	Pass
		Outer_Full	22.35	/	/	25.35	/	/	<=30	Pass
		Inner_Full	22.31	/	/	25.31	/	/	<=30	Pass
		Inner_1RB_Left	22.25	/	/	25.25	/	/	<=30	Pass
		Inner_1RB_Right	22.12	/	/	25.12	/	/	<=30	Pass
DFT-s-OFDM QPSK	1725	Edge_1RB_Left	22.03	/	/	25.03	/	/	<=30	Pass
		Edge_1RB_Right	22.46	/	/	25.46	/	/	<=30	Pass
		Outer_Full	22.25	/	/	25.25	/	/	<=30	Pass
		Inner_Full	22.17	/	/	25.17	/	/	<=30	Pass
		Inner_1RB_Left	22.03	/	/	25.03	/	/	<=30	Pass
		Inner_1RB_Right	22.28	/	/	25.28	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.16	/	/	25.16	/	/	<=30	Pass
		Edge_1RB_Right	22.19	/	/	25.19	/	/	<=30	Pass
		Outer_Full	22.46	/	/	25.46	/	/	<=30	Pass
		Inner_Full	22.42	/	/	25.42	/	/	<=30	Pass
		Inner_1RB_Left	22.32	/	/	25.32	/	/	<=30	Pass
		Inner_1RB_Right	22.32	/	/	25.32	/	/	<=30	Pass

	1765	Edge_1RB_Left	22.29	/	/	25.29	/	/	<=30	Pass
		Edge_1RB_Right	22.15	/	/	25.15	/	/	<=30	Pass
		Outer_Full	22.39	/	/	25.39	/	/	<=30	Pass
		Inner_Full	22.33	/	/	25.33	/	/	<=30	Pass
		Inner_1RB_Left	22.19	/	/	25.19	/	/	<=30	Pass
		Inner_1RB_Right	22.10	/	/	25.10	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1725	Edge_1RB_Left	20.98	/	/	23.98	/	/	<=30	Pass
		Edge_1RB_Right	21.24	/	/	24.24	/	/	<=30	Pass
		Outer_Full	21.27	/	/	24.27	/	/	<=30	Pass
		Inner_Full	22.17	/	/	25.17	/	/	<=30	Pass
		Inner_1RB_Left	21.92	/	/	24.92	/	/	<=30	Pass
		Inner_1RB_Right	22.17	/	/	25.17	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.10	/	/	24.10	/	/	<=30	Pass
		Edge_1RB_Right	21.11	/	/	24.11	/	/	<=30	Pass
		Outer_Full	21.44	/	/	24.44	/	/	<=30	Pass
		Inner_Full	22.46	/	/	25.46	/	/	<=30	Pass
		Inner_1RB_Left	21.94	/	/	24.94	/	/	<=30	Pass
		Inner_1RB_Right	21.93	/	/	24.93	/	/	<=30	Pass
	1765	Edge_1RB_Left	21.28	/	/	24.28	/	/	<=30	Pass
		Edge_1RB_Right	21.06	/	/	24.06	/	/	<=30	Pass
		Outer_Full	21.38	/	/	24.38	/	/	<=30	Pass
		Inner_Full	22.28	/	/	25.28	/	/	<=30	Pass
		Inner_1RB_Left	22.13	/	/	25.13	/	/	<=30	Pass
		Inner_1RB_Right	21.87	/	/	24.87	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1725	Edge_1RB_Left	20.69	/	/	23.69	/	/	<=30	Pass
		Edge_1RB_Right	20.97	/	/	23.97	/	/	<=30	Pass
		Outer_Full	20.80	/	/	23.80	/	/	<=30	Pass
		Inner_Full	20.75	/	/	23.75	/	/	<=30	Pass
		Inner_1RB_Left	20.74	/	/	23.74	/	/	<=30	Pass
		Inner_1RB_Right	21.01	/	/	24.01	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.78	/	/	23.78	/	/	<=30	Pass
		Edge_1RB_Right	20.94	/	/	23.94	/	/	<=30	Pass
		Outer_Full	21.04	/	/	24.04	/	/	<=30	Pass
		Inner_Full	20.99	/	/	23.99	/	/	<=30	Pass
		Inner_1RB_Left	20.84	/	/	23.84	/	/	<=30	Pass
		Inner_1RB_Right	21.01	/	/	24.01	/	/	<=30	Pass
	1765	Edge_1RB_Left	21.01	/	/	24.01	/	/	<=30	Pass
		Edge_1RB_Right	20.87	/	/	23.87	/	/	<=30	Pass
		Outer_Full	20.92	/	/	23.92	/	/	<=30	Pass
		Inner_Full	20.88	/	/	23.88	/	/	<=30	Pass
		Inner_1RB_Left	21.01	/	/	24.01	/	/	<=30	Pass
		Inner_1RB_Right	20.88	/	/	23.88	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1725	Edge_1RB_Left	18.16	/	/	21.16	/	/	<=30	Pass
		Edge_1RB_Right	18.36	/	/	21.36	/	/	<=30	Pass
		Outer_Full	18.71	/	/	21.71	/	/	<=30	Pass
		Inner_Full	18.66	/	/	21.66	/	/	<=30	Pass
		Inner_1RB_Left	18.17	/	/	21.17	/	/	<=30	Pass
		Inner_1RB_Right	18.27	/	/	21.27	/	/	<=30	Pass
	1745	Edge_1RB_Left	18.27	/	/	21.27	/	/	<=30	Pass
		Edge_1RB_Right	18.29	/	/	21.29	/	/	<=30	Pass
		Outer_Full	18.93	/	/	21.93	/	/	<=30	Pass
		Inner_Full	18.94	/	/	21.94	/	/	<=30	Pass
		Inner_1RB_Left	18.30	/	/	21.30	/	/	<=30	Pass
		Inner_1RB_Right	18.25	/	/	21.25	/	/	<=30	Pass
	1765	Edge_1RB_Left	18.42	/	/	21.42	/	/	<=30	Pass
		Edge_1RB_Right	18.15	/	/	21.15	/	/	<=30	Pass

CP-OFDM QPSK	1725	Outer_Full	18.77	/	/	21.77	/	/	<=30	Pass
		Inner_Full	18.81	/	/	21.81	/	/	<=30	Pass
		Inner_1RB_Left	18.40	/	/	21.40	/	/	<=30	Pass
		Inner_1RB_Right	18.16	/	/	21.16	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.14	/	/	23.14	/	/	<=30	Pass
		Edge_1RB_Right	20.25	/	/	23.25	/	/	<=30	Pass
		Outer_Full	20.25	/	/	23.25	/	/	<=30	Pass
		Inner_Full	21.68	/	/	24.68	/	/	<=30	Pass
	1765	Inner_1RB_Left	21.57	/	/	24.57	/	/	<=30	Pass
		Inner_1RB_Right	21.80	/	/	24.80	/	/	<=30	Pass
		Edge_1RB_Left	20.15	/	/	23.15	/	/	<=30	Pass
		Edge_1RB_Right	20.24	/	/	23.24	/	/	<=30	Pass
CP-OFDM 16 QAM	1725	Outer_Full	20.46	/	/	23.46	/	/	<=30	Pass
		Inner_Full	21.96	/	/	24.96	/	/	<=30	Pass
		Inner_1RB_Left	21.65	/	/	24.65	/	/	<=30	Pass
		Inner_1RB_Right	21.89	/	/	24.89	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.33	/	/	23.33	/	/	<=30	Pass
		Edge_1RB_Right	20.62	/	/	23.62	/	/	<=30	Pass
		Outer_Full	20.35	/	/	23.35	/	/	<=30	Pass
		Inner_Full	21.78	/	/	24.78	/	/	<=30	Pass
	1765	Inner_1RB_Left	21.78	/	/	24.78	/	/	<=30	Pass
		Inner_1RB_Right	21.75	/	/	24.75	/	/	<=30	Pass
		Edge_1RB_Left	20.12	/	/	23.12	/	/	<=30	Pass
		Edge_1RB_Right	20.36	/	/	23.36	/	/	<=30	Pass
	1725	Outer_Full	20.21	/	/	23.21	/	/	<=30	Pass
		Inner_Full	21.13	/	/	24.13	/	/	<=30	Pass
		Inner_1RB_Left	21.17	/	/	24.17	/	/	<=30	Pass
		Inner_1RB_Right	21.46	/	/	24.46	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.31	/	/	23.31	/	/	<=30	Pass
		Edge_1RB_Right	20.36	/	/	23.36	/	/	<=30	Pass
		Outer_Full	20.38	/	/	23.38	/	/	<=30	Pass
		Inner_Full	21.36	/	/	24.36	/	/	<=30	Pass
	1765	Inner_1RB_Left	21.31	/	/	24.31	/	/	<=30	Pass
		Inner_1RB_Right	21.54	/	/	24.54	/	/	<=30	Pass
		Edge_1RB_Left	20.41	/	/	23.41	/	/	<=30	Pass
		Edge_1RB_Right	20.36	/	/	23.36	/	/	<=30	Pass
CP-OFDM 64 QAM	1725	Outer_Full	20.29	/	/	23.29	/	/	<=30	Pass
		Inner_Full	21.21	/	/	24.21	/	/	<=30	Pass
		Inner_1RB_Left	21.51	/	/	24.51	/	/	<=30	Pass
		Inner_1RB_Right	21.31	/	/	24.31	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.64	/	/	22.64	/	/	<=30	Pass
		Edge_1RB_Right	19.89	/	/	22.89	/	/	<=30	Pass
		Outer_Full	19.77	/	/	22.77	/	/	<=30	Pass
		Inner_Full	19.67	/	/	22.67	/	/	<=30	Pass
	1765	Inner_1RB_Left	19.67	/	/	22.67	/	/	<=30	Pass
		Inner_1RB_Right	19.94	/	/	22.94	/	/	<=30	Pass
		Edge_1RB_Left	19.75	/	/	22.75	/	/	<=30	Pass
		Edge_1RB_Right	19.86	/	/	22.86	/	/	<=30	Pass
	1725	Outer_Full	19.99	/	/	22.99	/	/	<=30	Pass
		Inner_Full	20.00	/	/	23.00	/	/	<=30	Pass
		Inner_1RB_Left	19.77	/	/	22.77	/	/	<=30	Pass
		Inner_1RB_Right	19.92	/	/	22.92	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.92	/	/	22.92	/	/	<=30	Pass
		Edge_1RB_Right	19.83	/	/	22.83	/	/	<=30	Pass
		Outer_Full	19.89	/	/	22.89	/	/	<=30	Pass
		Inner_Full	19.83	/	/	22.83	/	/	<=30	Pass

		Inner_1RB_Left	19.94	/	/	22.94	/	/	<=30	Pass
		Inner_1RB_Right	19.87	/	/	22.87	/	/	<=30	Pass
CP-OFDM 256 QAM	1725	Edge_1RB_Left	16.18	/	/	19.18	/	/	<=30	Pass
		Edge_1RB_Right	16.38	/	/	19.38	/	/	<=30	Pass
		Outer_Full	16.75	/	/	19.75	/	/	<=30	Pass
		Inner_Full	16.70	/	/	19.70	/	/	<=30	Pass
		Inner_1RB_Left	16.20	/	/	19.20	/	/	<=30	Pass
		Inner_1RB_Right	16.41	/	/	19.41	/	/	<=30	Pass
		Edge_1RB_Left	16.36	/	/	19.36	/	/	<=30	Pass
		Edge_1RB_Right	16.38	/	/	19.38	/	/	<=30	Pass
	1745	Outer_Full	16.90	/	/	19.90	/	/	<=30	Pass
		Inner_Full	16.91	/	/	19.91	/	/	<=30	Pass
		Inner_1RB_Left	16.38	/	/	19.38	/	/	<=30	Pass
		Inner_1RB_Right	16.47	/	/	19.47	/	/	<=30	Pass
		Edge_1RB_Left	16.38	/	/	19.38	/	/	<=30	Pass
		Edge_1RB_Right	16.31	/	/	19.31	/	/	<=30	Pass
	1765	Outer_Full	16.84	/	/	19.84	/	/	<=30	Pass
		Inner_Full	16.84	/	/	19.84	/	/	<=30	Pass
		Inner_1RB_Left	16.57	/	/	19.57	/	/	<=30	Pass
		Inner_1RB_Right	16.24	/	/	19.24	/	/	<=30	Pass
Note1: Antenna Gain: Ant0: 3.00dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_30M

5G NR n66 SCS=15kHz SISO 30MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1745	Outer_Full	20	LV	-4.00	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-2.90	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-1.70	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	2.60	0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-4.40	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-6.60	-0.0038	>=-2.5 & <=2.5	Pass
			40	NV	-4.90	-0.0028	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n66 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	4.57	5.34	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	4.53	5.25	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	4.58	5.35	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	4.57	5.24	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	4.55	5.28	/	Pass
CP-OFDM QPSK	1745	Outer_Full	4.57	5.34	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	4.56	5.33	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	4.55	5.32	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	4.56	5.41	/	Pass

3.1.2 15_S_10M_NTNV

5G NR n66 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	9.05	9.99	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	9.08	9.99	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	9.09	10.01	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	9.05	10.02	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	9.08	9.98	/	Pass
CP-OFDM QPSK	1745	Outer_Full	9.41	10.48	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	9.41	10.41	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	9.39	10.36	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	9.43	10.45	/	Pass

3.1.3 15_S_15M_NTNV

5G NR n66 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	13.60	14.80	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	13.61	14.81	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	13.63	14.94	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	13.58	14.84	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	13.59	14.75	/	Pass
CP-OFDM QPSK	1745	Outer_Full	14.30	15.51	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	14.30	15.65	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	14.35	15.50	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	14.30	15.61	/	Pass

3.1.4 15_S_20M_NTNV


5G NR n66 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	18.08	19.54	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	18.10	19.70	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	18.10	19.53	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	18.10	19.56	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	18.09	19.49	/	Pass
CP-OFDM QPSK	1745	Outer_Full	19.16	20.59	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	19.21	20.72	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	19.21	20.59	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	19.24	20.75	/	Pass

3.1.5 15_S_30M_NTNV


5G NR n66 SCS=15kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	28.91	30.85	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	28.90	30.94	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	28.92	30.91	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	28.87	30.84	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	28.84	30.87	/	Pass
CP-OFDM QPSK	1745	Outer_Full	28.91	33.01	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	29.02	33.47	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	28.97	34.48	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	28.79	30.85	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




3.2.2 15_S_10M_NTNV




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




3.2.3 15_S_15M_NTNV




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




3.2.4 15_S_20M_NTNV




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_256 QAM_1745MHz_Outer_Full_Ant0




3.2.5 15_S_30M_NTNV




n66	15kHz	SISO	NTNV	30MHz	DFT-s-OFDM	16 QAM	1745MHz	Outer	Full	Ant0
-----	-------	------	------	-------	------------	--------	---------	-------	------	------




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_30MHz_CP-OFDM QPSK_1745MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_30MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full_Ant0



n66_15kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full_Ant0







4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_30M_NTNV


5G NR n66 SCS=15kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	3.78	/	/	<=13	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	4.41	/	/	<=13	Pass
CP-OFDM QPSK	1745	Outer_Full	6.16	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_30M_NTNV



n66_15kHz_SISO_NTNV_30MHz_CP-OFDM QPSK_1745MHz_Outer_Full_Ant0



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n66 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1777.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1777.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1777.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_15M_NTNV


5G NR n66 SCS=15kHz SISO 15MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1717.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1772.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1717.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1772.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1717.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1772.5	Outer_Full	Refer To Test Graph				Pass

5.1.3 15_S_30M_NTNV


5G NR n66 SCS=15kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1725	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1765	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1725	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1765	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1725	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1765	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1712.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1704.500	-56.32	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	2112.000	-42.94	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1712.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1707.510	-28.48	-13	Pass
1709	1710	0.05252	CHP	2	1709.980	-28.70	-13	Pass
1710	1715	0.05252	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant0



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1777.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.012	-30.30	-13	Pass
1781	1785	1	CHP	2	1781.500	-42.26	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1777.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	906.600	-62.90	-13	Pass


n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1777.5MHz_Edge_1RB_Right_Ant0




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1777.5MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1712.5MHz_Edge_1RB_Left_Ant0



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1712.5MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1712.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1701.500	-57.62	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	2111.500	-43.70	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1712.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-23.94	-13	Pass
1709	1710	0.05252	CHP	2	1709.990	-26.09	-13	Pass
1710	1715	0.05252	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1745MHz_Edge_1RB_Left_Ant0



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1745MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1777.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-28.11	-13	Pass
1781	1785	1	CHP	2	1781.500	-41.98	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1777.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	894.150	-62.62	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1777.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1618.500	-60.14	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	2177.500	-45.28	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1777.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05252	CHP	/	/	/	/	/
1780	1781	0.05252	CHP	1	1780.010	-23.77	-13	Pass
1781	1785	1	CHP	2	1781.500	-17.46	-13	Pass


n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1712.5MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1712.5MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1712.5MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1712.5MHz_Outer_Full_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1745MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1745MHz_Edge_1RB_Left_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1777.5MHz_Edge_1RB_Right_Ant0



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1777.5MHz_Edge_1RB_Right_Ant0




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1777.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1576.500	-60.19	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	2178.000	-45.03	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1777.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05252	CHP	/	/	/	/	/
1780	1781	0.05252	CHP	1	1780.040	-25.56	-13	Pass
1781	1785	1	CHP	2	1781.500	-19.23	-13	Pass

5.2.2 15_S_15M_NTNV



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1717.5MHz_Edge_1RB_Left_Ant0



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1717.5MHz_Outer_Full_Ant0

