

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_M_20M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3710.01	Edge 1RB Left	19.37	19.43	22.41	22.37	22.43	25.41	<=30	Pass
		Edge 1RB Right	19.37	19.87	22.63	22.37	22.87	25.64	<=30	Pass
		Outer Full	19.73	19.99	22.87	22.73	22.99	25.87	<=30	Pass
		Inner Full	21.23	21.49	24.37	24.23	24.49	27.37	<=30	Pass
		Inner 1RB Left	21.32	21.49	24.42	24.32	24.49	27.42	<=30	Pass
		Inner 1RB Right	21.43	21.82	24.64	24.43	24.82	27.64	<=30	Pass
	3750	Edge 1RB Left	18.91	19.89	22.44	21.91	22.89	25.44	<=30	Pass
		Edge 1RB Right	19.05	19.71	22.41	22.05	22.71	25.40	<=30	Pass
		Outer Full	19.41	20.26	22.87	22.41	23.26	25.87	<=30	Pass
		Inner Full	20.88	21.71	24.33	23.88	24.71	27.33	<=30	Pass
		Inner 1RB Left	20.90	21.83	24.40	23.90	24.83	27.40	<=30	Pass
		Inner 1RB Right	21.18	21.74	24.48	24.18	24.74	27.48	<=30	Pass
	3789.99	Edge 1RB Left	19.43	19.85	22.66	22.43	22.85	25.66	<=30	Pass
		Edge 1RB Right	19.20	19.94	22.59	22.20	22.94	25.60	<=30	Pass
		Outer Full	19.57	20.42	23.03	22.57	23.42	26.03	<=30	Pass
		Inner Full	21.05	21.75	24.42	24.05	24.75	27.42	<=30	Pass
		Inner 1RB Left	21.44	21.77	24.62	24.44	24.77	27.62	<=30	Pass
		Inner 1RB Right	21.21	21.72	24.49	24.21	24.72	27.48	<=30	Pass
CP-OFDM 16 QAM	3710.01	Edge 1RB Left	19.29	19.69	22.50	22.29	22.69	25.50	<=30	Pass
		Edge 1RB Right	19.43	20.21	22.85	22.43	23.21	25.85	<=30	Pass
		Outer Full	19.83	20.14	23.00	22.83	23.14	26.00	<=30	Pass
		Inner Full	20.76	21.12	23.95	23.76	24.12	26.95	<=30	Pass
		Inner 1RB Left	20.69	21.07	23.90	23.69	24.07	26.89	<=30	Pass
		Inner 1RB Right	20.87	21.25	24.08	23.87	24.25	27.07	<=30	Pass
	3750	Edge 1RB Left	18.85	19.90	22.41	21.85	22.90	25.42	<=30	Pass
		Edge 1RB Right	19.08	19.78	22.45	22.08	22.78	25.45	<=30	Pass
		Outer Full	19.50	20.31	22.93	22.50	23.31	25.93	<=30	Pass
		Inner Full	20.47	21.32	23.93	23.47	24.32	26.93	<=30	Pass
		Inner 1RB Left	20.41	21.47	23.98	23.41	24.47	26.98	<=30	Pass
		Inner 1RB Right	20.51	21.41	24.00	23.51	24.41	26.99	<=30	Pass
	3789.99	Edge 1RB Left	19.24	19.92	22.60	22.24	22.92	25.60	<=30	Pass
		Edge 1RB Right	19.14	19.92	22.56	22.14	22.92	25.56	<=30	Pass
		Outer Full	19.56	20.31	22.96	22.56	23.31	25.96	<=30	Pass
		Inner Full	20.55	21.32	23.96	23.55	24.32	26.96	<=30	Pass
		Inner 1RB Left	20.56	21.39	24.01	23.56	24.39	27.01	<=30	Pass
		Inner 1RB Right	20.46	21.39	23.96	23.46	24.39	26.96	<=30	Pass
CP-OFDM 64 QAM	3710.01	Edge 1RB Left	19.31	19.44	22.38	22.31	22.44	25.39	<=30	Pass
		Edge 1RB Right	19.46	19.76	22.62	22.46	22.76	25.62	<=30	Pass
		Outer Full	19.30	19.63	22.48	22.30	22.63	25.48	<=30	Pass
		Inner Full	19.21	19.53	22.38	22.21	22.53	25.38	<=30	Pass
		Inner 1RB Left	19.32	19.43	22.39	22.32	22.43	25.39	<=30	Pass
		Inner 1RB Right	19.41	19.62	22.53	22.41	22.62	25.53	<=30	Pass
	3750	Edge 1RB Left	18.94	19.86	22.44	21.94	22.86	25.43	<=30	Pass
		Edge 1RB Right	19.14	19.62	22.39	22.14	22.62	25.40	<=30	Pass
		Outer Full	18.93	19.78	22.39	21.93	22.78	25.39	<=30	Pass
		Inner Full	18.86	19.74	22.33	21.86	22.74	25.33	<=30	Pass

		Inner_1RB_Left	18.95	19.84	22.43	21.95	22.84	25.43	<=30	Pass
		Inner_1RB_Right	19.14	19.67	22.42	22.14	22.67	25.42	<=30	Pass
CP-OFDM 256 QAM	3789.99	Edge_1RB_Left	19.17	19.66	22.43	22.17	22.66	25.43	<=30	Pass
		Edge_1RB_Right	19.09	19.80	22.47	22.09	22.80	25.47	<=30	Pass
		Outer_Full	19.10	19.84	22.49	22.10	22.84	25.50	<=30	Pass
		Inner_Full	19.05	19.78	22.44	22.05	22.78	25.44	<=30	Pass
		Inner_1RB_Left	19.18	19.71	22.46	22.18	22.71	25.46	<=30	Pass
		Inner_1RB_Right	19.12	19.76	22.46	22.12	22.76	25.46	<=30	Pass
	3710.01	Edge_1RB_Left	16.38	16.51	19.45	19.38	19.51	22.46	<=30	Pass
		Edge_1RB_Right	16.51	16.68	19.60	19.51	19.68	22.61	<=30	Pass
		Outer_Full	16.32	16.63	19.49	19.32	19.63	22.49	<=30	Pass
		Inner_Full	16.20	16.65	19.44	19.20	19.65	22.44	<=30	Pass
		Inner_1RB_Left	16.51	16.43	19.49	19.51	19.43	22.48	<=30	Pass
		Inner_1RB_Right	16.59	16.76	19.68	19.59	19.76	22.69	<=30	Pass
	3750	Edge_1RB_Left	16.12	16.85	19.51	19.12	19.85	22.51	<=30	Pass
		Edge_1RB_Right	16.23	16.69	19.48	19.23	19.69	22.48	<=30	Pass
		Outer_Full	15.99	16.86	19.45	18.99	19.86	22.46	<=30	Pass
		Inner_Full	15.83	16.82	19.36	18.83	19.82	22.36	<=30	Pass
		Inner_1RB_Left	16.10	16.80	19.47	19.10	19.80	22.47	<=30	Pass
		Inner_1RB_Right	16.28	16.77	19.54	19.28	19.77	22.54	<=30	Pass
	3789.99	Edge_1RB_Left	16.36	16.78	19.58	19.36	19.78	22.59	<=30	Pass
		Edge_1RB_Right	16.19	16.81	19.52	19.19	19.81	22.52	<=30	Pass
		Outer_Full	16.16	16.83	19.52	19.16	19.83	22.52	<=30	Pass
		Inner_Full	16.06	16.90	19.51	19.06	19.90	22.51	<=30	Pass
		Inner_1RB_Left	16.40	16.68	19.55	19.40	19.68	22.55	<=30	Pass
		Inner_1RB_Right	16.30	16.83	19.58	19.30	19.83	22.58	<=30	Pass

Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi;
Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2

1.1.2 30_M_30M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3715.02	Edge_1RB_Left	19.27	19.57	22.43	22.27	22.57	25.43	<=30	Pass
		Edge_1RB_Right	19.19	20.06	22.66	22.19	23.06	25.66	<=30	Pass
		Outer_Full	19.70	20.17	22.95	22.70	23.17	25.95	<=30	Pass
		Inner_Full	21.17	21.69	24.45	24.17	24.69	27.45	<=30	Pass
		Inner_1RB_Left	21.41	21.52	24.48	24.41	24.52	27.48	<=30	Pass
		Inner_1RB_Right	21.43	22.07	24.78	24.43	25.07	27.77	<=30	Pass
	3750	Edge_1RB_Left	19.05	20.15	22.65	22.05	23.15	25.65	<=30	Pass
		Edge_1RB_Right	19.40	19.97	22.70	22.40	22.97	25.70	<=30	Pass
		Outer_Full	19.55	20.42	23.02	22.55	23.42	26.02	<=30	Pass
		Inner_Full	21.02	21.92	24.51	24.02	24.92	27.50	<=30	Pass
		Inner_1RB_Left	21.32	22.10	24.73	24.32	25.10	27.74	<=30	Pass
		Inner_1RB_Right	21.56	22.08	24.84	24.56	25.08	27.84	<=30	Pass
	3784.98	Edge_1RB_Left	19.45	20.02	22.75	22.45	23.02	25.75	<=30	Pass
		Edge_1RB_Right	19.34	20.01	22.70	22.34	23.01	25.70	<=30	Pass
		Outer_Full	19.76	20.46	23.14	22.76	23.46	26.13	<=30	Pass
		Inner_Full	21.26	21.98	24.65	24.26	24.98	27.65	<=30	Pass
		Inner_1RB_Left	21.52	22.05	24.80	24.52	25.05	27.80	<=30	Pass
		Inner_1RB_Right	21.46	22.12	24.81	24.46	25.12	27.81	<=30	Pass
CP-OFDM 16	3715.02	Edge_1RB_Left	19.12	19.47	22.31	22.12	22.47	25.31	<=30	Pass

QAM		Edge_1RB_Right	19.22	19.94	22.60	22.22	22.94	25.61	<=30	Pass		
		Outer_Full	19.65	20.26	22.98	22.65	23.26	25.98	<=30	Pass		
		Inner_Full	20.67	21.20	23.95	23.67	24.20	26.95	<=30	Pass		
		Inner_1RB_Left	20.72	21.19	23.97	23.72	24.19	26.97	<=30	Pass		
		Inner_1RB_Right	20.72	21.58	24.18	23.72	24.58	27.18	<=30	Pass		
	3750	Edge_1RB_Left	19.16	20.16	22.70	22.16	23.16	25.70	<=30	Pass		
		Edge_1RB_Right	19.26	19.86	22.58	22.26	22.86	25.58	<=30	Pass		
		Outer_Full	19.54	20.43	23.02	22.54	23.43	26.02	<=30	Pass		
		Inner_Full	20.51	21.44	24.01	23.51	24.44	27.01	<=30	Pass		
		Inner_1RB_Left	20.61	21.77	24.24	23.61	24.77	27.24	<=30	Pass		
		Inner_1RB_Right	20.59	21.54	24.10	23.59	24.54	27.10	<=30	Pass		
		3784.98	Edge_1RB_Left	19.35	20.00	22.70	22.35	23.00	25.70	<=30	Pass	
			Edge_1RB_Right	19.32	19.95	22.66	22.32	22.95	25.66	<=30	Pass	
			Outer_Full	19.74	20.55	23.18	22.74	23.55	26.17	<=30	Pass	
			Inner_Full	20.78	21.50	24.16	23.78	24.50	27.17	<=30	Pass	
	Inner_1RB_Left		20.86	21.64	24.28	23.86	24.64	27.28	<=30	Pass		
CP-OFDM 64 QAM		Inner_1RB_Right	20.77	21.57	24.20	23.77	24.57	27.20	<=30	Pass		
		3715.02	Edge_1RB_Left	19.19	19.44	22.33	22.19	22.44	25.33	<=30	Pass	
			Edge_1RB_Right	19.23	19.91	22.59	22.23	22.91	25.59	<=30	Pass	
			Outer_Full	19.20	19.70	22.47	22.20	22.70	25.47	<=30	Pass	
			Inner_Full	19.11	19.64	22.39	22.11	22.64	25.39	<=30	Pass	
	3750		Inner_1RB_Left	19.20	19.35	22.28	22.20	22.35	25.29	<=30	Pass	
		Inner_1RB_Right	19.31	19.91	22.63	22.31	22.91	25.63	<=30	Pass		
		Edge_1RB_Left	19.11	20.04	22.61	22.11	23.04	25.61	<=30	Pass		
		Edge_1RB_Right	19.31	19.75	22.55	22.31	22.75	25.55	<=30	Pass		
		Outer_Full	19.09	19.91	22.53	22.09	22.91	25.53	<=30	Pass		
		Inner_Full	18.91	19.87	22.43	21.91	22.87	25.43	<=30	Pass		
		Inner_1RB_Left	19.10	20.03	22.60	22.10	23.03	25.60	<=30	Pass		
		Inner_1RB_Right	19.27	19.84	22.57	22.27	22.84	25.57	<=30	Pass		
		3784.98	Edge_1RB_Left	19.40	19.91	22.67	22.40	22.91	25.67	<=30	Pass	
			Edge_1RB_Right	19.30	19.95	22.65	22.30	22.95	25.65	<=30	Pass	
	Outer_Full		19.29	19.94	22.64	22.29	22.94	25.64	<=30	Pass		
	Inner_Full		19.22	19.91	22.59	22.22	22.91	25.59	<=30	Pass		
	Inner_1RB_Left		19.40	19.92	22.68	22.40	22.92	25.68	<=30	Pass		
	CP-OFDM 256 QAM		Inner_1RB_Right	19.37	19.91	22.66	22.37	22.91	25.66	<=30	Pass	
			3715.02	Edge_1RB_Left	16.39	16.39	19.40	19.39	19.39	22.40	<=30	Pass
				Edge_1RB_Right	16.34	16.83	19.60	19.34	19.83	22.60	<=30	Pass
				Outer_Full	16.12	16.73	19.45	19.12	19.73	22.45	<=30	Pass
Inner_Full				16.20	16.65	19.44	19.20	19.65	22.44	<=30	Pass	
3750		Inner_1RB_Left		16.34	16.40	19.38	19.34	19.40	22.38	<=30	Pass	
		Inner_1RB_Right	16.32	16.96	19.66	19.32	19.96	22.66	<=30	Pass		
		Edge_1RB_Left	16.36	17.06	19.74	19.36	20.06	22.73	<=30	Pass		
		Edge_1RB_Right	16.56	16.83	19.71	19.56	19.83	22.71	<=30	Pass		
		Outer_Full	16.07	16.95	19.54	19.07	19.95	22.54	<=30	Pass		
		Inner_Full	16.02	16.90	19.49	19.02	19.90	22.49	<=30	Pass		
		Inner_1RB_Left	16.32	17.07	19.72	19.32	20.07	22.72	<=30	Pass		
		Inner_1RB_Right	16.58	16.93	19.77	19.58	19.93	22.77	<=30	Pass		
		3784.98	Edge_1RB_Left	16.52	17.06	19.81	19.52	20.06	22.81	<=30	Pass	
			Edge_1RB_Right	16.41	17.05	19.75	19.41	20.05	22.75	<=30	Pass	
Outer_Full			16.30	16.98	19.66	19.30	19.98	22.66	<=30	Pass		
Inner_Full			16.27	16.98	19.65	19.27	19.98	22.65	<=30	Pass		
Inner_1RB_Left	16.55		17.01	19.80	19.55	20.01	22.80	<=30	Pass			
	Inner_1RB_Right	16.32	16.99	19.68	19.32	19.99	22.68	<=30	Pass			
	Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2											

1.1.3 30_M_40M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 40MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3720	Edge 1RB Left	19.51	19.72	22.62	22.51	22.72	25.63	<=30	Pass
		Edge 1RB Right	19.11	20.17	22.68	22.11	23.17	25.68	<=30	Pass
		Outer Full	19.80	20.39	23.12	22.80	23.39	26.12	<=30	Pass
		Inner Full	21.27	21.90	24.61	24.27	24.90	27.61	<=30	Pass
		Inner 1RB Left	21.44	21.76	24.61	24.44	24.76	27.61	<=30	Pass
		Inner 1RB Right	21.14	22.07	24.64	24.14	25.07	27.64	<=30	Pass
	3750	Edge 1RB Left	19.33	20.32	22.86	22.33	23.32	25.86	<=30	Pass
		Edge 1RB Right	19.44	19.97	22.72	22.44	22.97	25.72	<=30	Pass
		Outer Full	19.59	20.46	23.05	22.59	23.46	26.06	<=30	Pass
		Inner Full	21.02	21.99	24.54	24.02	24.99	27.54	<=30	Pass
		Inner 1RB Left	21.52	22.15	24.85	24.52	25.15	27.86	<=30	Pass
		Inner 1RB Right	21.68	21.94	24.82	24.68	24.94	27.82	<=30	Pass
	3780	Edge 1RB Left	19.35	20.01	22.70	22.35	23.01	25.70	<=30	Pass
		Edge 1RB Right	19.21	20.00	22.64	22.21	23.00	25.63	<=30	Pass
		Outer Full	19.73	20.46	23.12	22.73	23.46	26.12	<=30	Pass
		Inner Full	21.25	21.86	24.58	24.25	24.86	27.58	<=30	Pass
		Inner 1RB Left	21.49	21.88	24.70	24.49	24.88	27.70	<=30	Pass
		Inner 1RB Right	21.39	22.02	24.73	24.39	25.02	27.73	<=30	Pass
CP-OFDM 16 QAM	3720	Edge 1RB Left	19.42	19.73	22.59	22.42	22.73	25.59	<=30	Pass
		Edge 1RB Right	19.06	20.22	22.69	22.06	23.22	25.69	<=30	Pass
		Outer Full	19.76	20.38	23.09	22.76	23.38	26.09	<=30	Pass
		Inner Full	20.88	21.39	24.16	23.88	24.39	27.15	<=30	Pass
		Inner 1RB Left	20.80	21.16	23.99	23.80	24.16	26.99	<=30	Pass
		Inner 1RB Right	20.66	21.74	24.24	23.66	24.74	27.24	<=30	Pass
	3750	Edge 1RB Left	19.31	20.31	22.85	22.31	23.31	25.85	<=30	Pass
		Edge 1RB Right	19.46	20.07	22.79	22.46	23.07	25.79	<=30	Pass
		Outer Full	19.58	20.52	23.09	22.58	23.52	26.09	<=30	Pass
		Inner Full	20.55	21.45	24.04	23.55	24.45	27.03	<=30	Pass
		Inner 1RB Left	20.81	21.79	24.34	23.81	24.79	27.34	<=30	Pass
		Inner 1RB Right	20.95	21.46	24.22	23.95	24.46	27.22	<=30	Pass
	3780	Edge 1RB Left	19.29	19.96	22.65	22.29	22.96	25.65	<=30	Pass
		Edge 1RB Right	19.24	20.08	22.69	22.24	23.08	25.69	<=30	Pass
		Outer Full	19.74	20.44	23.12	22.74	23.44	26.11	<=30	Pass
		Inner Full	20.77	21.44	24.12	23.77	24.44	27.13	<=30	Pass
		Inner 1RB Left	20.72	21.47	24.12	23.72	24.47	27.12	<=30	Pass
		Inner 1RB Right	20.75	21.58	24.20	23.75	24.58	27.20	<=30	Pass
CP-OFDM 64 QAM	3720	Edge 1RB Left	19.31	19.52	22.42	22.31	22.52	25.43	<=30	Pass
		Edge 1RB Right	19.15	20.07	22.65	22.15	23.07	25.64	<=30	Pass
		Outer Full	19.29	19.90	22.61	22.29	22.90	25.62	<=30	Pass
		Inner Full	19.32	19.84	22.60	22.32	22.84	25.60	<=30	Pass
		Inner 1RB Left	19.33	19.54	22.45	22.33	22.54	25.45	<=30	Pass
		Inner 1RB Right	19.16	20.09	22.66	22.16	23.09	25.66	<=30	Pass
	3750	Edge 1RB Left	19.35	20.11	22.75	22.35	23.11	25.76	<=30	Pass
		Edge 1RB Right	19.47	19.86	22.68	22.47	22.86	25.68	<=30	Pass
		Outer Full	19.11	20.03	22.60	22.11	23.03	25.60	<=30	Pass
		Inner Full	18.96	19.97	22.51	21.96	22.97	25.50	<=30	Pass
		Inner 1RB Left	19.31	20.11	22.74	22.31	23.11	25.74	<=30	Pass
		Inner 1RB Right	19.44	19.91	22.69	22.44	22.91	25.69	<=30	Pass

CP-OFDM 256 QAM	3780	Edge_1RB_Left	19.29	19.77	22.55	22.29	22.77	25.55	<=30	Pass
		Edge_1RB_Right	19.24	19.96	22.63	22.24	22.96	25.63	<=30	Pass
		Outer_Full	19.18	19.95	22.59	22.18	22.95	25.59	<=30	Pass
		Inner_Full	19.21	19.86	22.56	22.21	22.86	25.56	<=30	Pass
		Inner_1RB_Left	19.34	19.83	22.61	22.34	22.83	25.60	<=30	Pass
		Inner_1RB_Right	19.24	20.00	22.65	22.24	23.00	25.65	<=30	Pass
	3720	Edge_1RB_Left	16.57	16.58	19.58	19.57	19.58	22.59	<=30	Pass
		Edge_1RB_Right	16.30	17.16	19.76	19.30	20.16	22.76	<=30	Pass
		Outer_Full	16.26	16.85	19.57	19.26	19.85	22.58	<=30	Pass
		Inner_Full	16.32	16.89	19.62	19.32	19.89	22.62	<=30	Pass
		Inner_1RB_Left	16.58	16.66	19.63	19.58	19.66	22.63	<=30	Pass
		Inner_1RB_Right	16.25	17.07	19.69	19.25	20.07	22.69	<=30	Pass
	3750	Edge_1RB_Left	16.42	17.21	19.84	19.42	20.21	22.84	<=30	Pass
		Edge_1RB_Right	16.60	16.97	19.80	19.60	19.97	22.80	<=30	Pass
		Outer_Full	16.12	16.97	19.58	19.12	19.97	22.58	<=30	Pass
		Inner_Full	16.06	16.96	19.54	19.06	19.96	22.54	<=30	Pass
		Inner_1RB_Left	16.55	17.17	19.88	19.55	20.17	22.88	<=30	Pass
		Inner_1RB_Right	16.61	16.99	19.81	19.61	19.99	22.81	<=30	Pass
	3780	Edge_1RB_Left	16.43	17.03	19.75	19.43	20.03	22.75	<=30	Pass
		Edge_1RB_Right	16.44	17.01	19.74	19.44	20.01	22.74	<=30	Pass
		Outer_Full	16.28	16.96	19.64	19.28	19.96	22.64	<=30	Pass
		Inner_Full	16.23	16.90	19.59	19.23	19.90	22.59	<=30	Pass
		Inner_1RB_Left	16.62	16.84	19.74	19.62	19.84	22.74	<=30	Pass
		Inner_1RB_Right	16.48	16.97	19.74	19.48	19.97	22.74	<=30	Pass

Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi;
Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2

1.1.4 30_M_50M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 50MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3725.01	Edge_1RB_Left	18.97	19.15	22.07	21.97	22.15	25.07	<=30	Pass
		Edge_1RB_Right	18.63	19.57	22.14	21.63	22.57	25.14	<=30	Pass
		Outer_Full	19.19	19.93	22.59	22.19	22.93	25.59	<=30	Pass
		Inner_Full	20.77	21.57	24.20	23.77	24.57	27.20	<=30	Pass
		Inner_1RB_Left	20.86	21.06	23.97	23.86	24.06	26.97	<=30	Pass
		Inner_1RB_Right	20.66	21.31	24.01	23.66	24.31	27.01	<=30	Pass
	3750	Edge_1RB_Left	19.10	19.80	22.47	22.10	22.80	25.47	<=30	Pass
		Edge_1RB_Right	19.08	19.48	22.30	22.08	22.48	25.29	<=30	Pass
		Outer_Full	19.23	20.18	22.74	22.23	23.18	25.74	<=30	Pass
		Inner_Full	20.70	21.57	24.17	23.70	24.57	27.17	<=30	Pass
		Inner_1RB_Left	21.04	21.75	24.42	24.04	24.75	27.42	<=30	Pass
		Inner_1RB_Right	21.08	21.39	24.25	24.08	24.39	27.25	<=30	Pass
	3774.99	Edge_1RB_Left	18.77	19.71	22.28	21.77	22.71	25.28	<=30	Pass
		Edge_1RB_Right	18.96	19.52	22.26	21.96	22.52	25.26	<=30	Pass
		Outer_Full	19.28	20.07	22.70	22.28	23.07	25.70	<=30	Pass
		Inner_Full	20.91	21.52	24.24	23.91	24.52	27.24	<=30	Pass
		Inner_1RB_Left	20.62	21.59	24.14	23.62	24.59	27.14	<=30	Pass
		Inner_1RB_Right	20.87	21.36	24.13	23.87	24.36	27.13	<=30	Pass
CP-OFDM 16 QAM	3725.01	Edge_1RB_Left	18.86	19.21	22.05	21.86	22.21	25.05	<=30	Pass
		Edge_1RB_Right	18.52	19.57	22.08	21.52	22.57	25.09	<=30	Pass
		Outer_Full	19.25	20.01	22.66	22.25	23.01	25.66	<=30	Pass

		Inner_Full	20.31	21.14	23.76	23.31	24.14	26.76	<=30	Pass
		Inner_1RB_Left	20.34	20.67	23.52	23.34	23.67	26.52	<=30	Pass
		Inner_1RB_Right	20.07	20.96	23.55	23.07	23.96	26.55	<=30	Pass
	3750	Edge_1RB_Left	18.88	19.78	22.37	21.88	22.78	25.36	<=30	Pass
		Edge_1RB_Right	18.93	19.51	22.24	21.93	22.51	25.24	<=30	Pass
		Outer_Full	19.26	20.10	22.71	22.26	23.10	25.71	<=30	Pass
		Inner_Full	20.22	21.12	23.70	23.22	24.12	26.70	<=30	Pass
		Inner_1RB_Left	20.34	21.30	23.86	23.34	24.30	26.86	<=30	Pass
		Inner_1RB_Right	20.40	20.93	23.68	23.40	23.93	26.68	<=30	Pass
	3774.99	Edge_1RB_Left	18.74	19.60	22.20	21.74	22.60	25.20	<=30	Pass
		Edge_1RB_Right	18.72	19.51	22.14	21.72	22.51	25.14	<=30	Pass
		Outer_Full	19.36	20.13	22.77	22.36	23.13	25.77	<=30	Pass
		Inner_Full	20.45	21.15	23.83	23.45	24.15	26.82	<=30	Pass
		Inner_1RB_Left	20.12	21.14	23.67	23.12	24.14	26.67	<=30	Pass
		Inner_1RB_Right	20.22	20.99	23.63	23.22	23.99	26.63	<=30	Pass
CP-OFDM 64 QAM	3725.01	Edge_1RB_Left	18.89	19.10	22.01	21.89	22.10	25.01	<=30	Pass
		Edge_1RB_Right	18.56	19.37	22.00	21.56	22.37	24.99	<=30	Pass
		Outer_Full	18.71	19.52	22.14	21.71	22.52	25.14	<=30	Pass
		Inner_Full	18.84	19.62	22.26	21.84	22.62	25.26	<=30	Pass
		Inner_1RB_Left	18.86	19.09	21.99	21.86	22.09	24.99	<=30	Pass
		Inner_1RB_Right	18.54	19.32	21.96	21.54	22.32	24.96	<=30	Pass
	3750	Edge_1RB_Left	18.97	19.69	22.36	21.97	22.69	25.36	<=30	Pass
		Edge_1RB_Right	18.95	19.36	22.17	21.95	22.36	25.17	<=30	Pass
		Outer_Full	18.71	19.59	22.19	21.71	22.59	25.18	<=30	Pass
		Inner_Full	18.70	19.67	22.22	21.70	22.67	25.22	<=30	Pass
		Inner_1RB_Left	18.96	19.67	22.34	21.96	22.67	25.34	<=30	Pass
		Inner_1RB_Right	18.91	19.39	22.17	21.91	22.39	25.17	<=30	Pass
	3774.99	Edge_1RB_Left	18.73	19.54	22.16	21.73	22.54	25.16	<=30	Pass
		Edge_1RB_Right	18.82	19.45	22.15	21.82	22.45	25.16	<=30	Pass
		Outer_Full	18.82	19.65	22.26	21.82	22.65	25.27	<=30	Pass
		Inner_Full	18.93	19.62	22.30	21.93	22.62	25.30	<=30	Pass
		Inner_1RB_Left	18.75	19.51	22.15	21.75	22.51	25.16	<=30	Pass
		Inner_1RB_Right	18.77	19.47	22.15	21.77	22.47	25.14	<=30	Pass
CP-OFDM 256 QAM	3725.01	Edge_1RB_Left	16.08	16.15	19.13	19.08	19.15	22.13	<=30	Pass
		Edge_1RB_Right	15.84	16.48	19.18	18.84	19.48	22.18	<=30	Pass
		Outer_Full	15.79	16.48	19.16	18.79	19.48	22.16	<=30	Pass
		Inner_Full	15.83	16.59	19.23	18.83	19.59	22.24	<=30	Pass
		Inner_1RB_Left	16.13	16.13	19.14	19.13	19.13	22.14	<=30	Pass
		Inner_1RB_Right	15.71	16.52	19.15	18.71	19.52	22.14	<=30	Pass
	3750	Edge_1RB_Left	16.11	16.68	19.42	19.11	19.68	22.41	<=30	Pass
		Edge_1RB_Right	16.05	16.46	19.27	19.05	19.46	22.27	<=30	Pass
		Outer_Full	15.77	16.57	19.20	18.77	19.57	22.20	<=30	Pass
		Inner_Full	15.68	16.65	19.20	18.68	19.65	22.20	<=30	Pass
		Inner_1RB_Left	16.06	16.80	19.46	19.06	19.80	22.46	<=30	Pass
		Inner_1RB_Right	16.26	16.34	19.31	19.26	19.34	22.31	<=30	Pass
	3774.99	Edge_1RB_Left	15.81	16.59	19.22	18.81	19.59	22.23	<=30	Pass
		Edge_1RB_Right	15.93	16.50	19.23	18.93	19.50	22.23	<=30	Pass
		Outer_Full	15.89	16.55	19.24	18.89	19.55	22.24	<=30	Pass
		Inner_Full	15.94	16.68	19.33	18.94	19.68	22.34	<=30	Pass
		Inner_1RB_Left	15.87	16.50	19.21	18.87	19.50	22.21	<=30	Pass
		Inner_1RB_Right	15.97	16.45	19.23	18.97	19.45	22.23	<=30	Pass
Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.5 30_M_60M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 60MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3730.02	Edge 1RB Left	18.96	19.27	22.13	21.96	22.27	25.13	<=30	Pass
		Edge 1RB Right	18.93	19.51	22.24	21.93	22.51	25.24	<=30	Pass
		Outer Full	19.29	20.07	22.71	22.29	23.07	25.71	<=30	Pass
		Inner Full	20.83	21.75	24.32	23.83	24.75	27.32	<=30	Pass
		Inner 1RB Left	20.93	21.13	24.04	23.93	24.13	27.04	<=30	Pass
		Inner 1RB Right	20.97	21.56	24.29	23.97	24.56	27.29	<=30	Pass
	3750	Edge 1RB Left	18.87	19.61	22.27	21.87	22.61	25.27	<=30	Pass
		Edge 1RB Right	19.00	19.61	22.32	22.00	22.61	25.33	<=30	Pass
		Outer Full	19.31	20.21	22.79	22.31	23.21	25.79	<=30	Pass
		Inner Full	20.67	21.60	24.17	23.67	24.60	27.17	<=30	Pass
		Inner 1RB Left	21.04	21.63	24.36	24.04	24.63	27.36	<=30	Pass
		Inner 1RB Right	21.19	21.57	24.40	24.19	24.57	27.39	<=30	Pass
	3769.98	Edge 1RB Left	18.61	19.61	22.15	21.61	22.61	25.15	<=30	Pass
		Edge 1RB Right	18.90	19.54	22.24	21.90	22.54	25.24	<=30	Pass
		Outer Full	19.21	20.05	22.66	22.21	23.05	25.66	<=30	Pass
		Inner Full	20.87	21.53	24.22	23.87	24.53	27.22	<=30	Pass
		Inner 1RB Left	20.61	21.53	24.11	23.61	24.53	27.10	<=30	Pass
		Inner 1RB Right	20.79	21.40	24.11	23.79	24.40	27.12	<=30	Pass
CP-OFDM 16 QAM	3730.02	Edge 1RB Left	18.93	19.38	22.17	21.93	22.38	25.17	<=30	Pass
		Edge 1RB Right	18.71	19.70	22.25	21.71	22.70	25.24	<=30	Pass
		Outer Full	19.40	20.13	22.79	22.40	23.13	25.79	<=30	Pass
		Inner Full	20.36	21.21	23.81	23.36	24.21	26.82	<=30	Pass
		Inner 1RB Left	20.36	20.72	23.56	23.36	23.72	26.55	<=30	Pass
		Inner 1RB Right	20.30	21.25	23.81	23.30	24.25	26.81	<=30	Pass
	3750	Edge 1RB Left	18.93	19.56	22.27	21.93	22.56	25.27	<=30	Pass
		Edge 1RB Right	18.90	19.54	22.24	21.90	22.54	25.24	<=30	Pass
		Outer Full	19.28	20.18	22.76	22.28	23.18	25.76	<=30	Pass
		Inner Full	20.23	21.04	23.66	23.23	24.04	26.66	<=30	Pass
		Inner 1RB Left	20.46	21.20	23.85	23.46	24.20	26.86	<=30	Pass
		Inner 1RB Right	20.54	21.21	23.90	23.54	24.21	26.90	<=30	Pass
	3769.98	Edge 1RB Left	18.52	19.68	22.15	21.52	22.68	25.15	<=30	Pass
		Edge 1RB Right	18.70	19.57	22.16	21.70	22.57	25.17	<=30	Pass
		Outer Full	19.25	20.06	22.68	22.25	23.06	25.68	<=30	Pass
		Inner Full	20.43	21.06	23.76	23.43	24.06	26.77	<=30	Pass
		Inner 1RB Left	19.93	21.15	23.59	22.93	24.15	26.59	<=30	Pass
		Inner 1RB Right	20.22	21.09	23.69	23.22	24.09	26.69	<=30	Pass
CP-OFDM 64 QAM	3730.02	Edge 1RB Left	18.92	19.17	22.06	21.92	22.17	25.06	<=30	Pass
		Edge 1RB Right	18.91	19.49	22.22	21.91	22.49	25.22	<=30	Pass
		Outer Full	18.87	19.58	22.25	21.87	22.58	25.25	<=30	Pass
		Inner Full	18.88	19.72	22.33	21.88	22.72	25.33	<=30	Pass
		Inner 1RB Left	18.84	19.14	22.00	21.84	22.14	25.00	<=30	Pass
		Inner 1RB Right	18.91	19.54	22.25	21.91	22.54	25.25	<=30	Pass
	3750	Edge 1RB Left	19.02	19.44	22.25	22.02	22.44	25.25	<=30	Pass
		Edge 1RB Right	18.98	19.48	22.25	21.98	22.48	25.25	<=30	Pass
		Outer Full	18.81	19.56	22.21	21.81	22.56	25.21	<=30	Pass
		Inner Full	18.72	19.58	22.18	21.72	22.58	25.18	<=30	Pass
		Inner 1RB Left	19.02	19.42	22.23	22.02	22.42	25.23	<=30	Pass
		Inner 1RB Right	19.06	19.50	22.30	22.06	22.50	25.30	<=30	Pass
	3769.98	Edge 1RB Left	18.52	19.55	22.07	21.52	22.55	25.08	<=30	Pass
		Edge 1RB Right	18.75	19.49	22.15	21.75	22.49	25.15	<=30	Pass
		Outer Full	18.73	19.53	22.16	21.73	22.53	25.16	<=30	Pass

CP-OFDM 256 QAM	3730.02	Inner_Full	18.91	19.50	22.22	21.91	22.50	25.23	<=30	Pass
		Inner_1RB_Left	18.56	19.51	22.07	21.56	22.51	25.07	<=30	Pass
		Inner_1RB_Right	18.80	19.53	22.19	21.80	22.53	25.19	<=30	Pass
		Edge_1RB_Left	16.19	16.14	19.17	19.19	19.14	22.18	<=30	Pass
		Edge_1RB_Right	15.94	16.46	19.21	18.94	19.46	22.22	<=30	Pass
		Outer_Full	15.88	16.62	19.27	18.88	19.62	22.28	<=30	Pass
		Inner_Full	15.85	16.70	19.30	18.85	19.70	22.31	<=30	Pass
		Inner_1RB_Left	16.07	16.06	19.08	19.07	19.06	22.08	<=30	Pass
		Inner_1RB_Right	16.01	16.50	19.28	19.01	19.50	22.27	<=30	Pass
	3750	Edge_1RB_Left	16.19	16.59	19.41	19.19	19.59	22.40	<=30	Pass
		Edge_1RB_Right	16.11	16.50	19.32	19.11	19.50	22.32	<=30	Pass
		Outer_Full	15.80	16.62	19.24	18.80	19.62	22.24	<=30	Pass
		Inner_Full	15.71	16.58	19.18	18.71	19.58	22.18	<=30	Pass
		Inner_1RB_Left	16.05	16.63	19.36	19.05	19.63	22.36	<=30	Pass
		Inner_1RB_Right	16.06	16.58	19.34	19.06	19.58	22.34	<=30	Pass
	3769.98	Edge_1RB_Left	15.68	16.54	19.14	18.68	19.54	22.14	<=30	Pass
		Edge_1RB_Right	16.09	16.45	19.28	19.09	19.45	22.28	<=30	Pass
		Outer_Full	15.76	16.57	19.19	18.76	19.57	22.19	<=30	Pass
		Inner_Full	15.85	16.51	19.20	18.85	19.51	22.20	<=30	Pass
		Inner_1RB_Left	15.76	16.47	19.14	18.76	19.47	22.14	<=30	Pass
		Inner_1RB_Right	15.95	16.49	19.24	18.95	19.49	22.24	<=30	Pass

Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi;
Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2

1.1.6 30_M_70M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 70MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3735	Edge_1RB_Left	18.79	19.14	21.98	21.79	22.14	24.98	<=30	Pass
		Edge_1RB_Right	18.81	19.26	22.05	21.81	22.26	25.05	<=30	Pass
		Outer_Full	19.13	19.85	22.52	22.13	22.85	25.52	<=30	Pass
		Inner_Full	20.61	21.54	24.11	23.61	24.54	27.11	<=30	Pass
		Inner_1RB_Left	20.89	21.06	23.99	23.89	24.06	26.99	<=30	Pass
		Inner_1RB_Right	20.90	21.22	24.07	23.90	24.22	27.07	<=30	Pass
	3750	Edge_1RB_Left	18.97	19.47	22.24	21.97	22.47	25.24	<=30	Pass
		Edge_1RB_Right	18.87	19.43	22.17	21.87	22.43	25.17	<=30	Pass
		Outer_Full	19.16	19.96	22.59	22.16	22.96	25.59	<=30	Pass
		Inner_Full	20.64	21.55	24.13	23.64	24.55	27.13	<=30	Pass
		Inner_1RB_Left	21.05	21.31	24.19	24.05	24.31	27.19	<=30	Pass
		Inner_1RB_Right	20.98	21.41	24.21	23.98	24.41	27.21	<=30	Pass
	3765	Edge_1RB_Left	18.70	19.61	22.19	21.70	22.61	25.19	<=30	Pass
		Edge_1RB_Right	18.61	19.36	22.01	21.61	22.36	25.01	<=30	Pass
		Outer_Full	19.13	19.86	22.52	22.13	22.86	25.52	<=30	Pass
		Inner_Full	20.65	21.30	24.00	23.65	24.30	27.00	<=30	Pass
		Inner_1RB_Left	20.80	21.50	24.18	23.80	24.50	27.17	<=30	Pass
		Inner_1RB_Right	20.96	21.29	24.14	23.96	24.29	27.14	<=30	Pass
CP-OFDM 16 QAM	3735	Edge_1RB_Left	18.77	19.10	21.95	21.77	22.10	24.95	<=30	Pass
		Edge_1RB_Right	18.76	19.34	22.07	21.76	22.34	25.07	<=30	Pass
		Outer_Full	19.21	19.88	22.57	22.21	22.88	25.57	<=30	Pass
		Inner_Full	20.18	21.14	23.69	23.18	24.14	26.70	<=30	Pass
		Inner_1RB_Left	20.36	20.71	23.55	23.36	23.71	26.55	<=30	Pass
		Inner_1RB_Right	20.47	20.82	23.65	23.47	23.82	26.66	<=30	Pass

	3750	Edge_1RB_Left	18.87	19.29	22.10	21.87	22.29	25.10	<=30	Pass
		Edge_1RB_Right	18.66	19.41	22.06	21.66	22.41	25.06	<=30	Pass
		Outer_Full	19.23	20.04	22.67	22.23	23.04	25.66	<=30	Pass
		Inner_Full	20.19	21.06	23.66	23.19	24.06	26.66	<=30	Pass
		Inner_1RB_Left	20.36	20.96	23.68	23.36	23.96	26.68	<=30	Pass
		Inner_1RB_Right	20.28	21.01	23.67	23.28	24.01	26.67	<=30	Pass
	3765	Edge_1RB_Left	18.55	19.64	22.14	21.55	22.64	25.14	<=30	Pass
		Edge_1RB_Right	18.57	19.35	21.99	21.57	22.35	24.99	<=30	Pass
		Outer_Full	19.12	19.83	22.50	22.12	22.83	25.50	<=30	Pass
		Inner_Full	20.22	20.86	23.56	23.22	23.86	26.56	<=30	Pass
		Inner_1RB_Left	20.37	21.14	23.78	23.37	24.14	26.78	<=30	Pass
		Inner_1RB_Right	20.13	20.89	23.54	23.13	23.89	26.54	<=30	Pass
CP-OFDM 64 QAM	3735	Edge_1RB_Left	18.85	19.06	21.97	21.85	22.06	24.97	<=30	Pass
		Edge_1RB_Right	18.73	19.18	21.97	21.73	22.18	24.97	<=30	Pass
		Outer_Full	18.70	19.46	22.10	21.70	22.46	25.11	<=30	Pass
		Inner_Full	18.62	19.62	22.16	21.62	22.62	25.16	<=30	Pass
		Inner_1RB_Left	18.88	19.06	21.98	21.88	22.06	24.98	<=30	Pass
		Inner_1RB_Right	18.82	19.11	21.98	21.82	22.11	24.98	<=30	Pass
	3750	Edge_1RB_Left	18.89	19.27	22.10	21.89	22.27	25.09	<=30	Pass
		Edge_1RB_Right	18.72	19.38	22.07	21.72	22.38	25.07	<=30	Pass
		Outer_Full	18.75	19.51	22.15	21.75	22.51	25.16	<=30	Pass
		Inner_Full	18.67	19.61	22.18	21.67	22.61	25.18	<=30	Pass
		Inner_1RB_Left	18.89	19.36	22.14	21.89	22.36	25.14	<=30	Pass
		Inner_1RB_Right	18.77	19.30	22.05	21.77	22.30	25.05	<=30	Pass
	3765	Edge_1RB_Left	18.75	19.43	22.11	21.75	22.43	25.11	<=30	Pass
		Edge_1RB_Right	18.54	19.20	21.89	21.54	22.20	24.89	<=30	Pass
		Outer_Full	18.65	19.40	22.05	21.65	22.40	25.05	<=30	Pass
		Inner_Full	18.76	19.39	22.10	21.76	22.39	25.10	<=30	Pass
		Inner_1RB_Left	18.75	19.41	22.10	21.75	22.41	25.10	<=30	Pass
		Inner_1RB_Right	18.61	19.18	21.91	21.61	22.18	24.91	<=30	Pass
CP-OFDM 256 QAM	3735	Edge_1RB_Left	15.64	16.16	18.92	18.64	19.16	21.92	<=30	Pass
		Edge_1RB_Right	16.00	16.26	19.14	19.00	19.26	22.14	<=30	Pass
		Outer_Full	15.65	16.49	19.10	18.65	19.49	22.10	<=30	Pass
		Inner_Full	15.68	16.62	19.19	18.68	19.62	22.19	<=30	Pass
		Inner_1RB_Left	15.85	16.05	18.96	18.85	19.05	21.96	<=30	Pass
		Inner_1RB_Right	15.91	16.17	19.05	18.91	19.17	22.05	<=30	Pass
	3750	Edge_1RB_Left	16.08	16.37	19.24	19.08	19.37	22.24	<=30	Pass
		Edge_1RB_Right	15.85	16.37	19.13	18.85	19.37	22.13	<=30	Pass
		Outer_Full	15.78	16.53	19.18	18.78	19.53	22.18	<=30	Pass
		Inner_Full	15.68	16.60	19.18	18.68	19.60	22.17	<=30	Pass
		Inner_1RB_Left	16.16	16.29	19.24	19.16	19.29	22.24	<=30	Pass
		Inner_1RB_Right	15.88	16.33	19.12	18.88	19.33	22.12	<=30	Pass
	3765	Edge_1RB_Left	16.05	16.51	19.30	19.05	19.51	22.30	<=30	Pass
		Edge_1RB_Right	15.93	16.22	19.09	18.93	19.22	22.09	<=30	Pass
		Outer_Full	15.68	16.44	19.09	18.68	19.44	22.09	<=30	Pass
		Inner_Full	15.69	16.37	19.05	18.69	19.37	22.05	<=30	Pass
		Inner_1RB_Left	15.86	16.52	19.21	18.86	19.52	22.21	<=30	Pass
		Inner_1RB_Right	15.79	16.24	19.03	18.79	19.24	22.03	<=30	Pass
Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.7 30_M_80M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 80MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3740.01	Edge 1RB Left	18.86	19.09	21.99	21.86	22.09	24.99	<=30	Pass
		Edge 1RB Right	18.78	19.38	22.10	21.78	22.38	25.10	<=30	Pass
		Outer Full	19.24	19.98	22.64	22.24	22.98	25.64	<=30	Pass
		Inner Full	20.61	21.60	24.14	23.61	24.60	27.14	<=30	Pass
		Inner 1RB Left	21.00	21.15	24.09	24.00	24.15	27.09	<=30	Pass
		Inner 1RB Right	20.91	21.29	24.11	23.91	24.29	27.11	<=30	Pass
	3750	Edge 1RB Left	18.86	19.20	22.04	21.86	22.20	25.04	<=30	Pass
		Edge 1RB Right	18.65	19.37	22.04	21.65	22.37	25.04	<=30	Pass
		Outer Full	19.20	19.98	22.62	22.20	22.98	25.62	<=30	Pass
		Inner Full	20.64	21.57	24.14	23.64	24.57	27.14	<=30	Pass
		Inner 1RB Left	20.90	21.07	23.99	23.90	24.07	27.00	<=30	Pass
		Inner 1RB Right	20.80	21.44	24.14	23.80	24.44	27.14	<=30	Pass
	3759.99	Edge 1RB Left	18.95	19.56	22.28	21.95	22.56	25.28	<=30	Pass
		Edge 1RB Right	18.65	19.37	22.04	21.65	22.37	25.04	<=30	Pass
		Outer Full	19.17	19.98	22.60	22.17	22.98	25.60	<=30	Pass
		Inner Full	20.72	21.45	24.11	23.72	24.45	27.11	<=30	Pass
		Inner 1RB Left	20.92	21.52	24.24	23.92	24.52	27.24	<=30	Pass
		Inner 1RB Right	20.74	21.24	24.01	23.74	24.24	27.01	<=30	Pass
CP-OFDM 16 QAM	3740.01	Edge 1RB Left	18.80	19.20	22.02	21.80	22.20	25.01	<=30	Pass
		Edge 1RB Right	18.78	19.30	22.06	21.78	22.30	25.06	<=30	Pass
		Outer Full	19.20	19.96	22.61	22.20	22.96	25.61	<=30	Pass
		Inner Full	20.15	21.11	23.67	23.15	24.11	26.67	<=30	Pass
		Inner 1RB Left	20.23	20.62	23.44	23.23	23.62	26.44	<=30	Pass
		Inner 1RB Right	20.21	20.80	23.52	23.21	23.80	26.53	<=30	Pass
	3750	Edge 1RB Left	18.82	19.23	22.04	21.82	22.23	25.04	<=30	Pass
		Edge 1RB Right	18.69	19.64	22.20	21.69	22.64	25.20	<=30	Pass
		Outer Full	19.17	19.96	22.59	22.17	22.96	25.59	<=30	Pass
		Inner Full	20.18	21.05	23.65	23.18	24.05	26.65	<=30	Pass
		Inner 1RB Left	20.37	20.79	23.60	23.37	23.79	26.60	<=30	Pass
		Inner 1RB Right	20.19	20.93	23.58	23.19	23.93	26.59	<=30	Pass
	3759.99	Edge 1RB Left	18.83	19.48	22.18	21.83	22.48	25.18	<=30	Pass
		Edge 1RB Right	18.67	19.46	22.10	21.67	22.46	25.09	<=30	Pass
		Outer Full	19.22	19.94	22.60	22.22	22.94	25.61	<=30	Pass
		Inner Full	20.24	21.04	23.67	23.24	24.04	26.67	<=30	Pass
		Inner 1RB Left	20.27	20.98	23.65	23.27	23.98	26.65	<=30	Pass
		Inner 1RB Right	20.18	20.81	23.52	23.18	23.81	26.52	<=30	Pass
CP-OFDM 64 QAM	3740.01	Edge 1RB Left	18.80	18.99	21.91	21.80	21.99	24.91	<=30	Pass
		Edge 1RB Right	18.77	19.19	21.99	21.77	22.19	25.00	<=30	Pass
		Outer Full	18.78	19.45	22.14	21.78	22.45	25.14	<=30	Pass
		Inner Full	18.66	19.63	22.18	21.66	22.63	25.18	<=30	Pass
		Inner 1RB Left	18.84	19.07	21.96	21.84	22.07	24.97	<=30	Pass
		Inner 1RB Right	18.79	19.20	22.01	21.79	22.20	25.01	<=30	Pass
	3750	Edge 1RB Left	18.82	19.12	21.98	21.82	22.12	24.98	<=30	Pass
		Edge 1RB Right	18.68	19.31	22.01	21.68	22.31	25.02	<=30	Pass
		Outer Full	18.73	19.54	22.17	21.73	22.54	25.16	<=30	Pass
		Inner Full	18.65	19.57	22.14	21.65	22.57	25.14	<=30	Pass
		Inner 1RB Left	18.86	19.20	22.04	21.86	22.20	25.04	<=30	Pass
		Inner 1RB Right	18.69	19.32	22.02	21.69	22.32	25.03	<=30	Pass

CP-OFDM 256 QAM	3759.99	Edge_1RB_Left	18.82	19.37	22.11	21.82	22.37	25.11	<=30	Pass
		Edge_1RB_Right	18.65	19.34	22.02	21.65	22.34	25.02	<=30	Pass
		Outer_Full	18.70	19.54	22.15	21.70	22.54	25.15	<=30	Pass
		Inner_Full	18.76	19.46	22.14	21.76	22.46	25.13	<=30	Pass
		Inner_1RB_Left	18.85	19.44	22.16	21.85	22.44	25.17	<=30	Pass
		Inner_1RB_Right	18.64	19.23	21.95	21.64	22.23	24.96	<=30	Pass
	3740.01	Edge_1RB_Left	16.08	16.11	19.10	19.08	19.11	22.11	<=30	Pass
		Edge_1RB_Right	16.12	16.21	19.18	19.12	19.21	22.18	<=30	Pass
		Outer_Full	15.77	16.45	19.14	18.77	19.45	22.13	<=30	Pass
		Inner_Full	15.68	16.61	19.18	18.68	19.61	22.18	<=30	Pass
		Inner_1RB_Left	15.93	16.15	19.05	18.93	19.15	22.05	<=30	Pass
		Inner_1RB_Right	16.04	16.24	19.15	19.04	19.24	22.15	<=30	Pass
	3750	Edge_1RB_Left	15.95	16.26	19.11	18.95	19.26	22.12	<=30	Pass
		Edge_1RB_Right	15.89	16.40	19.16	18.89	19.40	22.16	<=30	Pass
		Outer_Full	15.74	16.56	19.18	18.74	19.56	22.18	<=30	Pass
		Inner_Full	15.65	16.54	19.13	18.65	19.54	22.13	<=30	Pass
		Inner_1RB_Left	16.02	16.06	19.05	19.02	19.06	22.05	<=30	Pass
		Inner_1RB_Right	15.85	16.38	19.14	18.85	19.38	22.13	<=30	Pass
	3759.99	Edge_1RB_Left	16.24	16.44	19.35	19.24	19.44	22.35	<=30	Pass
		Edge_1RB_Right	16.01	16.47	19.26	19.01	19.47	22.26	<=30	Pass
		Outer_Full	15.74	16.53	19.16	18.74	19.53	22.16	<=30	Pass
		Inner_Full	15.71	16.52	19.14	18.71	19.52	22.14	<=30	Pass
		Inner_1RB_Left	16.03	16.41	19.23	19.03	19.41	22.23	<=30	Pass
		Inner_1RB_Right	15.86	16.32	19.11	18.86	19.32	22.11	<=30	Pass

Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi;
Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2

1.1.8 30_M_90M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 90MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3745.02	Edge_1RB_Left	18.77	19.01	21.90	21.77	22.01	24.90	<=30	Pass
		Edge_1RB_Right	18.76	19.53	22.17	21.76	22.53	25.17	<=30	Pass
		Outer_Full	19.14	19.86	22.53	22.14	22.86	25.53	<=30	Pass
		Inner_Full	20.62	21.40	24.04	23.62	24.40	27.04	<=30	Pass
		Inner_1RB_Left	20.80	21.02	23.92	23.80	24.02	26.92	<=30	Pass
		Inner_1RB_Right	20.87	21.43	24.17	23.87	24.43	27.17	<=30	Pass
	3750	Edge_1RB_Left	18.81	19.11	21.98	21.81	22.11	24.97	<=30	Pass
		Edge_1RB_Right	18.87	19.51	22.21	21.87	22.51	25.21	<=30	Pass
		Outer_Full	19.24	19.98	22.64	22.24	22.98	25.64	<=30	Pass
		Inner_Full	20.69	21.49	24.12	23.69	24.49	27.12	<=30	Pass
		Inner_1RB_Left	20.80	21.05	23.94	23.80	24.05	26.94	<=30	Pass
		Inner_1RB_Right	20.75	21.46	24.13	23.75	24.46	27.13	<=30	Pass
	3754.98	Edge_1RB_Left	18.85	19.17	22.02	21.85	22.17	25.02	<=30	Pass
		Edge_1RB_Right	18.70	19.40	22.08	21.70	22.40	25.07	<=30	Pass
		Outer_Full	19.20	19.96	22.61	22.20	22.96	25.61	<=30	Pass
		Inner_Full	20.69	21.55	24.15	23.69	24.55	27.15	<=30	Pass
		Inner_1RB_Left	20.80	21.19	24.01	23.80	24.19	27.01	<=30	Pass
		Inner_1RB_Right	20.85	21.31	24.09	23.85	24.31	27.10	<=30	Pass
CP-OFDM 16 QAM	3745.02	Edge_1RB_Left	18.72	19.09	21.92	21.72	22.09	24.92	<=30	Pass
		Edge_1RB_Right	18.75	19.52	22.16	21.75	22.52	25.16	<=30	Pass
		Outer_Full	19.20	19.91	22.58	22.20	22.91	25.58	<=30	Pass

		Inner_Full	20.10	20.99	23.58	23.10	23.99	26.58	<=30	Pass
		Inner_1RB_Left	20.16	20.65	23.42	23.16	23.65	26.42	<=30	Pass
		Inner_1RB_Right	20.22	20.92	23.59	23.22	23.92	26.59	<=30	Pass
		Edge_1RB_Left	18.82	19.14	21.99	21.82	22.14	24.99	<=30	Pass
		Edge_1RB_Right	18.74	19.39	22.09	21.74	22.39	25.09	<=30	Pass
		Outer_Full	19.22	20.02	22.65	22.22	23.02	25.65	<=30	Pass
		Inner_Full	20.22	21.06	23.67	23.22	24.06	26.67	<=30	Pass
		Inner_1RB_Left	20.23	20.67	23.47	23.23	23.67	26.47	<=30	Pass
		Inner_1RB_Right	20.26	20.98	23.64	23.26	23.98	26.65	<=30	Pass
	3750	Edge_1RB_Left	18.74	19.14	21.96	21.74	22.14	24.95	<=30	Pass
		Edge_1RB_Right	18.70	19.33	22.04	21.70	22.33	25.04	<=30	Pass
		Outer_Full	19.28	20.00	22.67	22.28	23.00	25.67	<=30	Pass
		Inner_Full	20.25	21.06	23.68	23.25	24.06	26.68	<=30	Pass
		Inner_1RB_Left	20.23	20.78	23.52	23.23	23.78	26.52	<=30	Pass
		Inner_1RB_Right	20.17	20.89	23.56	23.17	23.89	26.56	<=30	Pass
CP-OFDM 64 QAM	3745.02	Edge_1RB_Left	18.73	18.91	21.83	21.73	21.91	24.83	<=30	Pass
		Edge_1RB_Right	18.71	19.42	22.09	21.71	22.42	25.09	<=30	Pass
		Outer_Full	18.72	19.38	22.07	21.72	22.38	25.07	<=30	Pass
		Inner_Full	18.62	19.54	22.11	21.62	22.54	25.11	<=30	Pass
		Inner_1RB_Left	18.81	18.96	21.90	21.81	21.96	24.90	<=30	Pass
		Inner_1RB_Right	18.72	19.32	22.04	21.72	22.32	25.04	<=30	Pass
	3750	Edge_1RB_Left	18.81	19.02	21.92	21.81	22.02	24.93	<=30	Pass
		Edge_1RB_Right	18.70	19.43	22.09	21.70	22.43	25.09	<=30	Pass
		Outer_Full	18.74	19.50	22.15	21.74	22.50	25.15	<=30	Pass
		Inner_Full	18.76	19.58	22.20	21.76	22.58	25.20	<=30	Pass
		Inner_1RB_Left	18.82	19.03	21.94	21.82	22.03	24.94	<=30	Pass
		Inner_1RB_Right	18.73	19.36	22.07	21.73	22.36	25.07	<=30	Pass
	3754.98	Edge_1RB_Left	18.76	19.14	21.96	21.76	22.14	24.96	<=30	Pass
		Edge_1RB_Right	18.66	19.25	21.98	21.66	22.25	24.98	<=30	Pass
		Outer_Full	18.77	19.49	22.16	21.77	22.49	25.16	<=30	Pass
		Inner_Full	18.75	19.61	22.21	21.75	22.61	25.21	<=30	Pass
		Inner_1RB_Left	18.83	19.16	22.01	21.83	22.16	25.01	<=30	Pass
		Inner_1RB_Right	18.65	19.32	22.01	21.65	22.32	25.01	<=30	Pass
CP-OFDM 256 QAM	3745.02	Edge_1RB_Left	16.08	15.92	19.01	19.08	18.92	22.01	<=30	Pass
		Edge_1RB_Right	15.86	16.37	19.13	18.86	19.37	22.13	<=30	Pass
		Outer_Full	15.70	16.43	19.09	18.70	19.43	22.09	<=30	Pass
		Inner_Full	15.57	16.44	19.03	18.57	19.44	22.04	<=30	Pass
		Inner_1RB_Left	15.94	15.96	18.96	18.94	18.96	21.96	<=30	Pass
		Inner_1RB_Right	15.86	16.39	19.14	18.86	19.39	22.14	<=30	Pass
	3750	Edge_1RB_Left	16.16	16.10	19.14	19.16	19.10	22.14	<=30	Pass
		Edge_1RB_Right	15.99	16.33	19.18	18.99	19.33	22.17	<=30	Pass
		Outer_Full	15.77	16.50	19.16	18.77	19.50	22.16	<=30	Pass
		Inner_Full	15.68	16.58	19.17	18.68	19.58	22.16	<=30	Pass
		Inner_1RB_Left	15.98	16.05	19.03	18.98	19.05	22.03	<=30	Pass
		Inner_1RB_Right	16.03	16.46	19.26	19.03	19.46	22.26	<=30	Pass
	3754.98	Edge_1RB_Left	15.92	16.12	19.03	18.92	19.12	22.03	<=30	Pass
		Edge_1RB_Right	15.91	16.25	19.10	18.91	19.25	22.09	<=30	Pass
		Outer_Full	15.77	16.51	19.17	18.77	19.51	22.17	<=30	Pass
		Inner_Full	15.73	16.58	19.19	18.73	19.58	22.19	<=30	Pass
		Inner_1RB_Left	15.91	16.19	19.06	18.91	19.19	22.06	<=30	Pass
		Inner_1RB_Right	15.87	16.24	19.07	18.87	19.24	22.07	<=30	Pass
Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.9 30_M_100M_NTNV_EIRP

5G NR n78a SCS=30kHz MIMO 100MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant0	Sum	Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3750	Edge_1RB_Left	18.81	19.17	22.00	21.81	22.17	25.00	<=30	Pass
		Edge_1RB_Right	18.83	19.43	22.15	21.83	22.43	25.15	<=30	Pass
		Outer_Full	19.17	19.88	22.55	22.17	22.88	25.55	<=30	Pass
		Inner_Full	20.68	21.50	24.12	23.68	24.50	27.12	<=30	Pass
		Inner_1RB_Left	20.82	21.14	24.00	23.82	24.14	26.99	<=30	Pass
		Inner_1RB_Right	21.02	21.39	24.22	24.02	24.39	27.22	<=30	Pass
CP-OFDM 16 QAM	3750	Edge_1RB_Left	18.78	19.23	22.02	21.78	22.23	25.02	<=30	Pass
		Edge_1RB_Right	18.79	19.68	22.27	21.79	22.68	25.27	<=30	Pass
		Outer_Full	19.30	19.99	22.67	22.30	22.99	25.67	<=30	Pass
		Inner_Full	20.20	21.11	23.69	23.20	24.11	26.69	<=30	Pass
		Inner_1RB_Left	20.25	20.64	23.46	23.25	23.64	26.46	<=30	Pass
		Inner_1RB_Right	20.19	21.00	23.62	23.19	24.00	26.62	<=30	Pass
CP-OFDM 64 QAM	3750	Edge_1RB_Left	18.85	19.03	21.95	21.85	22.03	24.95	<=30	Pass
		Edge_1RB_Right	18.85	19.34	22.11	21.85	22.34	25.11	<=30	Pass
		Outer_Full	18.80	19.46	22.15	21.80	22.46	25.15	<=30	Pass
		Inner_Full	18.74	19.59	22.20	21.74	22.59	25.20	<=30	Pass
		Inner_1RB_Left	18.89	18.97	21.94	21.89	21.97	24.94	<=30	Pass
		Inner_1RB_Right	18.84	19.32	22.10	21.84	22.32	25.10	<=30	Pass
CP-OFDM 256 QAM	3750	Edge_1RB_Left	15.97	16.06	19.03	18.97	19.06	22.03	<=30	Pass
		Edge_1RB_Right	15.91	16.35	19.14	18.91	19.35	22.15	<=30	Pass
		Outer_Full	15.77	16.48	19.15	18.77	19.48	22.15	<=30	Pass
		Inner_Full	15.68	16.54	19.14	18.68	19.54	22.14	<=30	Pass
		Inner_1RB_Left	15.86	16.08	18.98	18.86	19.08	21.98	<=30	Pass
		Inner_1RB_Right	15.94	16.36	19.16	18.94	19.36	22.17	<=30	Pass
Note1: Antenna Gain: Ant2: 3.00dBi; Ant0: 3.00dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

2. Spurious Emission

2.1 Test Result

2.1.1 30_M_20M_NTNV

5G NR n78a SCS=30kHz MIMO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3710.01	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	3789.99	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass

2.1.2 30_M_60M_NTNV


5G NR n78a SCS=30kHz MIMO 60MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3730.02	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	3769.98	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass

2.1.3 30_M_100M_NTNV


5G NR n78a SCS=30kHz MIMO 100MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant2	Ant0	Sum	Limit	
CP-OFDM QPSK	3750	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass

2.2 Test Graph


2.2.1 30_M_20M_NTNV




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3710.01MHz_Edge_1RB_Left_Ant2




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3710.01MHz_Edge_1RB_Left_Ant0




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3710.01MHz_Edge_1RB_Left_Ant0



n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3710.01MHz_Edge_1RB_Left_Ant0




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3710.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.01	3695.01	0.5	/	1	3695.010	-58.46	-13	Pass
3695.01	3699.01	0.5	CHP	2	3698.760	-37.65	-13	Pass
3699.01	3700.01	0.03	/	3	3700.005	-28.81	-13	Pass
3700.01	3720.01	0.03	/	/	/	/	/	/
3720.01	3721.01	0.03	/	4	3720.735	-58.01	-13	Pass
3721.01	3725.01	0.5	CHP	5	3721.305	-46.71	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3710.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	893.450	-54.82	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM QPSK_3710.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.01	1	/	1	3683.000	-43.54	-13	Pass
3695.01	3725.01	1	/	/	/	/	/	/
3725.01	38000	1	/	2	37866.000	-39.19	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM QPSK_3710.01MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.01	3695.01	0.5	/	1	3695.010	-39.97	-13	Pass
3695.01	3699.01	0.5	CHP	2	3698.760	-31.60	-13	Pass
3699.01	3700.01	0.19348	CHP	3	3699.990	-32.30	-13	Pass
3700.01	3720.01	0.19348	CHP	/	/	/	/	/
3720.01	3721.01	0.19348	CHP	4	3720.030	-33.82	-13	Pass
3721.01	3725.01	0.5	CHP	5	3721.260	-31.94	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM QPSK_3710.01MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.01	3695.01	0.5	/	1	3695.010	-40.70	-13	Pass
3695.01	3699.01	0.5	CHP	2	3698.760	-30.69	-13	Pass
3699.01	3700.01	0.19348	CHP	3	3699.990	-31.84	-13	Pass
3700.01	3720.01	0.19348	CHP	/	/	/	/	/
3720.01	3721.01	0.19348	CHP	4	3720.030	-32.31	-13	Pass
3721.01	3725.01	0.5	CHP	5	3721.260	-30.80	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM QPSK_3710.01MHz_Outer_Full_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.01	3695.01	0.5	/	1	3695.010	-37.27	-13	Pass
3695.01	3699.01	0.5	CHP	2	3698.760	-28.06	-13	Pass
3699.01	3700.01	0.19348	CHP	3	3699.990	-29.00	-13	Pass
3700.01	3720.01	0.19348	CHP	/	/	/	/	/
3720.01	3721.01	0.19348	CHP	4	3720.030	-29.94	-13	Pass
3721.01	3725.01	0.5	CHP	5	3721.260	-28.27	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3774.99	3774.99	0.5	/	1	3774.990	-63.93	-13	Pass
3774.99	3778.99	0.5	CHP	2	3777.840	-50.63	-13	Pass
3778.99	3779.99	0.03	/	3	3779.670	-60.57	-13	Pass
3779.99	3799.99	0.03	/	/	/	/	/	/
3799.99	3800.99	0.03	/	4	3799.995	-34.11	-13	Pass
3800.99	3804.99	0.5	CHP	5	3801.240	-42.06	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	883.600	-57.62	-13	Pass


n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant2




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant0




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant0



n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant0




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3774.99	3774.99	0.5	/	1	3774.990	-60.25	-13	Pass
3774.99	3778.99	0.5	CHP	2	3775.245	-47.78	-13	Pass
3778.99	3779.99	0.03	/	3	3779.670	-58.38	-13	Pass
3779.99	3799.99	0.03	/	/	/	/	/	/
3799.99	3800.99	0.03	/	4	3799.995	-30.64	-13	Pass
3800.99	3804.99	0.5	CHP	5	3801.240	-39.84	-13	Pass

n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	883.200	-54.70	-13	Pass


n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_MIMO



n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Outer_Full_Ant2




n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM QPSK_3789.99MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3774.99	3774.99	0.5	/	1	3774.990	-43.64	-13	Pass
3774.99	3778.99	0.5	CHP	2	3778.740	-33.10	-13	Pass
3778.99	3779.99	0.19348	CHP	3	3779.970	-34.14	-13	Pass
3779.99	3799.99	0.19348	CHP	/	/	/	/	/
3799.99	3800.99	0.19348	CHP	4	3800.010	-34.64	-13	Pass
3800.99	3804.99	0.5	CHP	5	3801.270	-34.01	-13	Pass


n78a_30kHz_MIMO_NTNV_20MHz_CP-OFDM QPSK_3789.99MHz_Outer_Full_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3774.99	3774.99	0.5	/	1	3774.990	-39.46	-13	Pass
3774.99	3778.99	0.5	CHP	2	3778.740	-29.68	-13	Pass
3778.99	3779.99	0.19348	CHP	3	3779.970	-30.93	-13	Pass
3779.99	3799.99	0.19348	CHP	/	/	/	/	/
3799.99	3800.99	0.19348	CHP	4	3800.010	-31.26	-13	Pass
3800.99	3804.99	0.5	CHP	5	3801.300	-29.59	-13	Pass

2.2.2 30_M_60M_NTNV


n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_Ant2



n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_Ant2




n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695.02	1	/	1	3672.000	-49.08	-13	Pass
3695.02	3765.02	1	/	/	/	/	/	/
3765.02	38000	1	/	2	37846.500	-41.92	-13	Pass

n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.02	3695.02	0.5	/	1	3695.020	-61.87	-13	Pass
3695.02	3699.02	0.5	CHP	2	3698.756	-42.70	-13	Pass
3699.02	3700.02	0.03	/	3	3699.986	-32.91	-13	Pass
3700.02	3760.02	0.03	/	/	/	/	/	/
3760.02	3761.02	0.03	/	4	3760.324	-61.03	-13	Pass
3761.02	3765.02	0.5	CHP	5	3761.329	-50.20	-13	Pass


n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_Ant0



n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_Ant0




n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.02	3695.02	0.5	/	1	3695.020	-59.05	-13	Pass
3695.02	3699.02	0.5	CHP	2	3698.756	-38.20	-13	Pass
3699.02	3700.02	0.03	/	3	3700.016	-29.77	-13	Pass
3700.02	3760.02	0.03	/	/	/	/	/	/
3760.02	3761.02	0.03	/	4	3760.594	-58.11	-13	Pass
3761.02	3765.02	0.5	CHP	5	3761.329	-47.24	-13	Pass

n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	880.900	-54.68	-13	Pass


n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Edge_1RB_Left_MIMO



n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3730.02MHz_Outer_Full_Ant2




n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM QPSK_3730.02MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.02	3695.02	0.5	/	1	3695.020	-39.09	-13	Pass
3695.02	3695.02	0.5	CHP	2	3698.730	-36.77	-13	Pass
3699.02	3700.02	0.35	CHP	3	3699.990	-35.69	-13	Pass
3700.02	3760.02	0.35	CHP	/	/	/	/	/
3760.02	3761.02	0.35	CHP	4	3760.050	-37.74	-13	Pass
3761.02	3765.02	0.5	CHP	5	3761.310	-38.45	-13	Pass

n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM QPSK_3730.02MHz_Outer_Full_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695.02	3695.02	0.5	/	1	3695.020	-35.31	-13	Pass
3695.02	3695.02	0.5	CHP	2	3698.730	-33.46	-13	Pass
3699.02	3700.02	0.35	CHP	3	3699.990	-32.48	-13	Pass
3700.02	3760.02	0.35	CHP	/	/	/	/	/
3760.02	3761.02	0.35	CHP	4	3760.050	-34.42	-13	Pass
3761.02	3765.02	0.5	CHP	5	3761.660	-34.60	-13	Pass

n78a	30kHz	MIMO	NTNV	60MHz	CP-OFDM	QPSK	3769.98MHz	Edge	1RB	Right	Ant2
------	-------	------	------	-------	---------	------	------------	------	-----	-------	------




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3734.98	3734.98	0.5	/	1	3734.980	-61.41	-13	Pass
3734.98	3738.98	0.5	CHP	2	3738.506	-50.05	-13	Pass
3738.98	3739.98	0.03	/	3	3739.256	-60.55	-13	Pass
3739.98	3799.98	0.03	/	4	/	/	/	/
3799.98	3800.98	0.03	/	4	3799.984	-35.27	-13	Pass
3800.98	3804.98	0.5	CHP	5	3801.244	-42.11	-13	Pass

n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	882.250	-57.95	-13	Pass

n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3734.98	1	/	1	3723.000	-49.91	-13	Pass
3734.98	3804.98	1	/	/	/	/	/	/
3804.98	38000	1	/	2	37635.500	-42.52	-13	Pass

n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3734.98	3734.98	0.5	/	1	3734.980	-62.63	-13	Pass
3734.98	3738.98	0.5	CHP	2	3738.040	-49.87	-13	Pass
3738.98	3739.98	0.03	/	3	3739.226	-60.46	-13	Pass
3739.98	3799.98	0.03	/	/	/	/	/	/
3799.98	3800.98	0.03	/	4	3800.014	-33.93	-13	Pass
3800.98	3804.98	0.5	CHP	5	3801.244	-43.96	-13	Pass


n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant0



n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_Ant0




n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3734.98	3734.98	0.5	/	1	3734.980	-58.97	-13	Pass
3734.98	3738.98	0.5	CHP	2	3738.220	-47.02	-13	Pass
3738.98	3739.98	0.03	/	3	3739.256	-58.11	-13	Pass
3739.98	3799.98	0.03	/	/	/	/	/	/
3799.98	3800.98	0.03	/	4	3800.014	-31.76	-13	Pass
3800.98	3804.98	0.5	CHP	5	3801.244	-39.93	-13	Pass

n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	869.700	-54.87	-13	Pass


n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Edge_1RB_Right_MIMO



n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM_QPSK_3769.98MHz_Outer_Full_Ant2




n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM QPSK_3769.98MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3734.98	3734.98	0.5	/	1	3734.980	-41.02	-13	Pass
3734.98	3738.98	0.5	CHP	2	3737.570	-38.90	-13	Pass
3738.98	3739.98	0.35	CHP	3	3739.950	-37.35	-13	Pass
3739.98	3799.98	0.35	CHP	/	/	/	/	/
3799.98	3800.98	0.35	CHP	4	3800.010	-38.99	-13	Pass
3800.98	3804.98	0.5	CHP	5	3801.270	-39.95	-13	Pass


n78a_30kHz_MIMO_NTNV_60MHz_CP-OFDM QPSK_3769.98MHz_Outer_Full_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3734.98	3734.98	0.5	/	1	3734.980	-36.99	-13	Pass
3734.98	3738.98	0.5	CHP	2	3737.570	-35.21	-13	Pass
3738.98	3739.98	0.35	CHP	3	3739.950	-33.93	-13	Pass
3739.98	3799.98	0.35	CHP	/	/	/	/	/
3799.98	3800.98	0.35	CHP	4	3800.010	-35.55	-13	Pass
3800.98	3804.98	0.5	CHP	5	3801.690	-35.60	-13	Pass

2.2.3 30_M_100M_NTNV


n78a 30kHz MIMO NTN 100MHz CP-OFDM QPSK 3750MHz Edge 1RB Left Ant2



n78a 30kHz MIMO NTN 100MHz CP-OFDM QPSK 3750MHz Edge 1RB Left Ant2




n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695	1	/	1	3603.000	-48.15	-13	Pass
3695	3805	1	/	/	/	/	/	/
3805	38000	1	/	2	37841.500	-42.29	-13	Pass

n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695	0.5	/	1	3695.000	-60.88	-13	Pass
3695	3699	0.5	CHP	2	3698.735	-43.18	-13	Pass
3699	3700	0.03	/	3	3699.995	-34.04	-13	Pass
3700	3800	0.03	/	/	/	/	/	/
3800	3801	0.03	/	4	3800.080	-62.18	-13	Pass
3801	3805	0.5	CHP	5	3801.850	-51.50	-13	Pass


n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Edge_1RB_Left_Ant0



n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Edge_1RB_Left_Ant0




n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695	0.5	/	1	3695.000	-58.48	-13	Pass
3695	3699	0.5	CHP	2	3698.735	-38.47	-13	Pass
3699	3700	0.03	/	3	3699.995	-30.54	-13	Pass
3700	3800	0.03	/	/	/	/	/	/
3800	3801	0.03	/	4	3800.725	-59.55	-13	Pass
3801	3805	0.5	CHP	5	3802.735	-48.64	-13	Pass

n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_3750MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	879.900	-55.07	-13	Pass

n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3695	1	/	1	3603.000	-43.88	-13	Pass
3695	3805	1	/	/	/	/	/	/
3805	38000	1	/	2	37841.500	-39.38	-13	Pass

n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695	0.5	/	1	3695.000	-39.59	-13	Pass
3695	3699	0.5	CHP	2	3697.860	-37.68	-13	Pass
3699	3700	0.35	CHP	3	3699.950	-37.10	-13	Pass
3700	3800	0.35	CHP	/	/	/	/	/
3800	3801	0.35	CHP	4	3800.050	-39.42	-13	Pass
3801	3805	0.5	CHP	5	3801.260	-38.84	-13	Pass

n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695	0.5	/	1	3695.000	-40.80	-13	Pass
3695	3699	0.5	CHP	2	3698.630	-38.58	-13	Pass
3699	3700	0.35	CHP	3	3699.950	-37.94	-13	Pass
3700	3800	0.35	CHP	/	/	/	/	/
3800	3801	0.35	CHP	4	3800.050	-41.06	-13	Pass
3801	3805	0.5	CHP	5	3801.260	-40.82	-13	Pass

n78a_30kHz_MIMO_NTNV_100MHz_CP-OFDM QPSK_3750MHz_Outer_Full_MIMO



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3695	3695	0.5	/	1	3695.000	-37.14	-13	Pass
3695	3699	0.5	CHP	2	3698.630	-35.17	-13	Pass
3699	3700	0.35	CHP	3	3699.950	-34.49	-13	Pass
3700	3800	0.35	CHP	/	/	/	/	/
3800	3801	0.35	CHP	4	3800.050	-37.15	-13	Pass
3801	3805	0.5	CHP	5	3801.260	-36.71	-13	Pass