


5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

EBW


5745MHz



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

EBW


5745MHz



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

EBW


5785MHz



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

EBW


5785MHz



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

EBW

5825MHz



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

EBW



5825MHz



5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW



5190MHz



5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW



5230MHz



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW



5270MHz



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW



5310MHz



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW



5510MHz



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW

5590MHz







5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW



5670MHz



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW

5710MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW


5755MHz



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW


5755MHz



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW


5795MHz



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

EBW


5795MHz



5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW


5210MHz



5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW

5290MHz







5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW



5530MHz



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW



5610MHz



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW



5690MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW

5775MHz



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

EBW


5775MHz



5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

EBW


5250MHz Straddle 5.15-5.25GHz



5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

EBW


5250MHz Straddle 5.25-5.35GHz



5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

EBW

5570MHz



Non-beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	26.19	0.41591	30.60	1.14815
802.11be EHT20_Nss1,(MCS0)_3TX	25.95	0.39355	30.36	1.08643
802.11be EHT40_Nss1,(MCS0)_3TX	23.47	0.22233	27.88	0.61376
802.11be EHT80_Nss1,(MCS0)_3TX	20.42	0.11015	24.83	0.30409
802.11be EHT160_Nss1,(MCS0)_3TX	15.49	0.03540	19.90	0.09772
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	23.28	0.21281	27.69	0.58749
802.11be EHT20_Nss1,(MCS0)_3TX	23.45	0.22131	27.86	0.61094
802.11be EHT40_Nss1,(MCS0)_3TX	23.75	0.23714	28.16	0.65464
802.11be EHT80_Nss1,(MCS0)_3TX	20.43	0.11041	24.84	0.30479
802.11be EHT160_Nss1,(MCS0)_3TX	15.97	0.03954	20.38	0.10914
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	23.37	0.21727	27.79	0.60117
802.11be EHT20_Nss1,(MCS0)_3TX	23.42	0.21979	27.84	0.60814
802.11be EHT40_Nss1,(MCS0)_3TX	23.71	0.23496	28.13	0.65013
802.11be EHT80_Nss1,(MCS0)_3TX	23.61	0.22961	28.03	0.63533
802.11be EHT160_Nss1,(MCS0)_3TX	20.18	0.10423	24.60	0.28840
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	27.42	0.55208	31.85	1.53109
802.11be EHT20_Nss1,(MCS0)_3TX	26.78	0.47643	31.21	1.32130
802.11be EHT40_Nss1,(MCS0)_3TX	26.22	0.41879	30.65	1.16145
802.11be EHT80_Nss1,(MCS0)_3TX	23.13	0.20559	27.56	0.57016

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.413	18.19	18.15	18.53	23.06	30.00	27.47	36.00
5200MHz	Pass	4.413	21.25	21.22	21.36	26.05	30.00	30.46	36.00
5240MHz	Pass	4.413	21.42	21.29	21.53	26.19	30.00	30.60	36.00
5260MHz	Pass	4.413	18.13	18.56	18.82	23.28	23.62	27.69	29.62
5300MHz	Pass	4.413	18.01	18.41	18.72	23.16	24.00	27.57	30.00
5320MHz	Pass	4.413	18.05	18.41	18.74	23.18	23.83	27.59	29.83
5500MHz	Pass	4.418	18.53	18.52	18.39	23.25	23.94	27.67	29.94
5580MHz	Pass	4.418	18.33	18.54	18.91	23.37	23.65	27.79	29.65
5700MHz	Pass	4.418	18.49	18.39	18.52	23.24	23.71	27.66	29.71
5720MHz Straddle 5.47-5.725GHz	Pass	4.418	17.33	17.23	17.33	22.07	22.85	26.49	28.85
5720MHz Straddle 5.725-5.85GHz	Pass	4.428	10.77	10.65	10.61	15.45	30.00	19.88	36.00
5745MHz	Pass	4.428	22.44	23.03	22.45	27.42	30.00	31.85	36.00
5785MHz	Pass	4.428	22.53	22.71	22.26	27.28	30.00	31.71	36.00
5825MHz	Pass	4.428	22.01	22.17	22.15	26.88	30.00	31.31	36.00
802.11be EHT20_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.413	18.47	18.37	18.56	23.24	30.00	27.65	36.00
5200MHz	Pass	4.413	20.17	20.02	20.16	24.89	30.00	29.30	36.00
5240MHz	Pass	4.413	21.12	21.05	21.35	25.95	30.00	30.36	36.00
5260MHz	Pass	4.413	18.27	18.72	19.01	23.45	23.97	27.86	29.97
5300MHz	Pass	4.413	18.28	18.69	18.83	23.38	23.97	27.79	29.97
5320MHz	Pass	4.413	18.29	18.71	18.94	23.43	23.98	27.84	29.98
5500MHz	Pass	4.418	18.62	18.57	18.54	23.35	23.98	27.77	29.98
5580MHz	Pass	4.418	18.3	18.66	18.95	23.42	23.98	27.84	29.98
5700MHz	Pass	4.418	18.7	18.53	18.68	23.41	23.95	27.83	29.95
5720MHz Straddle 5.47-5.725GHz	Pass	4.418	17.49	17.39	17.55	22.25	22.71	26.67	28.71
5720MHz Straddle 5.725-5.85GHz	Pass	4.428	11.72	11.59	11.74	16.46	30.00	20.89	36.00
5745MHz	Pass	4.428	21.84	22.26	21.93	26.78	30.00	31.21	36.00
5785MHz	Pass	4.428	21.45	21.71	21.26	26.25	30.00	30.68	36.00
5825MHz	Pass	4.428	20.99	21.24	21.12	25.89	30.00	30.32	36.00
802.11be EHT40_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.413	17.15	17.12	17.41	22.00	30.00	26.41	36.00
5230MHz	Pass	4.413	18.61	18.56	18.92	23.47	30.00	27.88	36.00
5270MHz	Pass	4.413	18.65	18.95	19.32	23.75	24.00	28.16	30.00
5310MHz	Pass	4.413	17.56	17.82	18.21	22.64	24.00	27.05	30.00
5510MHz	Pass	4.418	17.21	17.2	17.18	21.97	24.00	26.39	30.00
5590MHz	Pass	4.418	18.57	18.93	19.3	23.71	24.00	28.13	30.00
5670MHz	Pass	4.418	18.72	18.57	19.1	23.57	24.00	27.99	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.418	18.88	18.73	18.95	23.63	24.00	28.05	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.428	7.43	7.31	7.55	12.20	30.00	16.63	36.00
5755MHz	Pass	4.428	20.45	20.91	20.41	25.37	30.00	29.80	36.00
5795MHz	Pass	4.428	21.34	21.85	21.12	26.22	30.00	30.65	36.00

**Conducted Output Power(Average) - with 2nd Source filter****Appendix B.1**


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT80_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.413	15.57	15.44	15.91	20.42	30.00	24.83	36.00
5290MHz	Pass	4.413	15.32	15.61	16.02	20.43	24.00	24.84	30.00
5530MHz	Pass	4.418	16.64	16.65	16.75	21.45	24.00	25.87	30.00
5610MHz	Pass	4.418	18.6	18.92	18.98	23.61	24.00	28.03	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.418	18.75	18.63	19.13	23.61	24.00	28.03	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.428	3.79	3.62	4.16	8.63	30.00	13.06	36.00
5775MHz	Pass	4.428	18.26	18.74	18.06	23.13	30.00	27.56	36.00
802.11be EHT160_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.413	10.56	10.6	10.98	15.49	30.00	19.90	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.413	11.18	11.15	11.28	15.97	24.00	20.38	30.00
5570MHz	Pass	4.418	15.47	15.47	15.28	20.18	24.00	24.60	30.00

DG = Directional Gain; Port X = Port X output power

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_3TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_3TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX






5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_3TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_3TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX






5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_3TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_3TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX






5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_3TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_3TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_3TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_3TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX



Non-beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	26.03	0.40087	30.44	1.10662
802.11be EHT20_Nss1,(MCS0)_3TX	25.79	0.37931	30.20	1.04713
802.11be EHT40_Nss1,(MCS0)_3TX	23.33	0.21528	27.74	0.59429
802.11be EHT80_Nss1,(MCS0)_3TX	20.28	0.10666	24.69	0.29444
802.11be EHT160_Nss1,(MCS0)_3TX	15.36	0.03436	19.77	0.09484
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	23.13	0.20559	27.54	0.56754
802.11be EHT20_Nss1,(MCS0)_3TX	23.33	0.21528	27.74	0.59429
802.11be EHT40_Nss1,(MCS0)_3TX	23.63	0.23067	28.04	0.63680
802.11be EHT80_Nss1,(MCS0)_3TX	20.31	0.10740	24.72	0.29648
802.11be EHT160_Nss1,(MCS0)_3TX	15.85	0.03846	20.26	0.10617
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	23.23	0.21038	27.65	0.58210
802.11be EHT20_Nss1,(MCS0)_3TX	23.29	0.21330	27.71	0.59020
802.11be EHT40_Nss1,(MCS0)_3TX	23.57	0.22751	27.99	0.62951
802.11be EHT80_Nss1,(MCS0)_3TX	23.44	0.22080	27.86	0.61094
802.11be EHT160_Nss1,(MCS0)_3TX	20.05	0.10116	24.47	0.27990
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	27.29	0.53580	31.72	1.48594
802.11be EHT20_Nss1,(MCS0)_3TX	26.66	0.46345	31.09	1.28529
802.11be EHT40_Nss1,(MCS0)_3TX	26.08	0.40551	30.51	1.12460
802.11be EHT80_Nss1,(MCS0)_3TX	23.00	0.19953	27.43	0.55335

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.413	18.04	18	18.35	22.90	30.00	27.31	36.00
5200MHz	Pass	4.413	21.13	21.08	21.21	25.91	30.00	30.32	36.00
5240MHz	Pass	4.413	21.26	21.12	21.4	26.03	30.00	30.44	36.00
5260MHz	Pass	4.413	17.98	18.4	18.66	23.13	23.62	27.54	29.62
5300MHz	Pass	4.413	17.88	18.25	18.6	23.02	24.00	27.43	30.00
5320MHz	Pass	4.413	17.94	18.29	18.58	23.05	23.83	27.46	29.83
5500MHz	Pass	4.418	18.39	18.39	18.24	23.11	23.94	27.53	29.94
5580MHz	Pass	4.418	18.19	18.39	18.77	23.23	23.65	27.65	29.65
5700MHz	Pass	4.418	18.32	18.26	18.37	23.09	23.71	27.51	29.71
5720MHz Straddle 5.47-5.725GHz	Pass	4.418	17.16	16.79	17.19	21.82	22.85	26.24	28.85
5720MHz Straddle 5.725-5.85GHz	Pass	4.428	10.43	10.22	10.4	15.12	30.00	19.55	36.00
5745MHz	Pass	4.428	22.33	22.88	22.32	27.29	30.00	31.72	36.00
5785MHz	Pass	4.428	22.41	22.54	22.09	27.12	30.00	31.55	36.00
5825MHz	Pass	4.428	21.86	22	22	26.73	30.00	31.16	36.00
802.11be EHT20_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.413	18.34	18.22	18.44	23.11	30.00	27.52	36.00
5200MHz	Pass	4.413	20.03	19.87	20.05	24.76	30.00	29.17	36.00
5240MHz	Pass	4.413	20.99	20.88	21.18	25.79	30.00	30.20	36.00
5260MHz	Pass	4.413	18.14	18.61	18.88	23.33	23.97	27.74	29.97
5300MHz	Pass	4.413	18.13	18.55	18.7	23.24	23.97	27.65	29.97
5320MHz	Pass	4.413	18.18	18.56	18.8	23.29	23.98	27.70	29.98
5500MHz	Pass	4.418	18.45	18.41	18.41	23.19	23.98	27.61	29.98
5580MHz	Pass	4.418	18.17	18.55	18.81	23.29	23.98	27.71	29.98
5700MHz	Pass	4.418	18.54	18.39	18.54	23.26	23.95	27.68	29.95
5720MHz Straddle 5.47-5.725GHz	Pass	4.418	17.18	16.97	17.34	21.94	22.71	26.36	28.71
5720MHz Straddle 5.725-5.85GHz	Pass	4.428	11.34	11.18	11.52	16.12	30.00	20.55	36.00
5745MHz	Pass	4.428	21.72	22.11	21.82	26.66	30.00	31.09	36.00
5785MHz	Pass	4.428	21.33	21.58	21.13	26.12	30.00	30.55	36.00
5825MHz	Pass	4.428	20.85	21.12	21.01	25.77	30.00	30.20	36.00
802.11be EHT40_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.413	17	16.95	17.29	21.85	30.00	26.26	36.00
5230MHz	Pass	4.413	18.48	18.43	18.75	23.33	30.00	27.74	36.00
5270MHz	Pass	4.413	18.54	18.84	19.17	23.63	24.00	28.04	30.00
5310MHz	Pass	4.413	17.45	17.7	18.08	22.52	24.00	26.93	30.00
5510MHz	Pass	4.418	17.09	17.08	17.04	21.84	24.00	26.26	30.00
5590MHz	Pass	4.418	18.46	18.79	19.13	23.57	24.00	27.99	30.00
5670MHz	Pass	4.418	18.55	18.46	18.96	23.43	24.00	27.85	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.418	18.76	18.42	18.8	23.43	24.00	27.85	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.428	7.37	6.93	7.34	11.99	30.00	16.42	36.00
5755MHz	Pass	4.428	20.34	20.74	20.24	25.22	30.00	29.65	36.00
5795MHz	Pass	4.428	21.18	21.71	21.01	26.08	30.00	30.51	36.00

**Conducted Output Power(Average) - with original filter****Appendix B.2**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT80_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.413	15.44	15.33	15.74	20.28	30.00	24.69	36.00
5290MHz	Pass	4.413	15.19	15.5	15.89	20.31	24.00	24.72	30.00
5530MHz	Pass	4.418	16.52	16.53	16.63	21.33	24.00	25.75	30.00
5610MHz	Pass	4.418	18.45	18.75	18.81	23.44	24.00	27.86	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.418	18.52	18.14	18.96	23.32	24.00	27.74	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.428	3.62	3.43	4.21	8.54	30.00	12.97	36.00
5775MHz	Pass	4.428	18.11	18.61	17.94	23.00	30.00	27.43	36.00
802.11be EHT160_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.413	10.48	10.32	10.94	15.36	30.00	19.77	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.413	11.15	10.85	11.23	15.85	24.00	20.26	30.00
5570MHz	Pass	4.418	15.31	15.36	15.17	20.05	24.00	24.47	30.00


DG = Directional Gain; Port X = Port X output power



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_3TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_3TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_3TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_3TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_3TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_3TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_3TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_3TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_3TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_3TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX



Beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	25.89	0.38815	29.87	0.97051
802.11be EHT40-BF_Nss1,(MCS0)_3TX	23.26	0.21184	27.24	0.52966
802.11be EHT80-BF_Nss1,(MCS0)_3TX	20.32	0.10765	24.30	0.26915
802.11be EHT160-BF_Nss1,(MCS0)_3TX	15.40	0.03467	19.38	0.08670
5.25-5.35GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	23.44	0.22080	27.20	0.52481
802.11be EHT40-BF_Nss1,(MCS0)_3TX	23.57	0.22751	27.33	0.54075
802.11be EHT80-BF_Nss1,(MCS0)_3TX	20.32	0.10765	24.08	0.25586
802.11be EHT160-BF_Nss1,(MCS0)_3TX	15.91	0.03899	19.67	0.09268
5.47-5.725GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	23.33	0.21528	27.45	0.55590
802.11be EHT40-BF_Nss1,(MCS0)_3TX	23.67	0.23281	27.79	0.60117
802.11be EHT80-BF_Nss1,(MCS0)_3TX	23.48	0.22284	27.60	0.57544
802.11be EHT160-BF_Nss1,(MCS0)_3TX	19.97	0.09931	24.09	0.25645
5.725-5.85GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	26.76	0.47424	30.88	1.22462
802.11be EHT40-BF_Nss1,(MCS0)_3TX	26.15	0.41210	30.27	1.06414
802.11be EHT80-BF_Nss1,(MCS0)_3TX	23.12	0.20512	27.24	0.52966

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	3.980	18.21	18.43	18.57	23.18	30.00	27.16	36.00
5200MHz	Pass	3.980	20.15	19.91	20.18	24.85	30.00	28.83	36.00
5240MHz	Pass	3.980	21.08	21.12	21.15	25.89	30.00	29.87	36.00
5260MHz	Pass	3.760	18.36	18.81	18.83	23.44	23.95	27.20	29.95
5300MHz	Pass	3.760	18.22	18.57	18.73	23.28	23.97	27.04	29.97
5320MHz	Pass	3.760	18.29	18.74	18.77	23.38	23.98	27.14	29.98
5500MHz	Pass	4.120	18.46	18.67	18.53	23.33	24.00	27.45	30.00
5580MHz	Pass	4.120	18.08	18.52	18.95	23.30	23.95	27.42	29.95
5700MHz	Pass	4.120	18.33	18.16	18.43	23.08	23.97	27.20	29.97
5720MHz Straddle 5.47-5.725GHz	Pass	4.120	17.44	17.35	17.61	22.24	22.70	26.36	28.70
5720MHz Straddle 5.725-5.85GHz	Pass	4.120	11.62	11.53	11.82	16.43	30.00	20.55	36.00
5745MHz	Pass	4.120	21.97	22.11	21.89	26.76	30.00	30.88	36.00
5785MHz	Pass	4.120	21.31	21.56	21.13	26.11	30.00	30.23	36.00
5825MHz	Pass	4.120	20.66	20.94	20.97	25.63	30.00	29.75	36.00
802.11be EHT40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	3.980	17.24	17.05	17.19	21.93	30.00	25.91	36.00
5230MHz	Pass	3.980	18.52	18.37	18.57	23.26	30.00	27.24	36.00
5270MHz	Pass	3.760	18.55	18.94	18.91	23.57	24.00	27.33	30.00
5310MHz	Pass	3.760	17.61	18.02	17.93	22.63	24.00	26.39	30.00
5510MHz	Pass	4.120	16.21	16.11	16.19	20.94	24.00	25.06	30.00
5590MHz	Pass	4.120	18.56	18.93	19.18	23.67	24.00	27.79	30.00
5670MHz	Pass	4.120	18.71	18.39	19.23	23.56	24.00	27.68	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.120	18.84	18.72	18.96	23.61	24.00	27.73	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.120	7.37	7.34	7.54	12.19	30.00	16.31	36.00
5755MHz	Pass	4.120	20.57	20.8	20.37	25.35	30.00	29.47	36.00
5795MHz	Pass	4.120	21.45	21.63	21.05	26.15	30.00	30.27	36.00
802.11be EHT80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	3.980	15.39	15.35	15.88	20.32	30.00	24.30	36.00
5290MHz	Pass	3.760	15.19	15.64	15.79	20.32	24.00	24.08	30.00
5530MHz	Pass	4.120	16.32	16.43	16.27	21.11	24.00	25.23	30.00
5610MHz	Pass	4.120	18.11	18.53	18.84	23.27	24.00	27.39	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.120	18.6	18.42	19.09	23.48	24.00	27.60	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.120	3.43	3.64	3.95	8.45	30.00	12.57	36.00
5775MHz	Pass	4.120	18.34	18.65	18.03	23.12	30.00	27.24	36.00
802.11be EHT160-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.980	10.68	10.48	10.71	15.40	30.00	19.38	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.760	11.16	10.96	11.28	15.91	24.00	19.67	30.00
5570MHz	Pass	4.120	15.25	15.22	15.14	19.97	24.00	24.09	30.00




DG = Directional Gain; Port X = Port X output power
Directional Gain refers to antenna report.

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX






5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX






5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX



Beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	25.66	0.36813	29.64	0.92045
802.11be EHT40-BF_Nss1,(MCS0)_3TX	23.03	0.20091	27.01	0.50234
802.11be EHT80-BF_Nss1,(MCS0)_3TX	20.15	0.10351	24.13	0.25882
802.11be EHT160-BF_Nss1,(MCS0)_3TX	15.23	0.03334	19.21	0.08337
5.25-5.35GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	23.20	0.20893	26.96	0.49659
802.11be EHT40-BF_Nss1,(MCS0)_3TX	23.36	0.21677	27.12	0.51523
802.11be EHT80-BF_Nss1,(MCS0)_3TX	20.16	0.10375	23.92	0.24660
802.11be EHT160-BF_Nss1,(MCS0)_3TX	15.79	0.03793	19.55	0.09016
5.47-5.725GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	23.08	0.20324	27.20	0.52481
802.11be EHT40-BF_Nss1,(MCS0)_3TX	23.45	0.22131	27.57	0.57148
802.11be EHT80-BF_Nss1,(MCS0)_3TX	23.32	0.21478	27.44	0.55463
802.11be EHT160-BF_Nss1,(MCS0)_3TX	19.80	0.09550	23.92	0.24660
5.725-5.85GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	26.53	0.44978	30.65	1.16145
802.11be EHT40-BF_Nss1,(MCS0)_3TX	25.97	0.39537	30.09	1.02094
802.11be EHT80-BF_Nss1,(MCS0)_3TX	22.94	0.19679	27.06	0.50816

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	3.980	18.02	18.18	18.42	22.98	30.00	26.96	36.00
5200MHz	Pass	3.980	19.77	19.66	20.03	24.59	30.00	28.57	36.00
5240MHz	Pass	3.980	20.79	20.87	21	25.66	30.00	29.64	36.00
5260MHz	Pass	3.760	18.03	18.56	18.68	23.20	23.95	26.96	29.95
5300MHz	Pass	3.760	17.94	18.32	18.58	23.06	23.97	26.82	29.97
5320MHz	Pass	3.760	18.03	18.49	18.62	23.16	23.98	26.92	29.98
5500MHz	Pass	4.120	18.11	18.42	18.38	23.08	24.00	27.20	30.00
5580MHz	Pass	4.120	17.72	18.27	18.8	23.06	23.95	27.18	29.95
5700MHz	Pass	4.120	18.2	17.91	18.28	22.90	23.97	27.02	29.97
5720MHz Straddle 5.47-5.725GHz	Pass	4.120	17.17	17.12	17.34	21.98	22.70	26.10	28.70
5720MHz Straddle 5.725-5.85GHz	Pass	4.120	11.38	11.33	11.49	16.17	30.00	20.29	36.00
5745MHz	Pass	4.120	21.68	21.86	21.74	26.53	30.00	30.65	36.00
5785MHz	Pass	4.120	21.03	21.31	20.98	25.88	30.00	30.00	36.00
5825MHz	Pass	4.120	20.55	20.69	20.82	25.46	30.00	29.58	36.00
802.11be EHT40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	3.980	16.94	16.8	17.04	21.70	30.00	25.68	36.00
5230MHz	Pass	3.980	18.24	18.12	18.42	23.03	30.00	27.01	36.00
5270MHz	Pass	3.760	18.29	18.69	18.76	23.36	24.00	27.12	30.00
5310MHz	Pass	3.760	17.38	17.77	17.78	22.42	24.00	26.18	30.00
5510MHz	Pass	4.120	15.92	15.86	16.04	20.71	24.00	24.83	30.00
5590MHz	Pass	4.120	18.28	18.68	19.03	23.45	24.00	27.57	30.00
5670MHz	Pass	4.120	18.42	18.14	19.08	23.34	24.00	27.46	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.120	18.64	18.54	18.69	23.39	24.00	27.51	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.120	7.24	7.22	7.28	12.02	30.00	16.14	36.00
5755MHz	Pass	4.120	20.22	20.55	20.22	25.10	30.00	29.22	36.00
5795MHz	Pass	4.120	21.3	21.38	20.9	25.97	30.00	30.09	36.00
802.11be EHT80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	3.980	15.27	15.1	15.73	20.15	30.00	24.13	36.00
5290MHz	Pass	3.760	15.11	15.39	15.64	20.16	24.00	23.92	30.00
5530MHz	Pass	4.120	16.02	16.18	16.12	20.88	24.00	25.00	30.00
5610MHz	Pass	4.120	17.86	18.28	18.69	23.06	24.00	27.18	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.120	18.41	18.28	18.92	23.32	24.00	27.44	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.120	3.37	3.41	3.98	8.37	30.00	12.49	36.00
5775MHz	Pass	4.120	18.2	18.4	17.88	22.94	30.00	27.06	36.00
802.11be EHT160-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.980	10.29	10.23	10.83	15.23	30.00	19.21	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.760	11.07	10.86	11.13	15.79	24.00	19.55	30.00
5570MHz	Pass	4.120	15.13	14.97	14.99	19.80	24.00	23.92	30.00




DG = Directional Gain; Port X = Port X output power
Directional Gain refers to antenna report.



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX



Non-beamforming mode
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_3TX	13.91	17.89
802.11be EHT20_Nss1,(MCS0)_3TX	12.99	16.97
802.11be EHT40_Nss1,(MCS0)_3TX	8.68	12.66
802.11be EHT80_Nss1,(MCS0)_3TX	2.86	6.84
802.11be EHT160_Nss1,(MCS0)_3TX	-2.1	1.88
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_3TX	10.83	14.59
802.11be EHT20_Nss1,(MCS0)_3TX	10.59	14.35
802.11be EHT40_Nss1,(MCS0)_3TX	8.61	12.37
802.11be EHT80_Nss1,(MCS0)_3TX	2.5	6.26
802.11be EHT160_Nss1,(MCS0)_3TX	-2.12	1.64
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_3TX	10.83	14.95
802.11be EHT20_Nss1,(MCS0)_3TX	10.63	14.75
802.11be EHT40_Nss1,(MCS0)_3TX	8.91	13.03
802.11be EHT80_Nss1,(MCS0)_3TX	5.57	9.69
802.11be EHT160_Nss1,(MCS0)_3TX	-0.09	4.03
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_3TX	13.55	17.67
802.11be EHT20_Nss1,(MCS0)_3TX	12.39	16.51
802.11be EHT40_Nss1,(MCS0)_3TX	9.73	13.85
802.11be EHT80_Nss1,(MCS0)_3TX	3.74	7.86

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	3.980	6.12	6.06	6.11	10.69	17.00	14.67	23.00
5200MHz	Pass	3.980	9.38	9.17	9.2	13.91	17.00	17.89	23.00
5240MHz	Pass	3.980	9.27	9.15	9.22	13.81	17.00	17.79	23.00
5260MHz	Pass	3.760	6.41	6.37	5.8	10.83	11.00	14.59	17.00
5300MHz	Pass	3.760	6.51	6.14	5.65	10.75	11.00	14.51	17.00
5320MHz	Pass	3.760	6.16	6.07	5.78	10.67	11.00	14.43	17.00
5500MHz	Pass	4.120	6.19	5.91	5.73	10.68	11.00	14.80	17.00
5580MHz	Pass	4.120	6.1	5.84	6.51	10.83	11.00	14.95	17.00
5700MHz	Pass	4.120	6.12	5.67	5.85	10.59	11.00	14.71	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.120	5.83	6.02	5.9	10.52	11.00	14.64	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.120	2.97	3.35	3.42	8.00	30.00	12.12	36.00
5745MHz	Pass	4.120	8.68	9.17	8.81	13.55	30.00	17.67	36.00
5785MHz	Pass	4.120	8.5	8.8	8.48	13.27	30.00	17.39	36.00
5825MHz	Pass	4.120	8.08	8.13	8.17	12.75	30.00	16.87	36.00
802.11be EHT20_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	3.980	5.85	5.71	6.03	10.53	17.00	14.51	23.00
5200MHz	Pass	3.980	7.49	7.33	7.6	12.13	17.00	16.11	23.00
5240MHz	Pass	3.980	8.48	8.24	8.48	12.99	17.00	16.97	23.00
5260MHz	Pass	3.760	6.13	6.09	5.52	10.59	11.00	14.35	17.00
5300MHz	Pass	3.760	6.18	5.89	5.56	10.54	11.00	14.30	17.00
5320MHz	Pass	3.760	6.23	6.14	5.48	10.59	11.00	14.35	17.00
5500MHz	Pass	4.120	6.2	5.85	5.79	10.63	11.00	14.75	17.00
5580MHz	Pass	4.120	5.99	5.8	6.24	10.60	11.00	14.72	17.00
5700MHz	Pass	4.120	5.94	5.78	6.05	10.52	11.00	14.64	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.120	5.56	5.96	5.63	10.38	11.00	14.50	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.120	2.76	3.28	3.18	7.64	30.00	11.76	36.00
5745MHz	Pass	4.120	7.52	8.02	7.85	12.39	30.00	16.51	36.00
5785MHz	Pass	4.120	7.03	7.21	6.93	11.73	30.00	15.85	36.00
5825MHz	Pass	4.120	6.45	6.79	6.68	11.19	30.00	15.31	36.00
802.11be EHT40_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	3.980	2.65	2.58	2.95	7.25	17.00	11.23	23.00
5230MHz	Pass	3.980	4.09	3.89	4.06	8.68	17.00	12.66	23.00
5270MHz	Pass	3.760	4	3.91	3.77	8.61	11.00	12.37	17.00
5310MHz	Pass	3.760	3.01	3.12	3.37	7.83	11.00	11.59	17.00
5510MHz	Pass	4.120	2.13	2.32	2.02	6.83	11.00	10.95	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5590MHz	Pass	4.120	3.73	3.52	4.16	8.44	11.00	12.56	17.00
5670MHz	Pass	4.120	3.9	3.57	4.13	8.48	11.00	12.60	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.120	3.93	4.51	4.4	8.91	11.00	13.03	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.120	-1.12	-0.87	-0.69	3.69	30.00	7.81	36.00
5755MHz	Pass	4.120	4.02	4.46	4.12	8.85	30.00	12.97	36.00
5795MHz	Pass	4.120	4.79	5.26	4.8	9.73	30.00	13.85	36.00
802.11be EHT80_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	3.980	-1.95	-1.85	-1.66	2.86	17.00	6.84	23.00
5290MHz	Pass	3.760	-2.32	-2.11	-1.9	2.50	11.00	6.26	17.00
5530MHz	Pass	4.120	-1.48	-1.42	-1.48	3.15	11.00	7.27	17.00
5610MHz	Pass	4.120	0.62	0.86	0.92	5.50	11.00	9.62	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.120	0.81	0.94	1.02	5.57	11.00	9.69	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.120	-4.71	-4.33	-4.52	0.15	30.00	4.27	36.00
5775MHz	Pass	4.120	-0.94	-0.42	-1.17	3.74	30.00	7.86	36.00
802.11be EHT160_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.980	-6.81	-6.87	-6.75	-2.10	17.00	1.88	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.760	-6.67	-7.13	-6.49	-2.12	11.00	1.64	17.00
5570MHz	Pass	4.120	-4.63	-4.55	-5.06	-0.09	11.00	4.03	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Directional Gain refers to antenna report.




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5180MHz

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.69	10.69	6.12	6.06	6.11

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5200MHz

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.91	13.91	9.38	9.17	9.20

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5240MHz

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.81	13.81	9.27	9.15	9.22

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5260MHz

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.83	10.83	6.41	6.37	5.80

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5300MHz

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.75	10.75	6.51	6.14	5.65

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5320MHz

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.67	10.67	6.16	6.07	5.78

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5500MHz

CF
5.5GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.68	10.68	6.19	5.91	5.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5580MHz

CF
5.58GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.83	10.83	6.10	5.84	6.51

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5700MHz

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.59	10.59	6.12	5.67	5.85

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5720MHz Straddle 5.47-5.725GHz

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum
Port 1
Port 2
Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.52	10.52	5.83	6.02	5.90

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_3TX

PSD


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_3TX

PSD


5745MHz



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_3TX

PSD


5785MHz



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_3TX

PSD

5825MHz






5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD


5180MHz



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD

5200MHz






5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD

5240MHz

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.99	12.99	8.48	8.24	8.48

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD

5260MHz

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.59	10.59	6.13	6.09	5.52




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD

5300MHz

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.54	10.54	6.18	5.89	5.56


Sum
Port 1
Port 2
Port 3

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD

5320MHz

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.59	10.59	6.23	6.14	5.48

Sum
Port 1
Port 2
Port 3

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD

5500MHz



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_3TX

PSD

5580MHz

