

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

7085MHz_TX

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07381G	-5.63	7.0236G	-61.06	-45.63	-15.43	1
7.09939G	-5.70	7.0252G	-61.35	-45.70	-15.65	2
7.09879G	-5.78	7.0252G	-60.99	-45.78	-15.21	3

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK

5985MHz_TX

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02296G	-1.72	6.0854G	-44.23	-35.74	-8.49	1
6.01657G	-1.57	6.0814G	-45.53	-34.40	-11.13	2
6.02216G	-2.09	6.083G	-43.89	-35.39	-8.50	3



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6145MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6385MHz_TX



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6465MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6545MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6705MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6785MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6865MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6945MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK

7025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6025MHz_TX

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03379G	0.82	6.273G	-41.48	-39.18	-2.30	1
6.05857G	0.46	6.253G	-42.81	-37.19	-5.62	2
5.98904G	0.83	6.2706G	-39.86	-39.17	-0.69	3

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6185MHz_TX

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24014G	0.57	6.4306G	-41.04	-39.43	-1.61	1
6.25933G	1.08	6.4306G	-40.20	-38.92	-1.28	2
6.15223G	1.00	6.429G	-40.15	-39.00	-1.15	3

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6345MHz_TX

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40174G	0.98	6.5922G	-39.34	-39.02	-0.32	1
6.42012G	0.71	6.5898G	-40.09	-39.29	-0.80	2
6.27627G	0.85	6.5882G	-40.24	-39.04	-1.20	3

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6505MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42828G	0.88	6.721G	-40.11	-35.03	-5.08	1
6.43947G	0.62	6.7226G	-41.04	-35.52	-5.52	2
6.43227G	0.45	6.7274G	-40.81	-36.40	-4.41	3

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK


6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6985MHz_TX

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91147G	3.92	7.1442G	-27.70	-16.11	-11.59	1
7.04014G	3.77	7.141G	-28.25	-16.43	-11.82	2
6.91147G	4.53	7.1506G	-27.21	-15.80	-11.41	3

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6105MHz_TX

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
10M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0363G	3.89	6.7162G	-32.89	-24.78	-8.11	1
6.057G	4.71	6.5002G	-26.36	-17.54	-8.82	2
6.0139G	2.44	6.6746G	-39.61	-37.56	-2.05	3

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6265MHz_TX

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
10M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1963G	5.80	6.577G	-21.00	-14.31	-6.69	1
6.3146G	5.31	6.8282G	-30.37	-20.84	-9.53	2
6.2938G	6.58	6.8762G	-27.35	-20.83	-6.52	3

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6425MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
10M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5385G	5.20	7.0378G	-29.54	-24.08	-5.46	1
6.3962G	6.04	6.0298G	-24.71	-17.28	-7.43	2
6.5289G	5.23	7.0362G	-31.98	-22.41	-9.57	3

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK


6585MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX



Beamforming mode
Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	6.40711G	-9.83	6.385G	-66.93	-49.83	-17.10	3
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	5.98338G	-4.95	6.024G	-57.25	-44.71	-12.54	1
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	6.02136G	-1.61	6.0814G	-43.70	-34.44	-9.26	1
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	6.00902G	0.97	6.2698G	-41.69	-39.03	-2.66	1
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	6.0539G	1.47	6.6362G	-38.71	-38.53	-0.18	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	6.42891G	-9.21	6.4049G	-66.33	-49.21	-17.12	3
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	6.47501G	-5.48	6.4252G	-59.28	-45.48	-13.80	3
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	6.43023G	-2.02	6.3442G	-54.72	-42.02	-12.70	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	6.8723G	-9.84	6.9048G	-65.88	-49.84	-16.04	2
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	6.71561G	-5.28	6.6652G	-59.46	-45.28	-14.18	1
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	6.82824G	-2.61	6.7666G	-47.40	-36.03	-11.37	1
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	6.80822G	-0.38	7.0298G	-39.63	-34.59	-5.04	3
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	6.913G	-2.99	6.4474G	-43.74	-40.32	-3.42	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	7.00581G	-7.87	6.9848G	-63.29	-47.87	-15.42	3
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	6.94278G	-5.73	6.9848G	-60.53	-45.73	-14.80	1
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	7.06136G	-2.29	6.931G	-43.42	-34.40	-9.02	1
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	6.97861G	0.17	6.7898G	-34.73	-31.30	-3.43	3

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96129G	-9.33	5.9864G	-66.52	-49.33	-17.19	1
5955MHz	Pass	5.96259G	-9.12	5.988G	-66.32	-49.12	-17.20	2
5955MHz	Pass	5.96119G	-9.44	5.9847G	-67.10	-49.44	-17.66	3
6175MHz	Pass	6.16691G	-8.39	6.1442G	-66.26	-48.39	-17.87	1
6175MHz	Pass	6.18019G	-8.25	6.145G	-66.28	-48.25	-18.03	2
6175MHz	Pass	6.18259G	-9.35	6.1447G	-66.74	-49.35	-17.39	3
6415MHz	Pass	6.40701G	-9.22	6.385G	-67.55	-49.22	-18.33	1
6415MHz	Pass	6.40991G	-8.99	6.3842G	-67.10	-48.99	-18.11	2
6415MHz	Pass	6.40711G	-9.83	6.385G	-66.93	-49.83	-17.10	3
6435MHz	Pass	6.4375G	-8.58	6.4037G	-65.79	-48.58	-17.21	1
6435MHz	Pass	6.42621G	-8.20	6.405G	-66.11	-48.20	-17.91	2
6435MHz	Pass	6.42891G	-9.21	6.4049G	-66.33	-49.21	-17.12	3
6475MHz	Pass	6.48389G	-8.67	6.4446G	-66.13	-48.67	-17.46	1
6475MHz	Pass	6.48119G	-8.00	6.5061G	-65.80	-48.00	-17.80	2
6475MHz	Pass	6.4787G	-9.42	6.4452G	-66.73	-49.42	-17.31	3
6515MHz	Pass	6.5199G	-8.54	6.4851G	-66.30	-48.54	-17.76	1
6515MHz	Pass	6.50761G	-8.27	6.4847G	-66.26	-48.27	-17.99	2
6515MHz	Pass	6.5199G	-8.54	6.4853G	-66.65	-48.31	-18.34	3
6535MHz	Pass	6.52661G	-9.86	6.5051G	-66.72	-49.86	-16.86	1
6535MHz	Pass	6.52991G	-9.61	6.5048G	-66.22	-49.61	-16.61	2
6535MHz	Pass	6.52751G	-9.64	6.5049G	-66.60	-49.64	-16.96	3
6715MHz	Pass	6.7105G	-9.42	6.6851G	-66.77	-49.42	-17.35	1
6715MHz	Pass	6.7162G	-9.30	6.6849G	-67.22	-49.30	-17.92	2
6715MHz	Pass	6.70981G	-10.00	6.6837G	-66.95	-50.00	-16.95	3
6855MHz	Pass	6.86349G	-9.65	6.8248G	-65.86	-49.65	-16.21	1
6855MHz	Pass	6.86049G	-9.53	6.8847G	-66.00	-49.53	-16.47	2
6855MHz	Pass	6.84781G	-9.59	6.8849G	-66.03	-49.59	-16.44	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8743G	-9.97	6.8438G	-66.06	-49.97	-16.09	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8723G	-9.84	6.9048G	-65.88	-49.84	-16.04	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8762G	-9.82	6.9058G	-66.45	-49.82	-16.63	3
6895MHz	Pass	6.88711G	-9.35	6.9253G	-65.96	-49.35	-16.61	1
6895MHz	Pass	6.88621G	-9.39	6.8647G	-65.30	-49.39	-15.91	2
6895MHz	Pass	6.90039G	-9.43	6.9248G	-65.22	-49.42	-15.80	3
7015MHz	Pass	7.00941G	-7.66	6.984G	-63.33	-47.66	-15.67	1
7015MHz	Pass	7.0115G	-7.65	6.9842G	-63.70	-47.65	-16.05	2
7015MHz	Pass	7.00581G	-7.87	6.9848G	-63.29	-47.87	-15.42	3
7095MHz	Pass	7.08761G	-9.47	7.0647G	-65.49	-49.47	-16.02	1
7095MHz	Pass	7.0912G	-9.45	7.1252G	-65.31	-49.45	-15.86	2
7095MHz	Pass	7.08731G	-9.46	7.125G	-65.41	-49.46	-15.95	3
7115MHz	Pass	7.10861G	-8.12	7.0846G	-63.59	-48.12	-15.47	1
7115MHz	Pass	7.1195G	-7.87	7.1449G	-63.51	-47.64	-15.87	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz	Pass	7.1179G	-7.88	7.0849G	-63.64	-47.88	-15.76	3
802.11be EHT40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98338G	-4.95	6.024G	-57.25	-44.71	-12.54	1
5965MHz	Pass	5.98298G	-5.33	6.0266G	-62.66	-45.33	-17.33	2
5965MHz	Pass	5.97879G	-5.21	6.0244G	-58.45	-45.21	-13.24	3
6165MHz	Pass	6.14922G	-4.95	6.104G	-59.16	-44.95	-14.21	1
6165MHz	Pass	6.18238G	-4.88	6.1036G	-62.44	-44.88	-17.56	2
6165MHz	Pass	6.14902G	-5.81	6.1028G	-62.99	-45.81	-17.18	3
6405MHz	Pass	6.38822G	-4.53	6.3456G	-58.94	-44.53	-14.41	1
6405MHz	Pass	6.39381G	-4.10	6.3446G	-58.15	-44.10	-14.05	2
6405MHz	Pass	6.38982G	-4.73	6.3458G	-58.71	-44.61	-14.10	3
6445MHz	Pass	6.43821G	-4.84	6.3648G	-61.21	-44.84	-16.37	1
6445MHz	Pass	6.4414G	-4.57	6.3808G	-62.04	-44.57	-17.47	2
6445MHz	Pass	6.43421G	-5.53	6.3854G	-59.46	-45.53	-13.93	3
6485MHz	Pass	6.47421G	-4.76	6.4248G	-59.10	-44.76	-14.34	1
6485MHz	Pass	6.50238G	-3.91	6.4252G	-58.97	-43.91	-15.06	2
6485MHz	Pass	6.47501G	-5.48	6.4252G	-59.28	-45.48	-13.80	3
6525MHz Straddle 6.525-6.875GHz	Pass	6.50922G	-7.73	6.4448G	-62.44	-47.73	-14.71	1
6525MHz Straddle 6.525-6.875GHz	Pass	6.51981G	-7.57	6.4594G	-63.27	-47.57	-15.70	2
6525MHz Straddle 6.525-6.875GHz	Pass	6.54158G	-7.64	6.4636G	-63.15	-47.64	-15.51	3
6565MHz	Pass	6.54782G	-6.40	6.4848G	-62.27	-46.40	-15.87	1
6565MHz	Pass	6.55121G	-6.05	6.5038G	-62.26	-46.05	-16.21	2
6565MHz	Pass	6.57979G	-5.82	6.5052G	-60.36	-45.70	-14.66	3
6725MHz	Pass	6.71561G	-5.28	6.6652G	-59.46	-45.28	-14.18	1
6725MHz	Pass	6.7212G	-5.40	6.6654G	-59.96	-45.40	-14.56	2
6725MHz	Pass	6.70982G	-5.97	6.6646G	-60.25	-45.97	-14.28	3
6845MHz	Pass	6.83561G	-5.69	6.905G	-61.04	-45.69	-15.35	1
6845MHz	Pass	6.85839G	-5.60	6.7852G	-61.29	-45.60	-15.69	2
6845MHz	Pass	6.83261G	-5.83	6.9044G	-60.69	-45.71	-14.98	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.86862G	-6.03	6.9448G	-61.02	-46.03	-14.99	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.86942G	-5.91	6.9448G	-61.23	-45.91	-15.32	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.86842G	-5.97	6.9454G	-60.87	-45.97	-14.90	3
6925MHz	Pass	6.94278G	-5.73	6.9848G	-60.53	-45.73	-14.80	1
6925MHz	Pass	6.94118G	-6.09	6.8654G	-60.89	-46.09	-14.80	2
6925MHz	Pass	6.91001G	-5.81	6.9848G	-60.65	-45.81	-14.84	3
7005MHz	Pass	7.01959G	-4.41	6.9456G	-59.98	-44.41	-15.57	1
7005MHz	Pass	7.002G	-4.48	6.945G	-60.70	-44.48	-16.22	2
7005MHz	Pass	6.99101G	-4.54	6.9456G	-60.06	-44.31	-15.75	3
7085MHz	Pass	7.0818G	-5.28	7.0244G	-60.94	-45.28	-15.66	1
7085MHz	Pass	7.07981G	-5.53	7.1446G	-61.10	-45.53	-15.57	2
7085MHz	Pass	7.07341G	-5.38	7.0252G	-61.01	-45.38	-15.63	3
802.11be EHT80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	6.02136G	-1.61	6.0814G	-43.70	-34.44	-9.26	1
5985MHz	Pass	6.02096G	-1.66	6.0802G	-46.06	-34.13	-11.93	2
5985MHz	Pass	6.02176G	-2.22	6.0834G	-45.94	-35.64	-10.30	3
6145MHz	Pass	6.18016G	-2.19	6.0246G	-54.04	-42.19	-11.85	1
6145MHz	Pass	6.18136G	-1.90	6.0238G	-55.18	-41.90	-13.28	2
6145MHz	Pass	6.10704G	-2.36	6.025G	-54.86	-42.24	-12.62	3
6385MHz	Pass	6.36022G	-2.29	6.2646G	-54.39	-42.29	-12.10	1
6385MHz	Pass	6.42136G	-2.17	6.2634G	-53.67	-42.17	-11.50	2
6385MHz	Pass	6.34784G	-2.30	6.2614G	-54.87	-42.30	-12.57	3
6465MHz	Pass	6.43103G	-1.42	6.3658G	-48.52	-35.08	-13.44	1
6465MHz	Pass	6.50216G	-0.79	6.5622G	-47.73	-33.86	-13.87	2
6465MHz	Pass	6.43023G	-2.02	6.3442G	-54.72	-42.02	-12.70	3
6545MHz Straddle 6.525-6.875GHz	Pass	6.50904G	-3.28	6.423G	-56.29	-43.28	-13.01	1
6545MHz Straddle 6.525-6.875GHz	Pass	6.50784G	-3.32	6.4226G	-56.84	-43.32	-13.52	2
6545MHz Straddle 6.525-6.875GHz	Pass	6.50944G	-3.20	6.4234G	-55.65	-43.20	-12.45	3
6625MHz	Pass	6.59303G	-3.57	6.501G	-56.23	-43.57	-12.66	1
6625MHz	Pass	6.58864G	-3.73	6.5014G	-57.04	-43.73	-13.31	2
6625MHz	Pass	6.58744G	-3.70	6.5022G	-56.22	-43.70	-12.52	3
6705MHz	Pass	6.74256G	-3.09	6.581G	-56.19	-43.09	-13.10	1
6705MHz	Pass	6.66704G	-3.42	6.5838G	-56.07	-43.42	-12.65	2
6705MHz	Pass	6.74176G	-4.05	6.5842G	-56.63	-44.05	-12.58	3
6785MHz	Pass	6.74744G	-2.30	6.6878G	-47.70	-34.62	-13.08	1
6785MHz	Pass	6.75183G	-2.60	6.687G	-48.69	-35.90	-12.79	2
6785MHz	Pass	6.82136G	-3.37	6.687G	-49.81	-36.58	-13.23	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.82824G	-2.61	6.7666G	-47.40	-36.03	-11.37	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.90056G	-3.02	6.7674G	-48.66	-36.24	-12.42	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.89977G	-2.89	6.7674G	-48.26	-36.07	-12.19	3
6945MHz	Pass	6.98256G	-2.59	6.8474G	-46.30	-35.78	-10.52	1
6945MHz	Pass	6.97297G	-2.78	6.8482G	-47.51	-35.63	-11.88	2
6945MHz	Pass	6.91143G	-2.74	6.8482G	-46.62	-35.69	-10.93	3
7025MHz	Pass	7.06136G	-2.29	6.931G	-43.42	-34.40	-9.02	1
7025MHz	Pass	6.98744G	-2.20	6.927G	-46.43	-35.50	-10.93	2
7025MHz	Pass	6.99103G	-2.43	6.9282G	-44.91	-35.38	-9.53	3
802.11be EHT160-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00902G	0.97	6.2698G	-41.69	-39.03	-2.66	1
6025MHz	Pass	6.07295G	0.22	6.241G	-42.34	-35.66	-6.68	2
6025MHz	Pass	6.029G	0.34	6.2706G	-43.77	-39.66	-4.11	3
6185MHz	Pass	6.25933G	0.80	6.4098G	-39.57	-36.38	-3.19	1
6185MHz	Pass	6.26092G	0.75	6.4194G	-41.96	-37.84	-4.12	2
6185MHz	Pass	6.17221G	0.81	6.4282G	-43.10	-39.08	-4.02	3
6345MHz	Pass	6.26988G	1.11	6.577G	-41.27	-37.13	-4.14	1
6345MHz	Pass	6.42172G	0.65	6.581G	-41.23	-38.18	-3.05	2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.40974G	0.46	6.5794G	-41.76	-38.13	-3.63	3
6505MHz Straddle 6.525-6.875GHz	Pass	6.49061G	-0.33	6.717G	-44.06	-35.64	-8.42	1
6505MHz Straddle 6.525-6.875GHz	Pass	6.43067G	0.11	6.7298G	-45.80	-37.10	-8.70	2
6505MHz Straddle 6.525-6.875GHz	Pass	6.44186G	0.14	6.7178G	-42.21	-35.29	-6.92	3
6665MHz	Pass	6.58908G	0.07	6.8818G	-41.29	-35.93	-5.36	1
6665MHz	Pass	6.59387G	-0.45	6.913G	-49.94	-40.45	-9.49	2
6665MHz	Pass	6.72894G	-0.74	6.8818G	-43.24	-36.74	-6.50	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.74828G	-0.42	6.9778G	-34.61	-25.71	-8.90	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.76026G	-0.89	6.6282G	-40.46	-33.96	-6.50	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.80822G	-0.38	7.0298G	-39.63	-34.59	-5.04	3
6985MHz	Pass	6.97701G	-0.17	6.7874G	-35.80	-32.06	-3.74	1
6985MHz	Pass	6.97061G	-0.15	7.1802G	-37.28	-32.96	-4.32	2
6985MHz	Pass	6.97861G	0.17	6.7898G	-34.73	-31.30	-3.43	3
802.11be EHT320-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0539G	1.47	6.6362G	-38.71	-38.53	-0.18	1
6105MHz	Pass	6.0698G	2.17	6.497G	-32.79	-20.46	-12.33	2
6105MHz	Pass	6.0443G	1.29	6.6714G	-44.31	-38.71	-5.60	3
6265MHz	Pass	6.2794G	5.60	6.857G	-27.88	-21.63	-6.25	1
6265MHz	Pass	6.2906G	4.83	6.5754G	-25.06	-15.21	-9.85	2
6265MHz	Pass	6.3561G	6.14	6.8714G	-27.15	-18.79	-8.36	3
6425MHz Straddle 6.525-6.875GHz	Pass	6.3723G	4.55	6.993G	-32.95	-22.36	-10.59	1
6425MHz Straddle 6.525-6.875GHz	Pass	6.401G	5.12	6.0282G	-27.29	-17.16	-10.13	2
6425MHz Straddle 6.525-6.875GHz	Pass	6.3595G	4.42	6.0282G	-29.39	-17.82	-11.57	3
6585MHz Straddle 6.525-6.875GHz	Pass	6.6537G	3.32	7.2298G	-41.51	-33.17	-8.34	1
6585MHz Straddle 6.525-6.875GHz	Pass	6.6346G	3.63	6.1882G	-31.44	-18.72	-12.72	2
6585MHz Straddle 6.525-6.875GHz	Pass	6.633G	2.68	7.1546G	-42.04	-37.32	-4.72	3
6745MHz Straddle 6.525-6.875GHz	Pass	6.7178G	2.87	6.273G	-31.33	-21.24	-10.09	1
6745MHz Straddle 6.525-6.875GHz	Pass	6.777G	2.93	6.4474G	-26.06	-17.82	-8.24	2
6745MHz Straddle 6.525-6.875GHz	Pass	6.6779G	2.32	6.0922G	-41.27	-34.58	-6.69	3
6905MHz Straddle 6.525-6.875GHz	Pass	6.8315G	-3.04	6.2506G	-48.88	-43.04	-5.84	1
6905MHz Straddle 6.525-6.875GHz	Pass	6.913G	-2.99	6.4474G	-43.74	-40.32	-3.42	2
6905MHz Straddle 6.525-6.875GHz	Pass	6.9194G	-2.49	6.401G	-47.68	-42.49	-5.19	3



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK


5955MHz_TX



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

6175MHz_TX






5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK


6415MHz_TX



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

6435MHz_TX






6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK


6475MHz_TX



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

6515MHz_TX






6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK


6535MHz_TX



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

6715MHz_TX






6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK


6875MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX






6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK


6895MHz_TX



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

7015MHz_TX






6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK


7095MHz_TX



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

7115MHz_TX






5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


5965MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


6165MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


6405MHz_TX



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK

6445MHz_TX






6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


6485MHz_TX



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK

6525MHz Straddle 6.525-6.875GHz_TX






6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


6565MHz_TX



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK

6725MHz_TX






6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


6845MHz_TX



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX






6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


6925MHz_TX



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK

7005MHz_TX






6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_3TX

MASK


7085MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK


5985MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK


6145MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK


6385MHz_TX



6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK


6465MHz_TX



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK

6545MHz Straddle 6.525-6.875GHz_TX






6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK


6625MHz_TX



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK

6705MHz_TX






6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK


6785MHz_TX



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX






6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK


6945MHz_TX



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_3TX

MASK

7025MHz_TX






5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

MASK


6025MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

MASK


6185MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

MASK


6345MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

MASK


6505MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

MASK


6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

MASK


6825MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_3TX

MASK


6985MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

MASK


6105MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

MASK


6265MHz_TX



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

MASK


6425MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

MASK


6585MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX






6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_3TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX





Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°C Vmax	-4.95	-4.94	-4.62	-4.61
T20°C Vmin	-5.05	-5.34	-5.41	-4.81
T40°C Vnom	-8.78	-8.50	-9.39	-8.93
T30°C Vnom	-7.45	-7.67	-7.63	-7.48
T20°C Vnom	-5.93	-6.37	-5.79	-5.95
T10°C Vnom	-3.07	-2.63	-3.18	-3.46
T5°C Vnom	-0.10	0.15	0.30	0.41
Vnom [V]: 110	Vmax [V]: 126.5		Vmin [V]: 93.5	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 5	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°C Vmax	-4.70	-4.15	-4.44	-4.42
T20°C Vmin	-4.78	-4.36	-4.68	-4.37
T40°C Vnom	-7.78	-7.43	-7.76	-7.82
T30°C Vnom	-6.72	-6.84	-6.31	-6.88
T20°C Vnom	-5.22	-4.82	-4.68	-5.60
T10°C Vnom	-2.86	-2.34	-2.85	-2.52
T5°C Vnom	0.23	0.06	0.56	0.48
Vnom [V]: 110	Vmax [V]: 126.5		Vmin [V]: 93.5	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 5	

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-62.64	2.4	-65.04	-62	Ceased
				-64.64	2.4	-67.04	-62	Minimal
				-82.64	2.4	-85.04	-62	Normal
	6	6475	6474	-61.9	2.78	-64.68	-62	Ceased
				-63.9	2.78	-66.68	-62	Minimal
				-81.9	2.78	-84.68	-62	Normal
	7	6695	6694	-61.84	3.24	-65.08	-62	Ceased
				-63.84	3.24	-67.08	-62	Minimal
				-81.84	3.24	-85.08	-62	Normal
	8	6995	6994	-62.11	3.42	-65.53	-62	Ceased
				-64.11	3.42	-67.53	-62	Minimal
				-82.11	3.42	-85.53	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6105	6100	-60.29	2.4	-62.69	-62	Ceased
				-62.29	2.4	-64.69	-62	Minimal
				-80.29	2.4	-82.69	-62	Normal
	6 / 7	6425	6580	-60.12	2.4	-62.52	-62	Ceased
				-62.12	2.4	-64.52	-62	Minimal
				-80.12	2.4	-82.52	-62	Normal
	7 / 8	6905	7060	-59.89	3.24	-63.13	-62	Ceased
				-61.9	3.24	-65.13	-62	Minimal
				-79.89	3.24	-83.13	-62	Normal


Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT20	5	6195	6194	-62.64	-65.04	V	V	V	V	V	V	V	X	V	V	90	90
	6	6475	6474	-61.9	-64.68	V	V	V	V	V	V	V	V	X	V	90	90
	7	6695	6694	-61.84	-65.08	V	V	V	V	V	V	V	V	V	V	100	90
	8	6995	6994	-62.11	-65.53	V	V	V	V	V	V	V	V	V	V	100	90


Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT320	5	6105	5950	-60.72	-63.12	V	V	V	V	V	V	V	V	X	V	90	90
			6100	-60.29	-62.69	V	V	V	V	V	V	V	V	V	V	100	90
			6260	-61.05	-63.45	V	V	V	V	V	V	V	X	V	V	90	90
	5/6/7	6425	6270	-61.45	-63.85	V	V	V	V	V	V	V	V	V	X	90	90
			6420	-60.26	-62.66	V	V	V	V	V	V	V	V	V	V	100	90
			6580	-60.12	-62.52	V	V	V	V	V	V	V	V	V	V	100	90
	7 / 8	6905	6750	-61.04	-64.28	V	V	V	V	V	V	X	V	V	V	90	90
			6900	-61.02	-64.26	V	V	V	V	V	V	V	V	V	V	100	90
			7060	-59.89	-63.13	V	V	V	V	V	V	V	V	X	V	90	90

Test plot of Incumbent signal


BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz




BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




BW: 320 MHz / Frequency: 5950 MHz




BW: 320 MHz / Frequency: 6100 MHz




BW: 320 MHz / Frequency: 6260 MHz




BW: 320 MHz / Frequency: 6270 MHz




BW: 320 MHz / Frequency: 6420 MHz




BW: 320 MHz / Frequency: 6580 MHz




BW: 320 MHz / Frequency: 6750 MHz



BW: 320 MHz / Frequency: 6900 MHz




BW: 320 MHz / Frequency: 7060 MHz




Test plot of Contention Based Protocol EUT Normal transmission


BW: 20 MHz / Frequency: 6194 MHz



BW: 20 MHz / Frequency: 6474 MHz



BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




BW: 320 MHz / Frequency: 6100 MHz



BW: 320 MHz / Frequency: 6580 MHz




BW: 320 MHz / Frequency: 7060 MHz




EUT Minimal transmission


BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz



BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz



BW: 320 MHz / Frequency: 6100 MHz



BW: 320 MHz / Frequency: 6580 MHz




BW: 320 MHz / Frequency: 7060 MHz




EUT ceased transmission

BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 320 MHz / Frequency: 5950 MHz




BW: 320 MHz / Frequency: 6100 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 320 MHz / Frequency: 6260 MHz




BW: 320 MHz / Frequency: 6270 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.

BW: 320 MHz / Frequency: 6420 MHz




BW: 320 MHz / Frequency: 6580 MHz




Note: T1: AWGN signal is injected, T2: AWGN signal is removed.


BW: 320 MHz / Frequency: 6750 MHz



BW: 320 MHz / Frequency: 6900 MHz



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.



Note: T1: AWGN signal is injected, T2: AWGN signal is removed.




Non-beamforming mode

Modulation Mode	be EHT320	Test Freq. (MHz)	6265
Power Phase	Line		

Test by : Joe Liao

Temperature: 21°C

Humidity: 63%



	Freq	Level	Limit	Over	Read	Factor	Cable	Aux	
	MHz	dBuV	Line	Limit	Level	dB	loss	dB	Remark
			dBuV	dB	dBuV		dB		
1	0.153	41.75	55.82	-14.07	31.85	9.65	0.03	0.22	Average
2*	0.153	55.29	65.82	-10.53	45.39	9.65	0.03	0.22	QP
3	0.195	33.18	53.80	-20.62	23.21	9.64	0.04	0.29	Average
4	0.195	47.48	63.80	-16.32	37.51	9.64	0.04	0.29	QP
5	0.389	37.11	48.08	-10.97	27.08	9.64	0.04	0.35	Average
6	0.389	43.69	58.08	-14.39	33.66	9.64	0.04	0.35	QP
7	2.178	28.89	46.00	-17.11	18.65	9.65	0.10	0.49	Average
8	2.178	35.32	56.00	-20.68	25.08	9.65	0.10	0.49	QP
9	4.622	25.50	46.00	-20.50	15.07	9.68	0.16	0.59	Average
10	4.622	30.34	56.00	-25.66	19.91	9.68	0.16	0.59	QP
11	10.564	21.61	50.00	-28.39	11.06	9.72	0.23	0.60	Average
12	10.564	27.35	60.00	-32.65	16.80	9.72	0.23	0.60	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBuV) - Limit Line (dBuV).




Modulation Mode	be EHT320	Test Freq. (MHz)	6265
Power Phase	Neutral		

Test by : Joe Liao

Temperature: 21°C

Humidity: 63%



	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.153	42.86	55.82	-12.96	32.97	9.64	0.03	0.22	Average
2	0.153	56.17	65.82	-9.65	46.28	9.64	0.03	0.22	QP
3*	0.387	40.19	48.12	-7.93	30.17	9.63	0.04	0.35	Average
4	0.387	44.74	58.12	-13.38	34.72	9.63	0.04	0.35	QP
5	1.858	27.30	46.00	-18.70	17.08	9.65	0.09	0.48	Average
6	1.858	33.71	56.00	-22.29	23.49	9.65	0.09	0.48	QP
7	4.525	23.23	46.00	-22.77	12.81	9.67	0.16	0.59	Average
8	4.525	28.93	56.00	-27.07	18.51	9.67	0.16	0.59	QP
9	10.342	23.53	50.00	-26.47	12.98	9.72	0.23	0.60	Average
10	10.342	29.12	60.00	-30.88	18.57	9.72	0.23	0.60	QP
11	15.146	21.52	50.00	-28.48	10.86	9.76	0.26	0.64	Average
12	15.146	26.76	60.00	-33.24	16.10	9.76	0.26	0.64	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) - Limit Line (dBUV).




Beamforming mode

Modulation Mode	be EHT320	Test Freq. (MHz)	6265
Power Phase	Line		

Test by : Joe Liao

Temperature: 21°C

Humidity: 63%



	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.156	41.04	55.69	-14.65	31.13	9.65	0.03	0.23	Average
2	0.156	54.38	65.69	-11.31	44.47	9.65	0.03	0.23	QP
3	0.168	25.12	55.08	-29.96	15.19	9.65	0.03	0.25	Average
4	0.168	45.32	65.08	-19.76	35.39	9.65	0.03	0.25	QP
5*	0.387	39.28	48.12	-8.84	29.25	9.64	0.04	0.35	Average
6	0.387	43.93	58.12	-14.19	33.90	9.64	0.04	0.35	QP
7	2.273	27.64	46.00	-18.36	17.39	9.65	0.10	0.50	Average
8	2.273	34.43	56.00	-21.57	24.18	9.65	0.10	0.50	QP
9	4.549	25.44	46.00	-20.56	15.01	9.68	0.16	0.59	Average
10	4.549	30.17	56.00	-25.83	19.74	9.68	0.16	0.59	QP
11	10.676	21.91	50.00	-28.09	11.35	9.72	0.23	0.61	Average
12	10.676	27.36	60.00	-32.64	16.80	9.72	0.23	0.61	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) – Limit Line (dBUV).




Modulation Mode	be EHT320	Test Freq. (MHz)	6265
Power Phase	Neutral		

Test by : Joe Liao

Temperature: 21°C

Humidity: 63%



	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.159	38.09	55.52	-17.43	28.18	9.64	0.03	0.24	Average
2	0.159	52.32	65.52	-13.20	42.41	9.64	0.03	0.24	QP
3	0.174	23.63	54.77	-31.14	13.69	9.64	0.04	0.26	Average
4	0.174	42.92	64.77	-21.85	32.98	9.64	0.04	0.26	QP
5*	0.389	37.91	48.08	-10.17	27.89	9.63	0.04	0.35	Average
6	0.389	44.42	58.08	-13.66	34.40	9.63	0.04	0.35	QP
7	1.753	27.14	46.00	-18.86	16.94	9.65	0.08	0.47	Average
8	1.753	34.50	56.00	-21.50	24.30	9.65	0.08	0.47	QP
9	4.430	23.54	46.00	-22.46	13.12	9.67	0.16	0.59	Average
10	4.430	29.10	56.00	-26.90	18.68	9.67	0.16	0.59	QP
11	10.019	23.06	50.00	-26.94	12.51	9.72	0.23	0.60	Average
12	10.019	28.64	60.00	-31.36	18.09	9.72	0.23	0.60	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) - Limit Line (dBUV).