

Appendix C Emission Bandwidth & Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0966	1.294	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.0952	1.290	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0965	1.292	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0964	1.305	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0966	1.292	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0969	1.296	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7130	3.024	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6952	2.992	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7124	3.015	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6955	2.994	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7118	3.017	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.6954	2.996	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5118	5.029	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5273	5.053	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5124	5.030	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5279	5.054	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5108	5.012	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5273	5.044	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9998	9.948	PASS
Band2	10MHz	16QAM	18650	50RB#0	9.0285	9.975	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9936	9.946	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.0175	9.977	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9703	9.898	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9960	9.963	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.484	14.83	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.471	14.78	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.461	14.82	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.451	14.77	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.428	14.74	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.426	14.72	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.972	19.69	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.961	19.61	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.932	19.61	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.925	19.59	PASS

Band2	20MHz	QPSK	19100	100RB#0	17.919	19.59	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.911	19.55	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	1.0963	1.295	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	1.0951	1.290	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	1.0968	1.295	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	1.0968	1.310	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	1.0964	1.294	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	1.0948	1.290	PASS
Band4	3MHz	QPSK	19965	15RB#0	2.7122	3.015	PASS
Band4	3MHz	16QAM	19965	15RB#0	2.6949	2.989	PASS
Band4	3MHz	QPSK	20175	15RB#0	2.7128	3.017	PASS
Band4	3MHz	16QAM	20175	15RB#0	2.6945	2.988	PASS
Band4	3MHz	QPSK	20385	15RB#0	2.7126	3.013	PASS
Band4	3MHz	16QAM	20385	15RB#0	2.6950	2.994	PASS
Band4	5MHz	QPSK	19975	25RB#0	4.5124	5.035	PASS
Band4	5MHz	16QAM	19975	25RB#0	4.5274	5.058	PASS
Band4	5MHz	QPSK	20175	25RB#0	4.5137	5.029	PASS
Band4	5MHz	16QAM	20175	25RB#0	4.5290	5.068	PASS
Band4	5MHz	QPSK	20375	25RB#0	4.5127	5.035	PASS
Band4	5MHz	16QAM	20375	25RB#0	4.5284	5.055	PASS
Band4	10MHz	QPSK	20000	50RB#0	9.0038	9.973	PASS
Band4	10MHz	16QAM	20000	50RB#0	9.0252	9.982	PASS
Band4	10MHz	QPSK	20175	50RB#0	8.9978	9.979	PASS
Band4	10MHz	16QAM	20175	50RB#0	9.0228	9.976	PASS
Band4	10MHz	QPSK	20350	50RB#0	8.9992	9.972	PASS
Band4	10MHz	16QAM	20350	50RB#0	9.0253	9.989	PASS
Band4	15MHz	QPSK	20025	75RB#0	13.471	14.82	PASS
Band4	15MHz	16QAM	20025	75RB#0	13.467	14.78	PASS
Band4	15MHz	QPSK	20175	75RB#0	13.464	14.84	PASS
Band4	15MHz	16QAM	20175	75RB#0	13.461	14.81	PASS
Band4	15MHz	QPSK	20325	75RB#0	13.474	14.83	PASS
Band4	15MHz	16QAM	20325	75RB#0	13.470	14.80	PASS
Band4	20MHz	QPSK	20050	100RB#0	17.952	19.71	PASS
Band4	20MHz	16QAM	20050	100RB#0	17.941	19.59	PASS
Band4	20MHz	QPSK	20175	100RB#0	17.944	19.69	PASS
Band4	20MHz	16QAM	20175	100RB#0	17.929	19.60	PASS
Band4	20MHz	QPSK	20300	100RB#0	17.955	19.70	PASS
Band4	20MHz	16QAM	20300	100RB#0	17.955	19.62	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1.0976	1.301	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.0955	1.299	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0977	1.299	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.0956	1.304	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0987	1.306	PASS

Band5	1.4MHz	16QAM	20643	6RB#0	1.0967	1.311	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.7120	3.012	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.6960	2.991	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7133	3.010	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.6958	2.990	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.7136	3.017	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.6980	2.997	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5104	5.021	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5262	5.069	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5113	5.019	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.5293	5.072	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.5116	5.011	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5284	5.070	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9987	9.965	PASS
Band5	10MHz	16QAM	20450	50RB#0	9.0229	9.948	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.0026	9.965	PASS
Band5	10MHz	16QAM	20525	50RB#0	9.0262	9.948	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9864	9.944	PASS
Band5	10MHz	16QAM	20600	50RB#0	9.0100	9.944	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.5095	5.020	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5265	5.067	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5087	5.026	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5259	5.063	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5076	5.024	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5250	5.062	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.9987	9.946	PASS
Band7	10MHz	16QAM	20800	50RB#0	9.0224	9.959	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9961	9.956	PASS
Band7	10MHz	16QAM	21100	50RB#0	9.0216	9.976	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9886	9.929	PASS
Band7	10MHz	16QAM	21400	50RB#0	9.0149	9.945	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.493	14.84	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.477	14.83	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.472	14.83	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.470	14.84	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.468	14.82	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.462	14.81	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.969	19.68	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.969	19.64	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.937	19.65	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.932	19.62	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.948	19.66	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.953	19.62	PASS

Band12	1.4MHz	QPSK	23017	6RB#0	1.0982	1.300	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.0949	1.296	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0976	1.299	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0954	1.291	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0990	1.307	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0963	1.294	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.7126	3.010	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.6958	2.986	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.7111	3.015	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.6950	2.990	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.7142	3.018	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.6966	2.990	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5141	5.032	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.5267	5.067	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.5094	5.015	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5257	5.069	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5122	5.027	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.5281	5.070	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.9827	9.924	PASS
Band12	10MHz	16QAM	23060	50RB#0	9.0074	9.904	PASS
Band12	10MHz	QPSK	23095	50RB#0	8.9864	9.950	PASS
Band12	10MHz	16QAM	23095	50RB#0	9.0109	9.944	PASS
Band12	10MHz	QPSK	23130	50RB#0	9.0104	9.995	PASS
Band12	10MHz	16QAM	23130	50RB#0	9.0351	9.960	PASS
Band13	5MHz	QPSK	23205	25RB#0	4.4998	5.016	PASS
Band13	5MHz	16QAM	23205	25RB#0	4.5074	5.031	PASS
Band13	5MHz	QPSK	23230	25RB#0	4.5108	5.011	PASS
Band13	5MHz	16QAM	23230	25RB#0	4.5298	5.075	PASS
Band13	5MHz	QPSK	23255	25RB#0	4.5184	5.029	PASS
Band13	5MHz	16QAM	23255	25RB#0	4.5351	5.086	PASS
Band13	10MHz	QPSK	23230	50RB#0	8.9854	9.944	PASS
Band13	10MHz	16QAM	23230	50RB#0	9.0099	9.926	PASS
Band14	5MHz	QPSK	23305	25RB#0	4.5158	5.020	PASS
Band14	5MHz	16QAM	23305	25RB#0	4.5344	5.077	PASS
Band14	5MHz	QPSK	23330	25RB#0	4.5127	5.015	PASS
Band14	5MHz	16QAM	23330	25RB#0	4.5298	5.072	PASS
Band14	5MHz	QPSK	23355	25RB#0	4.5064	5.010	PASS
Band14	5MHz	16QAM	23355	25RB#0	4.5192	5.070	PASS
Band14	10MHz	QPSK	23330	50RB#0	8.9962	9.949	PASS
Band14	10MHz	16QAM	23330	50RB#0	9.0167	9.939	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	1.0966	1.293	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.0966	1.306	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.0963	1.289	PASS

Band25	1.4MHz	16QAM	26365	6RB#0	1.0951	1.290	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.0974	1.291	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.1008	1.308	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.7125	3.015	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.6949	2.993	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.7128	3.021	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.6948	2.994	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.7138	3.021	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.6968	2.998	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5121	5.021	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5264	5.053	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5144	5.034	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5250	5.054	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5175	5.036	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5347	5.058	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.9979	9.954	PASS
Band25	10MHz	16QAM	26090	50RB#0	9.0249	9.978	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.9965	9.945	PASS
Band25	10MHz	16QAM	26365	50RB#0	9.0210	9.981	PASS
Band25	10MHz	QPSK	26640	50RB#0	9.0028	9.952	PASS
Band25	10MHz	16QAM	26640	50RB#0	9.0280	9.994	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.486	14.82	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.477	14.78	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.455	14.82	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.457	14.77	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.431	14.75	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.434	14.70	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.968	19.69	PASS
Band25	20MHz	16QAM	26140	100RB#0	17.957	19.60	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.926	19.60	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.925	19.59	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.883	19.52	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.871	19.50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1.0974	1.299	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	1.0963	1.307	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.0972	1.299	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.0954	1.300	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1.0977	1.299	PASS

Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	1.0974	1.307	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	2.7127	3.009	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	2.6966	2.991	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	2.7122	3.008	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	2.6964	2.991	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	2.7124	3.010	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	2.6959	2.989	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	4.5106	5.024	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	4.5273	5.063	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	4.5111	5.024	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	4.5256	5.057	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	4.5101	5.024	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	4.5253	5.058	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	8.9972	9.941	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	9.0213	9.930	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.0975	1.299	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.0950	1.295	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0976	1.300	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.0956	1.299	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.0983	1.299	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.0967	1.304	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.7123	3.012	PASS




849)							
Band26(824-849)	3MHz	16QAM	26805	15RB#0	2.6957	2.994	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.7130	3.008	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.6963	2.991	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.7130	3.014	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	2.6974	2.995	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.5107	5.020	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	4.5254	5.068	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.5103	5.018	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.5265	5.071	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.5120	5.011	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	4.5282	5.068	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	8.9950	9.956	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	9.0244	9.950	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	9.0015	9.963	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	9.0241	9.955	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	8.9842	9.943	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	9.0057	9.930	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.479	14.85	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	13.473	14.83	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.475	14.87	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	13.472	14.82	PASS

Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.453	14.82	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	13.444	14.77	PASS
Band38	5MHz	QPSK	37775	25RB#0	4.5129	5.203	PASS
Band38	5MHz	16QAM	37775	25RB#0	4.5317	5.063	PASS
Band38	5MHz	QPSK	38000	25RB#0	4.5147	5.222	PASS
Band38	5MHz	16QAM	38000	25RB#0	4.5361	5.056	PASS
Band38	5MHz	QPSK	38225	25RB#0	4.5192	5.180	PASS
Band38	5MHz	16QAM	38225	25RB#0	4.5362	5.061	PASS
Band38	10MHz	QPSK	37800	50RB#0	9.0188	10.49	PASS
Band38	10MHz	16QAM	37800	50RB#0	8.9932	9.976	PASS
Band38	10MHz	QPSK	38000	50RB#0	9.0197	10.52	PASS
Band38	10MHz	16QAM	38000	50RB#0	8.9928	10.09	PASS
Band38	10MHz	QPSK	38200	50RB#0	9.0195	10.47	PASS
Band38	10MHz	16QAM	38200	50RB#0	8.9865	10.05	PASS
Band38	15MHz	QPSK	37825	75RB#0	13.505	15.25	PASS
Band38	15MHz	16QAM	37825	75RB#0	13.488	14.94	PASS
Band38	15MHz	QPSK	38000	75RB#0	13.510	15.31	PASS
Band38	15MHz	16QAM	38000	75RB#0	13.492	14.82	PASS
Band38	15MHz	QPSK	38175	75RB#0	13.512	15.30	PASS
Band38	15MHz	16QAM	38175	75RB#0	13.491	14.82	PASS
Band38	20MHz	QPSK	37850	100RB#0	17.978	20.16	PASS
Band38	20MHz	16QAM	37850	100RB#0	17.979	19.92	PASS
Band38	20MHz	QPSK	38000	100RB#0	17.981	20.08	PASS
Band38	20MHz	16QAM	38000	100RB#0	17.973	19.99	PASS
Band38	20MHz	QPSK	38150	100RB#0	17.983	20.38	PASS
Band38	20MHz	16QAM	38150	100RB#0	17.976	20.05	PASS
Band41	5MHz	QPSK	39675	25RB#0	4.5213	5.227	PASS
Band41	5MHz	16QAM	39675	25RB#0	4.5387	5.063	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.5200	5.137	PASS
Band41	5MHz	16QAM	40620	25RB#0	4.5367	5.059	PASS
Band41	5MHz	QPSK	41565	25RB#0	4.5104	5.050	PASS
Band41	5MHz	16QAM	41565	25RB#0	4.5253	5.052	PASS
Band41	10MHz	QPSK	39700	50RB#0	9.0295	10.96	PASS
Band41	10MHz	16QAM	39700	50RB#0	8.9926	10.26	PASS
Band41	10MHz	QPSK	40620	50RB#0	9.0182	10.39	PASS
Band41	10MHz	16QAM	40620	50RB#0	8.9857	9.933	PASS
Band41	10MHz	QPSK	41540	50RB#0	8.9973	9.991	PASS
Band41	10MHz	16QAM	41540	50RB#0	8.9803	9.958	PASS
Band41	15MHz	QPSK	39725	75RB#0	13.513	15.78	PASS
Band41	15MHz	16QAM	39725	75RB#0	13.485	15.06	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.507	15.32	PASS


Band41	15MHz	16QAM	40620	75RB#0	13.484	14.99	PASS
Band41	15MHz	QPSK	41515	75RB#0	13.493	15.12	PASS
Band41	15MHz	16QAM	41515	75RB#0	13.484	14.78	PASS
Band41	20MHz	QPSK	39750	100RB#0	17.964	20.16	PASS
Band41	20MHz	16QAM	39750	100RB#0	17.959	19.85	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.978	20.21	PASS
Band41	20MHz	16QAM	40620	100RB#0	17.974	19.90	PASS
Band41	20MHz	QPSK	41490	100RB#0	17.973	19.78	PASS
Band41	20MHz	16QAM	41490	100RB#0	17.984	20.11	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	1.0928	1.292	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1039	1.297	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0931	1.294	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.1034	1.288	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0930	1.300	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.1018	1.286	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7114	3.012	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.7001	2.999	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.7116	3.008	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.7003	2.997	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7097	2.999	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6988	2.993	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5000	5.032	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.4993	5.056	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5013	5.027	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5025	5.058	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5006	5.016	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5017	5.059	PASS
Band66	10MHz	QPSK	132022	50RB#0	9.0234	9.962	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9627	9.907	PASS
Band66	10MHz	QPSK	132322	50RB#0	9.0200	9.956	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9629	9.915	PASS
Band66	10MHz	QPSK	132622	50RB#0	9.0115	9.912	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9484	9.904	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.490	14.86	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.456	14.90	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.497	14.86	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.466	14.92	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.466	14.81	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.433	14.85	PASS
Band66	20MHz	QPSK	132072	100RB#0	18.044	19.74	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.954	19.57	PASS
Band66	20MHz	QPSK	132322	100RB#0	18.055	19.77	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.966	19.61	PASS









Band66	20MHz	QPSK	132572	100RB#0	17.997	19.66	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.906	19.51	PASS
Band71	5MHz	QPSK	133147	25RB#0	4.4969	5.017	PASS
Band71	5MHz	16QAM	133147	25RB#0	4.5022	5.022	PASS
Band71	5MHz	QPSK	133297	25RB#0	4.4978	5.017	PASS
Band71	5MHz	16QAM	133297	25RB#0	4.5046	5.051	PASS
Band71	5MHz	QPSK	133447	25RB#0	4.5011	5.021	PASS
Band71	5MHz	16QAM	133447	25RB#0	4.5025	5.056	PASS
Band71	10MHz	QPSK	133172	50RB#0	8.9982	9.896	PASS
Band71	10MHz	16QAM	133172	50RB#0	8.9412	9.863	PASS
Band71	10MHz	QPSK	133297	50RB#0	9.0245	9.923	PASS
Band71	10MHz	16QAM	133297	50RB#0	8.9655	9.874	PASS
Band71	10MHz	QPSK	133422	50RB#0	9.0203	9.935	PASS
Band71	10MHz	16QAM	133422	50RB#0	8.9578	9.907	PASS
Band71	15MHz	QPSK	133197	75RB#0	13.467	14.78	PASS
Band71	15MHz	16QAM	133197	75RB#0	13.435	14.91	PASS
Band71	15MHz	QPSK	133297	75RB#0	13.519	14.90	PASS
Band71	15MHz	16QAM	133297	75RB#0	13.484	14.91	PASS
Band71	15MHz	QPSK	133397	75RB#0	13.482	14.82	PASS
Band71	15MHz	16QAM	133397	75RB#0	13.448	14.93	PASS
Band71	20MHz	QPSK	133222	100RB#0	17.993	19.65	PASS
Band71	20MHz	16QAM	133222	100RB#0	17.932	19.56	PASS
Band71	20MHz	QPSK	133322	100RB#0	18.031	19.67	PASS
Band71	20MHz	16QAM	133322	100RB#0	17.950	19.51	PASS
Band71	20MHz	QPSK	133372	100RB#0	17.981	19.63	PASS
Band71	20MHz	16QAM	133372	100RB#0	17.908	19.52	PASS


LTE Band 2 Test Graphs

Band2-1.4MHz-QPSK-18607-6RB#0-PASS		Band2-1.4MHz-16QAM-18607-6RB#0-PASS	
 Center Freq 1.850700000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 1.0966 MHz Total Power 31.0 dBm Transmit Freq Error -2.220 kHz OSW Power 99.00 % x dB Bandwidth 1.294 MHz x dB -26.00 dB		 Center Freq 1.850700000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 1.0952 MHz Total Power 29.9 dBm Transmit Freq Error -3.027 kHz OSW Power 99.00 % x dB Bandwidth 1.290 MHz x dB -26.00 dB	
Band2-1.4MHz-QPSK-18900-6RB#0-PASS		Band2-1.4MHz-16QAM-18900-6RB#0-PASS	
 Center Freq 1.880000000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 1.0965 MHz Total Power 30.7 dBm Transmit Freq Error -2.444 kHz OSW Power 99.00 % x dB Bandwidth 1.292 MHz x dB -26.00 dB		 Center Freq 1.880000000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 1.0964 MHz Total Power 29.6 dBm Transmit Freq Error -2.002 kHz OSW Power 99.00 % x dB Bandwidth 1.305 MHz x dB -26.00 dB	
Band2-1.4MHz-QPSK-19193-6RB#0-PASS		Band2-1.4MHz-16QAM-19193-6RB#0-PASS	
 Center Freq 1.909300000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 1.0966 MHz Total Power 30.8 dBm Transmit Freq Error -3.241 kHz OSW Power 99.00 % x dB Bandwidth 1.292 MHz x dB -26.00 dB		 Center Freq 1.909300000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 1.0969 MHz Total Power 29.9 dBm Transmit Freq Error -2.883 kHz OSW Power 99.00 % x dB Bandwidth 1.296 MHz x dB -26.00 dB	
Band2-3MHz-QPSK-18615-15RB#0-PASS		Band2-3MHz-16QAM-18615-15RB#0-PASS	
 Center Freq 1.851500000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 2.7130 MHz Total Power 31.2 dBm Transmit Freq Error 3.981 kHz OSW Power 99.00 % x dB Bandwidth 3.024 MHz x dB -26.00 dB		 Center Freq 1.851500000 GHz Ref Offset 5.34 dB Ref 30.00 dBm Occupied Bandwidth 2.6952 MHz Total Power 30.8 dBm Transmit Freq Error 563 kHz OSW Power 99.00 % x dB Bandwidth 2.992 MHz x dB -26.00 dB	






Band2-3MHz-QPSK-18900-15RB#0-PASS Center Freq: 1.88000000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.88 GHz RBW: 62 kHz VBW: 200 kHz Span: 6 MHz CF Step: 600.000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 2.7124 MHz Total Power: 30.8 dBm Transmit Freq Error: 4.181 kHz OSW Power: 99.00 % x dB Bandwidth: 3.015 MHz x dB: -26.00 dB	Band2-3MHz-16QAM-18900-15RB#0-PASS Center Freq: 1.88000000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.88 GHz RBW: 62 kHz VBW: 200 kHz Span: 6 MHz CF Step: 600.000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 2.6955 MHz Total Power: 30.5 dBm Transmit Freq Error: 536 Hz OSW Power: 99.00 % x dB Bandwidth: 2.994 MHz x dB: -26.00 dB
Band2-3MHz-QPSK-19185-15RB#0-PASS Center Freq: 1.90850000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.908 GHz RBW: 62 kHz VBW: 200 kHz Span: 6 MHz CF Step: 600.000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 2.7118 MHz Total Power: 30.9 dBm Transmit Freq Error: 1.499 kHz OSW Power: 99.00 % x dB Bandwidth: 3.017 MHz x dB: -26.00 dB	Band2-3MHz-16QAM-19185-15RB#0-PASS Center Freq: 1.90850000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.908 GHz RBW: 62 kHz VBW: 200 kHz Span: 6 MHz CF Step: 600.000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 2.6954 MHz Total Power: 30.5 dBm Transmit Freq Error: -2.838 kHz OSW Power: 99.00 % x dB Bandwidth: 2.996 MHz x dB: -26.00 dB
Band2-5MHz-QPSK-18625-25RB#0-PASS Center Freq: 1.85250000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.853 GHz RBW: 110 kHz VBW: 330 kHz Span: 10 MHz CF Step: 1.00000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 4.5118 MHz Total Power: 31.6 dBm Transmit Freq Error: 3.006 kHz OSW Power: 99.00 % x dB Bandwidth: 5.029 MHz x dB: -26.00 dB	Band2-5MHz-16QAM-18625-25RB#0-PASS Center Freq: 1.85250000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.853 GHz RBW: 110 kHz VBW: 330 kHz Span: 10 MHz CF Step: 1.00000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 4.5273 MHz Total Power: 30.8 dBm Transmit Freq Error: 4.121 kHz OSW Power: 99.00 % x dB Bandwidth: 5.053 MHz x dB: -26.00 dB
Band2-5MHz-QPSK-18900-25RB#0-PASS Center Freq: 1.88000000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.88 GHz RBW: 110 kHz VBW: 330 kHz Span: 10 MHz CF Step: 1.00000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 4.5124 MHz Total Power: 31.2 dBm Transmit Freq Error: 3.011 kHz OSW Power: 99.00 % x dB Bandwidth: 5.030 MHz x dB: -26.00 dB	Band2-5MHz-16QAM-18900-25RB#0-PASS Center Freq: 1.88000000 GHz Ref Offset: 5.34 dB Ref: 30.00 dBm Center: 1.88 GHz RBW: 110 kHz VBW: 330 kHz Span: 10 MHz CF Step: 1.00000 MHz RBW: 40 dB Avg: 100/100 Radio Device: BTS Occupied Bandwidth: 4.5279 MHz Total Power: 30.4 dBm Transmit Freq Error: 3.581 kHz OSW Power: 99.00 % x dB Bandwidth: 5.054 MHz x dB: -26.00 dB
















Band2-15MHz-QPSK-18675-75RB#0-PASS  Center Freq: 1.85750000 GHz Span: 30 MHz Res BW: 330 kHz #VBW: 1 MHz #Sweep: 1 s CF Step: 3.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 13.484 MHz Total Power: 32.1 dBm Transmit Freq Error: 10.561 kHz x dB Bandwidth: 14.83 MHz OBW Power: 99.00 % x dB: -26.00 dB	Band2-15MHz-16QAM-18675-75RB#0-PASS  Center Freq: 1.85750000 GHz Span: 30 MHz Res BW: 330 kHz #VBW: 1 MHz #Sweep: 1 s CF Step: 3.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 13.471 MHz Total Power: 31.4 dBm Transmit Freq Error: 11.847 kHz x dB Bandwidth: 14.73 MHz OBW Power: 99.00 % x dB: -26.00 dB
Band2-15MHz-QPSK-18900-75RB#0-PASS  Center Freq: 1.89000000 GHz Span: 30 MHz Res BW: 330 kHz #VBW: 1 MHz #Sweep: 1 s CF Step: 3.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 13.461 MHz Total Power: 31.7 dBm Transmit Freq Error: 7.719 kHz x dB Bandwidth: 14.82 MHz OBW Power: 99.00 % x dB: -26.00 dB	Band2-15MHz-16QAM-18900-75RB#0-PASS  Center Freq: 1.89000000 GHz Span: 30 MHz Res BW: 330 kHz #VBW: 1 MHz #Sweep: 1 s CF Step: 3.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 13.451 MHz Total Power: 31.0 dBm Transmit Freq Error: 4.535 kHz x dB Bandwidth: 14.77 MHz OBW Power: 99.00 % x dB: -26.00 dB
Band2-15MHz-QPSK-19125-75RB#0-PASS  Center Freq: 1.91250000 GHz Span: 30 MHz Res BW: 330 kHz #VBW: 1 MHz #Sweep: 1 s CF Step: 3.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 13.428 MHz Total Power: 32.0 dBm Transmit Freq Error: 7.532 kHz x dB Bandwidth: 14.74 MHz OBW Power: 99.00 % x dB: -26.00 dB	Band2-15MHz-16QAM-19125-75RB#0-PASS  Center Freq: 1.91250000 GHz Span: 30 MHz Res BW: 330 kHz #VBW: 1 MHz #Sweep: 1 s CF Step: 3.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 13.426 MHz Total Power: 31.2 dBm Transmit Freq Error: 10.456 kHz x dB Bandwidth: 14.72 MHz OBW Power: 99.00 % x dB: -26.00 dB
Band2-20MHz-QPSK-18700-100RB#0-PASS  Center Freq: 1.87000000 GHz Span: 40 MHz Res BW: 430 kHz #VBW: 1.5 MHz #Sweep: 1 s CF Step: 4.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 17.972 MHz Total Power: 32.1 dBm Transmit Freq Error: 32.012 kHz x dB Bandwidth: 19.69 MHz OBW Power: 99.00 % x dB: -26.00 dB	Band2-20MHz-16QAM-18700-100RB#0-PASS  Center Freq: 1.87000000 GHz Span: 40 MHz Res BW: 430 kHz #VBW: 1.5 MHz #Sweep: 1 s CF Step: 4.000000 MHz Freq Offset: 0 Hz Occupied Bandwidth: 17.961 MHz Total Power: 31.4 dBm Transmit Freq Error: 8.353 kHz x dB Bandwidth: 19.61 MHz OBW Power: 99.00 % x dB: -26.00 dB



LTE Band 4 Test Graphs

Band4-1.4MHz-QPSK-19957-6RB#0-PASS		Band4-1.4MHz-16QAM-19957-6RB#0-PASS	
			
Band4-1.4MHz-QPSK-20175-6RB#0-PASS		Band4-1.4MHz-16QAM-20175-6RB#0-PASS	
			
Band4-1.4MHz-QPSK-20393-6RB#0-PASS		Band4-1.4MHz-16QAM-20393-6RB#0-PASS	
			
Band4-3MHz-QPSK-19965-15RB#0-PASS		Band4-3MHz-16QAM-19965-15RB#0-PASS	
			

Band4-3MHz-QPSK-20175-15RB#0-PASS	Band4-3MHz-16QAM-20175-15RB#0-PASS
 Center Freq 1.73250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.73250000 GHz Span 6 MHz RBW 62 kHz VBW 200 kHz Span 6 MHz RBW 62 kHz VBW 200 kHz Power 31.3 dBm Occupied Bandwidth 2.7128 MHz Total Power 31.3 dBm Transmit Freq Error 4.368 kHz OSW Power 99.00 % x dB Bandwidth 3.017 MHz x dB -26.00 dB Freq Offset 0 Hz	 Center Freq 1.73250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.73250000 GHz Span 6 MHz RBW 62 kHz VBW 200 kHz Span 6 MHz RBW 62 kHz VBW 200 kHz Power 30.8 dBm Occupied Bandwidth 2.6945 MHz Total Power 30.8 dBm Transmit Freq Error 112 Hz OSW Power 99.00 % x dB Bandwidth 2.988 MHz x dB -26.00 dB Freq Offset 0 Hz
Band4-3MHz-QPSK-20385-15RB#0-PASS	Band4-3MHz-16QAM-20385-15RB#0-PASS
 Center Freq 1.73250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.73250000 GHz Span 6 MHz RBW 62 kHz VBW 200 kHz Span 6 MHz RBW 62 kHz VBW 200 kHz Power 31.3 dBm Occupied Bandwidth 2.7126 MHz Total Power 31.3 dBm Transmit Freq Error 4.449 kHz OSW Power 99.00 % x dB Bandwidth 3.013 MHz x dB -26.00 dB Freq Offset 0 Hz	 Center Freq 1.73250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.73250000 GHz Span 6 MHz RBW 62 kHz VBW 200 kHz Span 6 MHz RBW 62 kHz VBW 200 kHz Power 30.9 dBm Occupied Bandwidth 2.6945 MHz Total Power 30.9 dBm Transmit Freq Error 973 Hz OSW Power 99.00 % x dB Bandwidth 2.994 MHz x dB -26.00 dB Freq Offset 0 Hz
Band4-5MHz-QPSK-19975-25RB#0-PASS	Band4-5MHz-16QAM-19975-25RB#0-PASS
 Center Freq 1.71250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.71250000 GHz Span 10 MHz RBW 110 kHz VBW 330 kHz Span 10 MHz RBW 110 kHz VBW 330 kHz Power 31.4 dBm Occupied Bandwidth 4.5124 MHz Total Power 31.4 dBm Transmit Freq Error 5.628 kHz OSW Power 99.00 % x dB Bandwidth 5.035 MHz x dB -26.00 dB Freq Offset 0 Hz	 Center Freq 1.71250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.71250000 GHz Span 10 MHz RBW 110 kHz VBW 330 kHz Span 10 MHz RBW 110 kHz VBW 330 kHz Power 30.7 dBm Occupied Bandwidth 4.5274 MHz Total Power 30.7 dBm Transmit Freq Error 6.409 kHz OSW Power 99.00 % x dB Bandwidth 5.058 MHz x dB -26.00 dB Freq Offset 0 Hz
Band4-5MHz-QPSK-20175-25RB#0-PASS	Band4-5MHz-16QAM-20175-25RB#0-PASS
 Center Freq 1.73250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.73250000 GHz Span 10 MHz RBW 110 kHz VBW 330 kHz Span 10 MHz RBW 110 kHz VBW 330 kHz Power 31.5 dBm Occupied Bandwidth 4.5137 MHz Total Power 31.5 dBm Transmit Freq Error 3.190 kHz OSW Power 99.00 % x dB Bandwidth 5.029 MHz x dB -26.00 dB Freq Offset 0 Hz	 Center Freq 1.73250000 GHz Ref Offset 5.31 dB Ref 30.00 dBm Center Freq 1.73250000 GHz Span 10 MHz RBW 110 kHz VBW 330 kHz Span 10 MHz RBW 110 kHz VBW 330 kHz Power 30.8 dBm Occupied Bandwidth 4.5290 MHz Total Power 30.8 dBm Transmit Freq Error 3.431 kHz OSW Power 99.00 % x dB Bandwidth 5.068 MHz x dB -26.00 dB Freq Offset 0 Hz

Band4-5MHz-QPSK-20375-25RB#0-PASS		Band4-5MHz-16QAM-20375-25RB#0-PASS	
			
Band4-10MHz-QPSK-20000-50RB#0-PASS		Band4-10MHz-16QAM-20000-50RB#0-PASS	
			
Band4-10MHz-QPSK-20175-50RB#0-PASS		Band4-10MHz-16QAM-20175-50RB#0-PASS	
			
Band4-10MHz-QPSK-20350-50RB#0-PASS		Band4-10MHz-16QAM-20350-50RB#0-PASS	
