




▼ FCC / Band : B12 / Channel : 23060(704MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:698MHz-698.9MHz]	-57.97	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	837	-
PASS	[SPA:Freq Range:698.9MHz-699MHz]	-61.59	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	837	-
PASS	[SPA:Freq Range:699MHz-709MHz]	18.99	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	837	Combination_782






48. FCC / Band : B12 / Channel : 23130(711MHz)

48.1. Band Edge Measurement

▼ FCC / Band : B12 / Channel : 23130(711MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:706MHz-716MHz]	3.72	dBm	30.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	856	-
PASS	[SPA:Freq Range:716MHz-717MHz]	-38.04	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	856	-
PASS	[SPA:Freq Range:716.1MHz-717MHz]	-34.63	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	856	Combination _785

FCC / Band : B12 / Channel : 23130 (711MHz) Band Edge Measurement


LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



Combination_785




▼ FCC / Band : B12 / Channel : 23130(711MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:706MHz-716MHz]	20.44	dBm	30.00	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	857	-
PASS	[SPA:Freq Range:716MHz-717MHz]	-60.05	dBm	-13.00	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	857	-
PASS	[SPA:Freq Range:716.1MHz-717MHz]	-56.44	dBm	-13.00	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	857	Combination_788






▼ FCC / Band : B12 / Channel : 23130(711MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:706MHz-716MHz]	20.04	dBm	30.00	None	10 MHz	QPSK-1RB@Max	30.00/-57.20 dBm	858	-
PASS	[SPA:Freq Range:716MHz-717MHz]	-41.97	dBm	-13.00	None	10 MHz	QPSK-1RB@Max	30.00/-57.20 dBm	858	-
PASS	[SPA:Freq Range:716.1MHz-717MHz]	-42.58	dBm	-13.00	None	10 MHz	QPSK-1RB@Max	30.00/-57.20 dBm	858	Combination_791






▼ FCC / Band : B12 / Channel : 23130(711MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:706MHz-716MHz]	2.55	dBm	30.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	862	-
PASS	[SPA:Freq Range:716MHz-716.1MHz]	-39.90	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	862	-
PASS	[SPA:Freq Range:716.1MHz-717MHz]	-36.40	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	862	Combination_794






▼ FCC / Band : B12 / Channel : 23130(711MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:706MHz-716MHz]	19.12	dBm	30.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	863	-
PASS	[SPA:Freq Range:716MHz-717MHz]	-60.80	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	863	-
PASS	[SPA:Freq Range:716.1MHz-717MHz]	-57.52	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	863	Combination_797





▼ FCC / Band : B12 / Channel : 23130(711MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:706MHz-716MHz]	19.06	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	864	-
PASS	[SPA:Freq Range:716MHz-717MHz]	-43.32	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	864	-
PASS	[SPA:Freq Range:716.1MHz-717MHz]	-43.62	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	864	Combination_800





49. FCC / Band : B13 / Channel : 23205(779.5MHz)

49.1. Band Edge Measurement

▼ FCC / Band : B13 / Channel : 23205(779.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-47.06	dBm	-35.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	865	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-35.20	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	865	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-39.90	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	865	-
PASS	[SPA:Freq Range:776MHz-788MHz]	5.95	dBm	30.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	865	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-53.88	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	865	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-48.64	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	865	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-67.96	dBm	-35.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	865	Combination _807

FCC / Band : B13 / Channel : 23205 (779.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



Combination_807




▼ FCC / Band : B13 / Channel : 23205(779.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-58.40	dBm	-35.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	866	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-46.19	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	866	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-51.76	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	866	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	20.42	dBm	30.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	866	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-68.54	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	866	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-63.08	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	866	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-74.87	dBm	-35.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	866	Combination _814





▼ FCC / Band : B13 / Channel : 23205(779.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-48.67	dBm	-35.00	None	5 MHz	QPSK-1RB@Max	30.00/-60.20 dBm	867	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-56.15	dBm	-13.00	None	5 MHz	QPSK-1RB@Max	30.00/-60.20 dBm	867	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-68.06	dBm	-13.00	None	5 MHz	QPSK-1RB@Max	30.00/-60.20 dBm	867	-
PASS	[SPA:Freq Range:776MHz-788MHz]	20.33	dBm	30.00	None	5 MHz	QPSK-1RB@Max	30.00/-60.20 dBm	867	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-68.32	dBm	-13.00	None	5 MHz	QPSK-1RB@Max	30.00/-60.20 dBm	867	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-62.08	dBm	-13.00	None	5 MHz	QPSK-1RB@Max	30.00/-60.20 dBm	867	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-75.02	dBm	-35.00	None	5 MHz	QPSK-1RB@Max	30.00/-60.20 dBm	867	Combination_821






▼ FCC / Band : B13 / Channel : 23205(779.5MHz)										
Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-47.30	dBm	-35.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	871	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-35.81	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	871	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-40.24	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	871	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	5.09	dBm	30.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	871	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-55.68	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	871	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-50.41	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	871	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-70.61	dBm	-35.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	871	Combination _828

# FCC / Band : B13 / Channel : 23205 (779.5MHz)	Band Edge Measurement
---	-----------------------


```
# LTE ( BW = 5 MHz , MOD = 16QAM-FullRB@Min )
```



Combination_828




▼ FCC / Band : B13 / Channel : 23205(779.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-60.89	dBm	-35.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	872	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-48.51	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	8/2	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-53.37	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	872	-
PASS	[SPA:Freq Range:776MHz-776.1MHz]	18.56	dBm	30.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	872	-
PASS	[SPA:Freq Range:776.1MHz-776.1MHz]	-70.03	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	872	-
PASS	[SPA:Freq Range:776.1MHz-776.1MHz]	-64.12	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	872	-
PASS	[SPA:Freq Range:776.1MHz-776.1MHz]	-74.95	dBm	-35.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	872	Combination _835





▼ FCC / Band : B13 / Channel : 23205(779.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-53.63	dBm	-35.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	873	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-51.12	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	873	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-68.93	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	873	-
PASS	[SPA:Freq Range:776MHz-788MHz]	18.52	dBm	30.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	873	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-69.20	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	873	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-64.02	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	873	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-74.81	dBm	-35.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	873	Combination_842





50. FCC / Band : B13 / Channel : 23255(784.5MHz)

50.1. Band Edge Measurement

▼ FCC / Band : B13 / Channel : 23255(784.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-59.90	dBm	-35.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	892	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-49.30	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	892	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-54.62	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	892	-
PASS	[SPA:Freq Range:776MHz-788MHz]	5.99	dBm	30.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	892	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-38.37	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	892	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-34.10	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	892	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-58.53	dBm	-35.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	892	Combination_849

FCC / Band : B13 / Channel : 23255 (784.5MHz)

Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



Combination_849




▼ FCC / Band : B13 / Channel : 23255(784.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-70.92	dBm	-35.00	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	893	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-62.83	dBm	-13.00	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	893	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-67.66	dBm	-13.00	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	893	-
PASS	[SPA:Freq Range:776MHz-788MHz]	20.39	dBm	30.00	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	893	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-68.14	dBm	-13.00	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	893	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-43.88	dBm	-13.00	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	893	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-72.62	dBm	-35.00	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	893	Combination_856





▼ FCC / Band : B13 / Channel : 23255(784.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-75.92	dBm	-35.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	894	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-64.09	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	894	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-69.13	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	894	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	20.47	dBm	30.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	894	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-51.59	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	894	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-46.51	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	894	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-70.95	dBm	-35.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	894	Combination _863


FCC / Band : B13 / Channel : 23255 (784.5MHz) Band Edge Measurement
LTE (BW = 5 MHz , MOD = QPSK-1RB@Max)



Combination_863




▼ FCC / Band : B13 / Channel : 23255(784.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-62.39	dBm	-35.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	898	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-50.91	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	898	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-56.18	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	898	-
PASS	[SPA:Freq Range:776MHz-788MHz]	4.88	dBm	30.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	898	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-39.47	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	898	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-34.57	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	898	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-60.57	dBm	-35.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	898	Combination _870






▼ FCC / Band : B13 / Channel : 23255(784.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-73.94	dBm	-35.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	899	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-63.79	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	899	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-69.07	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	899	-
PASS	[SPA:Freq Range:776MHz-788MHz]	18.45	dBm	30.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	899	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-68.84	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	899	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-45.89	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	899	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-74.63	dBm	-35.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	899	Combination_877





▼ FCC / Band : B13 / Channel : 23255(784.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763MHz-775MHz]	-75.96	dBm	-35.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	900	-
PASS	[SPA:Freq Range:775MHz-775.9MHz]	-64.93	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	900	-
PASS	[SPA:Freq Range:775.9MHz-776MHz]	-70.31	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	900	-
PASS	[SPA:Freq Range:776MHz-788MHz]	18.44	dBm	30.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	900	-
PASS	[SPA:Freq Range:788MHz-788.1MHz]	-53.39	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	900	-
PASS	[SPA:Freq Range:788.1MHz-793MHz]	-49.09	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	900	-
PASS	[SPA:Freq Range:793MHz-805MHz]	-73.48	dBm	-35.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	900	Combination_884





51. FCC / Band : B13 / Channel : 23230(782MHz)

51.1. Band Edge Measurement

▼ FCC / Band : B13 / Channel : 23230(782MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-47.59	dBm	-35.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-36.57	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-41.50	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	3.33	dBm	30.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-40.09	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-35.16	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-53.41	dBm	-35.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:763M Hz-775MHz]	-47.23	dBm	-35.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-36.44	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-41.32	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	3.41	dBm	30.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-39.90	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-35.39	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-53.37	dBm	-35.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	901	Combination _898



FCC / Band : B13 / Channel : 23230 (782MHz)

Band Edge Measurement

LTE (BW = 10 MHz, MOD = QPSK-FullRB@Min)



Combination_898




▼ FCC / Band : B13 / Channel : 23230(782MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-59.79	dBm	-35.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-48.32	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-52.66	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	20.24	dBm	30.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-70.27	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-59.92	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-57.00	dBm	-35.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:763M Hz-775MHz]	-59.25	dBm	-35.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-48.10	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-52.56	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	20.23	dBm	30.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-70.42	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-59.99	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-56.33	dBm	-35.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	902	Combination _912



FCC / Band : B13 / Channel : 23230 (782MHz)

Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



Combination_912




▼ FCC / Band : B13 / Channel : 23230(782MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-66.48	dBm	-35.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-65.06	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-70.49	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	20.22	dBm	30.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-52.32	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-48.76	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-66.36	dBm	-35.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:763M Hz-775MHz]	-66.40	dBm	-35.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-65.11	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-70.54	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	20.03	dBm	30.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-52.47	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-49.00	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-66.99	dBm	-35.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	903	Combination _926



FCC / Band : B13 / Channel : 23230 (782MHz)

Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-1RB@Max)



Combination_926




▼ FCC / Band : B13 / Channel : 23230(782MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-47.94	dBm	-35.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-37.45	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-42.21	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	2.21	dBm	30.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-40.96	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-36.46	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-53.76	dBm	-35.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:763M Hz-775MHz]	-47.91	dBm	-35.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-37.26	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-42.27	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	2.25	dBm	30.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-41.01	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-36.26	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-53.51	dBm	-35.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	904	Combination _940



FCC / Band : B13 / Channel : 23230 (782MHz)

Band Edge Measurement

LTE (BW = 10 MHz, MOD = 16QAM-FullRB@Min)



Combination_940




▼ FCC / Band : B13 / Channel : 23230(782MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-62.09	dBm	-35.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-49.85	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-54.08	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	18.59	dBm	30.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-70.75	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-58.81	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-59.47	dBm	-35.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:763M Hz-775MHz]	-61.97	dBm	-35.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-49.70	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-54.03	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	18.55	dBm	30.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-70.46	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-58.87	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-59.89	dBm	-35.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	905	Combination _954



FCC / Band : B13 / Channel : 23230 (782MHz)

Band Edge Measurement

LTE (BW = 10 MHz, MOD = 16QAM-1RB@Min)



Combination_954




▼ FCC / Band : B13 / Channel : 23230(782MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:763M Hz-775MHz]	-66.03	dBm	-35.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-65.44	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-70.73	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	18.71	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-53.80	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-50.20	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-67.12	dBm	-35.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:763M Hz-775MHz]	-65.65	dBm	-35.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:775M Hz-775.9MHz]	-65.44	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:775.9 MHz-776MHz]	-70.79	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:776M Hz-788MHz]	18.52	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:788M Hz-788.1MHz]	-53.84	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:788.1 MHz-793MHz]	-50.37	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	-
PASS	[SPA:Freq Range:793M Hz-805MHz]	-67.45	dBm	-35.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	906	Combination _968



FCC / Band : B13 / Channel : 23230 (782MHz)

Band Edge Measurement

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Max)



Combination_968




52. FCC / Band : B25 / Channel : 26047(1850.7MHz)

52.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26047(1850.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-31.05	dBm	-13.00	None	1.4 MHz	QPSK-FullRB @Min	30.00/-66.40 dBm	907	-
PASS	[SPA:Freq Range:1850 MHz-1851.4 MHz]	11.69	dBm	30.00	None	1.4 MHz	QPSK-FullRB @Min	30.00/-66.40 dBm	907	Combination _970

FCC / Band : B25 / Channel : 26047 (1850.7MHz) Band Edge Measurement

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)




Combination_970



▼ FCC / Band : B25 / Channel : 26047(1850.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-25.08	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	908	-
PASS	[SPA:Freq Range:1850 MHz-1851.4 MHz]	20.00	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	908	Combination _972

FCC / Band : B25 / Channel : 26047 (1850.7MHz) Band Edge Measurement


LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



Combination_972




▼ FCC / Band : B25 / Channel : 26047(1850.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-39.92	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	909	-
PASS	[SPA:Freq Range:1850 MHz-1851.4 MHz]	19.81	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	909	Combination _974






▼ FCC / Band : B25 / Channel : 26047(1850.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	RG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-31.21	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	913	-
PASS	[SPA:Freq Range:1850 MHz-1851.4 MHz]	11.00	dBm	30.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	913	Combination _976





▼ FCC / Band : B25 / Channel : 26047(1850.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-26.66	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	914	-
PASS	[SPA:Freq Range:1850 MHz-1851.4 MHz]	18.73	dBm	30.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	914	Combination _978






▼ FCC / Band : B25 / Channel : 26047(1850.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-42.46	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	915	-
PASS	[SPA:Freq Range:1850 MHz-1851.4 MHz]	18.69	dBm	30.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	915	Combination _980

FCC / Band : B25 / Channel : 26047 (1850.7MHz) Band Edge Measurement

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Max)




Combination_980



53. FCC / Band : B25 / Channel : 26683(1914.3MHz)


53.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26683(1914.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1913.6MHz-1915MHz]	12.05	dBm	30.00	None	1.4 MHz	QPSK-FullRB @Min	30.00/-66.40 dBm	934	-
PASS	[SPA:Freq Range:1915MHz-1916MHz]	-29.15	dBm	-13.00	None	1.4 MHz	QPSK-FullRB @Min	30.00/-66.40 dBm	934	Combination_982






▼ FCC / Band : B25 / Channel : 26683(1914.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1913.6MHz-1915MHz]	19.95	dBm	30.00	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	935	-
PASS	[SPA:Freq Range:1915MHz-1916MHz]	-37.85	dBm	-13.00	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	935	Combination_984






▼ FCC / Band : B25 / Channel : 26683(1914.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1913.6MHz-1915 MHz]	19.43	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	936	-
PASS	[SPA:Freq Range:1915 MHz-1916MHz]	-25.18	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	936	Combination _986






▼ FCC / Band : B25 / Channel : 26683(1914.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1913.6MHz-1915 MHz]	10.90	dBm	30.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	940	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-30.64	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	940	Combination _988






▼ FCC / Band : B25 / Channel : 26683(1914.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1913.6MHz-1915 MHz]	18.56	dBm	30.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	941	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-39.23	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	941	Combination _990





▼ FCC / Band : B25 / Channel : 26683(1914.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1913.6MHz-1915MHz]	18.50	dBm	30.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	942	-
PASS	[SPA:Freq Range:1915MHz-1916MHz]	-26.28	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	942	Combination_992






54. FCC / Band : B25 / Channel : 26055(1851.5MHz)

54.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26055(1851.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-30.83	dBm	-13.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	943	-
PASS	[SPA:Freq Range:1850 MHz-1853M Hz]	7.76	dBm	30.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	943	Combination _994

FCC / Band : B25 / Channel : 26055 (1851.5MHz) Band Edge Measurement

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)




Combination_994



▼ FCC / Band : B25 / Channel : 26055(1851.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-24.94	dBm	-13.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	944	-
PASS	[SPA:Freq Range:1850 MHz-1853M Hz]	19.95	dBm	30.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	944	Combination _996

FCC / Band : B25 / Channel : 26055 (1851.5MHz) Band Edge Measurement


LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



Combination_996




▼ FCC / Band : B25 / Channel : 26055(1851.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-46.66	dBm	-13.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	945	-
PASS	[SPA:Freq Range:1850 MHz-1853M Hz]	20.00	dBm	30.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	945	Combination _998






▼ FCC / Band : B25 / Channel : 26055(1851.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-32.52	dBm	-13.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	949	-
PASS	[SPA:Freq Range:1850 MHz-1853M Hz]	6.65	dBm	30.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	949	Combination _1000






▼ FCC / Band : B25 / Channel : 26055(1851.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-24.58	dBm	-13.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	950	-
PASS	[SPA:Freq Range:1850 MHz-1853M Hz]	18.40	dBm	30.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	950	Combination _1002





▼ FCC / Band : B25 / Channel : 26055(1851.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-47.77	dBm	-13.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	951	-
PASS	[SPA:Freq Range:1850 MHz-1853M Hz]	18.26	dBm	30.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	951	Combination _1004






55. FCC / Band : B25 / Channel : 26675(1913.5MHz)

55.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26675(1913.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1912 MHz-1915M Hz]	8.64	dBm	30.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	970	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-32.06	dBm	-13.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	970	Combination_1006

FCC / Band : B25 / Channel : 26675 (1913.5MHz) Band Edge Measurement


LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



Combination_1006




▼ FCC / Band : B25 / Channel : 26675(1913.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1912 MHz-1915M Hz]	19.98	dBm	30.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	971	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-49.12	dBm	-13.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	971	Combination _1008






▼ FCC / Band : B25 / Channel : 26675(1913.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1912 MHz-1915M Hz]	19.49	dBm	30.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	972	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-24.61	dBm	-13.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	972	Combination _1010






▼ FCC / Band : B25 / Channel : 26675(1913.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1912 MHz-1915M Hz]	7.65	dBm	30.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	976	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-32.18	dBm	-13.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	976	Combination _1012





▼ FCC / Band : B25 / Channel : 26675(1913.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1912 MHz-1915M Hz]	18.78	dBm	30.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	977	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-49.72	dBm	-13.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	977	Combination _1014






▼ FCC / Band : B25 / Channel : 26675(1913.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1912 MHz-1915M Hz]	18.61	dBm	30.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	978	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-25.74	dBm	-13.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	978	Combination _1016

FCC / Band : B25 / Channel : 26675 (1913.5MHz) Band Edge Measurement

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Max)



Combination_1016




56. FCC / Band : B25 / Channel : 26065(1852.5MHz)

56.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26065(1852.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-32.24	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	979	-
PASS	[SPA:Freq Range:1850 MHz-1855M Hz]	5.49	dBm	30.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	979	Combination_1018

FCC / Band : B25 / Channel : 26065 (1852.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



Combination_1018




▼ FCC / Band : B25 / Channel : 26065(1852.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-24.66	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	980	-
PASS	[SPA:Freq Range:1850 MHz-1855M Hz]	20.05	dBm	30.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	980	Combination _1020






▼ FCC / Band : B25 / Channel : 26065(1852.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-57.96	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	981	-
PASS	[SPA:Freq Range:1850 MHz-1855M Hz]	20.13	dBm	30.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	981	Combination _1022






▼ FCC / Band : B25 / Channel : 26065(1852.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-32.81	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	985	-
PASS	[SPA:Freq Range:1850 MHz-1855M Hz]	4.52	dBm	30.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	985	Combination _1024






▼ FCC / Band : B25 / Channel : 26065(1852.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-25.46	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	986	-
PASS	[SPA:Freq Range:1850 MHz-1855M Hz]	18.29	dBm	30.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	986	Combination _1026





▼ FCC / Band : B25 / Channel : 26065(1852.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-59.14	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	987	-
PASS	[SPA:Freq Range:1850 MHz-1855M Hz]	18.33	dBm	30.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	987	Combination _1028






57. FCC / Band : B25 / Channel : 26665(1912.5MHz)

57.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26665(1912.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1910 MHz-1915M Hz]	6.41	dBm	30.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1006	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-32.96	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1006	Combination _1030

FCC / Band : B25 / Channel : 26665 (1912.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



Combination_1030




▼ FCC / Band : B25 / Channel : 26665(1912.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1910 MHz-1915M Hz]	20.23	dBm	30.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1007	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-59.32	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1007	Combination _1032





▼ FCC / Band : B25 / Channel : 26665(1912.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1910 MHz-1915M Hz]	19.70	dBm	30.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1008	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-25.43	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1008	Combination _1034






▼ FCC / Band : B25 / Channel : 26665(1912.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1910 MHz-1915M Hz]	5.60	dBm	30.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1012	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-34.40	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1012	Combination _1036

FCC / Band : B25 / Channel : 26665 (1912.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



Combination_1036




▼ FCC / Band : B25 / Channel : 26665(1912.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1910 MHz-1915M Hz]	18.34	dBm	30.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1013	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-60.93	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1013	Combination _1038





▼ FCC / Band : B25 / Channel : 26665(1912.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1910 MHz-1915M Hz]	18.38	dBm	30.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1014	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-25.60	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1014	Combination _1040






58. FCC / Band : B25 / Channel : 26090(1855MHz)

58.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26090(1855MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-34.78	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1015	-
PASS	[SPA:Freq Range:1850 MHz-1860M Hz]	2.87	dBm	30.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1015	Combination _1042

FCC / Band : B25 / Channel : 26090 (1855MHz) Band Edge Measurement


LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



Combination_1042




▼ FCC / Band : B25 / Channel : 26090(1855MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-34.30	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1016	-
PASS	[SPA:Freq Range:1850 MHz-1860M Hz]	19.85	dBm	30.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1016	Combination _1044






▼ FCC / Band : B25 / Channel : 26090(1855MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-55.09	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1017	-
PASS	[SPA:Freq Range:1850 MHz-1860M Hz]	20.03	dBm	30.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1017	Combination _1046






▼ FCC / Band : B25 / Channel : 26090(1855MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-35.77	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1021	-
PASS	[SPA:Freq Range:1850 MHz-1860M Hz]	1.74	dBm	30.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1021	Combination _1048






▼ FCC / Band : B25 / Channel : 26090(1855MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-35.36	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1022	-
PASS	[SPA:Freq Range:1850 MHz-1860M Hz]	18.55	dBm	30.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1022	Combination _1050





▼ FCC / Band : B25 / Channel : 26090(1855MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-57.15	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1023	-
PASS	[SPA:Freq Range:1850 MHz-1860M Hz]	18.20	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1023	Combination _1052





59. FCC / Band : B25 / Channel : 26640(1910MHz)


59.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26640(1910MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1905 MHz-1915M Hz]	3.30	dBm	30.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1042	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-35.97	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1042	Combination_1054

FCC / Band : B25 / Channel : 26640 (1910MHz)

Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



Combination_1054




▼ FCC / Band : B25 / Channel : 26640(1910MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1905 MHz-1915M Hz]	19.98	dBm	30.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1043	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-58.33	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1043	Combination _1056

FCC / Band : B25 / Channel : 26640 (1910MHz)

Band Edge Measurement


LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



Combination_1056




▼ FCC / Band : B25 / Channel : 26640(1910MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1905 MHz-1915MHz]	19.14	dBm	30.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1044	-
PASS	[SPA:Freq Range:1915 MHz-1916MHz]	-35.09	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1044	Combination _1058






▼ FCC / Band : B25 / Channel : 26640(1910MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1905 MHz-1915M Hz]	2.56	dBm	30.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1048	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-37.24	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1048	Combination _1060






▼ FCC / Band : B25 / Channel : 26640(1910MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1905 MHz-1915M Hz]	18.42	dBm	30.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1049	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-59.34	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1049	Combination _1062





▼ FCC / Band : B25 / Channel : 26640(1910MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1905 MHz-1915M Hz]	18.48	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1050	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-35.66	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1050	Combination _1064






60. FCC / Band : B25 / Channel : 26115(1857.5MHz)

60.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26115(1857.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-34.06	dBm	-13.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1051	-
PASS	[SPA:Freq Range:1850 MHz-1865M Hz]	1.02	dBm	30.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1051	Combination_1066

FCC / Band : B25 / Channel : 26115 (1857.5MHz) Band Edge Measurement


LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



Combination_1066




▼ FCC / Band : B25 / Channel : 26115(1857.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-25.14	dBm	-13.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1052	-
PASS	[SPA:Freq Range:1850 MHz-1865M Hz]	20.11	dBm	30.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1052	Combination _1068





▼ FCC / Band : B25 / Channel : 26115(1857.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-52.10	dBm	-13.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1053	-
PASS	[SPA:Freq Range:1850 MHz-1865M Hz]	20.07	dBm	30.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1053	Combination _1070






▼ FCC / Band : B25 / Channel : 26115(1857.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850MHz]	-34.70	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1057	-
PASS	[SPA:Freq Range:1850 MHz-1865MHz]	0.14	dBm	30.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1057	Combination _1072

FCC / Band : B25 / Channel : 26115 (1857.5MHz) Band Edge Measurement


LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



Combination_1072




▼ FCC / Band : B25 / Channel : 26115(1857.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-27.07	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1058	-
PASS	[SPA:Freq Range:1850 MHz-1865M Hz]	18.26	dBm	30.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1058	Combination _1074





▼ FCC / Band : B25 / Channel : 26115(1857.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-52.63	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1059	-
PASS	[SPA:Freq Range:1850 MHz-1865M Hz]	18.20	dBm	30.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1059	Combination _1076






61. FCC / Band : B25 / Channel : 26615(1907.5MHz)

61.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26615(1907.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1900 MHz-1915M Hz]	1.52	dBm	30.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1078	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-35.19	dBm	-13.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1078	Combination_1078

FCC / Band : B25 / Channel : 26615 (1907.5MHz) Band Edge Measurement


LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



Combination_1078




▼ FCC / Band : B25 / Channel : 26615(1907.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1900 MHz-1915M Hz]	20.26	dBm	30.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1079	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-53.04	dBm	-13.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1079	Combination _1080






▼ FCC / Band : B25 / Channel : 26615(1907.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1900 MHz-1915M Hz]	19.25	dBm	30.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1080	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-26.45	dBm	-13.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1080	Combination _1082





▼ FCC / Band : B25 / Channel : 26615(1907.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1900 MHz-1915M Hz]	0.67	dBm	30.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1084	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-36.13	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1084	Combination _1084






▼ FCC / Band : B25 / Channel : 26615(1907.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1900 MHz-1915M Hz]	18.72	dBm	30.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1085	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-54.53	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1085	Combination _1086

FCC / Band : B25 / Channel : 26615 (1907.5MHz) Band Edge Measurement


LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



Combination_1086



▼ FCC / Band : B25 / Channel : 26615(1907.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1900 MHz-1915M Hz]	18.40	dBm	30.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1086	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-26.29	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1086	Combination _1088






62. FCC / Band : B25 / Channel : 26140(1860MHz)

62.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26140(1860MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-36.42	dBm	-13.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1087	-
PASS	[SPA:Freq Range:1850 MHz-1870M Hz]	-0.12	dBm	30.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1087	Combination _1090

FCC / Band : B25 / Channel : 26140 (1860MHz) Band Edge Measurement


LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



Combination_1090




▼ FCC / Band : B25 / Channel : 26140(1860MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-30.13	dBm	-13.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1088	-
PASS	[SPA:Freq Range:1850 MHz-1870M Hz]	20.02	dBm	30.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1088	Combination _1092






▼ FCC / Band : B25 / Channel : 26140(1860MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-55.04	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1089	-
PASS	[SPA:Freq Range:1850 MHz-1870M Hz]	19.91	dBm	30.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1089	Combination _1094





▼ FCC / Band : B25 / Channel : 26140(1860MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-36.53	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1093	-
PASS	[SPA:Freq Range:1850 MHz-1870M Hz]	-0.99	dBm	30.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1093	Combination _1096






▼ FCC / Band : B25 / Channel : 26140(1860MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-31.49	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1094	-
PASS	[SPA:Freq Range:1850 MHz-1870M Hz]	18.18	dBm	30.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1094	Combination _1098

FCC / Band : B25 / Channel : 26140 (1860MHz) Band Edge Measurement


LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



Combination_1098



▼ FCC / Band : B25 / Channel : 26140(1860MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1849 MHz-1850M Hz]	-56.23	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1095	-
PASS	[SPA:Freq Range:1850 MHz-1870M Hz]	18.28	dBm	30.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1095	Combination _1100






63. FCC / Band : B25 / Channel : 26590(1905MHz)

63.1. Band Edge Measurement

▼ FCC / Band : B25 / Channel : 26590(1905MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1895 MHz-1915M Hz]	0.02	dBm	30.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1114	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-37.78	dBm	-13.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1114	Combination _1102

FCC / Band : B25 / Channel : 26590 (1905MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



Combination_1102




▼ FCC / Band : B25 / Channel : 26590(1905MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1895 MHz-1915MHz]	20.11	dBm	30.00	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	1115	-
PASS	[SPA:Freq Range:1915 MHz-1916MHz]	-57.76	dBm	-13.00	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	1115	Combination_1104

FCC / Band : B25 / Channel : 26590 (1905MHz)

Band Edge Measurement


LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



Combination_1104



▼ FCC / Band : B25 / Channel : 26590(1905MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1895 MHz-1915M Hz]	19.24	dBm	30.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1116	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-31.38	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1116	Combination _1106






▼ FCC / Band : B25 / Channel : 26590(1905MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1895 MHz-1915M Hz]	-1.01	dBm	30.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1120	-
PASS	[SPA:Freq Range:1915 MHz-1916M Hz]	-38.49	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1120	Combination _1108

FCC / Band : B25 / Channel : 26590 (1905MHz) Band Edge Measurement


LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



Combination_1108




▼ FCC / Band : B25 / Channel : 26590(1905MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1895 MHz-1915MHz]	18.34	dBm	30.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1121	-
PASS	[SPA:Freq Range:1915 MHz-1916MHz]	-58.43	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1121	Combination _1110





▼ FCC / Band : B25 / Channel : 26590(1905MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:1895 MHz-1915MHz]	18.62	dBm	30.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1122	-
PASS	[SPA:Freq Range:1915 MHz-1916MHz]	-31.54	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1122	Combination _1112






64. FCC / Band : B26 / Channel : 26697(814.7MHz)

64.1. Band Edge Measurement

▼ FCC / Band : B26 / Channel : 26697(814.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:809MHz-813.96MHz]	-24.70	dBm	-13.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1123	-
PASS	[SPA:Freq Range:813.96MHz-814MHz]	-42.99	dBm	-20.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1123	-
PASS	[SPA:Freq Range:814MHz-815.4MHz]	12.24	dBm	30.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1123	-
PASS	[SPA:Freq Range:815.4MHz-815.44MHz]	-42.94	dBm	-20.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1123	-
PASS	[SPA:Freq Range:815.44MHz-820.4MHz]	-25.27	dBm	-13.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1123	Combination_1117

FCC / Band : B26 / Channel : 26697 (814.7MHz) Band Edge Measurement


LTE (BW = 1.4 MHz , MOD = QPSK-FullIRB@Min)



Combination_1117




▼ FCC / Band : B26 / Channel : 26697(814.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:809M Hz-813.96M Hz]	-21.69	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1124	-
PASS	[SPA:Freq Range:813.96MHz-814MHz]	-38.19	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1124	-
PASS	[SPA:Freq Range:814MHz-815.4MHz]	20.36	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1124	-
PASS	[SPA:Freq Range:815.4MHz-815.44MHz]	-66.66	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1124	-
PASS	[SPA:Freq Range:815.44MHz-820.4MHz]	-40.57	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1124	Combination _1122






▼ FCC / Band : B26 / Channel : 26697(814.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:809M Hz-813.96M Hz]	-40.96	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1125	-
PASS	[SPA:Freq Range:813.96MHz-814M Hz]	-66.03	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1125	-
PASS	[SPA:Freq Range:814M Hz-815.4MHz]	20.29	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1125	-
PASS	[SPA:Freq Range:815.4 MHz-815.44 MHz]	-37.89	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1125	-
PASS	[SPA:Freq Range:815.44MHz-820.4 MHz]	-22.17	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1125	Combination _1127






▼ FCC / Band : B26 / Channel : 26697(814.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	RG.
						BW	MOD			
PASS	[SPA:Freq Range:809M Hz-813.96M Hz]	-26.38	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1132	-
PASS	[SPA:Freq Range:813.96MHz-814M Hz]	-43.29	dBm	-20.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1132	-
PASS	[SPA:Freq Range:814M Hz-815.4MHz]	11.61	dBm	30.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1132	-
PASS	[SPA:Freq Range:815.4 MHz-815.44 MHz]	-44.71	dBm	-20.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1132	-
PASS	[SPA:Freq Range:815.44MHz-820.4 MHz]	-26.27	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1132	Combination _1132






▼ FCC / Band : B26 / Channel : 26697(814.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:809M Hz-813.96M Hz]	-23.92	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1133	-
PASS	[SPA:Freq Range:813.96MHz-814MHz]	-39.11	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1133	-
PASS	[SPA:Freq Range:814MHz-815.4MHz]	18.94	dBm	30.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1133	-
PASS	[SPA:Freq Range:815.4MHz-815.44MHz]	-68.66	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1133	-
PASS	[SPA:Freq Range:815.44MHz-820.4MHz]	-43.27	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1133	Combination _1137





▼ FCC / Band : B26 / Channel : 26697(814.7MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:809M Hz-813.96M Hz]	-42.46	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1134	-
PASS	[SPA:Freq Range:813.96MHz-814MHz]	-68.49	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1134	-
PASS	[SPA:Freq Range:814MHz-815.4MHz]	18.78	dBm	30.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1134	-
PASS	[SPA:Freq Range:815.4MHz-815.44MHz]	-41.31	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1134	-
PASS	[SPA:Freq Range:815.44MHz-820.4MHz]	-23.42	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1134	Combination _1142






65. FCC / Band : B26 / Channel : 26783(823.3MHz)

65.1. Band Edge Measurement

▼ FCC / Band : B26 / Channel : 26783(823.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.6 MHz-822.56 MHz]	-24.26	dBm	-13.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1162	-
PASS	[SPA:Freq Range:822.56 MHz-822.6 MHz]	-43.13	dBm	-20.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1162	-
PASS	[SPA:Freq Range:822.6 MHz-824 MHz]	11./8	dBm	30.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1162	-
PASS	[SPA:Freq Range:824 MHz-824.04 MHz]	-43.14	dBm	-20.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1162	-
PASS	[SPA:Freq Range:824.04 MHz-829 MHz]	-24.50	dBm	-13.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1162	Combination _1147

FCC / Band : B26 / Channel : 26783 (823.3MHz) Band Edge Measurement


LTE (BW = 1.4 MHz , MOD = QPSK-FullIRB@Min)



Combination_1147




▼ FCC / Band : B26 / Channel : 26783(823.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.6 MHz-822.56 0MHz]	-22.71	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1163	-
PASS	[SPA:Freq Range:822.5 60MHz-822. 6MHz]	-40.03	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1163	-
PASS	[SPA:Freq Range:822.6 MHz-824MHz]	19.97	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1163	-
PASS	[SPA:Freq Range:824M Hz-824.04M Hz]	-66.42	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1163	-
PASS	[SPA:Freq Range:824.0 4MHz-829M Hz]	-38.54	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1163	Combination _1152






▼ FCC / Band : B26 / Channel : 26783(823.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.6 MHz-822.56 0MHz]	-40.32	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1164	-
PASS	[SPA:Freq Range:822.5 60MHz-822. 6MHz]	-66.86	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1164	-
PASS	[SPA:Freq Range:822.6 MHz-824MHz]	20.13	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1164	-
PASS	[SPA:Freq Range:824M Hz-824.04M Hz]	-40.24	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1164	-
PASS	[SPA:Freq Range:824.0 4MHz-829M Hz]	-23.00	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1164	Combination _1157






▼ FCC / Band : B26 / Channel : 26783(823.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.6 MHz-822.56 0MHz]	-25.01	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1171	-
PASS	[SPA:Freq Range:822.5 60MHz-822. 6MHz]	-42.40	dBm	-20.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1171	-
PASS	[SPA:Freq Range:822.6 MHz-824MHz]	11.17	dBm	30.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1171	-
PASS	[SPA:Freq Range:824M Hz-824.04M Hz]	-43.54	dBm	-20.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1171	-
PASS	[SPA:Freq Range:824.0 4MHz-829M Hz]	-24.81	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1171	Combination _1162






▼ FCC / Band : B26 / Channel : 26783(823.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.6 MHz-822.56 0MHz]	-23.55	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1172	-
PASS	[SPA:Freq Range:822.5 60MHz-822. 6MHz]	-38.97	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1172	-
PASS	[SPA:Freq Range:822.6 MHz-824MHz]	18.82	dBm	30.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1172	-
PASS	[SPA:Freq Range:824M Hz-824.04M Hz]	-68.38	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1172	-
PASS	[SPA:Freq Range:824.0 4MHz-829M Hz]	-43.15	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1172	Combination _1167





▼ FCC / Band : B26 / Channel : 26783(823.3MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.6 MHz-822.56 0MHz]	-42.78	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1173	-
PASS	[SPA:Freq Range:822.5 60MHz-822. 6MHz]	-68.50	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1173	-
PASS	[SPA:Freq Range:822.6 MHz-824MHz]	18.88	dBm	30.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1173	-
PASS	[SPA:Freq Range:824M Hz-824.04M Hz]	-40.80	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1173	-
PASS	[SPA:Freq Range:824.0 4MHz-829M Hz]	-23.40	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1173	Combination _1172





66. FCC / Band : B26 / Channel : 26790(824MHz)


66.1. Band Edge Measurement

▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:818.3 MHz-823.26 MHz]	-24.16	dBm	-13.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1183	-
PASS	[SPA:Freq Range:823.26MHz-823.3 MHz]	-43.11	dBm	-20.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1183	-
PASS	[SPA:Freq Range:823.3 MHz-824.7MHz]	11.97	dBm	30.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1183	-
PASS	[SPA:Freq Range:824.7 MHz-824.74 MHz]	-43.11	dBm	-20.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1183	-
PASS	[SPA:Freq Range:824.74MHz-829.7 MHz]	-24.86	dBm	-13.00	None	1.4 MHz	QPSK-FullIRB @Min	30.00/-66.40 dBm	1183	Combination _1177

FCC / Band : B26 / Channel : 26790 (824MHz)

Band Edge Measurement


LTE (BW = 1.4 MHz , MOD = QPSK-FullIRB@Min)



Combination_1177




▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:818.3 MHz-823.26 MHz]	-22.06	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1184	-
PASS	[SPA:Freq Range:823.2 6MHz-823.3 MHz]	-38.65	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1184	-
PASS	[SPA:Freq Range:823.3 MHz-824./MHz]	20.09	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1184	-
PASS	[SPA:Freq Range:824.7 MHz-824.74 MHz]	-66.85	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1184	-
PASS	[SPA:Freq Range:824.7 4MHz-829.7 MHz]	-38.90	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Min	30.00/-66.40 dBm	1184	Combination _1182





▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:818.3 MHz-823.26 MHz]	-40.64	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1185	-
PASS	[SPA:Freq Range:823.2 6MHz-823.3 MHz]	-66.86	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1185	-
PASS	[SPA:Freq Range:823.3 MHz-824./MHz]	20.14	dBm	30.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1185	-
PASS	[SPA:Freq Range:824.7 MHz-824.74 MHz]	-40.00	dBm	-20.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1185	-
PASS	[SPA:Freq Range:824.7 4MHz-829.7 MHz]	-22.81	dBm	-13.00	None	1.4 MHz	QPSK-1RB@ Max	30.00/-66.40 dBm	1185	Combination _1187






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:818.3 MHz-823.26 MHz]	-25.10	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1192	-
PASS	[SPA:Freq Range:823.26MHz-823.3 MHz]	-43.21	dBm	-20.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1192	-
PASS	[SPA:Freq Range:823.3 MHz-824.7MHz]	11.09	dBm	30.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1192	-
PASS	[SPA:Freq Range:824.7 MHz-824.74 MHz]	-43.43	dBm	-20.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1192	-
PASS	[SPA:Freq Range:824.74MHz-829.7 MHz]	-25.42	dBm	-13.00	None	1.4 MHz	16QAM-Full RB@Min	30.00/-66.40 dBm	1192	Combination _1192

FCC / Band : B26 / Channel : 26790 (824MHz) Band Edge Measurement

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)




Combination_1192



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:818.3 MHz-823.26 MHz]	-23.73	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1193	-
PASS	[SPA:Freq Range:823.2 6MHz-823.3 MHz]	-39.94	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1193	-
PASS	[SPA:Freq Range:823.3 MHz-824./MHz]	18.60	dBm	30.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1193	-
PASS	[SPA:Freq Range:824.7 MHz-824.74 MHz]	-68.47	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1193	-
PASS	[SPA:Freq Range:824.7 4MHz-829.7 MHz]	-44.08	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Min	30.00/-66.40 dBm	1193	Combination _1197

FCC / Band : B26 / Channel : 26790 (824MHz) Band Edge Measurement


LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



Combination_1197



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:818.3 MHz-823.26 MHz]	-43.21	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1194	-
PASS	[SPA:Freq Range:823.2 6MHz-823.3 MHz]	-68.38	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1194	-
PASS	[SPA:Freq Range:823.3 MHz-824./MHz]	18.86	dBm	30.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1194	-
PASS	[SPA:Freq Range:824.7 MHz-824.74 MHz]	-41.39	dBm	-20.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1194	-
PASS	[SPA:Freq Range:824.7 4MHz-829.7 MHz]	-23.46	dBm	-13.00	None	1.4 MHz	16QAM-1RB @Max	30.00/-66.40 dBm	1194	Combination _1202






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.5 MHz-822.46 MHz]	-26.29	dBm	-13.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	1255	-
PASS	[SPA:Freq Range:822.46 MHz-822.5 MHz]	-42.99	dBm	-20.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	1255	-
PASS	[SPA:Freq Range:822.5 MHz-825.5 MHz]	8.05	dBm	30.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	1255	-
PASS	[SPA:Freq Range:825.5 MHz-825.54 MHz]	-42.11	dBm	-20.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	1255	-
PASS	[SPA:Freq Range:825.54 MHz-830.5 MHz]	-26.03	dBm	-13.00	None	3 MHz	QPSK-FullRB @Min	30.00/-62.40 dBm	1255	Combination _1267

FCC / Band : B26 / Channel : 26790 (824MHz)

Band Edge Measurement


LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



Combination_1267



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.5 MHz-822.46 MHz]	-22.35	dBm	-13.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	1256	-
PASS	[SPA:Freq Range:822.4 6MHz-822.5 MHz]	-39.77	dBm	-20.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	1256	-
PASS	[SPA:Freq Range:822.5 MHz-825.5MHz]	19.94	dBm	30.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	1256	-
PASS	[SPA:Freq Range:825.5 MHz-825.54 MHz]	-70.97	dBm	-20.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	1256	-
PASS	[SPA:Freq Range:825.5 4MHz-830.5 MHz]	-36.92	dBm	-13.00	None	3 MHz	QPSK-1RB@ Min	30.00/-62.40 dBm	1256	Combination _1272






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.5 MHz-822.46 MHz]	-40.39	dBm	-13.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	1257	-
PASS	[SPA:Freq Range:822.4 6MHz-822.5 MHz]	-69.61	dBm	-20.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	1257	-
PASS	[SPA:Freq Range:822.5 MHz-825.5MHz]	20.08	dBm	30.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	1257	-
PASS	[SPA:Freq Range:825.5 MHz-825.54 MHz]	-38.45	dBm	-20.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	1257	-
PASS	[SPA:Freq Range:825.5 4MHz-830.5 MHz]	-20.73	dBm	-13.00	None	3 MHz	QPSK-1RB@ Max	30.00/-62.40 dBm	1257	Combination _1277

FCC / Band : B26 / Channel : 26790 (824MHz)

Band Edge Measurement


LTE (BW = 3 MHz , MOD = QPSK-1RB@Max)



Combination_1277



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.5 MHz-822.46 MHz]	-27.15	dBm	-13.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	1264	-
PASS	[SPA:Freq Range:822.46 MHz-822.5 MHz]	-44.54	dBm	-20.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	1264	-
PASS	[SPA:Freq Range:822.5 MHz-825.5 MHz]	7.06	dBm	30.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	1264	-
PASS	[SPA:Freq Range:825.5 MHz-825.54 MHz]	-43.46	dBm	-20.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	1264	-
PASS	[SPA:Freq Range:825.54 MHz-830.5 MHz]	-27.39	dBm	-13.00	None	3 MHz	16QAM-Full RB@Min	30.00/-62.40 dBm	1264	Combination_1282






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.5 MHz-822.46 MHz]	-21.79	dBm	-13.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	1265	-
PASS	[SPA:Freq Range:822.46 MHz-822.5 MHz]	-38.03	dBm	-20.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	1265	-
PASS	[SPA:Freq Range:822.5 MHz-825.5 MHz]	18.80	dBm	30.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	1265	-
PASS	[SPA:Freq Range:825.5 MHz-825.54 MHz]	-71.67	dBm	-20.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	1265	-
PASS	[SPA:Freq Range:825.54 MHz-830.5 MHz]	-41.42	dBm	-13.00	None	3 MHz	16QAM-1RB @Min	30.00/-62.40 dBm	1265	Combination _1287

FCC / Band : B26 / Channel : 26790 (824MHz)

Band Edge Measurement


LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



Combination_1287



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:817.5 MHz-822.46 MHz]	-40.86	dBm	-13.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	1266	-
PASS	[SPA:Freq Range:822.4 6MHz-822.5 MHz]	-72.41	dBm	-20.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	1266	-
PASS	[SPA:Freq Range:822.5 MHz-825.5MHz]	18.89	dBm	30.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	1266	-
PASS	[SPA:Freq Range:825.5 MHz-825.54 MHz]	-40.87	dBm	-20.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	1266	-
PASS	[SPA:Freq Range:825.5 4MHz-830.5 MHz]	-22.88	dBm	-13.00	None	3 MHz	16QAM-1RB @Max	30.00/-62.40 dBm	1266	Combination _1292






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:816.5 MHz-821.46 MHz]	-28.66	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1327	-
PASS	[SPA:Freq Range:821.4 6MHz-821.5 MHz]	-46.22	dBm	-20.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1327	-
PASS	[SPA:Freq Range:821.5 MHz-826.5MHz]	6.19	dBm	30.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1327	-
PASS	[SPA:Freq Range:826.5 MHz-826.54 MHz]	-46.37	dBm	-20.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1327	-
PASS	[SPA:Freq Range:826.5 4MHz-831.5 MHz]	-28.30	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1327	Combination _1357

FCC / Band : B26 / Channel : 26790 (824MHz)

Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



Combination_1357




▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:816.5 MHz-821.46 MHz]	-24.93	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1328	-
PASS	[SPA:Freq Range:821.4 6MHz-821.5 MHz]	-40.47	dBm	-20.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1328	-
PASS	[SPA:Freq Range:821.5 MHz-826.5MHz]	20.35	dBm	30.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1328	-
PASS	[SPA:Freq Range:826.5 MHz-826.54 MHz]	-74.73	dBm	-20.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1328	-
PASS	[SPA:Freq Range:826.5 4MHz-831.5 MHz]	-37.47	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1328	Combination _1362






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:816.5 MHz-821.46 MHz]	-42.07	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1329	-
PASS	[SPA:Freq Range:821.4 6MHz-821.5 MHz]	-76.56	dBm	-20.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1329	-
PASS	[SPA:Freq Range:821.5 MHz-826.5MHz]	20.34	dBm	30.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1329	-
PASS	[SPA:Freq Range:826.5 MHz-826.54 MHz]	-41.58	dBm	-20.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1329	-
PASS	[SPA:Freq Range:826.5 4MHz-831.5 MHz]	-24.70	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1329	Combination _1367






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:816.5 MHz-821.46 MHz]	-30.16	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1336	-
PASS	[SPA:Freq Range:821.4 6MHz-821.5 MHz]	-47.11	dBm	-20.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1336	-
PASS	[SPA:Freq Range:821.5 MHz-826.5MHz]	4.98	dBm	30.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1336	-
PASS	[SPA:Freq Range:826.5 MHz-826.54 MHz]	-46.82	dBm	-20.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1336	-
PASS	[SPA:Freq Range:826.5 4MHz-831.5 MHz]	-30.20	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1336	Combination _1372





▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:816.5 MHz-821.46 MHz]	-26.13	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1337	-
PASS	[SPA:Freq Range:821.4 6MHz-821.5 MHz]	-41.57	dBm	-20.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1337	-
PASS	[SPA:Freq Range:821.5 MHz-826.5MHz]	18.75	dBm	30.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1337	-
PASS	[SPA:Freq Range:826.5 MHz-826.54 MHz]	-76.17	dBm	-20.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1337	-
PASS	[SPA:Freq Range:826.5 4MHz-831.5 MHz]	-37.02	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1337	Combination _1377






▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:816.5 MHz-821.46 MHz]	-40.30	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1338	-
PASS	[SPA:Freq Range:821.46MHz-821.5 MHz]	-76.03	dBm	-20.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1338	-
PASS	[SPA:Freq Range:821.5 MHz-826.5MHz]	18.51	dBm	30.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1338	-
PASS	[SPA:Freq Range:826.5 MHz-826.54 MHz]	-40.90	dBm	-20.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1338	-
PASS	[SPA:Freq Range:826.54MHz-831.5 MHz]	-26.07	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1338	Combination _1382

FCC / Band : B26 / Channel : 26790 (824MHz) Band Edge Measurement

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Max)



Combination_1382



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:814M Hz-818.96M Hz]	-32.84	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1345	-
PASS	[SPA:Freq Range:818.96MHz-819M Hz]	-50.90	dBm	-20.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1345	-
PASS	[SPA:Freq Range:819M Hz-829MHz]	3.39	dBm	30.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1345	-
PASS	[SPA:Freq Range:829M Hz-829.04M Hz]	-49.94	dBm	-20.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1345	-
PASS	[SPA:Freq Range:829.04MHz-834M Hz]	-32.03	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1345	Combination _1387

FCC / Band : B26 / Channel : 26790 (824MHz) Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



Combination_1387



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:814M Hz-818.96M Hz]	-39.36	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1346	-
PASS	[SPA:Freq Range:818.96MHz-819M Hz]	-55.31	dBm	-20.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1346	-
PASS	[SPA:Freq Range:819M Hz-829MHz]	20.21	dBm	30.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1346	-
PASS	[SPA:Freq Range:829M Hz-829.04M Hz]	-74.11	dBm	-20.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1346	-
PASS	[SPA:Freq Range:829.04MHz-834M Hz]	-55.73	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1346	Combination _1392

FCC / Band : B26 / Channel : 26790 (824MHz)

Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



Combination_1392



▼ FCC / Band : B26 / Channel : 26790(824MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:814M Hz-818.96M Hz]	-56.50	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1347	-
PASS	[SPA:Freq Range:818.96MHz-819M Hz]	-75.02	dBm	-20.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1347	-
PASS	[SPA:Freq Range:819M Hz-829MHz]	20.31	dBm	30.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1347	-
PASS	[SPA:Freq Range:829M Hz-829.04M Hz]	-54.74	dBm	-20.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1347	-
PASS	[SPA:Freq Range:829.04MHz-834M Hz]	-38.92	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1347	Combination _1397

FCC / Band : B26 / Channel : 26790 (824MHz)

Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-1RB@Max)



Combination_1397