

Full Power Mode for WWAN

GSM850 Full power&DS12									
GSM850	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)	
	128	189	251		128	189	251		
TX Channel	824.2	836.4	848.8		824.2	836.4	848.8		
Frequency (MHz)	824.2	836.4	848.8		824.2	836.4	848.8		
GSM 1 Tx slot	33.11	32.89	32.80	33.50	24.11	23.89	23.80	24.50	
GPRS 1 Tx slot	33.10	32.88	32.77	33.50	24.10	23.88	23.77	24.50	
GPRS 2 Tx slots	30.50	30.71	30.35	31.50	24.50	24.71	24.35	25.50	
GPRS 3 Tx slots	28.10	28.35	28.19	29.50	23.84	24.09	23.93	25.24	
GPRS 4 Tx slots	25.86	26.06	25.97	27.50	22.86	23.06	22.97	24.50	
EDGE 1 Tx slot	26.36	26.38	26.37	27.50	17.36	17.38	17.37	18.50	
EDGE 2 Tx slots	24.25	24.27	24.23	25.50	18.25	18.27	18.23	19.50	
EDGE 3 Tx slots	22.07	22.15	22.09	23.50	17.81	17.89	17.83	19.24	
EDGE 4 Tx slots	20.64	20.72	20.93	21.50	17.64	17.72	17.93	18.50	
GSM1900 Full power&DS12									
GSM1900	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)	
	512	661	810		512	661	810		
TX Channel	1850.2	1880	1909.8		1850.2	1880	1909.8		
Frequency (MHz)	1850.2	1880	1909.8		1850.2	1880	1909.8		
GSM 1 Tx slot	30.08	30.10	30.07	30.50	21.08	21.10	21.07	21.50	
GPRS 1 Tx slot	30.06	29.99	30.05	30.50	21.06	20.99	21.05	21.50	
GPRS 2 Tx slots	28.06	28.18	28.17	28.50	22.06	22.18	22.17	22.50	
GPRS 3 Tx slots	25.92	25.81	25.92	26.50	21.66	21.55	21.66	22.24	
GPRS 4 Tx slots	23.68	23.64	23.74	24.50	20.68	20.64	20.74	21.50	
EDGE 1 Tx slot	25.75	25.66	25.60	26.50	16.75	16.66	16.60	17.50	
EDGE 2 Tx slots	23.57	23.41	23.40	24.50	17.57	17.41	17.40	18.50	
EDGE 3 Tx slots	21.35	21.21	21.36	22.50	17.09	16.95	17.10	18.24	
EDGE 4 Tx slots	19.50	19.44	19.49	20.50	16.50	16.44	16.49	17.50	
WCDMA II Full power&DS12									
WCDMA IV Full power&DS12									
WCDMA V Full power&DS12									
Band	WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)	WCDMA V
	9282	9400	9538		1312	1413	1513		4132
TX Channel	9682	9800	9938		1537	1638	1738		4357
Frequency (MHz)	1852.4	1880	1907.6		1712.4	1732.6	1752.6		826.4
3GPP Rel 99	AMR 12.2Kbps	23.48	23.50	23.47	24.00	22.88	23.10	23.05	24.00
3GPP Rel 99	AMR 12.2Kbps	23.50	23.51	23.49	24.00	22.88	23.11	23.07	24.00
3GPP Rel 6	HSDPA Subtest-1	22.56	22.50	22.54	23.00	22.11	22.03	22.13	23.00
3GPP Rel 6	HSDPA Subtest-2	22.49	22.54	22.40	23.00	21.85	22.11	21.79	23.00
3GPP Rel 6	HSDPA Subtest-3	21.93	22.02	21.86	22.50	21.65	21.62	21.44	22.50
3GPP Rel 6	HSDPA Subtest-4	21.81	21.80	21.84	22.50	21.48	21.72	21.28	22.50
3GPP Rel 8	DC-HSDPA Subtest-1	22.62	22.64	22.51	23.00	22.14	21.94	22.07	23.00
3GPP Rel 8	DC-HSDPA Subtest-2	22.50	22.55	22.39	23.00	21.81	22.10	21.85	23.00
3GPP Rel 8	DC-HSDPA Subtest-3	21.63	21.95	21.55	22.50	21.60	21.55	21.39	22.50
3GPP Rel 8	DC-HSDPA Subtest-4	21.80	22.08	21.70	22.50	21.56	21.88	21.54	22.50
3GPP Rel 6	HSUPA Subtest-1	22.53	22.37	22.70	23.00	21.85	21.92	22.14	23.00
3GPP Rel 6	HSUPA Subtest-2	20.69	20.76	20.46	21.00	19.94	19.80	19.74	21.00
3GPP Rel 6	HSUPA Subtest-3	21.53	21.79	21.69	22.00	20.96	21.25	21.02	22.00
3GPP Rel 6	HSUPA Subtest-4	20.23	20.30	20.21	21.00	19.88	19.71	19.83	21.00
3GPP Rel 6	HSUPA Subtest-5	22.82	22.55	22.68	23.00	21.81	21.97	22.03	23.00
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	20.19	20.30	20.28	20.50	19.59	19.69	19.58	21.00

Band 2 -Ant 0 Full power&DSI2

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	
Channel								
Frequency (MHz)								
1860								
20	QPSK	1	0	22.52	22.54	22.51	24	
20	QPSK	1	49	22.36	22.45	22.47		
20	QPSK	1	99	22.38	22.38	22.48		
20	QPSK	50	0	21.83	21.86	21.73	23	
20	QPSK	50	24	21.70	21.82	21.71		
20	QPSK	50	50	21.85	21.72	21.75		
20	QPSK	100	0	21.68	21.79	21.73	23	
20	16QAM	1	0	21.85	21.77	21.77		
20	16QAM	1	49	21.81	21.71	21.73		
20	16QAM	1	99	21.79	21.73	21.70	22	
20	16QAM	50	0	20.64	20.78	20.80		
20	16QAM	50	24	20.75	20.65	20.71		
20	16QAM	50	50	20.65	20.68	20.67	22	
20	16QAM	100	0	20.73	20.70	20.79		
20	64QAM	1	0	20.78	20.74	20.83		
20	64QAM	1	49	20.69	20.80	20.75	22	
20	64QAM	1	99	20.65	20.66	20.74		
20	64QAM	50	0	19.71	19.75	19.77		
20	64QAM	50	24	19.71	19.64	19.64	21	
20	64QAM	50	50	19.72	19.63	19.76		
20	64QAM	100	0	19.78	19.67	19.73		
Channel								
Frequency (MHz)								
1867.5								
15	QPSK	1	0	22.47	22.39	22.35	24	
15	QPSK	1	37	22.21	22.34	22.42		
15	QPSK	1	74	22.25	22.36	22.30		
15	QPSK	36	0	21.81	21.59	21.70	23	
15	QPSK	36	20	21.67	21.69	21.54		
15	QPSK	36	39	21.83	21.66	21.62		
15	QPSK	75	0	21.86	21.55	21.76	23	
15	16QAM	1	0	21.76	21.54	21.74		
15	16QAM	1	37	21.78	21.57	21.62		
15	16QAM	1	74	21.73	21.69	21.62	22	
15	16QAM	36	0	20.56	20.71	20.64		
15	16QAM	36	20	20.56	20.52	20.57		
15	16QAM	36	39	20.50	20.52	20.53	22	
15	16QAM	75	0	20.68	20.53	20.74		
15	64QAM	1	0	20.59	20.70	20.73		
15	64QAM	1	37	20.61	20.65	20.63	22	
15	64QAM	1	74	20.46	20.49	20.73		
15	64QAM	36	0	19.59	19.71	19.63		
15	64QAM	36	20	19.65	19.59	19.54	21	
15	64QAM	36	39	19.68	19.48	19.72		
15	64QAM	75	0	19.76	19.50	19.55		
Channel								
Frequency (MHz)								
1865								
10	QPSK	1	0	22.37	22.39	22.35	24	
10	QPSK	1	25	22.19	22.29	22.43		
10	QPSK	1	49	22.37	22.25	22.44		
10	QPSK	25	0	21.71	21.59	21.67	23	
10	QPSK	25	12	21.51	21.79	21.67		
10	QPSK	25	25	21.72	21.66	21.69		
10	QPSK	50	0	21.76	21.54	21.74	23	
10	16QAM	1	0	21.73	21.59	21.60		
10	16QAM	1	25	21.68	21.64	21.54		
10	16QAM	1	49	21.60	21.68	21.61	22	
10	16QAM	25	0	20.52	20.64	20.64		
10	16QAM	25	12	20.63	20.48	20.52		
10	16QAM	25	25	20.53	20.60	20.63	22	
10	16QAM	50	0	20.60	20.51	20.73		
10	64QAM	1	0	20.66	20.70	20.64		
10	64QAM	1	25	20.65	20.76	20.70	22	
10	64QAM	1	49	20.64	20.52	20.60		
10	64QAM	25	0	19.62	19.63	19.71		
10	64QAM	25	12	19.58	19.57	19.51	21	
10	64QAM	25	25	19.65	19.47	19.63		
10	64QAM	50	0	19.64	19.50	19.66		
Channel								
Frequency (MHz)								
1862.5								
5	QPSK	1	0	22.44	22.40	22.41	24	
5	QPSK	1	12	22.32	22.26	22.42		
5	QPSK	1	24	22.29	22.38	22.31		
5	QPSK	12	0	21.78	21.67	21.64	23	
5	QPSK	12	7	21.61	21.63	21.71		
5	QPSK	12	13	21.76	21.69	21.63		
5	QPSK	25	0	21.72	21.64	21.67	23	
5	16QAM	1	0	21.67	21.72	21.72		
5	16QAM	1	12	21.80	21.67	21.59		
5	16QAM	1	24	21.62	21.54	21.52	22	
5	16QAM	12	0	20.50	20.63	20.68		
5	16QAM	12	7	20.68	20.63	20.57		
5	16QAM	12	13	20.59	20.58	20.53	22	
5	16QAM	25	0	20.69	20.54	20.73		
5	64QAM	1	0	20.72	20.60	20.80		
5	64QAM	1	12	20.60	20.66	20.72	22	
5	64QAM	1	24	20.50	20.57	20.66		
5	64QAM	12	0	19.57	19.66	19.64		
5	64QAM	12	7	19.58	19.51	19.52	21	
5	64QAM	12	13	19.54	19.60	19.64		
5	64QAM	25	0	19.64	19.58	19.65		
Channel								
Frequency (MHz)								
1861.5								
3	QPSK	1	0	22.36	22.37	22.48	24	
3	QPSK	1	8	22.34	22.36	22.46		
3	QPSK	1	14	22.27	22.31	22.38		
3	QPSK	8	0	21.69	21.56	21.70	23	
3	QPSK	8	4	21.56	21.75	21.66		
3	QPSK	8	7	21.83	21.72	21.65		
3	QPSK	15	0	21.85	21.66	21.64	23	
3	16QAM	1	0	21.77	21.67	21.73		
3	16QAM	1	8	21.69	21.64	21.53		
3	16QAM	1	14	21.66	21.55	21.67	22	
3	16QAM	8	0	20.53	20.72	20.71		
3	16QAM	8	4	20.74	20.47	20.58		
3	16QAM	8	7	20.46	20.70	20.65	22	
3	16QAM	15	0	20.62	20.70	20.74		
3	64QAM	1	0	20.73	20.56	20.70		
3	64QAM	1	8	20.57	20.78	20.55	22	
3	64QAM	1	14	20.58	20.53	20.72		
3	64QAM	8	0	19.68	19.60	19.65		
3	64QAM	8	4	19.63	19.62	19.48	21	
3	64QAM	8	7	19.52	19.57	19.61		
3	64QAM	15	0	19.61	19.62	19.60		
Channel								
Frequency (MHz)								
1860.7								
1.4	QPSK	1	0	22.20	22.34	22.32	24	
1.4	QPSK	1	3	22.22	22.37	22.33		
1.4	QPSK	1	3	22.29	22.21	22.36		
1.4	QPSK	3	0	22.25	22.23	22.35	23	
1.4	QPSK	3	1	22.18	22.21	22.41		
1.4	QPSK	3	3	22.28	22.21	22.39		
1.4	QPSK	6	0	21.28	21.40	21.42	23	
1.4	16QAM	1	0	21.27	21.40	21.44		
1.4	16QAM	1	3	21.29	21.46	21.42		
1.4	16QAM	1	5	21.34	21.38	21.41	23	
1.4	16QAM	3	0	21.45	21.37	21.56		
1.4	16QAM	3	1	21.32	21.40	21.51		
1.4	16QAM	3	3	21.30	21.33	21.53	22	
1.4	16QAM	6	0	20.43	20.37	20.47		
1.4	64QAM	1	0	20.35	20.46	20.40		
1.4	64QAM	1	3	20.38	20.40	20.49	22	
1.4	64QAM	1	5	20.38	20.36	20.57		
1.4	64QAM	3	0	20.35	20.42	20.57		
1.4	64QAM	3	1	20.35	20.42	20.55	22	
1.4	64QAM	3	3	20.46	20.37	20.47		
1.4	64QAM	6	0	19.40	19.40	19.47		

Band 4 -Ant 0 Full power&DSI2

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./Freq. 20250	Power Middle Ch./Freq. 20175	Power High Ch./Freq. 20300	Tune-up limit (dBm)
Channel Frequency (MHz)							
20	QPSK	1	0	22.57	22.75	22.61	24
20	QPSK	1	49	22.59	22.64	22.65	
20	QPSK	1	99	22.64	22.57	22.74	
20	QPSK	50	0	21.83	21.84	21.68	23
20	QPSK	50	24	21.68	21.69	21.66	
20	QPSK	50	50	21.73	21.68	21.68	
20	QPSK	100	0	21.74	21.79	21.73	23
20	16QAM	1	0	21.81	21.75	21.75	
20	16QAM	1	49	21.80	21.71	21.79	
20	16QAM	1	99	21.86	21.67	21.71	22
20	16QAM	50	0	20.65	20.68	20.83	
20	16QAM	50	24	20.67	20.73	20.76	
20	16QAM	50	50	20.72	20.67	20.75	22
20	16QAM	100	0	20.75	20.80	20.74	
20	64QAM	1	0	20.68	20.72	20.67	
20	64QAM	1	49	20.71	20.79	20.71	22
20	64QAM	1	99	20.74	20.71	20.83	
20	64QAM	50	0	19.66	19.71	19.71	21
20	64QAM	50	24	19.64	19.64	19.69	
20	64QAM	50	50	19.67	19.82	19.73	
20	64QAM	100	0	19.78	19.84	19.84	21
Channel Frequency (MHz)							
				20025	20175	20325	Tune-up limit (dBm)
				1717.5	1732.5	1747.5	
15	QPSK	1	0	22.49	22.70	22.54	24
15	QPSK	1	37	22.58	22.53	22.58	
15	QPSK	1	74	22.45	22.46	22.59	
15	QPSK	36	0	21.77	21.82	21.61	23
15	QPSK	36	20	21.60	21.66	21.62	
15	QPSK	36	39	21.58	21.61	21.58	
15	QPSK	75	0	21.59	21.60	21.54	23
15	QPSK	1	0	21.79	21.68	21.59	
15	16QAM	1	37	21.68	21.60	21.70	
15	16QAM	1	74	21.72	21.51	21.62	22
15	16QAM	36	0	20.52	20.63	20.79	
15	16QAM	36	20	20.50	20.60	20.75	
15	16QAM	36	39	20.55	20.63	20.69	22
15	16QAM	75	0	20.60	20.73	20.68	
15	64QAM	1	0	20.52	20.69	20.65	
15	64QAM	1	37	20.52	20.64	20.59	22
15	64QAM	1	74	20.63	20.66	20.77	
15	64QAM	36	0	19.58	19.58	19.58	21
15	64QAM	36	20	19.64	19.79	19.62	
15	64QAM	36	39	19.54	19.75	19.72	
15	64QAM	75	0	19.78	19.79	19.68	21
Channel Frequency (MHz)							
				20000	20175	20300	Tune-up limit (dBm)
				1715	1732.5	1750	
10	QPSK	1	0	22.47	22.73	22.54	24
10	QPSK	1	25	22.57	22.56	22.58	
10	QPSK	1	49	22.52	22.56	22.68	
10	QPSK	25	0	21.67	21.81	21.58	23
10	QPSK	25	12	21.51	21.54	21.66	
10	QPSK	25	25	21.67	21.50	21.65	
10	QPSK	50	0	21.66	21.77	21.61	23
10	16QAM	1	0	21.63	21.63	21.68	
10	16QAM	1	25	21.60	21.53	21.75	
10	16QAM	1	49	21.70	21.49	21.58	22
10	16QAM	25	0	20.56	20.55	20.74	
10	16QAM	25	12	20.49	20.70	20.69	
10	16QAM	25	25	20.69	20.56	20.56	22
10	16QAM	50	0	20.64	20.61	20.70	
10	64QAM	1	0	20.54	20.56	20.48	
10	64QAM	1	25	20.60	20.60	20.53	22
10	64QAM	1	49	20.72	20.57	20.65	
10	64QAM	25	0	19.61	19.61	19.69	21
10	64QAM	25	12	19.71	19.64	19.57	
10	64QAM	25	25	19.51	19.78	19.59	
10	64QAM	50	0	19.74	19.81	19.80	21
Channel Frequency (MHz)							
				19975	20175	20375	Tune-up limit (dBm)
				1712.5	1732.5	1752.5	
5	QPSK	1	0	22.52	22.63	22.58	24
5	QPSK	1	12	22.52	22.55	22.45	
5	QPSK	1	24	22.47	22.51	22.70	
5	QPSK	12	0	21.69	21.66	21.66	23
5	QPSK	12	7	21.51	21.49	21.56	
5	QPSK	12	13	21.55	21.64	21.56	
5	QPSK	25	0	21.70	21.72	21.59	23
5	16QAM	1	12	21.69	21.70	21.74	
5	16QAM	1	24	21.71	21.54	21.62	
5	16QAM	12	0	20.56	20.54	20.74	22
5	16QAM	12	7	20.53	20.61	20.76	
5	16QAM	12	13	20.72	20.60	20.65	
5	16QAM	25	0	20.71	20.80	20.61	22
5	64QAM	1	0	20.55	20.71	20.58	
5	64QAM	1	12	20.60	20.77	20.56	
5	64QAM	1	24	20.70	20.63	20.81	21
5	64QAM	12	0	19.59	19.59	19.62	
5	64QAM	12	7	19.77	19.65	19.63	
5	64QAM	12	13	19.62	19.67	19.69	21
5	64QAM	25	0	19.65	19.64	19.80	
Channel Frequency (MHz)							
				19965	20175	20385	Tune-up limit (dBm)
				1711.5	1732.5	1753.5	
3	QPSK	1	0	22.44	22.66	22.57	24
3	QPSK	1	8	22.51	22.59	22.65	
3	QPSK	1	14	22.61	22.40	22.63	
3	QPSK	8	0	21.77	21.69	21.64	23
3	QPSK	8	4	21.60	21.56	21.50	
3	QPSK	8	7	21.66	21.68	21.64	
3	QPSK	15	0	21.57	21.70	21.66	23
3	16QAM	1	0	21.65	21.58	21.66	
3	16QAM	1	8	21.63	21.60	21.73	
3	16QAM	1	14	21.65	21.53	21.57	22
3	16QAM	8	0	20.49	20.49	20.75	
3	16QAM	8	4	20.57	20.56	20.59	
3	16QAM	15	0	20.64	20.63	20.59	22
3	64QAM	1	0	20.51	20.53	20.60	
3	64QAM	1	8	20.54	20.62	20.60	
3	64QAM	1	14	20.69	20.66	20.67	21
3	64QAM	8	4	19.74	19.69	19.61	
3	64QAM	8	7	19.54	19.80	19.54	
3	64QAM	15	0	19.76	19.79	19.73	21
Channel Frequency (MHz)							
				19967	20175	20393	Tune-up limit (dBm)
				1710.7	1732.5	1754.3	
1.4	QPSK	1	0	22.31	22.46	22.52	24
1.4	QPSK	1	3	22.31	22.59	22.53	
1.4	QPSK	1	5	22.57	22.40	22.49	
1.4	QPSK	3	0	22.42	22.57	22.56	23
1.4	QPSK	3	1	22.31	22.42	22.63	
1.4	QPSK	3	3	22.41	22.34	22.61	
1.4	QPSK	6	0	21.48	21.54	21.54	23
1.4	16QAM	1	0	21.56	21.49	21.56	
1.4	16QAM	1	3	21.63	21.70	21.71	
1.4	16QAM	1	5	21.36	21.36	21.71	22
1.4	16QAM	3	0	21.42	21.72	21.60	
1.4	16QAM	3	1	21.50	21.58	21.65	
1.4	16QAM	3	3	21.68	21.43	21.66	22
1.4	16QAM	6	0	20.41	20.70	20.66	
1.4	64QAM	1	0	20.47	20.54	20.73	
1.4	64QAM	1	3	20.68	20.48	20.65	22
1.4	64QAM	1	5	20.48	20.75	20.58	
1.4	64QAM	3	0	20.43	20.53	20.61	
1.4	64QAM	3	1	20.49	20.56	20.69	22
1.4	64QAM	3	3	20.64	20.44	20.71	
1.4	64QAM	6	0	19.57	19.66	19.71	21
1.4	64QAM	6	0	19.57	19.66	19.71	

Band 7-Ant 5 Full power&DSI2									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power Right Ch. / Freq.	Tune-up limit (dBm)		
Channel				20850	21100	21350			
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	0	22.68	22.79	22.78	24		
20	QPSK	1	49	22.76	22.72	22.77			
20	QPSK	1	99	22.77	22.66	22.77			
20	QPSK	50	0	21.82	21.85	21.71	23		
20	QPSK	50	24	21.73	21.69	21.84			
20	QPSK	50	50	21.57	21.75	21.69			
20	QPSK	100	0	21.83	21.84	21.83	23		
20	16QAM	1	0	21.87	21.78	21.86			
20	16QAM	1	49	21.84	21.84	21.73			
20	16QAM	1	99	21.77	21.74	21.76	22		
20	16QAM	50	0	20.80	20.72	20.81			
20	16QAM	50	24	20.79	20.76	20.82			
20	16QAM	50	50	20.72	20.75	20.74	22		
20	16QAM	100	0	20.71	20.85	20.89			
20	64QAM	1	0	20.78	20.88	20.84			
20	64QAM	1	49	20.74	20.85	20.86	22		
20	64QAM	1	99	20.81	20.80	20.73			
20	64QAM	50	0	19.82	19.79	19.83			
20	64QAM	50	24	19.71	19.71	19.88	21		
20	64QAM	50	50	19.86	19.74	19.80			
20	64QAM	100	0	19.78	19.82	19.86			
Channel				20825	21100	21375	Tune-up limit (dBm)		
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	0	22.59	22.74	22.72	24		
15	QPSK	1	37	22.74	22.72	22.76			
15	QPSK	1	74	22.66	22.61	22.63			
15	QPSK	36	0	21.80	21.73	21.53	23		
15	QPSK	36	20	21.67	21.56	21.70			
15	QPSK	36	39	21.37	21.73	21.61			
15	QPSK	75	0	21.81	21.71	21.70	23		
15	16QAM	1	0	21.79	21.71	21.67			
15	16QAM	1	37	21.71	21.79	21.72			
15	16QAM	1	74	21.58	21.73	21.61	22		
15	16QAM	36	0	20.85	20.84	20.77			
15	16QAM	36	20	20.71	20.76	20.69			
15	16QAM	36	39	20.58	20.65	20.67	22		
15	16QAM	75	0	20.52	20.69	20.85			
15	64QAM	1	0	20.61	20.79	20.77			
15	64QAM	1	37	20.68	20.66	20.74	22		
15	64QAM	1	74	20.67	20.81	20.64			
15	64QAM	36	0	19.81	19.71	19.71			
15	64QAM	36	20	19.62	19.57	19.88	21		
15	64QAM	36	39	19.70	19.63	19.65			
15	64QAM	75	0	19.85	19.81	19.68			
Channel				20800	21100	21400	Tune-up limit (dBm)		
Frequency (MHz)				2505	2535	2565			
10	QPSK	1	0	22.55	22.77	22.61	24		
10	QPSK	1	25	22.66	22.57	22.61			
10	QPSK	1	49	22.74	22.60	22.73			
10	QPSK	25	0	21.79	21.69	21.55	23		
10	QPSK	25	12	21.58	21.54	21.65			
10	QPSK	25	25	21.37	21.55	21.51			
10	QPSK	50	0	21.65	21.82	21.81	23		
10	16QAM	1	0	21.85	21.75	21.73			
10	16QAM	1	25	21.66	21.84	21.67			
10	16QAM	1	49	21.74	21.58	21.71	22		
10	16QAM	25	0	20.66	20.55	20.79			
10	16QAM	25	12	20.74	20.68	20.76			
10	16QAM	25	25	20.56	20.65	20.73	22		
10	16QAM	50	0	20.61	20.73	20.71			
10	64QAM	1	0	20.76	20.85	20.78			
10	64QAM	1	25	20.74	20.76	20.78	22		
10	64QAM	1	49	20.79	20.63	20.67			
10	64QAM	25	0	19.74	19.60	19.67			
10	64QAM	25	12	19.85	19.60	19.77	21		
10	64QAM	25	25	19.77	19.64	19.66			
10	64QAM	50	0	19.74	19.78	19.69			
Channel				20775	21100	21425	Tune-up limit (dBm)		
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	0	22.57	22.62	22.71	24		
5	QPSK	1	12	22.64	22.63	22.57			
5	QPSK	1	24	22.59	22.46	22.60			
5	QPSK	12	0	21.68	21.66	21.56	23		
5	QPSK	12	7	21.57	21.68	21.75			
5	QPSK	12	13	21.55	21.72	21.58			
5	QPSK	25	0	21.74	21.69	21.80	23		
5	16QAM	1	0	21.85	21.68	21.78			
5	16QAM	1	12	21.80	21.77	21.57			
5	16QAM	1	24	21.59	21.68	21.68	23		
5	16QAM	12	0	20.72	20.63	20.64			
5	16QAM	12	7	20.73	20.72	20.66			
5	16QAM	12	13	20.56	20.60	20.56	22		
5	16QAM	25	0	20.55	20.68	20.70			
5	64QAM	1	0	20.63	20.83	20.73			
5	64QAM	1	12	20.73	20.77	20.69	22		
5	64QAM	1	24	20.62	20.63	20.73			
5	64QAM	12	0	19.67	19.88	19.81			
5	64QAM	12	7	19.60	19.63	19.87	21		
5	64QAM	12	13	19.76	19.55	19.76			
5	64QAM	25	0	19.73	19.67	19.78			

Band 12 -Ant 0 Full power&DSI2												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)					
Channel				23060	23095	23130						
Frequency (MHz)				704	707.5	711						
10	QPSK	1	0	22.76	22.84	22.77	24					
10	QPSK	1	25	22.73	22.75	22.81						
10	QPSK	1	49	22.64	22.76	22.74						
10	QPSK	25	0	21.77	21.87	21.81	23					
10	QPSK	25	12	21.76	21.82	21.86						
10	QPSK	25	25	21.73	21.84	21.80						
10	QPSK	50	0	21.80	21.82	21.81	23					
10	16QAM	1	0	21.83	21.84	21.89						
10	16QAM	1	25	21.90	21.85	21.82						
10	16QAM	1	49	21.93	21.89	21.83	22					
10	16QAM	25	0	20.94	20.87	20.84						
10	16QAM	25	12	20.84	20.89	20.79						
10	16QAM	25	25	20.86	20.93	20.86	22					
10	16QAM	50	0	20.81	20.85	20.88						
10	64QAM	1	0	20.87	20.79	20.75						
10	64QAM	1	25	20.94	20.83	20.92	22					
10	64QAM	1	49	20.78	20.85	20.93						
10	64QAM	25	0	19.75	19.92	19.88						
10	64QAM	25	12	19.79	19.78	19.78	21					
10	64QAM	25	25	19.77	19.85	19.93						
10	64QAM	50	0	19.92	19.78	19.79						
Channel				23035	23095	23155	Tune-up limit (dbm)					
Frequency (MHz)				701.5	707.5	713.5						
5	QPSK	1	0	22.67	22.65	22.57	24					
5	QPSK	1	12	22.57	22.70	22.72						
5	QPSK	1	24	22.62	22.76	22.65						
5	QPSK	12	0	21.74	21.75	21.75	23					
5	QPSK	12	7	21.66	21.63	21.73						
5	QPSK	12	13	21.62	21.71	21.62						
5	QPSK	25	0	21.68	21.66	21.79	23					
5	16QAM	1	0	21.76	21.74	21.82						
5	16QAM	1	12	21.77	21.80	21.62	23					
5	16QAM	1	24	21.89	21.85	21.80						
5	16QAM	12	0	20.89	20.93	20.75						
5	16QAM	12	7	20.74	20.70	20.65	22					
5	16QAM	12	13	20.80	20.87	20.85						
5	16QAM	25	0	20.62	20.69	20.80						
5	64QAM	1	0	20.80	20.63	20.65	22					
5	64QAM	1	12	20.75	20.83	20.80						
5	64QAM	1	24	20.66	20.80	20.79						
5	64QAM	12	0	19.55	19.77	19.75	21					
5	64QAM	12	7	19.72	19.69	19.58						
5	64QAM	12	13	19.75	19.70	19.76						
5	64QAM	25	0	19.90	19.78	19.76	21					
Channel				23025	23055	23155				Tune-up limit (dbm)		
Frequency (MHz)				700.5	707.5	714.5						
3	QPSK	1	0	22.75	22.64	22.85	24					
3	QPSK	1	8	22.66	22.66	22.70						
3	QPSK	1	14	22.53	22.68	22.73						
3	QPSK	8	0	21.55	21.68	21.78	23					
3	QPSK	8	4	21.57	21.76	21.86						
3	QPSK	8	7	21.61	21.79	21.61						
3	QPSK	15	0	21.80	21.72	21.66	23					
3	QPSK	1	0	21.71	21.78	21.84						
3	16QAM	1	8	21.83	21.75	21.68						
3	16QAM	1	14	21.87	21.88	21.80	22					
3	16QAM	8	0	20.87	20.82	20.75						
3	16QAM	8	4	20.82	20.79	20.63						
3	16QAM	8	7	20.74	20.93	20.83	22					
3	16QAM	15	0	20.66	20.80	20.85						
3	64QAM	1	0	20.68	20.68	20.73						
3	64QAM	1	8	20.76	20.69	20.81	22					
3	64QAM	1	14	20.62	20.80	20.84						
3	64QAM	8	0	19.72	19.88	19.99						
3	64QAM	8	4	19.65	19.68	19.71	21					
3	64QAM	8	7	19.65	19.63	19.98						
3	64QAM	15	0	19.80	19.62	19.73						
Channel				23017	23095	23173	Tune-up limit (dbm)					
Frequency (MHz)				699.7	707.5	715.3						
1.4	QPSK	1	0	22.70	22.49	22.60	24					
1.4	QPSK	1	3	22.65	22.60	22.61						
1.4	QPSK	1	5	22.27	22.64	22.71						
1.4	QPSK	3	0	22.62	22.47	22.56	23					
1.4	QPSK	3	1	22.62	22.54	22.59						
1.4	QPSK	3	3	22.46	22.50	22.64						
1.4	QPSK	6	0	21.80	21.55	21.68	23					
1.4	QPSK	1	0	21.66	21.73	21.67						
1.4	16QAM	1	3	21.58	21.76	21.81						
1.4	16QAM	1	5	21.68	21.56	21.70	23					
1.4	16QAM	3	0	21.72	21.60	21.71						
1.4	16QAM	3	1	21.64	21.69	21.79						
1.4	16QAM	3	3	21.53	21.78	21.72	22					
1.4	16QAM	6	0	20.77	20.61	20.60						
1.4	64QAM	1	0	20.69	20.72	20.76						
1.4	64QAM	1	3	20.59	20.69	20.68	22					
1.4	64QAM	3	0	20.70	20.54	20.59						
1.4	64QAM	3	0	20.72	20.65	20.65						
1.4	64QAM	3	1	20.74	20.75	20.68	21					
1.4	64QAM	3	3	20.54	20.64	20.79						
1.4	64QAM	6	0	19.62	19.70	19.66						

Band 26 -Ant 0 Full power&DSI2									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)		
Channel				26765	26865	26965	24		
Frequency (MHz)				831.5	831.5	841.5			
15	QPSK	1	0	23.38	23.57	23.51	24		
15	QPSK	1	37	23.48	23.49	23.42			
15	QPSK	1	74	23.45	23.48	23.52	23		
15	QPSK	36	0	22.43	22.52	22.49			
15	QPSK	36	20	22.50	22.37	22.49	23		
15	QPSK	36	39	22.35	22.45	22.43			
15	QPSK	75	0	22.46	22.49	22.38	23		
15	16QAM	1	0	22.49	22.45	22.43			
15	16QAM	1	37	22.57	22.48	22.40	23		
15	16QAM	1	74	22.48	22.36	22.43			
15	16QAM	36	0	21.55	21.45	21.49	22		
15	16QAM	36	20	21.49	21.43	21.43			
15	16QAM	36	39	21.59	21.51	21.65	22		
15	16QAM	75	0	21.31	21.56	21.46			
15	64QAM	1	0	21.50	21.67	21.54	22		
15	64QAM	1	37	21.58	21.55	21.35			
15	64QAM	1	74	21.36	21.52	21.47	21		
15	64QAM	36	0	20.37	20.43	20.57			
15	64QAM	36	20	20.28	20.44	20.45	21		
15	64QAM	36	39	20.37	20.52	20.54			
15	64QAM	75	0	20.42	20.60	20.44	21		
Channel				26740	26865	26990			
Frequency (MHz)				819	831.5	844	24		
10	QPSK	1	0	23.35	23.45	23.39			
10	QPSK	1	25	23.41	23.47	23.31	23		
10	QPSK	1	49	23.32	23.32	23.37			
10	QPSK	25	0	22.37	22.29	22.43	23		
10	QPSK	25	12	22.46	22.20	22.40			
10	QPSK	25	25	22.35	22.26	22.41	23		
10	QPSK	50	0	22.38	22.54	22.33			
10	16QAM	1	0	22.32	22.30	22.27	23		
10	16QAM	1	25	22.42	22.40	22.39			
10	16QAM	1	49	22.42	22.25	22.35	22		
10	16QAM	25	0	21.41	21.27	21.43			
10	16QAM	25	12	21.42	21.25	21.25	22		
10	16QAM	25	25	21.52	21.47	21.50			
10	16QAM	50	0	21.30	21.38	21.42	22		
10	64QAM	1	0	21.32	21.66	21.40			
10	64QAM	1	25	21.56	21.46	21.16	22		
10	64QAM	1	49	21.18	21.42	21.45			
10	64QAM	25	0	20.33	20.27	20.49	21		
10	64QAM	25	12	20.20	20.33	20.26			
10	64QAM	25	25	20.32	20.51	20.44	21		
10	64QAM	50	0	20.33	20.55	20.28			
Channel				26715	26865	27015	24		
Frequency (MHz)				816.5	831.5	846.5			
5	QPSK	1	0	23.27	23.51	23.47	23		
5	QPSK	1	12	23.34	23.33	23.41			
5	QPSK	1	24	23.45	23.31	23.37	23		
5	QPSK	12	0	22.26	22.31	22.40			
5	QPSK	12	7	22.31	22.27	22.35	23		
5	QPSK	12	13	22.25	22.39	22.34			
5	QPSK	25	0	22.33	22.22	22.24	23		
5	16QAM	1	0	22.33	22.35	22.30			
5	16QAM	1	12	22.41	22.40	22.23	23		
5	16QAM	1	24	22.35	22.25	22.36			
5	16QAM	12	0	21.54	21.28	21.46	22		
5	16QAM	12	7	21.40	21.37	21.28			
5	16QAM	12	13	21.56	21.32	21.55	22		
5	16QAM	25	0	21.21	21.53	21.41			
5	64QAM	1	0	21.40	21.48	21.38	22		
5	64QAM	1	12	21.44	21.50	21.34			
5	64QAM	1	24	21.30	21.44	21.29	21		
5	64QAM	12	0	20.28	20.41	20.50			
5	64QAM	12	7	20.26	20.32	20.38	21		
5	64QAM	12	13	20.18	20.36	20.53			
5	64QAM	25	0	20.31	20.42	20.28	21		
Channel				26705	26865	27025			
Frequency (MHz)				815.5	831.5	847.5	24		
3	QPSK	1	0	23.30	23.50	23.34			
3	QPSK	1	8	23.35	23.33	23.33	23		
3	QPSK	1	14	23.30	23.31	23.49			
3	QPSK	8	0	22.26	22.44	22.43	23		
3	QPSK	8	4	22.36	22.23	22.38			
3	QPSK	8	7	22.34	22.27	22.33	23		
3	QPSK	15	0	22.38	22.38	22.26			
3	16QAM	1	0	22.48	22.36	22.43	23		
3	16QAM	1	8	22.44	22.38	22.31			
3	16QAM	1	14	22.32	22.25	22.38	22		
3	16QAM	8	0	21.39	21.44	21.40			
3	16QAM	8	4	21.41	21.43	21.37	22		
3	16QAM	8	7	21.45	21.42	21.46			
3	16QAM	15	0	21.31	21.39	21.36	22		
3	64QAM	1	0	21.35	21.49	21.47			
3	64QAM	1	8	21.39	21.51	21.18	21		
3	64QAM	1	14	21.19	21.39	21.46			
3	64QAM	8	0	20.34	20.28	20.47	21		
3	64QAM	8	4	20.15	20.27	20.27			
3	64QAM	8	7	20.21	20.38	20.44	21		
3	64QAM	15	0	20.36	20.59	20.30			
Channel				26697	26865	27033	24		
Frequency (MHz)				814.7	831.5	848.3			
1.4	QPSK	1	0	23.16	23.36	23.30	24		
1.4	QPSK	1	3	23.30	23.14	23.24			
1.4	QPSK	1	6	23.10	23.22	23.48	23		
1.4	QPSK	3	0	23.16	23.40	23.16			
1.4	QPSK	3	1	23.19	23.48	23.16	23		
1.4	QPSK	3	3	23.27	23.29	23.22			
1.4	QPSK	6	0	22.35	22.48	22.29	23		
1.4	16QAM	1	0	22.36	22.32	22.27			
1.4	16QAM	1	3	22.20	22.27	22.42	23		
1.4	16QAM	1	5	22.23	22.42	22.26			
1.4	16QAM	3	0	22.24	22.41	22.35	22		
1.4	16QAM	3	1	22.36	22.27	22.42			
1.4	16QAM	3	3	22.30	22.38	22.41	22		
1.4	16QAM	6	0	21.36	21.56	21.33			
1.4	64QAM	1	0	21.37	21.41	21.27	22		
1.4	64QAM	1	3	21.28	21.39	21.43			
1.4	64QAM	1	5	21.32	21.53	21.25	22		
1.4	64QAM	3	0	21.37	21.50	21.43			
1.4	64QAM	3	1	21.35	21.40	21.42	21		
1.4	64QAM	3	3	21.24	21.24	21.40			
1.4	64QAM	6	0	20.28	20.40	20.43	21		

Band 66 -Ant 0 Full power&DSI2							
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dbm)
Channel				130272	132322	132572	
Frequency (MHz)				1720	1745	1770	
20	QPSK	1	0	22.82	22.81	22.71	24
20	QPSK	1	49	22.83	22.82	22.80	
20	QPSK	1	99	22.85	22.70	22.73	
20	QPSK	50	0	21.91	21.94	21.71	
20	QPSK	50	24	21.76	21.72	21.78	23
20	QPSK	50	50	21.91	21.83	21.71	
20	QPSK	100	0	21.85	21.86	21.78	
20	16QAM	1	0	21.99	21.93	21.85	
20	16QAM	1	49	21.84	21.76	21.96	23
20	16QAM	1	99	21.83	21.83	21.89	
20	16QAM	50	0	20.70	20.78	20.83	
20	16QAM	50	24	20.82	20.72	20.83	
20	16QAM	50	50	20.86	20.72	20.79	22
20	16QAM	100	0	20.83	20.95	20.81	
20	84QAM	1	0	20.74	20.76	20.80	
20	84QAM	1	49	20.81	20.94	20.85	
20	84QAM	1	99	20.90	20.76	20.91	21
20	84QAM	50	0	19.70	19.73	19.84	
20	84QAM	50	24	19.95	19.96	19.88	
20	84QAM	50	50	19.77	19.97	19.90	
20	84QAM	100	0	19.87	19.98	19.85	
Channel				130407	132322	132597	
Frequency (MHz)				1717.5	1745	1772.5	
15	QPSK	1	0	22.46	22.73	22.58	24
15	QPSK	1	24	22.47	22.73	22.77	
15	QPSK	1	37	22.57	22.85	22.57	
15	QPSK	36	0	21.86	21.93	21.88	
15	QPSK	36	20	21.72	21.67	21.76	23
15	QPSK	36	39	21.73	21.79	21.54	
15	QPSK	75	0	21.84	21.84	21.63	
15	16QAM	1	0	21.91	21.83	21.71	
15	16QAM	1	37	21.74	21.59	21.90	23
15	16QAM	1	74	21.75	21.78	21.78	
15	16QAM	20	0	20.58	20.58	20.74	
15	16QAM	36	20	20.67	20.67	20.74	
15	16QAM	36	39	20.83	20.67	20.75	22
15	16QAM	75	0	20.74	20.88	20.78	
15	84QAM	1	0	20.61	20.73	20.64	
15	84QAM	1	37	20.78	20.90	20.72	
15	84QAM	1	74	20.73	20.62	20.75	22
15	84QAM	36	0	19.54	19.58	19.74	
15	84QAM	36	20	19.82	19.81	19.87	
15	84QAM	36	39	19.60	19.81	19.73	
15	84QAM	75	0	19.75	19.75	19.81	21
Channel				132022	132322	132522	
Frequency (MHz)				1715	1745	1775	
10	QPSK	1	0	22.43	22.75	22.65	24
10	QPSK	1	25	22.60	22.71	22.76	
10	QPSK	1	49	22.49	22.62	22.63	
10	QPSK	25	0	21.73	21.78	21.70	
10	QPSK	25	12	21.69	21.62	21.59	23
10	QPSK	25	25	21.79	21.63	21.62	
10	QPSK	50	0	21.74	21.69	21.77	
10	16QAM	1	0	21.97	21.81	21.83	
10	16QAM	1	25	21.77	21.70	21.79	23
10	16QAM	1	49	21.82	21.72	21.88	
10	16QAM	25	0	20.52	20.71	20.70	
10	16QAM	25	12	20.69	20.74	20.77	
10	16QAM	25	25	20.73	20.54	20.74	22
10	16QAM	50	0	20.76	20.93	20.79	
10	84QAM	1	0	20.67	20.64	20.75	
10	84QAM	1	25	20.71	20.80	20.71	
10	84QAM	1	49	20.88	20.73	20.78	22
10	84QAM	25	0	19.51	19.53	19.82	
10	84QAM	25	12	19.82	19.82	19.80	
10	84QAM	25	25	19.56	19.91	19.71	
10	84QAM	50	0	19.75	19.84	19.82	21
Channel				131997	132322	132647	
Frequency (MHz)				1712.5	1745	1777.5	
5	QPSK	1	0	22.42	22.69	22.80	24
5	QPSK	1	12	22.45	22.61	22.69	
5	QPSK	1	24	22.61	22.55	22.69	
5	QPSK	12	0	21.79	21.78	21.62	
5	QPSK	12	7	21.73	21.67	21.70	23
5	QPSK	12	13	21.82	21.64	21.70	
5	QPSK	25	0	21.80	21.81	21.72	
5	16QAM	1	0	21.79	21.74	21.80	
5	16QAM	1	12	21.77	21.76	21.82	23
5	16QAM	1	24	21.65	21.73	21.80	
5	16QAM	12	0	20.66	20.75	20.80	
5	16QAM	12	7	20.75	20.81	20.83	
5	16QAM	12	13	20.69	20.72	20.64	22
5	16QAM	25	0	20.66	20.82	20.80	
5	84QAM	1	0	20.67	20.73	20.74	
5	84QAM	1	12	20.72	20.76	20.78	
5	84QAM	1	24	20.79	20.67	20.75	22
5	84QAM	12	0	19.69	19.66	19.67	
5	84QAM	12	7	19.62	19.79	19.83	
5	84QAM	12	13	19.68	19.85	19.81	
5	84QAM	25	0	19.73	19.85	19.88	21
Channel				131987	132322	132657	
Frequency (MHz)				1711.5	1745	1778.5	
3	QPSK	1	0	22.51	22.74	22.81	24
3	QPSK	1	8	22.46	22.61	22.75	
3	QPSK	1	14	22.54	22.66	22.69	
3	QPSK	8	0	21.89	21.89	21.59	
3	QPSK	8	4	21.66	21.63	21.76	23
3	QPSK	8	7	21.78	21.75	21.64	
3	QPSK	15	0	21.75	21.68	21.58	
3	16QAM	1	0	21.38	21.82	21.73	
3	16QAM	1	8	21.80	21.80	21.83	23
3	16QAM	1	14	21.64	21.67	21.80	
3	16QAM	8	0	20.52	20.70	20.70	
3	16QAM	8	4	20.78	20.81	20.75	
3	16QAM	8	7	20.69	20.56	20.76	22
3	16QAM	15	0	20.73	20.85	20.62	
3	84QAM	1	0	20.66	20.68	20.68	
3	84QAM	1	8	20.84	20.80	20.81	
3	84QAM	1	14	20.83	20.69	20.85	22
3	84QAM	8	0	19.84	19.69	19.75	
3	84QAM	8	4	19.84	19.90	19.82	
3	84QAM	8	7	19.71	19.85	19.74	
3	84QAM	15	0	19.69	19.92	19.79	21
Channel				131979	132322	132665	
Frequency (MHz)				1710.7	1745	1779.3	
1.4	QPSK	1	0	22.39	22.64	22.58	24
1.4	QPSK	1	3	22.42	22.55	22.74	
1.4	QPSK	1	5	22.53	22.65	22.53	
1.4	QPSK	3	0	22.50	22.62	22.58	
1.4	QPSK	3	1	22.36	22.43	22.74	23
1.4	QPSK	3	3	22.48	22.61	22.60	
1.4	QPSK	6	0	21.45	21.84	21.84	
1.4	QPSK	1	0	21.45	21.87	21.82	
1.4	16QAM	1	3	21.62	21.75	21.70	23
1.4	16QAM	1	5	21.41	21.76	21.58	
1.4	16QAM	3	0	21.42	21.68	21.64	
1.4	16QAM	3	1	21.38	21.59	21.65	
1.4	16QAM	3	3	21.62	21.60	21.74	22
1.4	16QAM	1	0	20.58	20.75	20.67	
1.4	84QAM	1	0	20.47	20.67	20.85	
1.4	84QAM	1	3	20.47	20.70	20.76	
1.4	84QAM	1	5	20.48	20.74	20.56	22
1.4	84QAM	3	0	20.58	20.77	20.82	
1.4	84QAM	3	1	20.40	20.56	20.69	
1.4	84QAM	3	3	20.58	20.63	20.79	
1.4	84QAM	6	0	19.56	19.65	19.69	21

Band 38 -Ant 5 Full power&DSI2								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq	Power Middle Ch. / Freq	Power High Ch. / Freq	Tune-up limit (dBm)	
Channel				37850	38000	38150		
Frequency (MHz)				2580	2595	2610		
20	QPSK	1	0	22.65	22.71	22.63	24	
20	QPSK	1	49	22.67	22.68	22.54		
20	QPSK	1	99	22.47	22.65	22.50		
20	QPSK	50	0	21.64	21.80	21.77	23	
20	QPSK	50	24	21.71	21.70	21.74		
20	QPSK	50	50	21.71	21.78	21.67		
20	QPSK	100	0	21.69	21.76	21.66	23	
20	16QAM	1	0	21.65	21.69	21.81		
20	16QAM	1	49	21.73	21.82	21.69		
20	16QAM	1	99	21.75	21.75	21.80	22	
20	16QAM	50	0	21.03	21.06	21.05		
20	16QAM	50	24	20.95	20.99	20.98		
20	16QAM	50	50	20.88	20.91	20.88	22	
20	16QAM	100	0	20.90	20.89	20.91		
20	64QAM	1	0	20.94	21.06	20.96		
20	64QAM	1	49	21.01	20.90	21.06	22	
20	64QAM	1	99	21.04	21.07	20.89		
20	64QAM	50	0	19.77	19.86	19.83		
20	64QAM	50	24	19.86	19.84	19.92	21	
20	64QAM	50	50	19.76	19.90	19.79		
20	64QAM	100	0	19.84	19.80	19.91		
Channel				37825	38000	38175	Tune-up limit (dBm)	
Frequency (MHz)				2577.5	2595	2612.5		
15	QPSK	1	0	22.48	22.69	22.59	24	
15	QPSK	1	37	22.50	22.53	22.50		
15	QPSK	1	74	22.45	22.64	22.43		
15	QPSK	36	0	21.45	21.79	21.66	23	
15	QPSK	36	20	21.61	21.61	21.57		
15	QPSK	36	39	21.68	21.72	21.54		
15	QPSK	75	0	21.56	21.59	21.48	23	
15	16QAM	1	0	21.58	21.60	21.81		
15	16QAM	1	37	21.71	21.74	21.60		
15	16QAM	1	74	21.73	21.57	21.77	22	
15	16QAM	36	0	20.95	20.96	20.94		
15	16QAM	36	20	20.78	20.90	20.94		
15	16QAM	36	39	20.69	20.73	20.88	22	
15	16QAM	75	0	20.91	20.77	20.73		
15	64QAM	1	0	20.82	20.93	20.84		
15	64QAM	1	37	20.86	20.85	21.02	22	
15	64QAM	1	74	20.90	21.01	20.86		
15	64QAM	36	0	19.77	19.72	19.75		
15	64QAM	36	20	19.75	19.73	19.76	21	
15	64QAM	36	39	19.58	19.84	19.78		
15	64QAM	75	0	19.82	19.63	19.74		
Channel				37800	38000	38200	Tune-up limit (dBm)	
Frequency (MHz)				2575	2595	2615		
10	QPSK	1	0	22.48	22.61	22.48	24	
10	QPSK	1	25	22.48	22.65	22.52		
10	QPSK	1	49	22.31	22.55	22.43		
10	QPSK	25	0	21.58	21.79	21.72	23	
10	QPSK	25	12	21.56	21.51	21.59		
10	QPSK	25	25	21.70	21.69	21.66		
10	QPSK	50	0	21.64	21.66	21.60	23	
10	16QAM	1	0	21.57	21.51	21.69		
10	16QAM	1	25	21.68	21.65	21.64		
10	16QAM	1	49	21.64	21.64	21.65	22	
10	16QAM	25	0	20.84	20.94	20.86		
10	16QAM	25	12	20.87	20.92	20.92		
10	16QAM	25	25	20.70	20.74	20.77	22	
10	16QAM	50	0	20.80	20.87	20.73		
10	64QAM	1	0	20.87	21.06	20.93		
10	64QAM	1	25	20.89	20.86	21.06	22	
10	64QAM	1	49	20.96	21.04	20.76		
10	64QAM	25	0	19.70	19.85	19.71		
10	64QAM	25	12	19.85	19.67	19.81	21	
10	64QAM	25	25	19.61	19.82	19.78		
10	64QAM	50	0	19.80	19.73	19.85		
Channel				37775	38000	38225	Tune-up limit (dBm)	
Frequency (MHz)				2572.5	2595	2617.5		
5	QPSK	1	0	22.46	22.56	22.54	24	
5	QPSK	1	12	22.51	22.53	22.38		
5	QPSK	1	24	22.45	22.53	22.42		
5	QPSK	12	0	21.53	21.70	21.69	23	
5	QPSK	12	7	21.65	21.53	21.55		
5	QPSK	12	13	21.62	21.78	21.52		
5	QPSK	25	0	21.66	21.59	21.66	23	
5	16QAM	1	0	21.65	21.63	21.69		
5	16QAM	1	12	21.60	21.77	21.50		
5	16QAM	1	24	21.70	21.72	21.74	22	
5	16QAM	12	0	21.02	20.90	21.02		
5	16QAM	12	7	20.79	20.96	20.96		
5	16QAM	12	13	20.74	20.84	20.71	22	
5	16QAM	25	0	20.95	20.81	20.90		
5	64QAM	1	0	20.78	20.93	20.92		
5	64QAM	1	12	20.82	20.73	21.05	22	
5	64QAM	1	24	20.89	20.91	20.77		
5	64QAM	12	0	19.71	19.77	19.69		
5	64QAM	12	7	19.84	19.77	19.85	21	
5	64QAM	12	13	19.63	19.76	19.70		
5	64QAM	25	0	19.67	19.76	19.80		

Band 41 -Ant 5 Full power&DSI2									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Power High Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	22.76	22.78	22.79	22.68	22.63	24
20	QPSK	1	49	22.68	22.71	22.59	22.55	22.68	
20	QPSK	1	99	22.58	22.78	22.54	22.43	22.55	
20	QPSK	50	0	21.64	21.91	21.94	21.64	21.86	23
20	QPSK	50	24	21.88	21.89	21.90	21.85	21.93	
20	QPSK	50	50	21.72	21.86	21.72	21.55	21.81	
20	QPSK	100	0	21.72	21.71	21.77	21.76	21.71	23
20	16QAM	1	0	21.71	21.84	21.88	21.83	21.95	
20	16QAM	1	49	21.75	21.98	21.74	21.71	21.86	
20	16QAM	1	99	21.80	21.95	21.82	21.64	22.00	22
20	16QAM	50	0	21.04	21.22	21.19	21.05	21.18	
20	16QAM	50	24	21.12	21.01	20.98	20.86	21.02	
20	16QAM	50	50	21.04	20.91	20.91	20.98	20.90	22
20	16QAM	100	0	21.10	20.90	21.05	21.00	21.08	
20	64QAM	1	0	20.97	21.14	21.02	20.91	21.11	22
20	64QAM	1	49	21.20	20.96	21.22	21.04	21.15	
20	64QAM	1	99	21.15	21.07	21.02	20.96	20.96	
20	64QAM	50	0	19.86	19.97	20.02	19.98	20.02	21
20	64QAM	50	24	20.04	19.85	20.06	19.90	20.02	
20	64QAM	50	50	19.83	20.09	19.86	19.82	19.96	
20	64QAM	100	0	20.02	19.92	20.01	19.97	20.07	
Channel				39725	40173	40620	41068	41515	Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	22.65	22.72	22.70		22.46	24.00
15	QPSK	1	37	22.53	22.64	22.50		22.49	
15	QPSK	1	74	22.52	22.60	22.45		22.50	
15	QPSK	36	0	21.48	21.80	21.75		21.84	23
15	QPSK	36	20	21.75	21.88	21.90		21.74	
15	QPSK	36	39	21.70	21.78	21.60		21.69	
15	QPSK	75	0	21.63	21.51	21.65		21.59	23
15	16QAM	1	0	21.64	21.84	21.86		21.80	
15	16QAM	1	37	21.65	21.91	21.62		21.75	
15	16QAM	1	74	21.72	21.80	21.74		21.91	22
15	16QAM	36	0	20.94	21.07	21.19		21.11	
15	16QAM	36	20	20.93	20.90	20.81		20.86	
15	16QAM	36	39	21.01	20.88	20.85		20.76	22
15	16QAM	75	0	20.96	20.76	20.86		20.92	
15	64QAM	1	0	20.80	20.98	20.90		21.06	
15	64QAM	1	37	21.12	20.77	21.07		20.98	22
15	64QAM	1	74	21.05	21.04	20.98		20.76	
15	64QAM	36	0	19.84	19.85	19.96		19.91	
15	64QAM	36	20	19.87	19.72	20.04		19.95	21
15	64QAM	36	39	19.76	19.93	19.71		19.89	
15	64QAM	75	0	19.88	19.78	20.00		19.99	
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	22.73	22.69	22.78		22.44	24.00
10	QPSK	1	25	22.53	22.66	22.48		22.51	
10	QPSK	1	49	22.45	22.60	22.46		22.43	
10	QPSK	25	0	21.55	21.78	21.66		21.71	23
10	QPSK	25	12	21.70	21.70	21.90		21.86	
10	QPSK	25	25	21.64	21.76	21.67		21.80	
10	QPSK	50	0	21.55	21.60	21.70		21.56	23
10	16QAM	1	0	21.62	21.64	21.78		21.94	
10	16QAM	1	25	21.61	21.86	21.60		21.81	
10	16QAM	1	49	21.74	21.94	21.70		21.96	22
10	16QAM	25	0	21.02	21.07	21.15		21.08	
10	16QAM	25	12	21.06	20.96	20.90		20.93	
10	16QAM	25	25	20.85	20.87	20.81		20.77	22
10	16QAM	50	0	21.02	20.82	20.91		20.95	
10	64QAM	1	0	20.96	21.05	20.93		20.97	
10	64QAM	1	25	21.11	20.89	21.10		21.05	22
10	64QAM	1	49	21.10	20.91	20.88		20.79	
10	64QAM	25	0	19.83	19.84	19.92		19.96	
10	64QAM	25	12	20.03	19.82	19.88		19.83	21
10	64QAM	25	25	19.70	19.92	19.79		19.79	
10	64QAM	50	0	19.87	19.86	19.96		20.01	
Channel				39675	40148	40620	41093	41585	Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5	
5	QPSK	1	0	22.67	22.71	22.78		22.56	24.00
5	QPSK	1	12	22.50	22.66	22.58		22.55	
5	QPSK	1	24	22.44	22.63	22.49		22.43	
5	QPSK	12	0	21.56	21.82	21.81		21.69	23
5	QPSK	12	7	21.87	21.84	21.77		21.88	
5	QPSK	12	13	21.61	21.76	21.67		21.65	
5	QPSK	25	0	21.60	21.55	21.62		21.63	23
5	16QAM	1	0	21.60	21.77	21.79		21.83	
5	16QAM	1	12	21.57	21.92	21.70		21.80	
5	16QAM	1	24	21.66	21.82	21.78		21.99	22
5	16QAM	12	0	20.95	21.03	21.15		21.18	
5	16QAM	12	7	21.09	20.92	20.94		20.87	
5	16QAM	12	13	21.02	20.84	20.74		20.71	22
5	16QAM	25	0	20.99	20.82	20.90		21.07	
5	64QAM	1	0	20.94	21.01	20.84		20.92	
5	64QAM	1	12	21.18	20.91	21.05		21.08	22
5	64QAM	1	24	21.10	20.90	20.96		20.86	
5	64QAM	12	0	19.80	19.89	19.87		20.01	
5	64QAM	12	7	19.99	19.71	20.03		20.01	21
5	64QAM	12	13	19.79	19.93	19.71		19.94	
5	64QAM	25	0	19.93	19.91	19.90		19.94	

Reduced Power Mode for WWAN

		WCDMA II DS13				WCDMA IV DS13			
Band		WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)
TX Channel		9262	9400	9538		1312	1413	1513	
Rx Channel		9662	9800	9938		1537	1638	1738	
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6	
3GPP Rel 99	AMR 12.2Kbps	18.52	18.59	18.47	19.00	17.43	17.60	17.49	18.50
3GPP Rel 99	RMC 12.2Kbps	18.53	18.62	18.47	19.00	17.59	17.64	17.48	18.50
3GPP Rel 6	HSDPA Subtest-1	17.61	17.50	17.59	18.00	16.68	16.48	16.56	17.50
3GPP Rel 6	HSDPA Subtest-2	17.58	17.56	17.44	18.00	16.41	16.59	16.31	17.50
3GPP Rel 6	HSDPA Subtest-3	17.01	17.08	16.89	17.50	16.06	16.09	15.85	17.00
3GPP Rel 6	HSDPA Subtest-4	16.86	16.88	16.75	17.50	16.00	16.20	15.86	17.00
3GPP Rel 8	DC-HSDPA Subtest-1	17.61	17.74	17.60	18.00	16.60	16.46	16.59	17.50
3GPP Rel 8	DC-HSDPA Subtest-2	17.53	17.52	17.43	18.00	16.33	16.51	16.27	17.50
3GPP Rel 8	DC-HSDPA Subtest-3	16.70	16.87	16.45	17.50	16.15	16.05	15.90	17.00
3GPP Rel 8	DC-HSDPA Subtest-4	16.84	17.04	16.76	17.50	16.14	16.15	16.11	17.00
3GPP Rel 6	HSUPA Subtest-1	17.55	17.44	17.65	18.00	16.39	16.50	16.64	17.50
3GPP Rel 6	HSUPA Subtest-2	15.73	15.67	15.44	16.00	14.50	14.26	14.20	15.50
3GPP Rel 6	HSUPA Subtest-3	16.48	16.85	16.73	17.00	15.56	15.73	15.61	16.50
3GPP Rel 6	HSUPA Subtest-4	15.27	15.28	15.30	16.00	14.46	14.23	14.37	15.50
3GPP Rel 6	HSUPA Subtest-5	17.73	17.59	17.66	18.00	16.23	16.53	16.47	17.50
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	15.11	15.23	15.33	15.50	13.99	14.18	14.16	15.00



Band 2 -Ant 0 DS13												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq. 18700	Power Med. Ch. / Freq. 18800	Power High Ch. / Freq. 19100	Time-up limit (dBm)					
Channel												
Frequency (MHz)												
20	QPSK	1	0	17.68	17.24	17.84	18.5					
20	QPSK	1	49	16.78	16.87	16.94						
20	QPSK	1	99	16.91	16.97	16.98						
20	QPSK	50	0	16.90	17.19	17.03	18.5					
20	QPSK	50	24	16.73	16.81	16.87						
20	QPSK	50	50	16.80	16.97	16.85						
20	QPSK	100	0	16.99	17.05	17.02	18.5					
20	16QAM	1	0	16.05	16.72	16.90						
20	16QAM	1	49	16.76	16.95	16.88						
20	16QAM	1	99	17.04	16.82	16.91	18.5					
20	16QAM	50	0	16.62	16.70	16.86						
20	16QAM	50	24	16.76	16.81	16.72						
20	16QAM	50	50	17.01	16.84	17.05	18.5					
20	16QAM	100	0	16.77	16.72	16.83						
20	64QAM	1	0	16.85	16.88	16.75	18.5					
20	64QAM	1	49	17.05	16.89	17.06						
20	64QAM	1	99	16.62	16.83	16.82						
20	64QAM	50	0	16.84	16.83	16.77	18.5					
20	64QAM	50	24	17.00	17.01	16.93						
20	64QAM	50	50	16.76	16.82	16.89						
20	64QAM	100	0	16.88	16.85	16.86	18.5					
Channel												
Frequency (MHz)												
15	QPSK	1	0	16.90	16.85	16.92	18.5					
15	QPSK	1	37	16.65	16.79	16.75						
15	QPSK	1	74	16.79	16.85	16.78						
15	QPSK	36	0	16.81	16.94	16.83	18.5					
15	QPSK	36	20	16.96	16.75	16.83						
15	QPSK	36	39	16.71	16.81	16.77						
15	QPSK	75	0	16.94	16.74	16.98	18.5					
15	16QAM	1	0	16.53	16.56	16.75						
15	16QAM	1	37	16.68	16.83	16.79						
15	16QAM	1	74	16.84	16.73	16.78	18.5					
15	16QAM	36	0	16.59	16.55	16.80						
15	16QAM	36	20	16.63	16.72	16.65						
15	16QAM	36	39	16.68	16.72	16.97	18.5					
15	16QAM	75	0	16.77	16.61	16.80						
15	64QAM	1	0	16.76	16.85	16.91						
15	64QAM	1	37	16.86	16.79	16.90	18.5					
15	64QAM	1	74	16.58	16.65	16.71						
15	64QAM	36	0	16.68	16.65	16.68						
15	64QAM	36	20	16.69	16.73	16.94	18.5					
15	64QAM	36	39	16.57	16.55	16.77						
15	64QAM	75	0	16.76	16.83	16.71						
Channel												
Frequency (MHz)												
10	QPSK	1	0	16.96	16.82	16.94	18.5					
10	QPSK	1	25	16.59	16.73	16.75						
10	QPSK	1	49	16.89	16.83	16.84						
10	QPSK	25	0	16.75	16.98	17.01	18.5					
10	QPSK	25	12	16.61	16.79	16.82						
10	QPSK	25	12	16.82	16.82	16.77						
10	QPSK	50	0	16.96	16.87	16.88	18.5					
10	16QAM	1	0	16.52	16.58	16.78						
10	16QAM	1	25	16.60	16.83	16.73						
10	16QAM	1	49	16.98	16.62	16.75	18.5					
10	16QAM	25	0	16.63	16.55	16.74						
10	16QAM	25	12	16.71	16.73	16.61						
10	16QAM	25	25	16.89	16.82	16.89	18.5					
10	16QAM	50	0	16.67	16.55	16.81						
10	16QAM	50	12	16.71	16.87	16.91						
10	64QAM	1	0	16.76	16.85	16.91	18.5					
10	64QAM	1	25	16.93	16.70	16.95						
10	64QAM	1	49	16.55	16.79	16.77						
10	64QAM	25	0	16.68	16.66	16.76	18.5					
10	64QAM	25	12	16.83	16.62	16.76						
10	64QAM	25	12	16.61	16.63	16.78						
10	64QAM	50	0	16.74	16.94	16.84	18.5					
Channel												
Frequency (MHz)												
5	QPSK	1	0	17.02	16.95	16.92	18.5					
5	QPSK	1	12	16.62	16.67	16.79						
5	QPSK	1	24	16.91	16.79	16.80						
5	QPSK	12	0	16.75	16.87	16.88	18.5					
5	QPSK	12	7	16.65	16.77	16.69						
5	QPSK	12	13	16.69	16.79	16.77						
5	QPSK	25	0	16.90	16.71	16.95	18.5					
5	16QAM	1	0	16.69	16.70	16.86						
5	16QAM	1	12	16.58	16.67	16.86						
5	16QAM	1	24	17.00	16.62	16.75	18.5					
5	16QAM	12	0	16.63	16.67	16.74						
5	16QAM	12	7	16.61	16.71	16.71						
5	16QAM	12	13	16.84	16.76	17.03	18.5					
5	16QAM	25	0	16.75	16.64	16.73						
5	16QAM	25	12	16.79	16.80	16.69						
5	64QAM	1	0	16.94	16.83	16.82	18.5					
5	64QAM	1	24	16.72	16.69	16.78						
5	64QAM	12	0	16.62	16.75	16.66						
5	64QAM	12	7	16.82	16.90	16.92	18.5					
5	64QAM	12	7	16.67	16.83	16.88						
5	64QAM	25	0	16.69	16.83	16.72						
Channel												
Frequency (MHz)												
3	QPSK	1	0	16.90	16.83	16.95	18.5					
3	QPSK	1	16	16.85	16.79	16.79						
3	QPSK	1	14	16.85	16.96	16.84						
3	QPSK	8	0	16.85	16.94	16.93	18.5					
3	QPSK	8	4	16.72	16.72	16.79						
3	QPSK	8	7	16.80	16.78	16.77						
3	QPSK	15	0	16.94	16.77	16.90	18.5					
3	16QAM	1	0	16.82	16.85	16.80						
3	16QAM	1	8	16.58	16.84	16.73						
3	16QAM	1	14	16.95	16.63	16.85	18.5					
3	16QAM	8	0	16.73	16.96	16.86						
3	16QAM	8	4	16.69	16.78	16.85						
3	16QAM	8	7	16.96	16.70	17.04	18.5					
3	16QAM	15	0	16.69	16.57	16.80						
3	64QAM	1	0	16.67	16.76	16.57						
3	64QAM	1	8	16.93	16.77	17.00	18.5					
3	64QAM	1	14	16.60	16.72	16.78						
3	64QAM	8	0	16.67	16.69	16.66						
3	64QAM	8	4	16.86	16.98	16.90	18.5					
3	64QAM	8	7	16.66	16.78	16.84						
3	64QAM	15	0	16.72	16.87	16.66						
Channel												
Frequency (MHz)												
1.4	QPSK	1	0	17.04	16.96	16.97	18.5					
1.4	QPSK	1	3	16.68	16.84	16.93						
1.4	QPSK	1	5	16.88	16.83	16.82						
1.4	QPSK	3	0	16.90	16.92	17.03	18.5					
1.4	QPSK	3	1	16.72	16.66	16.86						
1.4	QPSK	3	3	16.68	16.85	16.73						
1.4	QPSK	6	0	16.82	16.87	16.92	18.5					
1.4	16QAM	1	0	16.54	16.65	16.89						
1.4	16QAM	1	3	16.76	16.88	16.83	18.5					
1.4	16QAM	1	5	16.82	16.78	16.96						
1.4	16QAM	3	0	16.92	16.92	16.97						
1.4	16QAM	3	1	16.60	16.81	16.53	18.5					
1.4	16QAM	3	3	16.84	16.69	16.87						
1.4	16QAM	6	0	16.74	16.71	16.69						
1.4	64QAM	1	0	16.75	16.69	16.65	18.5					
1.4	64QAM	1	3	16.98	16.81	17.05						
1.4	64QAM	3	0	16.77	16.64	16.74						
1.4	64QAM	3	0	16.73	16.67	16.75	18.5					
1.4	64QAM	6	0	16.88	16.82	16.87						
1.4	64QAM	3	3	16.64	16.82	16.88						
1.4	64QAM	6	0	16.87	16.76	16.77	18.5					

Band 38 -Ant 5 DSI3											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq	Power Middle Ch. / Freq	Power High Ch. / Freq	Tune-up limit (dBm)				
Channel				37850	38000	38150					
Frequency (MHz)				2580	2595	2610					
20	QPSK	1	0	21.64	21.64	21.76	23				
20	QPSK	1	49	21.55	21.46	21.40					
20	QPSK	1	99	21.59	21.38	21.54					
20	QPSK	50	0	21.81	21.64	21.79					
20	QPSK	50	24	21.52	21.46	21.58	23				
20	QPSK	50	50	21.78	21.43	21.54					
20	QPSK	100	0	21.60	21.76	21.72					
20	16QAM	1	0	21.77	21.73	21.67					
20	16QAM	1	49	21.66	21.55	21.31	23				
20	16QAM	1	99	21.73	21.32	21.32					
20	16QAM	50	0	20.79	20.65	20.56					
20	16QAM	50	24	20.57	20.50	20.41					
20	16QAM	50	50	20.79	20.56	20.52	22				
20	16QAM	100	0	20.53	20.71	20.71					
20	64QAM	1	0	20.77	20.62	20.49					
20	64QAM	1	49	20.55	20.45	20.38					
20	64QAM	1	99	20.54	20.52	20.47	22				
20	64QAM	50	0	19.73	19.59	19.71					
20	64QAM	50	24	19.62	19.79	19.63					
20	64QAM	50	50	19.62	19.34	19.34					
20	64QAM	100	0	19.58	19.52	19.33	21				
Channel				37825	38000	38175	Tune-up limit (dBm)				
Frequency (MHz)				2577.5	2595	2612.5					
15	QPSK	1	0	21.66	21.75	21.70	23				
15	QPSK	1	37	21.59	21.33	21.57					
15	QPSK	1	74	21.69	21.53	21.53					
15	QPSK	36	0	21.74	21.72	21.65					
15	QPSK	36	20	21.42	21.48	21.40	23				
15	QPSK	36	39	21.74	21.38	21.53					
15	QPSK	75	0	21.58	21.79	21.70					
15	16QAM	1	0	21.80	21.58	21.66					
15	16QAM	1	37	21.54	21.61	21.43	23				
15	16QAM	1	74	21.61	21.43	21.48					
15	16QAM	36	0	20.73	20.72	20.57					
15	16QAM	36	20	20.70	20.60	20.31					
15	16QAM	36	39	20.66	20.52	20.62	22				
15	16QAM	75	0	20.62	20.76	20.78					
15	64QAM	1	0	20.72	20.63	20.50					
15	64QAM	1	37	20.56	20.61	20.28					
15	64QAM	1	74	20.58	20.40	20.39	22				
15	64QAM	36	0	19.66	19.54	19.71					
15	64QAM	36	20	19.50	19.67	19.56					
15	64QAM	36	39	19.58	19.36	19.29					
15	64QAM	75	0	19.51	19.53	19.19	21				
Channel				37800	38000	38200	Tune-up limit (dBm)				
Frequency (MHz)				2575	2595	2615					
10	QPSK	1	0	21.58	21.83	21.72	23				
10	QPSK	1	25	21.59	21.37	21.59					
10	QPSK	1	49	21.61	21.54	21.60					
10	QPSK	25	0	21.66	21.75	21.81					
10	QPSK	25	12	21.47	21.47	21.43	23				
10	QPSK	25	25	21.76	21.45	21.65					
10	QPSK	50	0	21.54	21.72	21.67					
10	16QAM	1	0	21.78	21.62	21.64					
10	16QAM	1	25	21.69	21.48	21.40	23				
10	16QAM	1	49	21.68	21.54	21.34					
10	16QAM	25	0	20.65	20.76	20.71					
10	16QAM	25	12	20.68	20.44	20.40					
10	16QAM	25	25	20.77	20.44	20.57	22				
10	16QAM	50	0	20.69	20.77	20.68					
10	64QAM	1	0	20.72	20.51	20.64					
10	64QAM	1	25	20.57	20.49	20.31					
10	64QAM	1	49	20.69	20.43	20.34	22				
10	64QAM	25	0	19.80	19.70	19.79					
10	64QAM	25	12	19.58	19.73	19.69					
10	64QAM	25	25	19.76	19.52	19.30					
10	64QAM	50	0	19.68	19.50	19.27	21				
Channel				37775	38000	38225	Tune-up limit (dBm)				
Frequency (MHz)				2572.5	2595	2617.5					
5	QPSK	1	0	21.49	21.80	21.75	23				
5	QPSK	1	12	21.53	21.36	21.56					
5	QPSK	1	24	21.73	21.47	21.49					
5	QPSK	12	0	21.77	21.70	21.67					
5	QPSK	12	7	21.47	21.54	21.40	23				
5	QPSK	12	13	21.81	21.49	21.66					
5	QPSK	25	0	21.60	21.59	21.77					
5	16QAM	1	0	21.75	21.62	21.57					
5	16QAM	1	12	21.54	21.60	21.40	23				
5	16QAM	1	24	21.60	21.35	21.33					
5	16QAM	12	0	20.71	20.79	20.64					
5	16QAM	12	7	20.60	20.56	20.38					
5	16QAM	12	13	20.71	20.42	20.47	22				
5	16QAM	25	0	20.54	20.79	20.76					
5	64QAM	1	0	20.71	20.54	20.59					
5	64QAM	1	12	20.64	20.46	20.24					
5	64QAM	1	24	20.65	20.52	20.40	22				
5	64QAM	12	0	19.66	19.62	19.81					
5	64QAM	12	7	19.60	19.65	19.63					
5	64QAM	12	13	19.64	19.37	19.59					
5	64QAM	25	0	19.58	19.55	19.16	21				

Band 41 -Ant 5 DSI3										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Power Low Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	
Channel				39750	40185	40620	41055	41490		
Frequency (MHz)				2506	2549.5	2593	2636.5	2680		
20	QPSK	1	0	21.85	21.69	21.89	21.80	21.61	23	
20	QPSK	1	49	21.67	21.64	21.52	21.61	21.75		
20	QPSK	1	99	21.60	21.78	21.57	21.65	21.53		
20	QPSK	50	0	21.70	21.85	21.87	21.83	21.59		
20	QPSK	50	24	21.72	21.62	21.55	21.47	21.63	23	
20	QPSK	50	50	21.65	21.86	21.56	21.42	21.49		
20	QPSK	100	0	21.71	21.75	21.80	21.79	21.66		
20	16QAM	1	0	21.84	21.82	21.76	21.74	21.61		
20	16QAM	1	49	21.61	21.73	21.64	21.50	21.58	23	
20	16QAM	1	99	21.65	21.74	21.45	21.50	21.47		
20	16QAM	50	0	20.79	20.85	20.86	20.76	20.57		
20	16QAM	50	24	20.77	20.73	20.65	20.50	20.62		
20	16QAM	50	50	20.65	20.80	20.58	20.64	20.46	22	
20	16QAM	100	0	20.84	20.71	20.84	20.84	20.54		
20	64QAM	1	0	20.79	20.87	20.70	20.67	20.67		
20	64QAM	1	49	20.76	20.71	20.65	20.45	20.67		
20	64QAM	1	99	20.58	20.70	20.59	20.49	20.47	22	
20	64QAM	50	0	19.75	19.83	19.73	19.83	19.57		
20	64QAM	50	24	19.80	19.70	19.84	19.72	19.57		
20	64QAM	50	50	19.60	19.78	19.54	19.42	19.68		
20	64QAM	100	0	19.60	19.70	19.64	19.36	19.51	21	
Channel				39725	40173	40620	41068	41515		Tune-up limit (dBm)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5		
15	QPSK	1	0	21.68	21.59	21.56	21.78	21.43		23.00
15	QPSK	1	37	21.52	21.51	21.45	21.53	21.72		
15	QPSK	1	74	21.50	21.59	21.50	21.47	21.49		
15	QPSK	36	0	21.53	21.76	21.68	21.77	21.40		
15	QPSK	36	20	21.57	21.59	21.50	21.35	21.54	23	
15	QPSK	36	39	21.49	21.75	21.42	21.31	21.40		
15	QPSK	75	0	21.62	21.68	21.63	21.61	21.60	23	
15	16QAM	1	0	21.68	21.66	21.75	21.60	21.56		
15	16QAM	1	37	21.44	21.54	21.52	21.31	21.56		
15	16QAM	1	74	21.48	21.71	21.26	21.31	21.28		
15	16QAM	36	0	20.71	20.65	20.73	20.58	20.53	22	
15	16QAM	36	20	20.74	20.59	20.54	20.44	20.42		
15	16QAM	36	39	20.62	20.72	20.51	20.55	20.29		
15	16QAM	75	0	20.83	20.65	20.75	20.69	20.52		
15	64QAM	1	0	20.65	20.75	20.51	20.48	20.51	22	
15	64QAM	1	37	20.58	20.61	20.50	20.43	20.58		
15	64QAM	1	74	20.40	20.52	20.56	20.44	20.32		
15	64QAM	36	0	19.69	19.80	19.65	19.80	19.38		
15	64QAM	36	20	19.67	19.66	19.76	19.69	19.46	21	
15	64QAM	36	39	19.45	19.62	19.48	19.34	19.63		
15	64QAM	75	0	19.56	19.51	19.49	19.23	19.59		
Channel				39700	40160	40620	41080	41540	Tune-up limit (dBm)	
Frequency (MHz)				2501	2547	2593	2639	2685		
10	QPSK	1	0	21.65	21.66	21.65	21.65	21.49	23.00	
10	QPSK	1	25	21.57	21.57	21.44	21.55	21.75		
10	QPSK	1	49	21.52	21.63	21.40	21.47	21.36		
10	QPSK	25	0	21.52	21.75	21.73	21.71	21.49		
10	QPSK	25	12	21.53	21.59	21.47	21.30	21.46	23	
10	QPSK	25	25	21.53	21.60	21.38	21.44	21.49		
10	QPSK	50	0	21.56	21.83	21.61	21.72	21.49		
10	16QAM	1	0	21.73	21.80	21.68	21.65	21.59		
10	16QAM	1	25	21.42	21.65	21.47	21.45	21.57	23	
10	16QAM	1	49	21.58	21.62	21.33	21.46	21.41		
10	16QAM	25	0	20.61	20.79	20.66	20.66	20.45		
10	16QAM	25	12	20.69	20.60	20.54	20.31	20.60		
10	16QAM	25	25	20.62	20.65	20.44	20.60	20.33	22	
10	16QAM	50	0	20.74	20.54	20.65	20.77	20.49		
10	64QAM	1	0	20.73	20.74	20.53	20.52	20.67		
10	64QAM	1	25	20.58	20.55	20.60	20.27	20.58		
10	64QAM	1	49	20.50	20.69	20.48	20.37	20.39	22	
10	64QAM	25	0	19.61	19.66	19.67	19.69	19.44		
10	64QAM	25	12	19.64	19.51	19.80	19.64	19.39		
10	64QAM	25	25	19.49	19.59	19.38	19.59	19.52		
10	64QAM	50	0	19.42	19.67	19.54	19.21	19.44	21	
Channel				39675	40148	40620	41093	41585		Tune-up limit (dBm)
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5		
5	QPSK	1	0	21.71	21.54	21.52	21.62	21.52		23.00
5	QPSK	1	12	21.63	21.55	21.43	21.47	21.67		
5	QPSK	1	24	21.57	21.66	21.49	21.46	21.51		
5	QPSK	12	0	21.66	21.66	21.67	21.78	21.59		
5	QPSK	12	7	21.71	21.61	21.50	21.37	21.44	23	
5	QPSK	12	13	21.51	21.83	21.46	21.48	21.39		
5	QPSK	25	0	21.60	21.83	21.74	21.62	21.65		
5	16QAM	1	0	21.82	21.69	21.73	21.69	21.43		
5	16QAM	1	12	21.50	21.63	21.62	21.46	21.38	23	
5	16QAM	1	24	21.65	21.64	21.39	21.36	21.34		
5	16QAM	12	0	20.77	20.71	20.81	20.69	20.48		
5	16QAM	12	7	20.59	20.65	20.65	20.37	20.60		
5	16QAM	12	13	20.48	20.77	20.54	20.48	20.42	22	
5	16QAM	25	0	20.65	20.65	20.69	20.68	20.39		
5	64QAM	1	0	20.67	20.81	20.51	20.57	20.58		
5	64QAM	1	12	20.60	20.67	20.51	20.45	20.66		
5	64QAM	1	24	20.51	20.61	20.58	20.43	20.42	22	
5	64QAM	12	0	19.56	19.67	19.64	19.70	19.46		
5	64QAM	12	7	19.75	19.57	19.72	19.67	19.50		
5	64QAM	12	13	19.43	19.63	19.47	19.31	19.60		
5	64QAM	25	0	19.55	19.66	19.59	19.20	19.39		

		WCDMA II DSI 6				WCDMA IV DSI 6			
Band		WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)
TX Channel		9262	9400	9538		1312	1413	1513	
Rx Channel		9662	9800	9938		1537	1638	1738	
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6	
3GPP Rel 99	AMR 12.2Kbps	22.51	22.50	22.35	23.00	20.84	21.02	21.00	22.00
3GPP Rel 99	RMC 12.2Kbps	22.53	22.56	22.43	23.00	20.92	21.11	21.13	22.00
3GPP Rel 6	HSDPA Subtest-1	21.62	21.48	21.57	22.00	20.14	20.12	20.23	21.00
3GPP Rel 6	HSDPA Subtest-2	21.53	21.48	21.45	22.00	19.89	20.09	19.84	21.00
3GPP Rel 6	HSDPA Subtest-3	20.84	21.11	20.93	21.50	19.62	19.71	19.45	20.50
3GPP Rel 6	HSDPA Subtest-4	20.71	20.77	20.91	21.50	19.57	19.81	19.33	20.50
3GPP Rel 8	DC-HSDPA Subtest-1	21.68	21.60	21.44	22.00	20.11	20.01	19.98	21.00
3GPP Rel 8	DC-HSDPA Subtest-2	21.54	21.50	21.46	22.00	19.81	20.16	19.92	21.00
3GPP Rel 8	DC-HSDPA Subtest-3	20.65	20.95	20.57	21.50	19.64	19.45	19.41	20.50
3GPP Rel 8	DC-HSDPA Subtest-4	20.81	21.13	20.68	21.50	19.61	19.71	19.51	20.50
3GPP Rel 6	HSUPA Subtest-1	21.54	21.38	21.74	22.00	19.83	19.99	20.10	21.00
3GPP Rel 6	HSUPA Subtest-2	19.76	19.80	19.46	20.00	17.98	17.88	17.71	19.00
3GPP Rel 6	HSUPA Subtest-3	20.55	20.82	20.61	21.00	18.88	19.32	19.02	20.00
3GPP Rel 6	HSUPA Subtest-4	19.33	19.31	19.30	20.00	17.88	17.66	17.88	19.00
3GPP Rel 6	HSUPA Subtest-5	21.77	21.48	21.63	22.00	19.73	19.88	20.00	21.00
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	19.16	19.28	19.35	19.50	17.67	17.77	17.60	18.50



Band 2 - Ant 0 DSI6										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freqs 18700	Power Med Ch. / Freqs 18800	Power High Ch. / Freqs 19100	Turn-up limit (dBm)			
Channel										
Frequency (MHz)										
20	QPSK	1	0	21.16	21.32	21.27	22.5			
20	QPSK	1	49	20.90	20.97	21.02				
20	QPSK	1	99	20.87	20.88	20.92				
20	QPSK	50	0	21.06	21.09	21.00	22.5			
20	QPSK	50	24	20.89	21.03	20.99				
20	QPSK	50	50	20.82	20.89	21.00				
20	QPSK	100	0	20.92	21.08	20.95	22.5			
20	16QAM	1	0	21.08	20.99	21.05				
20	16QAM	1	49	20.82	20.94	20.88				
20	16QAM	1	99	20.76	20.87	20.90	22			
20	16QAM	50	24	20.59	20.47	20.69				
20	16QAM	50	50	20.64	20.63	20.59				
20	16QAM	100	0	20.94	20.62	20.76	22			
20	64QAM	1	0	20.76	20.95	20.91				
20	64QAM	1	49	20.50	20.77	20.72				
20	64QAM	1	99	20.58	20.49	20.60	21			
20	64QAM	50	0	19.56	19.64	19.63				
20	64QAM	50	24	19.56	19.61	19.61				
20	64QAM	50	50	19.66	19.61	19.63	21			
20	64QAM	100	0	19.60	19.58	19.56				
Channel										
Frequency (MHz)										
15	QPSK	1	0	20.92	21.10	20.92	22.5			
15	QPSK	1	37	20.86	20.86	21.01				
15	QPSK	1	74	20.71	20.83	20.80				
15	QPSK	36	0	21.04	21.00	20.92	22.5			
15	QPSK	36	20	20.73	20.94	20.97				
15	QPSK	36	39	20.70	20.79	20.87				
15	QPSK	75	0	20.76	20.96	20.78	22.5			
15	16QAM	1	0	21.07	20.93	20.89				
15	16QAM	1	37	20.67	20.79	20.69				
15	16QAM	1	74	20.73	20.70	20.81	22.5			
15	16QAM	36	0	20.49	20.65	20.62				
15	16QAM	36	20	20.47	20.38	20.52				
15	16QAM	36	39	20.44	20.49	20.48	22			
15	16QAM	75	0	20.48	20.46	20.61				
15	64QAM	1	0	20.56	20.49	20.56				
15	64QAM	1	37	20.40	20.64	20.55	22			
15	64QAM	1	74	20.51	20.39	20.47				
15	64QAM	36	0	19.56	19.59	19.61				
15	64QAM	36	20	19.55	19.62	19.61	21			
15	64QAM	36	39	19.59	19.44	19.46				
15	64QAM	75	0	19.49	19.53	19.47				
Channel										
Frequency (MHz)										
10	QPSK	1	0	20.92	21.10	20.92	22.5			
10	QPSK	1	25	20.86	20.86	21.01				
10	QPSK	1	49	20.76	20.86	20.85				
10	QPSK	25	0	20.90	21.01	21.00	22.5			
10	QPSK	25	12	20.81	20.89	20.89				
10	QPSK	25	12	20.74	20.88	20.86				
10	QPSK	50	0	20.81	21.07	20.89	22.5			
10	16QAM	1	0	21.00	20.85	20.87				
10	16QAM	1	25	20.66	20.90	20.78				
10	16QAM	1	49	20.62	20.85	20.79	22.5			
10	16QAM	25	0	20.60	20.60	20.61				
10	16QAM	25	12	20.46	20.34	20.49				
10	16QAM	25	12	20.51	20.47	20.51	22			
10	16QAM	50	0	20.39	20.42	20.75				
10	64QAM	1	0	20.32	20.69	20.66				
10	64QAM	1	25	20.45	20.71	20.70	22			
10	64QAM	1	49	20.53	20.35	20.50				
10	64QAM	25	0	19.50	19.46	19.55				
10	64QAM	25	12	19.55	19.43	19.42	21			
10	64QAM	25	12	19.51	19.41	19.41				
10	64QAM	50	0	19.50	19.44	19.51				
Channel										
Frequency (MHz)										
5	QPSK	1	0	20.92	21.11	20.97	22.5			
5	QPSK	1	24	20.75	20.77	20.74				
5	QPSK	1	24	20.77	20.74	20.85				
5	QPSK	12	0	20.99	20.87	20.83	22.5			
5	QPSK	12	7	20.82	20.97	20.86				
5	QPSK	12	13	20.78	20.76	20.89				
5	QPSK	26	0	20.94	20.98	20.96	22.5			
5	16QAM	1	0	20.92	20.83	21.01				
5	16QAM	1	12	20.64	20.67	20.88				
5	16QAM	1	24	20.67	20.84	20.90	22			
5	16QAM	12	7	20.81	20.93	20.86				
5	16QAM	12	7	20.47	20.33	20.56				
5	16QAM	12	13	20.51	20.54	20.65	22			
5	16QAM	25	0	20.39	20.57	20.65				
5	64QAM	1	0	20.73	20.41	20.79				
5	64QAM	1	12	20.32	20.64	20.66	22			
5	64QAM	1	24	20.54	20.42	20.51				
5	64QAM	12	0	19.55	19.63	19.44	21			
5	64QAM	12	7	19.57	19.45	19.46				
5	64QAM	12	13	19.51	19.52	19.55				
5	64QAM	25	0	19.59	19.40	19.41	21			
Channel										
Frequency (MHz)										
3	QPSK	1	0	20.95	21.04	21.04	22.5			
3	QPSK	1	8	20.71	20.97	20.91				
3	QPSK	1	14	20.80	20.79	20.89				
3	QPSK	8	0	20.99	20.87	20.81	22.5			
3	QPSK	8	4	20.88	21.02	20.95				
3	QPSK	8	7	20.76	20.72	20.84				
3	QPSK	15	0	20.78	20.98	20.87	22.5			
3	16QAM	1	0	20.99	20.88	21.04				
3	16QAM	1	8	20.82	20.79	20.71				
3	16QAM	1	14	20.60	20.77	20.85	22.5			
3	16QAM	8	0	20.47	20.64	20.56				
3	16QAM	8	9	20.50	20.33	20.59				
3	16QAM	8	7	20.51	20.54	20.57	22			
3	16QAM	15	0	20.51	20.59	20.58				
3	64QAM	1	0	20.62	20.45	20.79				
3	64QAM	1	8	20.34	20.72	20.72	22			
3	64QAM	1	14	20.48	20.41	20.41				
3	64QAM	8	0	19.52	19.64	19.60				
3	64QAM	8	4	19.44	19.43	19.49	21			
3	64QAM	8	7	19.57	19.53	19.58				
3	64QAM	15	0	19.54	19.40	19.30				
Channel										
Frequency (MHz)										
1.4	QPSK	1	0	20.88	21.03	20.96	22.5			
1.4	QPSK	1	3	20.84	20.83	20.86				
1.4	QPSK	1	5	20.71	20.69	20.74				
1.4	QPSK	3	0	21.04	20.87	20.98	22.5			
1.4	QPSK	3	1	20.83	20.93	20.79				
1.4	QPSK	3	3	20.64	20.67	20.91				
1.4	QPSK	6	0	20.76	20.98	20.96	22.5			
1.4	16QAM	1	0	20.86	20.99	20.77				
1.4	16QAM	1	3	20.85	20.98	20.84	22.5			
1.4	16QAM	1	5	20.69	20.87	20.79				
1.4	16QAM	3	0	20.65	20.69	20.71				
1.4	16QAM	3	1	21.02	20.83	20.86	22			
1.4	16QAM	6	0	20.69	20.79	20.66				
1.4	16QAM	6	0	20.52	20.53	20.71				
1.4	64QAM	1	0	20.41	20.42	20.37	22			
1.4	64QAM	1	3	20.40	20.44	20.28				
1.4	64QAM	1	5	20.11	20.22	20.30				
1.4	64QAM	3	0	20.14	20.10	20.30	22			
1.4	64QAM	3	1	20.08	20.28	20.31				
1.4	64QAM	3	3	20.14	20.38	20.13				
1.4	64QAM	6	0	19.18	19.48	19.47	21			

		GSM1900 DS17							
GSM1900		Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
TX Channel		512	661	810		512	661	810	
Frequency (MHz)		1850.2	1880	1909.8		1850.2	1880	1909.8	
GSM 1 Tx slot		29.56	29.63	29.59	30.00	20.56	20.63	20.59	21.00
GPRS 1 Tx slot		29.45	29.51	29.55	30.00	20.45	20.51	20.55	21.00
GPRS 2 Tx slots		27.60	27.69	27.58	28.00	21.60	21.69	21.58	22.00
GPRS 3 Tx slots		25.44	25.22	25.28	26.00	21.18	20.96	21.02	21.74
GPRS 4 Tx slots		23.05	23.18	23.19	24.00	20.05	20.18	20.19	21.00
EDGE 1 Tx slot		25.24	25.12	25.13	26.00	16.24	16.12	16.13	17.00
EDGE 2 Tx slots		22.96	22.82	22.77	24.00	16.96	16.82	16.77	18.00
EDGE 3 Tx slots		20.84	20.59	20.88	22.00	16.58	16.33	16.62	17.74
EDGE 4 Tx slots		19.04	18.86	18.87	20.00	16.04	15.86	15.87	17.00
		WCDMA II DS17			WCDMA IV DS17				
Band		WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)
TX Channel		9262	9400	9538		1312	1413	1513	
Rx Channel		9662	9800	9938		1537	1638	1738	
Frequency (MHz)		1852.4	1880	1907.6		1712.4	1732.6	1752.6	
3GPP Rel 99	AMR 12.2Kbps	17.53	17.56	17.54	18.00	16.93	17.03	16.98	18.00
3GPP Rel 99	RMC 12.2Kbps	17.55	17.60	17.48	18.00	17.09	17.14	16.98	18.00
3GPP Rel 6	HSDPA Subtest-1	16.54	16.41	16.54	17.00	16.17	16.08	16.11	17.00
3GPP Rel 6	HSDPA Subtest-2	16.48	16.55	16.53	17.00	15.94	16.03	15.87	17.00
3GPP Rel 6	HSDPA Subtest-3	16.07	16.15	15.92	16.50	15.49	15.67	15.28	16.50
3GPP Rel 6	HSDPA Subtest-4	15.77	15.82	15.77	16.50	15.59	15.66	15.29	16.50
3GPP Rel 8	DC-HSDPA Subtest-1	16.67	16.71	16.59	17.00	16.13	15.91	16.01	17.00
3GPP Rel 8	DC-HSDPA Subtest-2	16.51	16.47	16.43	17.00	15.87	16.01	15.72	17.00
3GPP Rel 8	DC-HSDPA Subtest-3	15.73	15.74	15.39	16.50	15.70	15.46	15.40	16.50
3GPP Rel 8	DC-HSDPA Subtest-4	15.92	15.95	15.78	16.50	15.69	15.58	15.70	16.50
3GPP Rel 6	HSUPA Subtest-1	16.63	16.48	16.72	17.00	15.95	16.01	16.20	17.00
3GPP Rel 6	HSUPA Subtest-2	14.78	14.72	14.35	15.00	14.00	13.76	13.73	15.00
3GPP Rel 6	HSUPA Subtest-3	15.47	15.90	15.80	16.00	15.02	15.29	15.08	16.00
3GPP Rel 6	HSUPA Subtest-4	14.20	14.34	14.32	15.00	13.98	13.77	13.94	15.00
3GPP Rel 6	HSUPA Subtest-5	16.68	16.56	16.70	17.00	15.63	16.06	15.97	17.00
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	14.19	14.21	14.29	14.50	13.50	13.65	13.63	14.50



Band 2 -Ant 0 DSI7												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freqs. 18700	Power Med. Ch. / Freqs. 18800	Power High Ch. / Freqs. 18900	Time-up limit (dBm)					
Channel												
Frequency (MHz)												
20	QPSK	1	0	15.01	15.35	15.13	17.5					
20	QPSK	1	49	15.94	15.93	15.96						
20	QPSK	1	99	15.90	15.06	15.99						
20	QPSK	50	0	15.88	15.17	15.99	17.5					
20	QPSK	50	24	15.80	15.90	15.80						
20	QPSK	50	50	15.92	15.92	15.91						
20	QPSK	100	0	15.98	15.04	15.03	17.5					
20	16QAM	1	0	15.07	15.74	15.00						
20	16QAM	1	49	15.66	15.88	15.94						
20	16QAM	1	99	15.02	15.85	15.00	17.5					
20	16QAM	50	0	15.69	15.73	15.84						
20	16QAM	50	24	15.86	15.80	15.79						
20	16QAM	50	50	15.94	15.89	15.96	17.5					
20	16QAM	100	0	15.79	15.73	15.84						
20	64QAM	1	0	15.92	15.91	15.91						
20	64QAM	1	49	15.05	15.95	15.11	17.5					
20	64QAM	1	99	15.97	15.89	15.88						
20	64QAM	50	0	15.81	15.89	15.81						
20	64QAM	50	24	15.80	15.80	15.80	17.5					
20	64QAM	50	50	15.73	15.72	15.82						
20	64QAM	100	0	15.95	15.97	15.95						
Channel												
Frequency (MHz)												
15	QPSK	1	0	15.65	15.67	15.60	17.5					
15	QPSK	1	37	15.78	15.77	15.85						
15	QPSK	1	74	15.76	15.96	15.83						
15	QPSK	36	0	15.84	15.65	15.82	17.5					
15	QPSK	36	20	15.78	15.86	15.65						
15	QPSK	36	39	15.89	15.77	15.79						
15	QPSK	75	0	15.93	15.89	15.84	17.5					
15	16QAM	1	0	15.61	15.65	15.91						
15	16QAM	1	37	15.78	15.88	15.80						
15	16QAM	1	74	15.85	15.84	15.87	17.5					
15	16QAM	36	0	15.92	15.62	15.73						
15	16QAM	36	20	15.78	15.68	15.69						
15	16QAM	36	39	15.85	15.77	15.52	17.5					
15	16QAM	75	0	15.78	15.84	15.81						
15	64QAM	1	0	15.68	15.79	15.86						
15	64QAM	1	37	15.87	15.92	15.02	17.5					
15	64QAM	1	74	15.86	15.81	15.82						
15	64QAM	36	0	15.69	15.82	15.69						
15	64QAM	36	20	15.80	15.86	15.87	17.5					
15	64QAM	36	39	15.08	15.71	15.74						
15	64QAM	75	0	15.80	15.92	15.88						
Channel												
Frequency (MHz)												
10	QPSK	1	0	15.66	15.67	15.60	17.5					
10	QPSK	1	25	15.82	15.72	15.83						
10	QPSK	1	49	15.81	15.96	15.90						
10	QPSK	25	0	15.75	15.14	15.98	17.5					
10	QPSK	25	12	15.79	15.86	15.73						
10	QPSK	25	12	15.80	15.80	15.80						
10	QPSK	50	0	15.89	15.95	15.99	17.5					
10	16QAM	1	0	15.75	15.69	15.90						
10	16QAM	1	25	15.84	15.70	15.86						
10	16QAM	1	49	15.82	15.86	15.85	17.5					
10	16QAM	25	0	15.92	15.64	15.76						
10	16QAM	25	12	15.72	15.63	15.75						
10	16QAM	25	25	15.86	15.74	15.81	17.5					
10	16QAM	50	0	15.64	15.56	15.81						
10	64QAM	1	0	15.68	15.73	15.95						
10	64QAM	1	25	15.91	15.85	15.95	17.5					
10	64QAM	1	49	15.92	15.70	15.85						
10	64QAM	25	0	15.61	15.87	15.76						
10	64QAM	25	12	15.95	15.94	15.81	17.5					
10	64QAM	25	12	15.71	15.71	15.82						
10	64QAM	50	0	15.87	15.93	15.85						
Channel												
Frequency (MHz)												
5	QPSK	1	0	15.90	15.90	15.90	17.5					
5	QPSK	1	12	15.71	15.67	15.80						
5	QPSK	1	24	15.75	15.98	15.98						
5	QPSK	12	0	15.71	15.13	15.90	17.5					
5	QPSK	12	7	15.74	15.75	15.82						
5	QPSK	12	13	15.91	15.84	15.80						
5	QPSK	25	0	15.93	15.93	15.90	17.5					
5	16QAM	1	0	15.57	15.73	15.91						
5	16QAM	1	12	15.84	15.86	15.90						
5	16QAM	1	24	15.92	15.71	15.94	17.5					
5	16QAM	12	0	15.86	15.86	15.87						
5	16QAM	12	7	15.74	15.69	15.62						
5	16QAM	12	13	15.88	15.75	15.85	17.5					
5	16QAM	25	0	15.76	15.70	15.83						
5	16QAM	1	12	15.79	15.82	15.70						
5	64QAM	1	0	15.93	15.92	15.90	17.5					
5	64QAM	1	24	15.94	15.85	15.82						
5	64QAM	12	0	15.73	15.84	15.75						
5	64QAM	12	7	15.94	15.94	15.78	17.5					
5	64QAM	12	13	15.87	15.87	15.79						
5	64QAM	25	0	15.94	15.81	15.71						
Channel												
Frequency (MHz)												
3	QPSK	1	0	15.84	15.08	15.03	17.5					
3	QPSK	1	15	15.86	15.89	15.84						
3	QPSK	1	14	15.76	15.90	15.89						
3	QPSK	8	0	15.78	15.97	15.84	17.5					
3	QPSK	8	4	15.71	15.89	15.63						
3	QPSK	8	7	15.87	15.90	15.86						
3	QPSK	15	0	15.80	15.87	15.96	17.5					
3	16QAM	1	0	15.99	15.57	15.88						
3	16QAM	1	8	15.95	15.70	15.74						
3	16QAM	1	14	15.99	15.69	15.82	17.5					
3	16QAM	8	0	15.99	15.95	15.80						
3	16QAM	8	4	15.76	15.80	15.72						
3	16QAM	8	7	15.77	15.83	15.95	17.5					
3	16QAM	15	0	15.88	15.66	15.77						
3	64QAM	1	0	15.78	15.71	15.82						
3	64QAM	1	8	15.96	15.80	15.03	17.5					
3	64QAM	1	14	15.96	15.76	15.86						
3	64QAM	8	0	15.65	15.75	15.66						
3	64QAM	8	4	15.96	15.88	15.79	17.5					
3	64QAM	8	7	15.71	15.55	15.68						
3	64QAM	3	0	15.93	15.71	15.85						
3	64QAM	6	0	15.94	15.86	15.74	17.5					
Channel												
Frequency (MHz)												
1.4	QPSK	1	0	15.99	15.09	15.99	17.5					
1.4	QPSK	1	3	15.72	15.66	15.92						
1.4	QPSK	1	5	15.78	15.90	15.92						
1.4	QPSK	3	0	15.88	15.16	15.91	17.5					
1.4	QPSK	3	1	15.71	15.72	15.93						
1.4	QPSK	3	3	15.72	15.74	15.89						
1.4	QPSK	6	0	15.83	15.83	15.87	17.5					
1.4	16QAM	1	0	15.99	15.05	15.83						
1.4	16QAM	1										

Band 38 -Ant 5 DSI7								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq	Power Middle Ch. / Freq	Power High Ch. / Freq	Tune-up limit (dBm)	
Channel				37850	38000	38150		
Frequency (MHz)				2580	2595	2610		
20	QPSK	1	0	21.64	21.84	21.76	23	
20	QPSK	1	49	21.55	21.46	21.40		
20	QPSK	1	99	21.59	21.38	21.54		
20	QPSK	50	0	21.81	21.83	21.79		
20	QPSK	50	24	21.52	21.46	21.58	23	
20	QPSK	50	50	21.78	21.43	21.54		
20	QPSK	100	0	21.60	21.78	21.72		
20	16QAM	1	0	21.77	21.73	21.67		
20	16QAM	1	49	21.66	21.55	21.31	23	
20	16QAM	1	99	21.73	21.32	21.32		
20	16QAM	50	0	20.79	20.65	20.56		
20	16QAM	50	24	20.57	20.50	20.41		
20	16QAM	50	50	20.79	20.56	20.52	22	
20	16QAM	100	0	20.53	20.71	20.71		
20	64QAM	1	0	20.77	20.62	20.49		
20	64QAM	1	49	20.55	20.45	20.38		
20	64QAM	1	99	20.54	20.52	20.47	22	
20	64QAM	50	0	19.73	19.59	19.71		
20	64QAM	50	24	19.62	19.79	19.63		
20	64QAM	50	50	19.62	19.34	19.34		
20	64QAM	100	0	19.58	19.52	19.33	21	
Channel				37825	38000	38175		
Frequency (MHz)				2577.5	2595	2612.5		
15	QPSK	1	0	21.66	21.75	21.70	23	
15	QPSK	1	37	21.59	21.33	21.57		
15	QPSK	1	74	21.69	21.53	21.53		
15	QPSK	36	0	21.74	21.72	21.65		
15	QPSK	36	20	21.42	21.48	21.40	23	
15	QPSK	36	39	21.74	21.38	21.53		
15	QPSK	75	0	21.58	21.79	21.70		
15	16QAM	1	0	21.80	21.58	21.66		
15	16QAM	1	37	21.54	21.61	21.43	23	
15	16QAM	1	74	21.61	21.43	21.48		
15	16QAM	36	0	20.73	20.72	20.57		
15	16QAM	36	20	20.70	20.60	20.31		
15	16QAM	36	39	20.66	20.52	20.62	22	
15	16QAM	75	0	20.62	20.76	20.78		
15	64QAM	1	0	20.72	20.63	20.50		
15	64QAM	1	37	20.56	20.61	20.28		
15	64QAM	1	74	20.58	20.40	20.39	22	
15	64QAM	36	0	19.66	19.54	19.71		
15	64QAM	36	20	19.50	19.67	19.56		
15	64QAM	36	39	19.58	19.36	19.29		
15	64QAM	75	0	19.51	19.53	19.19	21	
Channel				37800	38000	38200		
Frequency (MHz)				2575	2595	2615		
10	QPSK	1	0	21.58	21.83	21.72	23	
10	QPSK	1	25	21.59	21.37	21.59		
10	QPSK	1	49	21.61	21.54	21.60		
10	QPSK	25	0	21.66	21.75	21.81		
10	QPSK	25	12	21.47	21.47	21.43	23	
10	QPSK	25	25	21.76	21.45	21.65		
10	QPSK	50	0	21.54	21.72	21.67		
10	16QAM	1	0	21.78	21.62	21.64		
10	16QAM	1	25	21.69	21.48	21.40	23	
10	16QAM	1	49	21.68	21.54	21.34		
10	16QAM	25	0	20.65	20.76	20.71		
10	16QAM	25	12	20.68	20.44	20.40		
10	16QAM	25	25	20.77	20.44	20.57	22	
10	16QAM	50	0	20.69	20.77	20.68		
10	64QAM	1	0	20.72	20.51	20.64		
10	64QAM	1	25	20.57	20.49	20.31		
10	64QAM	1	49	20.69	20.43	20.34	22	
10	64QAM	25	0	19.80	19.70	19.79		
10	64QAM	25	12	19.58	19.73	19.69		
10	64QAM	25	25	19.76	19.52	19.30		
10	64QAM	50	0	19.68	19.50	19.27	21	
Channel				37775	38000	38225		
Frequency (MHz)				2572.5	2595	2617.5		
5	QPSK	1	0	21.49	21.80	21.75	23	
5	QPSK	1	12	21.53	21.36	21.56		
5	QPSK	1	24	21.73	21.47	21.49		
5	QPSK	12	0	21.77	21.70	21.67		
5	QPSK	12	7	21.47	21.54	21.40	23	
5	QPSK	12	13	21.81	21.49	21.66		
5	QPSK	25	0	21.60	21.59	21.77		
5	16QAM	1	0	21.75	21.62	21.57		
5	16QAM	1	12	21.54	21.60	21.40	23	
5	16QAM	1	24	21.60	21.35	21.33		
5	16QAM	12	0	20.71	20.79	20.64		
5	16QAM	12	7	20.60	20.56	20.38		
5	16QAM	12	13	20.71	20.42	20.47	22	
5	16QAM	25	0	20.54	20.79	20.76		
5	64QAM	1	0	20.71	20.54	20.59		
5	64QAM	1	12	20.64	20.46	20.24		
5	64QAM	1	24	20.65	20.52	20.40	22	
5	64QAM	12	0	19.66	19.62	19.81		
5	64QAM	12	7	19.60	19.65	19.63		
5	64QAM	12	13	19.64	19.37	19.59		
5	64QAM	25	0	19.58	19.55	19.16	21	

Band 41 -Ant 5 DSI7									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Power Low Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)
Channel				39750	40185	40620	41055	41490	
Frequency (MHz)				2506	2549.5	2593	2636.5	2680	
20	QPSK	1	0	21.85	21.69	21.89	21.80	21.61	23
20	QPSK	1	49	21.67	21.64	21.52	21.61	21.75	
20	QPSK	1	99	21.60	21.78	21.57	21.65	21.53	
20	QPSK	50	0	21.70	21.85	21.87	21.83	21.59	
20	QPSK	50	24	21.72	21.62	21.55	21.47	21.63	23
20	QPSK	50	50	21.65	21.86	21.56	21.42	21.49	
20	QPSK	100	0	21.71	21.75	21.80	21.79	21.66	
20	16QAM	1	0	21.84	21.82	21.76	21.74	21.61	
20	16QAM	1	49	21.61	21.73	21.64	21.50	21.58	23
20	16QAM	1	99	21.65	21.74	21.45	21.50	21.47	
20	16QAM	50	0	20.79	20.85	20.86	20.76	20.57	
20	16QAM	50	24	20.77	20.73	20.65	20.50	20.62	
20	16QAM	50	50	20.65	20.80	20.58	20.64	20.46	22
20	16QAM	100	0	20.84	20.71	20.84	20.84	20.54	
20	64QAM	1	0	20.79	20.87	20.70	20.67	20.67	
20	64QAM	1	49	20.76	20.71	20.65	20.45	20.67	
20	64QAM	1	99	20.58	20.70	20.59	20.49	20.47	22
20	64QAM	50	0	19.75	19.83	19.73	19.83	19.57	
20	64QAM	50	24	19.80	19.70	19.84	19.72	19.57	
20	64QAM	50	50	19.60	19.78	19.54	19.42	19.68	
20	64QAM	100	0	19.60	19.70	19.64	19.36	19.51	21
Channel				39725	40173	40620	41068	41515	
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5	
15	QPSK	1	0	21.68	21.59	21.56	21.78	21.43	23.00
15	QPSK	1	37	21.52	21.51	21.45	21.53	21.72	
15	QPSK	1	74	21.50	21.59	21.50	21.47	21.49	
15	QPSK	36	0	21.53	21.76	21.68	21.77	21.40	
15	QPSK	36	20	21.57	21.59	21.50	21.35	21.54	23
15	QPSK	36	39	21.49	21.75	21.42	21.31	21.40	
15	QPSK	75	0	21.62	21.68	21.63	21.61	21.60	
15	16QAM	1	0	21.68	21.66	21.75	21.60	21.56	
15	16QAM	1	37	21.44	21.54	21.52	21.31	21.56	23
15	16QAM	1	74	21.48	21.71	21.26	21.31	21.28	
15	16QAM	36	0	20.71	20.65	20.73	20.58	20.53	
15	16QAM	36	20	20.74	20.59	20.54	20.44	20.42	
15	16QAM	36	39	20.62	20.72	20.51	20.55	20.29	22
15	16QAM	75	0	20.83	20.65	20.75	20.69	20.52	
15	64QAM	1	0	20.65	20.75	20.51	20.48	20.51	
15	64QAM	1	37	20.58	20.61	20.50	20.43	20.58	
15	64QAM	1	74	20.40	20.52	20.56	20.44	20.32	22
15	64QAM	36	0	19.69	19.80	19.65	19.80	19.38	
15	64QAM	36	20	19.67	19.66	19.76	19.69	19.46	
15	64QAM	36	39	19.45	19.62	19.48	19.34	19.63	
15	64QAM	75	0	19.56	19.51	19.49	19.23	19.39	21
Channel				39700	40160	40620	41080	41540	
Frequency (MHz)				2501	2547	2593	2639	2685	
10	QPSK	1	0	21.65	21.66	21.65	21.65	21.49	23.00
10	QPSK	1	25	21.57	21.57	21.44	21.55	21.75	
10	QPSK	1	49	21.52	21.63	21.40	21.47	21.36	
10	QPSK	25	0	21.52	21.75	21.73	21.71	21.49	
10	QPSK	25	12	21.53	21.59	21.47	21.30	21.46	23
10	QPSK	25	25	21.53	21.60	21.38	21.44	21.49	
10	QPSK	50	0	21.56	21.83	21.61	21.72	21.49	
10	16QAM	1	0	21.73	21.80	21.68	21.65	21.59	
10	16QAM	1	25	21.42	21.65	21.47	21.45	21.57	23
10	16QAM	1	49	21.58	21.62	21.33	21.46	21.41	
10	16QAM	25	0	20.61	20.79	20.66	20.66	20.45	
10	16QAM	25	12	20.69	20.60	20.54	20.31	20.60	
10	16QAM	25	25	20.62	20.65	20.44	20.60	20.33	22
10	16QAM	50	0	20.74	20.54	20.65	20.77	20.49	
10	64QAM	1	0	20.73	20.74	20.53	20.52	20.67	
10	64QAM	1	25	20.58	20.55	20.60	20.27	20.58	
10	64QAM	1	49	20.50	20.69	20.48	20.37	20.39	22
10	64QAM	25	0	19.61	19.66	19.67	19.69	19.44	
10	64QAM	25	12	19.64	19.51	19.80	19.64	19.39	
10	64QAM	25	25	19.49	19.59	19.38	19.59	19.52	
10	64QAM	50	0	19.42	19.67	19.54	19.21	19.44	21
Channel				39675	40148	40620	41093	41565	
Frequency (MHz)				2498.5	2545.8	2593	2640.30	2687.5	
5	QPSK	1	0	21.71	21.54	21.52	21.62	21.52	23.00
5	QPSK	1	12	21.63	21.55	21.43	21.47	21.67	
5	QPSK	1	24	21.57	21.66	21.49	21.46	21.51	
5	QPSK	12	0	21.66	21.66	21.67	21.78	21.59	
5	QPSK	12	7	21.71	21.61	21.50	21.37	21.44	23
5	QPSK	12	13	21.51	21.83	21.46	21.48	21.39	
5	QPSK	25	0	21.60	21.83	21.74	21.62	21.65	
5	16QAM	1	0	21.82	21.69	21.73	21.69	21.43	
5	16QAM	1	12	21.50	21.63	21.62	21.46	21.38	23
5	16QAM	1	24	21.65	21.64	21.39	21.36	21.34	
5	16QAM	12	0	20.77	20.71	20.81	20.69	20.48	
5	16QAM	12	7	20.59	20.65	20.65	20.37	20.60	
5	16QAM	12	13	20.48	20.77	20.54	20.48	20.42	22
5	16QAM	25	0	20.65	20.65	20.69	20.68	20.39	
5	16QAM	1	0	20.67	20.81	20.51	20.57	20.58	
5	64QAM	1	12	20.60	20.67	20.51	20.45	20.66	
5	64QAM	1	24	20.51	20.61	20.58	20.43	20.42	22
5	64QAM	12	0	19.56	19.67	19.64	19.70	19.46	
5	64QAM	12	7	19.75	19.57	19.72	19.67	19.50	
5	64QAM	12	13	19.43	19.63	19.47	19.31	19.60	
5	64QAM	25	0	19.55	19.66	19.59	19.20	19.39	21

2CA DL

CA List	PCC							SCC				Power	
	LTE	BW	UL	UL	Mod.	UL#	UL	LTE	BW	DL	DL	With CA	Without CA
	Band	(MHz)	Freq.	Channel		RB	RB	Band	(MHz)	Freq.	Channel	Tx. Power	Tx. Power
			(MHz)				Offset			(MHz)		(dBm)	(dBm)
CA_2C	Band 2	20M	1880	18900	QPSK	1	0	Band 2	20M	1979.8	1098	22.45	22.54
CA_2A_4A	Band 2	20M	1880	18900	QPSK	1	0	Band 4	20M	2132.5	2175	22.35	22.54
	Band 4	20M	1732.5	20175	QPSK	1	0	Band 2	20M	1960	900	22.56	22.75
CA_2A_5A	Band 2	20M	1880	18900	QPSK	1	0	Band 5	10M	881.5	2525	22.36	22.54
	Band 5	10M	836.5	20525	QPSK	1	0	Band 2	20M	1960	900	23.29	23.44
CA_2A_7A	Band 2	20M	1880	18900	QPSK	1	0	Band 7	20M	2655	3100	22.41	22.54
	Band 7	20M	2535	21100	QPSK	1	0	Band 2	20M	1960	900	22.62	22.79
CA_4A_5A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 5	10M	881.5	2525	22.58	22.75
	Band 5	10M	836.5	20525	QPSK	1	0	Band 4	20M	2132.5	2175	23.21	23.44
CA_4A_7A	Band 4	20M	1732.5	20175	QPSK	1	0	Band 7	20M	2655	3100	22.67	22.75
	Band 7	20M	2535	21100	QPSK	1	0	Band 4	20M	2132.5	2175	22.72	22.79
CA_5A_7A	Band 5	10M	836.5	20525	QPSK	1	0	Band 7	20M	2655	3100	23.25	23.44
	Band 7	20M	2535	21100	QPSK	1	0	Band 5	10M	881.5	2525	22.68	22.79
CA_5A_41A	Band 5	10M	836.5	20525	QPSK	1	0	Band 41	20M	2593	40620	23.35	23.44
	Band 41	20M	2593	40620	QPSK	1	0	Band 5	10M	881.5	2525	22.58	22.79
CA_5A_66A	Band 5	10M	836.5	20525	QPSK	1	0	Band 66	20M	2155	66886	23.21	23.44
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	881.5	2525	22.67	22.81
CA_7B	Band 7	20M	2535	21100	QPSK	1	0	Band 7	5M	2666.7	3217	22.58	22.79
CA_7C	Band 7	20M	2535	21100	QPSK	1	0	Band 7	20M	2674.8	3298	22.48	22.79
CA_7A-7A	Band 7	20M	2535	21100	QPSK	1	0	Band 7	5M	2687.5	3425	22.67	22.79
CA_7A-26A	Band 7	20M	2535	21100	QPSK	1	0	Band 26	15M	876.5	8865	22.58	22.79
	Band 26	15M	831.5	26865	QPSK	1	0	Band 7	20M	2655	3100	23.45	23.57
CA_26A_41A	Band 26	15M	831.5	26865	QPSK	1	0	Band 41	20M	2593	40620	23.39	23.57
	Band 41	20M	2593	40620	QPSK	1	0	Band 26	15M	876.5	8865	22.65	22.79
CA_38C	Band 38	20M	2595	37901	QPSK	1	0	Band 38	20M	2614.8	38099	22.47	22.71
CA_41C	Band 41	20M	2593	40620	QPSK	1	0	Band 41	20M	2612.8	40818	22.71	22.79
CA_66B	Band 66	15M	1745	132322	QPSK	1	0	Band 66	5M	2164.3	66979	22.67	22.81
CA_66C	Band 66	20M	1745	132322	QPSK	1	0	Band 7	20M	2174.8	67084	22.65	22.81
CA_66A-66A	Band 66	20M	1745	132322	QPSK	1	0	Band 66	5M	2197.5	67311	22.72	22.81

WLAN/Bluetooth Power

2.4GHz WLAN				Ant 8 Full Power & Handheld		Ant 8 Head		Ant 8 Body Worn & Hotspot		Duty Cycle %
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
2.4GHz WLAN	802.11b 1Mbps	1	2412	19.00	20.50	17.19	18.50	18.55	20.00	97.90
		6	2437	18.78	20.50	16.98	18.50	18.27	20.00	
		11	2462	19.12	20.50	17.22	18.50	18.60	20.00	
	802.11g 6Mbps	1	2412	18.66	20.50	17.05	18.50	18.66	20.00	97.49
		6	2437	18.47	20.00	16.91	18.50	18.47	20.00	
		11	2462	16.49	18.00	16.95	18.00	16.49	18.00	
	802.11n-HT20 MCS0	1	2412	17.90	19.50	16.98	18.50	17.90	19.50	97.31
		6	2437	17.75	19.50	17.75	18.50	17.75	19.50	
		11	2462	16.33	18.00	16.33	18.00	16.33	18.00	
	802.11n-HT40 MCS0	3	2422	13.16	15.00	13.16	15.00	13.16	15.00	92.96
		6	2437	17.10	19.00	16.21	18.00	16.21	18.00	
		9	2452	13.18	15.00	13.18	15.00	13.18	15.00	

5.2GHz WLAN				Ant 8 Full Power & Handheld		Ant 8 Head & Body Worn & Hotspot		Duty Cycle %
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.2GHz WLAN	802.11a 6Mbps	36	5180	18.09	19.50	16.61	18.00	97.58
		40	5200	17.84	19.50	16.30	18.00	
		44	5220	17.86	19.50	16.44	18.00	
		48	5240	17.56	19.50	16.04	18.00	
	802.11n-HT20 MCS0	36	5180	17.98	19.50	Not Required	18.00	97.41
		40	5200	17.67	19.50		18.00	
		44	5220	17.70	19.50		18.00	
		48	5240	17.57	19.50		18.00	
	802.11n-HT40 MCS0	38	5190	14.77	16.50		16.50	94.42
		46	5230	16.56	18.50		17.50	
	802.11ac-VHT20 MCS0	36	5180	16.19	18.00		18.00	97.20
		40	5200	16.03	18.00		18.00	
		44	5220	15.95	17.50		17.50	
		48	5240	15.71	17.50		17.50	
	802.11ac-VHT40 MCS0	38	5190	14.27	16.00		16.00	94.56
		46	5230	14.92	16.50		16.50	
	802.11ac-VHT80 MCS0	42	5210	11.56	13.50		13.50	90.32

5.3GHz WLAN				Ant 8 Full Power & Handheld		Ant 8 Head & Body Worn		Duty Cycle %
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.3GHz WLAN	802.11a 6Mbps	52	5260	18.08	19.50	16.61	18.00	97.58
		56	5280	18.04	19.50	16.55	18.00	
		60	5300	17.79	19.50	16.34	18.00	
		64	5320	17.63	19.50	16.19	18.00	
	802.11n-HT20 MCS0	52	5260	17.79	19.50	Not Required	18.00	97.41
		56	5280	17.73	19.50		18.00	
		60	5300	17.58	19.50		18.00	
		64	5320	17.31	19.00		18.00	
	802.11n-HT40 MCS0	54	5270	16.99	18.50		17.50	94.42
		62	5310	14.68	16.50		16.50	
	802.11ac-VHT20 MCS0	52	5260	16.00	17.50		17.50	97.20
		56	5280	15.94	17.50		17.50	
		60	5300	15.64	17.50		17.50	
		64	5320	15.78	17.50		17.50	
	802.11ac-VHT40 MCS0	54	5270	14.89	16.50		16.50	94.56
		62	5310	14.66	16.50		16.50	
	802.11ac-VHT80 MCS0	58	5290	11.99	13.50		13.50	90.32

5.5GHz WLAN				Ant 8 Full Power & Handheld		Ant 8 Head & Body Worn		Duty Cycle %
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.5GHz WLAN	802.11a 6Mbps	100	5500	18.21	19.50	Not Required	18.00	97.58
		116	5580	17.80	19.50		18.00	
		124	5620	17.98	19.50		18.00	
		132	5660	17.83	19.50		18.00	
		140	5700	18.10	19.50		18.00	
		144	5720	18.02	19.50		18.00	
	802.11n-HT20 MCS0	100	5500	17.93	19.50	Not Required	18.00	97.41
		116	5580	17.51	19.50		18.00	
		124	5620	17.59	19.50		18.00	
		132	5660	17.63	19.50		18.00	
		140	5700	17.89	19.50		18.00	
		144	5720	17.83	19.50		18.00	
	802.11n-HT40 MCS0	102	5510	15.14	17.00	15.14	17.00	94.42
		110	5550	16.60	18.50	16.60	18.00	
		126	5630	16.52	18.50	16.52	18.00	
		134	5670	16.72	18.50	16.72	18.00	
	802.11ac-VHT20 MCS0	142	5710	16.79	18.50	16.79	18.00	97.20
		100	5500	16.24	18.00	Not Required	18.00	
		116	5580	15.57	17.50		17.50	
		124	5620	15.80	17.50		17.50	
		132	5660	15.73	17.50		17.50	
		140	5700	16.09	18.00		18.00	
	802.11ac-VHT40 MCS0	144	5720	16.03	18.00		18.00	94.56
		102	5510	14.79	16.50		16.50	
		110	5550	14.45	16.00		16.00	
		126	5630	14.39	16.00		16.00	
	802.11ac-VHT80 MCS0	134	5670	14.68	16.50		16.50	90.32
		142	5710	14.96	16.50		16.50	
		106	5530	11.67	13.50		13.50	
		122	5610	13.74	15.50		15.50	
		138	5690	14.13	16.00		16.00	

5.8GHz WLAN				Ant 8 Full Power & Handheld		Ant 8 Head		Ant 8 Body Worn & Hotspot		Duty Cycle %
	Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	
5.8GHz WLAN	802.11a 6Mbps	149	5745	17.90	19.50	Not Required	16.50	Not Required	15.00	97.58
		157	5785	18.17	19.50		16.50		15.00	
		165	5825	17.71	19.50		16.50		15.00	
	802.11n-HT20 MCS0	149	5745	17.78	19.50	Not Required	16.50	Not Required	15.00	97.41
		157	5785	17.83	19.50		16.50		15.00	
		165	5825	17.63	19.50		16.50		15.00	
	802.11n-HT40 MCS0	151	5755	16.82	18.50	14.99	16.50	13.57	15.00	94.42
		159	5795	16.56	18.50	14.79	16.50	13.66	15.00	
	802.11ac-VHT20 MCS0	149	5745	15.95	17.50	Not Required	16.50	Not Required	15.00	97.20
		157	5785	16.04	18.00		16.50		15.00	
		165	5825	15.78	17.50		16.50		15.00	
	802.11ac-VHT40 MCS0	151	5755	14.86	16.50		16.50	Not Required	15.00	94.56
		159	5795	14.65	16.50		16.50		15.00	
	802.11ac-VHT80 MCS0	155	5775	14.36	16.00		16.00		14.50	90.32

BT BR/EDR

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	12.85	9.83	9.64
	CH 39	2441	12.96	10.06	9.87
	CH 78	2480	12.11	9.13	9.35
Tune-up Limit			14.00	11.00	11.00

BLE 1M

Mode	Channel	Frequency (MHz)	Average power (dBm)
LE	CH 00	2402	7.17
	CH 19	2440	7.23
	CH 39	2480	7.05
Tune-up Limit			8.00