

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.91444G	7.45	-56.23	-56.27	-56.22	-56.28	-50.23	-42.78	-27.00	-15.78
802.11ax HEW40_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.92364G	7.45	-56.19	-56.01	-55.97	-56.20	-50.07	-42.62	-27.00	-15.62
802.11ax HEW80_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.92496G	7.45	-55.54	-55.42	-54.70	-55.60	-49.28	-41.83	-27.00	-14.83
802.11ax HEW160_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.92496G	7.45	-52.82	-53.61	-51.39	-53.22	-46.65	-39.20	-27.00	-12.20
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.91838G	6.03	-56.07	-56.03	-56.30	-56.54	-50.21	-44.18	-27.00	-17.18
802.11ax HEW40_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.91444G	6.03	-56.06	-56.22	-56.23	-56.43	-50.21	-44.18	-27.00	-17.18
802.11ax HEW80_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.92101G	6.03	-56.25	-56.12	-56.18	-56.15	-50.15	-44.12	-27.00	-17.12
802.11ax HEW160_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.92364G	6.03	-56.04	-56.04	-56.28	-56.23	-50.13	-44.10	-27.00	-17.10
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.91181G	6.05	-56.23	-56.41	-56.23	-56.21	-50.25	-44.20	-27.00	-17.20
802.11ax HEW40_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.9197G	6.05	-56.29	-56.26	-56.15	-56.26	-50.22	-44.17	-27.00	-17.17
802.11ax HEW80_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.9197G	6.05	-56.33	-56.04	-56.06	-56.16	-50.13	-44.08	-27.00	-17.08
802.11ax HEW160_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.92101G	6.05	-56.19	-56.18	-56.10	-56.13	-50.13	-44.08	-27.00	-17.08
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.92496G	4.51	-56.10	-56.10	-56.31	-56.23	-50.16	-45.65	-27.00	-18.65
802.11ax HEW40_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.90786G	4.51	-56.23	-56.15	-56.22	-56.03	-50.14	-45.63	-27.00	-18.63
802.11ax HEW80_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	5.9197G	4.51	-56.21	-55.93	-56.01	-56.39	-50.11	-45.60	-27.00	-18.60
802.11ax HEW160_Nss1(MCS0)_4TX	Pass	5.85G	7.165G	AV	7.12687G	4.51	-52.28	-52.04	-51.11	-52.79	-45.99	-41.48	-27.00	-14.48

DG = Directional Gain ; PX=Port X ; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.85G	7.165G	AV	5.91444G	7.45	-56.23	-56.27	-56.22	-56.28	-50.23	-42.78	-27.00	-15.78
5955MHz	Pass	5.85G	7.165G	PK	5.9197G	7.45	-47.13	-46.49	-45.64	-48.16	-40.74	-33.29	-7.00	-26.29
6175MHz	Pass	5.85G	7.165G	AV	5.91707G	7.45	-56.38	-56.24	-56.38	-56.22	-50.28	-42.83	-27.00	-15.83
6175MHz	Pass	5.85G	7.165G	PK	5.89438G	7.45	-47.35	-47.67	-46.97	-45.86	-40.89	-33.44	-7.00	-26.44
6415MHz	Pass	5.85G	7.165G	AV	5.90918G	7.45	-56.47	-56.22	-56.24	-56.20	-50.26	-42.81	-27.00	-15.81
6415MHz	Pass	5.85G	7.165G	PK	5.90605G	7.45	-47.05	-47.59	-45.76	-48.26	-41.04	-33.59	-7.00	-26.59
6435MHz	Pass	5.85G	7.165G	AV	5.92364G	6.03	-56.23	-56.28	-56.37	-56.21	-50.25	-44.22	-27.00	-17.22
6435MHz	Pass	5.85G	7.165G	PK	5.85608G	6.03	-46.87	-46.21	-46.11	-50.00	-41.02	-34.99	-7.00	-27.99
6475MHz	Pass	5.85G	7.165G	AV	5.91838G	6.03	-56.07	-56.03	-56.30	-56.54	-50.21	-44.18	-27.00	-17.18
6475MHz	Pass	5.85G	7.165G	PK	5.88255G	6.03	-47.02	-45.28	-47.03	-47.57	-40.61	-34.58	-7.00	-27.58
6515MHz	Pass	5.85G	7.165G	AV	5.91707G	6.03	-56.19	-56.19	-56.43	-56.16	-50.22	-44.19	-27.00	-17.19
6515MHz	Pass	5.85G	7.165G	PK	5.92315G	6.03	-49.33	-48.81	-45.28	-45.77	-40.92	-34.89	-7.00	-27.89
6535MHz	Pass	5.85G	7.165G	AV	5.91838G	6.05	-56.46	-56.11	-56.26	-56.54	-50.32	-44.27	-27.00	-17.27
6535MHz	Pass	5.85G	7.165G	PK	5.90687G	6.05	-46.73	-46.26	-47.33	-47.30	-40.86	-34.81	-7.00	-27.81
6695MHz	Pass	5.85G	7.165G	AV	5.8934G	6.05	-56.27	-56.46	-56.14	-56.30	-50.27	-44.22	-27.00	-17.22
6695MHz	Pass	5.85G	7.165G	PK	5.9215G	6.05	-44.94	-47.84	-48.83	-47.00	-40.89	-34.84	-7.00	-27.84
6855MHz	Pass	5.85G	7.165G	AV	5.9026G	6.05	-56.21	-56.52	-56.26	-56.30	-50.30	-44.25	-27.00	-17.25
6855MHz	Pass	5.85G	7.165G	PK	5.91953G	6.05	-47.81	-44.49	-48.46	-47.34	-40.71	-34.66	-7.00	-27.66
6875MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	AV	5.91181G	6.05	-56.23	-56.41	-56.23	-56.21	-50.25	-44.20	-27.00	-17.20
6875MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	PK	5.90704G	6.05	-46.38	-45.93	-48.67	-46.70	-40.78	-34.73	-7.00	-27.73
6875MHz Straddle 6.875-7.125GHz														
6895MHz	Pass	5.85G	7.165G	AV	5.90392G	4.51	-56.25	-56.26	-56.39	-56.16	-50.24	-45.73	-27.00	-18.73
6895MHz	Pass	5.85G	7.165G	PK	5.88879G	4.51	-48.22	-46.04	-46.12	-46.89	-40.71	-36.20	-7.00	-29.20
6995MHz	Pass	5.85G	7.165G	AV	5.92101G	4.51	-56.33	-56.02	-56.24	-56.32	-50.21	-45.70	-27.00	-18.70
6995MHz	Pass	5.85G	7.165G	PK	5.89405G	4.51	-46.07	-46.37	-48.26	-47.55	-40.95	-36.44	-7.00	-29.44
7095MHz	Pass	5.85G	7.165G	AV	5.92496G	4.51	-56.10	-56.10	-56.31	-56.23	-50.16	-45.65	-27.00	-18.65
7095MHz	Pass	5.85G	7.165G	PK	5.87696G	4.51	-46.62	-46.00	-47.00	-48.81	-40.97	-36.46	-7.00	-29.46
802.11ax HEW40_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.85G	7.165G	AV	5.92364G	7.45	-56.19	-56.01	-55.97	-56.20	-50.07	-42.62	-27.00	-15.62
5965MHz	Pass	5.85G	7.165G	PK	5.9077G	7.45	-47.26	-48.16	-45.74	-46.38	-40.77	-33.32	-7.00	-26.32
6165MHz	Pass	5.85G	7.165G	AV	5.90655G	7.45	-56.29	-56.17	-56.18	-56.29	-50.21	-42.76	-27.00	-15.76
6165MHz	Pass	5.85G	7.165G	PK	5.92265G	7.45	-45.69	-47.82	-45.43	-47.98	-40.55	-33.10	-7.00	-26.10
6405MHz	Pass	5.85G	7.165G	AV	5.92233G	7.45	-56.28	-56.29	-56.11	-56.40	-50.25	-42.80	-27.00	-15.80
6405MHz	Pass	5.85G	7.165G	PK	5.89126G	7.45	-47.35	-47.16	-47.39	-45.00	-40.58	-33.13	-7.00	-26.13
6445MHz	Pass	5.85G	7.165G	AV	5.92233G	6.03	-56.31	-56.25	-56.29	-56.10	-50.22	-44.19	-27.00	-17.19
6445MHz	Pass	5.85G	7.165G	PK	5.9026G	6.03	-47.55	-47.38	-46.68	-46.44	-40.97	-34.94	-7.00	-27.94
6485MHz	Pass	5.85G	7.165G	AV	5.92233G	6.03	-56.12	-56.19	-56.50	-56.28	-50.25	-44.22	-27.00	-17.22
6485MHz	Pass	5.85G	7.165G	PK	5.91723G	6.03	-46.62	-47.43	-47.20	-47.47	-41.15	-35.12	-7.00	-28.12
6525MHz Straddle 6.425-6.525GHz	Pass	5.85G	7.165G	AV	5.91444G	6.03	-56.06	-56.22	-56.23	-56.43	-50.21	-44.18	-27.00	-17.18
6525MHz Straddle 6.425-6.525GHz	Pass	5.85G	7.165G	PK	5.88929G	6.03	-47.43	-47.26	-47.40	-44.88	-40.58	-34.55	-7.00	-27.55
6525MHz Straddle 6.525-6.875GHz														
6565MHz	Pass	5.85G	7.165G	AV	5.9197G	6.05	-56.29	-56.26	-56.15	-56.26	-50.22	-44.17	-27.00	-17.17
6565MHz	Pass	5.85G	7.165G	PK	5.91641G	6.05	-47.63	-46.79	-45.05	-47.95	-40.68	-34.63	-7.00	-27.63
6685MHz	Pass	5.85G	7.165G	AV	5.91838G	6.05	-56.21	-56.30	-56.22	-56.42	-50.27	-44.22	-27.00	-17.22
6685MHz	Pass	5.85G	7.165G	PK	5.9169G	6.05	-48.45	-44.49	-48.24	-47.84	-40.90	-34.85	-7.00	-27.85
6845MHz	Pass	5.85G	7.165G	AV	5.91049G	6.05	-56.15	-56.33	-56.29	-56.33	-50.25	-44.20	-27.00	-17.20
6845MHz	Pass	5.85G	7.165G	PK	5.92167G	6.05	-47.02	-45.54	-48.46	-46.07	-40.62	-34.57	-7.00	-27.57
6885MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	AV	5.92364G	6.05	-56.36	-56.19	-56.36	-56.25	-50.27	-44.22	-27.00	-17.22
6885MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	PK	5.89849G	6.05	-46.36	-47.30	-46.73	-47.86	-41.00	-34.95	-7.00	-27.95
6885MHz Straddle 6.875-7.125GHz														
6925MHz	Pass	5.85G	7.165G	AV	5.91575G	4.51	-56.20	-56.24	-56.12	-56.14	-50.15	-45.64	-27.00	-18.64
6925MHz	Pass	5.85G	7.165G	PK	5.88353G	4.51	-46.12	-49.31	-44.72	-47.96	-40.66	-36.15	-7.00	-29.15
7005MHz	Pass	5.85G	7.165G	AV	5.91312G	4.51	-56.28	-56.14	-56.19	-56.24	-50.19	-45.68	-27.00	-18.68
7005MHz	Pass	5.85G	7.165G	PK	5.89537G	4.51	-44.24	-47.94	-47.38	-47.69	-40.50	-35.99	-7.00	-28.99
7085MHz	Pass	5.85G	7.165G	AV	5.90786G	4.51	-56.23	-56.15	-56.22	-56.03	-50.14	-45.63	-27.00	-18.63
7085MHz	Pass	5.85G	7.165G	PK	5.90539G	4.51	-47.60	-46.89	-45.80	-46.85	-40.72	-36.21	-7.00	-29.21
802.11ax HEW80_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.85G	7.165G	AV	5.92496G	7.45	-55.54	-55.42	-54.70	-55.60	-49.28	-41.83	-27.00	-14.83
5985MHz	Pass	5.85G	7.165G	PK	5.92364G	7.45	-45.64	-46.84	-46.14	-46.65	-40.27	-32.82	-7.00	-25.82
6145MHz	Pass	5.85G	7.165G	AV	5.92496G	7.45	-55.94	-56.27	-56.25	-56.22	-50.15	-42.70	-27.00	-15.70
6145MHz	Pass	5.85G	7.165G	PK	5.9072G	7.45	-48.54	-44.70	-47.53	-47.96	-40.89	-33.44	-7.00	-26.44
6385MHz	Pass	5.85G	7.165G	AV	5.92496G	7.45	-56.21	-56.19	-56.30	-56.28	-50.22	-42.77	-27.00	-15.77
6385MHz	Pass	5.85G	7.165G	PK	5.91082G	7.45	-45.46	-47.26	-47.21	-46.41	-40.50	-33.05	-7.00	-26.05
6465MHz	Pass	5.85G	7.165G	AV	5.92101G	6.03	-56.25	-56.12	-56.18	-56.15	-50.15	-44.12	-27.00	-17.12
6465MHz	Pass	5.85G	7.165G	PK	5.90852G	6.03	-47.21	-45.87	-46.61	-46.88	-40.59	-34.56	-7.00	-27.56
6545MHz Straddle 6.425-6.525GHz	Pass	5.85G	7.165G	AV	5.92364G	6.03	-56.40	-56.21	-56.10	-56.22	-50.21	-44.18	-27.00	-17.18
6545MHz Straddle 6.425-6.525GHz	Pass	5.85G	7.165G	PK	5.89093G	6.03	-48.20	-44.89	-46.97	-46.96	-40.57	-34.54	-7.00	-27.54
6545MHz Straddle 6.525-6.875GHz														



CSE_Radio 2 (Bandedge BE)

Appendix E.12

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6625MHz	Pass	5.85G	7.165G	AV	5.9197G	6.05	-56.33	-56.04	-56.06	-56.16	-50.13	-44.08	-27.00	-17.08
6625MHz	Pass	5.85G	7.165G	PK	5.91641G	6.05	-46.97	-47.92	-44.63	-47.51	-40.53	-34.48	-7.00	-27.48
6705MHz	Pass	5.85G	7.165G	AV	5.91312G	6.05	-56.22	-56.23	-56.23	-56.26	-50.21	-44.16	-27.00	-17.16
6705MHz	Pass	5.85G	7.165G	PK	5.86003G	6.05	-46.11	-49.64	-45.64	-47.23	-40.88	-34.83	-7.00	-27.83
6785MHz	Pass	5.85G	7.165G	AV	5.92364G	6.05	-56.40	-56.01	-56.08	-56.24	-50.16	-44.11	-27.00	-17.11
6785MHz	Pass	5.85G	7.165G	PK	5.91213G	6.05	-47.78	-47.18	-45.86	-47.03	-40.88	-34.83	-7.00	-27.83
6865MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	AV	5.91444G	6.05	-56.39	-56.02	-56.40	-56.25	-50.24	-44.19	-27.00	-17.19
6865MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	PK	5.92035G	6.05	-47.11	-47.78	-47.29	-45.51	-40.81	-34.76	-7.00	-27.76
6865MHz Straddle 6.875-7.125GHz														
6945MHz	Pass	5.85G	7.165G	AV	5.9197G	4.51	-56.21	-55.93	-56.01	-56.39	-50.11	-45.60	-27.00	-18.60
6945MHz	Pass	5.85G	7.165G	PK	5.87614G	4.51	-48.39	-47.51	-44.02	-47.41	-40.46	-35.95	-7.00	-28.95
7025MHz	Pass	5.85G	7.165G	AV	5.91838G	4.51	-56.11	-56.11	-56.18	-56.22	-50.13	-45.62	-27.00	-18.62
7025MHz	Pass	5.85G	7.165G	PK	5.91871G	4.51	-46.67	-47.21	-47.28	-46.28	-40.82	-36.31	-7.00	-29.31
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.85G	7.165G	AV	5.92496G	7.45	-52.82	-53.61	-51.39	-53.22	-46.65	-39.20	-27.00	-12.20
6025MHz	Pass	5.85G	7.165G	PK	5.90704G	7.45	-43.81	-45.23	-40.62	-45.88	-37.35	-29.90	-7.00	-22.90
6185MHz	Pass	5.85G	7.165G	AV	5.91838G	7.45	-56.24	-56.03	-55.99	-55.95	-50.03	-42.58	-27.00	-15.58
6185MHz	Pass	5.85G	7.165G	PK	5.92233G	7.45	-47.79	-44.64	-47.31	-46.80	-40.44	-32.99	-7.00	-25.99
6345MHz	Pass	5.85G	7.165G	AV	5.92496G	7.45	-56.11	-56.23	-56.33	-56.15	-50.18	-42.73	-27.00	-15.73
6345MHz	Pass	5.85G	7.165G	PK	5.90293G	7.45	-47.89	-46.89	-46.55	-45.29	-40.53	-33.08	-7.00	-26.08
6505MHz Straddle 6.425-6.525GHz	Pass	5.85G	7.165G	AV	5.92364G	6.03	-56.04	-56.04	-56.28	-56.23	-50.13	-44.10	-27.00	-17.10
6505MHz Straddle 6.425-6.525GHz	Pass	5.85G	7.165G	PK	5.92068G	6.03	-44.73	-45.25	-47.49	-49.16	-40.29	-34.26	-7.00	-27.26
6505MHz Straddle 6.525-6.875GHz														
6665MHz	Pass	5.85G	7.165G	AV	5.92101G	6.05	-56.19	-56.18	-56.10	-56.13	-50.13	-44.08	-27.00	-17.08
6665MHz	Pass	5.85G	7.165G	PK	5.91542G	6.05	-47.18	-47.32	-45.59	-48.27	-40.96	-34.91	-7.00	-27.91
6825MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	AV	5.9197G	6.05	-56.14	-56.11	-56.32	-56.07	-50.14	-44.09	-27.00	-17.09
6825MHz Straddle 6.525-6.875GHz	Pass	5.85G	7.165G	PK	5.86414G	6.05	-47.59	-45.89	-48.18	-47.04	-41.07	-35.02	-7.00	-28.02
6825MHz Straddle 6.875-7.125GHz														
6985MHz	Pass	5.85G	7.165G	AV	7.12687G	4.51	-52.28	-52.04	-51.11	-52.79	-45.99	-41.48	-27.00	-14.48
6985MHz	Pass	5.85G	7.165G	PK	7.12933G	4.51	-43.66	-44.72	-38.74	-43.35	-35.91	-31.40	-7.00	-24.40


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5955MHz

29/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

5955MHz

29/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6175MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.89438G	-33.44	-7.00	-26.44	7.45	0.00	-40.89	-47.35	-47.67	-46.97	-45.86

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6175MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.91707G	-42.83	-27.00	-15.83	7.45	0.00	-50.28	-56.38	-56.24	-56.38	-56.22

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6415MHz

29/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6415MHz

29/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6435MHz

29/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6435MHz


29/03/2022



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6475MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6475MHz




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6515MHz

29/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6515MHz


29/03/2022



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6535MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6535MHz




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6695MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.9215G	-34.84	-7.00	-27.84	6.05	0.00	-40.89	-44.94	-47.84	-48.83	-47.00

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6695MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.8934G	-44.22	-27.00	-17.22	6.05	0.00	-50.27	-56.27	-56.46	-56.14	-56.30

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6855MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge


6855MHz



802.11ax HEW20_Nss1,(MCS0)_4TX 6875MHz Straddle 6.525-6.875GHz

CSE Bandedge [PK]


29/03/2022



802.11ax HEW20_Nss1,(MCS0)_4TX 6875MHz Straddle 6.525-6.875GHz

CSE Bandedge

29/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6895MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.88879G	-36.20	-7.00	-29.20	4.51	0.00	-40.71	-48.22	-46.04	-46.12	-46.89

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

6895MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.90392G	-45.73	-27.00	-18.73	4.51	0.00	-50.24	-56.25	-56.26	-56.39	-56.16

802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6995MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge


6995MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


7095MHz



802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge

7095MHz




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5965MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

5965MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6165MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6165MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6405MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6405MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6445MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6445MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6485MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.91723G	-35.12	-7.00	-28.12	6.03	0.00	-41.15	-46.62	-47.43	-47.20	-47.47

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6485MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.92233G	-44.22	-27.00	-17.22	6.03	0.00	-50.25	-56.12	-56.19	-56.50	-56.28

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz

CSE Bandedge [PK]

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.88929G	-34.55	-7.00	-27.55	6.03	0.00	-40.58	-47.43	-47.26	-47.40	-44.88

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz

CSE Bandedge

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.91444G	-44.18	-27.00	-17.18	6.03	0.00	-50.21	-56.06	-56.22	-56.23	-54.43

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6565MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6565MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6685MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6685MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6845MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.92167G	-34.57	-7.00	-27.57	6.05	0.00	-40.62	-47.02	-45.54	-48.46	-46.07

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6845MHz

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.91049G	-44.20	-27.00	-17.20	6.05	0.00	-50.25	-56.15	-56.33	-56.29	-56.33

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz

CSE Bandedge [PK]

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.89849G	-34.95	-7.00	-27.95	6.05	0.00	-41.00	-46.36	-47.30	-46.73	-47.86

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz

CSE Bandedge

29/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.92364G	-44.22	-27.00	-17.22	6.05	0.00	-50.27	-56.36	-56.19	-56.36	-56.25

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6925MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.8833G	-36.15	-7.00	-29.15	4.51	0.00	-40.66	-46.12	-49.31	-44.72	-47.96

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

6925MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.9137G	-45.64	-27.00	-18.64	4.51	0.00	-50.15	-56.20	-56.24	-56.12	-56.14

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

7005MHz

29/03/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

7005MHz


29/03/2022



802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

7085MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.90339G	-36.21	-7.00	-29.21	4.51	0.00	-40.72	-47.60	-46.89	-45.80	-46.85

802.11ax HEW40_Nss1,(MCS0)_4TX

CSE Bandedge

7085MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.90786G	-45.63	-27.00	-18.63	4.51	0.00	-50.14	-56.23	-56.15	-56.22	-56.03

802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


5985MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge


5985MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6145MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.9072G	-33.44	-7.00	-26.44	7.45	0.00	-40.89	-48.54	-44.70	-47.53	-47.96

802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge

6145MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.92496G	-42.70	-27.00	-15.70	7.45	0.00	-50.15	-55.94	-56.27	-56.25	-56.22

802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6385MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge


6385MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6465MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge

6465MHz




802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz

CSE Bandedge [PK]

29/03/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz

CSE Bandedge


29/03/2022



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6625MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge

6625MHz




802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6705MHz

29/03/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge

6705MHz


29/03/2022



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6785MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge


6785MHz



802.11ax HEW80_Nss1,(MCS0)_4TX 6865MHz Straddle 6.525-6.875GHz

CSE Bandedge [PK]


29/03/2022



802.11ax HEW80_Nss1,(MCS0)_4TX 6865MHz Straddle 6.525-6.875GHz

CSE Bandedge

29/03/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6945MHz

29/03/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge

6945MHz


29/03/2022



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


7025MHz



802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge


7025MHz



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6025MHz



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge


6025MHz



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6185MHz



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge


6185MHz



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6345MHz



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge

6345MHz




802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6505MHz Straddle 6.425-6.525GHz

30/03/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge

6505MHz Straddle 6.425-6.525GHz


30/03/2022



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]


6665MHz



802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge

6665MHz




802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6825MHz Straddle 6.525-6.875GHz

30/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	5.86414G	-35.02	-7.00	-28.02	6.05	0.00	-41.07	-47.59	-45.89	-48.18	-47.04

802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge

6825MHz Straddle 6.525-6.875GHz

30/03/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	5.9197G	-44.09	-27.00	-17.09	6.05	0.00	-50.14	-56.14	-56.11	-56.32	-56.07

802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6985MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	PK	7.12933G	-31.40	-7.00	-24.40	4.51	0.00	-35.91	-43.66	-44.72	-38.74	-43.35

802.11ax HEW160_Nss1,(MCS0)_4TX

CSE Bandedge

6985MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.85G	7.165G	1M	AV	7.12687G	-41.48	-27.00	-14.48	4.51	0.00	-45.99	-52.28	-52.04	-51.11	-52.79

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.9234G	5.30	-57.08	-57.08	-51.78	-27.00	-24.78
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.8978G	5.30	-57.83	-57.83	-52.53	-27.00	-25.53
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.89844G	5.30	-57.83	-57.83	-52.53	-27.00	-25.53
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.9042G	5.30	-57.84	-57.84	-52.54	-27.00	-25.54

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.9234G	5.30	-57.08	-57.08	-51.78	-27.00	-24.78
5955MHz	Pass	5.885G	7.165G	AV	5.92404G	5.30	-57.08	-57.08	-51.78	-27.00	-24.78
5955MHz	Pass	5.885G	7.165G	AV	7.1298G	5.30	-60.63	-60.63	-55.33	-27.00	-28.33
5955MHz	Pass	5.885G	7.165G	PK	5.90036G	5.30	-46.17	-46.17	-40.87	-7.00	-33.87
5955MHz	Pass	5.885G	7.165G	PK	7.13428G	5.30	-50.09	-50.09	-44.79	-7.00	-37.79
6175MHz	Pass	5.885G	7.165G	AV	5.89908G	5.30	-58.10	-58.10	-52.80	-27.00	-25.80
6175MHz	Pass	5.885G	7.165G	AV	5.90036G	5.30	-58.10	-58.10	-52.80	-27.00	-25.80
6175MHz	Pass	5.885G	7.165G	AV	7.12596G	5.30	-60.59	-60.59	-55.29	-27.00	-28.29
6175MHz	Pass	5.885G	7.165G	PK	5.90932G	5.30	-46.93	-46.93	-41.63	-7.00	-34.63
6175MHz	Pass	5.885G	7.165G	PK	7.12596G	5.30	-49.33	-49.33	-44.03	-7.00	-37.03
6415MHz	Pass	5.885G	7.165G	AV	5.90292G	5.30	-57.83	-57.83	-52.53	-27.00	-25.53
6415MHz	Pass	5.885G	7.165G	AV	7.12532G	5.30	-60.59	-60.59	-55.29	-27.00	-28.29
6415MHz	Pass	5.885G	7.165G	PK	5.90612G	5.30	-46.62	-46.62	-41.32	-7.00	-34.32
6415MHz	Pass	5.885G	7.165G	PK	7.12852G	5.30	-50.16	-50.16	-44.86	-7.00	-37.86
6435MHz	Pass	5.885G	7.165G	AV	5.90356G	5.30	-57.84	-57.84	-52.54	-27.00	-25.54
6435MHz	Pass	5.885G	7.165G	AV	7.12852G	5.30	-60.81	-60.81	-55.51	-27.00	-28.51
6435MHz	Pass	5.885G	7.165G	PK	5.90996G	5.30	-47.16	-47.16	-41.86	-7.00	-34.86
6435MHz	Pass	5.885G	7.165G	PK	7.13556G	5.30	-50.16	-50.16	-44.86	-7.00	-37.86
6475MHz	Pass	5.885G	7.165G	AV	5.8978G	5.30	-57.83	-57.83	-52.53	-27.00	-25.53
6475MHz	Pass	5.885G	7.165G	AV	7.1266G	5.30	-60.60	-60.60	-55.30	-27.00	-28.30
6475MHz	Pass	5.885G	7.165G	PK	5.92276G	5.30	-47.01	-47.01	-41.71	-7.00	-34.71
6475MHz	Pass	5.885G	7.165G	PK	7.13556G	5.30	-49.41	-49.41	-44.11	-7.00	-37.11
6515MHz	Pass	5.885G	7.165G	AV	5.90036G	5.30	-57.83	-57.83	-52.53	-27.00	-25.53
6515MHz	Pass	5.885G	7.165G	AV	7.12532G	5.30	-60.78	-60.78	-55.48	-27.00	-28.48
6515MHz	Pass	5.885G	7.165G	PK	5.9138G	5.30	-47.08	-47.08	-41.78	-7.00	-34.78
6515MHz	Pass	5.885G	7.165G	PK	7.13236G	5.30	-49.91	-49.91	-44.61	-7.00	-37.61
6535MHz	Pass	5.885G	7.165G	AV	5.88564G	5.30	-57.89	-57.89	-52.59	-27.00	-25.59
6535MHz	Pass	5.885G	7.165G	AV	7.12788G	5.30	-60.80	-60.80	-55.50	-27.00	-28.50
6535MHz	Pass	5.885G	7.165G	PK	5.91252G	5.30	-47.73	-47.73	-42.43	-7.00	-35.43
6535MHz	Pass	5.885G	7.165G	PK	7.12532G	5.30	-48.73	-48.73	-43.43	-7.00	-36.43
6695MHz	Pass	5.885G	7.165G	AV	5.89844G	5.30	-57.83	-57.83	-52.53	-27.00	-25.53
6695MHz	Pass	5.885G	7.165G	AV	5.89972G	5.30	-57.83	-57.83	-52.53	-27.00	-25.53
6695MHz	Pass	5.885G	7.165G	AV	7.12788G	5.30	-60.61	-60.61	-55.31	-27.00	-28.31
6695MHz	Pass	5.885G	7.165G	PK	5.90932G	5.30	-46.77	-46.77	-41.47	-7.00	-34.47
6695MHz	Pass	5.885G	7.165G	PK	7.13108G	5.30	-50.12	-50.12	-44.82	-7.00	-37.82
6855MHz	Pass	5.885G	7.165G	AV	5.89908G	5.30	-58.10	-58.10	-52.80	-27.00	-25.80
6855MHz	Pass	5.885G	7.165G	AV	5.90036G	5.30	-58.10	-58.10	-52.80	-27.00	-25.80
6855MHz	Pass	5.885G	7.165G	AV	7.12596G	5.30	-60.59	-60.59	-55.29	-27.00	-28.29
6855MHz	Pass	5.885G	7.165G	PK	5.92148G	5.30	-47.33	-47.33	-42.03	-7.00	-35.03
6855MHz	Pass	5.885G	7.165G	PK	7.12788G	5.30	-49.93	-49.93	-44.63	-7.00	-37.63
6875MHz Straddle 6.525-6.875GHz	Pass	5.885G	7.165G	AV	5.92212G	5.30	-57.86	-57.86	-52.56	-27.00	-25.56
6875MHz Straddle 6.525-6.875GHz	Pass	5.885G	7.165G	AV	7.12532G	5.30	-60.78	-60.78	-55.48	-27.00	-28.48
6875MHz Straddle 6.525-6.875GHz	Pass	5.885G	7.165G	PK	5.90228G	5.30	-46.03	-46.03	-40.73	-7.00	-33.73
6875MHz Straddle 6.525-6.875GHz	Pass	5.885G	7.165G	PK	7.1362G	5.30	-50.11	-50.11	-44.81	-7.00	-37.81
6895MHz	Pass	5.885G	7.165G	AV	5.92148G	5.30	-57.86	-57.86	-52.56	-27.00	-25.56
6895MHz	Pass	5.885G	7.165G	AV	7.12532G	5.30	-60.78	-60.78	-55.48	-27.00	-28.48
6895MHz	Pass	5.885G	7.165G	PK	5.89908G	5.30	-46.83	-46.83	-41.53	-7.00	-34.53
6895MHz	Pass	5.885G	7.165G	PK	7.14324G	5.30	-49.79	-49.79	-44.49	-7.00	-37.49
6995MHz	Pass	5.885G	7.165G	AV	5.89908G	5.30	-58.10	-58.10	-52.80	-27.00	-25.80
6995MHz	Pass	5.885G	7.165G	AV	5.90036G	5.30	-58.10	-58.10	-52.80	-27.00	-25.80
6995MHz	Pass	5.885G	7.165G	AV	7.12596G	5.30	-60.78	-60.78	-55.48	-27.00	-28.48
6995MHz	Pass	5.885G	7.165G	PK	5.90932G	5.30	-46.77	-46.77	-41.47	-7.00	-34.47
6995MHz	Pass	5.885G	7.165G	PK	7.1266G	5.30	-50.49	-50.49	-45.19	-7.00	-38.19
7095MHz	Pass	5.885G	7.165G	AV	5.9042G	5.30	-57.84	-57.84	-52.54	-27.00	-25.54
7095MHz	Pass	5.885G	7.165G	AV	7.12596G	5.30	-59.04	-59.04	-53.74	-27.00	-26.74
7095MHz	Pass	5.885G	7.165G	PK	5.917G	5.30	-46.86	-46.86	-41.56	-7.00	-34.56
7095MHz	Pass	5.885G	7.165G	PK	7.13236G	5.30	-48.50	-48.50	-43.20	-7.00	-36.20

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]


5955MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz




802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6175MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.90932G	-41.63	-7.00	-34.63	5.30	0.00	-46.93	-46.93
5.885G	7.165G	1M	PK	7.12596G	-44.03	-7.00	-37.03	5.30	0.00	-49.33	-49.33

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6175MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.89908G	-52.80	-27.00	-25.80	5.30	0.00	-58.10	-58.10
5.885G	7.165G	1M	AV	5.90036G	-52.80	-27.00	-25.80	5.30	0.00	-58.10	-58.10
5.885G	7.165G	1M	AV	7.12596G	-55.29	-27.00	-28.29	5.30	0.00	-60.59	-60.59

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6415MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.90612G	-41.32	-7.00	-34.32	5.30	0.00	-46.62	-46.62
5.885G	7.165G	1M	PK	7.12852G	-44.86	-7.00	-37.86	5.30	0.00	-50.16	-50.16

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6415MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.90292G	-52.53	-27.00	-25.53	5.30	0.00	-57.83	-57.83
5.885G	7.165G	1M	AV	7.12532G	-55.29	-27.00	-28.29	5.30	0.00	-60.59	-60.59

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6435MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.90996G	-41.86	-7.00	-34.86	5.30	0.00	-47.16	-47.16
5.885G	7.165G	1M	PK	7.13556G	-44.86	-7.00	-37.86	5.30	0.00	-50.16	-50.16

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6435MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.90356G	-52.54	-27.00	-25.54	5.30	0.00	-57.84	-57.84
5.885G	7.165G	1M	AV	7.12852G	-55.51	-27.00	-28.51	5.30	0.00	-60.81	-60.81

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6475MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.92276G	-41.71	-7.00	-34.71	5.30	0.00	-47.01	-47.01
5.885G	7.165G	1M	PK	7.13556G	-44.11	-7.00	-37.11	5.30	0.00	-49.41	-49.41

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6475MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.8978G	-52.53	-27.00	-25.53	5.30	0.00	-57.83	-57.83
5.885G	7.165G	1M	AV	7.1266G	-55.30	-27.00	-28.30	5.30	0.00	-60.60	-60.60

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6515MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.9138G	-41.78	-7.00	-34.78	5.30	0.00	-47.08	-47.08
5.885G	7.165G	1M	PK	7.12336G	-44.61	-7.00	-37.61	5.30	0.00	-49.91	-49.91

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6515MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.90036G	-52.53	-27.00	-25.53	5.30	0.00	-57.83	-57.83
5.885G	7.165G	1M	AV	7.12532G	-55.48	-27.00	-28.48	5.30	0.00	-60.78	-60.78

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6535MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.91252G	-42.43	-7.00	-35.43	5.30	0.00	-47.73	-47.73
5.885G	7.165G	1M	PK	7.12532G	-43.43	-7.00	-36.43	5.30	0.00	-48.73	-48.73

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6535MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.88564G	-52.59	-27.00	-25.59	5.30	0.00	-57.89	-57.89
5.885G	7.165G	1M	AV	7.12788G	-55.50	-27.00	-28.50	5.30	0.00	-60.80	-60.80

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6695MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.90932G	-41.47	-7.00	-34.47	5.30	0.00	-46.77	-46.77
5.885G	7.165G	1M	PK	7.13108G	-44.82	-7.00	-37.82	5.30	0.00	-50.12	-50.12

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6695MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.89044G	-52.53	-27.00	-25.53	5.30	0.00	-57.83	-57.83
5.885G	7.165G	1M	AV	5.89972G	-52.53	-27.00	-25.53	5.30	0.00	-57.83	-57.83
5.885G	7.165G	1M	AV	7.12788G	-55.31	-27.00	-28.31	5.30	0.00	-60.61	-60.61

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6855MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.92148G	-42.03	-7.00	-35.03	5.30	0.00	-47.33	-47.33
5.885G	7.165G	1M	PK	7.12788G	-44.63	-7.00	-37.63	5.30	0.00	-49.93	-49.93

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6855MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.89908G	-52.80	-27.00	-25.80	5.30	0.00	-58.10	-58.10
5.885G	7.165G	1M	AV	5.90036G	-52.80	-27.00	-25.80	5.30	0.00	-58.10	-58.10
5.885G	7.165G	1M	AV	7.12596G	-55.29	-27.00	-28.29	5.30	0.00	-60.59	-60.59

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz

CSE Bandedge [PK]

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.90228G	-40.73	-7.00	-33.73	5.30	0.00	-46.03	-46.03
5.885G	7.165G	1M	PK	7.1362G	-44.81	-7.00	-37.81	5.30	0.00	-50.11	-50.11

802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz

CSE Bandedge [AV]

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92212G	-52.56	-27.00	-25.56	5.30	0.00	-57.86	-57.86
5.885G	7.165G	1M	AV	7.12532G	-55.48	-27.00	-28.48	5.30	0.00	-60.78	-60.78

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6895MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.89908G	-41.53	-7.00	-34.53	5.30	0.00	-46.83	-46.83
5.885G	7.165G	1M	PK	7.14324G	-44.49	-7.00	-37.49	5.30	0.00	-49.79	-49.79

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6895MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92148G	-52.56	-27.00	-25.56	5.30	0.00	-57.86	-57.86
5.885G	7.165G	1M	AV	7.12532G	-55.48	-27.00	-28.48	5.30	0.00	-60.78	-60.78

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6995MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.90932G	-41.47	-7.00	-34.47	5.30	0.00	-46.77	-46.77
5.885G	7.165G	1M	PK	7.1266G	-45.19	-7.00	-38.19	5.30	0.00	-50.49	-50.49

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6995MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.89908G	-52.80	-27.00	-25.80	5.30	0.00	-58.10	-58.10
5.885G	7.165G	1M	AV	5.90036G	-52.80	-27.00	-25.80	5.30	0.00	-58.10	-58.10
5.885G	7.165G	1M	AV	7.12596G	-55.48	-27.00	-28.48	5.30	0.00	-60.78	-60.78

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

7095MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.917G	-41.56	-7.00	-34.56	5.30	0.00	-46.86	-46.86
5.885G	7.165G	1M	PK	7.1236G	-43.20	-7.00	-36.20	5.30	0.00	-48.50	-48.50

802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

7095MHz

21/04/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.9042G	-52.54	-27.00	-25.54	5.30	0.00	-57.84	-57.84
5.885G	7.165G	1M	AV	7.12596G	-53.74	-27.00	-26.74	5.30	0.00	-59.04	-59.04




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.71	68.20	-0.49	3	Horizontal	53	2.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10875G	91.97	Inf	-Inf	82.67	3	Vertical	192	2.16	-	36.77	5.95	33.42
RMS	7.10733G	81.27	Inf	-Inf	71.98	3	Vertical	192	2.16	-	36.76	5.95	33.42
PK	7.1255G	74.74	88.20	-13.46	65.32	3	Vertical	192	2.16	-	36.90	5.96	33.44
RMS	7.1255G	64.05	68.20	-4.15	54.63	3	Vertical	192	2.16	-	36.90	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11G	95.45	Inf	-Inf	86.13	3	Horizontal	53	2.33	-	36.78	5.96	33.42
RMS	7.1073G	85.06	Inf	-Inf	75.77	3	Horizontal	53	2.33	-	36.76	5.95	33.42
PK	7.1255G	78.48	88.20	-9.72	69.06	3	Horizontal	53	2.33	-	36.90	5.96	33.44
RMS	7.1255G	67.71	68.20	-0.49	58.29	3	Horizontal	53	2.33	-	36.90	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21728G	57.59	88.20	-30.61	43.06	3	Vertical	117	1.26	-	40.77	8.65	34.89
RMS	14.2162G	44.86	68.20	-23.34	30.33	3	Vertical	117	1.26	-	40.77	8.65	34.89

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22142G	57.38	88.20	-30.82	42.85	3	Horizontal	21	1.67	-	40.76	8.66	34.89
RMS	14.2219G	45.71	68.20	-22.49	31.18	3	Horizontal	21	1.67	-	40.76	8.66	34.89

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_1TX
Setting 12.5
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3445G	47.67	83.54	-35.87	43.48	1	Vertical	232	1.57	-	37.71	16.11	49.63
AV	21.3453G	34.48	63.54	-29.06	30.29	1	Vertical	232	1.57	-	37.71	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom



EUT_Z_1TX
Setting 12.5
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34476G	48.12	83.54	-35.42	43.93	1	Horizontal	318	1.54	-	37.71	16.11	49.63
AV	21.34554G	34.56	63.54	-28.98	30.37	1	Horizontal	318	1.54	-	37.71	16.11	49.63




<Non-Beamforming Mode>

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	68.06	68.20	-0.14	3	Horizontal	49	2.32	-

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12G	93.31	Inf	-Inf	83.92	3	Vertical	88	2.05	-	36.86	5.96	33.43
RMS	7.10625G	83.08	Inf	-Inf	73.80	3	Vertical	88	2.05	-	36.75	5.95	33.42
PK	7.1255G	75.60	88.20	-12.60	66.18	3	Vertical	88	2.05	-	36.90	5.96	33.44
RMS	7.1255G	65.25	68.20	-2.95	55.83	3	Vertical	88	2.05	-	36.90	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11G	95.56	Inf	-Inf	86.24	3	Horizontal	49	2.32	-	36.78	5.96	33.42
RMS	7.12413G	85.37	Inf	-Inf	75.96	3	Horizontal	49	2.32	-	36.89	5.96	33.44
PK	7.1255G	79.22	88.20	-8.98	69.80	3	Horizontal	49	2.32	-	36.90	5.96	33.44
RMS	7.1255G	68.06	68.20	-0.14	58.64	3	Horizontal	49	2.32	-	36.90	5.96	33.44

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2288G	57.72	88.20	-30.48	43.21	3	Vertical	109	1.20	-	40.74	8.66	34.89
RMS	14.22622G	45.63	68.20	-22.57	31.11	3	Vertical	109	1.20	-	40.75	8.66	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22638G	57.58	88.20	-30.62	43.06	3	Horizontal	205	2.82	-	40.75	8.66	34.89
RMS	14.23012G	45.63	68.20	-22.57	31.12	3	Horizontal	205	2.82	-	40.74	8.66	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 8.5
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34806G	48.24	83.54	-35.30	44.04	1	Vertical	73	1.50	-	37.72	16.11	49.63
AV	21.34742G	34.79	63.54	-28.75	30.59	1	Vertical	73	1.50	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_Z_2TX
Setting 8.5
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34704G	48.64	83.54	-34.90	44.44	1	Horizontal	153	1.54	-	37.72	16.11	49.63
AV	21.34732G	34.73	63.54	-28.81	30.53	1	Horizontal	153	1.54	-	37.72	16.11	49.63




<Beamforming Mode>

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	67.99	68.20	-0.21	3	Vertical	92	2.07	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12125G	95.00	Inf	-Inf	86.39	3	Vertical	92	2.07	-	35.93	8.20	35.52	
RMS	7.10608G	85.64	Inf	-Inf	77.12	3	Vertical	92	2.07	-	35.84	8.20	35.52	
PK	7.1255G	78.91	88.20	-9.29	70.28	3	Vertical	92	2.07	-	35.95	8.20	35.52	
RMS	7.1255G	67.99	68.20	-0.21	59.36	3	Vertical	92	2.07	-	35.95	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.10753G	94.55	Inf	-Inf	86.02	3	Horizontal	230	2.04	-	35.85	8.20	35.52	
RMS	7.10755G	85.49	Inf	-Inf	76.96	3	Horizontal	230	2.04	-	35.85	8.20	35.52	
PK	7.1255G	73.97	88.20	-14.23	65.34	3	Horizontal	230	2.04	-	35.95	8.20	35.52	
RMS	7.1255G	63.26	68.20	-4.94	54.63	3	Horizontal	230	2.04	-	35.95	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23666G	62.25	88.20	-25.95	42.08	3	Vertical	197	1.18	-	41.60	12.52	33.95
RMS	14.22958G	49.11	68.20	-19.09	28.94	3	Vertical	197	1.18	-	41.60	12.51	33.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22946G	62.01	88.20	-26.19	41.84	3	Horizontal	312	1.15	-	41.60	12.51	33.94
RMS	14.23642G	49.09	68.20	-19.11	28.92	3	Horizontal	312	1.15	-	41.60	12.52	33.95

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 7.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34836G	48.91	83.54	-34.63	44.71	1	Vertical	20	1.80	-	37.72	16.11	49.63
AV	21.3348G	35.81	63.54	-27.73	31.64	1	Vertical	20	1.80	-	37.70	16.10	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_Z_2TX
Setting 7.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.35376G	48.53	83.54	-35.01	44.33	1	Horizontal	178	2.68	-	37.72	16.11	49.63
AV	21.33132G	35.82	63.54	-27.72	31.65	1	Horizontal	178	2.68	-	37.70	16.10	49.63




<Non-Beamforming Mode>

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.14	68.20	-0.06	3	Horizontal	277	1.60	-

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1075G	97.23	Inf	-Inf	87.94	3	Vertical	286	1.44	-	36.76	5.95	33.42	
RMS	7.10725G	86.50	Inf	-Inf	77.21	3	Vertical	286	1.44	-	36.76	5.95	33.42	
PK	7.1255G	75.85	88.20	-12.35	66.43	3	Vertical	286	1.44	-	36.90	5.96	33.44	
RMS	7.1255G	64.98	68.20	-3.22	55.56	3	Vertical	286	1.44	-	36.90	5.96	33.44	

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.10755G	97.88	Inf	-Inf	88.59	3	Horizontal	277	1.60	-	36.76	5.95	33.42	
RMS	7.10758G	87.51	Inf	-Inf	78.22	3	Horizontal	277	1.60	-	36.76	5.95	33.42	
PK	7.1255G	78.92	88.20	-9.28	69.50	3	Horizontal	277	1.60	-	36.90	5.96	33.44	
RMS	7.1255G	68.14	68.20	-0.06	58.72	3	Horizontal	277	1.60	-	36.90	5.96	33.44	

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.23456G	58.75	88.20	-29.45	44.25	3	Vertical	280	1.80	-	40.73	8.66	34.89	
RMS	14.2292G	45.77	68.20	-22.43	31.26	3	Vertical	280	1.80	-	40.74	8.66	34.89	

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22714G	58.45	88.20	-29.75	43.93	3	Horizontal	220	2.74	-	40.75	8.66	34.89
RMS	14.23008G	45.70	68.20	-22.50	31.19	3	Horizontal	220	2.74	-	40.74	8.66	34.89

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34976G	49.23	83.54	-34.31	45.03	1	Vertical	7	1.54	-	37.72	16.11	49.63
AV	21.3477G	35.71	63.54	-27.83	31.51	1	Vertical	7	1.54	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom



EUT Y_4TX
Setting 8
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34138G	49.25	83.54	-34.29	45.07	1	Horizontal	49	1.50	-	37.71	16.10	49.63
AV	21.34162G	35.60	63.54	-27.94	31.42	1	Horizontal	49	1.50	-	37.71	16.10	49.63




<Beamforming Mode>

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.63	68.20	-0.57	3	Vertical	274	2.06	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1075G	99.01	Inf	-Inf	90.49	3	Vertical	274	2.06	-	35.84	8.20	35.52	
RMS	7.10728G	88.77	Inf	-Inf	80.25	3	Vertical	274	2.06	-	35.84	8.20	35.52	
PK	7.1255G	79.30	88.20	-8.90	70.67	3	Vertical	274	2.06	-	35.95	8.20	35.52	
RMS	7.1255G	67.63	68.20	-0.57	59.00	3	Vertical	274	2.06	-	35.95	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11125G	95.79	Inf	-Inf	87.24	3	Horizontal	157	2.06	-	35.87	8.20	35.52	
RMS	7.1113G	85.57	Inf	-Inf	77.02	3	Horizontal	157	2.06	-	35.87	8.20	35.52	
PK	7.1255G	75.81	88.20	-12.39	67.18	3	Horizontal	157	2.06	-	35.95	8.20	35.52	
RMS	7.1255G	64.47	68.20	-3.73	55.84	3	Horizontal	157	2.06	-	35.95	8.20	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2357G	62.22	88.20	-25.98	42.05	3	Vertical	186	2.71	-	41.60	12.52	33.95	
RMS	14.23456G	49.26	68.20	-18.94	29.09	3	Vertical	186	2.71	-	41.60	12.52	33.95	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22868G	61.90	88.20	-26.30	41.73	3	Horizontal	335	2.47	-	41.60	12.51	33.94
RMS	14.23594G	49.27	88.20	-38.93	29.10	3	Horizontal	335	2.47	-	41.60	12.52	33.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_2TX
Setting 6.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3465G	49.17	83.54	-34.37	44.97	1	Vertical	22	2.74	-	37.72	16.11	49.63
AV	21.33162G	36.04	63.54	-27.50	31.87	1	Vertical	22	2.74	-	37.70	16.10	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom



EUT_Z_2TX
Setting 6.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34398G	48.34	83.54	-35.20	44.16	1	Horizontal	230	2.42	-	37.71	16.10	49.63
AV	21.33132G	36.04	63.54	-27.50	31.87	1	Horizontal	230	2.42	-	37.70	16.10	49.63




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	67.87	68.20	-0.33	3	Horizontal	280	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1088G	91.68	Inf	-Inf	81.01	3	Vertical	318	1.85	-	36.57	7.25	33.15	
RMS	7.10663G	82.63	Inf	-Inf	71.98	3	Vertical	318	1.85	-	36.55	7.25	33.15	
PK	7.1255G	75.72	88.20	-12.48	64.92	3	Vertical	318	1.85	-	36.70	7.24	33.14	
RMS	7.1255G	64.18	68.20	-4.02	53.38	3	Vertical	318	1.85	-	36.70	7.24	33.14	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.10873G	95.72	Inf	-Inf	85.05	3	Horizontal	280	1.80	-	36.57	7.25	33.15	
RMS	7.10605G	85.80	Inf	-Inf	75.15	3	Horizontal	280	1.80	-	36.55	7.25	33.15	
PK	7.1255G	78.83	88.20	-9.37	68.03	3	Horizontal	280	1.80	-	36.70	7.24	33.14	
RMS	7.1255G	67.87	68.20	-0.33	57.07	3	Horizontal	280	1.80	-	36.70	7.24	33.14	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.22994G	60.06	88.20	-28.14	40.91	3	Vertical	61	2.77	-	40.74	9.97	31.56	
RMS	14.22524G	47.68	68.20	-20.52	28.51	3	Vertical	61	2.77	-	40.75	9.97	31.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.22818G	60.20	88.20	-28.00	41.04	3	Horizontal	307	1.54	-	40.74	9.97	31.55	
RMS	14.22558G	47.67	68.20	-20.53	28.50	3	Horizontal	307	1.54	-	40.75	9.97	31.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT X_1TX
Setting 10
01-I-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.34655G	47.09	83.54	-36.45	43.99	1	Vertical	174	1.41	-	37.72	15.01	49.63	
AV	21.3428G	34.64	63.54	-28.90	31.55	1	Vertical	174	1.41	-	37.71	15.01	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT X_1TX
Setting 10
01-I-G-2


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34518G	48.51	83.54	-35.03	45.42	1	Horizontal	102	1.22	-	37.71	15.01	49.63
AV	21.34281G	34.58	63.54	-28.96	31.49	1	Horizontal	102	1.22	-	37.71	15.01	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6175MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6435MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6515MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7115MHz_TnomVnom

28/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6165MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6445MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6485MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6145MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6465MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TnomVnom

15/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

7025MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

15/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

15/02/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

14/02/2022

CF Freq
5.955GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96379G	-5.49	5.967G	-41.30	-24.99	-16.31	1
5.96429G	-5.90	5.9669G	-40.99	-25.92	-15.07	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

14/02/2022

CF Freq
6.175GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18409G	-5.82	6.1871G	-41.81	-25.88	-15.93	1
6.16631G	-6.04	6.1629G	-42.33	-26.04	-16.29	2

802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

14/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

15/02/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TnomVnom

28/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

15/02/2022




802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

15/02/2022



802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

15/02/2022

