


Z-COM (Model: XI-815), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.247 mW/g, SAR (1g): 0.129 mW/g, SAR (10g): 0.0702 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (6.9, 8.7) [mm]; Powerdrift: 0.03 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Z-COM (Model: XI-815), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.6 (7.0, 8.9) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Z-COM (Model: XI-815), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.185 mW/g, SAR (1g): 0.0952 mW/g, SAR (10g): 0.0516 mW/g, (Worst-case extrapolation)
Penetration depth: 7.2 (6.7, 8.4) [mm]; Powerdrift: 0.02 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Z-COM (Model: XI-815), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.185 mW/g, SAR (1g): 0.0965 mW/g, SAR (10g): 0.0521 mW/g, (Worst-case extrapolation)
Penetration depth: 7.2 (6.9, 8.2) [mm]; Powerdrift: 0.04 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Z-COM (Model: XI-815), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.532 mW/g, SAR (1g): 0.287 mW/g, SAR (10g): 0.157 mW/g, (Worst-case extrapolation)
Penetration depth: 8.3 (7.6, 9.6) [mm]; Powerdrift: -0.15 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Z-COM (Model: XI-815), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 8.5 (7.8, 9.6) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Z-COM (Model: XI-815), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.419 mW/g, SAR (1g): 0.227 mW/g, SAR (10g): 0.124 mW/g, (Worst-case extrapolation)
Penetration depth: 8.2 (7.6, 9.4) [mm]; Powerdrift: 0.11 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5



Z-COM (Model: XI-815), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: $(90^\circ, 90^\circ)$
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.388 mW/g, SAR (1g): 0.211 mW/g, SAR (10g): 0.116 mW/g, (Worst-case extrapolation)
Penetration depth: 8.1 (7.6, 9.0) [mm]; Powerdrift: -0.04 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.5

