





FR1 n77 / 100MHz / DFT-S OFDM

Middle Band Edge / Full RB / PI/2 BPSK

Middle Band Edge / Full RB / QPSK



08:16:38 PM 04/16/2026




08:17:28 PM 04/16/2026




Conducted Spurious Emission

FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



**Frequency Stability**

Test Conditions		FR1 n77 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0005	1.8	Yes	PASS
40	Normal Voltage	0.0044	15.4	Yes	
30	Normal Voltage	0.0002	-0.7	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0003	1	Yes	
0	Normal Voltage	0.0004	-1.5	Yes	
-10	Normal Voltage	0.0031	10.8	Yes	
-20	Normal Voltage	0.0031	10.9	Yes	
-30	Normal Voltage	0.0002	0.8	Yes	
20	Maximum Voltage	0.0002	0.6	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0000	0	Yes	

Note:

1. Normal Voltage = 3.9 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Radiated Spurious Emission Test Data

Test Engineer:	John Chuang, David Dai, and Sam Chou	Relative Humidity:	63.7~71.1 %
		Temperature:	18.3~22.8 °C

B1. Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	NR SA n5	Part 22H	H	3321	-63.13	RMS	29.54	-26.02	0.22	-95.23	28.36	-13.00	-50.13	H	2
2	EN-DC B2+n5	Part 22H	M	3311	-62.46	RMS	29.52	-26.03	0.22	-95.23	29.06	-13.00	-49.46	H	1+2
3	NR SA n25	Part 24E	H	7585	-55.74	RMS	36.27	-21.71	0.42	-95.23	24.51	-13.00	-42.74	H	1
4	EN-DC B66+n25	Part 24E	M	7495	-55.07	RMS	36.41	-21.94	0.41	-95.23	25.28	-13.00	-42.07	H	1+2
5	NR SA n12	Part 27H	L	2100	-64.66	RMS	27.40	-28.18	0.41	-95.23	30.95	-13.00	-51.66	V	2
6	EN-DC B2+n12	Part 27H	M	2804	-64.32	RMS	28.40	-26.68	0.26	-95.23	28.93	-13.00	-51.32	V	1+2
7	NR SA n66	Part 27L	M	6945	-56.75	RMS	35.90	-22.82	0.46	-95.23	24.94	-13.00	-43.75	V	1
8	EN-DC B5+n66	Part 27L	H	7045	-55.50	RMS	36.08	-22.75	0.44	-95.23	25.96	-13.00	-42.50	H	2+1
9	NR SA n41(PC2)	Part 27M	H	10685	-52.55	RMS	39.13	-22.82	0.47	-95.23	25.90	-25.00	-27.55	V	1
10	NR SA n41 MIMO(PC1.5)	Part 27M	H	10685	-53.15	RMS	39.13	-24.91	0.47	-95.23	27.39	-25.00	-28.15	H	1+2
11	EN-DC B5+n41	Part 27M	H	10685	-52.57	RMS	39.13	-22.82	0.47	-95.23	25.88	-25.00	-27.57	H	2+1
12	EN-DC B66+n41	Part 27M	H	10685	-52.64	RMS	39.13	-22.82	0.47	-95.23	25.81	-25.00	-27.64	H	1+2
13	NR SA n71	Part 27N	M	2687	-64.68	RMS	28.13	-26.97	0.29	-95.23	29.10	-13.00	-51.68	V	2
14	EN-DC B2+n71	Part 27N	M	2687	-63.62	RMS	28.13	-26.97	0.29	-95.23	30.16	-13.00	-50.62	V	1+2
15	NR SA n77 (PC2)	Part 27O	L	14805	-52.13	RMS	39.88	-22.39	0.45	-95.23	25.16	-13.00	-39.13	V	2
16	NR SA n77 MIMO(PC1.5)	Part 27O	L	14805	-51.85	RMS	39.88	-24.90	0.45	-95.23	27.95	-13.00	-38.85	V	1+2
17	EN-DC B5+n77	Part 27O	L	7403	-49.56	RMS	36.41	-22.16	0.77	-95.23	30.65	-13.00	-36.56	V	2+1
18	EN-DC B2+n77	Part 27O	L	14805	-51.12	RMS	39.88	-22.39	0.45	-95.23	26.17	-13.00	-38.12	V	1+2
19	NR SA n77 (PC2)	Part 27Q	H	14125	-50.82	RMS	40.30	-22.35	0.58	-95.23	25.88	-13.00	-37.82	V	2
20	NR SA n77 MIMO(PC1.5)	Part 27Q	M	6983	-48.71	RMS	35.90	-24.45	1.17	-95.23	33.90	-13.00	-35.71	V	1+2
21	EN-DC B5+n77	Part 27Q	L	6903	-49.57	RMS	35.90	-22.85	1.17	-95.23	31.44	-13.00	-36.57	V	2+1
22	EN-DC B2+n77	Part 27Q	H	14125	-50.39	RMS	40.30	-22.35	0.58	-95.23	26.31	-13.00	-37.39	H	1+2




Ant. 2

Part 22H Mode 1

NR SA n5 20M Ch166800 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA N5 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1650.00	-67.71	RMS	25.20	-28.79	0.47	-95.23	30.64	-13.00	-54.71	Horizontal
2	2475.00	-64.70	RMS	27.65	-27.46	0.33	-95.23	30.01	-13.00	-51.70	Horizontal
3	3301.00	-63.25	RMS	29.50	-26.04	0.22	-95.23	28.30	-13.00	-50.25	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA N5 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1650.00	-67.64	RMS	25.20	-28.79	0.47	-95.23	30.71	-13.00	-54.64	Vertical
2	2475.00	-64.78	RMS	27.65	-27.46	0.33	-95.23	29.93	-13.00	-51.78	Vertical
3	3301.00	-63.36	RMS	29.50	-26.04	0.22	-95.23	28.19	-13.00	-50.36	Vertical




Ant. 2

Part 22H Mode 1


NR SA n5 20M Ch167300 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: SA N5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1656.00	-68.03	RMS	25.20	-28.78	0.47	-95.23	30.31	-13.00	-55.03 Horizontal
2	2483.00	-64.70	RMS	27.73	-27.45	0.33	-95.23	29.92	-13.00	-51.70 Horizontal
3	3311.00	-63.15	RMS	29.52	-26.03	0.22	-95.23	28.37	-13.00	-50.15 Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: SA N5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1656.00	-68.11	RMS	25.20	-28.78	0.47	-95.23	30.23	-13.00	-55.11 Vertical
2	2483.00	-64.13	RMS	27.73	-27.45	0.33	-95.23	30.49	-13.00	-51.13 Vertical
3	3311.00	-63.68	RMS	29.52	-26.03	0.22	-95.23	27.84	-13.00	-50.68 Vertical




Ant. 2

Part 22H Mode 1

NR SA n5 20M Ch167800 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA N5 20M Ch167800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1660.00	-67.12	RMS	25.20	-28.78	0.46	-95.23	31.23	-13.00	-54.12	Horizontal	
2	2490.00	-64.57	RMS	27.80	-27.44	0.33	-95.23	29.97	-13.00	-51.57	Horizontal	
3	3321.00	-63.13	RMS	29.54	-26.02	0.22	-95.23	28.36	-13.00	-50.13	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA N5 20M Ch167800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1660.00	-67.10	RMS	25.20	-28.78	0.46	-95.23	31.25	-13.00	-54.10	Vertical	
2	2490.00	-64.65	RMS	27.80	-27.44	0.33	-95.23	29.89	-13.00	-51.65	Vertical	
3	3321.00	-63.35	RMS	29.54	-26.02	0.22	-95.23	28.14	-13.00	-50.35	Vertical	




Ant. 1+2

Part 22H Mode 2


EN-DC B2+n5 10M + 20M Ch18900 1RB0 QPSK + Ch166800 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA N5 20M Ch166800 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB		dB	dBuV	dBm	dB	
1	1650.00	-65.31	RMS	25.20	-28.79	0.47	-95.23	33.04	-13.00	-52.31	Horizontal
2	2475.00	-64.61	RMS	27.65	-27.46	0.33	-95.23	30.10	-13.00	-51.61	Horizontal
3	3301.00	-62.61	RMS	29.50	-26.04	0.22	-95.23	28.94	-13.00	-49.61	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA N5 20M Ch166800 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB		dB	dBuV	dBm	dB	
1	1650.00	-63.91	RMS	25.20	-28.79	0.47	-95.23	34.44	-13.00	-50.91	Vertical
2	2475.00	-62.85	RMS	27.65	-27.46	0.33	-95.23	31.86	-13.00	-49.85	Vertical
3	3301.00	-62.96	RMS	29.50	-26.04	0.22	-95.23	28.59	-13.00	-49.96	Vertical




Ant. 1+2

Part 22H Mode 2


EN-DC B2+n5 10M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA N5 20M Ch167300 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1655.00	-64.15	RMS	25.20	-28.78	0.47	-95.23	34.19	-13.00	-51.15	Horizontal
2	2483.00	-63.23	RMS	27.73	-27.45	0.33	-95.23	31.39	-13.00	-50.23	Horizontal
3	3311.00	-62.46	RMS	29.52	-26.03	0.22	-95.23	29.06	-13.00	-49.46	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA N5 20M Ch167300 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1655.00	-63.24	RMS	25.20	-28.78	0.47	-95.23	35.10	-13.00	-50.24	Vertical
2	2483.00	-62.52	RMS	27.73	-27.45	0.33	-95.23	32.10	-13.00	-49.52	Vertical
3	3311.00	-62.81	RMS	29.52	-26.03	0.22	-95.23	28.71	-13.00	-49.81	Vertical




Ant. 1+2

Part 22H Mode 2


EN-DC B2+n5 10M + 20M Ch18900 1RB0 QPSK + Ch167800 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA N5 20M Ch167800 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1664.00	-67.27	RMS	25.20	-28.78	0.46	-95.23	31.08	-13.00	-54.27	Horizontal
2	2490.00	-64.36	RMS	27.80	-27.44	0.33	-95.23	30.18	-13.00	-51.36	Horizontal
3	3321.00	-62.67	RMS	29.54	-26.02	0.22	-95.23	28.82	-13.00	-49.67	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA N5 20M Ch167800 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1664.00	-65.18	RMS	25.24	-28.77	0.46	-95.23	33.12	-13.00	-52.18	Vertical
2	2490.00	-64.34	RMS	27.80	-27.44	0.33	-95.23	30.20	-13.00	-51.34	Vertical
3	3321.00	-62.75	RMS	29.54	-26.02	0.22	-95.23	28.74	-13.00	-49.75	Vertical




Ant. 1

Part 24E Mode 3

NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n25 20M Ch372000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	3702.00	-63.16	RMS	29.71	-25.47	0.71	-95.23	27.12	-13.00	-50.16	Horizontal
2	5553.00	-60.36	RMS	32.90	-24.46	0.48	-95.23	25.95	-13.00	-47.36	Horizontal
3	7405.00	-56.06	RMS	36.41	-22.15	0.41	-95.23	24.50	-13.00	-43.06	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n25 20M Ch372000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	3702.00	-63.49	RMS	29.71	-25.47	0.71	-95.23	26.79	-13.00	-50.49	Vertical
2	5553.00	-60.64	RMS	32.90	-24.46	0.48	-95.23	25.67	-13.00	-47.64	Vertical
3	7405.00	-55.76	RMS	36.41	-22.15	0.41	-95.23	24.80	-13.00	-42.76	Vertical




Ant. 1

Part 24E Mode 3

NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3747.00	-62.95	RMS	29.98	-25.46	0.65	-95.23	27.11	-13.00	-49.95 Horizontal
2	5621.00	-59.83	RMS	32.98	-24.38	0.47	-95.23	26.33	-13.00	-46.83 Horizontal
3	7495.00	-56.33	RMS	36.41	-21.94	0.41	-95.23	24.02	-13.00	-43.33 Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3747.00	-62.82	RMS	29.98	-25.46	0.65	-95.23	27.24	-13.00	-49.82 Vertical
2	5621.00	-60.12	RMS	32.98	-24.38	0.47	-95.23	26.04	-13.00	-47.12 Vertical
3	7495.00	-56.19	RMS	36.41	-21.94	0.41	-95.23	24.16	-13.00	-43.19 Vertical




Ant. 1

Part 24E Mode 3

NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3792.00	-62.40	RMS	30.34	-25.45	0.60	-95.23	27.34	-13.00	-49.40
2	5688.00	-59.32	RMS	33.48	-24.29	0.46	-95.23	26.26	-13.00	-46.32
3	7585.00	-55.74	RMS	36.27	-21.71	0.42	-95.23	24.51	-13.00	-42.74



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3792.00	-62.36	RMS	30.34	-25.45	0.60	-95.23	27.38	-13.00	-49.36
2	5688.00	-59.84	RMS	33.48	-24.29	0.46	-95.23	25.74	-13.00	-46.84
3	7585.00	-55.82	RMS	36.27	-21.71	0.42	-95.23	24.43	-13.00	-42.82




Ant. 1+2

Part 24E Mode 4


EN-DC B66+n25 10M + 20M Ch132322 1RB0 QPSK + Ch372000 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n25 20M Ch372000 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	3702.00	-62.66	RMS	29.71	-25.47	0.71	-95.23	27.62	-13.00	-49.66	Horizontal
2	5553.00	-59.47	RMS	32.90	-24.46	0.48	-95.23	26.84	-13.00	-46.47	Horizontal
3	7405.00	-55.18	RMS	36.41	-22.15	0.41	-95.23	25.38	-13.00	-42.18	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n25 20M Ch372000 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	3702.00	-62.62	RMS	29.71	-25.47	0.71	-95.23	27.66	-13.00	-49.62	Vertical
2	5553.00	-59.44	RMS	32.90	-24.46	0.48	-95.23	26.87	-13.00	-46.44	Vertical
3	7405.00	-55.22	RMS	36.41	-22.15	0.41	-95.23	25.34	-13.00	-42.22	Vertical




Ant. 1+2

Part 24E Mode 4


EN-DC B66+n25 10M + 20M Ch132322 1RB0 QPSK + Ch376500 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n25 20M Ch376500 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g	dBm		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm	dB	
1	3747.00	-61.98	RMS	29.98	-25.46	0.65	-95.23	28.08	-13.00	-48.98	Horizontal
2	5621.00	-59.15	RMS	32.98	-24.38	0.47	-95.23	27.01	-13.00	-46.15	Horizontal
3	7495.00	-55.07	RMS	36.41	-21.94	0.41	-95.23	25.28	-13.00	-42.07	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n25 20M Ch376500 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3747.00	-62.33	RMS	29.98	-25.46	0.65	-95.23	27.73	-13.00	-49.33	Vertical
2	5621.00	-59.22	RMS	32.98	-24.38	0.47	-95.23	26.94	-13.00	-46.22	Vertical
3	7495.00	-55.17	RMS	36.41	-21.94	0.41	-95.23	25.18	-13.00	-42.17	Vertical




Ant. 1+2

Part 24E Mode 4


EN-DC B66+n25 10M + 20M Ch132322 1RB0 QPSK + Ch381000 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n25 20M Ch381000 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3792.00	-61.83	RMS		30.34	-25.45	0.60	-95.23	27.91	-13.00	-48.83	Horizontal
2	5688.00	-58.57	RMS		33.48	-24.29	0.46	-95.23	27.01	-13.00	-45.57	Horizontal
3	7585.00	-55.35	RMS		36.27	-21.71	0.42	-95.23	24.90	-13.00	-42.35	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n25 20M Ch381000 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3792.00	-61.90	RMS		30.34	-25.45	0.60	-95.23	27.84	-13.00	-48.90	Vertical
2	5688.00	-58.99	RMS		33.48	-24.29	0.46	-95.23	26.59	-13.00	-45.99	Vertical
3	7585.00	-55.14	RMS		36.27	-21.71	0.42	-95.23	25.11	-13.00	-42.14	Vertical




Ant. 2

Part 27H Mode 5

NR SA n12 15M Ch141300 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g	g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm	dB	
1	1400.00	-66.94	RMS	25.80	-29.21	0.62	-95.23	31.08	-13.00	-53.94	Horizontal
2	2100.00	-64.92	RMS	27.40	-28.18	0.41	-95.23	30.69	-13.00	-51.92	Horizontal
3	2800.00	-64.88	RMS	28.40	-26.69	0.26	-95.23	28.38	-13.00	-51.88	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g	g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm	dB	
1	1400.00	-66.70	RMS	25.80	-29.21	0.62	-95.23	31.32	-13.00	-53.70	Vertical
2	2100.00	-64.66	RMS	27.40	-28.18	0.41	-95.23	30.95	-13.00	-51.66	Vertical
3	2800.00	-65.15	RMS	28.40	-26.69	0.26	-95.23	28.11	-13.00	-52.15	Vertical




Ant. 2

Part 27H Mode 5

NR SA n12 15M Ch141500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1402.00	-66.60	RMS	25.78	-29.20	0.62	-95.23	31.43	-13.00	-53.60	Horizontal
2	2103.00	-64.94	RMS	27.43	-28.17	0.40	-95.23	30.63	-13.00	-51.94	Horizontal
3	2804.00	-64.79	RMS	28.40	-26.68	0.26	-95.23	28.46	-13.00	-51.79	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1402.00	-66.58	RMS	25.78	-29.20	0.62	-95.23	31.45	-13.00	-53.58	Vertical
2	2103.00	-64.78	RMS	27.43	-28.17	0.40	-95.23	30.79	-13.00	-51.78	Vertical
3	2804.00	-64.70	RMS	28.40	-26.68	0.26	-95.23	28.55	-13.00	-51.70	Vertical




Ant. 2

Part 27H Mode 5

NR SA n12 15M Ch141700 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n12 15M Ch141700 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1404.00	-66.54	RMS	25.76	-29.20	0.62	-95.23	31.51	-13.00	-53.54	Horizontal
2	2106.00	-65.05	RMS	27.46	-28.17	0.40	-95.23	30.49	-13.00	-52.05	Horizontal
3	2808.00	-64.97	RMS	28.40	-26.67	0.26	-95.23	28.27	-13.00	-51.97	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n12 15M Ch141700 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1404.00	-65.80	RMS	25.76	-29.20	0.62	-95.23	32.25	-13.00	-52.80	Vertical
2	2106.00	-65.28	RMS	27.46	-28.17	0.40	-95.23	30.26	-13.00	-52.28	Vertical
3	2808.00	-65.02	RMS	28.40	-26.67	0.26	-95.23	28.22	-13.00	-52.02	Vertical




Ant. 1+2

Part 27H Mode 6


EN-DC B2+n12 10M + 15M Ch18900 1RB0 QPSK + Ch141300 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA n12 15M Ch141300 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-66.86	RMS	25.80	-29.21	0.62	-95.23	31.16	-13.00	-53.86	Horizontal
2	2100.00	-64.79	RMS	27.40	-28.18	0.41	-95.23	30.82	-13.00	-51.79	Horizontal
3	2800.00	-64.70	RMS	28.40	-26.69	0.26	-95.23	28.56	-13.00	-51.70	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA n12 15M Ch141300 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-67.20	RMS	25.80	-29.21	0.62	-95.23	30.82	-13.00	-54.20	Vertical
2	2100.00	-64.95	RMS	27.40	-28.18	0.41	-95.23	30.66	-13.00	-51.95	Vertical
3	2800.00	-64.96	RMS	28.40	-26.69	0.26	-95.23	28.30	-13.00	-51.96	Vertical




Ant. 1+2

Part 27H Mode 6


EN-DC B2+n12 10M + 15M Ch18900 1RB0 QPSK + Ch141500 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA n12 15M Ch141500 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1402.00	-66.96	RMS	25.78	-29.20	0.62	-95.23	31.07	-13.00	-53.96	Horizontal
2	2103.00	-64.55	RMS	27.43	-28.17	0.40	-95.23	31.02	-13.00	-51.55	Horizontal
3	2804.00	-64.52	RMS	28.40	-26.68	0.26	-95.23	28.73	-13.00	-51.52	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA n12 15M Ch141500 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1402.00	-66.70	RMS	25.78	-29.20	0.62	-95.23	31.33	-13.00	-53.70	Vertical
2	2103.00	-64.62	RMS	27.43	-28.17	0.40	-95.23	30.95	-13.00	-51.62	Vertical
3	2804.00	-64.32	RMS	28.40	-26.68	0.26	-95.23	28.93	-13.00	-51.32	Vertical




Ant. 1+2

Part 27H Mode 6


EN-DC B2+n12 10M + 15M Ch18900 1RB0 QPSK + Ch141700 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA n12 15M Ch141700 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1404.00	-66.82	RMS	25.76	-29.20	0.62	-95.23	31.23	-13.00	-53.82	Horizontal
2	2106.00	-64.69	RMS	27.46	-28.17	0.40	-95.23	30.85	-13.00	-51.69	Horizontal
3	2808.00	-64.68	RMS	28.40	-26.67	0.26	-95.23	28.56	-13.00	-51.68	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA n12 15M Ch141700 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1404.00	-66.91	RMS	25.76	-29.20	0.62	-95.23	31.14	-13.00	-53.91	Vertical
2	2106.00	-64.61	RMS	27.46	-28.17	0.40	-95.23	30.93	-13.00	-51.61	Vertical
3	2808.00	-64.58	RMS	28.40	-26.67	0.26	-95.23	28.66	-13.00	-51.58	Vertical




Ant. 1

Part 27L Mode 7

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3422.00	-63.08	RMS	29.51	-25.91	1.05	-95.23	27.50	-13.00	-50.08	Horizontal
2	5133.00	-59.75	RMS	33.03	-24.76	0.51	-95.23	26.70	-13.00	-46.75	Horizontal
3	6845.00	-57.54	RMS	35.81	-22.89	0.46	-95.23	24.31	-13.00	-44.54	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3422.00	-63.38	RMS	29.51	-25.91	1.05	-95.23	27.20	-13.00	-50.38	Vertical
2	5133.00	-59.87	RMS	33.03	-24.76	0.51	-95.23	26.58	-13.00	-46.87	Vertical
3	6845.00	-57.17	RMS	35.81	-22.89	0.46	-95.23	24.68	-13.00	-44.17	Vertical




Ant. 1

Part 27L Mode 7

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	3742.00	-62.64	RMS	29.95	-25.46	0.66	-95.23	27.44	-13.00	-49.64 Horizontal
2	5208.00	-59.79	RMS	33.08	-24.67	0.51	-95.23	26.52	-13.00	-46.79 Horizontal
3	6945.00	-56.98	RMS	35.90	-22.82	0.46	-95.23	24.71	-13.00	-43.98 Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	3472.00	-63.45	RMS	29.36	-25.82	0.99	-95.23	27.25	-13.00	-50.45 Vertical
2	5208.00	-59.53	RMS	33.08	-24.67	0.51	-95.23	26.78	-13.00	-46.53 Vertical
3	6945.00	-56.75	RMS	35.90	-22.82	0.46	-95.23	24.94	-13.00	-43.75 Vertical




Ant. 1

Part 27L Mode 7

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.00	-63.38	RMS	29.39	-25.71	0.93	-95.23	27.24	-13.00	-50.38 Horizontal
2	5283.00	-60.73	RMS	32.87	-24.64	0.52	-95.23	25.75	-13.00	-47.73 Horizontal
3	7045.00	-56.94	RMS	36.08	-22.75	0.44	-95.23	24.52	-13.00	-43.94 Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.00	-63.53	RMS	29.39	-25.71	0.93	-95.23	27.09	-13.00	-50.53 Vertical
2	5283.00	-60.45	RMS	32.87	-24.64	0.52	-95.23	26.03	-13.00	-47.45 Vertical
3	7045.00	-56.80	RMS	36.08	-22.75	0.44	-95.23	24.66	-13.00	-43.80 Vertical




Ant. 2+1

Part 27L Mode 8

EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch344000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n66 20M Ch344000 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	3422.00	-62.61	RMS	29.51	-25.91	1.05	-95.23	-95.23	27.97	-13.00	-49.61	Horizontal
2	5133.00	-58.98	RMS	33.03	-24.76	0.51	-95.23	-95.23	27.47	-13.00	-45.98	Horizontal
3	6845.00	-56.22	RMS	35.81	-22.89	0.46	-95.23	-95.23	25.63	-13.00	-43.22	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n66 20M Ch344000 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	3422.00	-62.54	RMS	29.51	-25.91	1.05	-95.23	-95.23	28.04	-13.00	-49.54	Vertical
2	5133.00	-58.45	RMS	33.03	-24.76	0.51	-95.23	-95.23	28.00	-13.00	-45.45	Vertical
3	6845.00	-56.59	RMS	35.81	-22.89	0.46	-95.23	-95.23	25.26	-13.00	-43.59	Vertical




Ant. 2+1

Part 27L Mode 8


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: SA n66 20M Ch349000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3472.00	-62.31	RMS	29.36	-25.82	0.99	-95.23	28.39	-13.00	-49.31	Horizontal
2	5208.00	-59.08	RMS	33.08	-24.67	0.51	-95.23	27.23	-13.00	-46.08	Horizontal
3	6945.00	-56.08	RMS	35.90	-22.82	0.46	-95.23	25.61	-13.00	-43.08	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: SA n66 20M Ch349000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3472.00	-62.39	RMS	29.36	-25.82	0.99	-95.23	28.31	-13.00	-49.39	Vertical
2	5208.00	-59.20	RMS	33.08	-24.67	0.51	-95.23	27.11	-13.00	-46.20	Vertical
3	6945.00	-56.24	RMS	35.90	-22.82	0.46	-95.23	25.45	-13.00	-43.24	Vertical




Ant. 2+1

Part 27L Mode 8


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch354000 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: SA n66 20M Ch354000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3522.00	-62.55	RMS	29.39	-25.71	0.93	-95.23	28.07	-13.00	-49.55	Horizontal
2	5283.00	-59.64	RMS	32.87	-24.64	0.52	-95.23	26.84	-13.00	-46.64	Horizontal
3	7045.00	-55.50	RMS	36.08	-22.75	0.44	-95.23	25.96	-13.00	-42.50	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: SA n66 20M Ch354000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3522.00	-62.54	RMS	29.39	-25.71	0.93	-95.23	28.08	-13.00	-49.54	Vertical
2	5283.00	-59.65	RMS	32.87	-24.64	0.52	-95.23	26.83	-13.00	-46.65	Vertical
3	7045.00	-55.94	RMS	36.08	-22.75	0.44	-95.23	25.52	-13.00	-42.94	Vertical




Ant. 1

Part 27M Mode 9

NR SA n41 (PC2) 20M Ch501204 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-59.51	RMS	33.26	-24.92	0.50	-95.23	26.88	-25.00	-34.51 Horizontal
2	7491.00	-56.14	RMS	36.42	-21.95	0.41	-95.23	24.21	-25.00	-31.14 Horizontal
3	9989.00	-54.32	RMS	38.36	-22.94	0.47	-95.23	25.02	-25.00	-29.32 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-59.93	RMS	33.26	-24.92	0.50	-95.23	26.46	-25.00	-34.93 Vertical
2	7491.00	-55.95	RMS	36.42	-21.95	0.41	-95.23	24.40	-25.00	-30.95 Vertical
3	9989.00	-53.94	RMS	38.36	-22.94	0.47	-95.23	25.40	-25.00	-28.94 Vertical




Ant. 1

Part 27M Mode 9

NR SA n41 (PC2) 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5168.00	-59.93	RMS	33.10	-24.72	0.51	-95.23	26.41	-25.00	-34.93
2	7752.00	-55.45	RMS	36.71	-22.07	0.53	-95.23	24.61	-25.00	-30.45
3	10337.00	-53.72	RMS	38.77	-22.88	0.46	-95.23	25.16	-25.00	-28.72



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5168.00	-59.94	RMS	33.10	-24.72	0.51	-95.23	26.40	-25.00	-34.94
2	7752.00	-55.35	RMS	36.71	-22.07	0.53	-95.23	24.71	-25.00	-30.35
3	10337.00	-53.75	RMS	38.77	-22.88	0.46	-95.23	25.13	-25.00	-28.75




Ant. 1

Part 27M Mode 9

NR SA n41 (PC2) 20M Ch535998 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.00	-60.65	RMS	32.88	-24.62	0.52	-95.23	25.80	-25.00	-35.65 Horizontal
2	8013.00	-55.20	RMS	37.20	-22.48	0.41	-95.23	24.90	-25.00	-30.20 Horizontal
3	10685.00	-53.02	RMS	39.13	-22.82	0.47	-95.23	25.43	-25.00	-28.02 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5342.00	-60.66	RMS	32.88	-24.62	0.52	-95.23	25.79	-25.00	-35.66 Vertical
2	8013.00	-55.08	RMS	37.20	-22.48	0.41	-95.23	25.02	-25.00	-30.08 Vertical
3	10685.00	-52.55	RMS	39.13	-22.82	0.47	-95.23	25.90	-25.00	-27.55 Vertical




Ant. 1+2

Part 27M Mode 10

NR SA n41 (PC1.5) 20M Ch501204 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-58.84	RMS	33.27	-26.18	0.50	-95.23	28.80	-25.00	-33.84
2	7495.00	-56.31	RMS	36.41	-24.41	0.41	-95.23	26.51	-25.00	-31.31
3	9989.00	-54.17	RMS	38.36	-24.95	0.47	-95.23	27.18	-25.00	-29.17



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-59.07	RMS	33.27	-26.18	0.50	-95.23	28.57	-25.00	-34.07
2	7492.00	-56.21	RMS	36.42	-24.41	0.41	-95.23	26.60	-25.00	-31.21
3	9989.00	-54.05	RMS	38.36	-24.95	0.47	-95.23	27.30	-25.00	-29.05




Ant. 1+2

Part 27M Mode 10

NR SA n41 (PC1.5) 20M Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-59.56	RMS	33.10	-26.08	0.51	-95.23	28.14	-25.00	-34.56
2	7753.00	-55.54	RMS	36.71	-24.48	0.53	-95.23	26.93	-25.00	-30.54
3	10337.00	-53.39	RMS	38.77	-24.93	0.46	-95.23	27.54	-25.00	-28.39



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-59.25	RMS	33.10	-26.08	0.51	-95.23	28.45	-25.00	-34.25
2	7753.00	-55.58	RMS	36.71	-24.48	0.53	-95.23	26.89	-25.00	-30.58
3	10337.00	-53.48	RMS	38.77	-24.93	0.46	-95.23	27.45	-25.00	-28.48




Ant. 1+2

Part 27M Mode 10

NR SA n41 (PC1.5) 20M Ch535998 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-59.66	RMS	32.89	-25.94	0.52	-95.23	28.10	-25.00	-34.66	Horizontal	
2	8014.00	-54.96	RMS	37.20	-24.43	0.41	-95.23	27.09	-25.00	-29.96	Horizontal	
3	10685.00	-53.15	RMS	39.13	-24.91	0.47	-95.23	27.39	-25.00	-28.15	Horizontal	



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-59.80	RMS	32.89	-25.94	0.52	-95.23	27.96	-25.00	-34.80	Vertical	
2	8014.00	-54.66	RMS	37.20	-24.43	0.41	-95.23	27.39	-25.00	-29.66	Vertical	
3	10685.00	-53.38	RMS	39.13	-24.91	0.47	-95.23	27.16	-25.00	-28.38	Vertical	




Ant. 2+1

Part 27M Mode 11


EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch501204 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR SA n41 20M Ch501204 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	4995.00	-59.40	RMS	33.27	-24.92	0.50	-95.23	26.98	-25.00	-34.40	Horizontal	
2	7495.00	-55.52	RMS	36.41	-21.94	0.41	-95.23	24.83	-25.00	-30.52	Horizontal	
3	9989.00	-54.13	RMS	38.36	-22.94	0.47	-95.23	25.21	-25.00	-29.13	Horizontal	



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR SA n41 20M Ch501204 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm										
1	4995.00	-59.15	RMS	33.27	-24.92	0.50	-95.23	27.23	-25.00	-34.15	Vertical	
2	7492.00	-55.63	RMS	36.42	-21.95	0.41	-95.23	24.72	-25.00	-30.63	Vertical	
3	9989.00	-53.78	RMS	38.36	-22.94	0.47	-95.23	25.56	-25.00	-28.78	Vertical	




Ant. 2+1

Part 27M Mode 11

EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch518598 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-59.71	RMS	33.10	-24.71	0.51	-95.23	26.62	-25.00	-34.71	Horizontal	
2	7753.00	-55.06	RMS	36.71	-22.07	0.53	-95.23	25.00	-25.00	-30.06	Horizontal	
3	10337.00	-53.45	RMS	38.77	-22.88	0.46	-95.23	25.43	-25.00	-28.45	Horizontal	



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch518598 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-59.45	RMS	33.10	-24.71	0.51	-95.23	26.88	-25.00	-34.45	Vertical	
2	7753.00	-55.00	RMS	36.71	-22.07	0.53	-95.23	25.06	-25.00	-30.00	Vertical	
3	10337.00	-53.37	RMS	38.77	-22.88	0.46	-95.23	25.51	-25.00	-28.37	Vertical	




Ant. 2+1

Part 27M Mode 11


EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch535998 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR SA n41 20M Ch535998 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	5343.00	-60.41	RMS	32.89	-24.62	0.52	-95.23	26.03	-25.00	-35.41	Horizontal	
2	8014.00	-54.94	RMS	37.20	-22.48	0.41	-95.23	25.16	-25.00	-29.94	Horizontal	
3	10685.00	-52.57	RMS	39.13	-22.82	0.47	-95.23	25.88	-25.00	-27.57	Horizontal	



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR SA n41 20M Ch535998 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	5343.00	-60.21	RMS	32.89	-24.62	0.52	-95.23	26.23	-25.00	-35.21	Vertical	
2	8014.00	-54.58	RMS	37.20	-22.48	0.41	-95.23	25.52	-25.00	-29.58	Vertical	
3	10685.00	-52.72	RMS	39.13	-22.82	0.47	-95.23	25.73	-25.00	-27.72	Vertical	




Ant. 1+2

Part 27M Mode 12


EN-DC B66+n41 10M + 20M Ch132322 1RB0 QPSK + Ch501204 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR SA n41 20M Ch501204 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	4995.00	-59.20	RMS	33.27	-24.92	0.50	-95.23	27.18	-25.00	-34.20	Horizontal
2	7495.00	-55.58	RMS	36.41	-21.94	0.41	-95.23	24.77	-25.00	-30.58	Horizontal
3	9989.00	-53.87	RMS	38.36	-22.94	0.47	-95.23	25.47	-25.00	-28.87	Horizontal



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR SA n41 20M Ch501204 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	4995.00	-59.40	RMS	33.27	-24.92	0.50	-95.23	26.98	-25.00	-34.40	Vertical
2	7492.00	-55.63	RMS	36.42	-21.95	0.41	-95.23	24.72	-25.00	-30.63	Vertical
3	9989.00	-53.93	RMS	38.36	-22.94	0.47	-95.23	25.41	-25.00	-28.93	Vertical




Ant. 1+2

Part 27M Mode 12


EN-DC B66+n41 10M + 20M Ch132322 1RB0 QPSK + Ch518598 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR SA n41 20M Ch518598 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-59.45	RMS	33.10	-24.71	0.51	-95.23	26.88	-25.00	-34.45
2	7753.00	-55.10	RMS	36.71	-22.07	0.53	-95.23	24.96	-25.00	-30.10
3	10337.00	-53.40	RMS	38.77	-22.88	0.46	-95.23	25.48	-25.00	-28.40



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR SA n41 20M Ch518598 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-59.88	RMS	33.10	-24.71	0.51	-95.23	26.45	-25.00	-34.88
2	7753.00	-55.04	RMS	36.71	-22.07	0.53	-95.23	25.02	-25.00	-30.04
3	10337.00	-52.90	RMS	38.77	-22.88	0.46	-95.23	25.98	-25.00	-27.90




Ant. 1+2

Part 27M Mode 12


EN-DC B66+n41 10M + 20M Ch132322 1RB0 QPSK + Ch535998 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: NR SA n41 20M Ch535998 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	5343.00	-59.92	RMS	32.89	-24.62	0.52	-95.23	26.52	-25.00	-34.92	Horizontal	
2	8014.00	-54.93	RMS	37.20	-22.48	0.41	-95.23	25.17	-25.00	-29.93	Horizontal	
3	10685.00	-52.64	RMS	39.13	-22.82	0.47	-95.23	25.81	-25.00	-27.64	Horizontal	



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: NR SA n41 20M Ch535998 1RB1 BPSK
: LTE B66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	5343.00	-60.02	RMS	32.89	-24.62	0.52	-95.23	26.42	-25.00	-35.02	Vertical	
2	8014.00	-54.77	RMS	37.20	-22.48	0.41	-95.23	25.33	-25.00	-29.77	Vertical	
3	10685.00	-52.86	RMS	39.13	-22.82	0.47	-95.23	25.59	-25.00	-27.86	Vertical	




Ant. 2

Part 27N Mode 13

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-66.81	RMS		25.64	-29.39	0.69	-95.23	31.48	-13.00	-53.81	Horizontal
2	1992.00	-65.83	RMS		26.50	-28.41	0.45	-95.23	30.86	-13.00	-52.83	Horizontal
3	2657.00	-64.85	RMS		28.03	-27.04	0.30	-95.23	29.09	-13.00	-51.85	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-66.90	RMS		25.64	-29.39	0.69	-95.23	31.39	-13.00	-53.90	Vertical
2	1992.00	-67.42	RMS		26.50	-28.41	0.45	-95.23	29.27	-13.00	-54.42	Vertical
3	2657.00	-65.28	RMS		28.03	-27.04	0.30	-95.23	28.66	-13.00	-52.28	Vertical




Ant. 2

Part 27N Mode 13

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-67.54	RMS	25.50	-29.35	0.68	-95.23	30.86	-13.00	-54.54	Horizontal
2	2015.00	-65.58	RMS	26.60	-28.37	0.44	-95.23	30.98	-13.00	-52.58	Horizontal
3	2687.00	-64.92	RMS	28.13	-26.97	0.29	-95.23	28.86	-13.00	-51.92	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-66.38	RMS	25.50	-29.35	0.68	-95.23	32.02	-13.00	-53.38	Vertical
2	2015.00	-65.97	RMS	26.60	-28.37	0.44	-95.23	30.59	-13.00	-52.97	Vertical
3	2687.00	-64.68	RMS	28.13	-26.97	0.29	-95.23	29.10	-13.00	-51.68	Vertical




Ant. 2

Part 27N Mode 13

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Horizontal

: SA n71 20M Ch137600 1RB1 BPSK

	Freq		Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
	Factor	1										
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-66.33	RMS		25.42	-29.32	0.66	-95.23	32.14	-13.00	-53.33	Horizontal
2	2037.00	-65.93	RMS		27.07	-28.32	0.43	-95.23	30.12	-13.00	-52.93	Horizontal
3	2717.00	-65.40	RMS		28.27	-26.89	0.28	-95.23	28.17	-13.00	-52.40	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_251105 Vertical

: SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1358.00	-66.59	RMS	25.42	-29.32	0.66	-95.23	31.88	-13.00	-53.59	Vertical
2	2037.00	-65.87	RMS	27.07	-28.32	0.43	-95.23	30.18	-13.00	-52.87	Vertical
3	2717.00	-65.45	RMS	28.27	-26.89	0.28	-95.23	28.12	-13.00	-52.45	Vertical




Ant. 1+2

Part 27N Mode 14


EN-DC B2+n71 10M + 20M Ch18900 1RB0 QPSK + Ch134600 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA n71 20M Ch134600 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	1328.00	-64.29	RMS	25.64	-29.39	0.69	-95.23	34.00	-13.00	-51.29	Horizontal
2	1992.00	-66.15	RMS	26.50	-28.41	0.45	-95.23	30.54	-13.00	-53.15	Horizontal
3	2657.00	-64.49	RMS	28.03	-27.04	0.30	-95.23	29.45	-13.00	-51.49	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA n71 20M Ch134600 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	1328.00	-64.50	RMS	25.64	-29.39	0.69	-95.23	33.79	-13.00	-51.50	Vertical
2	1992.00	-66.70	RMS	26.50	-28.41	0.45	-95.23	29.99	-13.00	-53.70	Vertical
3	2657.00	-64.24	RMS	28.03	-27.04	0.30	-95.23	29.70	-13.00	-51.24	Vertical




Ant. 1+2

Part 27N Mode 14


EN-DC B2+n71 10M + 20M Ch18900 1RB0 QPSK + Ch136100 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA n71 20M Ch136100 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1343.00	-65.33	RMS	25.50	-29.35	0.68	-95.23	33.07	-13.00	-52.33	Horizontal
2	2015.00	-65.23	RMS	26.60	-28.37	0.44	-95.23	31.33	-13.00	-52.23	Horizontal
3	2687.00	-64.02	RMS	28.13	-26.97	0.29	-95.23	29.76	-13.00	-51.02	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA n71 20M Ch136100 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	1343.00	-64.96	RMS	25.50	-29.35	0.68	-95.23	33.44	-13.00	-51.96	Vertical
2	2015.00	-65.08	RMS	26.60	-28.37	0.44	-95.23	31.48	-13.00	-52.08	Vertical
3	2687.00	-63.62	RMS	28.13	-26.97	0.29	-95.23	30.16	-13.00	-50.62	Vertical




Ant. 1+2

Part 27N Mode 14


EN-DC B2+n71 10M + 20M Ch18900 1RB0 QPSK + Ch137600 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Horizontal
: NR SA n71 20M Ch137600 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			1			g		dB	
1	1358.00	-65.71	RMS	25.42	-29.32	0.66	-95.23	32.76	-13.00	-52.71	Horizontal
2	2037.00	-65.12	RMS	27.07	-28.32	0.43	-95.23	30.93	-13.00	-52.12	Horizontal
3	2717.00	-64.75	RMS	28.27	-26.89	0.28	-95.23	28.82	-13.00	-51.75	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_251105 Vertical
: NR SA n71 20M Ch137600 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			1			g		dB	
1	1358.00	-65.49	RMS	25.42	-29.32	0.66	-95.23	32.98	-13.00	-52.49	Vertical
2	2037.00	-65.27	RMS	27.07	-28.32	0.43	-95.23	30.78	-13.00	-52.27	Vertical
3	2717.00	-64.50	RMS	28.27	-26.89	0.28	-95.23	29.07	-13.00	-51.50	Vertical




Ant. 2

Part 270 Mode 15

NR SA n77 (PC2) 20M Ch647334 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-55.03	RMS	36.40	-22.16	0.77	-95.23	25.19	-13.00	-42.03 Horizontal
2	11103.00	-52.72	RMS	38.90	-22.81	0.42	-95.23	26.00	-13.00	-39.72 Horizontal
3	14805.00	-52.16	RMS	39.88	-22.39	0.45	-95.23	25.13	-13.00	-39.16 Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7402.00	-54.79	RMS	36.40	-22.16	0.77	-95.23	25.43	-13.00	-41.79 Vertical
2	11103.00	-52.81	RMS	38.90	-22.81	0.42	-95.23	25.91	-13.00	-39.81 Vertical
3	14805.00	-52.13	RMS	39.88	-22.39	0.45	-95.23	25.16	-13.00	-39.13 Vertical




Ant. 2

Part 270 Mode 15

NR SA n77 (PC2) 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-54.40	RMS	36.45	-21.83	0.83	-95.23	25.38	-13.00	-41.40
2	11493.00	-53.26	RMS	39.19	-22.95	0.41	-95.23	25.32	-13.00	-40.26
3	15325.00	-53.13	RMS	38.55	-22.13	0.35	-95.23	25.33	-13.00	-40.13



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-54.27	RMS	36.45	-21.83	0.83	-95.23	25.51	-13.00	-41.27
2	11493.00	-53.50	RMS	39.19	-22.95	0.41	-95.23	25.08	-13.00	-40.50
3	15325.00	-53.24	RMS	38.55	-22.13	0.35	-95.23	25.22	-13.00	-40.24




Ant. 2

Part 270 Mode 15

NR SA n77 (PC2) 20M Ch664666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch664666 1RB1 BPSK

1	2	3	4	5	6	7	8	9	10	11	12
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol	
MHz	dBm			dB	dB	dB	dBuV	dBm	dB		
1	7922.00	-54.38 RMS	37.14	-22.35	0.75	-95.23	25.31	-13.00	-41.38	Horizontal	
2	11883.00	-53.50 RMS	38.87	-23.07	0.39	-95.23	25.54	-13.00	-40.50	Horizontal	
3	15845.00	-52.71 RMS	38.00	-21.26	0.26	-95.23	25.52	-13.00	-39.71	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch664666 1RB1 BPSK

1	2	3	4	5	6	7	8	9	10	11	12
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol	
MHz	dBm			dB	dB	dB	dBuV	dBm	dB		
1	7922.00	-54.21 RMS	37.14	-22.35	0.75	-95.23	25.48	-13.00	-41.21	Vertical	
2	11883.00	-53.57 RMS	38.87	-23.07	0.39	-95.23	25.47	-13.00	-40.57	Vertical	
3	15845.00	-53.08 RMS	38.00	-21.26	0.26	-95.23	25.15	-13.00	-40.08	Vertical	




Ant. 1+2

Part 270 Mode 16

NR SA n77 (PC1.5) 20M Ch647334 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-55.31	RMS	36.41	-24.40	0.77	-95.23	27.14	-13.00	-42.31
2	11104.00	-53.01	RMS	38.90	-24.94	0.42	-95.23	27.84	-13.00	-40.01
3	14805.00	-51.95	RMS	39.88	-24.90	0.45	-95.23	27.85	-13.00	-38.95



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-53.84	RMS	36.41	-24.40	0.77	-95.23	28.61	-13.00	-40.84
2	11104.00	-52.99	RMS	38.90	-24.94	0.42	-95.23	27.86	-13.00	-39.99
3	14805.00	-51.85	RMS	39.88	-24.90	0.45	-95.23	27.95	-13.00	-38.85




Ant. 1+2

Part 270 Mode 16

NR SA n77 (PC1.5) 20M Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-55.59	RMS	36.45	-24.43	0.83	-95.23	26.79	-13.00	-42.59
2	11494.00	-53.15	RMS	39.19	-25.14	0.41	-95.23	27.62	-13.00	-40.15
3	15325.00	-53.69	RMS	38.55	-24.78	0.35	-95.23	27.42	-13.00	-40.69



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-55.49	RMS	36.45	-24.43	0.83	-95.23	26.89	-13.00	-42.49
2	11494.00	-53.31	RMS	39.19	-25.14	0.41	-95.23	27.46	-13.00	-40.31
3	15325.00	-53.40	RMS	38.55	-24.78	0.35	-95.23	27.71	-13.00	-40.40




Ant. 1+2

Part 270 Mode 16

NR SA n77 (PC1.5) 20M Ch664666 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7922.00	-55.04	RMS	37.14	-24.45	0.75	-95.23	26.75	-13.00	-42.04	Horizontal
2	11883.00	-53.56	RMS	38.87	-25.32	0.39	-95.23	27.73	-13.00	-40.56	Horizontal
3	15845.00	-53.18	RMS	38.00	-24.04	0.26	-95.23	27.83	-13.00	-40.18	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7922.00	-54.78	RMS	37.14	-24.45	0.75	-95.23	27.01	-13.00	-41.78	Vertical
2	11883.00	-53.38	RMS	38.87	-25.32	0.39	-95.23	27.91	-13.00	-40.38	Vertical
3	15845.00	-52.58	RMS	38.00	-24.04	0.26	-95.23	28.43	-13.00	-39.58	Vertical




Ant. 2+1

Part 270 Mode 17


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch647334 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch647334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-54.22	RMS	36.41	-22.16	0.77	-95.23	25.99	-13.00	-41.22	Horizontal	
2	11104.00	-53.07	RMS	38.90	-22.81	0.42	-95.23	25.65	-13.00	-40.07	Horizontal	
3	14805.00	-51.39	RMS	39.88	-22.39	0.45	-95.23	25.90	-13.00	-38.39	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch647334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7403.00	-49.56	RMS	36.41	-22.16	0.77	-95.23	30.65	-13.00	-36.56	Vertical	
2	11104.00	-53.12	RMS	38.90	-22.81	0.42	-95.23	25.60	-13.00	-40.12	Vertical	
3	14805.00	-51.25	RMS	39.88	-22.39	0.45	-95.23	26.04	-13.00	-38.25	Vertical	




Ant. 2+1

Part 270 Mode 17


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7663.00	-54.63	RMS	36.45	-21.84	0.83	-95.23	25.16	-13.00	-41.63	Horizontal	
2	11494.00	-52.75	RMS	39.19	-22.95	0.41	-95.23	25.83	-13.00	-39.75	Horizontal	
3	15325.00	-52.64	RMS	38.55	-22.13	0.35	-95.23	25.82	-13.00	-39.64	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7663.00	-54.62	RMS	36.45	-21.84	0.83	-95.23	25.17	-13.00	-41.62	Vertical	
2	11494.00	-52.99	RMS	39.19	-22.95	0.41	-95.23	25.59	-13.00	-39.99	Vertical	
3	15325.00	-52.29	RMS	38.55	-22.13	0.35	-95.23	26.17	-13.00	-39.29	Vertical	




Ant. 2+1

Part 270 Mode 17


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch664666 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch664666 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7922.00	-54.53	RMS	37.14	-22.35	0.75	-95.23	25.16	-13.00	-41.53	Horizontal	
2	11883.00	-53.30	RMS	38.87	-23.07	0.39	-95.23	25.74	-13.00	-40.30	Horizontal	
3	15845.00	-52.97	RMS	38.00	-21.26	0.26	-95.23	25.26	-13.00	-39.97	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch664666 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7922.00	-54.21	RMS	37.14	-22.35	0.75	-95.23	25.48	-13.00	-41.21	Vertical	
2	11883.00	-50.19	RMS	38.87	-23.07	0.39	-95.23	28.85	-13.00	-37.19	Vertical	
3	15845.00	-52.91	RMS	38.00	-21.26	0.26	-95.23	25.32	-13.00	-39.91	Vertical	




Ant. 1+2

Part 270 Mode 18


EN-DC B2+n77 10M + 20M Ch18900 1RB0 QPSK + Ch647334 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch647334 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	7403.00	-55.30	RMS	36.41	-22.16	0.77	-95.23	24.91	-13.00	-42.30	Horizontal	
2	11104.00	-52.86	RMS	38.90	-22.81	0.42	-95.23	25.86	-13.00	-39.86	Horizontal	
3	14805.00	-51.43	RMS	39.88	-22.39	0.45	-95.23	25.86	-13.00	-38.43	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch647334 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	7403.00	-55.31	RMS	36.41	-22.16	0.77	-95.23	24.90	-13.00	-42.31	Vertical	
2	11104.00	-52.94	RMS	38.90	-22.81	0.42	-95.23	25.78	-13.00	-39.94	Vertical	
3	14805.00	-51.12	RMS	39.88	-22.39	0.45	-95.23	26.17	-13.00	-38.12	Vertical	




Ant. 1+2

Part 270 Mode 18


EN-DC B2+n77 10M + 20M Ch18900 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7663.00	-53.90	RMS	36.45	-21.84	0.83	-95.23	25.89	-13.00	-40.90	Horizontal	
2	11494.00	-53.16	RMS	39.19	-22.95	0.41	-95.23	25.42	-13.00	-40.16	Horizontal	
3	15325.00	-52.58	RMS	38.55	-22.13	0.35	-95.23	25.88	-13.00	-39.58	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7663.00	-54.69	RMS	36.45	-21.84	0.83	-95.23	25.10	-13.00	-41.69	Vertical	
2	11494.00	-53.03	RMS	39.19	-22.95	0.41	-95.23	25.55	-13.00	-40.03	Vertical	
3	15325.00	-52.44	RMS	38.55	-22.13	0.35	-95.23	26.02	-13.00	-39.44	Vertical	




Ant. 1+2

Part 270 Mode 18


EN-DC B2+n77 10M + 20M Ch18900 1RB0 QPSK + Ch664666 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch664666 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7922.00	-54.35	RMS	37.14	-22.35	0.75	-95.23	25.34	-13.00	-41.35	Horizontal	
2	11883.00	-53.17	RMS	38.87	-23.07	0.39	-95.23	25.87	-13.00	-40.17	Horizontal	
3	15845.00	-52.57	RMS	38.00	-21.26	0.26	-95.23	25.66	-13.00	-39.57	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch664666 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7922.00	-54.69	RMS	37.14	-22.35	0.75	-95.23	25.00	-13.00	-41.69	Vertical	
2	11883.00	-53.56	RMS	38.87	-23.07	0.39	-95.23	25.48	-13.00	-40.56	Vertical	
3	15845.00	-52.83	RMS	38.00	-21.26	0.26	-95.23	25.40	-13.00	-39.83	Vertical	




Ant. 2

Part 27Q Mode 19

NR SA n77 (PC2) 20M Ch630668 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB			dB	dB	
	MHz	dBm							dBuV				
1	6902.00	-55.64	RMS	35.90	-22.85	1.17	-95.23	25.37	-13.00	-42.64	Horizontal		
2	10353.00	-53.27	RMS	38.79	-22.87	0.46	-95.23	25.58	-13.00	-40.27	Horizontal		
3	13805.00	-50.87	RMS	39.70	-22.20	0.58	-95.23	26.28	-13.00	-37.87	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB			dB	dB	
	MHz	dBm							dBuV				
1	6902.00	-55.51	RMS	35.90	-22.85	1.17	-95.23	25.50	-13.00	-42.51	Vertical		
2	10353.00	-52.76	RMS	38.79	-22.87	0.46	-95.23	26.09	-13.00	-39.76	Vertical		
3	13805.00	-51.44	RMS	39.70	-22.20	0.58	-95.23	25.71	-13.00	-38.44	Vertical		




Ant. 2

Part 27Q Mode 19

NR SA n77 (PC2) 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.00	-55.66	RMS	35.90	-22.79	1.17	-95.23	25.29	-13.00	-42.66	Horizontal
2	10473.00	-53.08	RMS	38.70	-22.85	0.46	-95.23	25.84	-13.00	-40.08	Horizontal
3	13965.00	-51.41	RMS	40.03	-22.33	0.60	-95.23	25.52	-13.00	-38.41	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.00	-55.55	RMS	35.90	-22.79	1.17	-95.23	25.40	-13.00	-42.55	Vertical
2	10473.00	-53.22	RMS	38.70	-22.85	0.46	-95.23	25.70	-13.00	-40.22	Vertical
3	13965.00	-51.18	RMS	40.03	-22.33	0.60	-95.23	25.75	-13.00	-38.18	Vertical




Ant. 2

Part 27Q Mode 19

NR SA n77 (PC2) 20M Ch636000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7062.00	-55.17	RMS	36.17	-22.74	1.13	-95.23	25.50	-13.00	-42.17	Horizontal
2	10593.00	-52.67	RMS	39.06	-22.83	0.45	-95.23	25.88	-13.00	-39.67	Horizontal
3	14125.00	-50.99	RMS	40.30	-22.35	0.58	-95.23	25.71	-13.00	-37.99	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7062.00	-54.48	RMS	36.17	-22.74	1.13	-95.23	26.19	-13.00	-41.48	Vertical
2	10593.00	-52.93	RMS	39.06	-22.83	0.45	-95.23	25.62	-13.00	-39.93	Vertical
3	14125.00	-50.82	RMS	40.30	-22.35	0.58	-95.23	25.88	-13.00	-37.82	Vertical




Ant. 1+2

Part 27Q Mode 20

NR SA n77 (PC1.5) 20M Ch630668 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n48 10M Ch646332 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-54.28	RMS	35.90	-24.48	1.17	-95.23	28.36	-13.00	-41.28 Horizontal
2	10354.00	-53.21	RMS	38.78	-24.93	0.46	-95.23	27.71	-13.00	-40.21 Horizontal
3	13805.00	-51.30	RMS	39.70	-24.50	0.58	-95.23	28.15	-13.00	-38.30 Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n48 10M Ch646332 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-50.01	RMS	35.90	-24.48	1.17	-95.23	32.63	-13.00	-37.01 Vertical
2	10354.00	-53.28	RMS	38.78	-24.93	0.46	-95.23	27.64	-13.00	-40.28 Vertical
3	13805.00	-51.37	RMS	39.70	-24.50	0.58	-95.23	28.08	-13.00	-38.37 Vertical




Ant. 1+2

Part 27Q Mode 20

NR SA n77 (PC1.5) 20M Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-54.50	RMS		35.90	-24.45	1.17	-95.23	28.11	-13.00	-41.50		Horizontal
2	10474.00	-53.36	RMS		38.70	-24.92	0.46	-95.23	27.63	-13.00	-40.36		Horizontal
3	13965.00	-51.47	RMS		40.03	-24.62	0.60	-95.23	27.75	-13.00	-38.47		Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-48.71	RMS		35.90	-24.45	1.17	-95.23	33.90	-13.00	-35.71		Vertical
2	10474.00	-53.57	RMS		38.70	-24.92	0.46	-95.23	27.42	-13.00	-40.57		Vertical
3	13965.00	-51.42	RMS		40.03	-24.62	0.60	-95.23	27.80	-13.00	-38.42		Vertical




Ant. 1+2

Part 27Q Mode 20

NR SA n77 (PC1.5) 20M Ch636000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-55.25	RMS	36.18	-24.45	1.13	-95.23	27.12	-13.00	-42.25	Horizontal
2	10594.00	-52.96	RMS	39.06	-24.91	0.45	-95.23	27.67	-13.00	-39.96	Horizontal
3	14125.00	-50.95	RMS	40.30	-24.67	0.58	-95.23	28.06	-13.00	-37.95	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-53.71	RMS	36.18	-24.45	1.13	-95.23	28.66	-13.00	-40.71	Vertical
2	10594.00	-53.35	RMS	39.06	-24.91	0.45	-95.23	27.28	-13.00	-40.35	Vertical
3	14125.00	-51.07	RMS	40.30	-24.67	0.58	-95.23	27.94	-13.00	-38.07	Vertical




Ant. 2+1

Part 27Q Mode 21


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch630668 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch630668 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	6903.00	-54.57	RMS	35.90	-22.85	1.17	-95.23	26.44	-13.00	-41.57	Horizontal	
2	10354.00	-53.29	RMS	38.78	-22.87	0.46	-95.23	25.57	-13.00	-40.29	Horizontal	
3	13805.00	-50.95	RMS	39.70	-22.20	0.58	-95.23	26.20	-13.00	-37.95	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch630668 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	6903.00	-49.57	RMS	35.90	-22.85	1.17	-95.23	31.44	-13.00	-36.57	Vertical	
2	10354.00	-53.34	RMS	38.78	-22.87	0.46	-95.23	25.52	-13.00	-40.34	Vertical	
3	13805.00	-51.48	RMS	39.70	-22.20	0.58	-95.23	25.67	-13.00	-38.48	Vertical	




Ant. 2+1

Part 27Q Mode 21


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	6983.00	-54.42	RMS	35.90	-22.79	1.17	-95.23	26.53	-13.00	-41.42	Horizontal	
2	10474.00	-53.44	RMS	38.70	-22.85	0.46	-95.23	25.48	-13.00	-40.44	Horizontal	
3	13965.00	-51.30	RMS	40.03	-22.33	0.60	-95.23	25.63	-13.00	-38.30	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	6983.00	-52.40	RMS	35.90	-22.79	1.17	-95.23	28.55	-13.00	-39.40	Vertical	
2	10474.00	-53.69	RMS	38.70	-22.85	0.46	-95.23	25.23	-13.00	-40.69	Vertical	
3	13965.00	-51.35	RMS	40.03	-22.33	0.60	-95.23	25.58	-13.00	-38.35	Vertical	




Ant. 2+1

Part 27Q Mode 21


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch636000 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch636000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7063.00	-55.66	RMS	36.18	-22.74	1.13	-95.23	-95.23	25.00	-13.00	-42.66	Horizontal
2	10594.00	-52.96	RMS	39.06	-22.83	0.45	-95.23	-95.23	25.59	-13.00	-39.96	Horizontal
3	14125.00	-50.48	RMS	40.30	-22.35	0.58	-95.23	-95.23	26.22	-13.00	-37.48	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch636000 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7063.00	-53.59	RMS	36.18	-22.74	1.13	-95.23	-95.23	27.07	-13.00	-40.59	Vertical
2	10594.00	-53.09	RMS	39.06	-22.83	0.45	-95.23	-95.23	25.46	-13.00	-40.09	Vertical
3	14125.00	-50.37	RMS	40.30	-22.35	0.58	-95.23	-95.23	26.33	-13.00	-37.37	Vertical




Ant. 1+2

Part 27Q Mode 22


EN-DC B2+n77 10M + 20M Ch18900 1RB0 QPSK + Ch630668 1RB1 BPSK

L



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch630668 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	6903.00	-55.67	RMS	35.90	-22.85	1.17	-95.23	25.34	-13.00	-42.67	Horizontal	
2	10354.00	-53.36	RMS	38.78	-22.87	0.46	-95.23	25.50	-13.00	-40.36	Horizontal	
3	13805.00	-51.32	RMS	39.70	-22.20	0.58	-95.23	25.83	-13.00	-38.32	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch630668 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	6903.00	-52.44	RMS	35.90	-22.85	1.17	-95.23	28.57	-13.00	-39.44	Vertical	
2	10354.00	-53.40	RMS	38.78	-22.87	0.46	-95.23	25.46	-13.00	-40.40	Vertical	
3	13805.00	-51.20	RMS	39.70	-22.20	0.58	-95.23	25.95	-13.00	-38.20	Vertical	




Ant. 1+2

Part 27Q Mode 22


EN-DC B2+n77 10M + 20M Ch18900 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch636000 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6983.00	-55.94	RMS	35.90	-22.79	1.17	-95.23	25.01	-13.00	-42.94	Horizontal	
2	10474.00	-53.44	RMS	38.70	-22.85	0.46	-95.23	25.48	-13.00	-40.44	Horizontal	
3	13965.00	-50.70	RMS	40.03	-22.33	0.60	-95.23	26.23	-13.00	-37.70	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch636000 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6983.00	-55.95	RMS	35.90	-22.79	1.17	-95.23	25.00	-13.00	-42.95	Vertical	
2	10474.00	-53.63	RMS	38.70	-22.85	0.46	-95.23	25.29	-13.00	-40.63	Vertical	
3	13965.00	-51.48	RMS	40.03	-22.33	0.60	-95.23	25.45	-13.00	-38.48	Vertical	




Ant. 1+2

Part 27Q Mode 22


EN-DC B2+n77 10M + 20M Ch18900 1RB0 QPSK + Ch636000 1RB1 BPSK

H



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch636000 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7063.00	-55.42	RMS	36.18	-22.74	1.13	-95.23	-95.23	25.24	-13.00	-42.42	Horizontal
2	10594.00	-53.14	RMS	39.06	-22.83	0.45	-95.23	-95.23	25.41	-13.00	-40.14	Horizontal
3	14125.00	-50.39	RMS	40.30	-22.35	0.58	-95.23	-95.23	26.31	-13.00	-37.39	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch636000 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7063.00	-55.42	RMS	36.18	-22.74	1.13	-95.23	-95.23	25.24	-13.00	-42.42	Vertical
2	10594.00	-52.85	RMS	39.06	-22.83	0.45	-95.23	-95.23	25.70	-13.00	-39.85	Vertical
3	14125.00	-50.90	RMS	40.30	-22.35	0.58	-95.23	-95.23	25.80	-13.00	-37.90	Vertical




Ant. 1

Part 27M Mode 9

NR SA n41 (PC2) 20M Ch535998 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 3m HF_9120D_02360_251105 Horizontal

: NR SA n41 20M Ch535998 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2672.00	21.36	RMS	28.20	8.57	0.00	-95.23	79.82	-25.00	46.36	Horizontal



Site : 03CH20-HY

Condition: -25 3m HF_9120D_02360_251105 Vertical

: NR SA n41 20M Ch535998 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2672.00	29.69	RMS	28.20	8.57	0.00	-95.23	88.15	-25.00	54.69	Vertical