



Appendix B

E-UTRA BAND 12



CONTENT

1.	EFFECTIVE (ISOTROPIC) RADIATED POWER.....	3
1.1.	Test Result.....	3
2.	PEAK-TO-AVERAGE RATIO (CCDF)	10
2.1.	Test Result.....	10
2.2.	Test Plots	10
3.	MODULATION CHARACTERISTICS	15
3.1.	Test BAND = LTE BAND 12	15
3.1.1.	Test Mode = LTE /TM1 10MHz	15
3.1.1.1.	Test Channel = MCH	15
3.1.2.	Test Mode = LTE /TM2 10MHz	16
3.1.2.1.	Test Channel = MCH	16
3.1.3.	Test Mode = LTE /TM3 10MHz	17
3.1.3.1.	Test Channel = MCH	17
4.	26dB BANDWIDTH AND OCCUPIED BANDWIDTH	18
4.1.	Test Result.....	18
4.2.	Test Plots	19
5.	BAND EDGE COMPLIANCE	37
5.1.	Test Result.....	37
5.2.	Test Plots	39
6.	SPURIOUS EMISSION AT ANTENNA TERMINAL	75
6.1.	Test Result.....	75
6.2.	Test Plots	77
7.	FIELD STRENGTH OF SPURIOUS RADIATION	104
7.1.	Test BAND = LTE BAND 12	104
7.1.1.	Test Mode =LTE/TM1 10MHz	104
7.1.1.1.	Test Channel = LCH	104
7.1.1.2.	Test Channel = MCH	104
7.1.1.3.	Test Channel = HCH.....	105
8.	FREQUENCY STABILITY	106
8.1.	Frequency Vs Voltage.....	106
8.2.	Frequency Vs Temperature	106



1. Effective (Isotropic) Radiated Power

1.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
BAND 12	1.4MHz	QPSK	23017	1RB#0	23.41	24.26	34.77	PASS
BAND 12	1.4MHz	QPSK	23017	1RB#2	23.37	24.22	34.77	PASS
BAND 12	1.4MHz	QPSK	23017	1RB#5	23.31	24.16	34.77	PASS
BAND 12	1.4MHz	QPSK	23017	3RB#0	23.41	24.26	34.77	PASS
BAND 12	1.4MHz	QPSK	23017	3RB#1	23.49	24.34	34.77	PASS
BAND 12	1.4MHz	QPSK	23017	3RB#3	23.38	24.23	34.77	PASS
BAND 12	1.4MHz	QPSK	23017	6RB#0	22.50	23.35	34.77	PASS
BAND 12	1.4MHz	QPSK	23095	1RB#0	23.41	24.26	34.77	PASS
BAND 12	1.4MHz	QPSK	23095	1RB#2	23.40	24.25	34.77	PASS
BAND 12	1.4MHz	QPSK	23095	1RB#5	23.36	24.21	34.77	PASS
BAND 12	1.4MHz	QPSK	23095	3RB#0	23.42	24.27	34.77	PASS
BAND 12	1.4MHz	QPSK	23095	3RB#1	23.43	24.28	34.77	PASS
BAND 12	1.4MHz	QPSK	23095	3RB#3	23.46	24.31	34.77	PASS
BAND 12	1.4MHz	QPSK	23095	6RB#0	22.43	23.28	34.77	PASS
BAND 12	1.4MHz	QPSK	23173	1RB#0	23.25	24.10	34.77	PASS
BAND 12	1.4MHz	QPSK	23173	1RB#2	23.41	24.26	34.77	PASS
BAND 12	1.4MHz	QPSK	23173	1RB#5	23.34	24.19	34.77	PASS
BAND 12	1.4MHz	QPSK	23173	3RB#0	23.38	24.23	34.77	PASS
BAND 12	1.4MHz	QPSK	23173	3RB#1	23.42	24.27	34.77	PASS
BAND 12	1.4MHz	QPSK	23173	3RB#3	23.41	24.26	34.77	PASS
BAND 12	1.4MHz	QPSK	23173	6RB#0	22.46	23.31	34.77	PASS
BAND 12	1.4MHz	64QAM	23017	1RB#0	22.43	23.28	34.77	PASS
BAND 12	1.4MHz	64QAM	23017	1RB#2	22.59	23.44	34.77	PASS
BAND 12	1.4MHz	64QAM	23017	1RB#5	22.43	23.28	34.77	PASS
BAND 12	1.4MHz	64QAM	23017	3RB#0	22.55	23.40	34.77	PASS
BAND 12	1.4MHz	64QAM	23017	3RB#1	22.63	23.48	34.77	PASS
BAND 12	1.4MHz	64QAM	23017	3RB#3	22.41	23.26	34.77	PASS
BAND 12	1.4MHz	64QAM	23017	6RB#0	21.52	22.37	34.77	PASS
BAND 12	1.4MHz	64QAM	23095	1RB#0	22.55	23.40	34.77	PASS
BAND 12	1.4MHz	64QAM	23095	1RB#2	22.53	23.38	34.77	PASS
BAND 12	1.4MHz	64QAM	23095	1RB#5	22.54	23.39	34.77	PASS
BAND 12	1.4MHz	64QAM	23095	3RB#0	22.46	23.31	34.77	PASS
BAND 12	1.4MHz	64QAM	23095	3RB#1	22.51	23.36	34.77	PASS
BAND 12	1.4MHz	64QAM	23095	3RB#3	22.49	23.34	34.77	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 4 of 107

BAND 12	1.4MHz	64QAM	23095	6RB#0	21.46	22.31	34.77	PASS
BAND 12	1.4MHz	64QAM	23173	1RB#0	22.35	23.20	34.77	PASS
BAND 12	1.4MHz	64QAM	23173	1RB#2	22.52	23.37	34.77	PASS
BAND 12	1.4MHz	64QAM	23173	1RB#5	22.50	23.35	34.77	PASS
BAND 12	1.4MHz	64QAM	23173	3RB#0	22.36	23.21	34.77	PASS
BAND 12	1.4MHz	64QAM	23173	3RB#1	22.59	23.44	34.77	PASS
BAND 12	1.4MHz	64QAM	23173	3RB#3	22.50	23.35	34.77	PASS
BAND 12	1.4MHz	64QAM	23173	6RB#0	21.52	22.37	34.77	PASS
BAND 12	1.4MHz	16QAM	23017	1RB#0	22.52	23.37	34.77	PASS
BAND 12	1.4MHz	16QAM	23017	1RB#2	22.73	23.58	34.77	PASS
BAND 12	1.4MHz	16QAM	23017	1RB#5	22.59	23.44	34.77	PASS
BAND 12	1.4MHz	16QAM	23017	3RB#0	22.50	23.35	34.77	PASS
BAND 12	1.4MHz	16QAM	23017	3RB#1	22.63	23.48	34.77	PASS
BAND 12	1.4MHz	16QAM	23017	3RB#3	22.45	23.30	34.77	PASS
BAND 12	1.4MHz	16QAM	23017	6RB#0	21.53	22.38	34.77	PASS
BAND 12	1.4MHz	16QAM	23095	1RB#0	22.61	23.46	34.77	PASS
BAND 12	1.4MHz	16QAM	23095	1RB#2	22.53	23.38	34.77	PASS
BAND 12	1.4MHz	16QAM	23095	1RB#5	22.59	23.44	34.77	PASS
BAND 12	1.4MHz	16QAM	23095	3RB#0	22.46	23.31	34.77	PASS
BAND 12	1.4MHz	16QAM	23095	3RB#1	22.53	23.38	34.77	PASS
BAND 12	1.4MHz	16QAM	23095	3RB#3	22.56	23.41	34.77	PASS
BAND 12	1.4MHz	16QAM	23095	6RB#0	21.48	22.33	34.77	PASS
BAND 12	1.4MHz	16QAM	23173	1RB#0	22.55	23.40	34.77	PASS
BAND 12	1.4MHz	16QAM	23173	1RB#2	22.63	23.48	34.77	PASS
BAND 12	1.4MHz	16QAM	23173	1RB#5	22.57	23.42	34.77	PASS
BAND 12	1.4MHz	16QAM	23173	3RB#0	22.45	23.30	34.77	PASS
BAND 12	1.4MHz	16QAM	23173	3RB#1	22.56	23.41	34.77	PASS
BAND 12	1.4MHz	16QAM	23173	3RB#3	22.47	23.32	34.77	PASS
BAND 12	1.4MHz	16QAM	23173	6RB#0	21.57	22.42	34.77	PASS
BAND 12	3MHz	QPSK	23025	1RB#0	23.40	24.25	34.77	PASS
BAND 12	3MHz	QPSK	23025	1RB#8	23.40	24.25	34.77	PASS
BAND 12	3MHz	QPSK	23025	1RB#14	23.36	24.21	34.77	PASS
BAND 12	3MHz	QPSK	23025	8RB#0	22.61	23.46	34.77	PASS
BAND 12	3MHz	QPSK	23025	8RB#4	22.59	23.44	34.77	PASS
BAND 12	3MHz	QPSK	23025	8RB#7	22.56	23.41	34.77	PASS
BAND 12	3MHz	QPSK	23025	15RB#0	22.55	23.40	34.77	PASS
BAND 12	3MHz	QPSK	23095	1RB#0	23.46	24.31	34.77	PASS
BAND 12	3MHz	QPSK	23095	1RB#8	23.47	24.32	34.77	PASS
BAND 12	3MHz	QPSK	23095	1RB#14	23.37	24.22	34.77	PASS
BAND 12	3MHz	QPSK	23095	8RB#0	22.61	23.46	34.77	PASS
BAND 12	3MHz	QPSK	23095	8RB#4	22.55	23.40	34.77	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 5 of 107

BAND 12	3MHz	QPSK	23095	8RB#7	22.56	23.41	34.77	PASS
BAND 12	3MHz	QPSK	23095	15RB#0	22.50	23.35	34.77	PASS
BAND 12	3MHz	QPSK	23165	1RB#0	23.34	24.19	34.77	PASS
BAND 12	3MHz	QPSK	23165	1RB#8	23.35	24.20	34.77	PASS
BAND 12	3MHz	QPSK	23165	1RB#14	23.39	24.24	34.77	PASS
BAND 12	3MHz	QPSK	23165	8RB#0	22.56	23.41	34.77	PASS
BAND 12	3MHz	QPSK	23165	8RB#4	22.51	23.36	34.77	PASS
BAND 12	3MHz	QPSK	23165	8RB#7	22.52	23.37	34.77	PASS
BAND 12	3MHz	QPSK	23165	15RB#0	22.44	23.29	34.77	PASS
BAND 12	3MHz	64QAM	23025	1RB#0	22.54	23.39	34.77	PASS
BAND 12	3MHz	64QAM	23025	1RB#8	22.56	23.41	34.77	PASS
BAND 12	3MHz	64QAM	23025	1RB#14	22.53	23.38	34.77	PASS
BAND 12	3MHz	64QAM	23025	8RB#0	21.70	22.55	34.77	PASS
BAND 12	3MHz	64QAM	23025	8RB#4	21.63	22.48	34.77	PASS
BAND 12	3MHz	64QAM	23025	8RB#7	21.63	22.48	34.77	PASS
BAND 12	3MHz	64QAM	23025	15RB#0	21.56	22.41	34.77	PASS
BAND 12	3MHz	64QAM	23095	1RB#0	22.57	23.42	34.77	PASS
BAND 12	3MHz	64QAM	23095	1RB#8	22.59	23.44	34.77	PASS
BAND 12	3MHz	64QAM	23095	1RB#14	22.52	23.37	34.77	PASS
BAND 12	3MHz	64QAM	23095	8RB#0	21.64	22.49	34.77	PASS
BAND 12	3MHz	64QAM	23095	8RB#4	21.63	22.48	34.77	PASS
BAND 12	3MHz	64QAM	23095	8RB#7	21.59	22.44	34.77	PASS
BAND 12	3MHz	64QAM	23095	15RB#0	21.53	22.38	34.77	PASS
BAND 12	3MHz	64QAM	23165	1RB#0	22.51	23.36	34.77	PASS
BAND 12	3MHz	64QAM	23165	1RB#8	22.50	23.35	34.77	PASS
BAND 12	3MHz	64QAM	23165	1RB#14	22.56	23.41	34.77	PASS
BAND 12	3MHz	64QAM	23165	8RB#0	21.63	22.48	34.77	PASS
BAND 12	3MHz	64QAM	23165	8RB#4	21.54	22.39	34.77	PASS
BAND 12	3MHz	64QAM	23165	8RB#7	21.61	22.46	34.77	PASS
BAND 12	3MHz	64QAM	23165	15RB#0	21.55	22.40	34.77	PASS
BAND 12	3MHz	16QAM	23025	1RB#0	22.65	23.50	34.77	PASS
BAND 12	3MHz	16QAM	23025	1RB#8	22.65	23.50	34.77	PASS
BAND 12	3MHz	16QAM	23025	1RB#14	22.57	23.42	34.77	PASS
BAND 12	3MHz	16QAM	23025	8RB#0	21.70	22.55	34.77	PASS
BAND 12	3MHz	16QAM	23025	8RB#4	21.63	22.48	34.77	PASS
BAND 12	3MHz	16QAM	23025	8RB#7	21.59	22.44	34.77	PASS
BAND 12	3MHz	16QAM	23025	15RB#0	21.49	22.34	34.77	PASS
BAND 12	3MHz	16QAM	23095	1RB#0	22.70	23.55	34.77	PASS
BAND 12	3MHz	16QAM	23095	1RB#8	22.73	23.58	34.77	PASS
BAND 12	3MHz	16QAM	23095	1RB#14	22.63	23.48	34.77	PASS
BAND 12	3MHz	16QAM	23095	8RB#0	21.64	22.49	34.77	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 6 of 107

BAND 12	3MHz	16QAM	23095	8RB#4	21.56	22.41	34.77	PASS
BAND 12	3MHz	16QAM	23095	8RB#7	21.57	22.42	34.77	PASS
BAND 12	3MHz	16QAM	23095	15RB#0	21.49	22.34	34.77	PASS
BAND 12	3MHz	16QAM	23165	1RB#0	22.54	23.39	34.77	PASS
BAND 12	3MHz	16QAM	23165	1RB#8	22.66	23.51	34.77	PASS
BAND 12	3MHz	16QAM	23165	1RB#14	22.55	23.40	34.77	PASS
BAND 12	3MHz	16QAM	23165	8RB#0	21.58	22.43	34.77	PASS
BAND 12	3MHz	16QAM	23165	8RB#4	21.55	22.40	34.77	PASS
BAND 12	3MHz	16QAM	23165	8RB#7	21.58	22.43	34.77	PASS
BAND 12	3MHz	16QAM	23165	15RB#0	21.45	22.30	34.77	PASS
BAND 12	5MHz	QPSK	23035	1RB#0	23.44	24.29	34.77	PASS
BAND 12	5MHz	QPSK	23035	1RB#12	23.48	24.33	34.77	PASS
BAND 12	5MHz	QPSK	23035	1RB#24	23.35	24.20	34.77	PASS
BAND 12	5MHz	QPSK	23035	12RB#0	22.57	23.42	34.77	PASS
BAND 12	5MHz	QPSK	23035	12RB#6	22.61	23.46	34.77	PASS
BAND 12	5MHz	QPSK	23035	12RB#13	22.51	23.36	34.77	PASS
BAND 12	5MHz	QPSK	23035	25RB#0	22.60	23.45	34.77	PASS
BAND 12	5MHz	QPSK	23095	1RB#0	23.38	24.23	34.77	PASS
BAND 12	5MHz	QPSK	23095	1RB#12	23.43	24.28	34.77	PASS
BAND 12	5MHz	QPSK	23095	1RB#24	23.40	24.25	34.77	PASS
BAND 12	5MHz	QPSK	23095	12RB#0	22.60	23.45	34.77	PASS
BAND 12	5MHz	QPSK	23095	12RB#6	22.53	23.38	34.77	PASS
BAND 12	5MHz	QPSK	23095	12RB#13	22.45	23.30	34.77	PASS
BAND 12	5MHz	QPSK	23095	25RB#0	22.54	23.39	34.77	PASS
BAND 12	5MHz	QPSK	23155	1RB#0	23.42	24.27	34.77	PASS
BAND 12	5MHz	QPSK	23155	1RB#12	23.31	24.16	34.77	PASS
BAND 12	5MHz	QPSK	23155	1RB#24	23.34	24.19	34.77	PASS
BAND 12	5MHz	QPSK	23155	12RB#0	22.55	23.40	34.77	PASS
BAND 12	5MHz	QPSK	23155	12RB#6	22.49	23.34	34.77	PASS
BAND 12	5MHz	QPSK	23155	12RB#13	22.45	23.30	34.77	PASS
BAND 12	5MHz	QPSK	23155	25RB#0	22.55	23.40	34.77	PASS
BAND 12	5MHz	64QAM	23035	1RB#0	22.70	23.55	34.77	PASS
BAND 12	5MHz	64QAM	23035	1RB#12	22.54	23.39	34.77	PASS
BAND 12	5MHz	64QAM	23035	1RB#24	22.47	23.32	34.77	PASS
BAND 12	5MHz	64QAM	23035	12RB#0	21.60	22.45	34.77	PASS
BAND 12	5MHz	64QAM	23035	12RB#6	21.67	22.52	34.77	PASS
BAND 12	5MHz	64QAM	23035	12RB#13	21.55	22.40	34.77	PASS
BAND 12	5MHz	64QAM	23035	25RB#0	21.63	22.48	34.77	PASS
BAND 12	5MHz	64QAM	23095	1RB#0	22.55	23.40	34.77	PASS
BAND 12	5MHz	64QAM	23095	1RB#12	22.57	23.42	34.77	PASS
BAND 12	5MHz	64QAM	23095	1RB#24	22.61	23.46	34.77	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 7 of 107

BAND 12	5MHz	64QAM	23095	12RB#0	21.62	22.47	34.77	PASS
BAND 12	5MHz	64QAM	23095	12RB#6	21.57	22.42	34.77	PASS
BAND 12	5MHz	64QAM	23095	12RB#13	21.52	22.37	34.77	PASS
BAND 12	5MHz	64QAM	23095	25RB#0	21.58	22.43	34.77	PASS
BAND 12	5MHz	64QAM	23155	1RB#0	22.64	23.49	34.77	PASS
BAND 12	5MHz	64QAM	23155	1RB#12	22.45	23.30	34.77	PASS
BAND 12	5MHz	64QAM	23155	1RB#24	22.40	23.25	34.77	PASS
BAND 12	5MHz	64QAM	23155	12RB#0	21.60	22.45	34.77	PASS
BAND 12	5MHz	64QAM	23155	12RB#6	21.51	22.36	34.77	PASS
BAND 12	5MHz	64QAM	23155	12RB#13	21.53	22.38	34.77	PASS
BAND 12	5MHz	64QAM	23155	25RB#0	21.63	22.48	34.77	PASS
BAND 12	5MHz	16QAM	23035	1RB#0	22.75	23.60	34.77	PASS
BAND 12	5MHz	16QAM	23035	1RB#12	22.69	23.54	34.77	PASS
BAND 12	5MHz	16QAM	23035	1RB#24	22.56	23.41	34.77	PASS
BAND 12	5MHz	16QAM	23035	12RB#0	21.58	22.43	34.77	PASS
BAND 12	5MHz	16QAM	23035	12RB#6	21.66	22.51	34.77	PASS
BAND 12	5MHz	16QAM	23035	12RB#13	21.58	22.43	34.77	PASS
BAND 12	5MHz	16QAM	23035	25RB#0	21.58	22.43	34.77	PASS
BAND 12	5MHz	16QAM	23095	1RB#0	22.74	23.59	34.77	PASS
BAND 12	5MHz	16QAM	23095	1RB#12	22.72	23.57	34.77	PASS
BAND 12	5MHz	16QAM	23095	1RB#24	22.68	23.53	34.77	PASS
BAND 12	5MHz	16QAM	23095	12RB#0	21.57	22.42	34.77	PASS
BAND 12	5MHz	16QAM	23095	12RB#6	21.59	22.44	34.77	PASS
BAND 12	5MHz	16QAM	23095	12RB#13	21.48	22.33	34.77	PASS
BAND 12	5MHz	16QAM	23095	25RB#0	21.48	22.33	34.77	PASS
BAND 12	5MHz	16QAM	23155	1RB#0	22.69	23.54	34.77	PASS
BAND 12	5MHz	16QAM	23155	1RB#12	22.55	23.40	34.77	PASS
BAND 12	5MHz	16QAM	23155	1RB#24	22.67	23.52	34.77	PASS
BAND 12	5MHz	16QAM	23155	12RB#0	21.56	22.41	34.77	PASS
BAND 12	5MHz	16QAM	23155	12RB#6	21.51	22.36	34.77	PASS
BAND 12	5MHz	16QAM	23155	12RB#13	21.50	22.35	34.77	PASS
BAND 12	5MHz	16QAM	23155	25RB#0	21.57	22.42	34.77	PASS
BAND 12	10MHz	QPSK	23060	1RB#0	23.46	24.31	34.77	PASS
BAND 12	10MHz	QPSK	23060	1RB#24	23.45	24.30	34.77	PASS
BAND 12	10MHz	QPSK	23060	1RB#49	23.35	24.20	34.77	PASS
BAND 12	10MHz	QPSK	23060	25RB#0	22.67	23.52	34.77	PASS
BAND 12	10MHz	QPSK	23060	25RB#12	22.58	23.43	34.77	PASS
BAND 12	10MHz	QPSK	23060	25RB#25	22.56	23.41	34.77	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	22.59	23.44	34.77	PASS
BAND 12	10MHz	QPSK	23095	1RB#0	23.46	24.31	34.77	PASS
BAND 12	10MHz	QPSK	23095	1RB#24	23.42	24.27	34.77	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 8 of 107

BAND 12	10MHz	QPSK	23095	1RB#49	23.28	24.13	34.77	PASS
BAND 12	10MHz	QPSK	23095	25RB#0	22.57	23.42	34.77	PASS
BAND 12	10MHz	QPSK	23095	25RB#12	22.60	23.45	34.77	PASS
BAND 12	10MHz	QPSK	23095	25RB#25	22.54	23.39	34.77	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	22.56	23.41	34.77	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	23.49	24.34	34.77	PASS
BAND 12	10MHz	QPSK	23130	1RB#24	23.46	24.31	34.77	PASS
BAND 12	10MHz	QPSK	23130	1RB#49	23.28	24.13	34.77	PASS
BAND 12	10MHz	QPSK	23130	25RB#0	22.53	23.38	34.77	PASS
BAND 12	10MHz	QPSK	23130	25RB#12	22.61	23.46	34.77	PASS
BAND 12	10MHz	QPSK	23130	25RB#25	22.61	23.46	34.77	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	22.61	23.46	34.77	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	22.77	23.62	34.77	PASS
BAND 12	10MHz	64QAM	23060	1RB#24	22.59	23.44	34.77	PASS
BAND 12	10MHz	64QAM	23060	1RB#49	22.52	23.37	34.77	PASS
BAND 12	10MHz	64QAM	23060	25RB#0	21.70	22.55	34.77	PASS
BAND 12	10MHz	64QAM	23060	25RB#12	21.57	22.42	34.77	PASS
BAND 12	10MHz	64QAM	23060	25RB#25	21.53	22.38	34.77	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	21.58	22.43	34.77	PASS
BAND 12	10MHz	64QAM	23095	1RB#0	22.65	23.50	34.77	PASS
BAND 12	10MHz	64QAM	23095	1RB#24	22.65	23.50	34.77	PASS
BAND 12	10MHz	64QAM	23095	1RB#49	22.41	23.26	34.77	PASS
BAND 12	10MHz	64QAM	23095	25RB#0	21.55	22.40	34.77	PASS
BAND 12	10MHz	64QAM	23095	25RB#12	21.61	22.46	34.77	PASS
BAND 12	10MHz	64QAM	23095	25RB#25	21.55	22.40	34.77	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	21.60	22.45	34.77	PASS
BAND 12	10MHz	64QAM	23130	1RB#0	22.56	23.41	34.77	PASS
BAND 12	10MHz	64QAM	23130	1RB#24	22.62	23.47	34.77	PASS
BAND 12	10MHz	64QAM	23130	1RB#49	22.45	23.30	34.77	PASS
BAND 12	10MHz	64QAM	23130	25RB#0	21.55	22.40	34.77	PASS
BAND 12	10MHz	64QAM	23130	25RB#12	21.64	22.49	34.77	PASS
BAND 12	10MHz	64QAM	23130	25RB#25	21.62	22.47	34.77	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	21.54	22.39	34.77	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	22.69	23.54	34.77	PASS
BAND 12	10MHz	16QAM	23060	1RB#24	22.57	23.42	34.77	PASS
BAND 12	10MHz	16QAM	23060	1RB#49	22.65	23.50	34.77	PASS
BAND 12	10MHz	16QAM	23060	25RB#0	21.63	22.48	34.77	PASS
BAND 12	10MHz	16QAM	23060	25RB#12	21.51	22.36	34.77	PASS
BAND 12	10MHz	16QAM	23060	25RB#25	21.50	22.35	34.77	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	21.48	22.33	34.77	PASS
BAND 12	10MHz	16QAM	23095	1RB#0	22.74	23.59	34.77	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 9 of 107

BAND 12	10MHz	16QAM	23095	1RB#24	22.60	23.45	34.77	PASS
BAND 12	10MHz	16QAM	23095	1RB#49	22.51	23.36	34.77	PASS
BAND 12	10MHz	16QAM	23095	25RB#0	21.54	22.39	34.77	PASS
BAND 12	10MHz	16QAM	23095	25RB#12	21.54	22.39	34.77	PASS
BAND 12	10MHz	16QAM	23095	25RB#25	21.46	22.31	34.77	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	21.49	22.34	34.77	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	22.69	23.54	34.77	PASS
BAND 12	10MHz	16QAM	23130	1RB#24	22.65	23.50	34.77	PASS
BAND 12	10MHz	16QAM	23130	1RB#49	22.64	23.49	34.77	PASS
BAND 12	10MHz	16QAM	23130	25RB#0	21.51	22.36	34.77	PASS
BAND 12	10MHz	16QAM	23130	25RB#12	21.57	22.42	34.77	PASS
BAND 12	10MHz	16QAM	23130	25RB#25	21.54	22.39	34.77	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	21.52	22.37	34.77	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

b: SGP=Signal Generator Level




2. Peak-to-Average Ratio (CCDF)

2.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
BAND 12	10MHz	QPSK	23060	50RB#0	4.81	13	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	4.87	13	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	4.58	13	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	5.59	13	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	5.74	13	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	5.54	13	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	5.62	13	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	5.74	13	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	5.57	13	PASS

2.2. Test Plots







SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 11 of 107



BAND 12_10MHz_QPSK_23130_50RB#0




BAND 12_10MHz_64QAM_23060_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 12 of 107



BAND 12_10MHz_64QAM_23095_50RB#0




BAND 12_10MHz_64QAM_23130_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 13 of 107



BAND 12_10MHz_16QAM_23060_50RB#0




BAND 12_10MHz_16QAM_23095_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 14 of 107



BAND 12_10MHz_16QAM_23130_50RB#0






3. Modulation Characteristics

3.1. Test BAND = LTE BAND 12

3.1.1. Test Mode = LTE /TM1 10MHz


3.1.1.1. Test Channel = MCH





3.1.2. Test Mode = LTE /TM2 10MHz


3.1.2.1. Test Channel = MCH





3.1.3. Test Mode = LTE /TM3 10MHz

3.1.3.1. Test Channel = MCH





4. 26dB Bandwidth and Occupied Bandwidth

4.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
BAND 12	1.4MHz	QPSK	23017	6RB#0	1.088	1.233	PASS
BAND 12	1.4MHz	QPSK	23095	6RB#0	1.088	1.236	PASS
BAND 12	1.4MHz	QPSK	23173	6RB#0	1.088	1.236	PASS
BAND 12	1.4MHz	64QAM	23017	6RB#0	1.088	1.233	PASS
BAND 12	1.4MHz	64QAM	23095	6RB#0	1.085	1.239	PASS
BAND 12	1.4MHz	64QAM	23173	6RB#0	1.088	1.233	PASS
BAND 12	1.4MHz	16QAM	23017	6RB#0	1.088	1.239	PASS
BAND 12	1.4MHz	16QAM	23095	6RB#0	1.091	1.236	PASS
BAND 12	1.4MHz	16QAM	23173	6RB#0	1.091	1.245	PASS
BAND 12	3MHz	QPSK	23025	15RB#0	2.697	3.012	PASS
BAND 12	3MHz	QPSK	23095	15RB#0	2.697	3.012	PASS
BAND 12	3MHz	QPSK	23165	15RB#0	2.697	3.012	PASS
BAND 12	3MHz	64QAM	23025	15RB#0	2.685	2.994	PASS
BAND 12	3MHz	64QAM	23095	15RB#0	2.691	2.994	PASS
BAND 12	3MHz	64QAM	23165	15RB#0	2.697	2.994	PASS
BAND 12	3MHz	16QAM	23025	15RB#0	2.685	2.988	PASS
BAND 12	3MHz	16QAM	23095	15RB#0	2.691	2.982	PASS
BAND 12	3MHz	16QAM	23165	15RB#0	2.691	3.000	PASS
BAND 12	5MHz	QPSK	23035	25RB#0	4.476	4.880	PASS
BAND 12	5MHz	QPSK	23095	25RB#0	4.466	4.880	PASS
BAND 12	5MHz	QPSK	23155	25RB#0	4.466	4.890	PASS
BAND 12	5MHz	64QAM	23035	25RB#0	4.466	4.950	PASS
BAND 12	5MHz	64QAM	23095	25RB#0	4.476	4.950	PASS
BAND 12	5MHz	64QAM	23155	25RB#0	4.476	4.950	PASS
BAND 12	5MHz	16QAM	23035	25RB#0	4.486	4.930	PASS
BAND 12	5MHz	16QAM	23095	25RB#0	4.486	4.910	PASS
BAND 12	5MHz	16QAM	23155	25RB#0	4.486	4.920	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	8.951	9.720	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	8.931	9.720	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	8.891	9.620	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	8.951	9.740	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	8.931	9.720	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	8.911	9.700	PASS




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 19 of 107

BAND 12	10MHz	16QAM	23060	50RB#0	8.951	9.680	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	8.931	9.720	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	8.911	9.620	PASS

4.2. Test Plots







SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 20 of 107



BAND 12_1.4MHz_64QAM_23017_6RB#0




BAND 12_1.4MHz_64QAM_23095_6RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 21 of 107



BAND 12_1.4MHz_64QAM_23173_6RB#0




BAND 12_1.4MHz_16QAM_23017_6RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 22 of 107



BAND 12_1.4MHz_16QAM_23095_6RB#0




BAND 12_1.4MHz_16QAM_23173_6RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 23 of 107



BAND 12_3MHz_QPSK_23025_15RB#0




BAND 12_3MHz_QPSK_23095_15RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 24 of 107



BAND 12_3MHz_QPSK_23165_15RB#0




BAND 12_3MHz_64QAM_23025_15RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 25 of 107



BAND 12_3MHz_64QAM_23095_15RB#0




BAND 12_3MHz_64QAM_23165_15RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 26 of 107



BAND 12_3MHz_16QAM_23025_15RB#0




BAND 12_3MHz_16QAM_23095_15RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 27 of 107



BAND 12_3MHz_16QAM_23165_15RB#0




BAND 12_5MHz_QPSK_23035_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 28 of 107



BAND 12_5MHz_QPSK_23095_25RB#0




BAND 12_5MHz_QPSK_23155_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 29 of 107



BAND 12_5MHz_64QAM_23035_25RB#0




BAND 12_5MHz_64QAM_23095_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 30 of 107



BAND 12_5MHz_64QAM_23155_25RB#0




BAND 12_5MHz_16QAM_23035_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 31 of 107



BAND 12_5MHz_16QAM_23095_25RB#0




BAND 12_5MHz_16QAM_23155_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 32 of 107



BAND 12_10MHz_QPSK_23060_50RB#0




BAND 12_10MHz_QPSK_23095_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 33 of 107



BAND 12_10MHz_QPSK_23130_50RB#0




BAND 12_10MHz_64QAM_23060_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 34 of 107



BAND 12_10MHz_64QAM_23095_50RB#0




BAND 12_10MHz_64QAM_23130_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 35 of 107



BAND 12_10MHz_16QAM_23060_50RB#0




BAND 12_10MHz_16QAM_23095_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180500453601

Page: 36 of 107



BAND 12_10MHz_16QAM_23130_50RB#0





5. Band Edge Compliance

5.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
BAND 12	1.4MHz	QPSK	23017	1RB#0	-25.68	PASS
BAND 12	1.4MHz	QPSK	23017	1RB#5	-42.73	PASS
BAND 12	1.4MHz	QPSK	23017	6RB#0	-29.46	PASS
BAND 12	1.4MHz	QPSK	23173	1RB#0	-44.69	PASS
BAND 12	1.4MHz	QPSK	23173	1RB#5	-27.84	PASS
BAND 12	1.4MHz	QPSK	23173	6RB#0	-30.98	PASS
BAND 12	1.4MHz	64QAM	23017	1RB#0	-25.97	PASS
BAND 12	1.4MHz	64QAM	23017	1RB#5	-43.17	PASS
BAND 12	1.4MHz	64QAM	23017	6RB#0	-30.84	PASS
BAND 12	1.4MHz	64QAM	23173	1RB#0	-44.59	PASS
BAND 12	1.4MHz	64QAM	23173	1RB#5	-27.42	PASS
BAND 12	1.4MHz	64QAM	23173	6RB#0	-30.57	PASS
BAND 12	1.4MHz	16QAM	23017	1RB#0	-26.23	PASS
BAND 12	1.4MHz	16QAM	23017	1RB#5	-43.43	PASS
BAND 12	1.4MHz	16QAM	23017	6RB#0	-31.33	PASS
BAND 12	1.4MHz	16QAM	23173	1RB#0	-45.19	PASS
BAND 12	1.4MHz	16QAM	23173	1RB#5	-29.06	PASS
BAND 12	1.4MHz	16QAM	23173	6RB#0	-31.07	PASS
BAND 12	3MHz	QPSK	23025	1RB#0	-13.78	PASS
BAND 12	3MHz	QPSK	23025	1RB#14	-44.82	PASS
BAND 12	3MHz	QPSK	23025	15RB#0	-24.09	PASS
BAND 12	3MHz	QPSK	23165	1RB#0	-48.50	PASS
BAND 12	3MHz	QPSK	23165	1RB#14	-16.21	PASS
BAND 12	3MHz	QPSK	23165	15RB#0	-23.43	PASS
BAND 12	3MHz	64QAM	23025	1RB#0	-15.37	PASS
BAND 12	3MHz	64QAM	23025	1RB#14	-47.65	PASS
BAND 12	3MHz	64QAM	23025	15RB#0	-23.85	PASS
BAND 12	3MHz	64QAM	23165	1RB#0	-48.18	PASS
BAND 12	3MHz	64QAM	23165	1RB#14	-16.52	PASS
BAND 12	3MHz	64QAM	23165	15RB#0	-25.57	PASS
BAND 12	3MHz	16QAM	23025	1RB#0	-14.50	PASS
BAND 12	3MHz	16QAM	23025	1RB#14	-43.85	PASS
BAND 12	3MHz	16QAM	23025	15RB#0	-25.03	PASS
BAND 12	3MHz	16QAM	23165	1RB#0	-47.67	PASS
BAND 12	3MHz	16QAM	23165	1RB#14	-15.84	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601


Page: 38 of 107

BAND 12	3MHz	16QAM	23165	15RB#0	-24.89	PASS
BAND 12	5MHz	QPSK	23035	1RB#0	-22.15	PASS
BAND 12	5MHz	QPSK	23035	1RB#24	-54.10	PASS
BAND 12	5MHz	QPSK	23035	25RB#0	-27.82	PASS
BAND 12	5MHz	QPSK	23155	1RB#0	-55.07	PASS
BAND 12	5MHz	QPSK	23155	1RB#24	-22.07	PASS
BAND 12	5MHz	QPSK	23155	25RB#0	-29.49	PASS
BAND 12	5MHz	64QAM	23035	1RB#0	-21.06	PASS
BAND 12	5MHz	64QAM	23035	1RB#24	-53.89	PASS
BAND 12	5MHz	64QAM	23035	25RB#0	-29.91	PASS
BAND 12	5MHz	64QAM	23155	1RB#0	-55.59	PASS
BAND 12	5MHz	64QAM	23155	1RB#24	-22.16	PASS
BAND 12	5MHz	64QAM	23155	25RB#0	-30.24	PASS
BAND 12	5MHz	16QAM	23035	1RB#0	-22.42	PASS
BAND 12	5MHz	16QAM	23035	1RB#24	-53.12	PASS
BAND 12	5MHz	16QAM	23035	25RB#0	-29.35	PASS
BAND 12	5MHz	16QAM	23155	1RB#0	-55.60	PASS
BAND 12	5MHz	16QAM	23155	1RB#24	-22.17	PASS
BAND 12	5MHz	16QAM	23155	25RB#0	-30.08	PASS
BAND 12	10MHz	QPSK	23060	1RB#0	-31.62	PASS
BAND 12	10MHz	QPSK	23060	1RB#49	-48.49	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	-28.11	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	-49.21	PASS
BAND 12	10MHz	QPSK	23130	1RB#49	-31.28	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	-32.25	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	-32.16	PASS
BAND 12	10MHz	64QAM	23060	1RB#49	-49.49	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	-30.19	PASS
BAND 12	10MHz	64QAM	23130	1RB#0	-49.89	PASS
BAND 12	10MHz	64QAM	23130	1RB#49	-32.03	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	-33.25	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	-31.72	PASS
BAND 12	10MHz	16QAM	23060	1RB#49	-48.73	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	-30.08	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	-49.60	PASS
BAND 12	10MHz	16QAM	23130	1RB#49	-32.28	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	-33.72	PASS



5.2. Test Plots

BAND 12_1.4MHz_QPSK_23017_1RB#0



BAND 12_1.4MHz_QPSK_23017_1RB#5




BAND 12_1.4MHz_QPSK_23017_6RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 40 of 107



BAND 12_1.4MHz_QPSK_23173_1RB#0




BAND 12_1.4MHz_QPSK_23173_1RB#5




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 41 of 107



BAND 12_1.4MHz_QPSK_23173_6RB#0




BAND 12_1.4MHz_64QAM_23017_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 42 of 107



BAND 12_1.4MHz_64QAM_23017_1RB#5



BAND 12_1.4MHz_64QAM_23017_6RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 43 of 107



BAND 12_1.4MHz_64QAM_23173_1RB#0




BAND 12_1.4MHz_64QAM_23173_1RB#5




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 44 of 107



BAND 12_1.4MHz_64QAM_23173_6RB#0




BAND 12_1.4MHz_16QAM_23017_1RB#0



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 45 of 107



BAND 12_1.4MHz_16QAM_23017_1RB#5




BAND 12_1.4MHz_16QAM_23017_6RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 46 of 107



BAND 12_1.4MHz_16QAM_23173_1RB#0




BAND 12_1.4MHz_16QAM_23173_1RB#5




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 47 of 107



BAND 12_1.4MHz_16QAM_23173_6RB#0




BAND 12_3MHz_QPSK_23025_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 48 of 107



BAND 12_3MHz_QPSK_23025_1RB#14




BAND 12_3MHz_QPSK_23025_15RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 49 of 107



BAND 12_3MHz_QPSK_23165_1RB#0




BAND 12_3MHz_QPSK_23165_1RB#14




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 50 of 107



BAND 12_3MHz_QPSK_23165_15RB#0




BAND 12_3MHz_64QAM_23025_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 51 of 107



BAND 12_3MHz_64QAM_23025_1RB#14



BAND 12_3MHz_64QAM_23025_15RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 52 of 107



BAND 12_3MHz_64QAM_23165_1RB#0




BAND 12_3MHz_64QAM_23165_1RB#14




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 53 of 107



BAND 12_3MHz_64QAM_23165_15RB#0




BAND 12_3MHz_16QAM_23025_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 54 of 107



BAND 12_3MHz_16QAM_23025_1RB#14



BAND 12_3MHz_16QAM_23025_15RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 55 of 107



BAND 12_3MHz_16QAM_23165_1RB#0




BAND 12_3MHz_16QAM_23165_1RB#14




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 56 of 107



BAND 12_3MHz_16QAM_23165_15RB#0




BAND 12_5MHz_QPSK_23035_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 57 of 107



BAND 12_5MHz_QPSK_23035_1RB#24




BAND 12_5MHz_QPSK_23035_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 58 of 107



BAND 12_5MHz_QPSK_23155_1RB#0




BAND 12_5MHz_QPSK_23155_1RB#24




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 59 of 107



BAND 12_5MHz_QPSK_23155_25RB#0




BAND 12_5MHz_64QAM_23035_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 60 of 107



BAND 12_5MHz_64QAM_23035_1RB#24




BAND 12_5MHz_64QAM_23035_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 61 of 107



BAND 12_5MHz_64QAM_23155_1RB#0




BAND 12_5MHz_64QAM_23155_1RB#24




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 62 of 107



BAND 12_5MHz_64QAM_23155_25RB#0




BAND 12_5MHz_16QAM_23035_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 63 of 107



BAND 12_5MHz_16QAM_23035_1RB#24




BAND 12_5MHz_16QAM_23035_25RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 64 of 107



BAND 12_5MHz_16QAM_23155_1RB#0




BAND 12_5MHz_16QAM_23155_1RB#24




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 65 of 107



BAND 12_5MHz_16QAM_23155_25RB#0




BAND 12_10MHz_QPSK_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 66 of 107



BAND 12_10MHz_QPSK_23060_1RB#49




BAND 12_10MHz_QPSK_23060_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 67 of 107



BAND 12_10MHz_QPSK_23130_1RB#0




BAND 12_10MHz_QPSK_23130_1RB#49




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 68 of 107



BAND 12_10MHz_QPSK_23130_50RB#0




BAND 12_10MHz_64QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 69 of 107



BAND 12_10MHz_64QAM_23060_1RB#49




BAND 12_10MHz_64QAM_23060_50RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 70 of 107



BAND 12_10MHz_64QAM_23130_1RB#0




BAND 12_10MHz_64QAM_23130_1RB#49




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 71 of 107



BAND 12_10MHz_64QAM_23130_50RB#0




BAND 12_10MHz_16QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601


Page: 72 of 107




BAND 12_10MHz_16QAM_23060_1RB#49



BAND 12_10MHz_16QAM_23060_50RB#0



BAND 12_10MHz_16QAM_23130_1RB#0




BAND 12_10MHz_16QAM_23130_1RB#49




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 74 of 107



BAND 12_10MHz_16QAM_23130_50RB#0





6. Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowBAND signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

6.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
BAND 12	10MHz	QPSK	23060	1RB#0	Range1:0.009~0.15MHz	-58.68	PASS
BAND 12	10MHz	QPSK	23060	1RB#0	Range2:0.15~30MHz	-53.77	PASS
BAND 12	10MHz	QPSK	23060	1RB#0	Range3:30~1000MHz	-43.81	PASS
BAND 12	10MHz	QPSK	23060	1RB#0	Range4:1000~5000MHz	-43.41	PASS
BAND 12	10MHz	QPSK	23060	1RB#0	Range5:5000~12000MHz	-49.69	PASS
BAND 12	10MHz	QPSK	23060	1RB#0	Range6:12000~18000MHz	-49.76	PASS
BAND 12	10MHz	QPSK	23095	1RB#0	Range1:0.009~0.15MHz	-59.14	PASS
BAND 12	10MHz	QPSK	23095	1RB#0	Range2:0.15~30MHz	-53.23	PASS
BAND 12	10MHz	QPSK	23095	1RB#0	Range3:30~1000MHz	-44.4	PASS
BAND 12	10MHz	QPSK	23095	1RB#0	Range4:1000~5000MHz	-43.36	PASS
BAND 12	10MHz	QPSK	23095	1RB#0	Range5:5000~12000MHz	-49.57	PASS
BAND 12	10MHz	QPSK	23095	1RB#0	Range6:12000~18000MHz	-49.61	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	Range1:0.009~0.15MHz	-57.96	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	Range2:0.15~30MHz	-53.62	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	Range3:30~1000MHz	-44.48	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	Range4:1000~5000MHz	-43.28	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	Range5:5000~12000MHz	-49.59	PASS
BAND 12	10MHz	QPSK	23130	1RB#0	Range6:12000~18000MHz	-49.56	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	Range1:0.009~0.15MHz	-58.52	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	Range2:0.15~30MHz	-54.3	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	Range3:30~1000MHz	-43.72	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	Range4:1000~5000MHz	-43.5	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	Range5:5000~12000MHz	-49.47	PASS
BAND 12	10MHz	64QAM	23060	1RB#0	Range6:12000~18000MHz	-49.58	PASS
BAND 12	10MHz	64QAM	23095	1RB#0	Range1:0.009~0.15MHz	-58.76	PASS
BAND 12	10MHz	64QAM	23095	1RB#0	Range2:0.15~30MHz	-53.2	PASS
BAND 12	10MHz	64QAM	23095	1RB#0	Range3:30~1000MHz	-43.58	PASS
BAND 12	10MHz	64QAM	23095	1RB#0	Range4:1000~5000MHz	-43.52	PASS
BAND 12	10MHz	64QAM	23095	1RB#0	Range5:5000~12000MHz	-49.57	PASS
BAND 12	10MHz	64QAM	23095	1RB#0	Range6:12000~18000MHz	-49.58	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180500453601

Page: 76 of 107

BAND 12	10MHz	64QAM	23130	1RB#0	Range1:0.009~0.15MHz	-57.11	PASS
BAND 12	10MHz	64QAM	23130	1RB#0	Range2:0.15~30MHz	-52.88	PASS
BAND 12	10MHz	64QAM	23130	1RB#0	Range3:30~1000MHz	-43.68	PASS
BAND 12	10MHz	64QAM	23130	1RB#0	Range4:1000~5000MHz	-44.32	PASS
BAND 12	10MHz	64QAM	23130	1RB#0	Range5:5000~12000MHz	-49.58	PASS
BAND 12	10MHz	64QAM	23130	1RB#0	Range6:12000~18000MHz	-49.65	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	Range1:0.009~0.15MHz	-59.1	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	Range2:0.15~30MHz	-52.94	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	Range3:30~1000MHz	-43.92	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	Range4:1000~5000MHz	-43.6	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	Range5:5000~12000MHz	-49.59	PASS
BAND 12	10MHz	16QAM	23060	1RB#0	Range6:12000~18000MHz	-49.6	PASS
BAND 12	10MHz	16QAM	23095	1RB#0	Range1:0.009~0.15MHz	-59.53	PASS
BAND 12	10MHz	16QAM	23095	1RB#0	Range2:0.15~30MHz	-53.8	PASS
BAND 12	10MHz	16QAM	23095	1RB#0	Range3:30~1000MHz	-43.63	PASS
BAND 12	10MHz	16QAM	23095	1RB#0	Range4:1000~5000MHz	-43.5	PASS
BAND 12	10MHz	16QAM	23095	1RB#0	Range5:5000~12000MHz	-49.42	PASS
BAND 12	10MHz	16QAM	23095	1RB#0	Range6:12000~18000MHz	-49.63	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	Range1:0.009~0.15MHz	-57.9	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	Range2:0.15~30MHz	-53.62	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	Range3:30~1000MHz	-44.52	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	Range4:1000~5000MHz	-43.43	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	Range5:5000~12000MHz	-49.63	PASS
BAND 12	10MHz	16QAM	23130	1RB#0	Range6:12000~18000MHz	-49.55	PASS



6.2. Test Plots







SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 78 of 107



BAND 12_10MHz_QPSK_23060_1RB#0




BAND 12_10MHz_QPSK_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 79 of 107



BAND 12_10MHz_QPSK_23060_1RB#0




BAND 12_10MHz_QPSK_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 80 of 107



BAND 12_10MHz_QPSK_23095_1RB#0




BAND 12_10MHz_QPSK_23095_1RB#0



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180500453601

Page: 81 of 107



Date: 23 JUN 2018 14:19:20

BAND 12_10MHz_QPSK_23095_1RB#0



Date: 23 JUN 2018 14:19:42


BAND 12_10MHz_QPSK_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 82 of 107



BAND 12_10MHz_QPSK_23095_1RB#0




BAND 12_10MHz_QPSK_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 83 of 107



BAND 12_10MHz_QPSK_23130_1RB#0




BAND 12_10MHz_QPSK_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 84 of 107



BAND 12_10MHz_QPSK_23130_1RB#0




BAND 12_10MHz_QPSK_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 85 of 107



BAND 12_10MHz_QPSK_23130_1RB#0




BAND 12_10MHz_64QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 86 of 107



BAND 12_10MHz_64QAM_23060_1RB#0




BAND 12_10MHz_64QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 87 of 107



BAND 12_10MHz_64QAM_23060_1RB#0




BAND 12_10MHz_64QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 88 of 107



BAND 12_10MHz_64QAM_23060_1RB#0




BAND 12_10MHz_64QAM_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 89 of 107



BAND 12_10MHz_64QAM_23095_1RB#0




BAND 12_10MHz_64QAM_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 90 of 107



BAND 12_10MHz_64QAM_23095_1RB#0




BAND 12_10MHz_64QAM_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 91 of 107



BAND 12_10MHz_64QAM_23095_1RB#0




BAND 12_10MHz_64QAM_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 92 of 107



BAND 12_10MHz_64QAM_23130_1RB#0




BAND 12_10MHz_64QAM_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 93 of 107



BAND 12_10MHz_64QAM_23130_1RB#0




BAND 12_10MHz_64QAM_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 94 of 107



BAND 12_10MHz_64QAM_23130_1RB#0




BAND 12_10MHz_16QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 95 of 107



BAND 12_10MHz_16QAM_23060_1RB#0




BAND 12_10MHz_16QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 96 of 107



BAND 12_10MHz_16QAM_23060_1RB#0




BAND 12_10MHz_16QAM_23060_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 97 of 107



BAND 12_10MHz_16QAM_23060_1RB#0




BAND 12_10MHz_16QAM_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 98 of 107



BAND 12_10MHz_16QAM_23095_1RB#0




BAND 12_10MHz_16QAM_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 99 of 107



BAND 12_10MHz_16QAM_23095_1RB#0




BAND 12_10MHz_16QAM_23095_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 100 of 107



BAND 12_10MHz_16QAM_23095_1RB#0




BAND 12_10MHz_16QAM_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 101 of 107



BAND 12_10MHz_16QAM_23130_1RB#0




BAND 12_10MHz_16QAM_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 102 of 107



BAND 12_10MHz_16QAM_23130_1RB#0




BAND 12_10MHz_16QAM_23130_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 103 of 107



BAND 12_10MHz_16QAM_23130_1RB#0





7. Field Strength of Spurious Radiation

7.1. Test BAND = LTE BAND 12

7.1.1. Test Mode =LTE/TM1 10MHz

7.1.1.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
72.233333	-76.72	-13.00	63.72	Vertical
184.793333	-81.01	-13.00	68.01	Vertical
291.846667	-83.24	-13.00	70.24	Vertical
1399.000000	-67.62	-13.00	54.62	Vertical
4278.225000	-67.12	-13.00	54.12	Vertical
7489.387500	-65.47	-13.00	52.47	Vertical
63.226667	-78.23	-13.00	65.23	Horizontal
157.120000	-74.92	-13.00	61.92	Horizontal
181.153333	-75.08	-13.00	62.08	Horizontal
1399.000000	-67.37	-13.00	54.37	Horizontal
4273.837500	-67.12	-13.00	54.12	Horizontal
7830.637500	-64.25	-13.00	51.25	Horizontal

7.1.1.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
67.426667	-77.93	-13.00	64.93	Vertical
181.106667	-81.10	-13.00	68.10	Vertical
315.693333	-71.01	-13.00	58.01	Vertical
2704.000000	-57.15	-13.00	44.15	Vertical
4275.787500	-67.13	-13.00	54.13	Vertical
7832.587500	-64.33	-13.00	51.33	Vertical
62.153333	-77.70	-13.00	64.70	Horizontal
161.506667	-73.86	-13.00	60.86	Horizontal
1406.000000	-67.42	-13.00	54.42	Horizontal
2682.000000	-57.76	-13.00	44.76	Horizontal
4306.500000	-66.82	-13.00	53.82	Horizontal
7926.675000	-64.37	-13.00	51.37	Horizontal



7.1.1.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
71.953333	-74.42	-13.00	61.42	Vertical
184.513333	-79.81	-13.00	66.81	Vertical
1408.500000	-67.64	-13.00	54.64	Vertical
4152.450000	-68.10	-13.00	55.10	Vertical
5813.850000	-66.46	-13.00	53.46	Vertical
9248.775000	-63.94	-13.00	50.94	Vertical
64.440000	-77.54	-13.00	64.54	Horizontal
159.686667	-73.23	-13.00	60.23	Horizontal
179.986667	-73.08	-13.00	60.08	Horizontal
1389.000000	-65.02	-13.00	52.02	Horizontal
4832.025000	-66.79	-13.00	53.79	Horizontal
7990.537500	-64.18	-13.00	51.18	Horizontal

NOTE:

- 1) All modes are tested, but the data presented above is the worst case. the disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.



8. Frequency Stability

8.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BAND 12	10MHz	QPSK	23060	50RB#0	VL	NT	-0.60	-0.000852	±2.5	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	VN	NT	-0.70	-0.000994	±2.5	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	VH	NT	-0.30	-0.000426	±2.5	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	VL	NT	0.50	0.000707	±2.5	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	VN	NT	1.00	0.001413	±2.5	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	VH	NT	0.20	0.000283	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	VL	NT	-1.20	-0.001688	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	VN	NT	-0.40	-0.000563	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	VH	NT	-0.10	-0.000141	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	VL	NT	-4.30	-0.006108	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	VN	NT	-1.40	-0.001989	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	VH	NT	-1.40	-0.001989	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	VL	NT	-2.80	-0.003958	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	VN	NT	-1.90	-0.002686	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	VH	NT	-3.00	-0.004240	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	VL	NT	-3.00	-0.004219	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	VN	NT	-4.20	-0.005907	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	VH	NT	-3.10	-0.004360	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	VL	NT	-1.50	-0.002131	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	VN	NT	-1.80	-0.002557	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	VH	NT	-1.00	-0.001420	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	VL	NT	1.20	0.001696	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	VN	NT	0.50	0.000707	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	VH	NT	1.70	0.002403	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	VL	NT	-3.30	-0.004641	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	VN	NT	-3.30	-0.004641	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	VH	NT	-3.10	-0.004360	±2.5	PASS

8.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BAND 12	10MHz	QPSK	23060	50RB#0	NV	-30	0.30	0.000426	±2.5	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	NV	-20	0.40	0.000568	±2.5	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	NV	0	-1.80	-0.002557	±2.5	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	NV	10	-1.50	-0.002131	±2.5	PASS
BAND 12	10MHz	QPSK	23060	50RB#0	NV	20	-1.20	-0.001705	±2.5	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	NV	-30	-1.70	-0.002403	±2.5	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	NV	-20	0.60	0.000848	±2.5	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	NV	0	1.70	0.002403	±2.5	PASS
BAND 12	10MHz	QPSK	23095	50RB#0	NV	10	0.60	0.000848	±2.5	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 107 of 107

BAND 12	10MHz	QPSK	23095	50RB#0	NV	20	1.30	0.001837	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	NV	-30	-2.20	-0.003094	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	NV	-20	-1.30	-0.001828	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	NV	0	-3.00	-0.004219	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	NV	10	-2.20	-0.003094	±2.5	PASS
BAND 12	10MHz	QPSK	23130	50RB#0	NV	20	-3.70	-0.005204	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	NV	-30	-2.10	-0.002983	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	NV	-20	-0.40	-0.000568	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	NV	0	-0.50	-0.000710	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	NV	10	-2.60	-0.003657	±2.5	PASS
BAND 12	10MHz	64QAM	23060	50RB#0	NV	20	-2.70	-0.003797	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	NV	-30	-0.20	-0.000283	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	NV	-20	-1.90	-0.002686	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	NV	0	1.40	0.001979	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	NV	10	-3.90	-0.005512	±2.5	PASS
BAND 12	10MHz	64QAM	23095	50RB#0	NV	20	-3.60	-0.005088	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	NV	-30	0.30	0.000422	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	NV	-20	-3.30	-0.004641	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	NV	0	-3.20	-0.004501	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	NV	10	-4.60	-0.006470	±2.5	PASS
BAND 12	10MHz	64QAM	23130	50RB#0	NV	20	-4.20	-0.005907	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	NV	-30	-0.50	-0.000710	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	NV	-20	-2.10	-0.002983	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	NV	0	-0.40	-0.000568	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	NV	10	-0.50	-0.000710	±2.5	PASS
BAND 12	10MHz	16QAM	23060	50RB#0	NV	20	2.10	0.002983	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	NV	-30	0.00	0.000000	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	NV	-20	0.60	0.000848	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	NV	0	0.80	0.001131	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	NV	10	1.10	0.001555	±2.5	PASS
BAND 12	10MHz	16QAM	23095	50RB#0	NV	20	-1.20	-0.001696	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	NV	-30	-2.80	-0.003938	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	NV	-20	-2.60	-0.003657	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	NV	0	-2.70	-0.003797	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	NV	10	-2.80	-0.003938	±2.5	PASS
BAND 12	10MHz	16QAM	23130	50RB#0	NV	20	-4.10	-0.005767	±2.5	PASS

The End