

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.81	2.68	25.49	<=33.01	Pass
			2	22.64	2.68	25.32	<=33.01	Pass
			5	22.65	2.68	25.33	<=33.01	Pass
		3	0	22.62	2.68	25.30	<=33.01	Pass
			2	22.56	2.68	25.24	<=33.01	Pass
			3	22.52	2.68	25.20	<=33.01	Pass
		6	0	21.49	2.68	24.17	<=33.01	Pass
	1880	1	0	22.18	2.68	24.86	<=33.01	Pass
			2	22.00	2.68	24.68	<=33.01	Pass
			5	21.98	2.68	24.66	<=33.01	Pass
		3	0	21.93	2.68	24.61	<=33.01	Pass
			2	21.99	2.68	24.67	<=33.01	Pass
			3	21.97	2.68	24.65	<=33.01	Pass
		6	0	21.01	2.68	23.69	<=33.01	Pass
	1909.3	1	0	21.92	2.68	24.60	<=33.01	Pass
			2	21.68	2.68	24.36	<=33.01	Pass
			5	21.53	2.68	24.21	<=33.01	Pass
		3	0	21.60	2.68	24.28	<=33.01	Pass
			2	21.57	2.68	24.25	<=33.01	Pass
			3	21.49	2.68	24.17	<=33.01	Pass
		6	0	20.56	2.68	23.24	<=33.01	Pass
16QAM	1850.7	1	0	21.78	2.68	24.46	<=33.01	Pass
			2	21.66	2.68	24.34	<=33.01	Pass
			5	21.78	2.68	24.46	<=33.01	Pass
		3	0	21.56	2.68	24.24	<=33.01	Pass
			2	21.47	2.68	24.15	<=33.01	Pass
			3	21.52	2.68	24.20	<=33.01	Pass
		6	0	20.65	2.68	23.33	<=33.01	Pass
	1880	1	0	21.31	2.68	23.99	<=33.01	Pass
			2	21.29	2.68	23.97	<=33.01	Pass
			5	21.35	2.68	24.03	<=33.01	Pass
		3	0	21.05	2.68	23.73	<=33.01	Pass
			2	20.95	2.68	23.63	<=33.01	Pass
			3	21.09	2.68	23.77	<=33.01	Pass
		6	0	20.24	2.68	22.92	<=33.01	Pass
	1909.3	1	0	20.76	2.68	23.44	<=33.01	Pass
			2	20.88	2.68	23.56	<=33.01	Pass
			5	20.73	2.68	23.41	<=33.01	Pass
		3	0	20.63	2.68	23.31	<=33.01	Pass
			2	20.51	2.68	23.19	<=33.01	Pass
			3	20.51	2.68	23.19	<=33.01	Pass
		6	0	19.72	2.68	22.40	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.90	2.68	25.58	<=33.01	Pass
			7	22.61	2.68	25.29	<=33.01	Pass
			14	22.48	2.68	25.16	<=33.01	Pass
		8	0	21.46	2.68	24.14	<=33.01	Pass
			4	21.50	2.68	24.18	<=33.01	Pass
			7	21.46	2.68	24.14	<=33.01	Pass
		15	0	21.44	2.68	24.12	<=33.01	Pass
	1880	1	0	22.15	2.68	24.83	<=33.01	Pass
			7	22.05	2.68	24.73	<=33.01	Pass
			14	22.02	2.68	24.70	<=33.01	Pass
		8	0	21.04	2.68	23.72	<=33.01	Pass
			4	21.05	2.68	23.73	<=33.01	Pass
			7	21.11	2.68	23.79	<=33.01	Pass
		15	0	21.11	2.68	23.79	<=33.01	Pass
	1908.5	1	0	21.56	2.68	24.24	<=33.01	Pass
			7	21.85	2.68	24.53	<=33.01	Pass
			14	21.36	2.68	24.04	<=33.01	Pass
		8	0	20.53	2.68	23.21	<=33.01	Pass
			4	20.50	2.68	23.18	<=33.01	Pass
			7	20.49	2.68	23.17	<=33.01	Pass
		15	0	20.55	2.68	23.23	<=33.01	Pass
16QAM	1851.5	1	0	21.87	2.68	24.55	<=33.01	Pass
			7	21.74	2.68	24.42	<=33.01	Pass
			14	21.64	2.68	24.32	<=33.01	Pass
		8	0	20.60	2.68	23.28	<=33.01	Pass
			4	20.65	2.68	23.33	<=33.01	Pass
			7	20.65	2.68	23.33	<=33.01	Pass
		15	0	20.69	2.68	23.37	<=33.01	Pass
	1880	1	0	21.31	2.68	23.99	<=33.01	Pass
			7	21.32	2.68	24.00	<=33.01	Pass
			14	21.36	2.68	24.04	<=33.01	Pass
		8	0	20.17	2.68	22.85	<=33.01	Pass
			4	20.22	2.68	22.90	<=33.01	Pass
			7	20.26	2.68	22.94	<=33.01	Pass
		15	0	20.19	2.68	22.87	<=33.01	Pass
	1908.5	1	0	20.92	2.68	23.60	<=33.01	Pass
			7	20.78	2.68	23.46	<=33.01	Pass
			14	20.55	2.68	23.23	<=33.01	Pass
		8	0	19.67	2.68	22.35	<=33.01	Pass
			4	19.70	2.68	22.38	<=33.01	Pass
			7	19.64	2.68	22.32	<=33.01	Pass
		15	0	19.67	2.68	22.35	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.39	2.68	25.07	<=33.01	Pass
			13	22.54	2.68	25.22	<=33.01	Pass
			24	22.50	2.68	25.18	<=33.01	Pass
		12	0	21.38	2.68	24.06	<=33.01	Pass
			6	21.41	2.68	24.09	<=33.01	Pass
			13	21.24	2.68	23.92	<=33.01	Pass
		25	0	21.38	2.68	24.06	<=33.01	Pass
	1880	1	0	21.97	2.68	24.65	<=33.01	Pass
			13	21.94	2.68	24.62	<=33.01	Pass
			24	22.17	2.68	24.85	<=33.01	Pass
		12	0	21.01	2.68	23.69	<=33.01	Pass
			6	21.03	2.68	23.71	<=33.01	Pass
			13	21.08	2.68	23.76	<=33.01	Pass
		25	0	21.02	2.68	23.70	<=33.01	Pass
	1907.5	1	0	21.82	2.68	24.50	<=33.01	Pass
			13	21.80	2.68	24.48	<=33.01	Pass
			24	21.50	2.68	24.18	<=33.01	Pass
		12	0	20.50	2.68	23.18	<=33.01	Pass
			6	20.52	2.68	23.20	<=33.01	Pass
			13	20.45	2.68	23.13	<=33.01	Pass
		25	0	20.57	2.68	23.25	<=33.01	Pass
16QAM	1852.5	1	0	21.96	2.68	24.64	<=33.01	Pass
			13	21.67	2.68	24.35	<=33.01	Pass
			24	21.56	2.68	24.24	<=33.01	Pass
		12	0	20.49	2.68	23.17	<=33.01	Pass
			6	20.57	2.68	23.25	<=33.01	Pass
			13	20.43	2.68	23.11	<=33.01	Pass
		25	0	20.54	2.68	23.22	<=33.01	Pass
	1880	1	0	21.53	2.68	24.21	<=33.01	Pass
			13	21.18	2.68	23.86	<=33.01	Pass
			24	21.35	2.68	24.03	<=33.01	Pass
		12	0	20.15	2.68	22.83	<=33.01	Pass
			6	20.17	2.68	22.85	<=33.01	Pass
			13	20.19	2.68	22.87	<=33.01	Pass
		25	0	20.15	2.68	22.83	<=33.01	Pass
	1907.5	1	0	21.22	2.68	23.90	<=33.01	Pass
			13	20.77	2.68	23.45	<=33.01	Pass
			24	20.78	2.68	23.46	<=33.01	Pass
		12	0	19.67	2.68	22.35	<=33.01	Pass
			6	19.65	2.68	22.33	<=33.01	Pass
			13	19.53	2.68	22.21	<=33.01	Pass
		25	0	19.76	2.68	22.44	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.37	2.68	26.05	<=33.01	Pass
			25	22.23	2.68	24.91	<=33.01	Pass
			49	22.58	2.68	25.26	<=33.01	Pass
		25	0	21.22	2.68	23.90	<=33.01	Pass
			13	21.05	2.68	23.73	<=33.01	Pass
			25	20.99	2.68	23.67	<=33.01	Pass
		50	0	21.07	2.68	23.75	<=33.01	Pass
	1880	1	0	21.86	2.68	24.54	<=33.01	Pass
			25	21.98	2.68	24.66	<=33.01	Pass
			49	22.25	2.68	24.93	<=33.01	Pass
		25	0	20.98	2.68	23.66	<=33.01	Pass
			13	20.97	2.68	23.65	<=33.01	Pass
			25	20.90	2.68	23.58	<=33.01	Pass
		50	0	20.96	2.68	23.64	<=33.01	Pass
	1905	1	0	21.94	2.68	24.62	<=33.01	Pass
			25	21.62	2.68	24.30	<=33.01	Pass
			49	21.74	2.68	24.42	<=33.01	Pass
		25	0	20.15	2.68	22.83	<=33.01	Pass
			13	20.49	2.68	23.17	<=33.01	Pass
			25	20.50	2.68	23.18	<=33.01	Pass
		50	0	20.40	2.68	23.08	<=33.01	Pass
16QAM	1855	1	0	22.24	2.68	24.92	<=33.01	Pass
			25	21.35	2.68	24.03	<=33.01	Pass
			49	21.74	2.68	24.42	<=33.01	Pass
		12	0	21.65	2.68	24.33	<=33.01	Pass
			19	21.15	2.68	23.83	<=33.01	Pass
			38	21.23	2.68	23.91	<=33.01	Pass
		27	0	20.43	2.68	23.11	<=33.01	Pass
	1880	1	0	21.79	2.68	24.47	<=33.01	Pass
			25	21.20	2.68	23.88	<=33.01	Pass
			49	21.45	2.68	24.13	<=33.01	Pass
		12	0	21.29	2.68	23.97	<=33.01	Pass
			19	21.01	2.68	23.69	<=33.01	Pass
			38	21.13	2.68	23.81	<=33.01	Pass
		27	0	20.17	2.68	22.85	<=33.01	Pass
	1905	1	0	20.96	2.68	23.64	<=33.01	Pass
			25	20.88	2.68	23.56	<=33.01	Pass
			49	21.05	2.68	23.73	<=33.01	Pass
		12	0	20.51	2.68	23.19	<=33.01	Pass
			19	20.62	2.68	23.30	<=33.01	Pass
			38	20.72	2.68	23.40	<=33.01	Pass
		27	23	19.64	2.68	22.32	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.86	2.68	25.54	<=33.01	Pass
			38	22.12	2.68	24.80	<=33.01	Pass
			74	21.93	2.68	24.61	<=33.01	Pass
		36	0	21.08	2.68	23.76	<=33.01	Pass
			18	20.99	2.68	23.67	<=33.01	Pass
			39	20.87	2.68	23.55	<=33.01	Pass
		75	0	20.94	2.68	23.62	<=33.01	Pass
	1880	1	0	22.34	2.68	25.02	<=33.01	Pass
			38	21.94	2.68	24.62	<=33.01	Pass
			74	21.78	2.68	24.46	<=33.01	Pass
		36	0	20.98	2.68	23.66	<=33.01	Pass
			18	20.98	2.68	23.66	<=33.01	Pass
			39	20.85	2.68	23.53	<=33.01	Pass
		75	0	20.87	2.68	23.55	<=33.01	Pass
	1902.5	1	0	20.05	2.68	22.73	<=33.01	Pass
			38	21.66	2.68	24.34	<=33.01	Pass
			74	21.41	2.68	24.09	<=33.01	Pass
		36	0	20.04	2.68	22.72	<=33.01	Pass
			18	20.31	2.68	22.99	<=33.01	Pass
			39	20.54	2.68	23.22	<=33.01	Pass
		75	0	20.12	2.68	22.80	<=33.01	Pass
16QAM	1857.5	1	0	21.77	2.68	24.45	<=33.01	Pass
			38	21.36	2.68	24.04	<=33.01	Pass
			74	21.20	2.68	23.88	<=33.01	Pass
		12	0	21.31	2.68	23.99	<=33.01	Pass
			31	21.07	2.68	23.75	<=33.01	Pass
			63	20.83	2.68	23.51	<=33.01	Pass
		27	0	20.33	2.68	23.01	<=33.01	Pass
	1880	1	0	21.47	2.68	24.15	<=33.01	Pass
			38	21.19	2.68	23.87	<=33.01	Pass
			74	21.02	2.68	23.70	<=33.01	Pass
		12	0	21.03	2.68	23.71	<=33.01	Pass
			31	21.00	2.68	23.68	<=33.01	Pass
			63	20.64	2.68	23.32	<=33.01	Pass
		27	0	20.16	2.68	22.84	<=33.01	Pass
	1902.5	1	0	20.47	2.68	23.15	<=33.01	Pass
			38	20.69	2.68	23.37	<=33.01	Pass
			74	20.68	2.68	23.36	<=33.01	Pass
		12	0	20.08	2.68	22.76	<=33.01	Pass
			31	20.43	2.68	23.11	<=33.01	Pass
			63	20.35	2.68	23.03	<=33.01	Pass
		27	48	19.61	2.68	22.29	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.81	2.68	25.49	<=33.01	Pass
			50	22.15	2.68	24.83	<=33.01	Pass
			99	21.99	2.68	24.67	<=33.01	Pass
		50	0	20.96	2.68	23.64	<=33.01	Pass
			25	20.94	2.68	23.62	<=33.01	Pass
			50	20.80	2.68	23.48	<=33.01	Pass
		100	0	20.87	2.68	23.55	<=33.01	Pass
	1880	1	0	22.28	2.68	24.96	<=33.01	Pass
			50	21.92	2.68	24.60	<=33.01	Pass
			99	21.59	2.68	24.27	<=33.01	Pass
		50	0	20.96	2.68	23.64	<=33.01	Pass
			25	20.95	2.68	23.63	<=33.01	Pass
			50	20.73	2.68	23.41	<=33.01	Pass
		100	0	20.82	2.68	23.50	<=33.01	Pass
	1900	1	0	20.78	2.68	23.46	<=33.01	Pass
			50	21.38	2.68	24.06	<=33.01	Pass
			99	21.38	2.68	24.06	<=33.01	Pass
		50	0	19.97	2.68	22.65	<=33.01	Pass
			25	20.15	2.68	22.83	<=33.01	Pass
			50	20.32	2.68	23.00	<=33.01	Pass
		100	0	19.97	2.68	22.65	<=33.01	Pass
16QAM	1860	1	0	21.75	2.68	24.43	<=33.01	Pass
			50	21.17	2.68	23.85	<=33.01	Pass
			99	21.33	2.68	24.01	<=33.01	Pass
		12	0	21.27	2.68	23.95	<=33.01	Pass
			44	21.10	2.68	23.78	<=33.01	Pass
			88	20.92	2.68	23.60	<=33.01	Pass
		27	0	20.27	2.68	22.95	<=33.01	Pass
	1880	1	0	21.45	2.68	24.13	<=33.01	Pass
			50	21.12	2.68	23.80	<=33.01	Pass
			99	20.82	2.68	23.50	<=33.01	Pass
		12	0	21.03	2.68	23.71	<=33.01	Pass
			44	21.01	2.68	23.69	<=33.01	Pass
			88	20.56	2.68	23.24	<=33.01	Pass
		27	0	20.09	2.68	22.77	<=33.01	Pass
	1900	1	0	20.70	2.68	23.38	<=33.01	Pass
			50	20.53	2.68	23.21	<=33.01	Pass
			99	20.60	2.68	23.28	<=33.01	Pass
		12	0	20.11	2.68	22.79	<=33.01	Pass
			44	20.25	2.68	22.93	<=33.01	Pass
			88	20.36	2.68	23.04	<=33.01	Pass
		27	73	19.45	2.68	22.13	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	LV	-24.000	-0.0128	-2.5 to 2.5	Pass
					NV	-17.600	-0.0094	-2.5 to 2.5	Pass
					HV	-28.800	-0.0153	-2.5 to 2.5	Pass
				-30	NV	-14.900	-0.0079	-2.5 to 2.5	Pass
				-20	NV	-28.500	-0.0152	-2.5 to 2.5	Pass
				-10	NV	-15.800	-0.0084	-2.5 to 2.5	Pass
				0	NV	-16.900	-0.0090	-2.5 to 2.5	Pass
				10	NV	-27.400	-0.0146	-2.5 to 2.5	Pass
				30	NV	-18.800	-0.0100	-2.5 to 2.5	Pass
				40	NV	-21.700	-0.0115	-2.5 to 2.5	Pass
				50	NV	-11.900	-0.0063	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.082	/	Pass
	16QAM	1880	6	0	1.081	/	Pass
3	QPSK	1880	15	0	2.681	/	Pass
	16QAM	1880	15	0	2.681	/	Pass
5	QPSK	1880	25	0	4.479	/	Pass
	16QAM	1880	25	0	4.475	/	Pass
10	QPSK	1880	50	0	8.951	/	Pass
	16QAM	1880	27	0	4.850	/	Pass
15	QPSK	1880	75	0	13.456	/	Pass
	16QAM	1880	27	0	4.855	/	Pass
20	QPSK	1880	100	0	17.881	/	Pass
	16QAM	1880	27	0	4.833	/	Pass

3.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT


1.4	QPSK	1880	6	0	1.239	/	Pass
	16QAM	1880	6	0	1.226	/	Pass
3	QPSK	1880	15	0	2.866	/	Pass
	16QAM	1880	15	0	2.898	/	Pass
5	QPSK	1880	25	0	4.854	/	Pass
	16QAM	1880	25	0	4.830	/	Pass
10	QPSK	1880	50	0	9.559	/	Pass
	16QAM	1880	27	0	5.335	/	Pass
15	QPSK	1880	75	0	14.265	/	Pass
	16QAM	1880	27	0	5.376	/	Pass
20	QPSK	1880	100	0	18.886	/	Pass
	16QAM	1880	27	0	5.402	/	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

3.2 Test Graph


3.2.1 Band2_OBW




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT


3.2.2 Band2_XDB




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

4. Peak-Average Ratio

4.1 Test Result

4.1.1 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.69	<=13	Pass
16QAM	1880	27	0	6.40	<=13	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

4.2 Test Graph

4.2.1 B2_20MHz



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1909.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1851.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1908.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1852.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

QPSK	1855	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1905	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

5.2 Test Graph


5.2.1 B2_1.4MHz




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-32.76	-13	Pass
1849	1850	0.03	/	2	1849.994	-27.46	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000297AT

Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-25.16	-13	Pass
1911	1913	1	CHP	2	1911.500	-29.96	-13	Pass

Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-27.05	-13	Pass
1911	1913	1	CHP	2	1911.500	-33.56	-13	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000297AT

5.2.2 B2_3MHz

Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-27.32	-13	Pass
1849	1850	0.03	/	2	1849.994	-29.81	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT


5.2.3 B2_5MHz

Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1846.080	-29.15	-13	Pass
1849	1850	0.03	/	2	1849.990	-17.78	-13	Pass
1850	1855	0.03	/	/	/	/	/	/


Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-27.50	-13	Pass
1849	1850	0.051	/	2	1849.990	-31.08	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000297AT

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.010	-23.37	-13	Pass
1911	1915	1	CHP	2	1913.770	-30.26	-13	Pass

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	/	/	/	/	/	/
1910	1911	0.051	/	1	1910.030	-32.43	-13	Pass
1911	1915	1	CHP	2	1911.500	-28.76	-13	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT


5.2.4 B2_10MHz




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-29.93	-13	Pass
1849	1850	0.1	/	2	1849.900	-36.06	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000297AT

Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.038	-29.32	-13	Pass
1911	1920	1	CHP	2	1911.508	-39.20	-13	Pass

Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.020	-36.60	-13	Pass
1911	1920	1	CHP	2	1911.500	-31.46	-13	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT


5.2.5 B2_15MHz




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000297AT

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-31.66	-13	Pass
1849	1850	0.15	/	2	1849.400	-37.02	-13	Pass
1850	1865	0.15	/	/	/	/	/	/