

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B7_5MHz_EIRP

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	20.75	2.68	23.43	<=33.01	Pass
			13	20.83	2.68	23.51	<=33.01	Pass
			24	20.71	2.68	23.39	<=33.01	Pass
		12	0	20.79	2.68	23.47	<=33.01	Pass
			6	20.8	2.68	23.48	<=33.01	Pass
			13	20.72	2.68	23.4	<=33.01	Pass
		25	0	19.86	2.68	22.54	<=33.01	Pass
	2535	1	0	20.97	2.68	23.65	<=33.01	Pass
			13	20.95	2.68	23.63	<=33.01	Pass
			24	20.98	2.68	23.66	<=33.01	Pass
		12	0	21.05	2.68	23.73	<=33.01	Pass
			6	21.08	2.68	23.76	<=33.01	Pass
			13	21.07	2.68	23.75	<=33.01	Pass
		25	0	20.09	2.68	22.77	<=33.01	Pass
	2567.5	1	0	21.24	2.68	23.92	<=33.01	Pass
			13	20.13	2.68	22.81	<=33.01	Pass
			24	19.72	2.68	22.40	<=33.01	Pass
		12	0	19.52	2.68	22.20	<=33.01	Pass
			6	19.37	2.68	22.05	<=33.01	Pass
			13	19.01	2.68	21.69	<=33.01	Pass
		25	0	19.32	2.68	22.00	<=33.01	Pass
16QAM	2502.5	1	0	19.86	2.68	22.54	<=33.01	Pass
			13	19.76	2.68	22.44	<=33.01	Pass
			24	19.83	2.68	22.51	<=33.01	Pass
		12	0	19.72	2.68	22.4	<=33.01	Pass
			6	19.76	2.68	22.44	<=33.01	Pass
			13	19.66	2.68	22.34	<=33.01	Pass
		25	0	18.88	2.68	21.56	<=33.01	Pass
	2535	1	0	20.06	2.68	22.74	<=33.01	Pass
			13	20.06	2.68	22.74	<=33.01	Pass
			24	20.16	2.68	22.84	<=33.01	Pass
		12	0	19.94	2.68	22.62	<=33.01	Pass
			6	19.9	2.68	22.58	<=33.01	Pass
			13	19.98	2.68	22.66	<=33.01	Pass
		25	0	19.09	2.68	21.77	<=33.01	Pass
	2567.5	1	0	20.48	2.68	23.16	<=33.01	Pass
			13	19.47	2.68	22.15	<=33.01	Pass
			24	19.18	2.68	21.86	<=33.01	Pass
		12	0	18.71	2.68	21.39	<=33.01	Pass
			6	18.59	2.68	21.27	<=33.01	Pass
			13	18.24	2.68	20.92	<=33.01	Pass
		25	0	18.60	2.68	21.28	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

1.1.2 B7_10MHz_EIRP

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	20.67	2.68	23.35	<=33.01	Pass
			25	20.66	2.68	23.34	<=33.01	Pass
			49	20.76	2.68	23.44	<=33.01	Pass
		25	0	20.6	2.68	23.28	<=33.01	Pass
			13	20.66	2.68	23.34	<=33.01	Pass
			25	20.65	2.68	23.33	<=33.01	Pass
		50	0	19.68	2.68	22.36	<=33.01	Pass
	2535	1	0	20.76	2.68	23.44	<=33.01	Pass
			25	20.86	2.68	23.54	<=33.01	Pass
			49	20.77	2.68	23.45	<=33.01	Pass
		25	0	20.73	2.68	23.41	<=33.01	Pass
			13	20.72	2.68	23.4	<=33.01	Pass
			25	20.69	2.68	23.37	<=33.01	Pass
		50	0	19.73	2.68	22.41	<=33.01	Pass
	2565	1	0	21.36	2.68	24.04	<=33.01	Pass
			25	20.61	2.68	23.29	<=33.01	Pass
			49	19.59	2.68	22.27	<=33.01	Pass
		25	0	20.38	2.68	23.06	<=33.01	Pass
			13	19.51	2.68	22.19	<=33.01	Pass
			25	18.97	2.68	21.65	<=33.01	Pass
		50	0	19.61	2.68	22.29	<=33.01	Pass
16QAM	2505	1	0	19.72	2.68	22.4	<=33.01	Pass
			25	19.68	2.68	22.36	<=33.01	Pass
			49	19.81	2.68	22.49	<=33.01	Pass
		12	0	19.63	2.68	22.31	<=33.01	Pass
			19	19.58	2.68	22.26	<=33.01	Pass
			38	19.55	2.68	22.23	<=33.01	Pass
		27	0	18.85	2.68	21.53	<=33.01	Pass
	2535	1	0	19.91	2.68	22.59	<=33.01	Pass
			25	19.93	2.68	22.61	<=33.01	Pass
			49	19.85	2.68	22.53	<=33.01	Pass
		12	0	19.83	2.68	22.51	<=33.01	Pass
			19	19.9	2.68	22.58	<=33.01	Pass
			38	19.93	2.68	22.61	<=33.01	Pass
		27	0	18.94	2.68	21.62	<=33.01	Pass
	2565	1	0	21.66	2.68	24.34	<=33.01	Pass
			25	19.69	2.68	22.37	<=33.01	Pass
			49	19.02	2.68	21.70	<=33.01	Pass
		12	0	20.94	2.68	23.62	<=33.01	Pass
			19	19.56	2.68	22.24	<=33.01	Pass
			38	18.88	2.68	21.56	<=33.01	Pass
		27	23	18.15	2.68	20.83	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

1.1.3 B7_15MHz_EIRP

Band: 7 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	20.81	2.68	23.49	<=33.01	Pass
			38	20.77	2.68	23.45	<=33.01	Pass
			74	20.78	2.68	23.46	<=33.01	Pass
		36	0	20.85	2.68	23.53	<=33.01	Pass
			18	20.78	2.68	23.46	<=33.01	Pass
			39	20.84	2.68	23.52	<=33.01	Pass
		75	0	19.79	2.68	22.47	<=33.01	Pass
	2535	1	0	21.07	2.68	23.75	<=33.01	Pass
			38	21.15	2.68	23.83	<=33.01	Pass
			74	21.11	2.68	23.79	<=33.01	Pass
		36	0	21.07	2.68	23.75	<=33.01	Pass
			18	21	2.68	23.68	<=33.01	Pass
			39	21.1	2.68	23.78	<=33.01	Pass
		75	0	20.08	2.68	22.76	<=33.01	Pass
	2562.5	1	0	20.81	2.68	23.49	<=33.01	Pass
			38	21.12	2.68	23.80	<=33.01	Pass
			74	18.96	2.68	21.64	<=33.01	Pass
		36	0	20.68	2.68	23.36	<=33.01	Pass
			18	20.20	2.68	22.88	<=33.01	Pass
			39	18.91	2.68	21.59	<=33.01	Pass
		75	0	19.92	2.68	22.60	<=33.01	Pass
16QAM	2507.5	1	0	19.98	2.68	22.66	<=33.01	Pass
			38	19.88	2.68	22.56	<=33.01	Pass
			74	19.92	2.68	22.6	<=33.01	Pass
		12	0	19.77	2.68	22.45	<=33.01	Pass
			31	19.68	2.68	22.36	<=33.01	Pass
			63	19.7	2.68	22.38	<=33.01	Pass
		27	0	18.97	2.68	21.65	<=33.01	Pass
	2535	1	0	20.24	2.68	22.92	<=33.01	Pass
			38	20.26	2.68	22.94	<=33.01	Pass
			74	20.25	2.68	22.93	<=33.01	Pass
		12	0	20.08	2.68	22.76	<=33.01	Pass
			31	20.02	2.68	22.7	<=33.01	Pass
			63	20.17	2.68	22.85	<=33.01	Pass
		27	0	19.22	2.68	21.9	<=33.01	Pass
	2562.5	1	0	20.95	2.68	23.63	<=33.01	Pass
			38	20.19	2.68	22.87	<=33.01	Pass
			74	19.78	2.68	22.46	<=33.01	Pass
		12	0	19.28	2.68	21.96	<=33.01	Pass
			31	19.64	2.68	22.32	<=33.01	Pass
			63	19.30	2.68	21.98	<=33.01	Pass
		27	48	18.44	2.68	21.12	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

1.1.4 B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	20.52	2.68	23.2	<=33.01	Pass
			50	20.54	2.68	23.22	<=33.01	Pass
			99	20.55	2.68	23.23	<=33.01	Pass
		50	0	20.5	2.68	23.18	<=33.01	Pass
			25	20.42	2.68	23.1	<=33.01	Pass
			50	20.54	2.68	23.22	<=33.01	Pass
		100	0	19.44	2.68	22.12	<=33.01	Pass
	2535	1	0	20.66	2.68	23.34	<=33.01	Pass
			50	20.00	2.68	22.68	<=33.01	Pass
			99	19.89	2.68	22.57	<=33.01	Pass
		50	0	18.86	2.68	21.54	<=33.01	Pass
			25	18.98	2.68	21.66	<=33.01	Pass
			50	18.85	2.68	21.53	<=33.01	Pass
		100	0	18.79	2.68	21.47	<=33.01	Pass
	2560	1	0	21.11	2.68	23.79	<=33.01	Pass
			50	21.57	2.68	24.25	<=33.01	Pass
			99	20.38	2.68	23.06	<=33.01	Pass
		50	0	19.99	2.68	22.67	<=33.01	Pass
			25	20.57	2.68	23.25	<=33.01	Pass
			50	20.01	2.68	22.69	<=33.01	Pass
		100	0	20.36	2.68	23.04	<=33.01	Pass
16QAM	2510	1	0	19.54	2.68	22.22	<=33.01	Pass
			50	19.55	2.68	22.23	<=33.01	Pass
			99	19.67	2.68	22.35	<=33.01	Pass
		12	0	19.59	2.68	22.27	<=33.01	Pass
			44	19.67	2.68	22.35	<=33.01	Pass
			88	19.53	2.68	22.21	<=33.01	Pass
		27	0	18.69	2.68	21.37	<=33.01	Pass
	2535	1	0	19.77	2.68	22.45	<=33.01	Pass
			50	19.22	2.68	21.90	<=33.01	Pass
			99	18.99	2.68	21.67	<=33.01	Pass
		12	0	19.38	2.68	22.06	<=33.01	Pass
			44	18.95	2.68	21.63	<=33.01	Pass
			88	18.65	2.68	21.33	<=33.01	Pass
		27	0	18.38	2.68	21.06	<=33.01	Pass
	2560	1	0	19.93	2.68	22.61	<=33.01	Pass
			50	20.73	2.68	23.41	<=33.01	Pass
			99	19.68	2.68	22.36	<=33.01	Pass
		12	0	19.46	2.68	22.14	<=33.01	Pass
			44	20.69	2.68	23.37	<=33.01	Pass
			88	19.53	2.68	22.21	<=33.01	Pass
		27	73	18.83	2.68	21.51	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

2. Frequency Stability

2.1 Test Result

2.1.1 B7_10MHz

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2535	50	0	20	LV	-2.100	-0.0008	-2.5 to 2.5	Pass
					NV	-15.400	-0.0061	-2.5 to 2.5	Pass
					HV	-8.800	-0.0035	-2.5 to 2.5	Pass
				-30	NV	7.100	0.0028	-2.5 to 2.5	Pass
				-20	NV	1.600	0.0006	-2.5 to 2.5	Pass
				-10	NV	28.800	0.0114	-2.5 to 2.5	Pass
				0	NV	18.800	0.0074	-2.5 to 2.5	Pass
				10	NV	20.600	0.0081	-2.5 to 2.5	Pass
				30	NV	13.600	0.0054	-2.5 to 2.5	Pass
				40	NV	12.200	0.0048	-2.5 to 2.5	Pass
				50	NV	24.400	0.0096	-2.5 to 2.5	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band7_OBW

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2535	25	0	4.477	/	Pass
	16QAM	2535	25	0	4.468	/	Pass
10	QPSK	2535	50	0	8.953	/	Pass
	16QAM	2535	27	0	4.860	/	Pass
15	QPSK	2535	75	0	13.418	/	Pass
	16QAM	2535	27	0	4.859	/	Pass
20	QPSK	2535	100	0	17.888	/	Pass
	16QAM	2535	27	0	4.844	/	Pass

3.1.2 Band7_XDB


Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2535	25	0	4.857	/	Pass
	16QAM	2535	25	0	4.831	/	Pass
10	QPSK	2535	50	0	9.557	/	Pass
	16QAM	2535	27	0	5.331	/	Pass
15	QPSK	2535	75	0	14.251	/	Pass
	16QAM	2535	27	0	5.412	/	Pass
20	QPSK	2535	100	0	18.820	/	Pass
	16QAM	2535	27	0	5.505	/	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

3.2 Test Graph


3.2.1 Band7_OBW




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT


3.2.2 Band7_XDB




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

4. Peak-Average Ratio

4.1 Test Result

4.1.1 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	100	0	5.45	<=13	Pass
16QAM	2535	27	0	4.82	<=13	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

4.2 Test Graph

4.2.1 B7_20MHz



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

5. Spurious Emission

5.1 Test Result

5.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2567.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2562.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

5.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

5.2 Test Graph


5.2.1 B7_5MHz




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000296AT

Band7 5MHz QPSK LCH 2502.5MHz RB 25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2492.5	2496	1	CHP	1	2496.000	-33.49	-13	Pass
2496	2499	1	CHP	2	2498.500	-29.16	-10	Pass
2499	2500	0.1	/	3	2499.980	-34.06	-10	Pass
2500	2505	0.1	/	/	/	/	/	/
2505	2506	0.1	/	4	2505.020	-31.96	-10	Pass
2506	2510	1	CHP	5	2506.500	-28.25	-10	Pass
2510	2511	1	CHP	6	2510.020	-36.61	-13	Pass
2511	2512.5	1	CHP	7	2511.020	-39.41	-25	Pass


Band7 5MHz QPSK MCH 2535MHz RB 1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2557.5	2559	1	CHP	1	2558.980	-46.01	-25	Pass
2559	2560	1	CHP	2	2560.000	-45.71	-13	Pass
2560	2564	1	CHP	3	2561.080	-23.42	-10	Pass
2564	2565	0.062	/	4	2564.980	-46.61	-10	Pass
2565	2570	0.062	/	/	/	/	/	/
2570	2571	0.062	/	5	2570.080	-24.64	-10	Pass
2571	2575	1	CHP	6	2571.500	-35.66	-10	Pass
2575	2576	1	CHP	7	2575.020	-42.96	-13	Pass
2576	2577.5	1	CHP	8	2576.020	-44.54	-25	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2557.5	2559	1	CHP	1	2559.000	-40.24	-25	Pass
2559	2560	1	CHP	2	2560.000	-38.58	-13	Pass
2560	2564	1	CHP	3	2563.500	-27.39	-10	Pass
2564	2565	0.1	/	4	2564.980	-31.68	-10	Pass
2565	2570	0.1	/	/	/	/	/	/
2570	2571	0.1	/	5	2570.020	-31.10	-10	Pass
2571	2575	1	CHP	6	2571.500	-28.36	-10	Pass
2575	2576	1	CHP	7	2575.020	-41.78	-13	Pass
2576	2577.5	1	CHP	8	2576.020	-43.11	-25	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT


5.2.2 B7_10MHz

Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.457	-49.30	-25	Pass
2490.5	2496	1	CHP	2	2491.822	-36.38	-13	Pass
2496	2499	1	CHP	3	2496.318	-37.43	-10	Pass
2499	2500	0.062	/	4	2499.946	-28.36	-10	Pass
2500	2510	0.062	/	/	/	/	/	/
2510	2511	0.062	/	5	2510.147	-49.97	-10	Pass
2511	2515	1	CHP	6	2513.620	-44.86	-10	Pass
2515	2519.557	1	CHP	7	2518.054	-21.86	-13	Pass
2519.557	2525	1	CHP	8	2519.574	-51.83	-25	Pass


Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000296AT

Band7 10MHz QPSK LCH 2505MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.400	-47.91	-25	Pass
2490.5	2496	1	CHP	2	2495.400	-35.32	-13	Pass
2496	2499	1	CHP	3	2498.480	-32.15	-10	Pass
2499	2500	0.2	/	4	2499.880	-36.66	-10	Pass
2500	2510	0.2	/	/	/	/	/	/
2510	2511	0.2	/	5	2510.040	-37.54	-10	Pass
2511	2515	1	CHP	6	2511.520	-34.30	-10	Pass
2515	2519.557	1	CHP	7	2517.680	-36.15	-13	Pass
2519.557	2525	1	CHP	8	2519.560	-41.11	-25	Pass


Band7 10MHz QPSK MCH 2535MHz RB 1 0 NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV



Band7_10MHz_QPSK_HCH_2565MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2545	2550.443	1	CHP	1	2550.426	-55.27	-25	Pass
2550.443	2555	1	CHP	2	2551.574	-24.34	-13	Pass
2555	2559	1	CHP	3	2556.163	-41.42	-10	Pass
2559	2560	0.062	/	4	2559.822	-46.60	-10	Pass
2560	2570	0.062	/	/	/	/	/	/
2570	2571	0.062	/	5	2570.023	-28.48	-10	Pass
2571	2575	1	CHP	6	2573.496	-35.70	-10	Pass
2575	2579.557	1	CHP	7	2577.992	-39.67	-13	Pass
2579.557	2585	1	CHP	8	2579.574	-49.44	-25	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7 10MHz QPSK HCH 2565MHz RB 50_0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2545	2550.443	1	CHP	1	2550.440	-38.43	-25	Pass
2550.443	2555	1	CHP	2	2554.280	-32.32	-13	Pass
2555	2559	1	CHP	3	2558.480	-27.05	-10	Pass
2559	2560	0.2	/	4	2559.920	-30.90	-10	Pass
2560	2570	0.2	/	/	/	/	/	/
2570	2571	0.2	/	5	2570.280	-28.41	-10	Pass
2571	2575	1	CHP	6	2571.520	-25.93	-10	Pass
2575	2579.557	1	CHP	7	2575.040	-30.08	-13	Pass
2579.557	2585	1	CHP	8	2580.040	-42.55	-25	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT


5.2.3 B7_15MHz

Band7_15MHz_QPSK_LCH_2507.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2477.5	2490.5	1	CHP	1	2487.609	-46.96	-25	Pass
2490.5	2496	1	CHP	2	2494.461	-40.06	-13	Pass
2496	2499	1	CHP	3	2498.492	-37.35	-10	Pass
2499	2500	0.062	/	4	2499.981	-36.83	-10	Pass
2500	2515	0.062	/	/	/	/	/	/
2515	2516	0.062	/	5	2515.826	-54.44	-10	Pass
2516	2520	1	CHP	6	2516.508	-41.53	-10	Pass
2520	2529.251	1	CHP	7	2527.236	-22.62	-13	Pass
2529.251	2537.5	1	CHP	8	2536.694	-57.14	-25	Pass

Band7_15MHz_QPSK_LCH_2507.5MHz_RB_1_0_NTNV



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000296AT



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch


Report No.: FYCR2607000296AT

Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2477.5	2490.5	1	CHP	1	2490.460	-38.42	-25	Pass
2490.5	2496	1	CHP	2	2495.980	-34.29	-13	Pass
2496	2499	1	CHP	3	2497.360	-33.20	-10	Pass
2499	2500	0.3	/	4	2499.160	-36.19	-10	Pass
2500	2515	0.3	/	/	/	/	/	/
2515	2516	0.3	/	5	2515.780	-30.77	-10	Pass
2516	2520	1	CHP	6	2519.260	-25.67	-10	Pass
2520	2529.251	1	CHP	7	2521.180	-25.70	-13	Pass
2529.251	2537.5	1	CHP	8	2529.280	-38.81	-25	Pass


Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV



Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2532.5	2540.749	1	CHP	1	2533.616	-56.83	-25	Pass
2540.749	2550	1	CHP	2	2542.640	-25.52	-13	Pass
2550	2554	1	CHP	3	2553.492	-39.86	-10	Pass
2554	2555	0.062	/	4	2554.733	-53.21	-10	Pass
2555	2570	0.062	/	/	/	/	/	/
2570	2571	0.062	/	5	2570.019	-35.80	-10	Pass
2571	2575	1	CHP	6	2571.508	-37.32	-10	Pass
2575	2584.251	1	CHP	7	2575.446	-35.34	-13	Pass
2584.251	2592.5	1	CHP	8	2590.143	-57.23	-25	Pass

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Report No.: FYCR2607000296AT

