



802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20125	-42.24	-21.20	21.04	Pass	Peak	7	20125	-51.80	-41.20	10.60	Pass	AVG
2	20983.5	-39.94	-21.20	18.74	Pass	Peak	8	20983.5	-49.20	-41.20	8.00	Pass	AVG
3	21898.95	-41.51	-27.00	14.51	Pass	Peak	9	21898.95	/	-27.00	/	/	AVG
4	24131.9	-39.76	-27.00	12.76	Pass	Peak	10	24131.9	/	-27.00	/	/	AVG
5	24921.55	-37.74	-27.00	10.74	Pass	Peak	11	24921.55	/	-27.00	/	/	AVG
6	26393.75	-37.44	-27.00	10.44	Pass	Peak	12	26393.75	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20107.15	-41.84	-21.20	20.64	Pass	Peak	7	20107.15	-51.72	-41.20	10.52	Pass	AVG
2	20986.05	-40.67	-21.20	19.47	Pass	Peak	8	20986.05	-49.22	-41.20	8.02	Pass	AVG
3	21762.95	-40.78	-27.00	13.78	Pass	Peak	9	21762.95	/	-27.00	/	/	AVG
4	24147.2	-40.30	-27.00	13.30	Pass	Peak	10	24147.2	/	-27.00	/	/	AVG
5	24969.15	-37.97	-27.00	10.97	Pass	Peak	11	24969.15	/	-27.00	/	/	AVG
6	26468.55	-37.89	-27.00	10.89	Pass	Peak	12	26468.55	/	-27.00	/	/	AVG

802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20068.9	-42.61	-21.20	21.41	Pass	Peak	7	20068.9	-51.74	-41.20	10.54	Pass	AVG
2	21002.2	-40.29	-21.20	19.09	Pass	Peak	8	21002.2	-49.35	-41.20	8.15	Pass	AVG
3	21833.5	-41.87	-27.00	14.87	Pass	Peak	9	21833.5	/	-27.00	/	/	AVG
4	24117.45	-39.69	-27.00	12.69	Pass	Peak	10	24117.45	/	-27.00	/	/	AVG
5	24967.45	-38.48	-27.00	11.48	Pass	Peak	11	24967.45	/	-27.00	/	/	AVG
6	25896.5	-38.02	-27.00	11.02	Pass	Peak	12	25896.5	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20997.1	-40.60	-21.20	19.40	Pass	Peak	7	20997.1	-49.21	-41.20	8.01	Pass	AVG
2	21923.6	-41.13	-27.00	14.13	Pass	Peak	8	21923.6	/	-27.00	/	/	AVG
3	23254.7	-42.17	-27.00	15.17	Pass	Peak	9	23254.7	/	-27.00	/	/	AVG
4	24026.5	-40.00	-27.00	13.00	Pass	Peak	10	24026.5	/	-27.00	/	/	AVG
5	24961.5	-38.00	-27.00	11.00	Pass	Peak	11	24961.5	/	-27.00	/	/	AVG
6	26339.35	-37.62	-27.00	10.62	Pass	Peak	12	26339.35	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20086.75	-42.15	-21.20	20.95	Pass	Peak	7	20086.75	-51.66	-41.20	10.46	Pass	AVG
2	21061.7	-41.03	-21.20	19.83	Pass	Peak	8	21061.7	-49.73	-41.20	8.53	Pass	AVG
3	21993.3	-41.04	-27.00	14.04	Pass	Peak	9	21993.3	/	-27.00	/	/	AVG
4	24273	-38.44	-27.00	11.44	Pass	Peak	10	24273	/	-27.00	/	/	AVG
5	25554.8	-36.23	-27.00	9.23	Pass	Peak	11	25554.8	/	-27.00	/	/	AVG
6	26456.65	-38.47	-27.00	11.47	Pass	Peak	12	26456.65	/	-27.00	/	/	AVG

802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20890	-40.63	-21.20	19.43	Pass	Peak	7	20890	-49.96	-41.20	8.76	Pass	AVG
2	21676.25	-40.93	-27.00	13.93	Pass	Peak	8	21676.25	/	-27.00	/	/	AVG
3	23608.3	-41.33	-21.20	20.13	Pass	Peak	9	23608.3	-49.92	-41.20	8.72	Pass	AVG
4	24387.75	-38.39	-27.00	11.39	Pass	Peak	10	24387.75	/	-27.00	/	/	AVG
5	25211.4	-40.61	-27.00	13.61	Pass	Peak	11	25211.4	/	-27.00	/	/	AVG
6	25985.75	-37.85	-27.00	10.85	Pass	Peak	12	25985.75	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20992.85	-40.11	-21.20	18.91	Pass	Peak	7	20992.85	-49.08	-41.20	7.88	Pass	AVG
2	21870.9	-41.62	-27.00	14.62	Pass	Peak	8	21870.9	/	-27.00	/	/	AVG
3	22855.2	-42.15	-21.20	20.95	Pass	Peak	9	22855.2	-52.22	-41.20	11.02	Pass	AVG
4	24024.8	-40.05	-27.00	13.05	Pass	Peak	10	24024.8	/	-27.00	/	/	AVG
5	24909.65	-37.87	-27.00	10.87	Pass	Peak	11	24909.65	/	-27.00	/	/	AVG
6	26303.65	-38.02	-27.00	11.02	Pass	Peak	12	26303.65	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19565.7	-42.36	-21.20	21.16	Pass	Peak	7	19565.7	-53.15	-41.20	11.95	Pass	AVG
2	20937.6	-40.90	-21.20	19.70	Pass	Peak	8	20937.6	-49.41	-41.20	8.21	Pass	AVG
3	21915.1	-41.11	-27.00	14.11	Pass	Peak	9	21915.1	/	-27.00	/	/	AVG
4	23734.1	-40.49	-21.20	19.29	Pass	Peak	10	23734.1	-49.68	-41.20	8.48	Pass	AVG
5	24910.5	-38.64	-27.00	11.64	Pass	Peak	11	24910.5	/	-27.00	/	/	AVG
6	26097.1	-37.36	-27.00	10.36	Pass	Peak	12	26097.1	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21022.6	-40.41	-21.20	19.21	Pass	Peak	7	21022.6	-49.35	-41.20	8.15	Pass	AVG
2	22017.95	-42.03	-21.20	20.83	Pass	Peak	8	22017.95	-51.25	-41.20	10.05	Pass	AVG
3	23570.05	-41.36	-27.00	14.36	Pass	Peak	9	23570.05	/	-27.00	/	/	AVG
4	24394.55	-38.76	-27.00	11.76	Pass	Peak	10	24394.55	/	-27.00	/	/	AVG
5	25405.2	-37.08	-27.00	10.08	Pass	Peak	11	25405.2	/	-27.00	/	/	AVG
6	26426.9	-37.75	-27.00	10.75	Pass	Peak	12	26426.9	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21246.15	-40.50	-21.20	19.30	Pass	Peak	7	21246.15	-50.85	-41.20	9.65	Pass	AVG
2	22012.85	-42.59	-21.20	21.39	Pass	Peak	8	22012.85	-51.22	-41.20	10.02	Pass	AVG
3	23562.4	-41.38	-27.00	14.38	Pass	Peak	9	23562.4	/	-27.00	/	/	AVG
4	24363.95	-39.18	-27.00	12.18	Pass	Peak	10	24363.95	/	-27.00	/	/	AVG
5	25481.7	-37.71	-27.00	10.71	Pass	Peak	11	25481.7	/	-27.00	/	/	AVG
6	26453.25	-38.30	-27.00	11.30	Pass	Peak	12	26453.25	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21020.9	-40.45	-21.20	19.25	Pass	Peak	7	21020.9	-49.38	-41.20	8.18	Pass	AVG
2	21921.05	-41.04	-27.00	14.04	Pass	Peak	8	21921.05	/	-27.00	/	/	AVG
3	22922.35	-42.34	-21.20	21.14	Pass	Peak	9	22922.35	-52.01	-41.20	10.81	Pass	AVG
4	24198.2	-39.76	-27.00	12.76	Pass	Peak	10	24198.2	/	-27.00	/	/	AVG
5	25040.55	-37.71	-27.00	10.71	Pass	Peak	11	25040.55	/	-27.00	/	/	AVG
6	26120.9	-38.17	-27.00	11.17	Pass	Peak	12	26120.9	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20969.05	-39.64	-21.20	18.44	Pass	Peak	7	20969.05	-49.43	-41.20	8.23	Pass	AVG
2	21785.9	-41.84	-27.00	14.84	Pass	Peak	8	21785.9	/	-27.00	/	/	AVG
3	23034.55	-43.21	-21.20	22.01	Pass	Peak	9	23034.55	-51.71	-41.20	10.51	Pass	AVG
4	23997.6	-40.48	-21.20	19.28	Pass	Peak	10	23997.6	-49.37	-41.20	8.17	Pass	AVG
5	24953.85	-38.51	-27.00	11.51	Pass	Peak	11	24953.85	/	-27.00	/	/	AVG
6	26018.05	-37.32	-27.00	10.32	Pass	Peak	12	26018.05	/	-27.00	/	/	AVG

802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	1753.1	-39.92	-27.00	12.92	Pass	Peak	7	1753.1	/	-27.00	/	/	AVG
2	20877.25	-40.85	-21.20	19.65	Pass	Peak	8	20877.25	-49.64	-41.20	8.44	Pass	AVG
3	21734.05	-40.75	-27.00	13.75	Pass	Peak	9	21734.05	/	-27.00	/	/	AVG
4	24115.75	-38.80	-27.00	11.80	Pass	Peak	10	24115.75	/	-27.00	/	/	AVG
5	25042.25	-38.07	-27.00	11.07	Pass	Peak	11	25042.25	/	-27.00	/	/	AVG
6	26010.4	-37.64	-27.00	10.64	Pass	Peak	12	26010.4	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20948.65	-40.18	-21.20	18.98	Pass	Peak	7	20948.65	-49.07	-41.20	7.87	Pass	AVG
2	21812.25	-41.69	-27.00	14.69	Pass	Peak	8	21812.25	/	-27.00	/	/	AVG
3	23083	-42.63	-21.20	21.43	Pass	Peak	9	23083	-51.96	-41.20	10.76	Pass	AVG
4	24168.45	-40.21	-27.00	13.21	Pass	Peak	10	24168.45	/	-27.00	/	/	AVG
5	24937.7	-38.16	-27.00	11.16	Pass	Peak	11	24937.7	/	-27.00	/	/	AVG
6	26273.9	-37.63	-27.00	10.63	Pass	Peak	12	26273.9	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20365.55	-42.04	-21.20	20.84	Pass	Peak	7	20365.55	-52.12	-41.20	10.92	Pass	AVG
2	21576.8	-39.89	-27.00	12.89	Pass	Peak	8	21576.8	/	-27.00	/	/	AVG
3	23685.65	-40.07	-21.20	18.87	Pass	Peak	9	23685.65	-49.30	-41.20	8.10	Pass	AVG
4	24556.9	-38.77	-27.00	11.77	Pass	Peak	10	24556.9	/	-27.00	/	/	AVG
5	25588.8	-37.77	-27.00	10.77	Pass	Peak	11	25588.8	/	-27.00	/	/	AVG
6	26497.45	-38.59	-27.00	11.59	Pass	Peak	12	26497.45	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21036.2	-40.49	-21.20	19.29	Pass	Peak	7	21036.2	-49.23	-41.20	8.03	Pass	AVG
2	21867.5	-41.40	-27.00	14.40	Pass	Peak	8	21867.5	/	-27.00	/	/	AVG
3	23563.25	-41.11	-27.00	14.11	Pass	Peak	9	23563.25	/	-27.00	/	/	AVG
4	24346.95	-38.67	-27.00	11.67	Pass	Peak	10	24346.95	/	-27.00	/	/	AVG
5	25707.8	-37.65	-27.00	10.65	Pass	Peak	11	25707.8	/	-27.00	/	/	AVG
6	26474.5	-38.86	-27.00	11.86	Pass	Peak	12	26474.5	/	-27.00	/	/	AVG

802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20974.15	-39.71	-21.20	18.51	Pass	Peak	7	20974.15	-49.07	-41.20	7.87	Pass	AVG
2	21915.1	-42.16	-27.00	15.16	Pass	Peak	8	21915.1	/	-27.00	/	/	AVG
3	23516.5	-41.88	-27.00	14.88	Pass	Peak	9	23516.5	/	-27.00	/	/	AVG
4	24308.7	-39.18	-27.00	12.18	Pass	Peak	10	24308.7	/	-27.00	/	/	AVG
5	25481.7	-37.10	-27.00	10.10	Pass	Peak	11	25481.7	/	-27.00	/	/	AVG
6	26344.45	-38.53	-27.00	11.53	Pass	Peak	12	26344.45	/	-27.00	/	/	AVG

802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20988.6	-40.32	-21.20	19.12	Pass	Peak	7	20988.6	-49.09	-41.20	7.89	Pass	AVG
2	21786.75	-41.79	-27.00	14.79	Pass	Peak	8	21786.75	/	-27.00	/	/	AVG
3	23694.15	-40.22	-21.20	19.02	Pass	Peak	9	23694.15	-49.40	-41.20	8.20	Pass	AVG
4	24481.25	-38.81	-27.00	11.81	Pass	Peak	10	24481.25	/	-27.00	/	/	AVG
5	25594.75	-37.76	-27.00	10.76	Pass	Peak	11	25594.75	/	-27.00	/	/	AVG
6	26486.4	-38.01	-27.00	11.01	Pass	Peak	12	26486.4	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16362.9	-42.77	-27.00	15.77	Pass	Peak	7	16362.9	/	-27.00	/	/	AVG
2	20967.35	-39.66	-21.20	18.46	Pass	Peak	8	20967.35	-49.22	-41.20	8.02	Pass	AVG
3	21824.15	-41.46	-27.00	14.46	Pass	Peak	9	21824.15	/	-27.00	/	/	AVG
4	23747.7	-39.48	-21.20	18.28	Pass	Peak	10	23747.7	-49.54	-41.20	8.34	Pass	AVG
5	24911.35	-38.14	-27.00	11.14	Pass	Peak	11	24911.35	/	-27.00	/	/	AVG
6	26441.35	-37.18	-27.00	10.18	Pass	Peak	12	26441.35	/	-27.00	/	/	AVG

802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20075.7	-42.82	-21.20	21.62	Pass	Peak	7	20075.7	-51.59	-41.20	10.39	Pass	AVG
2	20940.15	-40.87	-21.20	19.67	Pass	Peak	8	20940.15	-49.15	-41.20	7.95	Pass	AVG
3	21838.6	-41.09	-27.00	14.09	Pass	Peak	9	21838.6	/	-27.00	/	/	AVG
4	23678	-40.96	-21.20	19.76	Pass	Peak	10	23678	-49.25	-41.20	8.05	Pass	AVG
5	24579.85	-38.70	-27.00	11.70	Pass	Peak	11	24579.85	/	-27.00	/	/	AVG
6	26001.05	-37.38	-27.00	10.38	Pass	Peak	12	26001.05	/	-27.00	/	/	AVG

802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16333.15	-41.82	-27.00	14.82	Pass	Peak	7	16333.15	/	-27.00	/	/	AVG
2	20959.7	-40.26	-21.20	19.06	Pass	Peak	8	20959.7	-49.14	-41.20	7.94	Pass	AVG
3	23249.6	-42.06	-27.00	15.06	Pass	Peak	9	23249.6	/	-27.00	/	/	AVG
4	24192.25	-39.50	-27.00	12.50	Pass	Peak	10	24192.25	/	-27.00	/	/	AVG
5	25005.7	-36.83	-27.00	9.83	Pass	Peak	11	25005.7	/	-27.00	/	/	AVG
6	26452.4	-37.72	-27.00	10.72	Pass	Peak	12	26452.4	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20925.7	-39.55	-21.20	18.35	Pass	Peak	7	20925.7	-49.41	-41.20	8.21	Pass	AVG
2	21968.65	-41.82	-27.00	14.82	Pass	Peak	8	21968.65	/	-27.00	/	/	AVG
3	23098.3	-42.66	-21.20	21.46	Pass	Peak	9	23098.3	-51.81	-41.20	10.61	Pass	AVG
4	24216.05	-39.85	-27.00	12.85	Pass	Peak	10	24216.05	/	-27.00	/	/	AVG
5	25010.8	-37.99	-27.00	10.99	Pass	Peak	11	25010.8	/	-27.00	/	/	AVG
6	26395.45	-37.42	-27.00	10.42	Pass	Peak	12	26395.45	/	-27.00	/	/	AVG

802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21337.1	-39.19	-21.20	17.99	Pass	Peak	7	21337.1	-42.41	-41.20	1.21	Pass	AVG
2	22158.2	-42.86	-21.20	21.66	Pass	Peak	8	22158.2	-43.64	-41.20	2.44	Pass	AVG
3	23508.85	-40.92	-27.00	13.92	Pass	Peak	9	23508.85	/	-27.00	/	/	AVG
4	24369.9	-38.76	-27.00	11.76	Pass	Peak	10	24369.9	/	-27.00	/	/	AVG
5	25560.75	-36.49	-27.00	9.49	Pass	Peak	11	25560.75	/	-27.00	/	/	AVG
6	26449	-38.17	-27.00	11.17	Pass	Peak	12	26449	/	-27.00	/	/	AVG

802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19484.1	-42.46	-21.20	21.26	Pass	Peak	7	19484.1	-53.28	-41.20	12.08	Pass	AVG
2	21368.55	-40.60	-21.20	19.40	Pass	Peak	8	21368.55	-50.50	-41.20	9.30	Pass	AVG
3	23236	-41.88	-27.00	14.88	Pass	Peak	9	23236	/	-27.00	/	/	AVG
4	24341	-38.44	-27.00	11.44	Pass	Peak	10	24341	/	-27.00	/	/	AVG
5	25559.05	-37.87	-27.00	10.87	Pass	Peak	11	25559.05	/	-27.00	/	/	AVG
6	26449.85	-38.96	-27.00	11.96	Pass	Peak	12	26449.85	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20970.75	-40.69	-21.20	19.49	Pass	Peak	7	20970.75	-49.19	-41.20	7.99	Pass	AVG
2	21796.1	-41.93	-27.00	14.93	Pass	Peak	8	21796.1	/	-27.00	/	/	AVG
3	23468.9	-41.89	-27.00	14.89	Pass	Peak	9	23468.9	/	-27.00	/	/	AVG
4	24244.1	-38.50	-27.00	11.50	Pass	Peak	10	24244.1	/	-27.00	/	/	AVG
5	25036.3	-38.04	-27.00	11.04	Pass	Peak	11	25036.3	/	-27.00	/	/	AVG
6	26140.45	-37.48	-27.00	10.48	Pass	Peak	12	26140.45	/	-27.00	/	/	AVG

802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20998.8	-40.10	-21.20	18.90	Pass	Peak	7	20998.8	-48.89	-41.20	7.69	Pass	AVG
2	21831.8	-40.61	-27.00	13.61	Pass	Peak	8	21831.8	/	-27.00	/	/	AVG
3	23647.4	-40.33	-21.20	19.13	Pass	Peak	9	23647.4	-49.43	-41.20	8.23	Pass	AVG
4	24697.15	-38.60	-27.00	11.60	Pass	Peak	10	24697.15	/	-27.00	/	/	AVG
5	25564.15	-37.93	-27.00	10.93	Pass	Peak	11	25564.15	/	-27.00	/	/	AVG
6	26420.95	-37.62	-27.00	10.62	Pass	Peak	12	26420.95	/	-27.00	/	/	AVG

802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20932.5	-40.66	-21.20	19.46	Pass	Peak	7	20932.5	-49.36	-41.20	8.16	Pass	AVG
2	21876.85	-41.67	-27.00	14.67	Pass	Peak	8	21876.85	/	-27.00	/	/	AVG
3	22871.35	-42.16	-21.20	20.96	Pass	Peak	9	22871.35	-52.03	-41.20	10.83	Pass	AVG
4	23722.2	-39.94	-21.20	18.74	Pass	Peak	10	23722.2	-49.48	-41.20	8.28	Pass	AVG
5	24896.05	-37.86	-27.00	10.86	Pass	Peak	11	24896.05	/	-27.00	/	/	AVG
6	26395.45	-38.01	-27.00	11.01	Pass	Peak	12	26395.45	/	-27.00	/	/	AVG

802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20946.95	-40.30	-21.20	19.10	Pass	Peak	7	20946.95	-49.05	-41.20	7.85	Pass	AVG
2	21907.45	-41.11	-27.00	14.11	Pass	Peak	8	21907.45	/	-27.00	/	/	AVG
3	23607.45	-41.81	-21.20	20.61	Pass	Peak	9	23607.45	-49.77	-41.20	8.57	Pass	AVG
4	24375.85	-39.05	-27.00	12.05	Pass	Peak	10	24375.85	/	-27.00	/	/	AVG
5	25496.15	-37.18	-27.00	10.18	Pass	Peak	11	25496.15	/	-27.00	/	/	AVG
6	26490.65	-37.35	-27.00	10.35	Pass	Peak	12	26490.65	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20982.65	-44.58	-21.20	23.38	Pass	Peak	7	20982.65	-53.23	-41.20	12.03	Pass	AVG
2	21840.3	-45.92	-27.00	18.92	Pass	Peak	8	21840.3	/	-27.00	/	/	AVG
3	23275.95	-46.84	-27.00	19.84	Pass	Peak	9	23275.95	/	-27.00	/	/	AVG
4	24053.7	-44.12	-27.00	17.12	Pass	Peak	10	24053.7	/	-27.00	/	/	AVG
5	24987.85	-41.88	-27.00	14.88	Pass	Peak	11	24987.85	/	-27.00	/	/	AVG
6	26171.05	-41.70	-27.00	14.70	Pass	Peak	12	26171.05	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16394.35	-45.85	-27.00	18.85	Pass	Peak	7	16394.35	/	-27.00	/	/	AVG
2	20938.45	-44.28	-21.20	23.08	Pass	Peak	8	20938.45	-53.39	-41.20	12.19	Pass	AVG
3	23486.75	-45.34	-27.00	18.34	Pass	Peak	9	23486.75	/	-27.00	/	/	AVG
4	24327.4	-41.89	-27.00	14.89	Pass	Peak	10	24327.4	/	-27.00	/	/	AVG
5	25281.95	-42.48	-27.00	15.48	Pass	Peak	11	25281.95	/	-27.00	/	/	AVG
6	26429.45	-41.93	-27.00	14.93	Pass	Peak	12	26429.45	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20830.5	-45.97	-21.20	24.77	Pass	Peak	7	20830.5	-54.39	-41.20	13.19	Pass	AVG
2	21641.4	-44.10	-27.00	17.10	Pass	Peak	8	21641.4	/	-27.00	/	/	AVG
3	23198.6	-46.70	-27.00	19.70	Pass	Peak	9	23198.6	/	-27.00	/	/	AVG
4	24186.3	-42.94	-27.00	15.94	Pass	Peak	10	24186.3	/	-27.00	/	/	AVG
5	24969.15	-42.23	-27.00	15.23	Pass	Peak	11	24969.15	/	-27.00	/	/	AVG
6	25774.95	-42.31	-27.00	15.31	Pass	Peak	12	25774.95	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20917.2	-43.80	-21.20	22.60	Pass	Peak	7	20917.2	-53.43	-41.20	12.23	Pass	AVG
2	21692.4	-45.88	-27.00	18.88	Pass	Peak	8	21692.4	/	-27.00	/	/	AVG
3	23590.45	-44.68	-27.00	17.68	Pass	Peak	9	23590.45	/	-27.00	/	/	AVG
4	24357.15	-41.56	-27.00	14.56	Pass	Peak	10	24357.15	/	-27.00	/	/	AVG
5	25168.9	-44.85	-27.00	17.85	Pass	Peak	11	25168.9	/	-27.00	/	/	AVG
6	25978.95	-41.12	-27.00	14.12	Pass	Peak	12	25978.95	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21009	-45.15	-21.20	23.95	Pass	Peak	7	21009	-53.32	-41.20	12.12	Pass	AVG
2	21927	-46.38	-27.00	19.38	Pass	Peak	8	21927	/	-27.00	/	/	AVG
3	23604.05	-44.69	-21.20	23.49	Pass	Peak	9	23604.05	-53.58	-41.20	12.38	Pass	AVG
4	24387.75	-42.43	-27.00	15.43	Pass	Peak	10	24387.75	/	-27.00	/	/	AVG
5	25544.6	-41.42	-27.00	14.42	Pass	Peak	11	25544.6	/	-27.00	/	/	AVG
6	26456.65	-42.51	-27.00	15.51	Pass	Peak	12	26456.65	/	-27.00	/	/	AVG

802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20930.8	-44.49	-21.20	23.29	Pass	Peak	7	20930.8	-53.26	-41.20	12.06	Pass	AVG
2	21921.9	-45.71	-27.00	18.71	Pass	Peak	8	21921.9	/	-27.00	/	/	AVG
3	23575.15	-43.37	-27.00	16.37	Pass	Peak	9	23575.15	/	-27.00	/	/	AVG
4	24426	-43.00	-27.00	16.00	Pass	Peak	10	24426	/	-27.00	/	/	AVG
5	25427.3	-41.87	-27.00	14.87	Pass	Peak	11	25427.3	/	-27.00	/	/	AVG
6	26404.8	-42.43	-27.00	15.43	Pass	Peak	12	26404.8	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20042.55	-46.54	-21.20	25.34	Pass	Peak	7	20042.55	-55.93	-41.20	14.73	Pass	AVG
2	21074.45	-45.11	-21.20	23.91	Pass	Peak	8	21074.45	-53.59	-41.20	12.39	Pass	AVG
3	21850.5	-45.35	-27.00	18.35	Pass	Peak	9	21850.5	/	-27.00	/	/	AVG
4	23684.8	-44.15	-21.20	22.95	Pass	Peak	10	23684.8	-53.64	-41.20	12.44	Pass	AVG
5	24944.5	-41.81	-27.00	14.81	Pass	Peak	11	24944.5	/	-27.00	/	/	AVG
6	26010.4	-41.90	-27.00	14.90	Pass	Peak	12	26010.4	/	-27.00	/	/	AVG

802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21030.25	-44.60	-21.20	23.40	Pass	Peak	7	21030.25	-53.47	-41.20	12.27	Pass	AVG
2	21902.35	-44.35	-27.00	17.35	Pass	Peak	8	21902.35	/	-27.00	/	/	AVG
3	23493.55	-45.74	-27.00	18.74	Pass	Peak	9	23493.55	/	-27.00	/	/	AVG
4	24383.5	-42.19	-27.00	15.19	Pass	Peak	10	24383.5	/	-27.00	/	/	AVG
5	25478.3	-40.31	-27.00	13.31	Pass	Peak	11	25478.3	/	-27.00	/	/	AVG
6	26463.45	-41.66	-27.00	14.66	Pass	Peak	12	26463.45	/	-27.00	/	/	AVG

802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20102.9	-46.16	-21.20	24.96	Pass	Peak	7	20102.9	-55.66	-41.20	14.46	Pass	AVG
2	21045.55	-45.33	-21.20	24.13	Pass	Peak	8	21045.55	-53.31	-41.20	12.11	Pass	AVG
3	21830.95	-46.75	-27.00	19.75	Pass	Peak	9	21830.95	/	-27.00	/	/	AVG
4	24143.8	-44.54	-27.00	17.54	Pass	Peak	10	24143.8	/	-27.00	/	/	AVG
5	24935.15	-42.68	-27.00	15.68	Pass	Peak	11	24935.15	/	-27.00	/	/	AVG
6	26185.5	-42.06	-27.00	15.06	Pass	Peak	12	26185.5	/	-27.00	/	/	AVG

802.11ax(HEW20)_LCH_5180MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21026	-40.51	-21.20	19.31	Pass	Peak	7	21026	-49.12	-41.20	7.92	Pass	AVG
2	21842.85	-41.06	-27.00	14.06	Pass	Peak	8	21842.85	/	-27.00	/	/	AVG
3	23641.45	-40.74	-21.20	19.54	Pass	Peak	9	23641.45	-49.56	-41.20	8.36	Pass	AVG
4	24408.15	-38.93	-27.00	11.93	Pass	Peak	10	24408.15	/	-27.00	/	/	AVG
5	25544.6	-38.16	-27.00	11.16	Pass	Peak	11	25544.6	/	-27.00	/	/	AVG
6	26312.15	-36.83	-27.00	9.83	Pass	Peak	12	26312.15	/	-27.00	/	/	AVG

802.11ax(HEW20)_MCH_5200MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20868.75	-41.77	-21.20	20.57	Pass	Peak	7	20868.75	-50.00	-41.20	8.80	Pass	AVG
2	21691.55	-40.23	-27.00	13.23	Pass	Peak	8	21691.55	/	-27.00	/	/	AVG
3	22740.45	-42.13	-21.20	20.93	Pass	Peak	9	22740.45	-52.50	-41.20	11.30	Pass	AVG
4	24222	-38.16	-27.00	11.16	Pass	Peak	10	24222	/	-27.00	/	/	AVG
5	25604.1	-37.92	-27.00	10.92	Pass	Peak	11	25604.1	/	-27.00	/	/	AVG
6	26429.45	-37.63	-27.00	10.63	Pass	Peak	12	26429.45	/	-27.00	/	/	AVG

802.11ax(HEW20)_HCH_5240MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21048.1	-40.28	-21.20	19.08	Pass	Peak	7	21048.1	-49.44	-41.20	8.24	Pass	AVG
2	21935.5	-41.57	-27.00	14.57	Pass	Peak	8	21935.5	/	-27.00	/	/	AVG
3	23003.1	-42.74	-21.20	21.54	Pass	Peak	9	23003.1	-51.86	-41.20	10.66	Pass	AVG
4	23935.55	-39.19	-21.20	17.99	Pass	Peak	10	23935.55	-49.86	-41.20	8.66	Pass	AVG
5	25380.55	-37.64	-27.00	10.64	Pass	Peak	11	25380.55	/	-27.00	/	/	AVG
6	26449.85	-37.86	-27.00	10.86	Pass	Peak	12	26449.85	/	-27.00	/	/	AVG

802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21056.6	-39.66	-21.20	18.46	Pass	Peak	7	21056.6	-49.51	-41.20	8.31	Pass	AVG
2	21837.75	-42.37	-27.00	15.37	Pass	Peak	8	21837.75	/	-27.00	/	/	AVG
3	23531.8	-40.97	-27.00	13.97	Pass	Peak	9	23531.8	/	-27.00	/	/	AVG
4	24377.55	-39.07	-27.00	12.07	Pass	Peak	10	24377.55	/	-27.00	/	/	AVG
5	25603.25	-38.21	-27.00	11.21	Pass	Peak	11	25603.25	/	-27.00	/	/	AVG
6	26377.6	-37.59	-27.00	10.59	Pass	Peak	12	26377.6	/	-27.00	/	/	AVG

802.11ax(HEW20)_MCH_5300MHz_SU_ / _Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20981.8	-39.59	-21.20	18.39	Pass	Peak	7	20981.8	-49.18	-41.20	7.98	Pass	AVG
2	21974.6	-41.37	-27.00	14.37	Pass	Peak	8	21974.6	/	-27.00	/	/	AVG
3	23335.45	-42.06	-27.00	15.06	Pass	Peak	9	23335.45	/	-27.00	/	/	AVG
4	24116.6	-40.22	-27.00	13.22	Pass	Peak	10	24116.6	/	-27.00	/	/	AVG
5	24961.5	-37.85	-27.00	10.85	Pass	Peak	11	24961.5	/	-27.00	/	/	AVG
6	26409.05	-37.57	-27.00	10.57	Pass	Peak	12	26409.05	/	-27.00	/	/	AVG

802.11ax(HEW20)_HCH_5320MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21048.95	-39.87	-21.20	18.67	Pass	Peak	7	21048.95	-49.36	-41.20	8.16	Pass	AVG
2	21836.9	-41.26	-27.00	14.26	Pass	Peak	8	21836.9	/	-27.00	/	/	AVG
3	23641.45	-40.08	-21.20	18.88	Pass	Peak	9	23641.45	-49.61	-41.20	8.41	Pass	AVG
4	24484.65	-38.99	-27.00	11.99	Pass	Peak	10	24484.65	/	-27.00	/	/	AVG
5	25573.5	-37.82	-27.00	10.82	Pass	Peak	11	25573.5	/	-27.00	/	/	AVG
6	26357.2	-37.94	-27.00	10.94	Pass	Peak	12	26357.2	/	-27.00	/	/	AVG

802.11ax(HEW20)_LCH_5500MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20047.65	-42.79	-21.20	21.59	Pass	Peak	7	20047.65	-51.71	-41.20	10.51	Pass	AVG
2	20961.4	-39.99	-21.20	18.79	Pass	Peak	8	20961.4	-49.16	-41.20	7.96	Pass	AVG
3	21827.55	-41.50	-27.00	14.50	Pass	Peak	9	21827.55	/	-27.00	/	/	AVG
4	24053.7	-40.08	-27.00	13.08	Pass	Peak	10	24053.7	/	-27.00	/	/	AVG
5	24973.4	-37.73	-27.00	10.73	Pass	Peak	11	24973.4	/	-27.00	/	/	AVG
6	26030.8	-37.86	-27.00	10.86	Pass	Peak	12	26030.8	/	-27.00	/	/	AVG

802.11ax(HEW20)_MCH_5580MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20983.5	-40.69	-21.20	19.49	Pass	Peak	7	20983.5	-49.10	-41.20	7.90	Pass	AVG
2	21778.25	-41.69	-27.00	14.69	Pass	Peak	8	21778.25	/	-27.00	/	/	AVG
3	23693.3	-40.09	-21.20	18.89	Pass	Peak	9	23693.3	-49.40	-41.20	8.20	Pass	AVG
4	24459.15	-39.19	-27.00	12.19	Pass	Peak	10	24459.15	/	-27.00	/	/	AVG
5	25568.4	-37.86	-27.00	10.86	Pass	Peak	11	25568.4	/	-27.00	/	/	AVG
6	26499.15	-38.21	-27.00	11.21	Pass	Peak	12	26499.15	/	-27.00	/	/	AVG

802.11ax(HEW20)_HCH_5700MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21017.5	-40.34	-21.20	19.14	Pass	Peak	7	21017.5	-49.31	-41.20	8.11	Pass	AVG
2	21872.6	-41.17	-27.00	14.17	Pass	Peak	8	21872.6	/	-27.00	/	/	AVG
3	23227.5	-42.36	-27.00	15.36	Pass	Peak	9	23227.5	/	-27.00	/	/	AVG
4	24158.25	-39.96	-27.00	12.96	Pass	Peak	10	24158.25	/	-27.00	/	/	AVG
5	24964.9	-37.95	-27.00	10.95	Pass	Peak	11	24964.9	/	-27.00	/	/	AVG
6	26080.1	-36.58	-27.00	9.58	Pass	Peak	12	26080.1	/	-27.00	/	/	AVG

802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20991.15	-38.53	-21.20	17.33	Pass	Peak	7	20991.15	-49.09	-41.20	7.89	Pass	AVG
2	21819.05	-42.01	-27.00	15.01	Pass	Peak	8	21819.05	/	-27.00	/	/	AVG
3	22825.45	-42.60	-21.20	21.40	Pass	Peak	9	22825.45	-52.30	-41.20	11.10	Pass	AVG
4	23691.6	-39.89	-21.20	18.69	Pass	Peak	10	23691.6	-49.31	-41.20	8.11	Pass	AVG
5	24910.5	-37.59	-27.00	10.59	Pass	Peak	11	24910.5	/	-27.00	/	/	AVG
6	26352.95	-37.92	-27.00	10.92	Pass	Peak	12	26352.95	/	-27.00	/	/	AVG

802.11ax(HEW20)_MCH_5785MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / _Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21008.15	-40.78	-21.20	19.58	Pass	Peak	7	21008.15	-49.23	-41.20	8.03	Pass	AVG
2	21829.25	-41.81	-27.00	14.81	Pass	Peak	8	21829.25	/	-27.00	/	/	AVG
3	23493.55	-40.64	-27.00	13.64	Pass	Peak	9	23493.55	/	-27.00	/	/	AVG
4	24377.55	-39.24	-27.00	12.24	Pass	Peak	10	24377.55	/	-27.00	/	/	AVG
5	25628.75	-36.93	-27.00	9.93	Pass	Peak	11	25628.75	/	-27.00	/	/	AVG
6	26446.45	-38.70	-27.00	11.70	Pass	Peak	12	26446.45	/	-27.00	/	/	AVG

802.11ax(HEW20)_HCH_5825MHz_SU_ / Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20980.1	-40.08	-21.20	18.88	Pass	Peak	7	20980.1	-49.27	-41.20	8.07	Pass	AVG
2	21783.35	-41.49	-27.00	14.49	Pass	Peak	8	21783.35	/	-27.00	/	/	AVG
3	23673.75	-40.87	-21.20	19.67	Pass	Peak	9	23673.75	-49.56	-41.20	8.36	Pass	AVG
4	24456.6	-39.10	-27.00	12.10	Pass	Peak	10	24456.6	/	-27.00	/	/	AVG
5	25586.25	-37.62	-27.00	10.62	Pass	Peak	11	25586.25	/	-27.00	/	/	AVG
6	26415	-38.78	-27.00	11.78	Pass	Peak	12	26415	/	-27.00	/	/	AVG

802.11ax(HEW40)_LCH_5190MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20924.85	-40.86	-21.20	19.66	Pass	Peak	7	20924.85	-49.23	-41.20	8.03	Pass	AVG
2	21955.9	-40.88	-27.00	13.88	Pass	Peak	8	21955.9	/	-27.00	/	/	AVG
3	22832.25	-42.46	-21.20	21.26	Pass	Peak	9	22832.25	-52.09	-41.20	10.89	Pass	AVG
4	23610.85	-39.81	-21.20	18.61	Pass	Peak	10	23610.85	-49.60	-41.20	8.40	Pass	AVG
5	24980.2	-37.91	-27.00	10.91	Pass	Peak	11	24980.2	/	-27.00	/	/	AVG
6	26443.9	-37.58	-27.00	10.58	Pass	Peak	12	26443.9	/	-27.00	/	/	AVG

802.11ax(HEW40)_HCH_5230MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20981.8	-40.39	-21.20	19.19	Pass	Peak	7	20981.8	-49.23	-41.20	8.03	Pass	AVG
2	21850.5	-41.88	-27.00	14.88	Pass	Peak	8	21850.5	/	-27.00	/	/	AVG
3	24026.5	-38.95	-27.00	11.95	Pass	Peak	9	24026.5	/	-27.00	/	/	AVG
4	24802.55	-40.55	-27.00	13.55	Pass	Peak	10	24802.55	/	-27.00	/	/	AVG
5	25574.35	-37.80	-27.00	10.80	Pass	Peak	11	25574.35	/	-27.00	/	/	AVG
6	26464.3	-38.54	-27.00	11.54	Pass	Peak	12	26464.3	/	-27.00	/	/	AVG

802.11ax(HEW40)_LCH_5270MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20139.45	-42.66	-21.20	21.46	Pass	Peak	7	20139.45	-51.57	-41.20	10.37	Pass	AVG
2	20964.8	-40.69	-21.20	19.49	Pass	Peak	8	20964.8	-49.13	-41.20	7.93	Pass	AVG
3	21779.95	-41.48	-27.00	14.48	Pass	Peak	9	21779.95	/	-27.00	/	/	AVG
4	23691.6	-39.04	-21.20	17.84	Pass	Peak	10	23691.6	-49.16	-41.20	7.96	Pass	AVG
5	25039.7	-38.05	-27.00	11.05	Pass	Peak	11	25039.7	/	-27.00	/	/	AVG
6	25918.6	-37.58	-27.00	10.58	Pass	Peak	12	25918.6	/	-27.00	/	/	AVG

802.11ax(HEW40)_HCH_5310MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20938.45	-40.77	-21.20	19.57	Pass	Peak	7	20938.45	-49.25	-41.20	8.05	Pass	AVG
2	21737.45	-41.58	-27.00	14.58	Pass	Peak	8	21737.45	/	-27.00	/	/	AVG
3	24043.5	-40.13	-27.00	13.13	Pass	Peak	9	24043.5	/	-27.00	/	/	AVG
4	24831.45	-38.47	-27.00	11.47	Pass	Peak	10	24831.45	/	-27.00	/	/	AVG
5	25646.6	-37.50	-27.00	10.50	Pass	Peak	11	25646.6	/	-27.00	/	/	AVG
6	26420.95	-38.19	-27.00	11.19	Pass	Peak	12	26420.95	/	-27.00	/	/	AVG

802.11ax(HEW40)_LCH_5510MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20097.8	-41.84	-21.20	20.64	Pass	Peak	7	20097.8	-51.69	-41.20	10.49	Pass	AVG
2	21473.1	-40.64	-27.00	13.64	Pass	Peak	8	21473.1	/	-27.00	/	/	AVG
3	22793.15	-43.09	-21.20	21.89	Pass	Peak	9	22793.15	-52.27	-41.20	11.07	Pass	AVG
4	23589.6	-41.24	-27.00	14.24	Pass	Peak	10	23589.6	/	-27.00	/	/	AVG
5	24367.35	-38.51	-27.00	11.51	Pass	Peak	11	24367.35	/	-27.00	/	/	AVG
6	25803.85	-37.42	-27.00	10.42	Pass	Peak	12	25803.85	/	-27.00	/	/	AVG

802.11ax(HEW40)_MCH_5550MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20976.7	-40.05	-21.20	18.85	Pass	Peak	7	20976.7	-49.10	-41.20	7.90	Pass	AVG
2	21961.85	-41.12	-27.00	14.12	Pass	Peak	8	21961.85	/	-27.00	/	/	AVG
3	23498.65	-40.94	-27.00	13.94	Pass	Peak	9	23498.65	/	-27.00	/	/	AVG
4	24268.75	-38.13	-27.00	11.13	Pass	Peak	10	24268.75	/	-27.00	/	/	AVG
5	25480	-38.02	-27.00	11.02	Pass	Peak	11	25480	/	-27.00	/	/	AVG
6	26320.65	-37.89	-27.00	10.89	Pass	Peak	12	26320.65	/	-27.00	/	/	AVG

802.11ax(HEW40)_HCH_5670MHz_SU_ / _Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20060.4	-42.81	-21.20	21.61	Pass	Peak	7	20060.4	-51.71	-41.20	10.51	Pass	AVG
2	21395.75	-40.40	-21.20	19.20	Pass	Peak	8	21395.75	-50.60	-41.20	9.40	Pass	AVG
3	23218.15	-42.71	-27.00	15.71	Pass	Peak	9	23218.15	/	-27.00	/	/	AVG
4	24169.3	-38.95	-27.00	11.95	Pass	Peak	10	24169.3	/	-27.00	/	/	AVG
5	24968.3	-37.81	-27.00	10.81	Pass	Peak	11	24968.3	/	-27.00	/	/	AVG
6	26133.65	-37.77	-27.00	10.77	Pass	Peak	12	26133.65	/	-27.00	/	/	AVG

802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16433.45	-42.23	-27.00	15.23	Pass	Peak	7	16433.45	/	-27.00	/	/	AVG
2	21074.45	-40.57	-21.20	19.37	Pass	Peak	8	21074.45	-49.70	-41.20	8.50	Pass	AVG
3	21992.45	-40.96	-27.00	13.96	Pass	Peak	9	21992.45	/	-27.00	/	/	AVG
4	24155.7	-39.30	-27.00	12.30	Pass	Peak	10	24155.7	/	-27.00	/	/	AVG
5	24990.4	-37.59	-27.00	10.59	Pass	Peak	11	24990.4	/	-27.00	/	/	AVG
6	25972.15	-37.71	-27.00	10.71	Pass	Peak	12	25972.15	/	-27.00	/	/	AVG

802.11ax(HEW40)_HCH_5795MHz_SU_ / Ant1_NTNV



802.11ax(HEW40)_HCH_5795MHz_SU_/_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20997.1	-40.44	-21.20	19.24	Pass	Peak	7	20997.1	-49.16	-41.20	7.96	Pass	AVG
2	21938.9	-41.65	-27.00	14.65	Pass	Peak	8	21938.9	/	-27.00	/	/	AVG
3	22764.25	-42.83	-21.20	21.63	Pass	Peak	9	22764.25	-52.41	-41.20	11.21	Pass	AVG
4	24029.05	-39.81	-27.00	12.81	Pass	Peak	10	24029.05	/	-27.00	/	/	AVG
5	24948.75	-38.07	-27.00	11.07	Pass	Peak	11	24948.75	/	-27.00	/	/	AVG
6	26057.15	-37.48	-27.00	10.48	Pass	Peak	12	26057.15	/	-27.00	/	/	AVG

***** End of Report *****