



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
5210MHz

23/06/2026


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
5290MHz

23/06/2026





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5530MHz

23/06/2026





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5610MHz

23/06/2026





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

23/06/2026





5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

23/06/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

23/06/2026




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

23/06/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW



5570MHz

23/06/2026





5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5180MHz

23/06/2026




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5200MHz

23/06/2026





5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5240MHz

23/06/2026




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5260MHz

23/06/2026





5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5300MHz

23/06/2026


5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5320MHz

23/06/2026





5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5500MHz

23/06/2026





5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5580MHz

23/06/2026




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5700MHz

23/06/2026




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5720MHz Straddle 5.47-5.725GHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5745MHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5745MHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5785MHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5785MHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5825MHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5825MHz

23/06/2026





5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5190MHz

23/06/2026





5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5230MHz

23/06/2026





5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5270MHz

23/06/2026





5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5310MHz

23/06/2026




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5510MHz

23/06/2026




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5550MHz

23/06/2026




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5670MHz

23/06/2026




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5710MHz Straddle 5.47-5.725GHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5755MHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5755MHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5795MHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW


5795MHz

23/06/2026




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5210MHz

23/06/2026



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5290MHz

23/06/2026




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5530MHz

23/06/2026


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5610MHz

23/06/2026





5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

23/06/2026





5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5775MHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5775MHz

23/06/2026




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

23/06/2026




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

23/06/2026




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5570MHz

23/06/2026



Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	25.06	0.32063
802.11a_Nss1,(6Mbps)_2TX	27.54	0.56754
802.11be EHT20_Nss1,(MCS0)_1TX	24.78	0.30061
802.11be EHT20_Nss1,(MCS0)_2TX	27.40	0.54954
802.11be EHT20_Nss2,(MCS0)_2TX	27.23	0.52845
802.11be EHT20-BF_Nss1,(MCS0)_2TX	27.40	0.54954
802.11be EHT40_Nss1,(MCS0)_1TX	24.90	0.30903
802.11be EHT40_Nss1,(MCS0)_2TX	25.89	0.38815
802.11be EHT40_Nss2,(MCS0)_2TX	20.12	0.10280
802.11be EHT40-BF_Nss1,(MCS0)_2TX	25.89	0.38815
802.11be EHT80_Nss1,(MCS0)_1TX	20.32	0.10765
802.11be EHT80_Nss1,(MCS0)_2TX	21.88	0.15417
802.11be EHT80_Nss2,(MCS0)_2TX	14.89	0.03083
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.88	0.15417
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.59	0.14421
802.11a_Nss1,(6Mbps)_2TX	21.70	0.14791
802.11be EHT20_Nss1,(MCS0)_1TX	23.79	0.23933
802.11be EHT20_Nss1,(MCS0)_2TX	23.82	0.24099
802.11be EHT20_Nss2,(MCS0)_2TX	23.95	0.24831
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.82	0.24099
802.11be EHT40_Nss1,(MCS0)_1TX	23.74	0.23659
802.11be EHT40_Nss1,(MCS0)_2TX	23.69	0.23388
802.11be EHT40_Nss2,(MCS0)_2TX	23.87	0.24378
802.11be EHT40-BF_Nss1,(MCS0)_2TX	23.69	0.23388
802.11be EHT80_Nss1,(MCS0)_1TX	20.50	0.11220
802.11be EHT80_Nss1,(MCS0)_2TX	16.34	0.04305
802.11be EHT80_Nss2,(MCS0)_2TX	16.71	0.04688
802.11be EHT80-BF_Nss1,(MCS0)_2TX	16.34	0.04305

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	2.93	22.02		22.02	30.00
5200MHz	Pass	2.93	25.06		25.06	30.00
5240MHz	Pass	2.93	24.89		24.89	30.00
5260MHz	Pass	2.62	21.59		21.59	23.98
5300MHz	Pass	2.62	21.29		21.29	23.98
5320MHz	Pass	2.62	21.42		21.42	23.98
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	2.93	22.35		22.35	30.00
5200MHz	Pass	2.93	24.78		24.78	30.00
5240MHz	Pass	2.93	24.60		24.60	30.00
5260MHz	Pass	2.62	23.79		23.79	23.98
5300MHz	Pass	2.62	23.77		23.77	23.98
5320MHz	Pass	2.62	22.34		22.34	23.98
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	2.93	21.03		21.03	30.00
5230MHz	Pass	2.93	24.90		24.90	30.00
5270MHz	Pass	2.62	23.74		23.74	23.98
5310MHz	Pass	2.62	22.17		22.17	23.98
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	2.93	20.32		20.32	30.00
5290MHz	Pass	2.62	20.50		20.50	23.98
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.00	21.36	21.29	24.34	30.00
5200MHz	Pass	4.00	23.48	23.37	26.44	30.00
5240MHz	Pass	4.00	24.76	24.28	27.54	30.00
5260MHz	Pass	4.54	18.79	18.58	21.70	23.98
5300MHz	Pass	4.54	18.18	18.40	21.30	23.98
5320MHz	Pass	4.54	15.76	15.99	18.89	23.98
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.00	21.58	21.55	24.58	30.00
5200MHz	Pass	4.00	23.25	23.13	26.20	30.00
5240MHz	Pass	4.00	24.60	24.17	27.40	30.00
5260MHz	Pass	4.54	20.91	20.60	23.77	23.98
5300MHz	Pass	4.54	20.55	21.06	23.82	23.98
5320MHz	Pass	4.54	15.42	15.60	18.52	23.98
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.00	17.90	18.33	21.13	30.00
5230MHz	Pass	4.00	23.11	22.63	25.89	30.00
5270MHz	Pass	4.54	20.94	20.40	23.69	23.98
5310MHz	Pass	4.54	13.11	12.97	16.05	23.98
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.00	18.65	19.07	21.88	30.00
5290MHz	Pass	4.54	12.98	13.66	16.34	23.98
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.00	15.47	15.87	18.68	30.00
5200MHz	Pass	4.00	19.08	19.29	22.20	30.00
5240MHz	Pass	4.00	24.42	24.01	27.23	30.00
5260MHz	Pass	4.54	20.98	20.75	23.88	23.98
5300MHz	Pass	4.54	20.83	21.04	23.95	23.98
5320MHz	Pass	4.54	16.15	16.64	19.41	23.98
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.00	11.98	12.49	15.25	30.00
5230MHz	Pass	4.00	17.31	16.91	20.12	30.00
5270MHz	Pass	4.54	21.15	20.55	23.87	23.98



Average Power_Mode 1

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5310MHz	Pass	4.54	13.49	13.73	16.62	23.98
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.00	11.16	12.50	14.89	30.00
5290MHz	Pass	4.54	13.41	13.97	16.71	23.98
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.37	21.58	21.55	24.58	30.00
5200MHz	Pass	4.37	23.25	23.13	26.20	30.00
5240MHz	Pass	4.37	24.60	24.17	27.40	30.00
5260MHz	Pass	4.87	20.91	20.60	23.77	23.98
5300MHz	Pass	4.87	20.55	21.06	23.82	23.98
5320MHz	Pass	4.87	15.42	15.60	18.52	23.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.37	17.90	18.33	21.13	30.00
5230MHz	Pass	4.37	23.11	22.63	25.89	30.00
5270MHz	Pass	4.87	20.94	20.40	23.69	23.98
5310MHz	Pass	4.87	13.11	12.97	16.05	23.98
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.37	18.65	19.07	21.88	30.00
5290MHz	Pass	4.87	12.98	13.66	16.34	23.98

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	25.39	0.34594
802.11a_Nss1,(6Mbps)_2TX	28.13	0.65013
802.11be EHT20_Nss1,(MCS0)_1TX	24.62	0.28973
802.11be EHT20_Nss1,(MCS0)_2TX	27.05	0.50699
802.11be EHT20_Nss2,(MCS0)_2TX	26.77	0.47534
802.11be EHT20-BF_Nss1,(MCS0)_2TX	27.05	0.50699
802.11be EHT40_Nss1,(MCS0)_1TX	23.88	0.24434
802.11be EHT40_Nss1,(MCS0)_2TX	26.62	0.45920
802.11be EHT40_Nss2,(MCS0)_2TX	26.45	0.44157
802.11be EHT40-BF_Nss1,(MCS0)_2TX	26.62	0.45920
802.11be EHT80_Nss1,(MCS0)_1TX	19.42	0.08750
802.11be EHT80_Nss1,(MCS0)_2TX	21.62	0.14521
802.11be EHT80_Nss2,(MCS0)_2TX	21.76	0.14997
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.62	0.14521
802.11be EHT160_Nss1,(MCS0)_1TX	14.96	0.03133
802.11be EHT160_Nss1,(MCS0)_2TX	16.88	0.04875
802.11be EHT160_Nss2,(MCS0)_2TX	16.65	0.04624
802.11be EHT160-BF_Nss1,(MCS0)_2TX	16.88	0.04875
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	23.54	0.22594
802.11a_Nss1,(6Mbps)_2TX	23.91	0.24604
802.11be EHT20_Nss1,(MCS0)_1TX	23.84	0.24210
802.11be EHT20_Nss1,(MCS0)_2TX	23.88	0.24434
802.11be EHT20_Nss2,(MCS0)_2TX	23.92	0.24660
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.88	0.24434
802.11be EHT40_Nss1,(MCS0)_1TX	23.59	0.22856
802.11be EHT40_Nss1,(MCS0)_2TX	23.81	0.24044
802.11be EHT40_Nss2,(MCS0)_2TX	23.85	0.24266
802.11be EHT40-BF_Nss1,(MCS0)_2TX	23.81	0.24044
802.11be EHT80_Nss1,(MCS0)_1TX	20.03	0.10069
802.11be EHT80_Nss1,(MCS0)_2TX	21.54	0.14256
802.11be EHT80_Nss2,(MCS0)_2TX	21.59	0.14421
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.54	0.14256
802.11be EHT160_Nss1,(MCS0)_1TX	15.88	0.03873
802.11be EHT160_Nss1,(MCS0)_2TX	17.83	0.06067
802.11be EHT160_Nss2,(MCS0)_2TX	17.61	0.05768
802.11be EHT160-BF_Nss1,(MCS0)_2TX	17.83	0.06067
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	23.93	0.24717
802.11a_Nss1,(6Mbps)_2TX	23.92	0.24660
802.11be EHT20_Nss1,(MCS0)_1TX	23.79	0.23933
802.11be EHT20_Nss1,(MCS0)_2TX	23.97	0.24946
802.11be EHT20_Nss2,(MCS0)_2TX	23.91	0.24604
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.97	0.24946
802.11be EHT40_Nss1,(MCS0)_1TX	23.88	0.24434
802.11be EHT40_Nss1,(MCS0)_2TX	23.76	0.23768
802.11be EHT40_Nss2,(MCS0)_2TX	23.88	0.24434
802.11be EHT40-BF_Nss1,(MCS0)_2TX	23.76	0.23768
802.11be EHT80_Nss1,(MCS0)_1TX	23.77	0.23823
802.11be EHT80_Nss1,(MCS0)_2TX	23.91	0.24604
802.11be EHT80_Nss2,(MCS0)_2TX	23.94	0.24774
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.91	0.24604
802.11be EHT160_Nss1,(MCS0)_1TX	17.97	0.06266
802.11be EHT160_Nss1,(MCS0)_2TX	19.27	0.08453

Mode	Total Power (dBm)	Total Power (W)
802.11be EHT160_Nss2,(MCS0)_2TX	20.06	0.10139
802.11be EHT160-BF_Nss1,(MCS0)_2TX	19.27	0.08453
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	25.47	0.35237
802.11a_Nss1,(6Mbps)_2TX	28.31	0.67764
802.11be EHT20_Nss1,(MCS0)_1TX	25.95	0.39355
802.11be EHT20_Nss1,(MCS0)_2TX	28.85	0.76736
802.11be EHT20_Nss2,(MCS0)_2TX	28.67	0.73621
802.11be EHT20-BF_Nss1,(MCS0)_2TX	28.85	0.76736
802.11be EHT40_Nss1,(MCS0)_1TX	25.13	0.32584
802.11be EHT40_Nss1,(MCS0)_2TX	27.76	0.59704
802.11be EHT40_Nss2,(MCS0)_2TX	27.57	0.57148
802.11be EHT40-BF_Nss1,(MCS0)_2TX	27.76	0.59704
802.11be EHT80_Nss1,(MCS0)_1TX	23.58	0.22803
802.11be EHT80_Nss1,(MCS0)_2TX	25.24	0.33420
802.11be EHT80_Nss2,(MCS0)_2TX	25.46	0.35156
802.11be EHT80-BF_Nss1,(MCS0)_2TX	25.24	0.33420

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	1.95	23.05		23.05	30.00
5200MHz	Pass	1.95	25.39		25.39	30.00
5240MHz	Pass	1.95	23.48		23.48	30.00
5260MHz	Pass	2.21	23.54		23.54	23.98
5300MHz	Pass	2.21	22.92		22.92	23.98
5320MHz	Pass	2.21	22.16		22.16	23.98
5500MHz	Pass	2.92	22.76		22.76	23.98
5580MHz	Pass	2.92	23.93		23.93	23.98
5700MHz	Pass	2.92	19.45		19.45	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	2.92	22.21		22.21	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	2.29	16.04		16.04	30.00
5745MHz	Pass	2.29	25.47		25.47	30.00
5785MHz	Pass	2.29	25.08		25.08	30.00
5825MHz	Pass	2.29	24.22		24.22	30.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	1.95	22.12		22.12	30.00
5200MHz	Pass	1.95	24.62		24.62	30.00
5240MHz	Pass	1.95	23.56		23.56	30.00
5260MHz	Pass	2.21	23.84		23.84	23.98
5300MHz	Pass	2.21	22.84		22.84	23.98
5320MHz	Pass	2.21	22.08		22.08	23.98
5500MHz	Pass	2.92	22.03		22.03	23.98
5580MHz	Pass	2.92	23.79		23.79	23.98
5700MHz	Pass	2.92	17.83		17.83	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	2.92	22.14		22.14	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	2.29	16.92		16.92	30.00
5745MHz	Pass	2.29	25.95		25.95	30.00
5785MHz	Pass	2.29	25.85		25.85	30.00
5825MHz	Pass	2.29	24.82		24.82	30.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	1.95	19.50		19.50	30.00
5230MHz	Pass	1.95	23.88		23.88	30.00
5270MHz	Pass	2.21	23.59		23.59	23.98
5310MHz	Pass	2.21	19.99		19.99	23.98
5510MHz	Pass	2.92	20.17		20.17	23.98
5550MHz	Pass	2.92	23.88		23.88	23.98
5670MHz	Pass	2.92	21.38		21.38	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	2.92	23.51		23.51	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	2.29	13.56		13.56	30.00
5755MHz	Pass	2.29	24.17		24.17	30.00
5795MHz	Pass	2.29	25.13		25.13	30.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	1.95	19.42		19.42	30.00
5290MHz	Pass	2.21	20.03		20.03	23.98
5530MHz	Pass	2.92	20.89		20.89	23.98
5610MHz	Pass	2.92	23.77		23.77	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	2.92	23.56		23.56	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	2.29	9.69		9.69	30.00
5775MHz	Pass	2.29	23.58		23.58	30.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1.95	14.96		14.96	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	2.21	15.88		15.88	23.98
5570MHz	Pass	2.92	17.97		17.97	23.98
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5180MHz	Pass	4.48	22.40	22.91	25.67	30.00
5200MHz	Pass	4.48	24.74	25.46	28.13	30.00
5240MHz	Pass	4.48	23.07	23.73	26.42	30.00
5260MHz	Pass	4.52	20.82	20.97	23.91	23.98
5300MHz	Pass	4.52	20.79	20.86	23.84	23.98
5320MHz	Pass	4.52	20.53	21.06	23.81	23.98
5500MHz	Pass	5.21	20.67	21.09	23.90	23.98
5580MHz	Pass	5.21	20.72	21.09	23.92	23.98
5700MHz	Pass	5.21	17.72	18.14	20.95	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.21	19.61	20.21	22.93	23.07
5720MHz Straddle 5.725-5.85GHz	Pass	5.83	13.40	14.21	16.83	30.00
5745MHz	Pass	5.83	25.26	25.33	28.31	30.00
5785MHz	Pass	5.83	25.19	25.29	28.25	30.00
5825MHz	Pass	5.83	24.16	24.34	27.26	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.48	21.55	21.93	24.75	30.00
5200MHz	Pass	4.48	23.81	24.25	27.05	30.00
5240MHz	Pass	4.48	23.43	24.05	26.76	30.00
5260MHz	Pass	4.52	20.69	20.91	23.81	23.98
5300MHz	Pass	4.52	20.51	20.99	23.77	23.98
5320MHz	Pass	4.52	20.64	21.09	23.88	23.98
5500MHz	Pass	5.21	20.66	21.08	23.89	23.98
5580MHz	Pass	5.21	20.69	21.21	23.97	23.98
5700MHz	Pass	5.21	15.89	16.38	19.15	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.21	20.07	20.68	23.40	23.57
5720MHz Straddle 5.725-5.85GHz	Pass	5.83	14.74	15.49	18.14	30.00
5745MHz	Pass	5.83	24.87	25.27	28.08	30.00
5785MHz	Pass	5.83	25.79	25.89	28.85	30.00
5825MHz	Pass	5.83	24.75	24.94	27.86	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.48	19.18	19.12	22.16	30.00
5230MHz	Pass	4.48	23.54	23.67	26.62	30.00
5270MHz	Pass	4.52	20.52	21.06	23.81	23.98
5310MHz	Pass	4.52	18.47	19.15	21.83	23.98
5510MHz	Pass	5.21	19.66	19.38	22.53	23.98
5550MHz	Pass	5.21	20.81	20.66	23.75	23.98
5670MHz	Pass	5.21	14.39	14.18	17.30	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.21	20.65	20.84	23.76	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.83	10.81	11.04	13.94	30.00
5755MHz	Pass	5.83	23.72	23.90	26.82	30.00
5795MHz	Pass	5.83	24.60	24.89	27.76	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.48	18.38	18.82	21.62	30.00
5290MHz	Pass	4.52	18.19	18.84	21.54	23.98
5530MHz	Pass	5.21	20.00	20.18	23.10	23.98
5610MHz	Pass	5.21	20.63	21.16	23.91	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.21	20.45	21.05	23.77	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.83	6.60	7.17	9.90	30.00
5775MHz	Pass	5.83	22.19	22.26	25.24	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.48	13.64	14.09	16.88	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.52	14.62	15.01	17.83	23.98
5570MHz	Pass	5.21	16.30	16.21	19.27	23.98
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.48	21.07	21.65	24.38	30.00
5200MHz	Pass	4.48	23.16	23.64	26.42	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5240MHz	Pass	4.48	23.35	24.13	26.77	30.00
5260MHz	Pass	4.52	20.82	20.91	23.88	23.98
5300MHz	Pass	4.52	20.77	21.04	23.92	23.98
5320MHz	Pass	4.52	20.48	21.02	23.77	23.98
5500MHz	Pass	5.21	20.61	21.04	23.84	23.98
5580MHz	Pass	5.21	20.65	21.14	23.91	23.98
5700MHz	Pass	5.21	15.75	16.24	19.01	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.21	20.25	20.80	23.54	23.59
5720MHz Straddle 5.725-5.85GHz	Pass	5.83	15.12	15.62	18.39	30.00
5745MHz	Pass	5.83	24.80	25.05	27.94	30.00
5785MHz	Pass	5.83	25.59	25.73	28.67	30.00
5825MHz	Pass	5.83	24.67	24.85	27.77	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.48	18.51	18.57	21.55	30.00
5230MHz	Pass	4.48	23.36	23.52	26.45	30.00
5270MHz	Pass	4.52	20.60	21.06	23.85	23.98
5310MHz	Pass	4.52	18.57	19.19	21.90	23.98
5510MHz	Pass	5.21	19.46	19.44	22.46	23.98
5550MHz	Pass	5.21	21.02	20.72	23.88	23.98
5670MHz	Pass	5.21	20.72	20.83	23.79	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.21	20.60	20.88	23.75	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.83	10.96	11.24	14.11	30.00
5755MHz	Pass	5.83	23.38	23.53	26.47	30.00
5795MHz	Pass	5.83	24.50	24.61	27.57	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.48	18.44	19.04	21.76	30.00
5290MHz	Pass	4.52	18.19	18.93	21.59	23.98
5530MHz	Pass	5.21	20.35	20.47	23.42	23.98
5610MHz	Pass	5.21	20.63	21.20	23.93	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.21	20.62	21.22	23.94	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.83	6.71	7.53	10.15	30.00
5775MHz	Pass	5.83	22.40	22.49	25.46	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.48	13.46	13.82	16.65	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.52	14.42	14.77	17.61	23.98
5570MHz	Pass	5.21	17.15	16.94	20.06	23.98
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.48	21.55	21.93	24.75	30.00
5200MHz	Pass	4.48	23.81	24.25	27.05	30.00
5240MHz	Pass	4.48	23.43	24.05	26.76	30.00
5260MHz	Pass	4.52	20.69	20.91	23.81	23.98
5300MHz	Pass	4.52	20.51	20.99	23.77	23.98
5320MHz	Pass	4.52	20.64	21.09	23.88	23.98
5500MHz	Pass	5.21	20.66	21.08	23.89	23.98
5580MHz	Pass	5.21	20.69	21.21	23.97	23.98
5700MHz	Pass	5.21	15.89	16.38	19.15	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.21	20.07	20.68	23.40	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	5.83	14.74	15.49	18.14	30.00
5745MHz	Pass	5.83	24.87	25.27	28.08	30.00
5785MHz	Pass	5.83	25.79	25.89	28.85	30.00
5825MHz	Pass	5.83	24.75	24.94	27.86	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.48	19.18	19.12	22.16	30.00
5230MHz	Pass	4.48	23.54	23.67	26.62	30.00
5270MHz	Pass	4.52	20.52	21.06	23.81	23.98
5310MHz	Pass	4.52	18.47	19.15	21.83	23.98


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5510MHz	Pass	5.21	19.66	19.38	22.53	23.98
5550MHz	Pass	5.21	20.81	20.66	23.75	23.98
5670MHz	Pass	5.21	14.39	14.18	17.30	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.21	20.65	20.84	23.76	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.83	10.81	11.04	13.94	30.00
5755MHz	Pass	5.83	23.72	23.90	26.82	30.00
5795MHz	Pass	5.83	24.60	24.89	27.76	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.48	18.38	18.82	21.62	30.00
5290MHz	Pass	4.52	18.19	18.84	21.54	23.98
5530MHz	Pass	5.21	20.00	20.18	23.10	23.98
5610MHz	Pass	5.21	20.63	21.16	23.91	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.21	20.45	21.05	23.77	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.83	6.60	7.17	9.90	30.00
5775MHz	Pass	5.83	22.19	22.26	25.24	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.48	13.64	14.09	16.88	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.52	14.62	15.01	17.83	23.98
5570MHz	Pass	5.21	16.30	16.21	19.27	23.98

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

23/06/2026



Sum= Total Power
PX=Port X

5150~5250MHz	
Sum(dBm)	P1(dBm)
14.96	14.96


5250~5350MHz	
Sum(dBm)	P1(dBm)
15.88	15.88

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

23/06/2026




Sum= Total Power
PX=Port X

Sum= Total Power		
Sum(dBm)	P1(dBm)	P2(dBm)
22.93	19.61	20.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	13.59
802.11a_Nss1,(6Mbps)_2TX	16.22
802.11be EHT20_Nss1,(MCS0)_1TX	11.22
802.11be EHT20_Nss1,(MCS0)_2TX	13.86
802.11be EHT20_Nss2,(MCS0)_2TX	13.64
802.11be EHT40_Nss1,(MCS0)_1TX	8.78
802.11be EHT40_Nss1,(MCS0)_2TX	9.90
802.11be EHT40_Nss2,(MCS0)_2TX	4.02
802.11be EHT80_Nss1,(MCS0)_1TX	1.43
802.11be EHT80_Nss1,(MCS0)_2TX	3.06
802.11be EHT80_Nss2,(MCS0)_2TX	-4.41
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.86
802.11a_Nss1,(6Mbps)_2TX	10.83
802.11be EHT20_Nss1,(MCS0)_1TX	10.41
802.11be EHT20_Nss1,(MCS0)_2TX	10.55
802.11be EHT20_Nss2,(MCS0)_2TX	10.77
802.11be EHT40_Nss1,(MCS0)_1TX	7.75
802.11be EHT40_Nss1,(MCS0)_2TX	7.55
802.11be EHT40_Nss2,(MCS0)_2TX	7.75
802.11be EHT80_Nss1,(MCS0)_1TX	2.24
802.11be EHT80_Nss1,(MCS0)_2TX	-2.27
802.11be EHT80_Nss2,(MCS0)_2TX	-1.87

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	2.93	11.34		11.34	17.00
5200MHz	Pass	2.93	13.56		13.56	17.00
5240MHz	Pass	2.93	13.59		13.59	17.00
5260MHz	Pass	2.62	10.86		10.86	11.00
5300MHz	Pass	2.62	10.76		10.76	11.00
5320MHz	Pass	2.62	10.68		10.68	11.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	2.93	9.16		9.16	17.00
5200MHz	Pass	2.93	11.22		11.22	17.00
5240MHz	Pass	2.93	11.12		11.12	17.00
5260MHz	Pass	2.62	10.40		10.40	11.00
5300MHz	Pass	2.62	10.41		10.41	11.00
5320MHz	Pass	2.62	8.97		8.97	11.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	2.93	4.83		4.83	17.00
5230MHz	Pass	2.93	8.78		8.78	17.00
5270MHz	Pass	2.62	7.75		7.75	11.00
5310MHz	Pass	2.62	6.68		6.68	11.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	2.93	1.43		1.43	17.00
5290MHz	Pass	2.62	2.24		2.24	11.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.37	10.83	10.65	13.70	17.00
5200MHz	Pass	4.37	12.45	12.58	15.46	17.00
5240MHz	Pass	4.37	13.49	13.14	16.22	17.00
5260MHz	Pass	4.87	8.03	7.77	10.83	11.00
5300MHz	Pass	4.87	7.67	7.96	10.78	11.00
5320MHz	Pass	4.87	4.97	5.28	8.02	11.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.37	8.29	8.29	11.25	17.00
5200MHz	Pass	4.37	9.92	9.77	12.82	17.00
5240MHz	Pass	4.37	11.09	10.69	13.86	17.00
5260MHz	Pass	4.87	7.35	7.04	10.15	11.00
5300MHz	Pass	4.87	7.28	7.83	10.55	11.00
5320MHz	Pass	4.87	1.81	2.17	4.94	11.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.37	1.85	2.22	5.00	17.00
5230MHz	Pass	4.37	7.23	6.63	9.90	17.00
5270MHz	Pass	4.87	4.94	4.29	7.55	11.00
5310MHz	Pass	4.87	-2.80	-2.44	0.30	11.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.37	-0.08	0.46	3.06	17.00
5290MHz	Pass	4.87	-5.67	-4.82	-2.27	11.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.00	2.22	2.73	5.44	17.00
5200MHz	Pass	4.00	5.72	5.86	8.80	17.00
5240MHz	Pass	4.00	10.84	10.52	13.64	17.00
5260MHz	Pass	4.54	7.46	7.34	10.32	11.00
5300MHz	Pass	4.54	7.64	7.97	10.77	11.00
5320MHz	Pass	4.54	2.67	3.27	5.95	11.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.00	-4.39	-3.64	-1.07	17.00
5230MHz	Pass	4.00	1.29	0.76	4.02	17.00
5270MHz	Pass	4.54	5.09	4.47	7.75	11.00



PSD_Mode 1

Appendix D.1

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5310MHz	Pass	4.54	-2.54	-2.15	0.63	11.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.00	-7.96	-6.76	-4.41	17.00
5290MHz	Pass	4.54	-5.20	-4.56	-1.87	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.34	11.34	11.34

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.56	13.56	13.56

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

23/06/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.59	13.59	13.59

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

23/06/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.86	10.86	10.86

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

23/06/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.76	10.76	10.76

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

23/06/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.68	10.68	10.68

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

23/06/2026




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

23/06/2026



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.12	11.12	11.12

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.40	10.40	10.40

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

23/06/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.41	10.41	10.41

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

23/06/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.97	8.97	8.97


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

23/06/2026

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

23/06/2026

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5270MHz

23/06/2026

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.75	7.75	7.75

Port 1


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

23/06/2026

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.68	6.68	6.68


Port 1

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

23/06/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.43	1.43	1.43

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

23/06/2026



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.24	2.24	2.24

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.70	13.70	10.83	10.65

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.46	15.46	12.45	12.58

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.22	16.22	13.49	13.14

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.83	10.83	8.03	7.77

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

23/06/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.78	10.78	7.67	7.96

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

23/06/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.02	8.02	4.97	5.28

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.25	11.25	8.29	8.29

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.82	12.82	9.92	9.77

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
13.86	13.86	11.09	10.69

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
10.15	10.15	7.35	7.04

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

23/06/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.55	10.55	7.28	7.83

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

23/06/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.94	4.94	1.81	2.17

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

23/06/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.00	5.00	1.85	2.22

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

23/06/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.90	9.90	7.23	6.63

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

23/06/2026



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

23/06/2026




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

23/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.06	3.06	-0.08	0.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

23/06/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.27	-2.27	-5.67	-4.82

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.44	5.44	2.22	2.73

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.80	8.80	5.72	5.86

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.64	13.64	10.84	10.52

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.32	10.32	7.46	7.34

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5300MHz

23/06/2026




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5320MHz

23/06/2026



5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

23/06/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.07	-1.07	-4.39	-3.64

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

23/06/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.02	4.02	1.29	0.76

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

23/06/2026




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5310MHz

23/06/2026



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

23/06/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.41	-4.41	-7.96	-6.76

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

23/06/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.87	-1.87	-5.20	-4.56

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	12.00
802.11a_Nss1,(6Mbps)_2TX	14.62
802.11be EHT20_Nss1,(MCS0)_1TX	10.75
802.11be EHT20_Nss1,(MCS0)_2TX	13.20
802.11be EHT20_Nss2,(MCS0)_2TX	13.03
802.11be EHT40_Nss1,(MCS0)_1TX	7.34
802.11be EHT40_Nss1,(MCS0)_2TX	10.05
802.11be EHT40_Nss2,(MCS0)_2TX	10.15
802.11be EHT80_Nss1,(MCS0)_1TX	0.54
802.11be EHT80_Nss1,(MCS0)_2TX	2.52
802.11be EHT80_Nss2,(MCS0)_2TX	2.72
802.11be EHT160_Nss1,(MCS0)_1TX	-4.27
802.11be EHT160_Nss1,(MCS0)_2TX	-2.39
802.11be EHT160_Nss2,(MCS0)_2TX	-2.38
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.26
802.11a_Nss1,(6Mbps)_2TX	10.56
802.11be EHT20_Nss1,(MCS0)_1TX	10.07
802.11be EHT20_Nss1,(MCS0)_2TX	10.17
802.11be EHT20_Nss2,(MCS0)_2TX	10.29
802.11be EHT40_Nss1,(MCS0)_1TX	7.23
802.11be EHT40_Nss1,(MCS0)_2TX	7.39
802.11be EHT40_Nss2,(MCS0)_2TX	7.62
802.11be EHT80_Nss1,(MCS0)_1TX	1.13
802.11be EHT80_Nss1,(MCS0)_2TX	2.52
802.11be EHT80_Nss2,(MCS0)_2TX	2.61
802.11be EHT160_Nss1,(MCS0)_1TX	-3.32
802.11be EHT160_Nss1,(MCS0)_2TX	-1.39
802.11be EHT160_Nss2,(MCS0)_2TX	-1.47
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.65
802.11a_Nss1,(6Mbps)_2TX	10.80
802.11be EHT20_Nss1,(MCS0)_1TX	9.92
802.11be EHT20_Nss1,(MCS0)_2TX	10.80
802.11be EHT20_Nss2,(MCS0)_2TX	10.94
802.11be EHT40_Nss1,(MCS0)_1TX	7.41
802.11be EHT40_Nss1,(MCS0)_2TX	7.55
802.11be EHT40_Nss2,(MCS0)_2TX	7.65
802.11be EHT80_Nss1,(MCS0)_1TX	4.78
802.11be EHT80_Nss1,(MCS0)_2TX	4.90
802.11be EHT80_Nss2,(MCS0)_2TX	4.99
802.11be EHT160_Nss1,(MCS0)_1TX	-3.84
802.11be EHT160_Nss1,(MCS0)_2TX	-2.56
802.11be EHT160_Nss2,(MCS0)_2TX	-1.52
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.95
802.11a_Nss1,(6Mbps)_2TX	13.73
802.11be EHT20_Nss1,(MCS0)_1TX	10.69
802.11be EHT20_Nss1,(MCS0)_2TX	13.50
802.11be EHT20_Nss2,(MCS0)_2TX	13.52
802.11be EHT40_Nss1,(MCS0)_1TX	7.22
802.11be EHT40_Nss1,(MCS0)_2TX	9.83
802.11be EHT40_Nss2,(MCS0)_2TX	9.85
802.11be EHT80_Nss1,(MCS0)_1TX	3.13



PSD_Mode 2

Appendix D.2

Mode	PD (dBm/RBW)
802.11be EHT80_Nss1,(MCS0)_2TX	4.76
802.11be EHT80_Nss2,(MCS0)_2TX	5.21

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	1.95	9.69		9.69	17.00
5200MHz	Pass	1.95	12.00		12.00	17.00
5240MHz	Pass	1.95	10.13		10.13	17.00
5260MHz	Pass	2.21	10.26		10.26	11.00
5300MHz	Pass	2.21	9.80		9.80	11.00
5320MHz	Pass	2.21	9.05		9.05	11.00
5500MHz	Pass	2.92	9.64		9.64	11.00
5580MHz	Pass	2.92	10.65		10.65	11.00
5700MHz	Pass	2.92	6.28		6.28	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.92	10.16		10.16	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	2.29	8.44		8.44	30.00
5745MHz	Pass	2.29	10.95		10.95	30.00
5785MHz	Pass	2.29	10.43		10.43	30.00
5825MHz	Pass	2.29	9.85		9.85	30.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	1.95	8.27		8.27	17.00
5200MHz	Pass	1.95	10.75		10.75	17.00
5240MHz	Pass	1.95	9.67		9.67	17.00
5260MHz	Pass	2.21	10.07		10.07	11.00
5300MHz	Pass	2.21	9.11		9.11	11.00
5320MHz	Pass	2.21	8.40		8.40	11.00
5500MHz	Pass	2.92	8.20		8.20	11.00
5580MHz	Pass	2.92	9.92		9.92	11.00
5700MHz	Pass	2.92	4.06		4.06	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.92	9.59		9.59	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	2.29	7.75		7.75	30.00
5745MHz	Pass	2.29	10.69		10.69	30.00
5785MHz	Pass	2.29	10.58		10.58	30.00
5825MHz	Pass	2.29	9.81		9.81	30.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	1.95	3.14		3.14	17.00
5230MHz	Pass	1.95	7.34		7.34	17.00
5270MHz	Pass	2.21	7.23		7.23	11.00
5310MHz	Pass	2.21	3.54		3.54	11.00
5510MHz	Pass	2.92	3.70		3.70	11.00
5550MHz	Pass	2.92	7.41		7.41	11.00
5670MHz	Pass	2.92	4.92		4.92	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	2.92	7.36		7.36	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	2.29	5.05		5.05	30.00
5755MHz	Pass	2.29	6.48		6.48	30.00
5795MHz	Pass	2.29	7.22		7.22	30.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	1.95	0.54		0.54	17.00
5290MHz	Pass	2.21	1.13		1.13	11.00
5530MHz	Pass	2.92	1.99		1.99	11.00
5610MHz	Pass	2.92	4.78		4.78	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	2.92	4.58		4.58	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	2.29	1.35		1.35	30.00
5775MHz	Pass	2.29	3.13		3.13	30.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	1.95	-4.27		-4.27	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	2.21	-3.32		-3.32	11.00
5570MHz	Pass	2.92	-3.84		-3.84	11.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5180MHz	Pass	4.48	9.11	9.69	12.40	17.00
5200MHz	Pass	4.48	11.43	12.06	14.62	17.00
5240MHz	Pass	4.48	9.82	10.40	13.06	17.00
5260MHz	Pass	4.52	7.55	7.74	10.49	11.00
5300MHz	Pass	4.52	7.40	7.68	10.51	11.00
5320MHz	Pass	4.52	7.44	7.98	10.56	11.00
5500MHz	Pass	5.21	7.64	7.92	10.63	11.00
5580MHz	Pass	5.21	7.67	8.00	10.68	11.00
5700MHz	Pass	5.21	4.62	5.10	7.81	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.21	7.60	8.29	10.80	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.83	5.74	6.68	9.22	30.00
5745MHz	Pass	5.83	10.79	10.73	13.73	30.00
5785MHz	Pass	5.83	10.56	10.67	13.47	30.00
5825MHz	Pass	5.83	9.73	9.83	12.61	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.48	7.64	8.09	10.86	17.00
5200MHz	Pass	4.48	9.97	10.49	13.20	17.00
5240MHz	Pass	4.48	9.62	10.12	12.86	17.00
5260MHz	Pass	4.52	6.88	7.12	9.99	11.00
5300MHz	Pass	4.52	6.74	7.31	10.01	11.00
5320MHz	Pass	4.52	6.92	7.44	10.17	11.00
5500MHz	Pass	5.21	6.79	7.19	9.97	11.00
5580MHz	Pass	5.21	6.98	7.37	10.15	11.00
5700MHz	Pass	5.21	2.13	2.68	5.39	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.21	7.49	8.12	10.80	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.83	5.78	6.40	8.98	30.00
5745MHz	Pass	5.83	9.73	10.03	12.83	30.00
5785MHz	Pass	5.83	10.51	10.62	13.50	30.00
5825MHz	Pass	5.83	9.64	9.72	12.66	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.48	2.69	2.65	5.63	17.00
5230MHz	Pass	4.48	6.99	7.11	10.05	17.00
5270MHz	Pass	4.52	4.18	4.59	7.39	11.00
5310MHz	Pass	4.52	2.16	2.85	5.45	11.00
5510MHz	Pass	5.21	3.20	3.08	6.13	11.00
5550MHz	Pass	5.21	4.46	4.22	7.34	11.00
5670MHz	Pass	5.21	-2.18	-2.36	0.72	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.21	4.46	4.63	7.55	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.83	2.35	2.58	5.48	30.00
5755MHz	Pass	5.83	5.89	5.99	8.92	30.00
5795MHz	Pass	5.83	6.71	7.04	9.83	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.48	-0.74	-0.16	2.52	17.00
5290MHz	Pass	4.52	-0.84	-0.02	2.52	11.00
5530MHz	Pass	5.21	1.13	1.33	4.24	11.00
5610MHz	Pass	5.21	1.62	2.24	4.90	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.21	1.34	1.96	4.66	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.83	-1.69	-1.10	1.62	30.00
5775MHz	Pass	5.83	1.71	1.82	4.76	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.48	-5.62	-5.10	-2.39	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.52	-4.62	-4.18	-1.39	11.00
5570MHz	Pass	5.21	-5.52	-5.63	-2.56	11.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.48	7.35	8.07	10.69	17.00
5200MHz	Pass	4.48	9.56	10.18	12.83	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5240MHz	Pass	4.48	9.69	10.37	13.03	17.00
5260MHz	Pass	4.52	7.27	7.46	10.29	11.00
5300MHz	Pass	4.52	7.25	7.40	10.27	11.00
5320MHz	Pass	4.52	6.82	7.38	10.08	11.00
5500MHz	Pass	5.21	6.99	7.32	10.13	11.00
5580MHz	Pass	5.21	6.88	7.39	10.10	11.00
5700MHz	Pass	5.21	2.13	2.58	5.30	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.21	7.68	8.20	10.94	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.83	6.02	6.71	9.33	30.00
5745MHz	Pass	5.83	9.70	10.03	12.82	30.00
5785MHz	Pass	5.83	10.52	10.56	13.52	30.00
5825MHz	Pass	5.83	9.76	9.85	12.77	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.48	2.20	2.26	5.22	17.00
5230MHz	Pass	4.48	7.05	7.22	10.15	17.00
5270MHz	Pass	4.52	4.45	4.83	7.62	11.00
5310MHz	Pass	4.52	2.27	2.98	5.63	11.00
5510MHz	Pass	5.21	3.21	3.20	6.20	11.00
5550MHz	Pass	5.21	4.72	4.46	7.56	11.00
5670MHz	Pass	5.21	4.46	4.71	7.55	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.21	4.56	4.81	7.65	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.83	2.60	2.82	5.70	30.00
5755MHz	Pass	5.83	5.72	5.84	8.77	30.00
5795MHz	Pass	5.83	6.82	7.05	9.85	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.48	-0.64	0.10	2.72	17.00
5290MHz	Pass	4.52	-0.77	0.01	2.61	11.00
5530MHz	Pass	5.21	1.52	1.62	4.53	11.00
5610MHz	Pass	5.21	1.73	2.34	4.99	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.21	1.71	2.26	4.94	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.83	-1.37	-0.70	1.99	30.00
5775MHz	Pass	5.83	2.22	2.39	5.21	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.48	-5.68	-5.07	-2.38	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.52	-4.80	-4.18	-1.47	11.00
5570MHz	Pass	5.21	-4.46	-4.61	-1.52	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.69	9.69	9.69

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.00	12.00	12.00

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

23/06/2026




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

23/06/2026




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

23/06/2026




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

23/06/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

23/06/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

23/06/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

23/06/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/06/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

23/06/2026



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

23/06/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.43	10.43	10.43

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

23/06/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.85	9.85	9.85

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.27	8.27	8.27

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.75	10.75	10.75

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.67	9.67	9.67

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.07	10.07	10.07


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

23/06/2026

CF (Hz)
5.3G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
30.535
Detector Type
RMS




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

23/06/2026

CF (Hz)
5.32G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
30.535
Detector Type
RMS




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5500MHz

23/06/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5580MHz

23/06/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5700MHz

23/06/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5745MHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5785MHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5825MHz

23/06/2026




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

23/06/2026

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
16.261
Detector Type
RMS




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

23/06/2026

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
16.261
Detector Type
RMS




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5270MHz

23/06/2026




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

23/06/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5510MHz

23/06/2026

CF (Hz)
5.51G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
16.261
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.70	3.70	3.70


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5550MHz

23/06/2026

CF (Hz)
5.55G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
16.261
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.41	7.41	7.41

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5670MHz

23/06/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.92	4.92	4.92

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/06/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.36	7.36	7.36

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5755MHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5795MHz

23/06/2026




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

23/06/2026




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

23/06/2026

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
8.758
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.13	1.13	1.13


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5530MHz

23/06/2026

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
8.758
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.99	1.99	1.99

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5610MHz

23/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5775MHz

23/06/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/06/2026



5150~5250MHz

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
-4.27	-4.27	-4.27

5250~5350MHz


Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
-3.32	-3.32	-3.32

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

5570MHz

23/06/2026



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)
-3.84	-3.84	-3.84

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.40	12.40	9.11	9.69

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.62	14.62	11.43	12.06

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.06	13.06	9.82	10.40

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.49	10.49	7.55	7.74

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

23/06/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.51	10.51	7.40	7.68

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

23/06/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.56	10.56	7.44	7.98