

17/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX

CF Freq
6.625GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 6

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.45				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.24	10.70	6.39	37.45	58.45

17/02/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6825MHz;TX

CF Freq
6.825GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 6

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
1.46				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.23	11.08	6.56	37.48	58.69

17/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6745MHz;TX

CF Freq
6.745GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4.8ms

Detector Type
RMS

CP BW
320MHz



Page 6

Horizontal

EIRP PSD (dBm)	-0.76	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.73	10.60	6.47	37.46	58.56

17/02/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6995MHz;TX

CF Freq
6.995GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 6


Horizontal

EIRP PSD (dBm)	4.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.94	11.20	6.63	37.50	58.93

17/02/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7005MHz;TX

CF Freq
7.005GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 6
Horizontal

EIRP PSD (dBm)	4.89	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.04	11.18	6.63	37.48	58.96

17/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6945MHz;TX

CF Freq
6.945GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 6
Horizontal

EIRP PSD (dBm)	3.89	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.89	11.20	6.61	37.49	58.86

17/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6985MHz;TX





Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	1.21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-0.11
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-2.17
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_1TX	1.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX	0.18
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_1TX	-3.12

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
5985MHz	Pass	1.21	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_1TX	-	-	-
7025MHz	Pass	1.62	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-
6025MHz	Pass	-0.44	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-
6025MHz	Pass	-0.11	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX	-	-	-
6985MHz	Pass	0.18	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6985MHz	Pass	0.13	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-
6105MHz	Pass	-2.22	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-	-	-
6105MHz	Pass	-2.17	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_1TX	-	-	-
6105MHz	Pass	-2.25	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX	-	-	-
6905MHz	Pass	-3.15	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-	-	-
6905MHz	Pass	-3.13	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_1TX	-	-	-
6905MHz	Pass	-3.12	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

13/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1(1);Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 6

Horizontal

EIRP PSD (dBm)	1.21	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.16	11.45	6.08	37.83	57.57

13/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:1(1);Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz




Page 6

Horizontal

EIRP PSD (dBm)	-0.11	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.49	11.50	6.09	37.81	57.60


13/03/2026

EIRP PSD:Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:1(1);Ch:6105MHz;TX



13/03/2026


EIRP PSD:Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 1;Nant:1(1);Ch:7025MHz;TX



13/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 4;Nant:1(1);Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 6
Horizontal

EIRP PSD (dBm)	0.18	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.56	11.20	6.60	37.49	58.83

13/03/2026

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 10;Nant:1(1);Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz



Page 6
Horizontal

EIRP PSD (dBm)	-3.12	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.80	11.20	6.58	37.48	58.78

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	2.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	1.33
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-1.51
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	3.77
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	1.91
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_2TX	-1.73

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Pass	2.47	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-
7025MHz	Pass	3.77	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-
6025MHz	Pass	1.04	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-
6025MHz	Pass	1.33	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-
6985MHz	Pass	1.46	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6985MHz	Pass	1.91	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-
6105MHz	Pass	-2.64	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX	-	-	-
6105MHz	Pass	-1.56	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-
6105MHz	Pass	-1.51	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX	-	-	-
6905MHz	Pass	-1.81	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX	-	-	-
6905MHz	Pass	-1.96	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_2TX	-	-	-
6905MHz	Pass	-1.73	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

15/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 6

Horizontal

EIRP PSD (dBm)

2.47

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-11.93

11.53

6.10

37.80

57.63

15/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 6

Horizontal

EIRP PSD (dBm)

1.33

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-13.09

11.60

6.11


37.77

57.68

15/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+ RU484 MRU 5;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 6
Horizontal

EIRP PSD (dBm)	-1.51	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.98	11.60	6.12	37.76	57.71

15/03/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 1;Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 6
Horizontal

EIRP PSD (dBm)	3.77	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.18	11.17	6.64	37.48	58.96

15/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 6
Horizontal

EIRP PSD (dBm)	1.91	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.87	11.20	6.61	37.49	58.86

15/03/2026

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 10;Nant:2;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz



Page 6
Horizontal

EIRP PSD (dBm)	-1.73	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.40	11.20	6.58	37.48	58.77

**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	2.08
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	0.01
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 3_2TX	-1.65
6.875-7.125GHz	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	3.17
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX	1.05
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX	-1.61

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Pass	2.08	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-
7025MHz	Pass	3.17	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-
6025MHz	Pass	-0.13	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-
6025MHz	Pass	0.01	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX	-	-	-
6985MHz	Pass	1.05	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6985MHz	Pass	1.00	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 6_2TX	-	-	-
6105MHz	Pass	-3.09	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-	-	-
6105MHz	Pass	-2.78	5.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 3_2TX	-	-	-
6105MHz	Pass	-1.65	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX	-	-	-
6905MHz	Pass	-1.61	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-	-	-
6905MHz	Pass	-1.87	5.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 10_2TX	-	-	-
6905MHz	Pass	-3.09	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

16/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 6

Horizontal

EIRP PSD (dBm)

2.08

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-12.29

11.45

6.08

37.83

57.57

16/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 4;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 6

Horizontal


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]
0.01		Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-14.38	11.52	6.09	37.80	57.62	

16/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 3;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 6
Horizontal

EIRP PSD (dBm)	-1.65	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.12	11.60	6.12	37.76	57.71

16/03/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 1;Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 6
Horizontal

EIRP PSD (dBm)	3.17	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.76	11.18	6.63	37.48	58.96

16/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 4;Nant:2;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 6
Horizontal

EIRP PSD (dBm)	1.05	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.73	11.20	6.61	37.49	58.86

16/03/2026

EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 4;Nant:2;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz



Page 6
Horizontal

EIRP PSD (dBm)	-1.61	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.28	11.10	6.56	37.48	58.69



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.72
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.74
802.11be EHT160-BF_Nss1,(MCS0)_2TX	1.27
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-1.91
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT160-BF_Nss1,(MCS0)_2TX	2.51
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-6.10
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.72
802.11be EHT160-BF_Nss1,(MCS0)_2TX	1.38
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-1.02
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.94
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.80
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.69
802.11be EHT160-BF_Nss1,(MCS0)_2TX	1.31

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.72	5.00
6195MHz	Pass	4.59	5.00
6415MHz	Pass	4.25	5.00
6435MHz	Pass	4.49	5.00
6475MHz	Pass	4.89	5.00
6515MHz	Pass	4.93	5.00
6535MHz	Pass	4.95	5.00
6695MHz	Pass	4.75	5.00
6875MHz	Pass	4.99	5.00
6895MHz	Pass	4.94	5.00
6995MHz	Pass	4.85	5.00
7095MHz	Pass	4.74	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.64	5.00
6205MHz	Pass	4.64	5.00
6405MHz	Pass	4.91	5.00
6445MHz	Pass	4.96	5.00
6485MHz	Pass	4.87	5.00
6525MHz	Pass	4.75	5.00
6565MHz	Pass	4.83	5.00
6685MHz	Pass	4.97	5.00
6885MHz	Pass	4.84	5.00
6925MHz	Pass	4.79	5.00
7005MHz	Pass	4.62	5.00
7085MHz	Pass	4.80	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	3.52	5.00
6225MHz	Pass	3.91	5.00
6385MHz	Pass	4.74	5.00
6465MHz	Pass	4.88	5.00
6545MHz	Pass	4.67	5.00
6625MHz	Pass	4.72	5.00
6705MHz	Pass	4.67	5.00
6785MHz	Pass	3.47	5.00
6865MHz	Pass	4.48	5.00
6945MHz	Pass	3.73	5.00
7025MHz	Pass	4.69	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	1.27	5.00
6185MHz	Pass	-0.97	5.00
6345MHz	Pass	0.01	5.00
6505MHz	Pass	2.51	5.00
6665MHz	Pass	1.38	5.00
6825MHz	Pass	0.59	5.00
6985MHz	Pass	1.31	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	-2.47	5.00
6265MHz	Pass	-1.91	5.00
6425MHz	Pass	-3.11	5.00
6585MHz	Pass	-6.10	5.00
6745MHz	Pass	-1.02	5.00
6905MHz	Pass	-2.92	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




Inf = There's no restriction for the limit.

10/03/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz



Page 6
Horizontal


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.72					

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-9.63	11.43	6.07	37.84	57.55	

10/03/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz



Page 6
Horizontal


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]
4.91		Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.71	11.40	6.36	37.51	58.17

10/03/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS
CP BW
80MHz




Page 6
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.81	11.44	6.35	37.52	58.16

11/03/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 6
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
1.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.27	11.60	6.13	37.74	57.75


10/03/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




10/03/2026

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




10/03/2026

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX



10/03/2026


EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX



10/03/2026

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX

CF Freq
6.505GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
2.4ms
Detector Type
RMS
CP BW
160MHz




Page 6
Horizontal

EIRP PSD (dBm)	2.51	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.30	11.30	6.36	37.48	58.23

10/03/2026

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX

CF Freq
6.585GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
4.8ms
Detector Type
RMS
CP BW
320MHz




Page 6
Horizontal

EIRP PSD (dBm)	-6.1	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.83	11.34	6.36	37.49	58.20

10/03/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX

CF Freq
6.875GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 6
Horizontal

EIRP PSD (dBm)	4.99	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.71	11.20	6.59	37.49	58.80

10/03/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 6
Horizontal

EIRP PSD (dBm)	4.97	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.88	10.66	6.44	37.46	58.53


10/03/2026

EIRP PSD:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




10/03/2026

EIRP PSD:Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX



10/03/2026

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX



10/03/2026

EIRP PSD:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
40MHz



Page 6

Horizontal

EIRP PSD (dBm)	4.8	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.52	10.98	6.66	37.39	59.03

10/03/2026

EIRP PSD:Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.2ms

Detector Type
RMS

CP BW
80MHz



Page 6

Horizontal

EIRP PSD (dBm)	4.69	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.24	11.18	6.63	37.48	58.96

10/03/2026

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
2.4ms

Detector Type
RMS

CP BW
160MHz



Page 6

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]				
1.31		Pr=Pmeas-Gr+Lc-Gamp				

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-15.45	11.20	6.60	37.49	58.85	

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.189926G	-3.48	6.175325G	-36.34	-29.90	-6.44	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.417197G	1.06	6.3699G	-30.16	-24.07	-6.09	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.3716G	-0.51	6.3432G	-27.16	-20.55	-6.61	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.05039G	2.61	6.2678G	-44.53	-36.99	-7.54	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.20897G	1.40	6.2698G	-23.43	-18.61	-4.82	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.511101G	-3.51	6.500525G	-32.47	-25.38	-7.09	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.440101G	1.13	6.40955G	-31.15	-24.47	-6.68	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.4735G	-0.20	6.4224G	-27.23	-20.34	-6.89	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.53139G	1.72	6.262G	-46.02	-37.34	-8.68	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.54061G	1.13	6.0946G	-45.17	-38.63	-6.54	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.697G	-4.54	6.67815G	-35.21	-28.33	-6.88	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.580096G	1.64	6.5972G	-29.63	-22.30	-7.33	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.693G	-0.61	6.663G	-27.50	-20.63	-6.87	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.79961G	1.50	6.5828G	-46.01	-37.92	-8.09	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.93939G	0.58	6.4034G	-44.54	-39.42	-5.12	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	7.093725G	-3.77	7.07965G	-33.14	-24.74	-8.40	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	7.079151G	0.38	7.0574G	-27.10	-20.20	-6.90	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.99761G	-0.30	6.9804G	-28.16	-20.39	-7.77	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.9702G	1.71	6.742G	-44.59	-37.45	-7.14	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960249G	-2.72	5.9405G	-31.51	-24.17	-7.34	1
6195MHz	Pass	6.189926G	-3.48	6.175325G	-36.34	-29.90	-6.44	1
6415MHz	Pass	6.409976G	-3.45	6.39705G	-35.09	-28.46	-6.63	1
6435MHz	Pass	6.437449G	-3.40	6.420375G	-32.70	-24.22	-8.48	1
6475MHz	Pass	6.467777G	-3.52	6.4577G	-34.44	-27.34	-7.10	1
6515MHz	Pass	6.511101G	-3.51	6.500525G	-32.47	-25.38	-7.09	1
6535MHz	Pass	6.532101G	-3.58	6.51625G	-35.78	-27.65	-8.13	1
6695MHz	Pass	6.697G	-4.54	6.67815G	-35.21	-28.33	-6.88	1
6875MHz	Pass	6.87355G	-3.90	6.85645G	-35.35	-28.16	-7.19	1
6895MHz	Pass	6.897649G	-4.16	6.9111G	-34.32	-25.71	-8.61	1
6995MHz	Pass	6.997574G	-2.70	6.9793G	-32.25	-23.75	-8.50	1
7095MHz	Pass	7.093725G	-3.77	7.07965G	-33.14	-24.74	-8.40	1
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.967799G	2.16	5.99565G	-27.86	-21.17	-6.69	1
6205MHz	Pass	6.209199G	1.94	6.1832G	-26.08	-18.09	-7.99	1
6405MHz	Pass	6.417197G	1.06	6.3699G	-30.16	-24.07	-6.09	1
6445MHz	Pass	6.440101G	1.13	6.40955G	-31.15	-24.47	-6.68	1
6485MHz	Pass	6.479101G	1.46	6.44755G	-32.05	-24.79	-7.26	1
6525MHz	Pass	6.511303G	1.54	6.48925G	-30.81	-23.42	-7.39	1
6565MHz	Pass	6.580096G	1.64	6.5972G	-29.63	-22.30	-7.33	1
6685MHz	Pass	6.687249G	0.83	6.6547G	-29.54	-19.24	-10.30	1
6885MHz	Pass	6.878652G	1.32	6.8581G	-28.61	-19.54	-9.07	1
6925MHz	Pass	6.915602G	1.19	6.89415G	-30.21	-19.01	-11.20	1
7005MHz	Pass	6.999901G	2.87	6.9685G	-30.51	-22.70	-7.81	1
7085MHz	Pass	7.079151G	0.38	7.0574G	-27.10	-20.20	-6.90	1
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.994G	-0.52	6.0286G	-28.85	-20.53	-8.32	1
6225MHz	Pass	6.2117G	-0.14	6.2676G	-28.97	-20.25	-8.72	1
6385MHz	Pass	6.3716G	-0.51	6.3432G	-27.16	-20.55	-6.61	1
6465MHz	Pass	6.4735G	-0.20	6.4224G	-27.23	-20.34	-6.89	1
6545MHz	Pass	6.5306G	-0.22	6.5017G	-27.78	-20.41	-7.37	1
6625MHz	Pass	6.6125G	-0.39	6.5688G	-31.11	-22.88	-8.23	1
6705MHz	Pass	6.693G	-0.61	6.663G	-27.50	-20.63	-6.87	1
6785MHz	Pass	6.7724G	-0.35	6.742G	-28.48	-20.43	-8.05	1
6865MHz	Pass	6.876G	-1.03	6.9078G	-28.31	-21.05	-7.26	1
6945MHz	Pass	6.9345G	-0.02	6.9007G	-28.23	-20.23	-8.00	1
7025MHz	Pass	6.99761G	-0.30	6.9804G	-28.16	-20.39	-7.77	1
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05039G	2.61	6.2678G	-44.53	-36.99	-7.54	1
6185MHz	Pass	6.15981G	1.86	6.428G	-45.88	-37.11	-8.77	1
6345MHz	Pass	6.31861G	1.47	6.5884G	-46.32	-38.22	-8.10	1
6505MHz	Pass	6.53139G	1.72	6.262G	-46.02	-37.34	-8.68	1
6665MHz	Pass	6.60182G	1.50	6.912G	-47.53	-38.24	-9.29	1
6825MHz	Pass	6.79961G	1.50	6.5828G	-46.01	-37.92	-8.09	1
6985MHz	Pass	6.9702G	1.71	6.742G	-44.59	-37.45	-7.14	1
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20897G	1.40	6.2698G	-23.43	-18.61	-4.82	1
6265MHz	Pass	6.29939G	1.12	6.765G	-46.09	-38.88	-7.21	1
6425MHz	Pass	6.38061G	0.36	6.919G	-47.13	-39.64	-7.49	1
6585MHz	Pass	6.54061G	1.13	6.0946G	-45.17	-38.63	-6.54	1
6745MHz	Pass	6.63903G	1.36	6.249G	-43.87	-38.64	-5.23	1
6905MHz	Pass	6.93939G	0.58	6.4034G	-44.54	-39.42	-5.12	1

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

09/03/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

09/03/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

09/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

09/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

09/03/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

09/03/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

09/03/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

09/03/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.693G	-0.61	6.663G	-27.50	-20.63	-6.87	1


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

09/03/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79961G	1.50	6.5828G	-46.01	-37.92	-8.09	1

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

09/03/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

09/03/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

09/03/2026





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

09/03/2026





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.960074G	-3.48	5.974225G	-35.90	-29.77	-6.13	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.977447G	1.08	6.0013G	-30.95	-24.86	-6.09	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.9937G	-0.51	6.0273G	-26.94	-20.52	-6.42	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.05759G	2.63	6.2718G	-43.56	-37.36	-6.20	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.29219G	1.09	6.7554G	-45.09	-38.77	-6.32	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.480524G	-5.26	6.4931G	-36.85	-30.28	-6.57	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.527599G	-0.31	6.4883G	-32.48	-25.92	-6.56	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.4786G	-0.11	6.4233G	-27.05	-20.13	-6.92	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.48201G	2.40	6.2608G	-44.46	-37.21	-7.25	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.48862G	1.95	6.0618G	-43.46	-38.05	-5.41	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.688852G	-6.30	6.677525G	-36.15	-30.16	-5.99	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.671203G	-0.53	6.65255G	-31.47	-24.07	-7.40	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.6299G	0.10	6.5833G	-26.86	-19.90	-6.96	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.79561G	2.24	6.5818G	-43.61	-36.85	-6.76	2
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.70941G	1.92	6.2294G	-42.97	-38.08	-4.89	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	7.091376G	-6.95	7.076425G	-38.26	-32.18	-6.08	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	7.078702G	-2.21	7.04825G	-33.18	-27.95	-5.23	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.9331G	0.53	6.9022G	-26.15	-19.60	-6.55	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.96181G	1.68	6.7416G	-44.54	-37.72	-6.82	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960074G	-3.48	5.974225G	-35.90	-29.77	-6.13	1
5955MHz	Pass	5.959999G	-4.43	5.969775G	-32.67	-24.79	-7.88	2
6195MHz	Pass	6.189276G	-3.51	6.17655G	-35.84	-28.78	-7.06	1
6195MHz	Pass	6.1959G	-3.77	6.21055G	-33.67	-24.88	-8.79	2
6415MHz	Pass	6.418599G	-3.99	6.399625G	-33.66	-25.78	-7.88	1
6415MHz	Pass	6.410001G	-4.28	6.39685G	-35.70	-28.49	-7.21	2
6435MHz	Pass	6.438524G	-4.17	6.42035G	-33.32	-24.33	-8.99	1
6435MHz	Pass	6.440599G	-4.69	6.4179G	-35.20	-28.48	-6.72	2
6475MHz	Pass	6.480524G	-5.26	6.4931G	-36.85	-30.28	-6.57	1
6475MHz	Pass	6.478899G	-5.60	6.45895G	-35.25	-27.31	-7.94	2
6515MHz	Pass	6.513875G	-4.01	6.498525G	-33.96	-27.16	-6.80	1
6515MHz	Pass	6.513G	-4.19	6.4961G	-36.08	-29.11	-6.97	2
6535MHz	Pass	6.531576G	-4.70	6.520025G	-33.72	-27.11	-6.61	1
6535MHz	Pass	6.527627G	-5.13	6.5542G	-37.49	-30.52	-6.97	2
6695MHz	Pass	6.688852G	-6.30	6.677525G	-36.15	-30.16	-5.99	1
6695MHz	Pass	6.688002G	-6.34	6.67945G	-35.32	-28.78	-6.54	2
6875MHz	Pass	6.877249G	-5.23	6.857325G	-36.09	-28.91	-7.18	1
6875MHz	Pass	6.872526G	-4.89	6.8587G	-34.59	-26.53	-8.06	2
6895MHz	Pass	6.899049G	-5.00	6.878375G	-35.20	-27.34	-7.86	1
6895MHz	Pass	6.897324G	-4.24	6.878675G	-34.43	-26.17	-8.26	2
6995MHz	Pass	6.987452G	-4.43	6.97985G	-33.72	-26.20	-7.52	1
6995MHz	Pass	6.991051G	-5.14	6.97855G	-35.08	-27.90	-7.18	2
7095MHz	Pass	7.091376G	-6.95	7.076425G	-38.26	-32.18	-6.08	1
7095MHz	Pass	7.092576G	-7.42	7.07855G	-37.12	-27.95	-9.17	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.972848G	0.95	6.00315G	-31.74	-25.31	-6.43	1
5965MHz	Pass	5.977447G	1.08	6.0013G	-30.95	-24.86	-6.09	2
6205MHz	Pass	6.218547G	-0.01	6.16725G	-33.47	-25.70	-7.77	1
6205MHz	Pass	6.208649G	-0.56	6.1684G	-33.10	-26.51	-6.59	2
6405MHz	Pass	6.398702G	0.22	6.37565G	-30.17	-19.90	-10.27	1
6405MHz	Pass	6.410899G	0.26	6.36765G	-33.29	-24.93	-8.36	2
6445MHz	Pass	6.438852G	0.39	6.4109G	-31.05	-23.06	-7.99	1
6445MHz	Pass	6.452248G	0.50	6.40825G	-32.76	-24.84	-7.92	2
6485MHz	Pass	6.496797G	0.32	6.4489G	-32.75	-25.39	-7.36	1
6485MHz	Pass	6.473203G	0.17	6.45475G	-30.09	-22.45	-7.64	2
6525MHz	Pass	6.510704G	-0.36	6.4983G	-29.28	-22.15	-7.13	1
6525MHz	Pass	6.527599G	-0.31	6.4883G	-32.48	-25.92	-6.56	2
6565MHz	Pass	6.561801G	-0.26	6.5386G	-29.45	-20.56	-8.89	1
6565MHz	Pass	6.553053G	-0.05	6.5326G	-30.93	-20.76	-10.17	2
6685MHz	Pass	6.689299G	-0.53	6.65455G	-30.84	-23.40	-7.44	1
6685MHz	Pass	6.671203G	-0.53	6.65255G	-31.47	-24.07	-7.40	2
6885MHz	Pass	6.893648G	-0.36	6.9179G	-32.07	-24.48	-7.59	1
6885MHz	Pass	6.871353G	-0.18	6.91735G	-31.54	-23.39	-8.15	2
6925MHz	Pass	6.911703G	0.33	6.8983G	-28.67	-21.26	-7.41	1
6925MHz	Pass	6.918602G	-0.56	6.8906G	-32.49	-24.77	-7.72	2
7005MHz	Pass	6.995902G	0.19	6.968G	-32.71	-25.61	-7.10	1
7005MHz	Pass	6.993803G	-0.42	6.98315G	-26.56	-20.42	-6.14	2
7085MHz	Pass	7.081851G	-1.95	7.11645G	-31.02	-23.99	-7.03	1
7085MHz	Pass	7.078702G	-2.21	7.04825G	-33.18	-27.95	-5.23	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9937G	-0.51	6.0273G	-26.94	-20.52	-6.42	1
5985MHz	Pass	5.9988G	0.17	6.0272G	-26.90	-19.89	-7.01	2
6225MHz	Pass	6.2339G	-0.48	6.1709G	-31.58	-22.59	-8.99	1
6225MHz	Pass	6.2389G	-0.11	6.1812G	-29.29	-20.15	-9.14	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3777G	-0.48	6.3421G	-27.38	-20.70	-6.68	1
6385MHz	Pass	6.3736G	-0.40	6.3421G	-28.98	-20.44	-8.54	2
6465MHz	Pass	6.4792G	-0.03	6.4218G	-28.56	-20.09	-8.47	1
6465MHz	Pass	6.4786G	-0.11	6.4233G	-27.05	-20.13	-6.92	2
6545MHz	Pass	6.5332G	0.16	6.502G	-27.54	-19.94	-7.60	1
6545MHz	Pass	6.5375G	0.21	6.5018G	-27.43	-19.85	-7.58	2
6625MHz	Pass	6.6107G	-0.46	6.5823G	-27.89	-20.55	-7.34	1
6625MHz	Pass	6.6299G	0.10	6.5833G	-26.86	-19.90	-6.96	2
6705MHz	Pass	6.7137G	-0.44	6.6623G	-27.62	-20.55	-7.07	1
6705MHz	Pass	6.7225G	0.09	6.6617G	-27.73	-20.12	-7.61	2
6785MHz	Pass	6.7693G	-0.17	6.7427G	-27.25	-20.18	-7.07	1
6785MHz	Pass	6.7981G	-0.37	6.7425G	-28.43	-20.42	-8.01	2
6865MHz	Pass	6.8576G	-0.62	6.8225G	-28.77	-20.69	-8.08	1
6865MHz	Pass	6.8785G	-0.32	6.8221G	-28.33	-20.36	-7.97	2
6945MHz	Pass	6.9324G	0.10	6.9034G	-27.06	-19.92	-7.14	1
6945MHz	Pass	6.9331G	0.53	6.9022G	-26.15	-19.60	-6.55	2
7025MHz	Pass	6.99801G	-0.77	6.9687G	-30.38	-23.14	-7.24	1
7025MHz	Pass	6.99691G	-0.40	6.981G	-27.43	-20.42	-7.01	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05099G	2.64	6.2734G	-44.26	-37.36	-6.90	1
6025MHz	Pass	6.05759G	2.63	6.2718G	-43.56	-37.36	-6.20	2
6185MHz	Pass	6.15741G	1.91	6.4324G	-45.66	-37.70	-7.96	1
6185MHz	Pass	6.12901G	1.76	6.433G	-45.24	-38.24	-7.00	2
6345MHz	Pass	6.28302G	1.62	6.5886G	-45.91	-37.81	-8.10	1
6345MHz	Pass	6.37359G	2.20	6.5886G	-44.47	-37.33	-7.14	2
6505MHz	Pass	6.52859G	1.90	6.2604G	-46.31	-37.49	-8.82	1
6505MHz	Pass	6.48201G	2.40	6.2608G	-44.46	-37.21	-7.25	2
6665MHz	Pass	6.63721G	1.80	6.4218G	-46.39	-37.57	-8.82	1
6665MHz	Pass	6.63981G	2.30	6.909G	-45.19	-36.91	-8.28	2
6825MHz	Pass	6.74962G	1.79	6.582G	-45.56	-37.46	-8.10	1
6825MHz	Pass	6.79561G	2.24	6.5818G	-43.61	-36.85	-6.76	2
6985MHz	Pass	6.96181G	1.68	6.7416G	-44.54	-37.72	-6.82	1
6985MHz	Pass	6.96121G	2.31	6.7402G	-44.90	-37.20	-7.70	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05861G	1.36	6.545G	-41.09	-34.73	-6.36	1
6105MHz	Pass	6.13659G	1.38	6.517G	-39.26	-32.74	-6.52	2
6265MHz	Pass	6.23061G	1.21	6.7594G	-45.87	-38.65	-7.22	1
6265MHz	Pass	6.29219G	1.09	6.7554G	-45.09	-38.77	-6.32	2
6425MHz	Pass	6.32982G	0.52	6.927G	-46.99	-39.48	-7.51	1
6425MHz	Pass	6.38061G	1.38	6.9298G	-44.97	-38.62	-6.35	2
6585MHz	Pass	6.55541G	1.22	6.0878G	-44.89	-38.78	-6.11	1
6585MHz	Pass	6.48862G	1.95	6.0618G	-43.46	-38.05	-5.41	2
6745MHz	Pass	6.69781G	1.59	6.2518G	-43.29	-38.28	-5.01	1
6745MHz	Pass	6.70941G	1.92	6.2294G	-42.97	-38.08	-4.89	2
6905MHz	Pass	6.87061G	-0.27	6.4138G	-45.95	-40.09	-5.86	1
6905MHz	Pass	6.86901G	-0.46	6.4122G	-46.63	-40.40	-6.23	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

09/03/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.960074G	-3.48	5.974225G	-35.90	-29.77	-6.13	1
5.959999G	-4.43	5.969775G	-32.67	-24.79	-7.88	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

09/03/2026

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.972848G	0.95	6.00315G	-31.74	-25.31	-6.43	1
5.977447G	1.08	6.0013G	-30.95	-24.86	-6.09	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

09/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9937G	-0.51	6.0273G	-26.94	-20.52	-6.42	1
5.9988G	0.17	6.0272G	-26.90	-19.89	-7.01	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

09/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	2.64	6.2734G	-44.26	-37.36	-6.90	1
6.05759G	2.63	6.2718G	-43.56	-37.36	-6.20	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

09/03/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23061G	1.21	6.7594G	-45.87	-38.65	-7.22	1
6.29219G	1.09	6.7554G	-45.09	-38.77	-6.32	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

09/03/2026

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.480524G	-5.26	6.4931G	-36.85	-30.28	-6.57	1
6.478899G	-5.60	6.45895G	-35.25	-27.31	-7.94	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

09/03/2026



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

09/03/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688852G	-6.30	6.677525G	-36.15	-30.16	-5.99	1
6.688002G	-6.34	6.67945G	-35.32	-28.78	-6.54	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

09/03/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689299G	-0.53	6.65455G	-30.84	-23.40	-7.44	1
6.671203G	-0.53	6.65255G	-31.47	-24.07	-7.40	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

09/03/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6107G	-0.46	6.5823G	-27.89	-20.55	-7.34	1
6.6299G	0.10	6.5833G	-26.86	-19.90	-6.96	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

09/03/2026

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74962G	1.79	6.582G	-45.56	-37.46	-8.10	1
6.79561G	2.24	6.5818G	-43.61	-36.85	-6.76	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

09/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69781G	1.59	6.2518G	-43.29	-38.28	-5.01	1
6.70941G	1.92	6.2294G	-42.97	-38.08	-4.89	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

09/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.091376G	-6.95	7.076425G	-38.26	-32.18	-6.08	1
7.092576G	-7.42	7.07855G	-37.12	-27.95	-9.17	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

09/03/2026

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.081851G	-1.95	7.11645G	-31.02	-23.99	-7.03	1
7.078702G	-2.21	7.04825G	-33.18	-27.95	-5.23	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

09/03/2026

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9324G	0.10	6.9034G	-27.06	-19.92	-7.14	1
6.9331G	0.53	6.9022G	-26.15	-19.60	-6.55	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

09/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96181G	1.68	6.7416G	-44.54	-37.72	-6.82	1
6.96121G	2.31	6.7402G	-44.90	-37.20	-7.70	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.407377G	-5.15	6.397175G	-36.10	-30.13	-5.97	2
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.401501G	-0.42	6.36805G	-32.98	-26.83	-6.15	1
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.01409G	-0.33	6.0272G	-26.49	-20.41	-6.08	2
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.05859G	2.68	6.2724G	-43.96	-37.32	-6.64	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.14099G	1.41	6.2698G	-22.96	-18.60	-4.36	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.438774G	-4.90	6.4511G	-34.53	-28.27	-6.26	2
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.521401G	0.61	6.4901G	-31.12	-24.54	-6.58	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.5326G	-0.13	6.5033G	-26.56	-20.13	-6.43	2
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.47841G	2.28	6.2614G	-44.26	-37.06	-7.20	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.53861G	1.82	6.091G	-42.97	-38.18	-4.79	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.69445G	-4.30	6.7144G	-36.87	-30.25	-6.62	2
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.560151G	1.00	6.5277G	-31.57	-24.74	-6.83	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.8623G	-0.78	6.823G	-28.18	-20.82	-7.36	1
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.76821G	1.97	6.5736G	-44.91	-38.03	-6.88	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.65022G	1.74	6.2502G	-42.48	-38.25	-4.23	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.990001G	-3.11	6.9735G	-37.11	-30.88	-6.23	1
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.997702G	1.71	6.96785G	-30.25	-23.65	-6.60	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.99421G	-0.30	6.9761G	-28.25	-21.70	-6.55	2
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.95681G	1.88	6.7428G	-44.52	-37.26	-7.26	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.949951G	-3.16	5.969525G	-31.78	-25.24	-6.54	1
5955MHz	Pass	5.953825G	-3.64	5.969675G	-32.13	-26.01	-6.12	2
6195MHz	Pass	6.1943G	-3.49	6.176675G	-35.44	-28.77	-6.67	1
6195MHz	Pass	6.19635G	-3.90	6.17725G	-35.28	-27.20	-8.08	2
6415MHz	Pass	6.406852G	-4.96	6.40125G	-32.77	-25.17	-7.60	1
6415MHz	Pass	6.407377G	-5.15	6.397175G	-36.10	-30.13	-5.97	2
6435MHz	Pass	6.427827G	-4.09	6.419325G	-34.30	-26.25	-8.05	1
6435MHz	Pass	6.438774G	-4.90	6.4511G	-34.53	-28.27	-6.26	2
6475MHz	Pass	6.474175G	-4.24	6.49335G	-36.02	-29.54	-6.48	1
6475MHz	Pass	6.478774G	-4.24	6.4576G	-35.16	-27.02	-8.14	2
6515MHz	Pass	6.513675G	-4.11	6.499G	-34.44	-27.25	-7.19	1
6515MHz	Pass	6.513675G	-4.25	6.4955G	-36.89	-29.88	-7.01	2
6535MHz	Pass	6.533625G	-3.60	6.521575G	-31.80	-23.64	-8.16	1
6535MHz	Pass	6.538874G	-3.66	6.5175G	-34.87	-27.99	-6.88	2
6695MHz	Pass	6.692001G	-4.52	6.677975G	-35.31	-28.09	-7.22	1
6695MHz	Pass	6.69445G	-4.30	6.7144G	-36.87	-30.25	-6.62	2
6875MHz	Pass	6.882548G	-4.15	6.894875G	-36.87	-30.18	-6.69	1
6875MHz	Pass	6.870001G	-2.87	6.856075G	-35.46	-28.71	-6.75	2
6895MHz	Pass	6.893825G	-3.80	6.8808G	-32.72	-24.91	-7.81	1
6895MHz	Pass	6.889901G	-3.17	6.913025G	-34.54	-28.02	-6.52	2
6995MHz	Pass	6.990001G	-3.11	6.9735G	-37.11	-30.88	-6.23	1
6995MHz	Pass	6.999474G	-3.85	6.9772G	-35.37	-28.81	-6.56	2
7095MHz	Pass	7.092501G	-6.16	7.08045G	-35.11	-27.56	-7.55	1
7095MHz	Pass	7.093725G	-6.97	7.0799G	-35.84	-28.82	-7.02	2
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.979696G	1.04	5.99725G	-29.41	-20.25	-9.16	1
5965MHz	Pass	5.967649G	1.28	5.99725G	-28.86	-20.11	-8.75	2
6205MHz	Pass	6.199901G	2.03	6.1692G	-31.08	-22.61	-8.47	1
6205MHz	Pass	6.209049G	1.53	6.17045G	-30.53	-22.71	-7.82	2
6405MHz	Pass	6.401501G	-0.42	6.36805G	-32.98	-26.83	-6.15	1
6405MHz	Pass	6.400151G	-0.33	6.36745G	-33.41	-26.20	-7.21	2
6445MHz	Pass	6.441551G	0.26	6.40775G	-31.86	-25.27	-6.59	1
6445MHz	Pass	6.450149G	0.43	6.47635G	-30.64	-20.01	-10.63	2
6485MHz	Pass	6.481901G	0.60	6.51585G	-29.85	-20.29	-9.56	1
6485MHz	Pass	6.478702G	0.60	6.45295G	-30.45	-22.91	-7.54	2
6525MHz	Pass	6.518502G	0.73	6.5573G	-29.91	-23.32	-6.59	1
6525MHz	Pass	6.521401G	0.61	6.4901G	-31.12	-24.54	-6.58	2
6565MHz	Pass	6.560101G	0.95	6.53275G	-30.28	-20.44	-9.84	1
6565MHz	Pass	6.560151G	1.00	6.5277G	-31.57	-24.74	-6.83	2
6685MHz	Pass	6.677952G	0.49	6.6481G	-31.41	-23.40	-8.01	1
6685MHz	Pass	6.678952G	0.64	6.6568G	-28.87	-20.57	-8.30	2
6885MHz	Pass	6.881151G	0.79	6.9123G	-28.63	-19.93	-8.70	1
6885MHz	Pass	6.878102G	1.34	6.91705G	-29.99	-19.28	-10.71	2
6925MHz	Pass	6.932998G	1.16	6.8883G	-31.75	-24.34	-7.41	1
6925MHz	Pass	6.916902G	0.25	6.95685G	-30.32	-20.93	-9.39	2
7005MHz	Pass	6.997952G	1.90	6.97175G	-29.05	-21.82	-7.23	1
7005MHz	Pass	6.997702G	1.71	6.96785G	-30.25	-23.65	-6.60	2
7085MHz	Pass	7.088549G	-0.76	7.04915G	-30.89	-23.63	-7.26	1
7085MHz	Pass	7.079001G	-0.99	7.05835G	-28.33	-21.01	-7.32	2
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9785G	-0.65	6.0403G	-31.07	-22.99	-8.08	1
5985MHz	Pass	6.01409G	-0.33	6.0272G	-26.49	-20.41	-6.08	2
6225MHz	Pass	6.2422G	-0.43	6.1816G	-27.89	-20.44	-7.45	1
6225MHz	Pass	6.24G	-0.04	6.1689G	-30.97	-22.40	-8.57	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3726G	-0.61	6.3416G	-28.67	-20.64	-8.03	1
6385MHz	Pass	6.3758G	-0.28	6.3434G	-27.55	-20.30	-7.25	2
6465MHz	Pass	6.458G	-0.44	6.4124G	-30.64	-22.15	-8.49	1
6465MHz	Pass	6.4574G	-0.10	6.4214G	-28.80	-20.15	-8.65	2
6545MHz	Pass	6.5332G	-0.18	6.5025G	-28.04	-20.21	-7.83	1
6545MHz	Pass	6.5326G	-0.13	6.5033G	-26.56	-20.13	-6.43	2
6625MHz	Pass	6.6177G	-0.43	6.5743G	-30.18	-21.83	-8.35	1
6625MHz	Pass	6.6125G	0.35	6.5815G	-27.55	-19.66	-7.89	2
6705MHz	Pass	6.6924G	-0.43	6.6483G	-31.35	-23.04	-8.31	1
6705MHz	Pass	6.6937G	0.13	6.663G	-27.54	-19.91	-7.63	2
6785MHz	Pass	6.7736G	0.10	6.7409G	-28.78	-20.05	-8.73	1
6785MHz	Pass	6.7969G	-0.32	6.7287G	-30.68	-22.88	-7.80	2
6865MHz	Pass	6.8623G	-0.78	6.823G	-28.18	-20.82	-7.36	1
6865MHz	Pass	6.8779G	-0.68	6.822G	-28.35	-20.92	-7.43	2
6945MHz	Pass	6.9339G	0.03	6.9023G	-27.52	-20.13	-7.39	1
6945MHz	Pass	6.9371G	0.29	6.9033G	-27.17	-19.73	-7.44	2
7025MHz	Pass	6.99251G	-0.80	6.9758G	-29.51	-20.86	-8.65	1
7025MHz	Pass	6.99421G	-0.30	6.9761G	-28.25	-21.70	-6.55	2
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04939G	2.40	6.2694G	-44.05	-37.24	-6.81	1
6025MHz	Pass	6.05859G	2.68	6.2724G	-43.96	-37.32	-6.64	2
6185MHz	Pass	6.21399G	1.87	6.432G	-45.56	-37.77	-7.79	1
6185MHz	Pass	6.15681G	1.89	6.4272G	-44.17	-36.97	-7.20	2
6345MHz	Pass	6.36819G	1.47	6.5874G	-46.22	-37.69	-8.53	1
6345MHz	Pass	6.31781G	2.13	6.0998G	-45.45	-37.54	-7.91	2
6505MHz	Pass	6.47721G	1.47	6.262G	-46.00	-37.88	-8.12	1
6505MHz	Pass	6.47841G	2.28	6.2614G	-44.26	-37.06	-7.20	2
6665MHz	Pass	6.63881G	1.28	6.4206G	-46.85	-38.08	-8.77	1
6665MHz	Pass	6.63881G	2.19	6.911G	-45.29	-37.40	-7.89	2
6825MHz	Pass	6.79921G	1.80	6.5828G	-45.26	-37.15	-8.11	1
6825MHz	Pass	6.76821G	1.97	6.5736G	-44.91	-38.03	-6.88	2
6985MHz	Pass	6.95681G	1.88	6.7428G	-44.52	-37.26	-7.26	1
6985MHz	Pass	6.92821G	1.79	6.7418G	-45.20	-37.68	-7.52	2
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06981G	1.41	6.587G	-44.11	-37.83	-6.28	1
6105MHz	Pass	6.14099G	1.41	6.2698G	-22.96	-18.60	-4.36	2
6265MHz	Pass	6.29899G	1.22	6.7462G	-45.04	-37.78	-7.26	1
6265MHz	Pass	6.23221G	0.87	6.7582G	-45.61	-39.09	-6.52	2
6425MHz	Pass	6.37421G	0.51	6.5898G	-26.15	-19.50	-6.65	1
6425MHz	Pass	6.37941G	1.33	6.9222G	-44.92	-38.67	-6.25	2
6585MHz	Pass	6.55821G	0.90	6.0938G	-45.15	-38.92	-6.23	1
6585MHz	Pass	6.53861G	1.82	6.091G	-42.97	-38.18	-4.79	2
6745MHz	Pass	6.64942G	1.23	6.247G	-44.09	-38.77	-5.32	1
6745MHz	Pass	6.65022G	1.74	6.2502G	-42.48	-38.25	-4.23	2
6905MHz	Pass	6.86061G	0.31	6.4222G	-43.76	-38.80	-4.96	1
6905MHz	Pass	6.93939G	0.01	6.407G	-45.50	-39.99	-5.51	2


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

09/03/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.406852G	-4.96	6.40125G	-32.77	-25.17	-7.60	1
6.407377G	-5.15	6.397175G	-36.10	-30.13	-5.97	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

09/03/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401501G	-0.42	6.36805G	-32.98	-26.83	-6.15	1
6.400151G	-0.33	6.36745G	-33.41	-26.20	-7.21	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

09/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9785G	-0.65	6.0403G	-31.07	-22.99	-8.08	1
6.01409G	-0.33	6.0272G	-26.49	-20.41	-6.08	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

09/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04939G	2.40	6.2694G	-44.05	-37.24	-6.81	1
6.05859G	2.68	6.2724G	-43.96	-37.32	-6.64	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

09/03/2026



6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

09/03/2026

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518502G	0.73	6.5573G	-29.91	-23.32	-6.59	1
6.521401G	0.61	6.4901G	-31.12	-24.54	-6.58	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

09/03/2026

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5332G	-0.18	6.5025G	-28.04	-20.21	-7.83	1
6.5326G	-0.13	6.5033G	-26.56	-20.13	-6.43	2

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

09/03/2026




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

09/03/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

09/03/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

09/03/2026



6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

09/03/2026

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8623G	-0.78	6.823G	-28.18	-20.82	-7.36	1
6.8779G	-0.68	6.822G	-28.35	-20.92	-7.43	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

09/03/2026

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79921G	1.80	6.5828G	-45.26	-37.15	-8.11	1
6.76821G	1.97	6.5736G	-44.91	-38.03	-6.88	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

09/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64942G	1.23	6.247G	-44.09	-38.77	-5.32	1
6.65022G	1.74	6.2502G	-42.48	-38.25	-4.23	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

09/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.990001G	-3.11	6.9735G	-37.11	-30.88	-6.23	1
6.999474G	-3.85	6.9772G	-35.37	-28.81	-6.56	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

09/03/2026

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.997952G	1.90	6.97175G	-29.05	-21.82	-7.23	1
6.997702G	1.71	6.96785G	-30.25	-23.65	-6.60	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

09/03/2026

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99251G	-0.80	6.9758G	-29.51	-20.86	-8.65	1
6.99421G	-0.30	6.9761G	-28.25	-21.70	-6.55	2

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

09/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95681G	1.88	6.7428G	-44.52	-37.26	-7.26	1
6.92821G	1.79	6.7418G	-45.20	-37.68	-7.52	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	5.9754G	-1.93	6.1306G	-55.25	-41.93	-13.32	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	Pass	6.04799G	1.08	6.108G	-28.10	-18.94	-9.16	1
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	Pass	6.20977G	0.53	6.2698G	-23.68	-19.48	-4.20	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX	Pass	6.80063G	-0.09	6.403G	-46.09	-40.09	-6.00	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_1TX	Pass	7.0089G	-2.77	6.8895G	-54.72	-42.77	-11.95	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX	Pass	6.95921G	1.87	6.742G	-45.66	-37.29	-8.37	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9754G	-1.93	6.1306G	-55.25	-41.93	-13.32	1
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0089G	-2.77	6.8895G	-54.72	-42.77	-11.95	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04799G	1.08	6.108G	-28.10	-18.94	-9.16	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05239G	1.35	6.2682G	-49.29	-38.31	-10.98	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95921G	1.87	6.742G	-45.66	-37.29	-8.37	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92182G	1.62	6.7406G	-47.10	-37.74	-9.36	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07061G	0.80	5.9402G	-28.04	-19.21	-8.83	1
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20977G	0.53	6.2698G	-23.68	-19.48	-4.20	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.14179G	0.73	5.9402G	-27.10	-19.28	-7.82	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80063G	-0.09	6.403G	-46.09	-40.09	-6.00	1
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.79983G	-0.40	6.4142G	-47.22	-40.19	-7.03	1
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_1TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87101G	0.33	6.4066G	-49.23	-39.67	-9.56	1

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

MASK

5985MHz_TX

24/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

MASK

6025MHz_TX

24/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

MASK

6105MHz_TX

24/03/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX

MASK

6905MHz_TX

24/03/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_1TX

MASK

7025MHz_TX

24/03/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX

MASK

6985MHz_TX

11/03/2026



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	6.02229G	0.16	6.1064G	-51.03	-39.44	-11.59	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX	Pass	6.04999G	2.62	6.2692G	-47.66	-36.99	-10.67	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX	Pass	6.15179G	0.50	6.5026G	-40.44	-32.49	-7.95	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX	Pass	6.80982G	-0.11	6.4166G	-46.43	-39.72	-6.71	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	Pass	7.0129G	-3.31	6.883G	-54.86	-43.31	-11.55	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	6.93001G	1.07	6.7392G	-47.62	-38.68	-8.94	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9699G	-0.05	6.1067G	-52.23	-39.45	-12.78	1
5985MHz	Pass	6.02229G	0.16	6.1064G	-51.03	-39.44	-11.59	2
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0113G	-3.29	6.8949G	-54.93	-43.29	-11.64	1
7025MHz	Pass	7.0129G	-3.31	6.883G	-54.86	-43.31	-11.55	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05419G	2.64	6.2676G	-47.71	-36.55	-11.16	1
6025MHz	Pass	6.04999G	2.62	6.2692G	-47.66	-36.99	-10.67	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04999G	1.83	6.2682G	-49.23	-37.45	-11.78	1
6025MHz	Pass	6.04839G	2.06	6.269G	-48.57	-37.53	-11.04	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91802G	0.43	6.737G	-48.55	-39.57	-8.98	1
6985MHz	Pass	6.92821G	0.63	6.7408G	-47.96	-38.80	-9.16	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93001G	1.07	6.7392G	-47.62	-38.68	-8.94	1
6985MHz	Pass	6.91022G	0.99	6.7418G	-47.92	-38.29	-9.63	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07181G	1.37	6.593G	-47.83	-38.22	-9.61	1
6105MHz	Pass	6.13899G	1.29	6.5974G	-48.73	-38.71	-10.02	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15179G	0.50	6.5026G	-40.44	-32.49	-7.95	1
6105MHz	Pass	6.13819G	0.60	6.2702G	-27.45	-19.40	-8.05	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05941G	0.69	6.8898G	-49.00	-39.31	-9.69	1
6105MHz	Pass	6.15099G	0.82	6.8866G	-49.03	-39.18	-9.85	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.80982G	-0.11	6.4166G	-46.43	-39.72	-6.71	1
6905MHz	Pass	6.93979G	-0.35	6.4026G	-47.63	-40.35	-7.28	2
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.92979G	-0.41	6.4062G	-47.66	-40.41	-7.25	1
6905MHz	Pass	6.79983G	-0.62	6.4086G	-48.06	-40.62	-7.44	2
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.87141G	-0.16	6.407G	-49.36	-40.16	-9.20	1
6905MHz	Pass	6.87141G	0.46	6.4114G	-49.00	-39.53	-9.47	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

11/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_2TX

MASK

6025MHz_TX

11/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

MASK

6105MHz_TX

24/03/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

MASK

6905MHz_TX

11/03/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

MASK

7025MHz_TX

24/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0113G	-3.29	6.8949G	-54.93	-43.29	-11.64	1
7.0129G	-3.31	6.883G	-54.86	-43.31	-11.55	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6985MHz_TX

24/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93001G	1.07	6.7392G	-47.62	-38.68	-8.94	1
6.91022G	0.99	6.7418G	-47.92	-38.29	-9.63	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	6.01149G	0.07	6.1063G	-50.37	-39.60	-10.77	2
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	Pass	6.05139G	2.42	6.2684G	-47.32	-37.08	-10.24	1
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 6_2TX	Pass	6.14019G	1.16	6.2698G	-24.53	-18.85	-5.68	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX	Pass	6.79903G	0.47	6.4062G	-45.75	-39.53	-6.22	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	Pass	7.0113G	-2.01	6.9021G	-53.22	-42.01	-11.21	2
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX	Pass	6.95701G	0.85	6.74G	-46.85	-38.69	-8.16	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9796G	-0.38	6.1116G	-52.98	-40.35	-12.63	1
5985MHz	Pass	6.01149G	0.07	6.1063G	-50.37	-39.60	-10.77	2
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0123G	-2.17	6.8695G	-54.44	-42.17	-12.27	1
7025MHz	Pass	7.0113G	-2.01	6.9021G	-53.22	-42.01	-11.21	2
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05139G	2.42	6.2684G	-47.32	-37.08	-10.24	1
6025MHz	Pass	6.05099G	2.74	6.269G	-47.67	-36.85	-10.82	2
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05179G	2.59	6.268G	-48.47	-36.85	-11.62	1
6025MHz	Pass	6.05799G	2.47	6.2702G	-48.77	-37.29	-11.48	2
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95701G	0.85	6.74G	-46.85	-38.69	-8.16	1
6985MHz	Pass	6.95921G	1.04	6.738G	-47.13	-38.96	-8.17	2
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92821G	1.42	6.7368G	-48.58	-38.58	-10.00	1
6985MHz	Pass	6.92102G	1.34	6.741G	-48.28	-38.25	-10.03	2
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.14019G	0.96	6.2702G	-25.55	-19.04	-6.51	1
6105MHz	Pass	6.14019G	1.16	6.2698G	-24.53	-18.85	-5.68	2
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13859G	0.96	6.5274G	-41.40	-33.92	-7.48	1
6105MHz	Pass	6.13859G	1.17	6.2698G	-25.82	-18.84	-6.98	2
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07261G	1.07	6.8682G	-49.22	-38.93	-10.29	1
6105MHz	Pass	6.15299G	1.15	5.9402G	-28.65	-18.86	-9.79	2
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.79903G	0.47	6.4062G	-45.75	-39.53	-6.22	1
6905MHz	Pass	6.80143G	-0.04	6.4066G	-46.41	-40.04	-6.37	2
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.79983G	0.43	6.409G	-46.98	-39.57	-7.41	1
6905MHz	Pass	6.93019G	-0.20	6.3998G	-47.34	-40.20	-7.14	2
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 10_2TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93899G	-0.27	6.4102G	-49.14	-40.26	-8.88	1
6905MHz	Pass	6.85981G	0.64	6.4198G	-48.44	-38.74	-9.70	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

11/03/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9796G	-0.38	6.1116G	-52.98	-40.35	-12.63	1
6.01149G	0.07	6.1063G	-50.37	-39.60	-10.77	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

MASK

6025MHz_TX

11/03/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05139G	2.42	6.2684G	-47.32	-37.08	-10.24	1
6.05099G	2.74	6.269G	-47.67	-36.85	-10.82	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 6_2TX

MASK

6105MHz_TX

11/03/2026




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX

MASK

6905MHz_TX

11/03/2026




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

MASK

7025MHz_TX

24/03/2026




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX

MASK

6985MHz_TX

24/03/2026



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.422148G	-7.89	6.4491G	-58.01	-47.89	-10.12	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	5.971348G	2.58	6.029G	-47.56	-37.41	-10.15	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.0009G	1.10	6.1052G	-44.77	-38.53	-6.24	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.37099G	1.97	6.4276G	-23.73	-17.63	-6.10	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.00502G	1.82	6.5998G	-42.41	-38.07	-4.34	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.517749G	-7.13	6.551075G	-58.03	-47.13	-10.90	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.437202G	-0.69	6.38275G	-52.10	-40.69	-11.41	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.43471G	0.49	6.5862G	-48.44	-39.51	-8.93	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.44422G	2.00	6.2628G	-44.78	-37.32	-7.46	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.47983G	1.80	6.091G	-41.83	-38.13	-3.70	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.880699G	-5.89	6.91675G	-57.42	-45.89	-11.53	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.673803G	-0.12	6.6239G	-51.77	-40.12	-11.65	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.6901G	0.30	6.8264G	-47.90	-39.40	-8.50	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.68639G	2.01	6.4214G	-45.12	-37.33	-7.79	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.69541G	1.69	6.251G	-41.73	-38.31	-3.42	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.086752G	-7.64	7.058175G	-57.57	-47.64	-9.93	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	7.082651G	-1.63	7.0208G	-51.22	-41.63	-9.59	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.97679G	0.17	6.8237G	-47.45	-39.69	-7.76	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.92302G	2.10	6.9026G	-23.54	-17.90	-5.64	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960049G	-2.14	5.9857G	-55.45	-40.75	-14.70	1
5955MHz	Pass	5.950351G	-2.41	5.99565G	-57.88	-42.41	-15.47	2
6195MHz	Pass	6.198049G	-4.65	6.24135G	-57.18	-44.65	-12.53	1
6195MHz	Pass	6.190101G	-5.50	6.23655G	-57.92	-45.50	-12.42	2
6415MHz	Pass	6.422148G	-7.89	6.4491G	-58.01	-47.89	-10.12	1
6415MHz	Pass	6.406302G	-7.88	6.463475G	-58.27	-47.88	-10.39	2
6435MHz	Pass	6.432476G	-4.26	6.466475G	-57.20	-44.21	-12.99	1
6435MHz	Pass	6.432576G	-5.35	6.4721G	-57.89	-45.35	-12.54	2
6475MHz	Pass	6.468127G	-5.74	6.441525G	-57.79	-45.74	-12.05	1
6475MHz	Pass	6.479574G	-6.08	6.509625G	-58.06	-46.08	-11.98	2
6515MHz	Pass	6.517749G	-7.13	6.551075G	-58.03	-47.13	-10.90	1
6515MHz	Pass	6.506652G	-7.31	6.479575G	-58.41	-47.31	-11.10	2
6535MHz	Pass	6.5338G	-3.91	6.498775G	-57.64	-43.91	-13.73	1
6535MHz	Pass	6.531201G	-4.35	6.50275G	-57.81	-44.35	-13.46	2
6695MHz	Pass	6.699574G	-5.11	6.65725G	-57.68	-45.11	-12.57	1
6695MHz	Pass	6.689901G	-5.08	6.6558G	-57.85	-45.08	-12.77	2
6875MHz	Pass	6.878674G	-4.60	6.8317G	-57.18	-44.60	-12.58	1
6875MHz	Pass	6.880699G	-5.89	6.91675G	-57.42	-45.89	-11.53	2
6895MHz	Pass	6.892076G	-5.26	6.9336G	-56.89	-45.26	-11.63	1
6895MHz	Pass	6.894575G	-5.13	6.9394G	-57.22	-45.13	-12.09	2
6995MHz	Pass	6.991626G	-5.51	6.9622G	-56.64	-45.51	-11.13	1
6995MHz	Pass	6.991901G	-6.89	6.957425G	-56.94	-46.89	-10.05	2
7095MHz	Pass	7.090101G	-7.31	7.047425G	-57.33	-47.31	-10.02	1
7095MHz	Pass	7.086752G	-7.64	7.058175G	-57.57	-47.64	-9.93	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.969049G	2.68	6.02735G	-48.50	-37.32	-11.18	1
5965MHz	Pass	5.971348G	2.58	6.029G	-47.56	-37.41	-10.15	2
6205MHz	Pass	6.207249G	1.61	6.26745G	-50.01	-38.39	-11.62	1
6205MHz	Pass	6.198852G	1.90	6.2686G	-50.21	-38.10	-12.11	2
6405MHz	Pass	6.401051G	-0.32	6.46745G	-52.08	-40.32	-11.76	1
6405MHz	Pass	6.398052G	-0.40	6.3432G	-51.95	-40.26	-11.69	2
6445MHz	Pass	6.440201G	-0.23	6.50685G	-52.14	-40.23	-11.91	1
6445MHz	Pass	6.437202G	-0.69	6.38275G	-52.10	-40.69	-11.41	2
6485MHz	Pass	6.489349G	-0.05	6.42345G	-51.62	-40.05	-11.57	1
6485MHz	Pass	6.479901G	0.42	6.4232G	-51.79	-39.58	-12.21	2
6525MHz	Pass	6.533698G	-0.51	6.46335G	-52.20	-40.47	-11.73	1
6525MHz	Pass	6.519401G	0.22	6.4636G	-51.93	-39.78	-12.15	2
6565MHz	Pass	6.560501G	0.39	6.5034G	-51.45	-39.35	-12.10	1
6565MHz	Pass	6.558452G	0.20	6.5032G	-52.05	-39.80	-12.25	2
6685MHz	Pass	6.688149G	0.13	6.62325G	-51.98	-39.87	-12.11	1
6685MHz	Pass	6.673803G	-0.12	6.6239G	-51.77	-40.12	-11.65	2
6885MHz	Pass	6.872853G	1.33	6.94655G	-50.96	-38.58	-12.38	1
6885MHz	Pass	6.882251G	0.64	6.94625G	-51.17	-39.36	-11.81	2
6925MHz	Pass	6.935947G	-0.42	6.9861G	-50.64	-40.42	-10.22	1
6925MHz	Pass	6.921951G	-0.21	6.9864G	-51.24	-40.13	-11.11	2
7005MHz	Pass	6.999051G	0.99	6.94295G	-50.85	-39.01	-11.84	1
7005MHz	Pass	6.997302G	-0.44	6.9436G	-50.79	-40.16	-10.63	2
7085MHz	Pass	7.082651G	-1.63	7.0208G	-51.22	-41.63	-9.59	1
7085MHz	Pass	7.088049G	-1.93	7.01955G	-51.79	-41.93	-9.86	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9924G	0.77	6.1079G	-47.12	-39.23	-7.89	1
5985MHz	Pass	6.0009G	1.10	6.1052G	-44.77	-38.53	-6.24	2
6225MHz	Pass	6.2126G	0.80	6.3468G	-47.50	-38.82	-8.68	1
6225MHz	Pass	6.2151G	0.83	6.3519G	-48.50	-39.17	-9.33	2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3909G	-0.08	6.5062G	-50.22	-40.08	-10.14	1
6385MHz	Pass	6.3975G	0.24	6.5075G	-49.57	-39.68	-9.89	2
6465MHz	Pass	6.43471G	0.49	6.5862G	-48.44	-39.51	-8.93	1
6465MHz	Pass	6.4762G	0.46	6.5868G	-49.06	-39.35	-9.71	2
6545MHz	Pass	6.5562G	0.58	6.6667G	-48.68	-39.40	-9.28	1
6545MHz	Pass	6.5327G	0.34	6.4235G	-48.56	-39.39	-9.17	2
6625MHz	Pass	6.59551G	-0.67	6.5033G	-50.25	-40.55	-9.70	1
6625MHz	Pass	6.62G	0.35	6.5037G	-49.41	-39.65	-9.76	2
6705MHz	Pass	6.6936G	0.47	6.8252G	-48.95	-39.46	-9.49	1
6705MHz	Pass	6.6901G	0.30	6.8264G	-47.90	-39.40	-8.50	2
6785MHz	Pass	6.7956G	0.35	6.6634G	-48.42	-39.65	-8.77	1
6785MHz	Pass	6.7736G	0.70	6.9066G	-48.57	-39.25	-9.32	2
6865MHz	Pass	6.8511G	0.84	6.9862G	-47.60	-38.70	-8.90	1
6865MHz	Pass	6.89399G	-0.10	6.9879G	-49.20	-40.10	-9.10	2
6945MHz	Pass	6.97679G	0.17	6.8237G	-47.45	-39.69	-7.76	1
6945MHz	Pass	6.9329G	0.92	6.8227G	-48.22	-39.08	-9.14	2
7025MHz	Pass	6.99681G	0.25	6.9018G	-48.09	-39.75	-8.34	1
7025MHz	Pass	6.99341G	-0.69	6.9034G	-48.57	-40.64	-7.93	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99801G	2.84	6.285G	-44.78	-37.15	-7.63	1
6025MHz	Pass	6.08578G	3.02	6.2672G	-43.32	-36.12	-7.20	2
6185MHz	Pass	6.24838G	2.20	6.4314G	-44.63	-37.74	-6.89	1
6185MHz	Pass	6.12202G	2.03	6.4298G	-45.32	-37.67	-7.65	2
6345MHz	Pass	6.27982G	1.98	6.596G	-46.37	-38.02	-8.35	1
6345MHz	Pass	6.37099G	1.97	6.4276G	-23.73	-17.63	-6.10	2
6505MHz	Pass	6.44422G	2.00	6.2628G	-44.78	-37.32	-7.46	1
6505MHz	Pass	6.48061G	2.01	6.2588G	-45.46	-37.80	-7.66	2
6665MHz	Pass	6.68639G	2.01	6.4214G	-45.12	-37.33	-7.79	1
6665MHz	Pass	6.58902G	2.13	6.3942G	-46.21	-37.87	-8.34	2
6825MHz	Pass	6.85059G	2.06	6.559G	-46.57	-37.76	-8.81	1
6825MHz	Pass	6.76102G	2.70	6.5552G	-45.35	-37.30	-8.05	2
6985MHz	Pass	6.9994G	1.67	6.741G	-44.55	-37.73	-6.82	1
6985MHz	Pass	6.92302G	2.10	6.9026G	-23.54	-17.90	-5.64	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00502G	1.82	6.5998G	-42.41	-38.07	-4.34	1
6105MHz	Pass	6.13859G	2.07	6.5986G	-44.26	-37.92	-6.34	2
6265MHz	Pass	6.29979G	1.59	6.793G	-44.57	-38.41	-6.16	1
6265MHz	Pass	6.40776G	1.19	6.7894G	-44.20	-38.81	-5.39	2
6425MHz	Pass	6.32303G	1.24	6.9198G	-44.33	-38.76	-5.57	1
6425MHz	Pass	6.4398G	1.16	6.925G	-44.15	-38.84	-5.31	2
6585MHz	Pass	6.55221G	1.23	6.0742G	-43.75	-38.58	-5.17	1
6585MHz	Pass	6.47983G	1.80	6.091G	-41.83	-38.13	-3.70	2
6745MHz	Pass	6.69541G	1.69	6.251G	-41.73	-38.31	-3.42	1
6745MHz	Pass	6.60503G	1.86	6.243G	-42.30	-38.14	-4.16	2
6905MHz	Pass	6.85781G	1.92	6.3642G	-41.80	-37.88	-3.92	1
6905MHz	Pass	6.9166G	2.17	6.3878G	-42.32	-37.83	-4.49	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/03/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

26/03/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

26/03/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/03/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

26/03/2026




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

26/03/2026




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

26/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.440201G	-0.23	6.50685G	-52.14	-40.23	-11.91	1
6.437202G	-0.69	6.38275G	-52.10	-40.69	-11.41	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

26/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43471G	0.49	6.5862G	-48.44	-39.51	-8.93	1
6.4762G	0.46	6.5868G	-49.06	-39.35	-9.71	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

26/03/2026




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

26/03/2026



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

26/03/2026

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.878674G	-4.60	6.8317G	-57.18	-44.60	-12.58	1
6.880699G	-5.89	6.91675G	-57.42	-45.89	-11.53	2

Port 1 

Port 2 

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/03/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688149G	0.13	6.62325G	-51.98	-39.87	-12.11	1
6.673803G	-0.12	6.6239G	-51.77	-40.12	-11.65	2

Port 1 

Port 2 

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

26/03/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6936G	0.47	6.8252G	-48.95	-39.46	-9.49	1
6.6901G	0.30	6.8264G	-47.90	-39.40	-8.50	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/03/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68639G	2.01	6.4214G	-45.12	-37.33	-7.79	1
6.58902G	2.13	6.3942G	-46.21	-37.87	-8.34	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

26/03/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69541G	1.69	6.251G	-41.73	-38.31	-3.42	1
6.60503G	1.86	6.243G	-42.30	-38.14	-4.16	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

26/03/2026

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.090101G	-7.31	7.047425G	-57.33	-47.31	-10.02	1
7.086752G	-7.64	7.058175G	-57.57	-47.64	-9.93	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

26/03/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

26/03/2026




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

26/03/2026





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	QP	36.7M	36.51	40.00	-3.49	3	Vertical	185	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6385MHz_Adapter	Pass	PK	144.46M	32.96	43.50	-10.54	3	Vertical	360	1.00
6385MHz_Adapter	Pass	PK	276.38M	31.02	46.00	-14.98	3	Vertical	360	1.00
6385MHz_Adapter	Pass	PK	367.56M	35.19	46.00	-10.81	3	Vertical	360	1.00
6385MHz_Adapter	Pass	PK	495.6M	31.83	46.00	-14.17	3	Vertical	360	1.00
6385MHz_Adapter	Pass	PK	856.44M	33.78	46.00	-12.22	3	Vertical	360	1.00
6385MHz_Adapter	Pass	QP	45.52M	35.32	40.00	-4.68	3	Vertical	295	1.00
6385MHz_Adapter	Pass	PK	111.48M	37.80	43.50	-5.70	3	Horizontal	0	1.00
6385MHz_Adapter	Pass	PK	181.32M	30.86	43.50	-12.64	3	Horizontal	0	1.00
6385MHz_Adapter	Pass	PK	340.4M	41.43	46.00	-4.57	3	Horizontal	0	1.00
6385MHz_Adapter	Pass	PK	373.38M	40.79	46.00	-5.21	3	Horizontal	0	1.00
6385MHz_Adapter	Pass	PK	447.1M	34.81	46.00	-11.19	3	Horizontal	0	1.00
6385MHz_Adapter	Pass	PK	858.38M	31.88	46.00	-14.12	3	Horizontal	0	1.00
6385MHz_PoE	Pass	PK	74.62M	34.19	40.00	-5.81	3	Vertical	0	1.00
6385MHz_PoE	Pass	PK	173.56M	27.88	43.50	-15.62	3	Vertical	0	1.00
6385MHz_PoE	Pass	PK	291.9M	26.35	46.00	-19.65	3	Vertical	0	1.00
6385MHz_PoE	Pass	PK	383.08M	31.90	46.00	-14.10	3	Vertical	0	1.00
6385MHz_PoE	Pass	PK	482.02M	26.84	46.00	-19.16	3	Vertical	0	1.00
6385MHz_PoE	Pass	QP	36.7M	36.51	40.00	-3.49	3	Vertical	185	1.00
6385MHz_PoE	Pass	PK	33.88M	29.93	40.00	-10.07	3	Horizontal	360	1.00
6385MHz_PoE	Pass	PK	90.14M	25.30	43.50	-18.20	3	Horizontal	360	1.00
6385MHz_PoE	Pass	PK	173.56M	27.97	43.50	-15.53	3	Horizontal	360	1.00
6385MHz_PoE	Pass	PK	224M	30.69	46.00	-15.31	3	Horizontal	360	1.00
6385MHz_PoE	Pass	PK	291.9M	31.91	46.00	-14.09	3	Horizontal	360	1.00
6385MHz_PoE	Pass	PK	342.34M	34.40	46.00	-11.60	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_PoE



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_PoE



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	11.90564G	39.48	54.00	-14.52	3	Horizontal	264	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	11.93596G	40.00	54.00	-14.00	3	Horizontal	134	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	11.9968G	40.57	54.00	-13.43	3	Horizontal	360	2.28
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	12.11128G	41.26	54.00	-12.74	3	Vertical	211	1.50
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	12.07752G	42.69	54.00	-11.31	3	Horizontal	50	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.94408G	40.95	68.20	-27.25	3	Vertical	228	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	12.98648G	40.96	68.20	-27.24	3	Vertical	301	1.98
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	12.9524G	40.80	68.20	-27.40	3	Vertical	230	1.11
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	12.9636G	40.80	68.20	-27.40	3	Horizontal	9	2.22
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.31272G	41.16	54.00	-12.84	3	Horizontal	251	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.38216G	40.98	54.00	-13.02	3	Vertical	187	2.92
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.37528G	41.17	54.00	-12.83	3	Horizontal	194	3.00
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.2624G	41.07	54.00	-12.93	3	Vertical	189	1.16
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.34392G	41.23	54.00	-12.77	3	Vertical	132	1.25
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	7.255G	53.85	54.00	-0.15	3	Horizontal	51	2.06
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	7.1259G	49.83	68.20	-18.37	3	Horizontal	58	2.01
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	50.67	68.20	-17.53	3	Horizontal	56	2.06
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	50.78	68.20	-17.42	3	Horizontal	50	2.04
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	7.1285G	54.82	68.20	-13.38	3	Horizontal	51	2.14

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9148G	43.71	68.20	-24.49	3	Horizontal	88	1.09
5955MHz	Pass	AV	5.9634G	97.75	Inf	-Inf	3	Horizontal	88	1.09
5955MHz	Pass	PK	5.9145G	57.26	88.20	-30.94	3	Horizontal	88	1.09
5955MHz	Pass	PK	5.9586G	110.06	Inf	-Inf	3	Horizontal	88	1.09
5955MHz	Pass	AV	11.90144G	39.37	54.00	-14.63	3	Vertical	258	1.50
5955MHz	Pass	PK	11.91418G	53.08	74.00	-20.92	3	Vertical	258	1.50
5955MHz	Pass	AV	11.90564G	39.48	54.00	-14.52	3	Horizontal	264	1.50
5955MHz	Pass	PK	11.90516G	53.01	74.00	-20.99	3	Horizontal	264	1.50
6195MHz	Pass	AV	12.38186G	39.33	54.00	-14.67	3	Vertical	129	1.50
6195MHz	Pass	PK	12.38634G	52.74	74.00	-21.26	3	Vertical	129	1.50
6195MHz	Pass	AV	12.38566G	39.33	54.00	-14.67	3	Horizontal	83	1.50
6195MHz	Pass	PK	12.38196G	52.61	74.00	-21.39	3	Horizontal	83	1.50
6415MHz	Pass	AV	12.82022G	40.29	68.20	-27.91	3	Vertical	227	1.13
6415MHz	Pass	PK	12.8339G	54.12	88.20	-34.08	3	Vertical	227	1.13
6415MHz	Pass	AV	12.83828G	40.22	68.20	-27.98	3	Horizontal	43	1.00
6415MHz	Pass	PK	12.83576G	54.34	88.20	-33.86	3	Horizontal	43	1.00
6435MHz	Pass	AV	12.86786G	40.48	68.20	-27.72	3	Vertical	307	1.57
6435MHz	Pass	PK	12.86008G	53.72	88.20	-34.48	3	Vertical	307	1.57
6435MHz	Pass	AV	12.86664G	40.46	68.20	-27.74	3	Horizontal	121	2.42
6435MHz	Pass	PK	12.86472G	54.06	88.20	-34.14	3	Horizontal	121	2.42
6475MHz	Pass	AV	12.94408G	40.95	68.20	-27.25	3	Vertical	228	1.50
6475MHz	Pass	PK	12.94766G	54.84	88.20	-33.36	3	Vertical	228	1.50
6475MHz	Pass	AV	12.95874G	40.75	68.20	-27.45	3	Horizontal	311	2.19
6475MHz	Pass	PK	12.95052G	54.27	88.20	-33.93	3	Horizontal	311	2.19
6515MHz	Pass	AV	13.02276G	40.79	68.20	-27.41	3	Vertical	221	1.99
6515MHz	Pass	PK	13.03248G	54.46	88.20	-33.74	3	Vertical	221	1.99
6515MHz	Pass	AV	13.0317G	40.88	68.20	-27.32	3	Horizontal	294	1.50
6515MHz	Pass	PK	13.03254G	54.14	88.20	-34.06	3	Horizontal	294	1.50
6535MHz	Pass	AV	13.06368G	40.47	68.20	-27.73	3	Vertical	323	2.28
6535MHz	Pass	PK	13.07604G	54.24	88.20	-33.96	3	Vertical	323	2.28
6535MHz	Pass	AV	13.06144G	40.53	68.20	-27.67	3	Horizontal	192	2.09
6535MHz	Pass	PK	13.06628G	54.42	88.20	-33.78	3	Horizontal	192	2.09
6695MHz	Pass	AV	13.38216G	40.98	54.00	-13.02	3	Vertical	187	2.92
6695MHz	Pass	PK	13.39612G	54.99	74.00	-19.01	3	Vertical	187	2.92
6695MHz	Pass	AV	13.38332G	40.97	54.00	-13.03	3	Horizontal	115	2.43
6695MHz	Pass	PK	13.38394G	54.77	74.00	-19.23	3	Horizontal	115	2.43
6875MHz	Pass	AV	13.74042G	41.68	68.20	-26.52	3	Vertical	148	1.83
6875MHz	Pass	PK	13.74412G	55.42	88.20	-32.78	3	Vertical	148	1.83
6875MHz	Pass	AV	13.74148G	41.51	68.20	-26.69	3	Horizontal	170	1.50
6875MHz	Pass	PK	13.74252G	55.03	88.20	-33.17	3	Horizontal	170	1.50
6895MHz	Pass	AV	13.79548G	41.44	68.20	-26.76	3	Vertical	348	1.50
6895MHz	Pass	PK	13.78032G	55.11	88.20	-33.09	3	Vertical	348	1.50
6895MHz	Pass	AV	13.78022G	41.50	68.20	-26.70	3	Horizontal	96	1.42
6895MHz	Pass	PK	13.78826G	55.37	88.20	-32.83	3	Horizontal	96	1.42
6995MHz	Pass	AV	13.99596G	42.37	68.20	-25.83	3	Vertical	312	1.95
6995MHz	Pass	PK	13.9875G	55.77	88.20	-32.43	3	Vertical	312	1.95
6995MHz	Pass	AV	13.98714G	42.20	68.20	-26.00	3	Horizontal	169	1.70
6995MHz	Pass	PK	13.99992G	55.53	88.20	-32.67	3	Horizontal	169	1.70
7095MHz	Pass	AV	7.0962G	97.58	Inf	-Inf	3	Horizontal	58	2.01
7095MHz	Pass	AV	7.1259G	49.83	68.20	-18.37	3	Horizontal	58	2.01
7095MHz	Pass	PK	7.0917G	110.49	Inf	-Inf	3	Horizontal	58	2.01
7095MHz	Pass	PK	7.1253G	65.01	88.20	-23.19	3	Horizontal	58	2.01
7095MHz	Pass	AV	14.18636G	42.90	68.20	-25.30	3	Vertical	147	1.86
7095MHz	Pass	PK	14.19802G	56.63	88.20	-31.57	3	Vertical	147	1.86
7095MHz	Pass	AV	14.18904G	42.90	68.20	-25.30	3	Horizontal	118	1.04
7095MHz	Pass	PK	14.19362G	56.31	88.20	-31.89	3	Horizontal	118	1.04
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	49.78	68.20	-18.42	3	Horizontal	87	1.03
5965MHz	Pass	AV	5.9785G	98.05	Inf	-Inf	3	Horizontal	87	1.03
5965MHz	Pass	PK	5.9236G	62.99	88.20	-25.21	3	Horizontal	87	1.03



RSE TX above 1GHz_Non-Beamforming_Radio 1_Full RU_1T1S

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9659G	111.45	Inf	-Inf	3	Horizontal	87	1.03
5965MHz	Pass	AV	11.9338G	39.99	54.00	-14.01	3	Vertical	87	2.04
5965MHz	Pass	PK	11.93708G	52.87	74.00	-21.13	3	Vertical	87	2.04
5965MHz	Pass	AV	11.93596G	40.00	54.00	-14.00	3	Horizontal	134	1.50
5965MHz	Pass	PK	11.91976G	52.75	74.00	-21.25	3	Horizontal	134	1.50
6205MHz	Pass	AV	12.40076G	39.32	54.00	-14.68	3	Vertical	93	1.50
6205MHz	Pass	PK	12.40888G	52.59	74.00	-21.41	3	Vertical	93	1.50
6205MHz	Pass	AV	12.41484G	39.38	54.00	-14.62	3	Horizontal	34	2.28
6205MHz	Pass	PK	12.40356G	53.04	74.00	-20.96	3	Horizontal	34	2.28
6405MHz	Pass	AV	12.82644G	40.20	68.20	-28.00	3	Vertical	360	1.50
6405MHz	Pass	PK	12.82848G	53.76	88.20	-34.44	3	Vertical	360	1.50
6405MHz	Pass	AV	12.80284G	40.25	68.20	-27.95	3	Horizontal	224	2.61
6405MHz	Pass	PK	12.80276G	54.07	88.20	-34.13	3	Horizontal	224	2.61
6445MHz	Pass	AV	12.90676G	40.73	68.20	-27.47	3	Vertical	322	1.23
6445MHz	Pass	PK	12.87092G	54.72	88.20	-33.48	3	Vertical	322	1.23
6445MHz	Pass	AV	12.89912G	40.59	68.20	-27.61	3	Horizontal	113	1.50
6445MHz	Pass	PK	12.89052G	54.01	88.20	-34.19	3	Horizontal	113	1.50
6485MHz	Pass	AV	12.98648G	40.96	68.20	-27.24	3	Vertical	301	1.98
6485MHz	Pass	PK	12.95312G	54.71	88.20	-33.49	3	Vertical	301	1.98
6485MHz	Pass	AV	12.98552G	40.89	68.20	-27.31	3	Horizontal	360	1.50
6485MHz	Pass	PK	12.9876G	54.44	88.20	-33.76	3	Horizontal	360	1.50
6525MHz	Pass	AV	13.03304G	40.71	68.20	-27.49	3	Vertical	305	2.71
6525MHz	Pass	PK	13.037G	54.09	88.20	-34.11	3	Vertical	305	2.71
6525MHz	Pass	AV	13.05456G	40.67	68.20	-27.53	3	Horizontal	14	1.50
6525MHz	Pass	PK	13.06248G	54.05	88.20	-34.15	3	Horizontal	14	1.50
6565MHz	Pass	AV	13.13528G	40.63	68.20	-27.57	3	Vertical	306	1.50
6565MHz	Pass	PK	13.11444G	53.97	88.20	-34.23	3	Vertical	306	1.50
6565MHz	Pass	AV	13.13896G	40.52	68.20	-27.68	3	Horizontal	256	1.47
6565MHz	Pass	PK	13.11328G	54.19	88.20	-34.01	3	Horizontal	256	1.47
6685MHz	Pass	AV	13.36572G	41.13	54.00	-12.87	3	Vertical	154	1.69
6685MHz	Pass	PK	13.35664G	54.49	74.00	-19.51	3	Vertical	154	1.69
6685MHz	Pass	AV	13.37528G	41.17	54.00	-12.83	3	Horizontal	194	3.00
6685MHz	Pass	PK	13.37716G	54.85	74.00	-19.15	3	Horizontal	194	3.00
6885MHz	Pass	AV	13.77324G	41.58	68.20	-26.62	3	Vertical	190	1.57
6885MHz	Pass	PK	13.76368G	55.24	88.20	-32.96	3	Vertical	190	1.57
6885MHz	Pass	AV	13.7722G	41.66	68.20	-26.54	3	Horizontal	87	2.06
6885MHz	Pass	PK	13.76864G	55.25	88.20	-32.95	3	Horizontal	87	2.06
6925MHz	Pass	AV	13.86828G	41.55	68.20	-26.65	3	Vertical	231	2.04
6925MHz	Pass	PK	13.85596G	55.78	88.20	-32.42	3	Vertical	231	2.04
6925MHz	Pass	AV	13.85504G	41.58	68.20	-26.62	3	Horizontal	319	2.64
6925MHz	Pass	PK	13.83996G	55.12	88.20	-33.08	3	Horizontal	319	2.64
7005MHz	Pass	AV	14.01312G	44.59	68.20	-23.61	3	Vertical	311	1.80
7005MHz	Pass	PK	14.0148G	58.34	88.20	-29.86	3	Vertical	311	1.80
7005MHz	Pass	AV	14.01896G	42.96	68.20	-25.24	3	Horizontal	169	1.74
7005MHz	Pass	PK	14.01272G	56.43	88.20	-31.77	3	Horizontal	169	1.74
7085MHz	Pass	AV	7.0763G	97.55	Inf	-Inf	3	Horizontal	56	2.06
7085MHz	Pass	AV	7.1255G	50.67	68.20	-17.53	3	Horizontal	56	2.06
7085MHz	Pass	PK	7.1006G	110.74	Inf	-Inf	3	Horizontal	56	2.06
7085MHz	Pass	PK	7.1288G	63.91	88.20	-24.29	3	Horizontal	56	2.06
7085MHz	Pass	AV	14.16176G	43.33	68.20	-24.87	3	Vertical	330	2.60
7085MHz	Pass	PK	14.18436G	56.15	88.20	-32.05	3	Vertical	330	2.60
7085MHz	Pass	AV	14.17968G	43.43	68.20	-24.77	3	Horizontal	214	1.84
7085MHz	Pass	PK	14.175G	56.89	88.20	-31.31	3	Horizontal	214	1.84
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9225G	49.40	68.20	-18.80	3	Horizontal	84	1.12
5985MHz	Pass	AV	5.991G	94.53	Inf	-Inf	3	Horizontal	84	1.12
5985MHz	Pass	PK	5.9195G	61.26	88.20	-26.94	3	Horizontal	84	1.12
5985MHz	Pass	PK	5.9765G	107.16	Inf	-Inf	3	Horizontal	84	1.12
5985MHz	Pass	AV	12.00656G	40.43	54.00	-13.57	3	Vertical	105	2.66
5985MHz	Pass	PK	11.99872G	53.65	74.00	-20.35	3	Vertical	105	2.66
5985MHz	Pass	AV	11.9968G	40.57	54.00	-13.43	3	Horizontal	360	2.28
5985MHz	Pass	PK	12.0064G	53.20	74.00	-20.80	3	Horizontal	360	2.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6225MHz	Pass	AV	12.4768G	39.66	54.00	-14.34	3	Vertical	118	1.50
6225MHz	Pass	PK	12.49G	52.79	74.00	-21.21	3	Vertical	118	1.50
6225MHz	Pass	AV	12.478G	39.70	54.00	-14.30	3	Horizontal	239	1.50
6225MHz	Pass	PK	12.41848G	53.54	74.00	-20.46	3	Horizontal	239	1.50
6385MHz	Pass	AV	12.75792G	40.21	68.20	-27.99	3	Vertical	263	1.50
6385MHz	Pass	PK	12.73304G	54.06	88.20	-34.14	3	Vertical	263	1.50
6385MHz	Pass	AV	12.7356G	40.49	68.20	-27.71	3	Horizontal	18	1.50
6385MHz	Pass	PK	12.73368G	54.44	88.20	-33.76	3	Horizontal	18	1.50
6465MHz	Pass	AV	12.9524G	40.80	68.20	-27.40	3	Vertical	230	1.11
6465MHz	Pass	PK	12.96744G	54.39	88.20	-33.81	3	Vertical	230	1.11
6465MHz	Pass	AV	12.95656G	40.74	68.20	-27.46	3	Horizontal	190	1.91
6465MHz	Pass	PK	12.91968G	54.27	88.20	-33.93	3	Horizontal	190	1.91
6545MHz	Pass	AV	13.05072G	40.52	68.20	-27.68	3	Vertical	243	1.50
6545MHz	Pass	PK	13.05192G	54.42	88.20	-33.78	3	Vertical	243	1.50
6545MHz	Pass	AV	13.126G	40.42	68.20	-27.78	3	Horizontal	139	1.50
6545MHz	Pass	PK	13.10048G	54.19	88.20	-34.01	3	Horizontal	139	1.50
6625MHz	Pass	AV	13.2624G	41.07	54.00	-12.93	3	Vertical	189	1.16
6625MHz	Pass	PK	13.264G	55.02	74.00	-18.98	3	Vertical	189	1.16
6625MHz	Pass	AV	13.27088G	40.95	54.00	-13.05	3	Horizontal	44	1.62
6625MHz	Pass	PK	13.26336G	54.65	74.00	-19.35	3	Horizontal	44	1.62
6705MHz	Pass	AV	13.43912G	41.23	68.20	-26.97	3	Vertical	93	1.50
6705MHz	Pass	PK	13.38496G	55.07	74.00	-18.93	3	Vertical	93	1.50
6705MHz	Pass	AV	13.446G	41.18	68.20	-27.02	3	Horizontal	77	1.28
6705MHz	Pass	PK	13.41824G	54.71	88.20	-33.49	3	Horizontal	77	1.28
6785MHz	Pass	AV	13.55648G	41.72	68.20	-26.48	3	Vertical	287	2.53
6785MHz	Pass	PK	13.53704G	56.31	88.20	-31.89	3	Vertical	287	2.53
6785MHz	Pass	AV	13.56232G	41.75	68.20	-26.45	3	Horizontal	109	2.67
6785MHz	Pass	PK	13.60208G	55.52	88.20	-32.68	3	Horizontal	109	2.67
6865MHz	Pass	AV	13.73072G	41.61	68.20	-26.59	3	Vertical	28	2.84
6865MHz	Pass	PK	13.76704G	55.18	88.20	-33.02	3	Vertical	28	2.84
6865MHz	Pass	AV	13.74696G	41.55	68.20	-26.65	3	Horizontal	360	1.50
6865MHz	Pass	PK	13.71072G	54.91	88.20	-33.29	3	Horizontal	360	1.50
6945MHz	Pass	AV	13.89704G	41.77	68.20	-26.43	3	Vertical	35	1.50
6945MHz	Pass	PK	13.88896G	55.23	88.20	-32.97	3	Vertical	35	1.50
6945MHz	Pass	AV	13.90312G	41.77	68.20	-26.43	3	Horizontal	31	1.50
6945MHz	Pass	PK	13.90728G	56.16	88.20	-32.04	3	Horizontal	31	1.50
7025MHz	Pass	AV	7.0142G	94.89	Inf	-Inf	3	Horizontal	50	2.04
7025MHz	Pass	AV	7.1252G	50.78	68.20	-17.42	3	Horizontal	50	2.04
7025MHz	Pass	PK	7.0085G	108.60	Inf	-Inf	3	Horizontal	50	2.04
7025MHz	Pass	PK	7.1264G	66.78	88.20	-21.42	3	Horizontal	50	2.04
7025MHz	Pass	AV	14.04696G	44.31	68.20	-23.89	3	Vertical	311	1.76
7025MHz	Pass	PK	14.0636G	57.11	88.20	-31.09	3	Vertical	311	1.76
7025MHz	Pass	AV	14.07632G	42.94	68.20	-25.26	3	Horizontal	24	1.50
7025MHz	Pass	PK	14.06888G	55.87	88.20	-32.33	3	Horizontal	24	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	52.13	68.20	-16.07	3	Horizontal	87	1.03
6025MHz	Pass	AV	6.084G	93.85	Inf	-Inf	3	Horizontal	87	1.03
6025MHz	Pass	PK	5.923G	69.13	88.20	-19.07	3	Horizontal	87	1.03
6025MHz	Pass	PK	6.0875G	106.18	Inf	-Inf	3	Horizontal	87	1.03
6025MHz	Pass	AV	12.11128G	41.26	54.00	-12.74	3	Vertical	211	1.50
6025MHz	Pass	PK	12.09128G	53.35	74.00	-20.65	3	Vertical	211	1.50
6025MHz	Pass	AV	12.04248G	41.19	54.00	-12.81	3	Horizontal	31	1.50
6025MHz	Pass	PK	12.05064G	52.90	74.00	-21.10	3	Horizontal	31	1.50
6185MHz	Pass	AV	12.43768G	39.50	54.00	-14.50	3	Vertical	130	2.68
6185MHz	Pass	PK	12.3028G	53.31	74.00	-20.69	3	Vertical	130	2.68
6185MHz	Pass	AV	12.44584G	39.52	54.00	-14.48	3	Horizontal	304	1.50
6185MHz	Pass	PK	12.42696G	53.29	74.00	-20.71	3	Horizontal	304	1.50
6345MHz	Pass	AV	12.66776G	40.26	54.00	-13.74	3	Vertical	353	2.68
6345MHz	Pass	PK	12.68728G	54.83	74.00	-19.17	3	Vertical	353	2.68
6345MHz	Pass	AV	12.68728G	40.39	54.00	-13.61	3	Horizontal	156	1.92
6345MHz	Pass	PK	12.74136G	53.49	88.20	-34.71	3	Horizontal	156	1.92
6505MHz	Pass	AV	12.93944G	40.78	68.20	-27.42	3	Vertical	168	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 1_Full RU_1T1S

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6505MHz	Pass	PK	12.93624G	54.25	88.20	-33.95	3	Vertical	168	1.50
6505MHz	Pass	AV	12.9636G	40.80	68.20	-27.40	3	Horizontal	9	2.22
6505MHz	Pass	PK	13.0364G	54.11	88.20	-34.09	3	Horizontal	9	2.22
6665MHz	Pass	AV	13.34392G	41.23	54.00	-12.77	3	Vertical	132	1.25
6665MHz	Pass	PK	13.30456G	54.69	74.00	-19.31	3	Vertical	132	1.25
6665MHz	Pass	AV	13.30616G	41.09	54.00	-12.91	3	Horizontal	121	1.50
6665MHz	Pass	PK	13.32312G	54.95	74.00	-19.05	3	Horizontal	121	1.50
6825MHz	Pass	AV	13.58152G	41.53	68.20	-26.67	3	Vertical	87	1.36
6825MHz	Pass	PK	13.62536G	55.26	88.20	-32.94	3	Vertical	87	1.36
6825MHz	Pass	AV	13.59064G	41.73	68.20	-26.47	3	Horizontal	250	1.50
6825MHz	Pass	PK	13.57128G	55.14	88.20	-33.06	3	Horizontal	250	1.50
6985MHz	Pass	AV	6.927G	93.76	Inf	-Inf	3	Horizontal	51	2.14
6985MHz	Pass	AV	7.1285G	54.82	68.20	-13.38	3	Horizontal	51	2.14
6985MHz	Pass	PK	6.9275G	105.78	Inf	-Inf	3	Horizontal	51	2.14
6985MHz	Pass	PK	7.142G	69.07	88.20	-19.13	3	Horizontal	51	2.14
6985MHz	Pass	AV	14.00648G	43.40	68.20	-24.80	3	Vertical	14	1.95
6985MHz	Pass	PK	14.03112G	56.34	88.20	-31.86	3	Vertical	14	1.95
6985MHz	Pass	AV	13.99912G	43.35	68.20	-24.85	3	Horizontal	172	1.50
6985MHz	Pass	PK	13.99848G	55.77	88.20	-32.43	3	Horizontal	172	1.50
802.11be EHT320_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	52.55	68.20	-15.65	3	Horizontal	87	1.00
6105MHz	Pass	AV	6.208G	92.21	Inf	-Inf	3	Horizontal	87	1.00
6105MHz	Pass	PK	5.925G	64.99	88.20	-23.21	3	Horizontal	87	1.00
6105MHz	Pass	PK	6.141G	103.76	Inf	-Inf	3	Horizontal	87	1.00
6105MHz	Pass	AV	12.06792G	42.57	54.00	-11.43	3	Vertical	275	2.52
6105MHz	Pass	PK	12.16808G	53.12	74.00	-20.88	3	Vertical	275	2.52
6105MHz	Pass	AV	12.07752G	42.69	54.00	-11.31	3	Horizontal	50	1.50
6105MHz	Pass	PK	12.19624G	53.75	74.00	-20.25	3	Horizontal	50	1.50
6265MHz	Pass	AV	12.65384G	40.35	54.00	-13.65	3	Vertical	231	1.01
6265MHz	Pass	PK	12.59944G	53.66	74.00	-20.34	3	Vertical	231	1.01
6265MHz	Pass	AV	12.62024G	40.27	54.00	-13.73	3	Horizontal	131	2.73
6265MHz	Pass	PK	12.53832G	54.16	74.00	-19.84	3	Horizontal	131	2.73
6425MHz	Pass	AV	12.99912G	40.79	68.20	-27.41	3	Vertical	162	1.50
6425MHz	Pass	PK	12.9572G	53.94	88.20	-34.26	3	Vertical	162	1.50
6425MHz	Pass	AV	13.00392G	40.80	68.20	-27.40	3	Horizontal	243	1.50
6425MHz	Pass	PK	12.84648G	54.54	88.20	-33.66	3	Horizontal	243	1.50
6585MHz	Pass	AV	13.3028G	41.15	54.00	-12.85	3	Vertical	279	2.01
6585MHz	Pass	PK	13.31976G	54.57	74.00	-19.43	3	Vertical	279	2.01
6585MHz	Pass	AV	13.31272G	41.16	54.00	-12.84	3	Horizontal	251	1.50
6585MHz	Pass	PK	13.28168G	55.23	74.00	-18.77	3	Horizontal	251	1.50
6745MHz	Pass	AV	13.55496G	41.67	68.20	-26.53	3	Vertical	189	1.50
6745MHz	Pass	PK	13.45736G	54.94	88.20	-33.26	3	Vertical	189	1.50
6745MHz	Pass	AV	13.56424G	41.64	68.20	-26.56	3	Horizontal	272	2.63
6745MHz	Pass	PK	13.538G	55.63	88.20	-32.57	3	Horizontal	272	2.63
6905MHz	Pass	AV	6.869G	91.45	Inf	-Inf	3	Horizontal	51	2.06
6905MHz	Pass	AV	7.255G	53.85	54.00	-0.15	3	Horizontal	51	2.06
6905MHz	Pass	PK	6.919G	103.05	Inf	-Inf	3	Horizontal	51	2.06
6905MHz	Pass	PK	7.28G	64.44	74.00	-9.56	3	Horizontal	51	2.06
6905MHz	Pass	AV	13.73864G	44.37	68.20	-23.83	3	Vertical	162	2.28
6905MHz	Pass	PK	13.93992G	54.77	88.20	-33.43	3	Vertical	162	2.28
6905MHz	Pass	AV	13.90376G	44.08	68.20	-24.12	3	Horizontal	6	2.62
6905MHz	Pass	PK	13.93576G	55.21	88.20	-32.99	3	Horizontal	6	2.62

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9148G	43.71	68.20	-24.49	2.55	3	Horizontal	88	1.09	41.16	34.37	6.05	37.87
AV	5.9634G	97.75	Inf	-Inf	2.53	3	Horizontal	88	1.09	95.22	34.30	6.07	37.84
PK	5.9145G	57.26	88.20	-30.94	2.55	3	Horizontal	88	1.09	54.71	34.37	6.05	37.87
PK	5.9586G	110.06	Inf	-Inf	2.53	3	Horizontal	88	1.09	107.53	34.30	6.07	37.84

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90144G	39.37	54.00	-14.63	9.61	3	Vertical	258	1.50	29.76	38.90	8.69	37.98
PK	11.91418G	53.08	74.00	-20.92	9.63	3	Vertical	258	1.50	43.45	38.93	8.69	37.99


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	49.40	68.20	-18.80	2.54	3	Horizontal	84	1.12	46.86	34.35	6.06	37.87
AV	5.991G	94.53	Inf	-Inf	2.57	3	Horizontal	84	1.12	91.96	34.30	6.09	37.82
PK	5.9195G	61.26	88.20	-26.94	2.54	3	Horizontal	84	1.12	58.72	34.36	6.05	37.87
PK	5.9765G	107.16	Inf	-Inf	2.55	3	Horizontal	84	1.12	104.61	34.30	6.08	37.83

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00656G	40.43	54.00	-13.57	9.71	3	Vertical	105	2.66	30.72	39.03	8.71	38.03
PK	11.99872G	53.65	74.00	-20.35	9.68	3	Vertical	105	2.66	43.97	39.00	8.71	38.03


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	52.55	68.20	-15.65	2.54	3	Horizontal	87	1.00	50.01	34.36	6.05	37.87
AV	6.208G	92.21	Inf	-Inf	2.84	3	Horizontal	87	1.00	89.37	34.32	6.18	37.66
PK	5.925G	64.99	88.20	-23.21	2.54	3	Horizontal	87	1.00	62.45	34.35	6.06	37.87
PK	6.141G	103.76	Inf	-Inf	2.74	3	Horizontal	87	1.00	101.02	34.30	6.15	37.71

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.06792G	42.57	54.00	-11.43	9.89	3	Vertical	275	2.52	32.68	39.20	8.74	38.05
PK	12.16808G	53.12	74.00	-20.88	9.93	3	Vertical	275	2.52	43.19	39.24	8.78	38.09


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0962G	97.58	Inf	-Inf	5.70	3	Horizontal	58	2.01	91.88	36.38	6.67	37.35
AV	7.1259G	49.83	68.20	-18.37	5.99	3	Horizontal	58	2.01	43.84	36.61	6.68	37.30
PK	7.0917G	110.49	Inf	-Inf	5.66	3	Horizontal	58	2.01	104.83	36.35	6.67	37.36
PK	7.1253G	65.01	88.20	-23.19	5.98	3	Horizontal	58	2.01	59.03	36.60	6.68	37.30

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18636G	42.90	68.20	-25.30	11.60	3	Vertical	147	1.86	31.30	40.40	9.55	38.35
PK	14.19802G	56.63	88.20	-31.57	11.61	3	Vertical	147	1.86	45.02	40.40	9.55	38.34


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38564G	39.66	54.00	-14.34	3	Vertical	38	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.94756G	39.99	54.00	-14.01	3	Vertical	360	2.27
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.00088G	40.82	54.00	-13.18	3	Horizontal	341	2.32
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9225G	56.83	68.20	-11.37	3	Horizontal	302	2.06
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.11752G	42.68	54.00	-11.32	3	Horizontal	92	1.21
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.95764G	40.89	68.20	-27.31	3	Vertical	328	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.97288G	41.07	68.20	-27.13	3	Horizontal	24	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.95368G	40.90	68.20	-27.30	3	Horizontal	287	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.9948G	40.97	68.20	-27.23	3	Horizontal	351	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.29512G	41.20	54.00	-12.80	3	Horizontal	281	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38258G	40.97	54.00	-13.03	3	Vertical	236	1.27
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.35972G	41.20	54.00	-12.80	3	Vertical	342	1.96
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.28272G	41.16	54.00	-12.84	3	Vertical	24	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.29688G	41.22	54.00	-12.78	3	Vertical	341	1.70
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.263G	53.37	54.00	-0.63	3	Horizontal	50	2.08
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.125G	48.95	68.20	-19.25	3	Horizontal	61	2.11
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	14.00932G	49.94	68.20	-18.26	3	Vertical	13	1.47
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	53.24	68.20	-14.96	3	Horizontal	47	2.03
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.1305G	58.36	68.20	-9.84	3	Horizontal	51	2.19



RSE TX above 1GHz_Non-Beamforming_Radio 1_Full RU_2T1S

Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9145G	43.41	68.20	-24.79	3	Horizontal	300	2.22
5955MHz	Pass	AV	5.9628G	97.46	Inf	-Inf	3	Horizontal	300	2.22
5955MHz	Pass	PK	5.9154G	56.47	88.20	-31.73	3	Horizontal	300	2.22
5955MHz	Pass	PK	5.9502G	110.11	Inf	-Inf	3	Horizontal	300	2.22
5955MHz	Pass	AV	11.91908G	39.25	54.00	-14.75	3	Vertical	181	1.50
5955MHz	Pass	PK	11.9123G	52.54	74.00	-21.46	3	Vertical	181	1.50
5955MHz	Pass	AV	11.91886G	39.15	54.00	-14.85	3	Horizontal	295	1.91
5955MHz	Pass	PK	11.91558G	52.75	74.00	-21.25	3	Horizontal	295	1.91
6195MHz	Pass	AV	12.38564G	39.66	54.00	-14.34	3	Vertical	38	1.50
6195MHz	Pass	PK	12.39192G	53.04	74.00	-20.96	3	Vertical	38	1.50
6195MHz	Pass	AV	12.38646G	39.35	54.00	-14.65	3	Horizontal	339	1.03
6195MHz	Pass	PK	12.39278G	53.13	74.00	-20.87	3	Horizontal	339	1.03
6415MHz	Pass	AV	12.8261G	40.32	68.20	-27.88	3	Vertical	206	1.50
6415MHz	Pass	PK	12.83376G	54.56	88.20	-33.64	3	Vertical	206	1.50
6415MHz	Pass	AV	12.8299G	40.33	68.20	-27.87	3	Horizontal	281	1.50
6415MHz	Pass	PK	12.83914G	53.81	88.20	-34.39	3	Horizontal	281	1.50
6435MHz	Pass	AV	12.8676G	40.54	68.20	-27.66	3	Vertical	328	1.07
6435MHz	Pass	PK	12.8785G	53.95	88.20	-34.25	3	Vertical	328	1.07
6435MHz	Pass	AV	12.87058G	40.47	68.20	-27.73	3	Horizontal	78	1.50
6435MHz	Pass	PK	12.86518G	54.12	88.20	-34.08	3	Horizontal	78	1.50
6475MHz	Pass	AV	12.95764G	40.89	68.20	-27.31	3	Vertical	328	1.50
6475MHz	Pass	PK	12.9474G	54.53	88.20	-33.67	3	Vertical	328	1.50
6475MHz	Pass	AV	12.95914G	40.83	68.20	-27.37	3	Horizontal	114	1.50
6475MHz	Pass	PK	12.94228G	54.16	88.20	-34.04	3	Horizontal	114	1.50
6515MHz	Pass	AV	13.0207G	40.81	68.20	-27.39	3	Vertical	266	1.50
6515MHz	Pass	PK	13.0206G	53.90	88.20	-34.30	3	Vertical	266	1.50
6515MHz	Pass	AV	13.02484G	40.77	68.20	-27.43	3	Horizontal	88	1.50
6515MHz	Pass	PK	13.03316G	53.84	88.20	-34.36	3	Horizontal	88	1.50
6535MHz	Pass	AV	13.071G	40.38	68.20	-27.82	3	Vertical	292	1.50
6535MHz	Pass	PK	13.07812G	54.15	88.20	-34.05	3	Vertical	292	1.50
6535MHz	Pass	AV	13.07598G	40.45	68.20	-27.75	3	Horizontal	110	1.50
6535MHz	Pass	PK	13.0686G	53.78	88.20	-34.42	3	Horizontal	110	1.50
6695MHz	Pass	AV	13.38258G	40.97	54.00	-13.03	3	Vertical	236	1.27
6695MHz	Pass	PK	13.38244G	54.73	74.00	-19.27	3	Vertical	236	1.27
6695MHz	Pass	AV	13.3965G	40.92	54.00	-13.08	3	Horizontal	56	1.52
6695MHz	Pass	PK	13.38098G	55.06	74.00	-18.94	3	Horizontal	56	1.52
6875MHz	Pass	AV	13.74744G	43.05	68.20	-25.15	3	Vertical	346	1.96
6875MHz	Pass	PK	13.7429G	56.49	88.20	-31.71	3	Vertical	346	1.96
6875MHz	Pass	AV	13.75242G	41.85	68.20	-26.35	3	Horizontal	300	2.28
6875MHz	Pass	PK	13.74966G	55.69	88.20	-32.51	3	Horizontal	300	2.28
6895MHz	Pass	AV	13.79032G	43.49	68.20	-24.71	3	Vertical	349	1.70
6895MHz	Pass	PK	13.79582G	57.60	88.20	-30.60	3	Vertical	349	1.70
6895MHz	Pass	AV	13.79476G	41.55	68.20	-26.65	3	Horizontal	179	1.50
6895MHz	Pass	PK	13.79124G	55.53	88.20	-32.67	3	Horizontal	179	1.50
6995MHz	Pass	AV	13.9896G	48.38	68.20	-19.82	3	Vertical	12	1.46
6995MHz	Pass	PK	13.98944G	62.07	88.20	-26.13	3	Vertical	12	1.46
6995MHz	Pass	AV	13.99202G	45.46	68.20	-22.74	3	Horizontal	270	1.81
6995MHz	Pass	PK	13.9961G	58.99	88.20	-29.21	3	Horizontal	270	1.81
7095MHz	Pass	AV	7.092G	97.54	Inf	-Inf	3	Horizontal	61	2.11
7095MHz	Pass	AV	7.125G	48.95	68.20	-19.25	3	Horizontal	61	2.11
7095MHz	Pass	PK	7.0971G	109.83	Inf	-Inf	3	Horizontal	61	2.11
7095MHz	Pass	PK	7.1268G	62.56	88.20	-25.64	3	Horizontal	61	2.11
7095MHz	Pass	AV	14.19184G	44.38	68.20	-23.82	3	Vertical	332	1.47
7095MHz	Pass	PK	14.19266G	58.45	88.20	-29.75	3	Vertical	332	1.47
7095MHz	Pass	AV	14.19062G	43.55	68.20	-24.65	3	Horizontal	216	1.69
7095MHz	Pass	PK	14.19084G	57.13	88.20	-31.07	3	Horizontal	216	1.69
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.923G	46.72	68.20	-21.48	3	Horizontal	302	2.10
5965MHz	Pass	AV	5.9779G	98.01	Inf	-Inf	3	Horizontal	302	2.10
5965MHz	Pass	PK	5.9233G	59.28	88.20	-28.92	3	Horizontal	302	2.10



RSE TX above 1GHz_Non-Beamforming_Radio 1_Full RU_2T1S

Appendix E.10


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9704G	111.24	Inf	-Inf	3	Horizontal	302	2.10
5965MHz	Pass	AV	11.94756G	39.99	54.00	-14.01	3	Vertical	360	2.27
5965MHz	Pass	PK	11.9144G	53.47	74.00	-20.53	3	Vertical	360	2.27
5965MHz	Pass	AV	11.93988G	39.87	54.00	-14.13	3	Horizontal	282	1.09
5965MHz	Pass	PK	11.93584G	53.86	74.00	-20.14	3	Horizontal	282	1.09
6205MHz	Pass	AV	12.41112G	39.34	54.00	-14.66	3	Vertical	19	1.50
6205MHz	Pass	PK	12.39888G	52.58	74.00	-21.42	3	Vertical	19	1.50
6205MHz	Pass	AV	12.417G	39.37	54.00	-14.63	3	Horizontal	253	1.50
6205MHz	Pass	PK	12.426G	52.95	74.00	-21.05	3	Horizontal	253	1.50
6405MHz	Pass	AV	12.79752G	40.31	68.20	-27.89	3	Vertical	20	1.71
6405MHz	Pass	PK	12.80876G	54.19	88.20	-34.01	3	Vertical	20	1.71
6405MHz	Pass	AV	12.81576G	40.33	68.20	-27.87	3	Horizontal	37	1.50
6405MHz	Pass	PK	12.79644G	54.31	88.20	-33.89	3	Horizontal	37	1.50
6445MHz	Pass	AV	12.90616G	40.62	68.20	-27.58	3	Vertical	281	1.50
6445MHz	Pass	PK	12.9094G	54.02	88.20	-34.18	3	Vertical	281	1.50
6445MHz	Pass	AV	12.90412G	40.53	68.20	-27.67	3	Horizontal	31	2.15
6445MHz	Pass	PK	12.87568G	53.96	88.20	-34.24	3	Horizontal	31	2.15
6485MHz	Pass	AV	12.97264G	40.95	68.20	-27.25	3	Vertical	0	1.44
6485MHz	Pass	PK	12.95912G	54.62	88.20	-33.58	3	Vertical	0	1.44
6485MHz	Pass	AV	12.97288G	41.07	68.20	-27.13	3	Horizontal	24	1.50
6485MHz	Pass	PK	12.9544G	55.07	88.20	-33.13	3	Horizontal	24	1.50
6525MHz	Pass	AV	13.03508G	40.57	68.20	-27.63	3	Vertical	218	1.17
6525MHz	Pass	PK	13.0662G	54.29	88.20	-33.91	3	Vertical	218	1.17
6525MHz	Pass	AV	13.03232G	40.60	68.20	-27.60	3	Horizontal	136	1.11
6525MHz	Pass	PK	13.06508G	54.49	88.20	-33.71	3	Horizontal	136	1.11
6565MHz	Pass	AV	13.14392G	40.74	68.20	-27.46	3	Vertical	343	1.24
6565MHz	Pass	PK	13.139G	54.09	88.20	-34.11	3	Vertical	343	1.24
6565MHz	Pass	AV	13.14108G	40.56	68.20	-27.64	3	Horizontal	306	1.99
6565MHz	Pass	PK	13.1474G	54.20	88.20	-34.00	3	Horizontal	306	1.99
6685MHz	Pass	AV	13.35972G	41.20	54.00	-12.80	3	Vertical	342	1.96
6685MHz	Pass	PK	13.355G	54.74	74.00	-19.26	3	Vertical	342	1.96
6685MHz	Pass	AV	13.35952G	41.02	54.00	-12.98	3	Horizontal	35	1.50
6685MHz	Pass	PK	13.3686G	54.66	74.00	-19.34	3	Horizontal	35	1.50
6885MHz	Pass	AV	13.7704G	43.67	68.20	-24.53	3	Vertical	348	1.77
6885MHz	Pass	PK	13.77292G	57.58	88.20	-30.62	3	Vertical	348	1.77
6885MHz	Pass	AV	13.77076G	42.04	68.20	-26.16	3	Horizontal	286	2.17
6885MHz	Pass	PK	13.77312G	55.70	88.20	-32.50	3	Horizontal	286	2.17
6925MHz	Pass	AV	13.85032G	44.03	68.20	-24.17	3	Vertical	349	1.77
6925MHz	Pass	PK	13.85768G	57.67	88.20	-30.53	3	Vertical	349	1.77
6925MHz	Pass	AV	13.86048G	42.64	68.20	-25.56	3	Horizontal	209	2.35
6925MHz	Pass	PK	13.85784G	56.11	88.20	-32.09	3	Horizontal	209	2.35
7005MHz	Pass	AV	14.00932G	49.94	68.20	-18.26	3	Vertical	13	1.47
7005MHz	Pass	PK	14.0166G	63.43	88.20	-24.77	3	Vertical	13	1.47
7005MHz	Pass	AV	14.00908G	46.42	68.20	-21.78	3	Horizontal	272	1.71
7005MHz	Pass	PK	14.00876G	60.07	88.20	-28.13	3	Horizontal	272	1.71
7085MHz	Pass	AV	7.0766G	98.05	Inf	-Inf	3	Horizontal	59	2.04
7085MHz	Pass	AV	7.1264G	47.71	68.20	-20.49	3	Horizontal	59	2.04
7085MHz	Pass	PK	7.0667G	110.24	Inf	-Inf	3	Horizontal	59	2.04
7085MHz	Pass	PK	7.2062G	60.09	88.20	-28.11	3	Horizontal	59	2.04
7085MHz	Pass	AV	14.1696G	45.62	68.20	-22.58	3	Vertical	334	1.51
7085MHz	Pass	PK	14.17212G	59.72	88.20	-28.48	3	Vertical	334	1.51
7085MHz	Pass	AV	14.16596G	44.60	68.20	-23.60	3	Horizontal	215	1.66
7085MHz	Pass	PK	14.17152G	57.23	88.20	-30.97	3	Horizontal	215	1.66
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9225G	52.16	68.20	-16.04	3	Horizontal	299	2.09
5985MHz	Pass	AV	6G	96.38	Inf	-Inf	3	Horizontal	299	2.09
5985MHz	Pass	PK	5.9225G	63.80	88.20	-24.40	3	Horizontal	299	2.09
5985MHz	Pass	PK	6.0155G	109.73	Inf	-Inf	3	Horizontal	299	2.09
5985MHz	Pass	AV	11.94768G	40.54	54.00	-13.46	3	Vertical	82	2.29
5985MHz	Pass	PK	11.96784G	53.78	74.00	-20.22	3	Vertical	82	2.29
5985MHz	Pass	AV	12.00088G	40.82	54.00	-13.18	3	Horizontal	341	2.32
5985MHz	Pass	PK	11.95248G	53.32	74.00	-20.68	3	Horizontal	341	2.32

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6225MHz	Pass	AV	12.48144G	39.66	54.00	-14.34	3	Vertical	127	1.50
6225MHz	Pass	PK	12.48064G	53.50	74.00	-20.50	3	Vertical	127	1.50
6225MHz	Pass	AV	12.4784G	39.67	54.00	-14.33	3	Horizontal	212	1.50
6225MHz	Pass	PK	12.42856G	53.02	74.00	-20.98	3	Horizontal	212	1.50
6385MHz	Pass	AV	12.772G	40.27	68.20	-27.93	3	Vertical	310	1.71
6385MHz	Pass	PK	12.74456G	53.52	88.20	-34.68	3	Vertical	310	1.71
6385MHz	Pass	AV	12.75008G	40.29	68.20	-27.91	3	Horizontal	345	1.50
6385MHz	Pass	PK	12.76848G	54.19	88.20	-34.01	3	Horizontal	345	1.50
6465MHz	Pass	AV	12.94536G	40.83	68.20	-27.37	3	Vertical	265	1.25
6465MHz	Pass	PK	12.95504G	54.55	88.20	-33.65	3	Vertical	265	1.25
6465MHz	Pass	AV	12.95368G	40.90	68.20	-27.30	3	Horizontal	287	1.50
6465MHz	Pass	PK	12.96784G	53.97	88.20	-34.23	3	Horizontal	287	1.50
6545MHz	Pass	AV	13.0556G	40.58	68.20	-27.62	3	Vertical	276	1.50
6545MHz	Pass	PK	13.07552G	54.12	88.20	-34.08	3	Vertical	276	1.50
6545MHz	Pass	AV	13.0744G	40.48	68.20	-27.72	3	Horizontal	283	1.50
6545MHz	Pass	PK	13.08648G	54.17	88.20	-34.03	3	Horizontal	283	1.50
6625MHz	Pass	AV	13.28272G	41.16	54.00	-12.84	3	Vertical	24	1.50
6625MHz	Pass	PK	13.22816G	54.67	88.20	-33.53	3	Vertical	24	1.50
6625MHz	Pass	AV	13.2596G	41.13	54.00	-12.87	3	Horizontal	194	1.73
6625MHz	Pass	PK	13.21936G	54.78	88.20	-33.42	3	Horizontal	194	1.73
6705MHz	Pass	AV	13.44544G	41.36	68.20	-26.84	3	Vertical	360	1.50
6705MHz	Pass	PK	13.442G	54.83	88.20	-33.37	3	Vertical	360	1.50
6705MHz	Pass	AV	13.44928G	41.06	68.20	-27.14	3	Horizontal	172	1.50
6705MHz	Pass	PK	13.412G	54.66	88.20	-33.54	3	Horizontal	172	1.50
6785MHz	Pass	AV	13.56584G	42.94	68.20	-25.26	3	Vertical	344	1.83
6785MHz	Pass	PK	13.57064G	56.28	88.20	-31.92	3	Vertical	344	1.83
6785MHz	Pass	AV	13.5728G	41.75	68.20	-26.45	3	Horizontal	206	1.51
6785MHz	Pass	PK	13.53584G	55.57	88.20	-32.63	3	Horizontal	206	1.51
6865MHz	Pass	AV	13.74024G	43.63	68.20	-24.57	3	Vertical	344	1.71
6865MHz	Pass	PK	13.74504G	57.14	88.20	-31.06	3	Vertical	344	1.71
6865MHz	Pass	AV	13.74128G	41.82	68.20	-26.38	3	Horizontal	276	1.50
6865MHz	Pass	PK	13.70912G	55.37	88.20	-32.83	3	Horizontal	276	1.50
6945MHz	Pass	AV	13.8988G	47.31	68.20	-20.89	3	Vertical	331	1.69
6945MHz	Pass	PK	13.9036G	62.42	88.20	-25.78	3	Vertical	331	1.69
6945MHz	Pass	AV	13.90848G	43.64	68.20	-24.56	3	Horizontal	332	1.34
6945MHz	Pass	PK	13.9036G	57.17	88.20	-31.03	3	Horizontal	332	1.34
7025MHz	Pass	AV	7.0151G	97.47	Inf	-Inf	3	Horizontal	47	2.03
7025MHz	Pass	AV	7.1252G	53.24	68.20	-14.96	3	Horizontal	47	2.03
7025MHz	Pass	PK	7.0202G	110.08	Inf	-Inf	3	Horizontal	47	2.03
7025MHz	Pass	PK	7.1252G	66.29	88.20	-21.91	3	Horizontal	47	2.03
7025MHz	Pass	AV	14.02648G	51.80	68.20	-16.40	3	Vertical	12	1.50
7025MHz	Pass	PK	14.01976G	64.13	88.20	-24.07	3	Vertical	12	1.50
7025MHz	Pass	AV	14.03128G	48.66	68.20	-19.54	3	Horizontal	271	1.78
7025MHz	Pass	PK	14.05376G	61.82	88.20	-26.38	3	Horizontal	271	1.78
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9225G	56.83	68.20	-11.37	3	Horizontal	302	2.06
6025MHz	Pass	AV	6.0875G	95.55	Inf	-Inf	3	Horizontal	302	2.06
6025MHz	Pass	PK	5.9235G	71.23	88.20	-16.97	3	Horizontal	302	2.06
6025MHz	Pass	PK	6.057G	107.17	Inf	-Inf	3	Horizontal	302	2.06
6025MHz	Pass	AV	12.12536G	41.73	54.00	-12.27	3	Vertical	321	1.56
6025MHz	Pass	PK	12.09336G	53.71	74.00	-20.29	3	Vertical	321	1.56
6025MHz	Pass	AV	12.01672G	41.48	54.00	-12.52	3	Horizontal	154	2.89
6025MHz	Pass	PK	12.00376G	53.61	74.00	-20.39	3	Horizontal	154	2.89
6185MHz	Pass	AV	12.35576G	39.54	54.00	-14.46	3	Vertical	195	1.50
6185MHz	Pass	PK	12.31928G	53.60	74.00	-20.40	3	Vertical	195	1.50
6185MHz	Pass	AV	12.41528G	39.47	54.00	-14.53	3	Horizontal	146	2.10
6185MHz	Pass	PK	12.38408G	52.78	74.00	-21.22	3	Horizontal	146	2.10
6345MHz	Pass	AV	12.65352G	40.26	54.00	-13.74	3	Vertical	108	2.48
6345MHz	Pass	PK	12.72792G	53.80	88.20	-34.40	3	Vertical	108	2.48
6345MHz	Pass	AV	12.74024G	40.21	68.20	-27.99	3	Horizontal	165	1.59
6345MHz	Pass	PK	12.67096G	54.34	74.00	-19.66	3	Horizontal	165	1.59
6505MHz	Pass	AV	13.00552G	40.96	68.20	-27.24	3	Vertical	333	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6505MHz	Pass	PK	13.00856G	54.80	88.20	-33.40	3	Vertical	333	1.50
6505MHz	Pass	AV	12.9948G	40.97	68.20	-27.23	3	Horizontal	351	1.50
6505MHz	Pass	PK	12.9668G	54.35	88.20	-33.85	3	Horizontal	351	1.50
6665MHz	Pass	AV	13.29688G	41.22	54.00	-12.78	3	Vertical	341	1.70
6665MHz	Pass	PK	13.31064G	54.57	74.00	-19.43	3	Vertical	341	1.70
6665MHz	Pass	AV	13.30536G	41.11	54.00	-12.89	3	Horizontal	224	1.50
6665MHz	Pass	PK	13.28792G	55.35	74.00	-18.65	3	Horizontal	224	1.50
6825MHz	Pass	AV	13.6604G	42.32	68.20	-25.88	3	Vertical	348	1.43
6825MHz	Pass	PK	13.64008G	56.17	88.20	-32.03	3	Vertical	348	1.43
6825MHz	Pass	AV	13.61288G	41.75	68.20	-26.45	3	Horizontal	307	2.27
6825MHz	Pass	PK	13.69608G	55.42	88.20	-32.78	3	Horizontal	307	2.27
6985MHz	Pass	AV	6.923G	95.64	Inf	-Inf	3	Horizontal	51	2.19
6985MHz	Pass	AV	7.1305G	58.36	68.20	-9.84	3	Horizontal	51	2.19
6985MHz	Pass	PK	6.963G	108.41	Inf	-Inf	3	Horizontal	51	2.19
6985MHz	Pass	PK	7.149G	71.84	88.20	-16.36	3	Horizontal	51	2.19
6985MHz	Pass	AV	14.00904G	49.58	68.20	-18.62	3	Vertical	14	1.66
6985MHz	Pass	PK	13.9532G	61.42	88.20	-26.78	3	Vertical	14	1.66
6985MHz	Pass	AV	14.014G	47.00	68.20	-21.20	3	Horizontal	270	1.87
6985MHz	Pass	PK	13.99192G	59.09	88.20	-29.11	3	Horizontal	270	1.87
802.11be EHT320_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	54.90	68.20	-13.30	3	Horizontal	301	2.15
6105MHz	Pass	AV	6.075G	92.47	Inf	-Inf	3	Horizontal	301	2.15
6105MHz	Pass	PK	5.922G	66.53	88.20	-21.67	3	Horizontal	301	2.15
6105MHz	Pass	PK	6.13G	104.43	Inf	-Inf	3	Horizontal	301	2.15
6105MHz	Pass	AV	12.10408G	42.34	54.00	-11.66	3	Vertical	287	1.50
6105MHz	Pass	PK	12.19752G	53.66	74.00	-20.34	3	Vertical	287	1.50
6105MHz	Pass	AV	12.11752G	42.68	54.00	-11.32	3	Horizontal	92	1.21
6105MHz	Pass	PK	12.09448G	54.18	74.00	-19.82	3	Horizontal	92	1.21
6265MHz	Pass	AV	12.68456G	40.26	54.00	-13.74	3	Vertical	237	1.50
6265MHz	Pass	PK	12.51176G	53.43	74.00	-20.57	3	Vertical	237	1.50
6265MHz	Pass	AV	12.66984G	40.16	54.00	-13.84	3	Horizontal	360	1.50
6265MHz	Pass	PK	12.66792G	54.45	74.00	-19.55	3	Horizontal	360	1.50
6425MHz	Pass	AV	13.00328G	40.92	68.20	-27.28	3	Vertical	293	1.50
6425MHz	Pass	PK	12.9944G	55.18	88.20	-33.02	3	Vertical	293	1.50
6425MHz	Pass	AV	12.9572G	40.94	68.20	-27.26	3	Horizontal	104	1.50
6425MHz	Pass	PK	12.97288G	54.32	88.20	-33.88	3	Horizontal	104	1.50
6585MHz	Pass	AV	13.30472G	41.09	54.00	-12.91	3	Vertical	61	1.50
6585MHz	Pass	PK	13.19144G	54.60	88.20	-33.60	3	Vertical	61	1.50
6585MHz	Pass	AV	13.29512G	41.20	54.00	-12.80	3	Horizontal	281	1.50
6585MHz	Pass	PK	13.01672G	54.49	88.20	-33.71	3	Horizontal	281	1.50
6745MHz	Pass	AV	13.55784G	41.90	68.20	-26.30	3	Vertical	350	1.50
6745MHz	Pass	PK	13.49768G	55.15	88.20	-33.05	3	Vertical	350	1.50
6745MHz	Pass	AV	13.5492G	41.79	68.20	-26.41	3	Horizontal	9	1.37
6745MHz	Pass	PK	13.5476G	55.03	88.20	-33.17	3	Horizontal	9	1.37
6905MHz	Pass	AV	6.798G	92.37	Inf	-Inf	3	Horizontal	50	2.08
6905MHz	Pass	AV	7.263G	53.37	54.00	-0.63	3	Horizontal	50	2.08
6905MHz	Pass	PK	6.853G	103.69	Inf	-Inf	3	Horizontal	50	2.08
6905MHz	Pass	PK	7.262G	63.43	74.00	-10.57	3	Horizontal	50	2.08
6905MHz	Pass	AV	13.94984G	45.45	68.20	-22.75	3	Vertical	329	1.57
6905MHz	Pass	PK	13.92072G	55.99	88.20	-32.21	3	Vertical	329	1.57
6905MHz	Pass	AV	13.79112G	44.42	68.20	-23.78	3	Horizontal	33	1.34
6905MHz	Pass	PK	13.92424G	55.20	88.20	-33.00	3	Horizontal	33	1.34


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	46.72	68.20	-21.48	2.54	3	Horizontal	302	2.10	44.18	34.35	6.06	37.87
AV	5.9779G	98.01	Inf	-Inf	2.55	3	Horizontal	302	2.10	95.46	34.30	6.08	37.83
PK	5.9233G	59.28	88.20	-28.92	2.54	3	Horizontal	302	2.10	56.74	34.35	6.06	37.87
PK	5.9704G	111.24	Inf	-Inf	2.55	3	Horizontal	302	2.10	108.69	34.30	6.08	37.83

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94756G	39.99	54.00	-14.01	9.70	3	Vertical	360	2.27	30.29	39.00	8.70	38.00
PK	11.9144G	53.47	74.00	-20.53	9.63	3	Vertical	360	2.27	43.84	38.93	8.69	37.99


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0151G	97.47	Inf	-Inf	5.12	3	Horizontal	47	2.03	92.35	35.96	6.64	37.48
AV	7.1252G	53.24	68.20	-14.96	5.98	3	Horizontal	47	2.03	47.26	36.60	6.68	37.30
PK	7.0202G	110.08	Inf	-Inf	5.15	3	Horizontal	47	2.03	104.93	35.98	6.64	37.47
PK	7.1252G	66.29	88.20	-21.91	5.98	3	Horizontal	47	2.03	60.31	36.60	6.68	37.30

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.02648G	51.80	68.20	-16.40	11.39	3	Vertical	12	1.50	40.41	40.25	9.52	38.38
PK	14.01976G	64.13	88.20	-24.07	11.37	3	Vertical	12	1.50	52.76	40.24	9.52	38.39


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX





RSE TX above 1GHz _Non-Beamforming_Radio 1_Full RU_2T2S

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.3913G	39.79	54.00	-14.21	3	Vertical	228	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	11.93776G	40.42	54.00	-13.58	3	Horizontal	199	1.83
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	11.98624G	41.22	54.00	-12.78	3	Vertical	112	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.916G	58.19	68.20	-10.01	3	Horizontal	299	2.15
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	12.11144G	42.72	54.00	-11.28	3	Vertical	100	2.81
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.95838G	41.51	68.20	-26.69	3	Vertical	101	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	12.9828G	41.52	68.20	-26.68	3	Horizontal	314	2.91
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	12.93G	41.34	68.20	-26.86	3	Vertical	271	2.17
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	12.96648G	41.44	68.20	-26.76	3	Vertical	12	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	13.31208G	41.57	54.00	-12.43	3	Horizontal	166	2.92
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.39816G	41.52	54.00	-12.48	3	Vertical	346	2.26
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.38844G	41.89	54.00	-12.11	3	Vertical	346	1.27
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.27776G	41.54	54.00	-12.46	3	Horizontal	68	1.24
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.28184G	41.67	54.00	-12.33	3	Horizontal	82	2.24
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	7.262G	53.27	54.00	-0.73	3	Horizontal	50	2.09
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	7.1253G	49.85	68.20	-18.35	3	Horizontal	72	2.01
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	14.01292G	52.54	68.20	-15.66	3	Vertical	348	1.62
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	7.1261G	52.28	68.20	-15.92	3	Horizontal	52	2.19
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	7.128G	56.96	68.20	-11.24	3	Horizontal	49	2.08



RSE TX above 1GHz_Non-Beamforming_Radio 1_Full RU_2T2S

Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9148G	44.27	68.20	-23.93	3	Horizontal	296	2.14
5955MHz	Pass	AV	5.9529G	97.79	Inf	-Inf	3	Horizontal	296	2.14
5955MHz	Pass	PK	5.9136G	57.15	88.20	-31.05	3	Horizontal	296	2.14
5955MHz	Pass	PK	5.9529G	109.84	Inf	-Inf	3	Horizontal	296	2.14
5955MHz	Pass	AV	11.91924G	39.72	54.00	-14.28	3	Vertical	360	1.50
5955MHz	Pass	PK	11.90592G	52.97	74.00	-21.03	3	Vertical	360	1.50
5955MHz	Pass	AV	11.90384G	39.59	54.00	-14.41	3	Horizontal	56	2.85
5955MHz	Pass	PK	11.90268G	52.79	74.00	-21.21	3	Horizontal	56	2.85
6195MHz	Pass	AV	12.3913G	39.79	54.00	-14.21	3	Vertical	228	1.50
6195MHz	Pass	PK	12.38082G	52.76	74.00	-21.24	3	Vertical	228	1.50
6195MHz	Pass	AV	12.38182G	39.75	54.00	-14.25	3	Horizontal	132	1.50
6195MHz	Pass	PK	12.38688G	53.17	74.00	-20.83	3	Horizontal	132	1.50
6415MHz	Pass	AV	12.8263G	40.72	68.20	-27.48	3	Vertical	333	1.90
6415MHz	Pass	PK	12.83484G	53.56	88.20	-34.64	3	Vertical	333	1.90
6415MHz	Pass	AV	12.82262G	40.77	68.20	-27.43	3	Horizontal	26	1.50
6415MHz	Pass	PK	12.83976G	54.21	88.20	-33.99	3	Horizontal	26	1.50
6435MHz	Pass	AV	12.86524G	40.90	68.20	-27.30	3	Vertical	134	1.50
6435MHz	Pass	PK	12.8652G	54.47	88.20	-33.73	3	Vertical	134	1.50
6435MHz	Pass	AV	12.86026G	40.90	68.20	-27.30	3	Horizontal	326	1.50
6435MHz	Pass	PK	12.8608G	54.17	88.20	-34.03	3	Horizontal	326	1.50
6475MHz	Pass	AV	12.95838G	41.51	68.20	-26.69	3	Vertical	101	1.50
6475MHz	Pass	PK	12.94556G	54.74	88.20	-33.46	3	Vertical	101	1.50
6475MHz	Pass	AV	12.95766G	41.38	68.20	-26.82	3	Horizontal	268	1.50
6475MHz	Pass	PK	12.94898G	54.48	88.20	-33.72	3	Horizontal	268	1.50
6515MHz	Pass	AV	13.02986G	41.32	68.20	-26.88	3	Vertical	317	1.50
6515MHz	Pass	PK	13.03756G	54.65	88.20	-33.55	3	Vertical	317	1.50
6515MHz	Pass	AV	13.02058G	41.14	68.20	-27.06	3	Horizontal	14	2.61
6515MHz	Pass	PK	13.02752G	54.49	88.20	-33.71	3	Horizontal	14	2.61
6535MHz	Pass	AV	13.0661G	41.17	68.20	-27.03	3	Vertical	347	1.50
6535MHz	Pass	PK	13.0601G	54.58	88.20	-33.62	3	Vertical	347	1.50
6535MHz	Pass	AV	13.0613G	41.30	68.20	-26.90	3	Horizontal	145	2.15
6535MHz	Pass	PK	13.07494G	55.11	88.20	-33.09	3	Horizontal	145	2.15
6695MHz	Pass	AV	13.39816G	41.52	54.00	-12.48	3	Vertical	346	2.26
6695MHz	Pass	PK	13.38964G	54.78	74.00	-19.22	3	Vertical	346	2.26
6695MHz	Pass	AV	13.38288G	41.42	54.00	-12.58	3	Horizontal	93	2.76
6695MHz	Pass	PK	13.39484G	55.10	74.00	-18.90	3	Horizontal	93	2.76
6875MHz	Pass	AV	13.74984G	44.20	68.20	-24.00	3	Vertical	345	1.79
6875MHz	Pass	PK	13.75542G	57.19	88.20	-31.01	3	Vertical	345	1.79
6875MHz	Pass	AV	13.74428G	42.52	68.20	-25.68	3	Horizontal	208	1.50
6875MHz	Pass	PK	13.7418G	55.22	88.20	-32.98	3	Horizontal	208	1.50
6895MHz	Pass	AV	13.78966G	44.10	68.20	-24.10	3	Vertical	351	1.49
6895MHz	Pass	PK	13.7988G	57.21	88.20	-30.99	3	Vertical	351	1.49
6895MHz	Pass	AV	13.79336G	42.31	68.20	-25.89	3	Horizontal	329	1.48
6895MHz	Pass	PK	13.78474G	55.05	88.20	-33.15	3	Horizontal	329	1.48
6995MHz	Pass	AV	13.98942G	49.58	68.20	-18.62	3	Vertical	12	1.63
6995MHz	Pass	PK	13.98616G	62.81	88.20	-25.39	3	Vertical	12	1.63
6995MHz	Pass	AV	13.98928G	46.70	68.20	-21.50	3	Horizontal	270	1.86
6995MHz	Pass	PK	13.99688G	60.58	88.20	-27.62	3	Horizontal	270	1.86
7095MHz	Pass	AV	7.0923G	97.59	Inf	-Inf	3	Horizontal	72	2.01
7095MHz	Pass	AV	7.1253G	49.85	68.20	-18.35	3	Horizontal	72	2.01
7095MHz	Pass	PK	7.0992G	110.44	Inf	-Inf	3	Horizontal	72	2.01
7095MHz	Pass	PK	7.125G	63.25	88.20	-24.95	3	Horizontal	72	2.01
7095MHz	Pass	AV	14.19088G	45.43	68.20	-22.77	3	Vertical	331	1.53
7095MHz	Pass	PK	14.1893G	57.76	88.20	-30.44	3	Vertical	331	1.53
7095MHz	Pass	AV	14.189G	44.09	68.20	-24.11	3	Horizontal	298	1.72
7095MHz	Pass	PK	14.19094G	57.15	88.20	-31.05	3	Horizontal	298	1.72
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	48.03	68.20	-20.17	3	Horizontal	297	2.13
5965MHz	Pass	AV	5.9692G	98.12	Inf	-Inf	3	Horizontal	297	2.13
5965MHz	Pass	PK	5.9248G	60.83	88.20	-27.37	3	Horizontal	297	2.13



RSE TX above 1GHz_Non-Beamforming_Radio 1_Full RU_2T2S

Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9815G	111.15	Inf	-Inf	3	Horizontal	297	2.13
5965MHz	Pass	AV	11.9492G	40.31	54.00	-13.69	3	Vertical	121	2.81
5965MHz	Pass	PK	11.9334G	52.86	74.00	-21.14	3	Vertical	121	2.81
5965MHz	Pass	AV	11.93776G	40.42	54.00	-13.58	3	Horizontal	199	1.83
5965MHz	Pass	PK	11.9466G	52.98	74.00	-21.02	3	Horizontal	199	1.83
6205MHz	Pass	AV	12.402G	40.07	54.00	-13.93	3	Vertical	259	1.50
6205MHz	Pass	PK	12.41276G	52.98	74.00	-21.02	3	Vertical	259	1.50
6205MHz	Pass	AV	12.39488G	40.12	54.00	-13.88	3	Horizontal	95	1.50
6205MHz	Pass	PK	12.40688G	52.99	74.00	-21.01	3	Horizontal	95	1.50
6405MHz	Pass	AV	12.79408G	40.88	68.20	-27.32	3	Vertical	19	1.42
6405MHz	Pass	PK	12.80864G	54.12	88.20	-34.08	3	Vertical	19	1.42
6405MHz	Pass	AV	12.80124G	40.81	68.20	-27.39	3	Horizontal	207	1.50
6405MHz	Pass	PK	12.80968G	53.89	88.20	-34.31	3	Horizontal	207	1.50
6445MHz	Pass	AV	12.87776G	41.07	68.20	-27.13	3	Vertical	272	1.01
6445MHz	Pass	PK	12.90724G	54.02	88.20	-34.18	3	Vertical	272	1.01
6445MHz	Pass	AV	12.88232G	41.12	68.20	-27.08	3	Horizontal	200	1.98
6445MHz	Pass	PK	12.88872G	54.47	88.20	-33.73	3	Horizontal	200	1.98
6485MHz	Pass	AV	12.97188G	41.41	68.20	-26.79	3	Vertical	53	1.50
6485MHz	Pass	PK	12.96492G	54.64	88.20	-33.56	3	Vertical	53	1.50
6485MHz	Pass	AV	12.9828G	41.52	68.20	-26.68	3	Horizontal	314	2.91
6485MHz	Pass	PK	12.98036G	54.66	88.20	-33.54	3	Horizontal	314	2.91
6525MHz	Pass	AV	13.03G	41.04	68.20	-27.16	3	Vertical	1	1.63
6525MHz	Pass	PK	13.06376G	54.78	88.20	-33.42	3	Vertical	1	1.63
6525MHz	Pass	AV	13.03108G	41.19	68.20	-27.01	3	Horizontal	56	1.15
6525MHz	Pass	PK	13.05732G	54.84	88.20	-33.36	3	Horizontal	56	1.15
6565MHz	Pass	AV	13.13804G	41.30	68.20	-26.90	3	Vertical	125	1.50
6565MHz	Pass	PK	13.12416G	54.19	88.20	-34.01	3	Vertical	125	1.50
6565MHz	Pass	AV	13.13052G	41.05	68.20	-27.15	3	Horizontal	354	1.50
6565MHz	Pass	PK	13.13472G	53.96	88.20	-34.24	3	Horizontal	354	1.50
6685MHz	Pass	AV	13.38844G	41.89	54.00	-12.11	3	Vertical	346	1.27
6685MHz	Pass	PK	13.38676G	55.50	74.00	-18.50	3	Vertical	346	1.27
6685MHz	Pass	AV	13.35748G	41.62	54.00	-12.38	3	Horizontal	346	1.50
6685MHz	Pass	PK	13.38512G	54.92	74.00	-19.08	3	Horizontal	346	1.50
6885MHz	Pass	AV	13.77092G	44.97	68.20	-23.23	3	Vertical	346	1.56
6885MHz	Pass	PK	13.77124G	58.64	88.20	-29.56	3	Vertical	346	1.56
6885MHz	Pass	AV	13.77032G	43.30	68.20	-24.90	3	Horizontal	301	2.32
6885MHz	Pass	PK	13.76932G	56.78	88.20	-31.42	3	Horizontal	301	2.32
6925MHz	Pass	AV	13.85092G	45.48	68.20	-22.72	3	Vertical	329	1.50
6925MHz	Pass	PK	13.84648G	58.27	88.20	-29.93	3	Vertical	329	1.50
6925MHz	Pass	AV	13.84884G	43.10	68.20	-25.10	3	Horizontal	305	1.81
6925MHz	Pass	PK	13.85128G	57.60	88.20	-30.60	3	Horizontal	305	1.81
7005MHz	Pass	AV	14.01292G	52.54	68.20	-15.66	3	Vertical	348	1.62
7005MHz	Pass	PK	14.01216G	66.07	88.20	-22.13	3	Vertical	348	1.62
7005MHz	Pass	AV	14.01164G	49.39	68.20	-18.81	3	Horizontal	270	1.81
7005MHz	Pass	PK	14.01372G	62.21	88.20	-25.99	3	Horizontal	270	1.81
7085MHz	Pass	AV	7.0769G	97.77	Inf	-Inf	3	Horizontal	75	2.16
7085MHz	Pass	AV	7.1258G	49.57	68.20	-18.63	3	Horizontal	75	2.16
7085MHz	Pass	PK	7.0892G	110.03	Inf	-Inf	3	Horizontal	75	2.16
7085MHz	Pass	PK	7.1261G	62.51	88.20	-25.69	3	Horizontal	75	2.16
7085MHz	Pass	AV	14.16904G	46.53	68.20	-21.67	3	Vertical	333	1.59
7085MHz	Pass	PK	14.17956G	59.65	88.20	-28.55	3	Vertical	333	1.59
7085MHz	Pass	AV	14.17228G	45.23	68.20	-22.97	3	Horizontal	299	1.76
7085MHz	Pass	PK	14.17116G	58.20	88.20	-30.00	3	Horizontal	299	1.76
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	52.78	68.20	-15.42	3	Horizontal	298	2.20
5985MHz	Pass	AV	6.014G	96.88	Inf	-Inf	3	Horizontal	298	2.20
5985MHz	Pass	PK	5.9235G	63.99	88.20	-24.21	3	Horizontal	298	2.20
5985MHz	Pass	PK	5.993G	109.13	Inf	-Inf	3	Horizontal	298	2.20
5985MHz	Pass	AV	11.98624G	41.22	54.00	-12.78	3	Vertical	112	1.50
5985MHz	Pass	PK	12.0084G	53.22	74.00	-20.78	3	Vertical	112	1.50
5985MHz	Pass	AV	11.94624G	41.11	54.00	-12.89	3	Horizontal	241	1.99
5985MHz	Pass	PK	12.00048G	53.20	74.00	-20.80	3	Horizontal	241	1.99