


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408727G	-8.05	6.400825G	-36.12	-30.18	-5.94	1
6.409951G	-7.57	6.39675G	-40.00	-32.83	-7.17	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.438724G	-6.32	6.41855G	-36.79	-29.66	-7.13	1
6.4337G	-6.50	6.45215G	-37.76	-29.13	-8.63	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.472451G	-6.57	6.460875G	-35.36	-28.54	-6.82	1
6.478699G	-6.88	6.458975G	-37.00	-29.06	-7.94	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518749G	-6.68	6.494925G	-40.23	-33.51	-6.72	1
6.517499G	-6.61	6.4961G	-39.48	-32.56	-6.92	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

16/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

16/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

16/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.397852G	-4.13	6.3743G	-34.01	-26.62	-7.39	1
6.401151G	-4.85	6.36875G	-36.78	-30.00	-6.78	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.435802G	-2.93	6.4086G	-33.77	-28.95	-4.82	1
6.459996G	-2.95	6.4126G	-33.08	-26.44	-6.64	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.473853G	-2.63	6.449G	-33.86	-27.90	-5.96	1
6.489949G	-2.55	6.4504G	-33.27	-27.99	-5.28	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.529549G	-2.75	6.4888G	-34.14	-26.83	-7.31	1
6.52675G	-2.85	6.4914G	-33.56	-27.55	-6.01	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.870004G	-3.18	6.96045G	-51.23	-43.12	-8.11	1
6.889949G	-3.23	6.8483G	-35.28	-29.10	-6.18	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.908504G	-3.51	6.88675G	-35.27	-29.32	-5.95	1
6.929949G	-2.82	6.88795G	-34.41	-29.11	-5.30	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

16/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.374G	-1.77	6.3436G	-28.40	-21.78	-6.62	1
6.3711G	-1.80	6.343G	-28.92	-21.82	-7.10	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4567G	0.07	6.4234G	-26.40	-20.00	-6.40	1
6.451G	-0.10	6.4231G	-27.09	-19.70	-7.39	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5316G	0.08	6.5031G	-26.47	-19.96	-6.51	1
6.532G	-0.08	6.5027G	-27.29	-20.16	-7.13	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6115G	-1.02	6.5828G	-27.68	-21.19	-6.49	1
6.6328G	-1.00	6.5834G	-27.69	-21.02	-6.67	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

16/01/2026



6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

16/01/2026

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8577G	-0.99	6.9968G	-47.89	-40.99	-6.90	1
6.8542G	-0.85	6.74G	-48.01	-40.85	-7.16	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

16/01/2026

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9364G	-0.62	6.7851G	-47.61	-40.62	-6.99	1
6.9602G	-0.64	6.8231G	-47.61	-40.64	-6.97	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

17/01/2026




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42942G	2.42	6.7498G	-44.78	-37.58	-7.20	1
6.47961G	2.62	6.7514G	-45.33	-37.38	-7.95	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63661G	2.03	6.9092G	-44.08	-37.68	-6.40	1
6.63821G	1.78	6.422G	-44.57	-38.04	-6.53	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

17/01/2026




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz_TX

17/01/2026




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

17/01/2026



6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

17/01/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60863G	5.60	6.3294G	-25.91	-17.48	-8.43	1
6.64862G	5.59	6.055G	-36.95	-33.58	-3.37	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

17/01/2026

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86901G	0.02	6.4146G	-40.97	-39.98	-0.99	1
6.80822G	-0.34	6.413G	-42.49	-40.34	-2.15	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

19/01/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.951226G	6.24	5.9681G	-21.83	-13.82	-8.01	1
5.958674G	6.71	5.9399G	-22.88	-15.85	-7.03	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

19/01/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.196275G	5.95	6.16245G	-40.60	-33.13	-7.47	1
6.188777G	6.60	6.162625G	-37.63	-33.40	-4.23	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.413875G	6.28	6.43445G	-26.55	-19.60	-6.95	1
6.417474G	6.61	6.37915G	-41.87	-33.34	-8.53	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.527477G	5.00	6.50235G	-41.62	-35.00	-6.62	1
6.538699G	4.84	6.5518G	-26.54	-19.37	-7.17	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.693725G	4.65	6.662525G	-36.64	-35.35	-1.29	1
6.693725G	5.12	6.661725G	-36.97	-34.88	-2.09	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847402G	6.96	6.83535G	-19.86	-13.04	-6.82	1
6.851201G	7.23	6.8336G	-21.10	-13.16	-7.94	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

19/01/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.398352G	8.47	6.3448G	-35.22	-31.12	-4.10	1
6.398302G	7.79	6.3434G	-37.55	-32.21	-5.34	2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

19/01/2026

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.552403G	5.90	6.50245G	-40.39	-34.01	-6.38	1
6.567699G	5.64	6.5267G	-27.20	-21.20	-6.00	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

19/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

19/01/2026



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

19/01/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3739G	5.42	6.2642G	-40.75	-34.58	-6.17	1
6.3739G	5.27	6.2676G	-38.05	-33.95	-4.10	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

19/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59711G	5.10	6.4977G	-39.46	-34.69	-4.77	1
6.6359G	5.22	6.7498G	-39.87	-34.78	-5.09	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

19/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

19/01/2026



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

20/01/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08878G	5.19	5.7778G	-36.46	-34.81	-1.65	1
6.05119G	4.70	6.304G	-38.55	-35.02	-3.53	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

19/01/2026

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21139G	5.59	6.4648G	-37.69	-34.41	-3.28	1
6.16281G	5.44	6.4598G	-35.67	-34.56	-1.11	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

19/01/2026




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

20/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

20/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

19/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

MASK

7025MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

MASK

6985MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

MASK

6985MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

MASK

7025MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

MASK

6985MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6985MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

7025MHz_TX

13/03/2026

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0148G	3.00	6.8771G	-37.92	-37.00	-0.92	1
7.0134G	1.92	6.8742G	-43.29	-38.08	-5.21	2
7.0108G	1.84	6.8809G	-41.13	-37.73	-3.40	3
7.0113G	1.80	6.8798G	-40.84	-37.88	-2.96	4


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

MASK

6985MHz_TX

13/03/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01039G	-6.04	7.3762G	-53.27	-46.04	-7.23	1
6.92761G	-5.60	7.36G	-53.44	-45.60	-7.84	2
6.90942G	-5.46	7.3824G	-53.43	-45.46	-7.97	3
6.92861G	-6.04	7.3774G	-53.55	-46.04	-7.51	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

MASK

6985MHz_TX

13/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01419G	-5.14	7.379G	-53.44	-45.14	-8.30	1
6.92701G	-5.02	7.3578G	-53.47	-45.02	-8.45	2
6.91982G	-4.83	7.3654G	-53.65	-44.83	-8.82	3
7.00819G	-5.05	7.27G	-53.50	-45.05	-8.45	4

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU_3_4TX

MASK

7025MHz_TX

13/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0153G	-3.01	6.865G	-53.31	-43.01	-10.30	1
7.0118G	-3.67	6.8564G	-55.04	-43.67	-11.37	2
7.012G	-3.31	6.8976G	-54.14	-43.31	-10.83	3
7.0179G	-3.44	6.8953G	-54.76	-43.44	-11.32	4

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

MASK

6985MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6985MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

MASK

5985MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

MASK

7025MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

MASK

6025MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

MASK

6025MHz_TX

19/03/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX

MASK

6985MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95781G	3.57	6.5868G	-43.56	-31.46	-12.10	1

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

MASK

6985MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01139G	4.24	6.5858G	-43.65	-30.87	-12.78	1

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

MASK

6105MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

MASK

6105MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

MASK

6105MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX

MASK

6905MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

MASK

6905MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74784G	-0.46	6.4078G	-47.14	-40.46	-6.68	1

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

MASK

6905MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93259G	-0.46	6.417G	-48.58	-40.43	-8.15	1

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

19/03/2026




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

MASK

7025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

MASK

6025MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

MASK

6025MHz_TX

19/03/2026




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX

MASK

6985MHz_TX

19/03/2026




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6985MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

MASK

6105MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96344G	4.59	6.7898G	-44.96	-35.40	-9.56	1
6.13819G	4.02	6.7858G	-45.35	-35.82	-9.53	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

MASK

6105MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13899G	4.40	6.7966G	-46.65	-35.60	-11.05	1
6.14099G	4.08	6.797G	-46.55	-35.92	-10.63	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU_6_2TX

MASK

6105MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU_4_2TX

MASK

6905MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX

MASK

6905MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX

MASK

6905MHz_TX

19/03/2026



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

19/03/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9712G	-2.44	6.14G	-53.65	-42.44	-11.21	1
5.9753G	-3.18	6.1209G	-53.82	-43.18	-10.64	2
5.95671G	-2.83	6.1147G	-53.71	-42.83	-10.88	3
5.9744G	-3.24	6.1269G	-53.79	-43.24	-10.55	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

MASK

7025MHz_TX

19/03/2026

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0359G	-3.06	6.8651G	-51.18	-43.06	-8.12	1
7.0301G	-3.55	6.88G	-53.19	-43.55	-9.64	2
7.037G	-3.15	6.8804G	-52.85	-43.15	-9.70	3
7.0339G	-4.58	6.8481G	-53.54	-44.58	-8.96	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

MASK

6025MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94862G	-1.04	6.2678G	-50.20	-40.64	-9.56	1
6.08219G	-1.28	6.2682G	-49.79	-41.04	-8.75	2
5.96342G	-1.28	6.2694G	-50.89	-40.92	-9.97	3
5.96781G	-1.61	6.2694G	-50.52	-41.45	-9.07	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

MASK

6025MHz_TX

19/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96222G	-1.67	6.2704G	-51.51	-41.65	-9.86	1
6.05079G	-1.38	6.2684G	-50.39	-41.17	-9.22	2
5.96601G	-2.19	6.269G	-51.21	-41.78	-9.43	3
5.96761G	-2.68	6.2688G	-50.84	-42.43	-8.41	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU_4_4TX

MASK

6985MHz_TX

19/03/2026

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01399G	-1.73	6.6848G	-49.65	-41.73	-7.92	1
6.92861G	-1.79	6.7404G	-49.26	-41.79	-7.47	2
6.96181G	-1.25	6.697G	-49.52	-41.25	-8.27	3
7.00859G	-2.21	6.7408G	-49.71	-42.21	-7.50	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

MASK

6985MHz_TX

19/03/2026

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92761G	-2.58	6.665G	-50.65	-42.58	-8.07	1
7.00859G	-2.74	6.743G	-49.81	-42.42	-7.39	2
7.00959G	-2.46	6.7036G	-50.90	-42.46	-8.44	3
6.92302G	-3.01	6.7416G	-49.96	-42.89	-7.07	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

MASK

6105MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96743G	0.65	6.6702G	-49.50	-39.35	-10.15	1
6.13219G	-0.00	6.6666G	-49.39	-40.00	-9.39	2
6.13659G	1.00	6.709G	-49.45	-39.00	-10.45	3
6.13859G	0.92	6.6494G	-49.35	-39.08	-10.27	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

MASK

6905MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85781G	-1.88	6.3986G	-47.96	-41.88	-6.08	1
6.94099G	-2.04	6.4018G	-48.66	-42.04	-6.62	2
6.94059G	-1.55	6.4062G	-47.53	-41.55	-5.98	3
6.74864G	-1.80	6.4078G	-47.04	-41.80	-5.24	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

MASK

6905MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76224G	-1.94	6.3862G	-48.64	-41.94	-6.70	1
6.93379G	-2.58	6.397G	-49.26	-42.58	-6.68	2
6.94099G	-1.88	6.4186G	-48.50	-41.83	-6.67	3
6.93779G	-2.05	6.4118G	-48.75	-42.05	-6.70	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

MASK

6905MHz_TX

19/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93539G	-1.20	6.4122G	-48.87	-41.20	-7.67	1
6.93419G	-1.75	6.4086G	-49.55	-41.75	-7.80	2
6.94219G	-1.21	6.4202G	-48.91	-41.04	-7.87	3
6.93979G	-1.73	6.4138G	-49.13	-41.73	-7.40	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

13/03/2026




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

MASK

7025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

MASK

6025MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

MASK

6025MHz_TX

19/03/2026




6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU_4_4TX

MASK

6985MHz_TX

19/03/2026




6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_2_4TX

MASK

6985MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

MASK

6105MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 4_4TX

MASK

6905MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX

MASK

6905MHz_TX

19/03/2026




6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX

MASK

6905MHz_TX

19/03/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

MASK

5985MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

MASK

6025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

MASK

6025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

MASK

6025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

MASK

6025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU_3_4TX

MASK

5985MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU_8_4TX

MASK

6025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

MASK

6025MHz_TX

13/03/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96102G	3.51	6.339G	-45.58	-36.49	-9.09	1
6.05519G	3.47	6.3218G	-43.37	-36.11	-7.26	2
6.04859G	3.12	6.3304G	-44.18	-36.88	-7.30	3
5.96322G	2.86	6.3682G	-47.20	-37.14	-10.06	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

MASK

6105MHz_TX

13/03/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13459G	2.99	6.9002G	-43.90	-37.01	-6.89	1
6.13939G	2.40	6.905G	-44.01	-37.60	-6.41	2
6.07181G	3.42	6.8546G	-43.33	-36.57	-6.76	3
6.14979G	3.50	6.9022G	-43.88	-35.97	-7.91	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

13/03/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13779G	3.64	6.905G	-43.88	-36.36	-7.52	1
6.13859G	3.10	6.9022G	-44.12	-36.90	-7.22	2
6.07301G	3.93	6.8874G	-43.80	-36.07	-7.73	3
6.13979G	4.28	6.903G	-44.18	-35.22	-8.96	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

13/03/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96264G	4.51	6.9026G	-43.97	-35.49	-8.48	1
6.13899G	4.02	6.899G	-44.17	-35.98	-8.19	2
6.13819G	4.67	6.8998G	-44.01	-35.33	-8.68	3
6.13619G	5.06	6.9034G	-44.21	-34.46	-9.75	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

MASK

6025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_4_4TX

MASK

6025MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU_8_4TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

13/03/2026



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
7	149	20	6695	Center	6695	OFF	-61.79	4.21	-66.00	≤ -62
						Minimal	-62.79	4.21	-67.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-62.79	4.21	-67.00	≤ -62
						Minimal	-63.79	4.21	-68.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
7	143	160	6665	Low edge	6590	OFF	-57.79	4.21	-62.00	≤ -62
						Minimal	-58.79	4.21	-63.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62
				Center	6665	OFF	-58.79	4.21	-63.00	≤ -62
						Minimal	-59.79	4.21	-64.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62
				High edge	6740	OFF	-59.79	4.21	-64.00	≤ -62
						Minimal	-60.79	4.21	-65.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62
8	207	160	6985	Low edge	6910	OFF	-59.79	4.21	-64.00	≤ -62
						Minimal	-60.79	4.21	-65.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62
				Center	6985	OFF	-57.79	4.21	-62.00	≤ -62
						Minimal	-58.79	4.21	-63.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62
				High edge	7060	OFF	-60.79	4.21	-65.00	≤ -62
						Minimal	-61.79	4.21	-66.00	≤ -62
						ON	-77.79	4.21	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
7	149	20	6695	Center	6695	-66.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-67.00	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
7	143	160	6665	Low edge	6590	-62.00	OFF	10	100	90	PASS
				Center	6665	-63.00	OFF	9	90	90	PASS
				High edge	6740	-64.00	OFF	10	100	90	PASS
8	207	160	6985	Low edge	6910	-64.00	OFF	9	90	90	PASS
				Center	6985	-62.00	OFF	9	90	90	PASS
				High edge	7060	-65.00	OFF	10	100	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6695 MHz



Date: 29.APR.2026 15:45:23


Frequency (MHz): 7015 MHz



Date: 29.APR.2026 15:46:14


Bandwidth: 160MHz

Frequency (MHz): 6590 MHz




Date: 29.APR.2026 15:48:12

Frequency (MHz): 6665 MHz




Date: 29.APR.2026 15:48:36

Frequency (MHz): 6740 MHz




Date: 29.APR.2026 15:50:14

Frequency (MHz): 6910 MHz




Date: 29.APR.2026 15:51:12

Frequency (MHz): 6985 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 149 ; Incumbent signal 6695 MHz



Date: 20.APR.2026 11:05:59


Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 20.APR.2026 11:20:55

Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal


Test CH 143 ; Incumbent signal 6740 MHz



Date: 20.APR.2026 13:43:46

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6910 MHz



Date: 20.APR.2026 14:06:16

Note : M1 : Inject AWGN signal


Test CH 207 ; Incumbent signal 6985 MHz



Date: 20.APR.2026 13:57:49

Note : M1 : Inject AWGN signal

Test CH 207 ; Incumbent signal 7060 MHz



Date: 20.APR.2026 14:09:38

Note : M1 : Inject AWGN signal

Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				Center	6105	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				High edge	6260	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				Center	6425	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				High edge	6580	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				Center	6745	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				High edge	6900	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				Center	6905	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62
				High edge	7060	OFF	-56.75	5.25	-62.00	≤ -62
						Minimal	-57.75	5.25	-63.00	≤ -62
						ON	-76.75	5.25	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.00	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-62.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-62.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-62.00	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-62.00	OFF	9	90	90	PASS
				Center	6105	-62.00	OFF	9	90	90	PASS
				High edge	6260	-62.00	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-62.00	OFF	10	100	90	PASS
				Center	6425	-62.00	OFF	10	100	90	PASS
				High edge	6580	-62.00	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-62.00	OFF	10	100	90	PASS
				Center	6745	-62.00	OFF	9	90	90	PASS
				High edge	6900	-62.00	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-62.00	OFF	10	100	90	PASS
				Center	6905	-62.00	OFF	9	90	90	PASS
				High edge	7060	-62.00	OFF	10	100	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 14.APR.2026 01:53:58

Frequency (MHz): 6455 MHz




Date: 14.APR.2026 01:54:11

Frequency (MHz): 6695 MHz



Date: 14.APR.2026 01:54:28


Frequency (MHz): 7015 MHz



Date: 14.APR.2026 01:54:48


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 14.APR 2026 01:55:41

Frequency (MHz): 6105 MHz




Date: 14.APR 2026 01:55:55

Frequency (MHz): 6260 MHz




Date: 14.APR.2026 01:56:12

Frequency (MHz): 6270 MHz




Date: 14.APR.2026 01:56:59


Frequency (MHz): 6425 MHz



Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Date: 14.APR.2026 01:58:19

Frequency (MHz): 6745 MHz




Date: 14.APR.2026 01:58:42

Frequency (MHz): 6900 MHz




Date: 14.APR.2026 01:59:02

Frequency (MHz): 6750 MHz




Date: 14.APR.2026 02:00:00

Frequency (MHz): 6905 MHz



Date: 14.APR.2026 02:00:32

Frequency (MHz): 7060 MHz




Date: 14.APR.2026 02:01:10

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 13.APR.2026 15:30:35

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 13.APR.2026 15:39:52

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 13.APR.2026 15:47:24

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 13.APR.2026 15:52:37

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 13.APR.2026 16:40:16

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 13.APR.2026 16:27:05

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6260 MHz



Date: 13.APR.2026 17:00:13

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6270 MHz



Date: 14.APR.2026 14:15:15

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6425 MHz



Date: 14.APR.2026 15:09:44

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6580 MHz



Date: 14.APR.2026 14:26:14

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 14.APR.2026 14:49:21

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6745 MHz



Date: 14.APR.2026 14:43:44

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6900 MHz



Date: 14.APR.2026 14:52:54

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6750 MHz



Date: 14.APR.2026 15:36:49

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6905 MHz



Date: 14.APR.2026 15:07:42

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 14.APR.2026 15:50:46

Note : M1 : Inject AWGN signal

Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-63.05	2.95	-66.00	≤ -62
						Minimal	-64.05	2.95	-67.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.05	2.95	-68.00	≤ -62
						Minimal	-66.05	2.95	-69.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-63.05	2.95	-66.00	≤ -62
						Minimal	-64.05	2.95	-67.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-66.05	2.95	-69.00	≤ -62
						Minimal	-67.05	2.95	-70.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-61.05	2.95	-64.00	≤ -62
						Minimal	-62.05	2.95	-65.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				Center	6105	OFF	-61.05	2.95	-64.00	≤ -62
						Minimal	-62.05	2.95	-65.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				High edge	6260	OFF	-61.05	2.95	-64.00	≤ -62
						Minimal	-62.05	2.95	-65.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-59.05	2.95	-62.00	≤ -62
						Minimal	-60.05	2.95	-63.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				Center	6425	OFF	-59.05	2.95	-62.00	≤ -62
						Minimal	-60.05	2.95	-63.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				High edge	6580	OFF	-59.05	2.95	-62.00	≤ -62
						Minimal	-60.05	2.95	-63.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-60.05	2.95	-63.00	≤ -62
						Minimal	-61.05	2.95	-64.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				Center	6745	OFF	-60.05	2.95	-63.00	≤ -62
						Minimal	-61.05	2.95	-64.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				High edge	6900	OFF	-59.05	2.95	-62.00	≤ -62
						Minimal	-60.05	2.95	-63.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-59.05	2.95	-62.00	≤ -62
						Minimal	-60.05	2.95	-63.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				Center	6905	OFF	-60.05	2.95	-63.00	≤ -62
						Minimal	-61.05	2.95	-64.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62
				High edge	7060	OFF	-60.05	2.95	-63.00	≤ -62
						Minimal	-61.05	2.95	-64.00	≤ -62
						ON	-79.05	2.95	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-66.00	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-68.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-66.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-69.00	OFF	10	100	90	PASS

Contention Based protocol 802.11ax HEW320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-64.00	OFF	10	100	90	PASS
				Center	6105	-64.00	OFF	10	100	90	PASS
				High edge	6260	-64.00	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-62.00	OFF	9	90	90	PASS
				Center	6425	-62.00	OFF	9	90	90	PASS
				High edge	6580	-62.00	OFF	10	100	90	PASS
7/8	159	320	6745	Low edge	6590	-63.00	OFF	10	100	90	PASS
				Center	6745	-63.00	OFF	10	100	90	PASS
				High edge	6900	-62.00	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-62.00	OFF	10	100	90	PASS
				Center	6905	-63.00	OFF	10	100	90	PASS
				High edge	7060	-63.00	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 28.APR.2026 15:43:35

Frequency (MHz): 6455 MHz




Date: 28.APR.2026 15:44:03

Frequency (MHz): 6695 MHz



Date: 28.APR.2026 15:45:47


Frequency (MHz): 7015 MHz



Date: 28.APR.2026 15:46:29


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 28.APR 2026 15:49:11

Frequency (MHz): 6105 MHz




Date: 28.APR 2026 15:49:31

Frequency (MHz): 6260 MHz




Date: 28.APR.2026 15:51:26

Frequency (MHz): 6270 MHz




Date: 28.APR.2026 15:52:21

Frequency (MHz): 6425 MHz




Date: 28.APR.2026 15:54:06

Frequency (MHz): 6580 MHz




Date: 28.APR.2026 15:54:33

Frequency (MHz): 6590 MHz




Date: 28.APR.2026 15:57:42

Frequency (MHz): 6745 MHz




Date: 28.APR.2026 15:58:11

Frequency (MHz): 6900 MHz




Date: 28.APR.2026 15:59:45

Frequency (MHz): 6750 MHz




Date: 28.APR.2026 16:00:32

Frequency (MHz): 6905 MHz



Date: 28.APR.2026 16:02:31

Frequency (MHz): 7060 MHz




Date: 28.APR.2026 16:02:55

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 28.APR.2026 04:32:15

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 28.APR.2026 04:42:45

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 28.APR.2026 04:50:16

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 28.APR.2026 05:34:24

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 28.APR.2026 07:07:49

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 28.APR.2026 07:20:25

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6260 MHz



Date: 28.APR.2026 07:13:19

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6270 MHz



Date: 28.APR.2026 07:31:01

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6425 MHz



Date: 28.APR.2026 07:40:40

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6580 MHz



Date: 28.APR.2026 09:59:36

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 28.APR.2026 06:25:38

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6745 MHz



Date: 28.APR.2026 06:42:26

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6900 MHz



Date: 28.APR.2026 06:38:31

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6750 MHz



Date: 28.APR.2026 06:44:21

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6905 MHz



Date: 28.APR.2026 06:05:14

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 28.APR.2026 05:57:48

Note : M1 : Inject AWGN signal