



22/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




23/12/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




23/12/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




23/12/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




23/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




23/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




23/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




24/12/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




24/12/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




24/12/2025

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




24/12/2025

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




24/12/2025

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



24/12/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	9.22	15.92
802.11be EHT20_Nss2,(MCS0)_2TX	12.92	19.91
802.11be EHT20_Nss1,(MCS0)_4TX	11.93	22.82
802.11be EHT20_Nss4,(MCS0)_4TX	15.07	22.06
802.11be EHT40_Nss1,(MCS0)_1TX	6.16	12.86
802.11be EHT40_Nss2,(MCS0)_2TX	10.18	17.17
802.11be EHT40_Nss1,(MCS0)_4TX	11.98	22.87
802.11be EHT40_Nss4,(MCS0)_4TX	12.79	19.78
802.11be EHT80_Nss1,(MCS0)_1TX	3.55	10.25
802.11be EHT80_Nss2,(MCS0)_2TX	6.45	13.44
802.11be EHT80_Nss1,(MCS0)_4TX	9.79	20.68
802.11be EHT80_Nss4,(MCS0)_4TX	9.31	16.30
802.11be EHT160_Nss1,(MCS0)_1TX	0.61	7.31
802.11be EHT160_Nss2,(MCS0)_2TX	3.50	10.49
802.11be EHT160_Nss1,(MCS0)_4TX	5.98	16.87
802.11be EHT160_Nss4,(MCS0)_4TX	6.03	13.02
802.11be EHT320_Nss1,(MCS0)_1TX	-2.31	4.39
802.11be EHT320_Nss2,(MCS0)_2TX	0.19	7.18
802.11be EHT320_Nss1,(MCS0)_4TX	3.10	13.99
802.11be EHT320_Nss4,(MCS0)_4TX	2.24	9.23
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	9.34	15.69
802.11be EHT20_Nss2,(MCS0)_2TX	12.67	19.02
802.11be EHT20_Nss1,(MCS0)_4TX	13.13	22.96
802.11be EHT20_Nss4,(MCS0)_4TX	15.93	22.38
802.11be EHT40_Nss1,(MCS0)_1TX	6.26	12.61
802.11be EHT40_Nss2,(MCS0)_2TX	9.92	16.27
802.11be EHT40_Nss1,(MCS0)_4TX	12.98	22.81
802.11be EHT40_Nss4,(MCS0)_4TX	13.03	19.48
802.11be EHT80_Nss1,(MCS0)_1TX	3.29	9.64
802.11be EHT80_Nss2,(MCS0)_2TX	6.11	12.46
802.11be EHT80_Nss1,(MCS0)_4TX	9.49	19.32
802.11be EHT80_Nss4,(MCS0)_4TX	9.43	15.88
802.11be EHT160_Nss1,(MCS0)_1TX	-0.95	5.40
802.11be EHT160_Nss2,(MCS0)_2TX	1.38	7.73
802.11be EHT160_Nss1,(MCS0)_4TX	4.02	13.85
802.11be EHT160_Nss4,(MCS0)_4TX	3.81	10.26

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.70	9.02				9.02	15.72	23.00
6195MHz	Pass	6.70	9.22				9.22	15.92	23.00
6415MHz	Pass	6.70	9.01				9.01	15.71	23.00
6535MHz	Pass	6.35	9.03				9.03	15.38	23.00
6695MHz	Pass	6.35	8.53				8.53	14.88	23.00
6855MHz	Pass	6.35	9.34				9.34	15.69	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.70	5.59				5.59	12.29	23.00
6205MHz	Pass	6.70	6.16				6.16	12.86	23.00
6405MHz	Pass	6.70	5.86				5.86	12.56	23.00
6565MHz	Pass	6.35	6.17				6.17	12.52	23.00
6685MHz	Pass	6.35	5.92				5.92	12.27	23.00
6845MHz	Pass	6.35	6.26				6.26	12.61	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.70	0.05				0.05	6.75	23.00
6225MHz	Pass	6.70	3.51				3.51	10.21	23.00
6385MHz	Pass	6.70	3.55				3.55	10.25	23.00
6625MHz	Pass	6.35	3.29				3.29	9.64	23.00
6705MHz	Pass	6.35	3.04				3.04	9.39	23.00
6785MHz	Pass	6.35	2.97				2.97	9.32	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.70	0.44				0.44	7.14	23.00
6185MHz	Pass	6.70	0.61				0.61	7.31	23.00
6345MHz	Pass	6.70	0.57				0.57	7.27	23.00
6665MHz	Pass	6.35	-0.95				-0.95	5.40	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.70	-2.31				-2.31	4.39	23.00
6265MHz	Pass	6.70	-2.36				-2.36	4.34	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.99	9.88	9.23			12.47	19.46	23.00
6195MHz	Pass	6.99	10.16	9.74			12.92	19.91	23.00
6415MHz	Pass	6.99	9.17	8.55			11.83	18.82	23.00
6535MHz	Pass	6.35	9.94	9.10			12.49	18.84	23.00
6695MHz	Pass	6.35	9.21	9.03			12.00	18.35	23.00
6855MHz	Pass	6.35	10.13	9.31			12.67	19.02	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.99	5.52	4.72			8.11	15.10	23.00
6205MHz	Pass	6.99	7.64	6.97			10.18	17.17	23.00
6405MHz	Pass	6.99	6.52	5.93			9.12	16.11	23.00
6565MHz	Pass	6.35	6.73	6.09			9.36	15.71	23.00
6685MHz	Pass	6.35	6.28	5.81			8.95	15.30	23.00
6845MHz	Pass	6.35	7.67	6.27			9.92	16.27	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.99	3.82	2.87			6.31	13.30	23.00
6225MHz	Pass	6.99	2.94	2.57			5.68	12.67	23.00
6385MHz	Pass	6.99	4.01	2.88			6.45	13.44	23.00
6625MHz	Pass	6.35	3.28	3.29			6.11	12.46	23.00
6705MHz	Pass	6.35	3.19	2.91			6.00	12.35	23.00
6785MHz	Pass	6.35	3.38	2.96			6.03	12.38	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.99	0.50	0.91			3.50	10.49	23.00
6185MHz	Pass	6.99	-0.60	-0.83			2.27	9.26	23.00
6345MHz	Pass	6.99	0.50	-0.05			3.19	10.18	23.00
6665MHz	Pass	6.35	-1.28	-1.69			1.38	7.73	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-3.66	-4.28			-1.09	5.90	23.00
6265MHz	Pass	6.99	-2.25	-3.15			0.19	7.18	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	10.89	5.98	5.92	5.80	6.49	11.93	22.82	23.00
6195MHz	Pass	10.89	6.04	5.71	6.21	6.12	11.91	22.80	23.00
6415MHz	Pass	10.89	6.05	5.71	6.08	6.37	11.90	22.79	23.00
6535MHz	Pass	9.83	7.53	6.26	7.14	7.68	13.10	22.93	23.00
6695MHz	Pass	9.83	7.11	6.51	7.08	7.67	12.94	22.77	23.00
6855MHz	Pass	9.83	7.37	6.25	7.14	8.10	13.13	22.96	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	10.89	4.26	3.96	4.44	4.48	10.23	21.12	23.00
6205MHz	Pass	10.89	6.17	5.66	6.02	6.71	11.98	22.87	23.00
6405MHz	Pass	10.89	5.51	5.08	5.89	6.85	11.86	22.75	23.00
6565MHz	Pass	9.83	6.62	6.05	6.84	7.19	12.57	22.40	23.00
6685MHz	Pass	9.83	6.36	5.72	6.59	7.06	12.33	22.16	23.00
6845MHz	Pass	9.83	7.43	6.30	7.17	7.25	12.98	22.81	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	10.89	3.11	2.20	2.98	3.10	8.75	19.64	23.00
6225MHz	Pass	10.89	3.82	3.25	4.03	4.52	9.79	20.68	23.00
6385MHz	Pass	10.89	3.12	1.96	2.60	3.46	8.71	19.60	23.00
6625MHz	Pass	9.83	3.44	3.18	3.46	4.05	9.37	19.20	23.00
6705MHz	Pass	9.83	3.36	2.90	3.52	4.43	9.49	19.32	23.00
6785MHz	Pass	9.83	3.53	3.18	3.64	3.74	9.32	19.15	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	10.89	-1.54	-1.34	-1.40	-1.39	4.39	15.28	23.00
6185MHz	Pass	10.89	-0.87	-1.08	-0.34	0.01	5.38	16.27	23.00
6345MHz	Pass	10.89	0.24	-0.52	-0.18	0.54	5.98	16.87	23.00
6665MHz	Pass	9.83	-2.00	-2.18	-2.17	-1.36	4.02	13.85	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.89	-4.05	-4.53	-3.42	-3.21	2.17	13.06	23.00
6265MHz	Pass	10.89	-2.77	-3.48	-2.46	-2.56	3.10	13.99	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.99	8.37	8.09	8.31	9.05	14.37	21.36	23.00
6195MHz	Pass	6.99	9.22	8.76	9.15	9.49	15.07	22.06	23.00
6415MHz	Pass	6.99	9.07	8.24	8.59	9.39	14.69	21.68	23.00
6535MHz	Pass	6.45	9.96	8.53	9.70	10.02	15.48	21.93	23.00
6695MHz	Pass	6.45	9.27	8.77	9.19	9.89	15.12	21.57	23.00
6855MHz	Pass	6.45	10.06	9.08	9.90	10.80	15.93	22.38	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.99	4.94	4.30	4.96	4.85	10.67	17.66	23.00
6205MHz	Pass	6.99	6.82	6.08	6.89	7.48	12.79	19.78	23.00
6405MHz	Pass	6.99	6.40	5.77	6.73	7.90	12.67	19.66	23.00
6565MHz	Pass	6.45	7.00	6.12	7.10	7.31	12.77	19.22	23.00
6685MHz	Pass	6.45	6.75	5.76	7.11	7.42	12.66	19.11	23.00
6845MHz	Pass	6.45	7.63	6.28	7.23	7.24	13.03	19.48	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.99	2.94	2.21	2.91	2.88	8.68	15.67	23.00
6225MHz	Pass	6.99	2.53	2.12	2.61	3.41	8.62	15.61	23.00
6385MHz	Pass	6.99	3.47	2.69	2.87	4.05	9.31	16.30	23.00
6625MHz	Pass	6.45	3.17	2.77	3.61	4.10	9.28	15.73	23.00
6705MHz	Pass	6.45	3.17	2.65	3.64	4.43	9.43	15.88	23.00
6785MHz	Pass	6.45	3.48	2.95	3.67	3.73	9.25	15.70	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.99	-1.52	-1.08	-1.45	-1.23	4.50	11.49	23.00
6185MHz	Pass	6.99	-0.81	-1.18	-0.48	-0.28	5.27	12.26	23.00



PSD_Mode 6

Appendix D.6

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6345MHz	Pass	6.99	0.34	-0.81	-0.33	0.69	6.03	13.02	23.00
6665MHz	Pass	6.45	-2.20	-2.61	-2.13	-1.58	3.81	10.26	23.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-4.15	-4.68	-3.43	-3.04	2.07	9.06	23.00
6265MHz	Pass	6.99	-3.57	-4.28	-3.53	-3.24	2.24	9.23	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5955MHz

15/01/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.02	9.02	9.02

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6195MHz

15/01/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.22	9.22	9.22

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6415MHz

15/01/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.01	9.01	9.01

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6535MHz

15/01/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.03	9.03	9.03


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

15/01/2026

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.53	8.53	8.53


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

15/01/2026

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.34	9.34	9.34


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5965MHz

16/01/2026

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.59	5.59	5.59


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6205MHz

15/01/2026

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.16	6.16	6.16

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6405MHz

15/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.86	5.86	5.86

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6565MHz

15/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.17	6.17	6.17

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

15/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.92	5.92	5.92

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

15/01/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.26	6.26	6.26

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5985MHz

15/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6225MHz

15/01/2026



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6385MHz

15/01/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.55	3.55	3.55

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

15/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.29	3.29	3.29

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

15/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

15/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6025MHz

16/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6185MHz

15/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6345MHz

15/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

15/01/2026



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6105MHz

15/01/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.31	-2.31	-2.31

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6265MHz

15/01/2026

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.36	-2.36	-2.36

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

16/01/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.47	12.47	9.88	9.23

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

15/01/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.92	12.92	10.16	9.74

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

15/01/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.83	11.83	9.17	8.55

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

15/01/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.49	12.49	9.94	9.10

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

15/01/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.00	12.00	9.21	9.03

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

15/01/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.67	12.67	10.13	9.31

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

15/01/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.11	8.11	5.52	4.72

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

15/01/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.18	10.18	7.64	6.97

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

15/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.12	9.12	6.52	5.93

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

15/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.36	9.36	6.73	6.09


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

15/01/2026

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.95	8.95	6.28	5.81


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

15/01/2026

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.92	9.92	7.67	6.27

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

16/01/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	3.82	2.87

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

16/01/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.68	5.68	2.94	2.57

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

16/01/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.45	6.45	4.01	2.88

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

16/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.11	6.11	3.28	3.29

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

16/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.00	6.00	3.19	2.91

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

16/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.03	6.03	3.38	2.96

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

16/01/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.50	3.50	0.50	0.91

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

16/01/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.27	2.27	-0.60	-0.83

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

16/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.19	3.19	0.50	-0.05

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

16/01/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.38	1.38	-1.28	-1.69

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

16/01/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.09	-1.09	-3.66	-4.28

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

17/01/2026

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.19	0.19	-2.25	-3.15

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5955MHz

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6195MHz

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6415MHz

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

16/01/2026



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5965MHz

16/01/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.23	10.23	4.26	3.96	4.44	4.48

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6205MHz

16/01/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.98	11.98	6.17	5.66	6.02	6.71

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6405MHz

16/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.86	11.86	5.51	5.08	5.89	6.85

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

16/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.57	12.57	6.62	6.05	6.84	7.19

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

16/01/2026



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5985MHz

16/01/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.75	8.75	3.11	2.20	2.98	3.10

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6225MHz

16/01/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.79	9.79	3.82	3.25	4.03	4.52

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

16/01/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

16/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.49	9.49	3.36	2.90	3.52	4.43

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

16/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.32	9.32	3.53	3.18	3.64	3.74

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

16/01/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.39	4.39	-1.54	-1.34	-1.40	-1.39

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

16/01/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.38	5.38	-0.87	-1.08	-0.34	0.01

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

16/01/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.98	5.98	0.24	-0.52	-0.18	0.54

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

16/01/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.02	4.02	-2.00	-2.18	-2.17	-1.36

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

16/01/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.17	2.17	-4.05	-4.53	-3.42	-3.21

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6265MHz

16/01/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.10	3.10	-2.77	-3.48	-2.46	-2.56

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5955MHz

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6195MHz

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6415MHz

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6535MHz

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5965MHz

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6205MHz

16/01/2026



5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6405MHz

16/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.67	12.67	6.40	5.77	6.73	7.90

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6565MHz

16/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.77	12.77	7.00	6.12	7.10	7.31

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

16/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.66	12.66	6.75	5.76	7.11	7.42

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

16/01/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.03	13.03	7.63	6.28	7.23	7.24

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5985MHz

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6225MHz

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6385MHz

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

16/01/2026



6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

16/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.43	9.43	3.17	2.65	3.64	4.43

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

16/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.25	9.25	3.48	2.95	3.67	3.73

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6025MHz

17/01/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.50	4.50	-1.52	-1.08	-1.45	-1.23

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6185MHz

17/01/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.27	5.27	-0.81	-1.18	-0.48	-0.28

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6345MHz

17/01/2026




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

17/01/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

PSD

6105MHz

17/01/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

PSD

6265MHz

17/01/2026



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	-0.82	4.97
802.11be EHT40_Nss2,(MCS0)_2TX	-0.87	4.92
802.11be EHT80_Nss2,(MCS0)_2TX	-0.89	4.90
802.11be EHT160_Nss2,(MCS0)_2TX	-0.89	4.90
802.11be EHT320_Nss2,(MCS0)_2TX	-0.85	4.94
6.425-6.525GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.95	4.98
802.11be EHT40_Nss2,(MCS0)_2TX	0.87	4.90
802.11be EHT80_Nss2,(MCS0)_2TX	0.94	4.97
802.11be EHT160_Nss2,(MCS0)_2TX	0.73	4.76
802.11be EHT320_Nss2,(MCS0)_2TX	0.78	4.81
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.23	4.97
802.11be EHT40_Nss2,(MCS0)_2TX	0.15	4.89
802.11be EHT80_Nss2,(MCS0)_2TX	0.14	4.88
802.11be EHT160_Nss2,(MCS0)_2TX	0.25	4.99
802.11be EHT320_Nss2,(MCS0)_2TX	0.22	4.96
6.875-7.125GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.63	4.99
802.11be EHT40_Nss2,(MCS0)_2TX	0.51	4.87
802.11be EHT80_Nss2,(MCS0)_2TX	0.56	4.92
802.11be EHT160_Nss2,(MCS0)_2TX	0.51	4.87

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.79	-4.32	-3.45	-0.91	4.88	5.00
6195MHz	Pass	5.79	-3.85	-3.68	-0.82	4.97	5.00
6415MHz	Pass	5.79	-3.82	-3.76	-0.84	4.95	5.00
6435MHz	Pass	4.03	-2.10	-2.26	0.79	4.82	5.00
6475MHz	Pass	4.03	-2.13	-1.94	0.95	4.98	5.00
6515MHz	Pass	4.03	-2.17	-2.25	0.76	4.79	5.00
6535MHz	Pass	4.74	-2.61	-2.88	0.22	4.96	5.00
6695MHz	Pass	4.74	-3.00	-2.86	0.04	4.78	5.00
6875MHz	Pass	4.74	-2.74	-2.74	0.23	4.97	5.00
6895MHz	Pass	4.36	-2.31	-2.37	0.63	4.99	5.00
6995MHz	Pass	4.36	-2.60	-2.19	0.60	4.96	5.00
7095MHz	Pass	4.36	-2.41	-2.24	0.61	4.97	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.79	-4.01	-3.72	-0.87	4.92	5.00
6205MHz	Pass	5.79	-3.93	-3.91	-0.97	4.82	5.00
6405MHz	Pass	5.79	-3.65	-4.24	-0.94	4.85	5.00
6445MHz	Pass	4.03	-2.32	-2.10	0.75	4.78	5.00
6485MHz	Pass	4.03	-2.41	-2.08	0.74	4.77	5.00
6525MHz	Pass	4.03	-2.13	-2.09	0.87	4.90	5.00
6565MHz	Pass	4.74	-2.82	-3.04	0.04	4.78	5.00
6685MHz	Pass	4.74	-3.03	-2.86	0.03	4.77	5.00
6885MHz	Pass	4.74	-2.72	-2.89	0.15	4.89	5.00
6925MHz	Pass	4.36	-2.74	-2.22	0.51	4.87	5.00
7005MHz	Pass	4.36	-2.79	-2.23	0.49	4.85	5.00
7085MHz	Pass	4.36	-2.76	-2.25	0.49	4.85	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.79	-4.05	-3.73	-0.89	4.90	5.00
6225MHz	Pass	5.79	-3.98	-3.82	-0.89	4.90	5.00
6385MHz	Pass	5.79	-3.97	-3.90	-0.94	4.85	5.00
6465MHz	Pass	4.03	-2.04	-2.06	0.94	4.97	5.00
6545MHz	Pass	4.03	-2.01	-2.28	0.84	4.87	5.00
6625MHz	Pass	4.74	-3.00	-2.76	0.06	4.80	5.00
6705MHz	Pass	4.74	-2.94	-2.88	0.10	4.84	5.00
6785MHz	Pass	4.74	-3.08	-2.76	0.08	4.82	5.00
6865MHz	Pass	4.74	-2.88	-2.84	0.14	4.88	5.00
6945MHz	Pass	4.36	-2.46	-2.57	0.50	4.86	5.00
7025MHz	Pass	4.36	-2.34	-2.41	0.56	4.92	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.79	-3.70	-4.11	-0.89	4.90	5.00
6185MHz	Pass	5.79	-3.73	-4.00	-0.92	4.87	5.00
6345MHz	Pass	5.79	-4.03	-4.03	-1.03	4.76	5.00
6505MHz	Pass	4.03	-2.07	-2.43	0.73	4.76	5.00
6665MHz	Pass	4.74	-2.44	-3.02	0.22	4.96	5.00
6825MHz	Pass	4.74	-2.71	-2.82	0.25	4.99	5.00
6985MHz	Pass	4.36	-2.25	-2.70	0.51	4.87	5.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.79	-3.67	-3.89	-0.90	4.89	5.00
6265MHz	Pass	5.79	-3.91	-4.07	-1.03	4.76	5.00
6425MHz	Pass	5.79	-3.64	-3.92	-0.85	4.94	5.00
6585MHz	Pass	4.03	-2.10	-2.20	0.78	4.81	5.00
6745MHz	Pass	4.74	-2.67	-2.87	0.22	4.96	5.00
6905MHz	Pass	4.74	-6.58	-6.44	-3.50	1.24	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

16/01/2026



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

16/01/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.84	-0.84	-3.82	-3.76

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6435MHz

16/01/2026

CF (Hz)
6.435G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.79	0.79	-2.10	-2.26

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6475MHz

16/01/2026

CF (Hz)
6.475G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.95	0.95	-2.13	-1.94

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6515MHz

16/01/2026

CF (Hz)
6.515G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.76	0.76	-2.17	-2.25

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

16/01/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.22	0.22	-2.61	-2.88

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

16/01/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.04	0.04	-3.00	-2.86

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6875MHz

16/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6895MHz

16/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6995MHz

16/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

7095MHz

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

16/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.87	-0.87	-4.01	-3.72

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

16/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.97	-0.97	-3.93	-3.91

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

16/01/2026




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6445MHz

16/01/2026



6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6485MHz

16/01/2026

CF (Hz)
6.485G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.74	0.74	-2.41	-2.08

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6525MHz

16/01/2026

CF (Hz)
6.525G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.87	0.87	-2.13	-2.09

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

16/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.04	0.04	-2.82	-3.04

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

16/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.03	0.03	-3.03	-2.86

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6885MHz

16/01/2026

CF (Hz)
6.885G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.15	0.15	-2.72	-2.89

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6925MHz

16/01/2026

CF (Hz)
6.925G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.51	0.51	-2.74	-2.22

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

7005MHz

16/01/2026

CF (Hz)
7.005G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.49	0.49	-2.79	-2.23

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

7085MHz

16/01/2026

CF (Hz)
7.085G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.49	0.49	-2.76	-2.25

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

16/01/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.89	-0.89	-4.05	-3.73

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

16/01/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.89	-0.89	-3.98	-3.82

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

16/01/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.94	-0.94	-3.97	-3.90

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6465MHz

16/01/2026

CF (Hz)
6.465G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.94	0.94	-2.04	-2.06

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6545MHz

16/01/2026

CF (Hz)
6.545G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.84	0.84	-2.01	-2.28

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

16/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.06	0.06	-3.00	-2.76

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

16/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.10	0.10	-2.94	-2.88

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

16/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.08	0.08	-3.08	-2.76

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6865MHz

16/01/2026

CF (Hz)
6.865G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.14	0.14	-2.88	-2.84

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6945MHz

16/01/2026

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.50	0.50	-2.46	-2.57

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

7025MHz

16/01/2026

CF (Hz)
7.025G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.56	0.56	-2.34	-2.41

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

17/01/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.89	-0.89	-3.70	-4.11

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

17/01/2026



6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6505MHz

17/01/2026

CF (Hz)
6.505G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.73	0.73	-2.07	-2.43

Sum ☒

Port 1 ☒

Port 2 ☒

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

17/01/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.22	0.22	-2.44	-3.02

Sum ☒

Port 1 ☒

Port 2 ☒

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6825MHz

17/01/2026

CF (Hz)
6.825G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.25	0.25	-2.71	-2.82

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6985MHz

17/01/2026

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.51	0.51	-2.25	-2.70

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

17/01/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.90	-0.90	-3.67	-3.89

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

17/01/2026

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.03	-1.03	-3.91	-4.07

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6425MHz

17/01/2026

CF (Hz)
6.425G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.85	-0.85	-3.64	-3.92

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6585MHz

17/01/2026

CF (Hz)
6.585G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.78	0.78	-2.10	-2.20

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6745MHz

17/01/2026

CF (Hz)
6.745G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.22	0.22	-2.67	-2.87

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6905MHz

17/01/2026

CF (Hz)
6.905G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.50	-3.50	-6.58	-6.44

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	12.12	17.91
802.11be EHT40_Nss2,(MCS0)_2TX	9.40	15.19
802.11be EHT80_Nss2,(MCS0)_2TX	6.67	12.46
802.11be EHT160_Nss2,(MCS0)_2TX	3.76	9.55
802.11be EHT320_Nss2,(MCS0)_2TX	1.27	7.06
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	12.87	17.61
802.11be EHT40_Nss2,(MCS0)_2TX	9.49	14.23
802.11be EHT80_Nss2,(MCS0)_2TX	6.62	11.36
802.11be EHT160_Nss2,(MCS0)_2TX	4.09	8.83

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.79	9.03	9.41	12.12	17.91	23.00
6195MHz	Pass	5.79	8.84	9.14	11.87	17.66	23.00
6415MHz	Pass	5.79	9.05	9.05	11.96	17.75	23.00
6535MHz	Pass	4.74	10.33	9.44	12.82	17.56	23.00
6695MHz	Pass	4.74	9.09	9.38	12.08	16.82	23.00
6855MHz	Pass	4.74	9.96	10.07	12.87	17.61	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.79	6.25	6.66	9.40	15.19	23.00
6205MHz	Pass	5.79	5.95	5.85	8.87	14.66	23.00
6405MHz	Pass	5.79	6.62	5.72	9.15	14.94	23.00
6565MHz	Pass	4.74	6.71	6.48	9.49	14.23	23.00
6685MHz	Pass	4.74	6.44	6.35	9.27	14.01	23.00
6845MHz	Pass	4.74	6.38	6.33	9.30	14.04	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.79	3.37	3.58	6.45	12.24	23.00
6225MHz	Pass	5.79	3.58	3.55	6.44	12.23	23.00
6385MHz	Pass	5.79	3.65	3.67	6.67	12.46	23.00
6625MHz	Pass	4.74	3.28	3.27	6.20	10.94	23.00
6705MHz	Pass	4.74	3.84	3.47	6.62	11.36	23.00
6785MHz	Pass	4.74	3.39	3.87	6.59	11.33	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.79	0.77	0.04	3.39	9.18	23.00
6185MHz	Pass	5.79	0.94	0.74	3.76	9.55	23.00
6345MHz	Pass	5.79	0.63	0.86	3.73	9.52	23.00
6665MHz	Pass	4.74	1.42	0.72	4.09	8.83	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.79	-2.10	-2.46	0.64	6.43	23.00
6265MHz	Pass	5.79	-1.48	-1.82	1.27	7.06	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

19/01/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.12	12.12	9.03	9.41

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

19/01/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.87	11.87	8.84	9.14

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

19/01/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.96	11.96	9.05	9.05

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

19/01/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.82	12.82	10.33	9.44

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

19/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

19/01/2026



5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

19/01/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.40	9.40	6.25	6.66

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

19/01/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.87	8.87	5.95	5.85

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

19/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.15	9.15	6.62	5.72

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

19/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.49	9.49	6.71	6.48

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

19/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.27	9.27	6.44	6.35

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

19/01/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.30	9.30	6.38	6.33

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

19/01/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.45	6.45	3.37	3.58

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

19/01/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.44	6.44	3.58	3.55

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

19/01/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.67	6.67	3.65	3.67

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

19/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.20	6.20	3.28	3.27

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

19/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.62	6.62	3.84	3.47

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

19/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.59	6.59	3.39	3.87

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

20/01/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.39	3.39	0.77	0.04

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

19/01/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.76	3.76	0.94	0.74

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

19/01/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.73	3.73	0.63	0.86

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

19/01/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.09	4.09	1.42	0.72

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

20/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

19/01/2026



Summary

Mode	EIRP PD (dBm/RBW)
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	3.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	4.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	4.39
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	4.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	0.01
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX	0.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	3.28
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-0.05

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
7025MHz	Pass	3.00	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
7025MHz	Pass	4.76	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
7025MHz	Pass	4.39	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
7025MHz	Pass	4.56	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX	-	-	-
6985MHz	Pass	-0.08	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6985MHz	Pass	0.01	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-
6985MHz	Pass	0.95	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6985MHz	Pass	0.95	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-
6985MHz	Pass	3.28	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	3.27	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-
6985MHz	Pass	-0.17	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	-0.05	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

26/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.07	10.96	9.49	34.43	58.97

26/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 3;Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.76				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.31	10.96	9.49	34.43	58.97


26/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:7025MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 3;Nant:4;Ch:7025MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:1;Ch:6985MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6985MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 3;Nant:2;Ch:6985MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6985MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6985MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6985MHz;TX



27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	4.60
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	4.62
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	4.35
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	4.75
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX	4.78
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	4.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	4.75
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX	4.68
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	2.79
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	3.98
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	4.80
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	3.80
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX	-5.48
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX	-3.34
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	3.17
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX	2.50
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	4.74
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	4.58
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	4.24
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	4.89
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	4.11
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	4.55
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX	4.82
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	4.74

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
5985MHz	Pass	4.60	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-
7025MHz	Pass	4.74	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Pass	4.62	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-
7025MHz	Pass	4.58	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	4.35	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.24	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	4.75	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.89	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-
6025MHz	Pass	4.77	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX	-	-	-
6025MHz	Pass	4.78	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6985MHz	Pass	4.11	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX	-	-	-
6985MHz	Pass	3.00	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-
6025MHz	Pass	4.70	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-
6025MHz	Pass	4.72	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6985MHz	Pass	4.55	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX	-	-	-
6985MHz	Pass	4.50	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-
6025MHz	Pass	4.72	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-
6025MHz	Pass	4.75	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	4.79	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX	-	-	-
6985MHz	Pass	4.82	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-
6025MHz	Pass	4.47	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-
6025MHz	Pass	4.68	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	4.74	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 4_4TX	-	-	-
6985MHz	Pass	4.67	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-
6105MHz	Pass	1.51	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-
6105MHz	Pass	2.69	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-	-	-
6105MHz	Pass	2.79	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6105MHz	Pass	3.98	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-	-	-
6105MHz	Pass	3.83	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-
6105MHz	Pass	3.77	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	4.77	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	4.72	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Pass	4.80	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	3.80	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	3.70	5.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Pass	3.74	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX	-	-	-
6905MHz	Pass	-5.48	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-	-	-
6905MHz	Pass	-5.57	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX	-	-	-
6905MHz	Pass	-5.49	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX	-	-	-
6905MHz	Pass	-3.39	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-	-	-
6905MHz	Pass	-3.45	5.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-
6905MHz	Pass	-3.34	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-
6905MHz	Pass	3.16	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-	-	-
6905MHz	Pass	3.06	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-
6905MHz	Pass	3.17	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-
6905MHz	Pass	2.57	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX	-	-	-
6905MHz	Pass	2.58	5.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-
6905MHz	Pass	2.50	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.6				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.65	11.51	8.98	34.76	57.54

14/03/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:1;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.22	11.30	8.36	35.09	58.99

27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.62				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.63	11.51	8.98	34.76	57.54

27/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 2;Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.58				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.57	10.93	9.50	34.41	58.99


27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX




14/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:1;Ch:6025MHz;TX



14/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:1;Ch:6025MHz;TX



14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.11		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.80	11.30	8.35	35.10	58.96

27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:1;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
-4.42		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-27.61	10.91	9.50	34.40	59.00


27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:1;Ch:6985MHz;TX




14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 4;Nant:1;Ch:6985MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 4;Nant:2;Ch:6025MHz;TX




14/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 8;Nant:2;Ch:6025MHz;TX




28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6985MHz;TX




17/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 4;Nant:2;Ch:6985MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX




17/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 4;Nant:4;Ch:6985MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX



28/02/2026


EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX



27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.74	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.58	10.83	9.51	34.38	59.02

27/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 4;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.67	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.23	11.00	9.45	34.44	58.89

17/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 8;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	1.51	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.75	11.53	8.99	34.76	57.56

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	2.69	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.56	11.53	8.99	34.76	57.55

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	2.79	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.46	11.53	8.99	34.76	57.55

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 8;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	3.98	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.73	11.70	9.12	34.60	57.89


27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996 MRU 4;Nant:2;Ch:6105MHz;TX




14/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 6;Nant:2;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)

3.7

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-16.76

11.80

9.09

34.64

57.81

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7


Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]				
3.74		Pr=Pmeas-Gr+Lc-Gamp				

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-16.72	11.80	9.09	34.64	57.81	


27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 4;Nant:1;Ch:6905MHz;TX



28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:1;Ch:6905MHz;TX



28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	-5.49	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-28.38	11.00	9.45	34.44	58.88

28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 4;Nant:2;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz




Page 8

Horizontal

EIRP PSD (dBm)	-3.39	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-26.28	11.00	9.45	34.44	58.88


28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),3xRU996 MRU 2;Nant:2;Ch:6905MHz;TX



28/02/2026


EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 8;Nant:2;Ch:6905MHz;TX



28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 4;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	3.16	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.73	11.00	9.45	34.44	58.88

28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	3.06	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.84	11.00	9.45	34.44	58.89


28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX



14/03/2026


EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),3xRU996+RU484 MRU 4;Nant:4;Ch:6905MHz;TX



14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),3xRU996 MRU 2;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.48				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.40	11.30	8.34	35.11	58.95

28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.5				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.25	10.98	9.39	34.43	58.77

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	-0.04	6.66
802.11be EHT80_Nss2,(MCS0)_2TX	5.17	12.16
802.11be EHT80_Nss1,(MCS0)_4TX	7.04	17.93
802.11be EHT80_Nss4,(MCS0)_4TX	7.04	14.03
802.11be EHT160_Nss1,(MCS0)_1TX	0.30	7.00
802.11be EHT160_Nss2,(MCS0)_2TX	2.84	9.83
802.11be EHT160_Nss1,(MCS0)_4TX	4.28	15.17
802.11be EHT160_Nss4,(MCS0)_4TX	4.33	11.32
802.11be EHT320_Nss1,(MCS0)_1TX	-2.43	4.27
802.11be EHT320_Nss2,(MCS0)_2TX	-1.11	5.88
802.11be EHT320_Nss1,(MCS0)_4TX	1.90	12.79
802.11be EHT320_Nss4,(MCS0)_4TX	1.97	8.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.70	-0.04				-0.04	6.66	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.70	-0.16				-0.16	6.54	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.70	0.30				0.30	7.00	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.70	-3.09				-3.09	3.61	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.70	-2.53				-2.53	4.17	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.70	-2.43				-2.43	4.27	23.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.99	2.76	1.48			5.17	12.16	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.99	-0.51	-0.57			2.09	9.08	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.99	0.15	0.09			2.84	9.83	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-3.99	-4.54			-1.29	5.70	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-3.89	-4.35			-1.11	5.88	23.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-3.94	-4.31			-1.19	5.80	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	10.89	1.58	0.61	0.96	1.29	7.04	17.93	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	10.89	-1.23	-1.57	-1.91	-1.87	4.08	14.97	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	10.89	-1.25	-1.33	-1.72	-1.81	4.28	15.17	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.89	-5.57	-6.01	-5.15	-5.06	0.46	11.35	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.89	-4.98	-5.42	-4.68	-4.39	1.07	11.96	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.89	-4.23	-4.45	-3.90	-3.54	1.90	12.79	23.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.99	1.52	0.54	0.95	1.19	7.04	14.03	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.99	-1.01	-1.18	-1.52	-1.79	4.33	11.32	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.99	-1.00	-1.51	-1.78	-1.83	4.30	11.29	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-4.27	-4.90	-3.71	-3.54	1.84	8.83	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-4.07	-4.70	-3.73	-3.50	1.97	8.96	23.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.99	-4.17	-4.53	-3.74	-3.54	1.94	8.93	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5985MHz

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

PSD

6025MHz

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

PSD

6025MHz

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

PSD

6105MHz

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

PSD

6105MHz

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

PSD

6105MHz

13/03/2026



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5985MHz

13/03/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.17	5.17	2.76	1.48

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

PSD

6025MHz

13/03/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.09	2.09	-0.51	-0.57

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

PSD

6025MHz

13/03/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.84	2.84	0.15	0.09

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

PSD

6105MHz

13/03/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.29	-1.29	-3.99	-4.54

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

PSD

6105MHz

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

PSD

6105MHz

13/03/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5985MHz

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

PSD

6025MHz

13/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_4_4TX

PSD

6025MHz

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_8_4TX

PSD

6105MHz

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

13/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

PSD

6105MHz

13/03/2026



5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5985MHz

13/03/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.04	7.04	1.52	0.54	0.95	1.19

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

PSD

6025MHz

13/03/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.33	4.33	-1.01	-1.18	-1.52	-1.79

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

PSD

6025MHz

13/03/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.30	4.30	-1.00	-1.51	-1.78	-1.83

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

PSD

6105MHz

13/03/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.84	1.84	-4.27	-4.90	-3.71	-3.54

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

13/03/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.97	1.97	-4.07	-4.70	-3.73	-3.50

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

PSD

6105MHz

13/03/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.94	1.94	-4.17	-4.53	-3.74	-3.54




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	57.65M	32.55	40.00	-7.45	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	57.65M	32.55	40.00	-7.45	-34.37	3	Vertical	348	1.00	"Worst"	66.92	19.16	0.46	53.99		
PK	243.4M	25.15	46.00	-20.85	-34.32	3	Vertical	256	1.00	-	59.47	17.43	1.86	53.61		
PK	428.67M	26.90	46.00	-19.10	-28.75	3	Vertical	99	1.00	-	55.65	22.44	2.48	53.67		
PK	518.4M	31.66	46.00	-14.34	-26.43	3	Vertical	13	2.00	-	58.09	23.97	2.90	53.30		
PK	603.27M	28.17	46.00	-17.83	-23.77	3	Vertical	0	1.00	-	51.94	25.75	3.43	52.95		
PK	683.78M	26.63	46.00	-19.37	-22.50	3	Vertical	87	1.00	-	49.13	26.53	3.65	52.68		

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	245.34M	18.96	46.00	-27.04	-34.22	3	Horizontal	193	2.00	-	53.18	17.50	1.87	53.59		
PK	517.91M	24.27	46.00	-21.73	-26.44	3	Horizontal	94	4.00	-	50.71	23.97	2.90	53.31		
PK	537.8M	23.96	46.00	-22.04	-25.99	3	Horizontal	320	2.00	-	49.95	24.18	3.00	53.17		
PK	602.79M	29.99	46.00	-16.01	-23.79	3	Horizontal	168	2.00	-	53.78	25.73	3.43	52.95		
PK	687.66M	27.09	46.00	-18.91	-22.42	3	Horizontal	38	1.00	-	49.51	26.58	3.66	52.66		
PK	796.3M	32.55	46.00	-13.45	-19.81	3	Horizontal	248	3.00	"Worst"	52.36	28.07	4.02	51.90		

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.39172G	53.81	54.00	-0.19	3	Vertical	222	1.80	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.2522G	53.81	54.00	-0.19	3	Vertical	186	1.80	-

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19172G	68.76	88.20	-19.44	79.41	3	Vertical	133	1.80	-	40.00	14.21	64.86			
RMS	13.19156G	57.96	68.20	-10.24	68.61	3	Vertical	133	1.80	-	40.00	14.21	64.86			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.18912G	65.73	88.20	-22.47	76.38	3	Horizontal	222	1.80	-	40.00	14.21	64.86			
RMS	13.189G	54.05	68.20	-14.15	64.70	3	Horizontal	222	1.80	-	40.00	14.21	64.86			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.78156G	51.80	83.54	-31.74	46.62	1	Vertical	258	1.62	-	37.50	16.59	48.91			
AV	19.7862G	40.30	63.54	-23.24	35.12	1	Vertical	258	1.62	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.78908G	52.56	83.54	-30.98	47.39	1	Horizontal	240	1.61	-	37.50	16.59	48.92			
AV	19.78884G	40.39	63.54	-23.15	35.22	1	Horizontal	240	1.61	-	37.50	16.59	48.92			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39188G	66.47	74.00	-7.53	76.61	3	Vertical	222	1.80	-	40.40	14.30	64.84			
AV	13.39172G	53.81	54.00	-0.19	63.95	3	Vertical	222	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38684G	64.25	74.00	-9.75	74.39	3	Horizontal	221	1.80	-	40.40	14.30	64.84			
AV	13.38904G	51.76	54.00	-2.24	61.90	3	Horizontal	221	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10012G	45.26	83.54	-38.28	40.23	1	Vertical	184	1.83	-	37.30	16.71	48.98			
AV	20.08892G	33.11	63.54	-30.43	28.11	1	Vertical	184	1.83	-	37.28	16.70	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08692G	45.14	83.54	-38.40	40.15	1	Horizontal	204	1.45	-	37.27	16.70	48.98			
AV	20.08692G	33.04	63.54	-30.50	28.05	1	Horizontal	204	1.45	-	37.27	16.70	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7468G	69.93	88.20	-18.27	79.58	3	Vertical	132	1.80	-	40.61	14.46	64.72			
RMS	13.75172G	59.20	68.20	-9.00	68.84	3	Vertical	132	1.80	-	40.60	14.47	64.71			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75452G	65.71	88.20	-22.49	75.35	3	Horizontal	136	1.80	-	40.60	14.47	64.71			
RMS	13.74932G	53.59	68.20	-14.61	63.24	3	Horizontal	136	1.80	-	40.60	14.47	64.72			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6134G	50.63	83.54	-32.91	44.68	1	Vertical	148	1.87	-	37.67	17.18	48.90			
AV	20.6286G	38.04	63.54	-25.50	32.11	1	Vertical	148	1.87	-	37.64	17.19	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62684G	48.07	83.54	-35.47	42.13	1	Horizontal	188	1.90	-	37.65	17.19	48.90			
AV	20.6118G	36.77	63.54	-26.77	30.81	1	Horizontal	188	1.90	-	37.68	17.18	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 66
01-C-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0903G	111.81	Inf	-Inf	98.07	3	Vertical	8	1.80	-	36.44	10.02	32.72			
RMS	7.0887G	100.76	Inf	-Inf	87.03	3	Vertical	8	1.80	-	36.43	10.02	32.72			
PK	7.1256G	66.47	88.20	-21.73	52.41	3	Vertical	8	1.80	-	36.65	10.11	32.70			
RMS	7.1255G	56.29	68.20	-11.91	42.23	3	Vertical	8	1.80	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 66
01-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0981G	110.01	Inf	-Inf	96.19	3	Horizontal	354	1.80	-	36.49	10.04	32.71			
RMS	7.0889G	99.85	Inf	-Inf	86.12	3	Horizontal	354	1.80	-	36.43	10.02	32.72			
PK	7.1266G	66.73	88.20	-21.47	52.66	3	Horizontal	354	1.80	-	36.66	10.11	32.70			
RMS	7.1257G	56.12	68.20	-12.08	42.06	3	Horizontal	354	1.80	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 55
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0936G	107.01	Inf	-Inf	93.23	3	Vertical	14	1.80	-	36.46	10.03	32.71				
RMS	7.0937G	97.02	Inf	-Inf	83.24	3	Vertical	14	1.80	-	36.46	10.03	32.71				
PK	7.1366G	66.20	88.20	-22.00	52.04	3	Vertical	14	1.80	-	36.72	10.14	32.70				
RMS	7.1254G	55.74	68.20	-12.46	41.68	3	Vertical	14	1.80	-	36.65	10.11	32.70				

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 55
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0945G	109.82	Inf	-Inf	96.03	3	Horizontal	357	1.00	-	36.47	10.03	32.71			
RMS	7.091G	100.30	Inf	-Inf	86.55	3	Horizontal	357	1.00	-	36.45	10.02	32.72			
PK	7.1344G	66.54	88.20	-21.66	52.40	3	Horizontal	357	1.00	-	36.71	10.13	32.70			
RMS	7.1259G	56.14	68.20	-12.06	42.07	3	Horizontal	357	1.00	-	36.66	10.11	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79196G	72.78	88.20	-15.42	82.39	3	Vertical	132	1.80	-	40.60	14.49	64.70			
RMS	13.79196G	61.20	68.20	-7.00	70.81	3	Vertical	132	1.80	-	40.60	14.49	64.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78872G	65.57	88.20	-22.63	75.19	3	Horizontal	145	1.80	-	40.60	14.48	64.70			
RMS	13.78856G	55.07	68.20	-13.13	64.69	3	Horizontal	145	1.80	-	40.60	14.48	64.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68012G	51.71	83.54	-31.83	45.83	1	Vertical	166	1.97	-	37.54	17.24	48.90			
AV	20.70068G	51.37	63.54	-12.17	45.51	1	Vertical	166	1.97	-	37.50	17.26	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.69484G	49.17	83.54	-34.37	43.31	1	Horizontal	200	1.91	-	37.51	17.25	48.90			
AV	20.705G	37.49	63.54	-26.05	31.60	1	Horizontal	200	1.91	-	37.53	17.26	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT V_4TX
Setting 82
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99168G	72.52	88.20	-15.68	81.74	3	Vertical	132	1.80	-	40.80	14.58	64.60			
RMS	13.99168G	60.45	68.20	-7.75	69.67	3	Vertical	132	1.80	-	40.80	14.58	64.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT V_4TX
Setting 82
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99424G	67.39	88.20	-20.81	76.61	3	Horizontal	172	1.57	-	40.80	14.58	64.60			
RMS	13.9892G	57.09	68.20	-11.11	66.31	3	Horizontal	172	1.57	-	40.80	14.58	64.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 82
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.99412G	50.42	83.54	-33.12	44.09	1	Vertical	160	2.10	-	37.71	17.52	48.90			
AV	21.00268G	38.86	63.54	-24.68	32.52	1	Vertical	160	2.10	-	37.71	17.53	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 82
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9838G	50.84	83.54	-32.70	44.49	1	Horizontal	232	1.48	-	37.73	17.52	48.90			
AV	20.98076G	38.62	63.54	-24.92	32.27	1	Horizontal	232	1.48	-	37.74	17.51	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 31
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1009G	108.21	Inf	-Inf	94.36	3	Vertical	183	1.80	-	36.51	10.05	32.71				
RMS	7.0862G	96.55	Inf	-Inf	82.84	3	Vertical	183	1.80	-	36.42	10.01	32.72				
PK	7.1256G	65.97	88.20	-22.23	51.91	3	Vertical	183	1.80	-	36.65	10.11	32.70				
RMS	7.1258G	55.03	68.20	-13.17	40.97	3	Vertical	183	1.80	-	36.65	10.11	32.70				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 31
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.093G	106.20	Inf	-Inf	92.42	3	Horizontal	180	1.80	-	36.46	10.03	32.71			
RMS	7.0934G	96.35	Inf	-Inf	82.57	3	Horizontal	180	1.80	-	36.46	10.03	32.71			
PK	7.1427G	65.91	88.20	-22.29	51.70	3	Horizontal	180	1.80	-	36.76	10.15	32.70			
RMS	7.1284G	55.69	68.20	-12.51	41.60	3	Horizontal	180	1.80	-	36.67	10.12	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 82
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18348G	71.45	88.20	-16.75	80.43	3	Vertical	232	1.80	-	40.80	14.71	64.49			
RMS	14.18828G	60.41	68.20	-7.79	69.38	3	Vertical	232	1.80	-	40.80	14.72	64.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 82
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19712G	58.67	88.20	-29.53	67.63	3	Horizontal	248	1.64	-	40.80	14.72	64.48			
RMS	14.18816G	47.45	68.20	-20.75	56.42	3	Horizontal	248	1.64	-	40.80	14.72	64.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 82
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	21.28332G	52.99	83.54	-30.55	46.65	1	Vertical	180	1.58	-	37.70	17.43	48.79				
AV	21.275G	41.24	63.54	-22.30	34.85	1	Vertical	180	1.58	-	37.75	17.43	48.79				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 82
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27516G	52.58	83.54	-30.96	46.19	1	Horizontal	150	1.55	-	37.75	17.43	48.79			
AV	21.27404G	39.92	63.54	-23.62	33.52	1	Horizontal	150	1.55	-	37.76	17.43	48.79			

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 43
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0874G	108.53	Inf	-Inf	94.82	3	Vertical	188	1.80	-	36.42	10.01	32.72			
RMS	7.0874G	96.77	Inf	-Inf	83.06	3	Vertical	188	1.80	-	36.42	10.01	32.72			
PK	7.1836G	66.45	88.20	-21.75	51.94	3	Vertical	188	1.80	-	36.93	10.26	32.68			
RMS	7.191G	56.06	68.20	-12.14	41.50	3	Vertical	188	1.80	-	36.96	10.28	32.68			

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 43
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.096G	106.90	Inf	-Inf	93.10	3	Horizontal	176	1.80	-	36.48	10.03	32.71			
RMS	7.1G	96.72	Inf	-Inf	82.89	3	Horizontal	176	1.80	-	36.50	10.04	32.71			
PK	7.1862G	66.47	88.20	-21.73	51.95	3	Horizontal	176	1.80	-	36.94	10.26	32.68			
RMS	7.1254G	56.13	68.20	-12.07	42.07	3	Horizontal	176	1.80	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
Setting 74
01-C-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0698G	112.45	Inf	-Inf	98.88	3	Vertical	9	1.80	-	36.32	9.97	32.72				
RMS	7.0688G	101.52	Inf	-Inf	87.96	3	Vertical	9	1.80	-	36.31	9.97	32.72				
PK	7.1294G	67.13	88.20	-21.07	53.03	3	Vertical	9	1.80	-	36.68	10.12	32.70				
RMS	7.1254G	56.60	68.20	-11.60	42.54	3	Vertical	9	1.80	-	36.65	10.11	32.70				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
Setting 74
01-C-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0816G	108.29	Inf	-Inf	94.62	3	Horizontal	355	1.80	-	36.39	10.00	32.72				
RMS	7.0874G	97.90	Inf	-Inf	84.19	3	Horizontal	355	1.80	-	36.42	10.01	32.72				
PK	7.1576G	66.01	88.20	-22.19	51.68	3	Horizontal	355	1.80	-	36.83	10.19	32.69				
RMS	7.1264G	55.78	68.20	-12.42	41.71	3	Horizontal	355	1.80	-	36.66	10.11	32.70				

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 66
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.068G	108.08	Inf	-Inf	94.53	3	Vertical	11	3.00	-	36.31	9.96	32.72				
RMS	7.0786G	99.18	Inf	-Inf	85.54	3	Vertical	11	3.00	-	36.37	9.99	32.72				
PK	7.1346G	66.02	88.20	-22.18	51.88	3	Vertical	11	3.00	-	36.71	10.13	32.70				
RMS	7.181G	55.79	68.20	-12.41	41.30	3	Vertical	11	3.00	-	36.92	10.25	32.68				

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 66
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0676G	109.70	Inf	-Inf	96.15	3	Horizontal	350	1.00	-	36.31	9.96	32.72			
RMS	7.09G	100.21	Inf	-Inf	86.47	3	Horizontal	350	1.00	-	36.44	10.02	32.72			
PK	7.1308G	65.96	88.20	-22.24	51.86	3	Horizontal	350	1.00	-	36.68	10.12	32.70			
RMS	7.1294G	55.93	68.20	-12.27	41.83	3	Horizontal	350	1.00	-	36.68	10.12	32.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 40
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0712G	109.26	Inf	-Inf	95.68	3	Vertical	186	1.79	-	36.33	9.97	32.72				
RMS	7.0762G	100.62	Inf	-Inf	87.00	3	Vertical	186	1.79	-	36.36	9.98	32.72				
PK	7.1458G	66.44	88.20	-21.76	52.20	3	Vertical	186	1.79	-	36.77	10.16	32.69				
RMS	7.1516G	56.02	68.20	-12.18	41.72	3	Vertical	186	1.79	-	36.81	10.18	32.69				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 40
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.089G	106.26	Inf	-Inf	92.53	3	Horizontal	187	1.80	-	36.43	10.02	32.72			
RMS	7.0938G	97.37	Inf	-Inf	83.59	3	Horizontal	187	1.80	-	36.46	10.03	32.71			
PK	7.1678G	66.39	88.20	-21.81	51.99	3	Horizontal	187	1.80	-	36.87	10.22	32.69			
RMS	7.1424G	55.94	68.20	-12.26	41.74	3	Horizontal	187	1.80	-	36.75	10.15	32.70			

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 54
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0793G	110.39	Inf	-Inf	96.74	3	Vertical	191	2.90	-	36.38	9.99	32.72			
RMS	7.0787G	100.50	Inf	-Inf	86.86	3	Vertical	191	2.90	-	36.37	9.99	32.72			
PK	7.2167G	66.59	88.20	-21.61	51.94	3	Vertical	191	2.90	-	37.03	10.29	32.67			
RMS	7.232G	56.33	68.20	-11.87	41.64	3	Vertical	191	2.90	-	37.06	10.29	32.66			

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 54
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.094G	107.54	Inf	-Inf	93.76	3	Horizontal	174	1.80	-	36.46	10.03	32.71			
RMS	7.0901G	96.98	Inf	-Inf	83.24	3	Horizontal	174	1.80	-	36.44	10.02	32.72			
PK	7.1825G	66.96	88.20	-21.24	52.45	3	Horizontal	174	1.80	-	36.93	10.26	32.68			
RMS	7.2341G	56.48	68.20	-11.72	41.78	3	Horizontal	174	1.80	-	37.07	10.29	32.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Y_1TX
Setting 80
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0298G	105.90	Inf	-Inf	92.65	3	Vertical	13	1.80	-	36.12	9.87	32.74			
AV	7.001G	96.94	Inf	-Inf	83.90	3	Vertical	13	1.80	-	36.00	9.79	32.75			
PK	7.125G	76.76	88.20	-11.44	62.70	3	Vertical	13	1.80	-	36.65	10.11	32.70			
RMS	7.125G	65.44	68.20	-2.76	51.38	3	Vertical	13	1.80	-	36.65	10.11	32.70			
PK	7.2506G	59.22	74.00	-14.78	44.49	3	Vertical	13	1.80	-	37.10	10.28	32.65			
AV	7.2506G	49.56	54.00	-4.44	34.83	3	Vertical	13	1.80	-	37.10	10.28	32.65			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Y_1TX
Setting 80
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9994G	109.10	Inf	-Inf	96.06	3	Horizontal	9	1.80	-	36.00	9.79	32.75			
AV	7.0114G	98.77	Inf	-Inf	85.65	3	Horizontal	9	1.80	-	36.05	9.82	32.75			
PK	7.125G	79.10	88.20	-9.10	65.04	3	Horizontal	9	1.80	-	36.65	10.11	32.70			
RMS	7.1258G	67.11	68.20	-1.09	53.05	3	Horizontal	9	1.80	-	36.65	10.11	32.70			
PK	7.2594G	61.24	74.00	-12.76	46.53	3	Horizontal	9	1.80	-	37.08	10.28	32.65			
AV	7.2506G	51.05	54.00	-2.95	36.32	3	Horizontal	9	1.80	-	37.10	10.28	32.65			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 75
01-C-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0082G	110.60	Inf	-Inf	97.51	3	Vertical	195	3.00	-	36.03	9.81	32.75			
RMS	6.9986G	101.09	Inf	-Inf	88.05	3	Vertical	195	3.00	-	36.00	9.79	32.75			
PK	7.1258G	73.46	88.20	-14.74	59.40	3	Vertical	195	3.00	-	36.65	10.11	32.70			
RMS	7.125G	63.33	68.20	-4.87	49.27	3	Vertical	195	3.00	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 75
01-C-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.011G	110.31	Inf	-Inf	97.20	3	Horizontal	177	1.00	-	36.04	9.82	32.75
AV	7.0114G	100.82	Inf	-Inf	87.70	3	Horizontal	177	1.00	-	36.05	9.82	32.75
PK	7.1258G	76.77	88.20	-11.43	62.71	3	Horizontal	177	1.00	-	36.65	10.11	32.70
AV	7.1258G	63.54	68.20	-4.66	49.48	3	Horizontal	177	1.00	-	36.65	10.11	32.70

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX



EUT_Y_4TX
Setting 57
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0115G	109.17	Inf	-Inf	96.05	3	Vertical	185	1.80	-	36.05	9.82	32.75			
AV	7.0165G	99.85	Inf	-Inf	86.69	3	Vertical	185	1.80	-	36.07	9.83	32.74			
PK	7.1265G	63.20	88.20	-25.00	49.13	3	Vertical	185	1.80	-	36.66	10.11	32.70			
RMS	7.1265G	53.53	68.20	-14.67	39.46	3	Vertical	185	1.80	-	36.66	10.11	32.70			
PK	7.273G	56.55	74.00	-17.45	41.88	3	Vertical	185	1.80	-	37.05	10.27	32.65			
AV	7.257G	46.39	54.00	-7.61	31.67	3	Vertical	185	1.80	-	37.09	10.28	32.65			