

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

26/05/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.69	-6.69	-9.39	-9.85

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5530MHz

26/05/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.71	-6.71	-9.52	-9.90

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5610MHz

26/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.59	-8.59	-10.86	-12.13

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

26/05/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.03	-8.03	-10.11	-11.90

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

26/05/2026

CF (Hz)
5.735G


Span (Hz)
40M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.38	-8.38	-11.06	-11.75

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

26/05/2026

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.05	-4.05	-6.68	-7.37

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

26/05/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.78	-9.78	-12.25	-13.22

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.95	-8.95	-11.60	-12.35

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5570MHz

26/05/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.47	-9.47	-11.75	-13.09

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

26/05/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.49	-2.49	-7.98	-8.45	-8.21	-8.73

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

26/05/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.95	-1.95	-7.16	-7.78	-7.85	-7.96

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

26/05/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.06	-2.06	-7.19	-7.92	-7.60	-7.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

26/05/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.76	-2.76	-8.14	-8.57	-8.09	-8.03

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

26/05/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.56	-3.56	-8.72	-9.72	-9.26	-8.68

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

26/05/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.64	-4.64	-10.23	-10.50	-10.94	-9.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

26/05/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.13	-5.13	-10.61	-10.87	-11.00	-10.51

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

26/05/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.17	-3.17	-8.56	-8.79	-8.70	-8.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

26/05/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

26/05/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

26/05/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5745MHz

26/05/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

26/05/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

26/05/2026



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

26/05/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.85	-3.85	-9.33	-10.09	-9.53	-9.99

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

26/05/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.81	-0.81	-6.38	-6.65	-6.89	-6.99

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

26/05/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.22	-1.22	-6.34	-7.37	-7.39	-7.37

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5260MHz

26/05/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.56	-2.56	-8.10	-8.51	-8.24	-8.57

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5300MHz

26/05/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.64	-2.64	-8.22	-8.78	-8.46	-8.45

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5320MHz

26/05/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.58	-6.58	-11.84	-12.43	-13.07	-12.62


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5500MHz

26/05/2026

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.88	-6.88	-12.75	-12.38	-13.14	-12.84


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5580MHz

26/05/2026

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.04	-3.04	-8.96	-8.73	-9.24	-9.04

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5700MHz

26/05/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.15	-3.15	-8.20	-9.35	-9.26	-9.32

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

26/05/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.24	-3.24	-8.65	-9.38	-9.40	-9.07

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

26/05/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5745MHz

26/05/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5785MHz

26/05/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5825MHz

26/05/2026



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

26/05/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.37	-7.37	-12.80	-13.24	-13.56	-13.39

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

26/05/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.56	-4.56	-9.81	-10.64	-10.78	-10.84

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5270MHz

26/05/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.24	-7.24	-12.46	-13.28	-13.32	-13.42

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5310MHz

26/05/2026

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.01	-8.01	-13.61	-14.16	-14.45	-13.37

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5510MHz

26/05/2026

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.80	-7.80	-13.18	-13.85	-14.10	-13.79

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5550MHz

26/05/2026

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.48	-5.48	-10.86	-11.31	-11.74	-11.64

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5670MHz

26/05/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.03	-5.03	-9.69	-11.36	-11.07	-11.62

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

26/05/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.81	-4.81	-9.70	-11.12	-10.66	-11.54

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

26/05/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5755MHz

26/05/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5795MHz

26/05/2026

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.59	-1.59	-7.51	-7.76	-7.54	-7.52


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

26/05/2026

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.43	-10.43	-16.27	-16.36	-16.61	-16.23

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5290MHz

26/05/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.00	-11.00	-16.36	-16.48	-17.73	-16.97

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5530MHz

26/05/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.96	-9.96	-15.26	-16.30	-16.15	-15.94

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5610MHz

26/05/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.20	-9.20	-15.02	-15.16	-15.03	-15.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

26/05/2026

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.28	-6.28	-12.02	-12.65	-12.20	-11.84

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

26/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5775MHz

26/05/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

26/05/2026



5150-5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.07	-12.07	-17.27	-18.31	-18.27	-18.14

5250-5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.26	-11.26	-16.57	-17.32	-17.64	-17.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

5570MHz

26/05/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.13	-12.13	-17.14	-18.46	-18.39	-18.37

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

26/05/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.35	-1.35	-6.54	-7.62	-7.35	-7.69

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

26/05/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.77	2.77	-2.80	-2.98	-3.22	-3.31

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

26/05/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.57	2.57	-2.84	-3.65	-3.43	-3.50

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5260MHz

26/05/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.73	-2.73	-7.50	-8.93	-8.90	-9.45

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5300MHz

26/05/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.32	-2.32	-7.21	-8.47	-8.70	-8.88

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5320MHz

26/05/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.99	-2.99	-8.43	-9.53	-8.96	-8.53

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5500MHz

26/05/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.03	-3.03	-9.09	-8.61	-8.71	-9.15

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5580MHz

26/05/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.09	-2.09	-6.88	-8.33	-8.20	-8.76

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5700MHz

26/05/2026




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

26/05/2026




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

26/05/2026




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5745MHz

26/05/2026




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5785MHz

26/05/2026




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5825MHz

26/05/2026



5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

26/05/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.09	-5.09	-10.72	-10.96	-11.27	-11.14

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

26/05/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.58	-0.58	-6.35	-6.66	-6.72	-6.26

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5270MHz

26/05/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.92	-5.92	-10.87	-11.99	-12.10	-12.58

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5310MHz

26/05/2026

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.80	-4.80	-10.49	-10.91	-10.93	-10.62

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5510MHz

26/05/2026




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5550MHz

26/05/2026



5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5670MHz

26/05/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.24	-5.24	-9.85	-11.66	-11.39	-12.09

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

26/05/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.91	-4.91	-9.75	-11.05	-10.75	-11.67

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

26/05/2026




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5755MHz

26/05/2026




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5795MHz

26/05/2026




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

26/05/2026



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5290MHz

26/05/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.55	-7.55	-12.94	-13.41	-13.76	-13.61

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5530MHz

26/05/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.67	-6.67	-11.98	-12.79	-12.89	-12.77

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5610MHz

26/05/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.57	-8.57	-13.36	-14.81	-14.55	-15.25

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

26/05/2026

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.05	-8.05	-12.77	-14.43	-14.03	-14.74

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

26/05/2026




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5775MHz

26/05/2026




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

26/05/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.81	-9.81	-15.10	-16.10	-15.97	-15.85

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.94	-8.94	-14.51	-15.14	-15.33	-14.84

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

5570MHz

26/05/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.38	-10.38	-15.29	-16.71	-16.38	-16.98

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-8.14	7.98
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-7.56	8.56
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-10.91	8.22
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-8.08	8.04
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX	-11.63	4.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-12.34	3.78
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-10.17	5.95
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-10.81	5.31
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-14.28	4.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-12.31	6.82
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-10.18	5.94
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-10.69	5.43
5.25-5.35GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-7.66	8.86
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-6.73	9.79
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-11.63	7.90
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX	-7.66	8.86
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX	-10.72	5.80
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-10.76	5.76
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-9.08	7.44
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-9.17	7.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-13.05	6.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-11.61	7.92
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-9.00	7.52
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-9.03	7.49
5.47-5.725GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-7.71	9.21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-6.72	10.20
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-6.67	10.25
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-6.72	10.20
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	-8.60	8.32
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-8.20	8.72
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-10.09	9.84
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-9.34	10.59
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-6.44	13.49
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-6.86	10.06
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-8.62	8.30
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-8.24	8.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX	-10.15	6.77
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX	-10.10	6.82
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-9.64	7.28
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX	-9.67	7.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-12.34	7.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-12.17	7.76
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-10.41	6.51
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX	-10.46	6.46
5.725-5.85GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-9.15	7.37
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-10.81	5.71
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-10.79	5.73
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-4.62	11.90
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-9.01	10.52
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-5.97	13.56
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-10.78	5.74



PSD_Mode 2

Appendix C.2

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-9.11	7.41

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	16.12	-8.14	-	-	-	-8.14	6.88	7.98
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-
5290MHz	Pass	16.52	-7.66	-	-	-	-7.66	0.48	8.86
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-	-	-	-	-	-	-	-	-
5530MHz	Pass	16.92	-7.71	-	-	-	-7.71	0.08	9.21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-
5610MHz	Pass	16.92	-6.72	-	-	-	-6.72	0.08	10.20
5690MHz Straddle 5.47-5.725GHz	Pass	16.92	-6.67	-	-	-	-6.67	0.08	10.25
5690MHz Straddle 5.725-5.85GHz	Pass	16.52	-9.15	-	-	-	-9.15	19.48	7.37
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-
5775MHz	Pass	16.52	-10.81	-	-	-	-10.81	19.48	5.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	16.12	-11.63	-	-	-	-11.63	6.88	4.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	16.12	-12.34	-	-	-	-12.34	6.88	3.78
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	16.52	-10.72	-	-	-	-10.72	0.48	5.80
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	16.52	-10.76	-	-	-	-10.76	0.48	5.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	16.92	-10.15	-	-	-	-10.15	0.08	6.77
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	16.92	-10.10	-	-	-	-10.10	0.08	6.82
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	16.12	-10.56	-10.42	-	-	-7.56	6.88	8.56
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-
5290MHz	Pass	16.52	-9.32	-10.07	-	-	-6.73	0.48	9.79
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-
5530MHz	Pass	16.92	-9.29	-10.17	-	-	-6.72	0.08	10.20
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-	-
5610MHz	Pass	16.92	-11.50	-11.66	-	-	-8.60	0.08	8.32
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	16.92	-10.99	-11.34	-	-	-8.20	0.08	8.72
5690MHz Straddle 5.725-5.85GHz	Pass	16.52	-13.66	-13.92	-	-	-10.79	19.48	5.73
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-
5775MHz	Pass	16.52	-7.35	-7.87	-	-	-4.62	19.48	11.90
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	16.12	-12.61	-13.68	-	-	-10.17	6.88	5.95
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	16.12	-13.31	-14.41	-	-	-10.81	6.88	5.31
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	16.52	-11.71	-12.48	-	-	-9.08	0.48	7.44
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	16.52	-11.72	-12.66	-	-	-9.17	0.48	7.35
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	16.92	-12.08	-13.15	-	-	-9.64	0.08	7.28
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	16.92	-12.07	-13.24	-	-	-9.67	0.08	7.25
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	19.13	-16.81	-16.80	-17.04	-16.54	-10.91	3.87	8.22
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-
5290MHz	Pass	19.53	-17.07	-17.66	-17.85	-17.68	-11.63	-2.53	7.90
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5530MHz	Pass	19.93	-15.58	-16.37	-16.02	-16.10	-10.09	-2.93	9.84

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-
5610MHz	Pass	19.93	-15.41	-15.16	-15.40	-15.17	-9.34	-2.93	10.59
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	19.93	-12.29	-12.62	-12.48	-12.21	-6.44	-2.93	13.49
5690MHz Straddle 5.725-5.85GHz	Pass	19.53	-14.97	-15.11	-14.90	-14.90	-9.01	16.47	10.52
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5775MHz	Pass	19.53	-11.57	-11.78	-12.46	-11.86	-5.97	16.47	13.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	19.13	-19.78	-20.79	-20.16	-20.27	-14.28	3.87	4.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	19.13	-17.64	-18.80	-18.36	-18.48	-12.31	3.87	6.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	19.53	-18.61	-19.49	-19.14	-18.96	-13.05	-2.53	6.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	19.53	-17.01	-17.97	-17.77	-17.70	-11.61	-2.53	7.92
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	19.93	-17.66	-18.59	-18.37	-18.46	-12.34	-2.93	7.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	19.93	-17.42	-18.40	-18.41	-18.50	-12.17	-2.93	7.76
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	16.12	-13.91	-14.29	-14.59	-13.51	-8.08	6.88	8.04
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-
5290MHz	Pass	16.52	-13.38	-13.50	-13.44	-14.09	-7.66	0.48	8.86
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-
5530MHz	Pass	16.92	-12.42	-13.08	-12.85	-12.95	-6.86	0.08	10.06
5610MHz	Pass	16.92	-14.65	-14.48	-14.77	-14.34	-8.62	0.08	8.30
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	16.92	-13.93	-14.41	-14.06	-14.35	-8.24	0.08	8.68
5690MHz Straddle 5.725-5.85GHz	Pass	16.52	-16.55	-16.89	-16.46	-17.02	-10.78	19.48	5.74
5775MHz	Pass	16.52	-14.50	-15.15	-15.32	-15.14	-9.11	19.48	7.41
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	16.12	-15.70	-16.57	-16.26	-15.80	-10.18	6.88	5.94
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	16.12	-15.97	-16.98	-16.86	-16.98	-10.69	6.88	5.43
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	16.52	-14.77	-15.48	-15.13	-14.59	-9.00	0.48	7.52
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	16.52	-14.60	-15.06	-15.20	-15.19	-9.03	0.48	7.49
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	16.92	-15.62	-16.64	-16.44	-16.62	-10.41	0.08	6.51
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-
5570MHz	Pass	16.92	-15.32	-16.71	-16.76	-16.86	-10.46	0.08	6.46


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5210MHz

25/06/2026




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

PSD

5290MHz

25/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

PSD

5530MHz

25/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

PSD

5610MHz

25/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

25/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

25/06/2026



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5775MHz

03/07/2026

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.81	-10.81	-10.81

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

25/06/2026

CF (Hz)
5.25G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

5150~5250MHz

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.63	-11.63	-11.63

5250~5350MHz


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.72	-10.72	-10.72

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

25/06/2026



5150~5250MHz

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.34	-12.34	-12.34

5250~5350MHz


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.76	-10.76	-10.76

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

PSD

5570MHz

25/06/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.15	-10.15	-10.15

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

PSD

5570MHz

25/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.10	-10.10	-10.10

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

25/06/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.56	-7.56	-10.56	-10.42

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5290MHz

25/06/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.73	-6.73	-9.32	-10.07

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

25/06/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.72	-6.72	-9.29	-10.17

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

PSD

5610MHz

25/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.60	-8.60	-11.50	-11.66

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

25/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.20	-8.20	-10.99	-11.34

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

25/06/2026




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

26/06/2026




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

26/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.17	-10.17	-12.61	-13.68

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.08	-9.08	-11.71	-12.48

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

26/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.81	-10.81	-13.31	-14.41

5250~5350MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.17	-9.17	-11.72	-12.66

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

PSD

5570MHz

26/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.64	-9.64	-12.08	-13.15

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX

PSD

5570MHz

26/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.67	-9.67	-12.07	-13.24

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5210MHz

25/06/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.91	-10.91	-16.81	-16.80	-17.04	-16.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

PSD

5290MHz

03/07/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.63	-11.63	-17.07	-17.66	-17.85	-17.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5530MHz

26/06/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.09	-10.09	-15.58	-16.37	-16.02	-16.10

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5610MHz

26/06/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.34	-9.34	-15.41	-15.16	-15.40	-15.17

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

26/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

26/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5775MHz

26/06/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

26/06/2026



5250-5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.05	-13.05	-18.61	-19.49	-19.14	-18.96

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

26/06/2026



5150-5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.31	-12.31	-17.64	-18.80	-18.36	-18.48

5250-5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.61	-11.61	-17.01	-17.97	-17.77	-17.70

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

PSD

5570MHz

26/06/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.34	-12.34	-17.66	-18.59	-18.37	-18.46

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5570MHz

26/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.17	-12.17	-17.42	-18.40	-18.41	-18.50

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5210MHz

25/06/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.08	-8.08	-13.91	-14.29	-14.59	-13.51

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX

PSD

5290MHz

26/06/2026




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5530MHz

26/06/2026




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5610MHz

26/06/2026




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

26/06/2026




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

26/06/2026




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5775MHz

26/06/2026




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

27/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.18	-10.18	-15.70	-16.57	-16.26	-15.80

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.00	-9.00	-14.77	-15.48	-15.13	-14.59

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

27/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.69	-10.69	-15.97	-16.98	-16.86	-16.98

5250~5350MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.03	-9.03	-14.60	-15.06	-15.20	-15.19

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

5570MHz

27/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.41	-10.41	-15.62	-16.64	-16.44	-16.62

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5570MHz

27/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.46	-10.46	-15.32	-16.71	-16.76	-16.86




Radiated Emissions below 1GHz

Appendix D.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	67.83M	36.70	40.00	-3.30	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	37.76M	29.03	40.00	-10.97	-35.35	3	Vertical	0	0.00	-	64.38	18.68	0.18	54.21		
QP	67.83M	36.70	40.00	-3.30	-35.51	3	Vertical	0	0.00	"Worst"	72.21	17.75	0.73	53.99		
PK	236.13M	21.43	46.00	-24.57	-34.84	3	Vertical	0	0.00	-	56.27	16.99	1.83	53.66		
PK	279.29M	19.47	46.00	-26.53	-32.79	3	Vertical	0	0.00	-	52.26	18.78	2.05	53.62		
PK	313.24M	20.03	46.00	-25.97	-31.94	3	Vertical	0	0.00	-	51.97	19.60	2.20	53.74		
PK	416.55M	27.76	46.00	-18.24	-29.21	3	Vertical	0	0.00	-	56.97	22.04	2.49	53.74		
PK	650.32M	29.69	46.00	-16.31	-22.91	3	Vertical	0	0.00	-	52.60	26.29	3.64	52.84		
PK	676.99M	29.00	46.00	-17.00	-22.61	3	Vertical	0	0.00	-	51.61	26.45	3.65	52.71		
PK	947.14M	28.73	46.00	-17.27	-17.77	3	Vertical	0	0.00	-	46.50	29.41	4.53	51.71		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	70.26M	32.34	40.00	-7.66	-36.06	3	Horizontal	0	0.00	"Worst"	68.40	17.23	0.70	53.99		
PK	149.8M	22.63	43.50	-20.87	-33.38	3	Horizontal	0	0.00	-	56.01	18.98	1.47	53.83		
PK	254.07M	29.52	46.00	-16.48	-33.98	3	Horizontal	0	0.00	-	63.50	17.68	1.91	53.57		
PK	279.29M	29.19	46.00	-16.81	-32.79	3	Horizontal	0	0.00	-	61.98	18.78	2.05	53.62		
PK	407.33M	28.10	46.00	-17.90	-29.49	3	Horizontal	0	0.00	-	57.59	21.81	2.50	53.80		
PK	492.21M	24.62	46.00	-21.38	-27.27	3	Horizontal	0	0.00	-	51.89	23.42	2.76	53.45		
PK	649.83M	27.21	46.00	-18.79	-22.91	3	Horizontal	0	0.00	-	50.12	26.29	3.64	52.84		
PK	940.83M	29.33	46.00	-16.67	-17.84	3	Horizontal	0	0.00	-	47.17	29.34	4.54	51.72		

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.05G	5.45G	AV	5.3614G	16.12	-57.34				-57.34	-41.22	-41.20	-0.02
802.11a_Nss1,(6Mbps)_2TX	Pass	5.05G	5.45G	AV	5.4068G	16.12	-58.51	-63.75			-57.37	-41.25	-41.20	-0.05
802.11a_Nss1,(6Mbps)_4TX	Pass	5.05G	5.45G	AV	5.1396G	19.13	-66.48	-66.45	-66.57	-66.52	-60.48	-41.35	-41.20	-0.15
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.05G	5.45G	AV	5.1396G	16.12	-57.42				-57.42	-41.30	-41.20	-0.10
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	5.05G	5.45G	AV	5.1398G	16.12	-60.21	-60.82			-57.49	-41.37	-41.20	-0.17
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.05G	5.45G	AV	5.1398G	19.13	-65.30	-67.27	-66.71	-66.69	-60.41	-41.28	-41.20	-0.08
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	5.05G	5.45G	AV	5.3972G	16.12	-60.09	-65.47	-66.09	-65.82	-57.52	-41.40	-41.20	-0.20
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	4.95G	5.55G	AV	5.3964G	16.12	-57.50				-57.50	-41.38	-41.20	-0.18
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	4.95G	5.55G	AV	5.382G	16.12	-59.20	-62.16			-57.42	-41.30	-41.20	-0.10
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	4.95G	5.55G	AV	5.3601G	19.13	-65.47	-66.66	-67.07	-66.72	-60.42	-41.29	-41.20	-0.09
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	4.95G	5.55G	AV	5.3505G	16.12	-62.54	-63.37	-64.30	-64.04	-57.49	-41.37	-41.20	-0.17
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	4.75G	5.75G	AV	5.15G	16.12	-57.76				-57.76	-41.64	-41.20	-0.44
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	4.75G	5.75G	AV	5.15G	16.12	-60.77	-60.69			-57.72	-41.60	-41.20	-0.40
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	4.75G	5.75G	AV	5.15G	19.13	-67.17	-65.51	-67.18	-66.94	-60.62	-41.49	-41.20	-0.29
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	4.75G	5.75G	AV	5.15G	16.12	-63.28	-62.66	-64.16	-63.89	-57.44	-41.32	-41.20	-0.12
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.05G	5.45G	AV	5.3628G	16.52	-57.78				-57.78	-41.26	-41.20	-0.06
802.11a_Nss1,(6Mbps)_2TX	Pass	5.05G	5.45G	AV	5.4142G	16.52	-59.18	-63.78			-57.89	-41.37	-41.20	-0.17
802.11a_Nss1,(6Mbps)_4TX	Pass	5.05G	5.45G	AV	5.3506G	19.53	-66.61	-67.37	-66.89	-66.43	-60.79	-41.26	-41.20	-0.06
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.05G	5.45G	AV	5.418G	16.52	-57.75				-57.75	-41.23	-41.20	-0.03
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	5.05G	5.45G	AV	5.425G	16.52	-59.02	-63.70			-57.75	-41.23	-41.20	-0.03
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.05G	5.45G	AV	5.36G	19.53	-66.07	-67.67	-67.11	-66.47	-60.77	-41.24	-41.20	-0.04
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	5.05G	5.45G	AV	5.3508G	16.52	-63.00	-64.07	-64.25	-64.44	-57.88	-41.36	-41.20	-0.16
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	4.95G	5.55G	AV	5.3568G	16.52	-57.94				-57.94	-41.42	-41.20	-0.22
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	4.95G	5.55G	AV	5.3502G	16.52	-60.39	-61.68			-57.98	-41.46	-41.20	-0.26
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	4.95G	5.55G	AV	5.3598G	19.53	-65.73	-67.31	-66.72	-67.52	-60.74	-41.21	-41.20	-0.01
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	4.95G	5.55G	AV	5.3502G	16.52	-63.41	-63.72	-64.00	-64.86	-57.94	-41.42	-41.20	-0.22
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	4.75G	5.75G	AV	5.35G	16.52	-58.10				-58.10	-41.58	-41.20	-0.38
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	4.75G	5.75G	AV	5.35G	16.52	-60.49	-61.42			-57.92	-41.40	-41.20	-0.20
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	4.75G	5.75G	AV	5.35G	19.53	-66.34	-66.07	-67.51	-67.34	-60.75	-41.22	-41.20	-0.02
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	4.75G	5.75G	AV	5.35G	16.52	-62.86	-63.20	-65.19	-64.85	-57.89	-41.37	-41.20	-0.17
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	4.35G	6.15G	AV	5.1456G	16.52	-58.06				-58.06	-41.54	-41.20	-0.34
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	4.35G	6.15G	AV	5.142G	16.52	-60.78	-60.94			-57.85	-41.33	-41.20	-0.13
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.35G	6.15G	AV	5.3517G	19.53	-65.37	-67.44	-67.97	-67.32	-60.88	-41.35	-41.20	-0.15
802.11be EHT160_Nss4,(MCS0)_4TX	Pass	4.35G	6.15G	AV	5.1465G	16.52	-63.23	-63.39	-64.65	-65.55	-58.08	-41.56	-41.20	-0.36
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.37G	5.825G	AV	5.41345G	16.92	-58.27				-58.27	-41.35	-41.20	-0.15
802.11a_Nss1,(6Mbps)_2TX	Pass	5.37G	5.825G	AV	5.42028G	16.92	-59.63	-63.57			-58.16	-41.24	-41.20	-0.04
802.11a_Nss1,(6Mbps)_4TX	Pass	5.37G	5.825G	AV	5.42506G	19.93	-64.48	-69.03	-68.83	-68.14	-61.16	-41.23	-41.20	-0.03
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.37G	5.95G	AV	5.39987G	16.92	-58.18				-58.18	-41.26	-41.20	-0.06
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	5.37G	5.95G	AV	5.39639G	16.92	-59.95	-62.96			-58.19	-41.27	-41.20	-0.07
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.37G	5.825G	AV	5.45964G	19.93	-67.12	-67.29	-67.49	-67.26	-61.27	-41.34	-41.20	-0.14
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	5.37G	5.825G	PK	5.72513G	16.92	-49.61	-48.37	-51.92	-50.74	-43.94	-27.02	-27.00	-0.02
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	5.27G	5.925G	AV	5.38987G	16.92	-58.40				-58.40	-41.48	-41.20	-0.28
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	5.27G	6.05G	AV	5.38817G	16.92	-60.12	-62.52			-58.15	-41.23	-41.20	-0.03
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.27G	6.05G	AV	5.45213G	19.93	-65.84	-67.61	-68.52	-67.54	-61.24	-41.31	-41.20	-0.11
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	5.27G	6.05G	AV	5.45993G	16.92	-63.16	-64.52	-65.26	-64.28	-58.22	-41.30	-41.20	-0.10
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	5.07G	6.25G	PK	5.85647G	16.92	-43.98				-43.98	-27.06	-27.00	-0.06
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	5.07G	6.125G	AV	5.4498G	16.92	-60.42	-62.18			-58.20	-41.28	-41.20	-0.08
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.07G	6.25G	AV	5.45704G	19.93	-66.71	-66.77	-67.44	-68.05	-61.19	-41.26	-41.20	-0.06
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	5.07G	6.125G	AV	5.45877G	16.92	-62.87	-64.08	-65.07	-65.43	-58.23	-41.31	-41.20	-0.11
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	4.67G	6.525G	AV	5.45374G	16.92	-59.21				-59.21	-42.29	-41.20	-1.09
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	4.67G	6.525G	AV	5.45467G	16.92	-60.37	-62.29			-58.21	-41.29	-41.20	-0.09
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	4.67G	6.525G	AV	5.45652G	19.93	-66.38	-67.00	-67.25	-68.56	-61.21	-41.28	-41.20	-0.08
802.11be EHT160_Nss4,(MCS0)_4TX	Pass	4.67G	6.525G	PK	5.46765G	16.92	-48.03	-52.14	-50.23	-51.23	-44.10	-27.18	-27.00	-0.18
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.625G	5.95G	PK	5.63231G	16.52	-43.77				-43.77	-27.25	-27.00	-0.25
802.11a_Nss1,(6Mbps)_2TX	Pass	5.625G	5.95G	PK	5.63524G	16.52	-45.08	-49.19			-43.66	-27.14	-27.00	-0.14
802.11a_Nss1,(6Mbps)_4TX	Pass	5.625G	5.95G	PK	5.62566G	19.53	-48.85	-55.83	-55.74	-54.20	-46.55	-27.02	-27.00	-0.02
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.625G	5.95G	PK	5.63053G	16.52	-43.72				-43.72	-27.20	-27.00	-0.20
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	5.625G	5.95G	PK	5.64271G	16.52	-45.62	-47.88			-43.59	-27.07	-27.00	-0.07
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.625G	5.95G	PK	5.6302G	19.53	-49.91	-54.13	-54.69	-54.23	-46.73	-27.20	-27.00	-0.20
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	5.625G	5.95G	PK	5.63101G	16.52	-46.61	-50.97	-51.57	-51.47	-43.57	-27.05	-27.00	-0.05
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	5.525G	6.05G	PK	5.58905G	16.52	-44.23				-44.23	-27.71	-27.00	-0.71
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	5.525G	6.05G	PK	5.59063G	16.52	-44.96	-50.48			-43.89	-27.37	-27.00	-0.37
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.525G	6.05G	PK	5.62528G	19.53	-49.83	-53.78	-54.32	-54.60	-46.62	-27.09	-27.00	-0.09
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	5.525G	6.05G	PK	5.63604G	16.52	-49.06	-49.24	-49.79	-50.69	-43.63	-27.11	-27.00	-0.11
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	5.325G	6.25G	PK	5.61453G	16.52	-43.63				-43.63	-27.11	-27.00	-0.11



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	5.325G	6.25G	PK	5.65014G	16.52	-45.74	-48.47			-43.88	-27.36	-26.90	-0.46
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	5.325G	6.25G	PK	5.64783G	19.53	-51.45	-52.55	-52.85	-53.75	-46.55	-27.02	-27.00	-0.02
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	5.325G	6.25G	PK	5.65384G	16.52	-54.42	-41.41	-55.10	-56.09	-40.89	-24.37	-24.16	-0.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.05G	5.45G	AV	5.1478G	16.12	-57.62				-57.62	-41.50	-41.20	-0.30
5180MHz	Pass	5.05G	5.45G	AV	5.388G	16.12	-60.51				-60.51	-44.39	-41.20	-3.19
5180MHz	Pass	5.05G	5.45G	PK	5.1384G	16.12	-46.82				-46.82	-30.70	-21.20	-9.50
5180MHz	Pass	5.05G	5.45G	PK	5.356G	16.12	-49.29				-49.29	-33.17	-21.20	-11.97
5200MHz	Pass	5.05G	5.45G	AV	5.1492G	16.12	-59.12				-59.12	-43.00	-41.20	-1.80
5200MHz	Pass	5.05G	5.45G	AV	5.3614G	16.12	-57.34				-57.34	-41.22	-41.20	-0.02
5200MHz	Pass	5.05G	5.45G	PK	5.15G	16.12	-48.97				-48.97	-32.85	-21.20	-11.65
5200MHz	Pass	5.05G	5.45G	PK	5.3616G	16.12	-47.32				-47.32	-31.20	-21.20	-10.00
5240MHz	Pass	5.05G	5.45G	AV	5.1478G	16.12	-62.16				-62.16	-46.04	-41.20	-4.84
5240MHz	Pass	5.05G	5.45G	AV	5.3964G	16.12	-57.75				-57.75	-41.63	-41.20	-0.43
5240MHz	Pass	5.05G	5.45G	PK	5.1496G	16.12	-51.99				-51.99	-35.87	-21.20	-14.67
5240MHz	Pass	5.05G	5.45G	PK	5.393G	16.12	-48.18				-48.18	-32.06	-21.20	-10.86
5260MHz	Pass	5.05G	5.45G	AV	5.1058G	16.52	-61.67				-61.67	-45.15	-41.20	-3.95
5260MHz	Pass	5.05G	5.45G	AV	5.4216G	16.52	-58.05				-58.05	-41.53	-41.20	-0.33
5260MHz	Pass	5.05G	5.45G	PK	5.1042G	16.52	-52.06				-52.06	-35.54	-21.20	-14.34
5260MHz	Pass	5.05G	5.45G	PK	5.413G	16.52	-48.26				-48.26	-31.74	-21.20	-10.54
5300MHz	Pass	5.05G	5.45G	AV	5.1368G	16.52	-59.55				-59.55	-43.03	-41.20	-1.83
5300MHz	Pass	5.05G	5.45G	AV	5.3526G	16.52	-57.93				-57.93	-41.41	-41.20	-0.21
5300MHz	Pass	5.05G	5.45G	PK	5.1334G	16.52	-50.42				-50.42	-33.90	-21.20	-12.70
5300MHz	Pass	5.05G	5.45G	PK	5.362G	16.52	-47.67				-47.67	-31.15	-21.20	-9.95
5320MHz	Pass	5.05G	5.45G	AV	5.1498G	16.52	-64.48				-64.48	-47.96	-41.20	-6.76
5320MHz	Pass	5.05G	5.45G	AV	5.3628G	16.52	-57.78				-57.78	-41.26	-41.20	-0.06
5320MHz	Pass	5.05G	5.45G	PK	5.1378G	16.52	-54.63				-54.63	-38.11	-21.20	-16.91
5320MHz	Pass	5.05G	5.45G	PK	5.3608G	16.52	-46.83				-46.83	-30.31	-21.20	-9.11
5500MHz	Pass	5.37G	5.825G	AV	5.4585G	16.92	-58.34				-58.34	-41.42	-41.20	-0.22
5500MHz	Pass	5.37G	5.825G	PK	5.45941G	16.92	-47.83				-47.83	-30.91	-21.20	-9.71
5500MHz	Pass	5.37G	5.825G	PK	5.46009G	16.92	-47.93				-47.93	-31.01	-27.00	-4.01
5500MHz	Pass	5.37G	5.825G	PK	5.73195G	16.92	-53.60				-53.60	-36.68	-27.00	-9.68
5580MHz	Pass	5.37G	5.825G	AV	5.41345G	16.92	-58.27				-58.27	-41.35	-41.20	-0.15
5580MHz	Pass	5.37G	5.825G	PK	5.41459G	16.92	-49.06				-49.06	-32.14	-21.20	-10.94
5580MHz	Pass	5.37G	5.825G	PK	5.46305G	16.92	-52.13				-52.13	-35.21	-27.00	-8.21
5580MHz	Pass	5.37G	5.825G	PK	5.7381G	16.92	-48.80				-48.80	-31.68	-27.00	-4.88
5700MHz	Pass	5.37G	5.825G	AV	5.38047G	16.92	-61.00				-61.00	-44.08	-41.20	-2.88
5700MHz	Pass	5.37G	5.825G	PK	5.40458G	16.92	-51.73				-51.73	-34.81	-21.20	-13.61
5700MHz	Pass	5.37G	5.825G	PK	5.46737G	16.92	-52.72				-52.72	-35.80	-27.00	-8.80
5700MHz	Pass	5.37G	5.825G	PK	5.72558G	16.92	-44.12				-44.12	-27.20	-27.00	-0.20
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	AV	5.39668G	16.92	-58.40				-58.40	-41.48	-41.20	-0.28
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.40799G	16.92	-48.42				-48.42	-31.50	-21.20	-10.30
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.46164G	16.92	-49.95				-49.95	-33.03	-27.00	-6.03
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.87895G	16.92	-47.26				-47.26	-30.34	-27.00	-3.34
5745MHz	Pass	5.625G	5.95G	PK	5.63946G	16.52	-43.80				-43.80	-27.28	-27.00	-0.28
5745MHz	Pass	5.625G	5.95G	PK	5.93391G	16.52	-54.86				-54.86	-38.34	-27.00	-11.34
5785MHz	Pass	5.625G	5.95G	PK	5.63231G	16.52	-43.77				-43.77	-27.25	-27.00	-0.25
5785MHz	Pass	5.625G	5.95G	PK	5.93928G	16.52	-54.61				-54.61	-38.09	-27.00	-11.09
5825MHz	Pass	5.625G	5.95G	PK	5.62614G	16.52	-44.07				-44.07	-27.55	-27.00	-0.55
5825MHz	Pass	5.625G	5.95G	PK	5.92644G	16.52	-54.74				-54.74	-38.22	-27.00	-11.22
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.05G	5.45G	AV	5.1396G	16.12	-57.42				-57.42	-41.30	-41.20	-0.10
5180MHz	Pass	5.05G	5.45G	AV	5.3592G	16.12	-61.29				-61.29	-45.17	-41.20	-3.97
5180MHz	Pass	5.05G	5.45G	PK	5.1388G	16.12	-45.04				-45.04	-28.92	-21.20	-7.72
5180MHz	Pass	5.05G	5.45G	PK	5.3734G	16.12	-50.56				-50.56	-34.44	-21.20	-13.24
5200MHz	Pass	5.05G	5.45G	AV	5.149G	16.12	-59.88				-59.88	-43.76	-41.20	-2.56
5200MHz	Pass	5.05G	5.45G	AV	5.3534G	16.12	-57.42				-57.42	-41.30	-41.20	-0.10
5200MHz	Pass	5.05G	5.45G	PK	5.1426G	16.12	-49.04				-49.04	-32.92	-21.20	-11.72
5200MHz	Pass	5.05G	5.45G	PK	5.359G	16.12	-47.16				-47.16	-31.04	-21.20	-9.84
5240MHz	Pass	5.05G	5.45G	AV	5.0886G	16.12	-62.48				-62.48	-46.36	-41.20	-5.16
5240MHz	Pass	5.05G	5.45G	AV	5.3926G	16.12	-57.53				-57.53	-41.41	-41.20	-0.21
5240MHz	Pass	5.05G	5.45G	PK	5.1434G	16.12	-51.02				-51.02	-34.90	-21.20	-13.70
5240MHz	Pass	5.05G	5.45G	PK	5.3948G	16.12	-46.16				-46.16	-30.04	-21.20	-8.84
5260MHz	Pass	5.05G	5.45G	AV	5.1044G	16.52	-61.01				-61.01	-44.49	-41.20	-3.29
5260MHz	Pass	5.05G	5.45G	AV	5.418G	16.52	-57.75				-57.75	-41.23	-41.20	-0.03
5260MHz	Pass	5.05G	5.45G	PK	5.1082G	16.52	-50.32				-50.32	-33.80	-21.20	-12.60
5260MHz	Pass	5.05G	5.45G	PK	5.4126G	16.52	-46.06				-46.06	-29.54	-21.20	-8.34
5300MHz	Pass	5.05G	5.45G	AV	5.1438G	16.52	-59.64				-59.64	-43.12	-41.20	-1.92
5300MHz	Pass	5.05G	5.45G	AV	5.3572G	16.52	-57.88				-57.88	-41.36	-41.20	-0.16
5300MHz	Pass	5.05G	5.45G	PK	5.1308G	16.52	-48.36				-48.36	-31.84	-21.20	-10.64
5300MHz	Pass	5.05G	5.45G	PK	5.3516G	16.52	-44.41				-44.41	-27.89	-21.20	-6.69
5320MHz	Pass	5.05G	5.45G	AV	5.1488G	16.52	-65.97				-65.97	-49.45	-41.20	-8.25

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5320MHz	Pass	5.05G	5.45G	AV	5.3598G	16.52	-58.20				-58.20	-41.68	-41.20	-0.48
5320MHz	Pass	5.05G	5.45G	PK	5.1304G	16.52	-54.88				-54.88	-38.36	-21.20	-17.16
5320MHz	Pass	5.05G	5.45G	PK	5.3614G	16.52	-44.98				-44.98	-28.46	-21.20	-7.26
5500MHz	Pass	5.37G	5.825G	AV	5.45895G	16.92	-58.21				-58.21	-41.29	-41.20	-0.09
5500MHz	Pass	5.37G	5.825G	PK	5.45986G	16.92	-45.32				-45.32	-28.40	-21.20	-7.20
5500MHz	Pass	5.37G	5.825G	PK	5.46009G	16.92	-45.76				-45.76	-28.84	-27.00	-1.84
5500MHz	Pass	5.37G	5.825G	PK	5.73969G	16.92	-54.39				-54.39	-37.47	-27.00	-10.47
5580MHz	Pass	5.37G	5.825G	AV	5.4271G	16.92	-58.56				-58.56	-41.64	-41.20	-0.44
5580MHz	Pass	5.37G	5.825G	PK	5.4287G	16.92	-47.69				-47.69	-30.77	-21.20	-9.57
5580MHz	Pass	5.37G	5.825G	PK	5.46601G	16.92	-51.38				-51.38	-34.46	-27.00	-7.46
5580MHz	Pass	5.37G	5.825G	PK	5.74538G	16.92	-47.72				-47.72	-30.80	-27.00	-3.80
5700MHz	Pass	5.37G	5.825G	AV	5.38775G	16.92	-63.19				-63.19	-46.27	-41.20	-5.07
5700MHz	Pass	5.37G	5.825G	PK	5.38365G	16.92	-52.22				-52.22	-35.30	-21.20	-14.10
5700MHz	Pass	5.37G	5.825G	PK	5.46168G	16.92	-52.69				-52.69	-35.77	-27.00	-8.77
5700MHz	Pass	5.37G	5.825G	PK	5.73514G	16.92	-45.10				-45.10	-28.18	-27.00	-1.18
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	AV	5.39987G	16.92	-58.18				-58.18	-41.26	-41.20	-0.06
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.39755G	16.92	-47.73				-47.73	-30.81	-21.20	-9.61
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.4628G	16.92	-49.15				-49.15	-32.23	-27.00	-5.23
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.87547G	16.92	-45.73				-45.73	-28.81	-27.00	-1.81
5745MHz	Pass	5.625G	5.95G	PK	5.64938G	16.52	-44.27				-44.27	-27.75	-27.00	-0.75
5745MHz	Pass	5.625G	5.95G	PK	5.94366G	16.52	-59.43				-59.43	-42.91	-27.00	-15.91
5785MHz	Pass	5.625G	5.95G	PK	5.63053G	16.52	-43.72				-43.72	-27.20	-27.00	-0.20
5785MHz	Pass	5.625G	5.95G	PK	5.94188G	16.52	-59.82				-59.82	-43.30	-27.00	-16.30
5825MHz	Pass	5.625G	5.95G	PK	5.65636G	16.52	-40.13				-40.13	-23.61	-22.29	-1.32
5825MHz	Pass	5.625G	5.95G	PK	5.92026G	16.52	-40.80				-40.80	-24.28	-10.03	-14.25
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.95G	5.55G	AV	5.1483G	16.12	-57.58				-57.58	-41.46	-41.20	-0.26
5190MHz	Pass	4.95G	5.55G	AV	5.3517G	16.12	-60.34				-60.34	-44.22	-41.20	-3.02
5190MHz	Pass	4.95G	5.55G	PK	5.1492G	16.12	-45.33				-45.33	-29.21	-21.20	-8.01
5190MHz	Pass	4.95G	5.55G	PK	5.3601G	16.12	-50.00				-50.00	-33.88	-21.20	-12.68
5190MHz	Pass	4.95G	5.55G	PK	5.5146G	16.12	-52.55				-52.55	-36.43	-27.00	-9.43
5230MHz	Pass	4.95G	5.55G	AV	5.1441G	16.12	-59.02				-59.02	-42.90	-41.20	-1.70
5230MHz	Pass	4.95G	5.55G	AV	5.3964G	16.12	-57.50				-57.50	-41.38	-41.20	-0.18
5230MHz	Pass	4.95G	5.55G	PK	5.1366G	16.12	-47.94				-47.94	-31.82	-21.20	-10.62
5230MHz	Pass	4.95G	5.55G	PK	5.3739G	16.12	-46.91				-46.91	-30.79	-21.20	-9.59
5230MHz	Pass	4.95G	5.55G	PK	5.4648G	16.12	-50.40				-50.40	-34.28	-27.00	-7.28
5270MHz	Pass	4.95G	5.55G	AV	5.1213G	16.52	-61.12				-61.12	-44.60	-41.20	-3.40
5270MHz	Pass	4.95G	5.55G	AV	5.3526G	16.52	-58.06				-58.06	-41.54	-41.20	-0.34
5270MHz	Pass	4.95G	5.55G	PK	5.1426G	16.52	-50.54				-50.54	-34.02	-21.20	-12.82
5270MHz	Pass	4.95G	5.55G	PK	5.3589G	16.52	-47.22				-47.22	-30.70	-21.20	-9.50
5270MHz	Pass	4.95G	5.55G	PK	5.4834G	16.52	-49.76				-49.76	-33.24	-27.00	-6.24
5310MHz	Pass	4.95G	5.55G	AV	5.1498G	16.52	-62.39				-62.39	-45.67	-41.20	-4.67
5310MHz	Pass	4.95G	5.55G	AV	5.3568G	16.52	-57.94				-57.94	-41.42	-41.20	-0.22
5310MHz	Pass	4.95G	5.55G	PK	5.1459G	16.52	-52.40				-52.40	-35.88	-21.20	-14.68
5310MHz	Pass	4.95G	5.55G	PK	5.3502G	16.52	-46.20				-46.20	-29.68	-21.20	-8.48
5310MHz	Pass	4.95G	5.55G	PK	5.4684G	16.52	-50.11				-50.11	-33.59	-27.00	-6.59
5510MHz	Pass	5.27G	5.925G	AV	5.45897G	16.92	-58.43				-58.43	-41.51	-41.20	-0.31
5510MHz	Pass	5.27G	5.925G	PK	5.33485G	16.92	-50.44				-50.44	-33.52	-27.00	-6.52
5510MHz	Pass	5.27G	5.925G	PK	5.45864G	16.92	-47.09				-47.09	-30.17	-21.20	-8.97
5510MHz	Pass	5.27G	5.925G	PK	5.46945G	16.92	-44.89				-44.89	-27.97	-27.00	-0.97
5510MHz	Pass	5.27G	5.925G	PK	5.74455G	16.92	-53.49				-53.49	-36.57	-27.00	-9.57
5550MHz	Pass	5.27G	5.925G	AV	5.38987G	16.92	-58.40				-58.40	-41.48	-41.20	-0.28
5550MHz	Pass	5.27G	5.925G	PK	5.34434G	16.92	-49.76				-49.76	-32.84	-27.00	-5.84
5550MHz	Pass	5.27G	5.925G	PK	5.40035G	16.92	-47.83				-47.83	-30.91	-21.20	-9.71
5550MHz	Pass	5.27G	5.925G	PK	5.46748G	16.92	-47.06				-47.06	-30.14	-27.00	-3.14
5550MHz	Pass	5.27G	5.925G	PK	5.72719G	16.92	-49.53				-49.53	-32.61	-27.00	-5.61
5670MHz	Pass	5.27G	5.925G	AV	5.45995G	16.92	-62.19				-62.19	-45.27	-41.20	-4.07
5670MHz	Pass	5.27G	5.925G	PK	5.34827G	16.92	-52.25				-52.25	-35.33	-27.00	-8.33
5670MHz	Pass	5.27G	5.925G	PK	5.45602G	16.92	-51.40				-51.40	-34.48	-21.20	-13.28
5670MHz	Pass	5.27G	5.925G	PK	5.4629G	16.92	-52.44				-52.44	-35.52	-27.00	-8.52
5670MHz	Pass	5.27G	5.925G	PK	5.7344G	16.92	-44.92				-44.92	-28.00	-27.00	-1.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	AV	5.40143G	16.92	-58.84				-58.84	-41.92	-41.20	-0.72
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.2739G	16.92	-49.94				-49.94	-33.02	-27.00	-6.02
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.39402G	16.92	-47.82				-47.82	-30.90	-21.20	-9.70
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.46305G	16.92	-48.72				-48.72	-31.80	-27.00	-4.80
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.85305G	16.92	-45.16				-45.16	-28.24	-27.00	-1.24
5755MHz	Pass	5.525G	6.05G	PK	5.58905G	16.52	-44.23				-44.23	-27.71	-27.00	-0.71
5755MHz	Pass	5.525G	6.05G	PK	5.98359G	16.52	-59.62				-59.62	-43.10	-27.00	-16.10
5795MHz	Pass	5.525G	6.05G	PK	5.64103G	16.52	-44.38				-44.38	-27.86	-27.00	-0.86
5795MHz	Pass	5.525G	6.05G	PK	5.96259G	16.52	-59.63				-59.63	-43.11	-27.00	-16.11

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.75G	5.75G	AV	5.15G	16.12	-57.76				-57.76	-41.64	-41.20	-0.44
5210MHz	Pass	4.75G	5.75G	AV	5.3585G	16.12	-59.33				-59.33	-43.21	-41.20	-2.01
5210MHz	Pass	4.75G	5.75G	PK	5.1495G	16.12	-47.52				-47.52	-31.40	-21.20	-10.20
5210MHz	Pass	4.75G	5.75G	PK	5.3915G	16.12	-48.79				-48.79	-32.67	-21.20	-11.47
5210MHz	Pass	4.75G	5.75G	PK	5.466G	16.12	-51.92				-51.92	-35.80	-27.00	-8.80
5290MHz	Pass	4.75G	5.75G	AV	5.148G	16.52	-61.54				-61.54	-45.02	-41.20	-3.82
5290MHz	Pass	4.75G	5.75G	AV	5.35G	16.52	-58.10				-58.10	-41.58	-41.20	-0.38
5290MHz	Pass	4.75G	5.75G	PK	5.147G	16.52	-51.20				-51.20	-34.68	-21.20	-13.48
5290MHz	Pass	4.75G	5.75G	PK	5.357G	16.52	-47.58				-47.58	-31.06	-21.20	-9.86
5290MHz	Pass	4.75G	5.75G	PK	5.464G	16.52	-48.54				-48.54	-32.02	-27.00	-5.02
5530MHz	Pass	5.07G	6.125G	AV	5.14702G	16.92	-66.62				-66.62	-49.70	-41.20	-8.50
5530MHz	Pass	5.07G	6.125G	AV	5.45719G	16.92	-58.26				-58.26	-41.34	-41.20	-0.14
5530MHz	Pass	5.07G	6.125G	PK	5.33586G	16.92	-50.39				-50.39	-33.47	-27.00	-6.47
5530MHz	Pass	5.07G	6.125G	PK	5.45719G	16.92	-48.67				-48.67	-31.75	-21.20	-10.55
5530MHz	Pass	5.07G	6.125G	PK	5.46299G	16.92	-47.24				-47.24	-30.32	-27.00	-3.32
5530MHz	Pass	5.07G	6.125G	PK	5.72516G	16.92	-50.89				-50.89	-33.97	-27.00	-6.97
5610MHz	Pass	5.07G	6.125G	AV	5.14965G	16.92	-65.39				-65.39	-48.47	-41.20	-7.27
5610MHz	Pass	5.07G	6.125G	AV	5.4498G	16.92	-58.26				-58.26	-41.34	-41.20	-0.14
5610MHz	Pass	5.07G	6.125G	PK	5.32689G	16.92	-52.02				-52.02	-35.10	-27.00	-8.10
5610MHz	Pass	5.07G	6.125G	PK	5.45297G	16.92	-47.73				-47.73	-30.81	-21.20	-9.61
5610MHz	Pass	5.07G	6.125G	PK	5.46826G	16.92	-48.87				-48.87	-31.95	-27.00	-4.95
5610MHz	Pass	5.07G	6.125G	PK	5.72568G	16.92	-45.39				-45.39	-28.47	-27.00	-1.47
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.14847G	16.92	-63.45				-63.45	-46.53	-41.20	-5.33
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.45645G	16.92	-58.55				-58.55	-41.63	-41.20	-0.43
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.34907G	16.92	-50.15				-50.15	-33.23	-27.00	-6.23
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.45822G	16.92	-46.00				-46.00	-29.08	-21.20	-7.88
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.46235G	16.92	-46.16				-46.16	-29.24	-27.00	-2.24
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.85647G	16.92	-43.98				-43.98	-27.06	-27.00	-0.06
5775MHz	Pass	5.325G	6.25G	PK	5.61453G	16.52	-43.63				-43.63	-27.11	-27.00	-0.11
5775MHz	Pass	5.325G	6.25G	PK	6.24723G	16.52	-58.53				-58.53	-42.01	-27.00	-15.01
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.1456G	16.52	-58.06				-58.06	-41.54	-41.20	-0.34
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.3544G	16.52	-59.69				-59.69	-43.17	-41.20	-1.97
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.1366G	16.52	-46.60				-46.60	-30.08	-21.20	-8.88
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.358G	16.52	-46.98				-46.98	-30.46	-21.20	-9.26
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.4615G	16.52	-49.58				-49.58	-33.06	-27.00	-6.06
5570MHz	Pass	4.67G	6.525G	AV	5.13839G	16.92	-65.82				-65.82	-48.90	-41.20	-7.70
5570MHz	Pass	4.67G	6.525G	AV	5.45374G	16.92	-59.21				-59.21	-42.29	-41.20	-1.09
5570MHz	Pass	4.67G	6.525G	PK	5.34337G	16.92	-51.40				-51.40	-34.48	-27.00	-7.48
5570MHz	Pass	4.67G	6.525G	PK	5.45652G	16.92	-46.37				-46.37	-29.45	-21.20	-8.25
5570MHz	Pass	4.67G	6.525G	PK	5.46672G	16.92	-45.27				-45.27	-28.35	-27.00	-1.35
5570MHz	Pass	4.67G	6.525G	PK	5.79691G	16.92	-50.65				-50.65	-33.73	-27.00	-6.73
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.05G	5.45G	AV	5.1484G	16.12	-60.12	-61.01			-57.53	-41.41	-41.20	-0.21
5180MHz	Pass	5.05G	5.45G	AV	5.4022G	16.12	-62.78	-63.07			-59.91	-43.79	-41.20	-2.59
5180MHz	Pass	5.05G	5.45G	PK	5.1398G	16.12	-49.79	-51.00			-47.34	-31.22	-21.20	-10.02
5180MHz	Pass	5.05G	5.45G	PK	5.3828G	16.12	-52.65	-53.73			-50.15	-34.03	-21.20	-12.83
5200MHz	Pass	5.05G	5.45G	AV	5.148G	16.12	-60.32	-63.49			-58.61	-42.49	-41.20	-1.29
5200MHz	Pass	5.05G	5.45G	AV	5.3608G	16.12	-58.93	-62.91			-57.47	-41.35	-41.20	-0.15
5200MHz	Pass	5.05G	5.45G	PK	5.1458G	16.12	-51.14	-53.98			-49.32	-33.20	-21.20	-12.00
5200MHz	Pass	5.05G	5.45G	PK	5.3614G	16.12	-49.52	-53.53			-48.07	-31.95	-21.20	-10.75
5240MHz	Pass	5.05G	5.45G	AV	5.1492G	16.12	-63.71	-65.04			-61.31	-45.19	-41.20	-3.99
5240MHz	Pass	5.05G	5.45G	AV	5.4068G	16.12	-58.51	-63.75			-57.37	-41.25	-41.20	-0.05
5240MHz	Pass	5.05G	5.45G	PK	5.1446G	16.12	-52.97	-55.25			-50.95	-34.83	-21.20	-13.63
5240MHz	Pass	5.05G	5.45G	PK	5.4032G	16.12	-48.63	-54.78			-47.69	-31.57	-21.20	-10.37
5260MHz	Pass	5.05G	5.45G	AV	5.149G	16.52	-63.05	-65.55			-61.11	-44.59	-41.20	-3.39
5260MHz	Pass	5.05G	5.45G	AV	5.4142G	16.52	-59.18	-63.78			-57.89	-41.37	-41.20	-0.17
5260MHz	Pass	5.05G	5.45G	PK	5.1066G	16.52	-52.49	-58.31			-51.48	-34.96	-21.20	-13.76
5260MHz	Pass	5.05G	5.45G	PK	5.4262G	16.52	-49.60	-54.80			-48.45	-31.93	-21.20	-10.73
5300MHz	Pass	5.05G	5.45G	AV	5.1352G	16.52	-62.16	-66.79			-60.87	-44.35	-41.20	-3.15
5300MHz	Pass	5.05G	5.45G	AV	5.3534G	16.52	-59.97	-62.25			-57.95	-41.43	-41.20	-0.23
5300MHz	Pass	5.05G	5.45G	PK	5.142G	16.52	-52.83	-56.84			-51.38	-34.86	-21.20	-13.66
5300MHz	Pass	5.05G	5.45G	PK	5.3572G	16.52	-50.55	-51.95			-48.18	-31.66	-21.20	-10.46
5320MHz	Pass	5.05G	5.45G	AV	5.1414G	16.52	-66.41	-67.83			-64.05	-47.53	-41.20	-6.33
5320MHz	Pass	5.05G	5.45G	AV	5.3602G	16.52	-60.57	-61.37			-57.94	-41.42	-41.20	-0.22
5320MHz	Pass	5.05G	5.45G	PK	5.1466G	16.52	-56.41	-59.15			-54.56	-38.04	-21.20	-16.84
5320MHz	Pass	5.05G	5.45G	PK	5.361G	16.52	-51.08	-49.50			-47.21	-30.69	-21.20	-9.49
5500MHz	Pass	5.37G	5.825G	AV	5.45986G	16.92	-62.01	-60.82			-58.36	-41.44	-41.20	-0.24
5500MHz	Pass	5.37G	5.825G	PK	5.45918G	16.92	-49.54	-50.36			-46.92	-30.00	-21.20	-8.80

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5500MHz	Pass	5.37G	5.825G	PK	5.46009G	16.92	-52.68	-51.86			-49.24	-32.32	-27.00	-5.32
5500MHz	Pass	5.37G	5.825G	PK	5.73036G	16.92	-56.10	-57.00			-53.52	-36.60	-27.00	-9.60
5580MHz	Pass	5.37G	5.825G	AV	5.42028G	16.92	-59.63	-63.57			-58.16	-41.24	-41.20	-0.04
5580MHz	Pass	5.37G	5.825G	PK	5.413G	16.92	-49.45	-56.39			-48.65	-31.73	-21.20	-10.53
5580MHz	Pass	5.37G	5.825G	PK	5.46441G	16.92	-52.65	-54.73			-50.56	-33.64	-27.00	-6.64
5580MHz	Pass	5.37G	5.825G	PK	5.73355G	16.92	-49.78	-55.17			-48.68	-31.76	-27.00	-4.76
5700MHz	Pass	5.37G	5.825G	AV	5.38433G	16.92	-61.15	-64.65			-59.55	-42.63	-41.20	-1.43
5700MHz	Pass	5.37G	5.825G	PK	5.4585G	16.92	-51.28	-54.76			-49.67	-32.75	-21.20	-11.55
5700MHz	Pass	5.37G	5.825G	PK	5.4635G	16.92	-51.45	-54.49			-49.70	-32.78	-27.00	-5.78
5700MHz	Pass	5.37G	5.825G	PK	5.72604G	16.92	-46.58	-49.15			-44.67	-27.75	-27.00	-0.75
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	AV	5.40741G	16.92	-60.27	-63.87			-58.70	-41.78	-41.20	-0.58
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.45729G	16.92	-51.21	-54.71			-49.61	-32.69	-21.20	-11.49
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.46048G	16.92	-52.82	-53.27			-50.03	-33.11	-27.00	-6.11
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.87286G	16.92	-49.33	-56.80			-48.61	-31.69	-27.00	-4.69
5745MHz	Pass	5.625G	5.95G	PK	5.63638G	16.52	-47.06	-47.20			-44.12	-27.60	-27.00	-0.60
5745MHz	Pass	5.625G	5.95G	PK	5.94188G	16.52	-55.99	-54.57			-52.21	-35.69	-27.00	-8.69
5785MHz	Pass	5.625G	5.95G	PK	5.62533G	16.52	-44.78	-50.89			-43.83	-27.31	-27.00	-0.31
5785MHz	Pass	5.625G	5.95G	PK	5.94074G	16.52	-55.72	-54.39			-51.99	-35.47	-27.00	-8.47
5825MHz	Pass	5.625G	5.95G	PK	5.63524G	16.52	-45.08	-49.19			-43.66	-27.14	-27.00	-0.14
5825MHz	Pass	5.625G	5.95G	PK	5.937G	16.52	-56.42	-54.89			-52.58	-36.06	-27.00	-9.06
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.05G	5.45G	AV	5.1398G	16.12	-60.21	-60.82			-57.49	-41.37	-41.20	-0.17
5180MHz	Pass	5.05G	5.45G	AV	5.3866G	16.12	-63.88	-65.32			-61.53	-45.41	-41.20	-4.21
5180MHz	Pass	5.05G	5.45G	PK	5.1392G	16.12	-45.62	-50.82			-44.47	-28.35	-21.20	-7.15
5180MHz	Pass	5.05G	5.45G	PK	5.3904G	16.12	-53.52	-55.70			-51.46	-35.34	-21.20	-14.14
5200MHz	Pass	5.05G	5.45G	AV	5.1498G	16.12	-61.05	-63.21			-58.99	-42.87	-41.20	-1.67
5200MHz	Pass	5.05G	5.45G	AV	5.3602G	16.12	-58.75	-63.87			-57.59	-41.47	-41.20	-0.27
5200MHz	Pass	5.05G	5.45G	PK	5.15G	16.12	-50.37	-52.63			-48.34	-32.22	-21.20	-11.02
5200MHz	Pass	5.05G	5.45G	PK	5.3558G	16.12	-48.36	-53.32			-47.16	-31.04	-21.20	-9.84
5240MHz	Pass	5.05G	5.45G	AV	5.1494G	16.12	-63.31	-65.76			-61.35	-45.23	-41.20	-4.03
5240MHz	Pass	5.05G	5.45G	AV	5.4022G	16.12	-58.82	-63.86			-57.64	-41.52	-41.20	-0.32
5240MHz	Pass	5.05G	5.45G	PK	5.1384G	16.12	-54.61	-52.92			-50.67	-34.55	-21.20	-13.35
5240MHz	Pass	5.05G	5.45G	PK	5.4G	16.12	-47.98	-53.82			-46.97	-30.85	-21.20	-9.65
5260MHz	Pass	5.05G	5.45G	AV	5.1064G	16.52	-62.61	-67.88			-61.48	-44.96	-41.20	-3.76
5260MHz	Pass	5.05G	5.45G	AV	5.425G	16.52	-59.02	-63.70			-57.75	-41.23	-41.20	-0.03
5260MHz	Pass	5.05G	5.45G	PK	5.1082G	16.52	-51.50	-58.18			-50.66	-34.14	-21.20	-12.94
5260MHz	Pass	5.05G	5.45G	PK	5.426G	16.52	-48.20	-54.89			-47.36	-30.84	-21.20	-9.64
5300MHz	Pass	5.05G	5.45G	AV	5.1424G	16.52	-62.15	-67.66			-61.07	-44.55	-41.20	-3.35
5300MHz	Pass	5.05G	5.45G	AV	5.3508G	16.52	-60.44	-62.31			-58.26	-41.74	-41.20	-0.54
5300MHz	Pass	5.05G	5.45G	PK	5.141G	16.52	-50.45	-57.64			-49.69	-33.17	-21.20	-11.97
5300MHz	Pass	5.05G	5.45G	PK	5.3762G	16.52	-49.02	-53.97			-47.81	-31.29	-21.20	-10.09
5320MHz	Pass	5.05G	5.45G	AV	5.15G	16.52	-68.32	-70.29			-66.18	-49.66	-41.20	-8.46
5320MHz	Pass	5.05G	5.45G	AV	5.36G	16.52	-60.94	-61.06			-57.99	-41.47	-41.20	-0.27
5320MHz	Pass	5.05G	5.45G	PK	5.1466G	16.52	-58.05	-60.79			-56.20	-39.68	-21.20	-18.48
5320MHz	Pass	5.05G	5.45G	PK	5.3608G	16.52	-49.18	-48.88			-46.02	-29.50	-21.20	-8.30
5500MHz	Pass	5.37G	5.825G	AV	5.45941G	16.92	-61.50	-61.78			-58.63	-41.71	-41.20	-0.51
5500MHz	Pass	5.37G	5.825G	PK	5.45759G	16.92	-50.30	-50.41			-47.34	-30.42	-21.20	-9.22
5500MHz	Pass	5.37G	5.825G	PK	5.46032G	16.92	-48.25	-50.88			-46.36	-29.44	-27.00	-2.44
5500MHz	Pass	5.37G	5.825G	PK	5.7381G	16.92	-56.97	-60.18			-55.27	-38.35	-27.00	-11.35
5580MHz	Pass	5.37G	5.825G	AV	5.4196G	16.92	-59.44	-64.58			-58.28	-41.36	-41.20	-0.16
5580MHz	Pass	5.37G	5.825G	PK	5.41118G	16.92	-48.35	-55.51			-47.59	-30.67	-21.20	-9.47
5580MHz	Pass	5.37G	5.825G	PK	5.46191G	16.92	-51.63	-55.48			-50.13	-33.21	-27.00	-6.21
5580MHz	Pass	5.37G	5.825G	PK	5.7381G	16.92	-48.09	-56.45			-47.50	-30.58	-27.00	-3.58
5700MHz	Pass	5.37G	5.825G	AV	5.38001G	16.92	-63.85	-66.33			-61.91	-44.99	-41.20	-3.79
5700MHz	Pass	5.37G	5.825G	PK	5.37341G	16.92	-53.56	-56.20			-51.67	-34.75	-21.20	-13.55
5700MHz	Pass	5.37G	5.825G	PK	5.46077G	16.92	-53.15	-56.65			-51.55	-34.63	-27.00	-7.63
5700MHz	Pass	5.37G	5.825G	PK	5.72649G	16.92	-48.27	-48.44			-45.34	-28.42	-27.00	-1.42
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	AV	5.39639G	16.92	-59.95	-62.96			-58.19	-41.27	-41.20	-0.07
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.39233G	16.92	-50.39	-51.33			-47.82	-30.90	-21.20	-9.70
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.46889G	16.92	-50.41	-53.60			-48.71	-31.79	-27.00	-4.79
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.87141G	16.92	-47.86	-55.03			-47.10	-30.18	-27.00	-3.18
5745MHz	Pass	5.625G	5.95G	PK	5.64271G	16.52	-45.62	-47.88			-43.59	-27.07	-27.00	-0.07
5745MHz	Pass	5.625G	5.95G	PK	5.92628G	16.52	-60.38	-60.32			-57.34	-40.82	-27.00	-13.82
5785MHz	Pass	5.625G	5.95G	PK	5.6328G	16.52	-44.23	-52.37			-43.61	-27.09	-27.00	-0.09
5785MHz	Pass	5.625G	5.95G	PK	5.93651G	16.52	-61.22	-66.40			-60.07	-43.55	-27.00	-16.55
5825MHz	Pass	5.625G	5.95G	PK	5.64418G	16.52	-45.40	-48.49			-43.67	-27.15	-27.00	-0.15
5825MHz	Pass	5.625G	5.95G	PK	5.92221G	16.52	-56.66	-47.16			-46.70	-30.18	-24.94	-5.24
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.95G	5.55G	AV	5.1495G	16.12	-60.22	-60.84			-57.51	-41.39	-41.20	-0.19
5190MHz	Pass	4.95G	5.55G	AV	5.3505G	16.12	-61.26	-63.52			-59.23	-43.11	-41.20	-1.91

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5190MHz	Pass	4.95G	5.55G	PK	5.1489G	16.12	-49.88	-49.31			-46.58	-30.46	-21.20	-9.26
5190MHz	Pass	4.95G	5.55G	PK	5.3502G	16.12	-52.04	-53.86			-49.85	-33.73	-21.20	-12.53
5190MHz	Pass	4.95G	5.55G	PK	5.52G	16.12	-53.51	-55.01			-51.19	-35.07	-27.00	-8.07
5230MHz	Pass	4.95G	5.55G	AV	5.1474G	16.12	-61.72	-62.13			-58.91	-42.79	-41.20	-1.59
5230MHz	Pass	4.95G	5.55G	AV	5.382G	16.12	-59.20	-62.16			-57.42	-41.30	-41.20	-0.10
5230MHz	Pass	4.95G	5.55G	PK	5.1495G	16.12	-50.54	-53.14			-48.64	-32.52	-21.20	-11.32
5230MHz	Pass	4.95G	5.55G	PK	5.3928G	16.12	-48.65	-51.77			-46.93	-30.81	-21.20	-9.61
5230MHz	Pass	4.95G	5.55G	PK	5.4789G	16.12	-51.93	-54.20			-49.91	-33.79	-27.00	-6.79
5270MHz	Pass	4.95G	5.55G	AV	5.1495G	16.52	-63.86	-65.34			-61.53	-45.01	-41.20	-3.81
5270MHz	Pass	4.95G	5.55G	AV	5.3544G	16.52	-60.65	-61.44			-58.02	-41.50	-41.20	-0.30
5270MHz	Pass	4.95G	5.55G	PK	5.1429G	16.52	-53.87	-54.27			-51.06	-34.54	-21.20	-13.34
5270MHz	Pass	4.95G	5.55G	PK	5.3586G	16.52	-51.17	-51.04			-48.09	-31.57	-21.20	-10.37
5270MHz	Pass	4.95G	5.55G	PK	5.466G	16.52	-52.67	-55.18			-50.74	-34.22	-27.00	-7.22
5310MHz	Pass	4.95G	5.55G	AV	5.1498G	16.52	-64.09	-67.32			-62.40	-45.88	-41.20	-4.68
5310MHz	Pass	4.95G	5.55G	AV	5.3502G	16.52	-60.39	-61.68			-57.98	-41.46	-41.20	-0.26
5310MHz	Pass	4.95G	5.55G	PK	5.1447G	16.52	-54.20	-58.22			-52.75	-36.23	-21.20	-15.03
5310MHz	Pass	4.95G	5.55G	PK	5.3502G	16.52	-49.77	-49.66			-46.65	-30.13	-21.20	-8.93
5310MHz	Pass	4.95G	5.55G	PK	5.4693G	16.52	-51.72	-55.01			-50.05	-33.53	-27.00	-6.53
5510MHz	Pass	5.27G	5.925G	AV	5.45569G	16.92	-60.69	-61.94			-58.26	-41.34	-41.20	-0.14
5510MHz	Pass	5.27G	5.925G	PK	5.345G	16.92	-51.14	-55.90			-49.89	-32.97	-27.00	-5.97
5510MHz	Pass	5.27G	5.925G	PK	5.45995G	16.92	-50.33	-51.95			-48.05	-31.13	-21.20	-9.93
5510MHz	Pass	5.27G	5.925G	PK	5.46585G	16.92	-48.65	-49.22			-45.92	-29.00	-27.00	-2.00
5510MHz	Pass	5.27G	5.925G	PK	5.73505G	16.92	-53.62	-56.90			-51.95	-35.03	-27.00	-8.03
5550MHz	Pass	5.27G	5.925G	AV	5.45864G	16.92	-60.65	-62.07			-58.29	-41.37	-41.20	-0.17
5550MHz	Pass	5.27G	5.925G	PK	5.34926G	16.92	-53.19	-55.58			-51.21	-34.29	-27.00	-7.29
5550MHz	Pass	5.27G	5.925G	PK	5.45897G	16.92	-50.22	-52.96			-48.37	-31.45	-21.20	-10.25
5550MHz	Pass	5.27G	5.925G	PK	5.46978G	16.92	-51.27	-50.21			-47.70	-30.78	-27.00	-3.78
5550MHz	Pass	5.27G	5.925G	PK	5.72686G	16.92	-52.00	-54.81			-50.17	-33.25	-27.00	-6.25
5670MHz	Pass	5.27G	5.925G	AV	5.44456G	16.92	-62.10	-64.82			-60.24	-43.32	-41.20	-2.12
5670MHz	Pass	5.27G	5.925G	PK	5.345G	16.92	-52.01	-55.68			-50.46	-33.54	-27.00	-6.54
5670MHz	Pass	5.27G	5.925G	PK	5.45602G	16.92	-52.84	-53.94			-50.34	-33.42	-21.20	-12.22
5670MHz	Pass	5.27G	5.925G	PK	5.46912G	16.92	-51.92	-53.97			-49.81	-32.89	-27.00	-5.89
5670MHz	Pass	5.27G	5.925G	PK	5.72916G	16.92	-46.22	-49.92			-44.68	-27.76	-27.00	-0.76
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	AV	5.38817G	16.92	-60.12	-62.52			-58.15	-41.23	-41.20	-0.03
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.31017G	16.92	-51.24	-53.14			-49.08	-32.16	-27.00	-5.16
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.39051G	16.92	-48.58	-53.25			-47.31	-30.39	-21.20	-9.19
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.46773G	16.92	-51.93	-50.41			-48.09	-31.17	-27.00	-4.17
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.85734G	16.92	-48.13	-51.97			-46.63	-29.71	-27.00	-2.71
5755MHz	Pass	5.525G	6.05G	PK	5.59063G	16.52	-44.96	-50.48			-43.89	-27.37	-27.00	-0.37
5755MHz	Pass	5.525G	6.05G	PK	6.04108G	16.52	-59.17	-60.43			-56.74	-40.22	-27.00	-13.22
5795MHz	Pass	5.525G	6.05G	PK	5.63788G	16.52	-45.18	-50.06			-43.96	-27.44	-27.00	-0.44
5795MHz	Pass	5.525G	6.05G	PK	6.03058G	16.52	-59.68	-60.56			-57.09	-40.57	-27.00	-13.57
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.75G	5.75G	AV	5.15G	16.12	-60.77	-60.69			-57.72	-41.60	-41.20	-0.40
5210MHz	Pass	4.75G	5.75G	AV	5.37G	16.12	-60.61	-62.65			-58.50	-42.38	-41.20	-1.18
5210MHz	Pass	4.75G	5.75G	PK	5.148G	16.12	-50.59	-51.59			-48.05	-31.93	-21.20	-10.73
5210MHz	Pass	4.75G	5.75G	PK	5.3535G	16.12	-51.15	-52.21			-48.64	-32.52	-21.20	-11.32
5210MHz	Pass	4.75G	5.75G	PK	5.4905G	16.12	-51.66	-55.01			-50.01	-33.89	-27.00	-6.89
5290MHz	Pass	4.75G	5.75G	AV	5.1405G	16.52	-63.26	-66.09			-61.44	-44.92	-41.20	-3.72
5290MHz	Pass	4.75G	5.75G	AV	5.35G	16.52	-60.49	-61.42			-57.92	-41.40	-41.20	-0.20
5290MHz	Pass	4.75G	5.75G	PK	5.147G	16.52	-53.40	-56.41			-51.64	-35.12	-21.20	-13.92
5290MHz	Pass	4.75G	5.75G	PK	5.35G	16.52	-49.83	-52.32			-47.89	-31.37	-21.20	-10.17
5290MHz	Pass	4.75G	5.75G	PK	5.484G	16.52	-52.59	-52.51			-49.54	-33.02	-27.00	-6.02
5530MHz	Pass	5.07G	6.125G	AV	5.14649G	16.92	-66.90	-68.56			-64.64	-47.72	-41.20	-6.52
5530MHz	Pass	5.07G	6.125G	AV	5.45877G	16.92	-61.08	-62.01			-58.51	-41.59	-41.20	-0.39
5530MHz	Pass	5.07G	6.125G	PK	5.33797G	16.92	-52.75	-53.36			-50.03	-33.11	-27.00	-6.11
5530MHz	Pass	5.07G	6.125G	PK	5.45771G	16.92	-51.17	-51.32			-48.23	-31.31	-21.20	-10.11
5530MHz	Pass	5.07G	6.125G	PK	5.46668G	16.92	-50.64	-51.73			-48.14	-31.22	-27.00	-4.22
5530MHz	Pass	5.07G	6.125G	PK	5.72779G	16.92	-52.05	-56.07			-50.60	-33.68	-27.00	-6.68
5610MHz	Pass	5.07G	6.125G	AV	5.14754G	16.92	-67.80	-67.53			-64.65	-47.73	-41.20	-6.53
5610MHz	Pass	5.07G	6.125G	AV	5.4498G	16.92	-60.42	-62.18			-58.20	-41.28	-41.20	-0.08
5610MHz	Pass	5.07G	6.125G	PK	5.34272G	16.92	-53.39	-54.40			-50.86	-33.94	-27.00	-6.94
5610MHz	Pass	5.07G	6.125G	PK	5.44242G	16.92	-50.84	-53.33			-48.90	-31.98	-21.20	-10.78
5610MHz	Pass	5.07G	6.125G	PK	5.46299G	16.92	-51.75	-51.99			-48.86	-31.94	-27.00	-4.94
5610MHz	Pass	5.07G	6.125G	PK	5.74942G	16.92	-50.42	-53.53			-48.69	-31.77	-27.00	-4.77
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.14552G	16.92	-65.93	-66.77			-63.32	-46.40	-41.20	-5.20
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.45881G	16.92	-60.97	-61.91			-58.40	-41.48	-41.20	-0.28
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.33963G	16.92	-52.98	-53.15			-50.05	-33.13	-27.00	-6.13
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.45586G	16.92	-50.13	-52.66			-48.20	-31.28	-21.20	-10.08
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.46117G	16.92	-50.22	-52.21			-48.09	-31.17	-27.00	-4.17

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.85057G	16.92	-48.82	-50.88			-46.72	-29.80	-27.00	-2.80
5775MHz	Pass	5.325G	6.25G	PK	5.65014G	16.52	-45.74	-48.47			-43.88	-27.36	-26.90	-0.46
5775MHz	Pass	5.325G	6.25G	PK	6.24769G	16.52	-60.65	-58.30			-56.31	-39.79	-27.00	-12.79
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.142G	16.52	-60.78	-60.94			-57.85	-41.33	-41.20	-0.13
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.3517G	16.52	-60.83	-62.86			-58.72	-42.20	-41.20	-1.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.1366G	16.52	-49.06	-51.61			-47.14	-30.62	-21.20	-9.42
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.394G	16.52	-50.53	-51.82			-48.12	-31.60	-21.20	-10.40
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.4912G	16.52	-52.41	-51.14			-48.72	-32.20	-27.00	-5.20
5570MHz	Pass	4.67G	6.525G	AV	5.14488G	16.92	-65.87	-67.43			-63.57	-46.65	-41.20	-5.45
5570MHz	Pass	4.67G	6.525G	AV	5.45467G	16.92	-60.37	-62.29			-58.21	-41.29	-41.20	-0.09
5570MHz	Pass	4.67G	6.525G	PK	5.32853G	16.92	-51.05	-53.62			-49.14	-32.22	-27.00	-5.22
5570MHz	Pass	4.67G	6.525G	PK	5.45559G	16.92	-48.61	-50.29			-46.36	-29.44	-21.20	-8.24
5570MHz	Pass	4.67G	6.525G	PK	5.4658G	16.92	-49.49	-50.20			-46.82	-29.90	-27.00	-2.90
5570MHz	Pass	4.67G	6.525G	PK	5.7357G	16.92	-49.15	-52.02			-47.34	-30.42	-27.00	-3.42
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.05G	5.45G	AV	5.1396G	19.13	-66.48	-66.45	-66.57	-66.52	-60.48	-41.35	-41.20	-0.15
5180MHz	Pass	5.05G	5.45G	AV	5.391G	19.13	-66.38	-69.03	-69.05	-69.15	-62.21	-43.08	-41.20	-1.88
5180MHz	Pass	5.05G	5.45G	PK	5.1396G	19.13	-54.80	-54.35	-57.08	-56.67	-49.55	-30.42	-21.20	-9.22
5180MHz	Pass	5.05G	5.45G	PK	5.3666G	19.13	-57.85	-60.08	-59.05	-57.47	-52.47	-33.34	-21.20	-12.14
5200MHz	Pass	5.05G	5.45G	AV	5.149G	19.13	-67.04	-68.03	-67.96	-67.24	-61.53	-42.40	-41.20	-1.20
5200MHz	Pass	5.05G	5.45G	AV	5.3618G	19.13	-64.18	-68.26	-67.34	-67.98	-60.58	-41.45	-41.20	-0.25
5200MHz	Pass	5.05G	5.45G	PK	5.1494G	19.13	-58.91	-57.38	-57.86	-58.19	-52.03	-32.90	-21.20	-11.70
5200MHz	Pass	5.05G	5.45G	PK	5.3556G	19.13	-54.71	-58.04	-58.12	-58.92	-51.09	-31.96	-21.20	-10.76
5240MHz	Pass	5.05G	5.45G	AV	5.1496G	19.13	-68.23	-70.15	-69.74	-70.03	-63.44	-44.31	-41.20	-3.11
5240MHz	Pass	5.05G	5.45G	AV	5.3942G	19.13	-64.13	-68.30	-67.20	-68.58	-60.64	-41.51	-41.20	-0.31
5240MHz	Pass	5.05G	5.45G	PK	5.149G	19.13	-59.58	-60.64	-59.68	-61.20	-54.20	-35.07	-21.20	-13.87
5240MHz	Pass	5.05G	5.45G	PK	5.3944G	19.13	-53.67	-60.24	-59.34	-58.63	-51.09	-31.96	-21.20	-10.76
5260MHz	Pass	5.05G	5.45G	AV	5.147G	19.53	-68.81	-70.11	-69.97	-69.65	-63.58	-44.05	-41.20	-2.85
5260MHz	Pass	5.05G	5.45G	AV	5.421G	19.53	-64.61	-68.01	-68.36	-67.55	-60.83	-41.30	-41.20	-0.10
5260MHz	Pass	5.05G	5.45G	PK	5.1408G	19.53	-59.43	-61.50	-61.82	-59.21	-54.31	-34.78	-21.20	-13.58
5260MHz	Pass	5.05G	5.45G	PK	5.4186G	19.53	-54.27	-59.16	-59.14	-58.72	-51.24	-31.71	-21.20	-10.51
5300MHz	Pass	5.05G	5.45G	AV	5.1436G	19.53	-67.89	-71.91	-72.26	-70.96	-64.36	-44.83	-41.20	-3.63
5300MHz	Pass	5.05G	5.45G	AV	5.3514G	19.53	-66.63	-66.69	-67.24	-67.39	-60.95	-41.42	-41.20	-0.22
5300MHz	Pass	5.05G	5.45G	PK	5.1462G	19.53	-58.29	-62.32	-63.30	-62.59	-55.10	-35.57	-21.20	-14.37
5300MHz	Pass	5.05G	5.45G	PK	5.3528G	19.53	-57.69	-57.86	-56.99	-57.63	-51.51	-31.98	-21.20	-10.78
5320MHz	Pass	5.05G	5.45G	AV	5.1446G	19.53	-72.31	-72.16	-71.81	-71.45	-65.90	-46.37	-41.20	-5.17
5320MHz	Pass	5.05G	5.45G	AV	5.3506G	19.53	-66.61	-67.37	-66.89	-66.43	-60.79	-41.26	-41.20	-0.06
5320MHz	Pass	5.05G	5.45G	PK	5.1476G	19.53	-62.03	-63.15	-62.70	-62.26	-56.49	-36.96	-21.20	-15.76
5320MHz	Pass	5.05G	5.45G	PK	5.3602G	19.53	-55.65	-55.07	-57.22	-55.25	-49.70	-30.17	-21.20	-8.97
5500MHz	Pass	5.37G	5.825G	AV	5.45918G	19.93	-66.48	-67.53	-67.64	-68.12	-61.38	-41.45	-41.20	-0.25
5500MHz	Pass	5.37G	5.825G	PK	5.45986G	19.93	-57.63	-58.13	-58.06	-56.08	-51.37	-31.44	-21.20	-10.24
5500MHz	Pass	5.37G	5.825G	PK	5.46874G	19.93	-66.58	-66.49	-58.05	-59.25	-51.43	-31.50	-27.00	-4.50
5500MHz	Pass	5.37G	5.825G	PK	5.74424G	19.93	-60.82	-62.95	-62.36	-62.09	-55.96	-36.03	-27.00	-9.03
5580MHz	Pass	5.37G	5.825G	AV	5.42506G	19.93	-64.48	-69.03	-68.83	-68.14	-61.16	-41.23	-41.20	-0.03
5580MHz	Pass	5.37G	5.825G	PK	5.42437G	19.93	-54.46	-60.73	-58.77	-60.48	-51.77	-31.84	-21.20	-10.64
5580MHz	Pass	5.37G	5.825G	PK	5.46646G	19.93	-58.42	-58.60	-59.82	-60.36	-53.20	-33.27	-27.00	-6.27
5580MHz	Pass	5.37G	5.825G	PK	5.74674G	19.93	-55.18	-60.89	-59.58	-61.21	-52.44	-32.51	-27.00	-5.51
5700MHz	Pass	5.37G	5.825G	AV	5.45486G	19.93	-65.68	-68.50	-67.71	-68.23	-61.36	-41.43	-41.20	-0.23
5700MHz	Pass	5.37G	5.825G	PK	5.4544G	19.93	-57.90	-59.39	-58.36	-58.26	-52.42	-32.49	-21.20	-11.29
5700MHz	Pass	5.37G	5.825G	PK	5.46874G	19.93	-57.54	-58.98	-58.44	-59.18	-52.47	-32.54	-27.00	-5.54
5700MHz	Pass	5.37G	5.825G	PK	5.72809G	19.93	-53.50	-52.78	-53.49	-52.90	-47.13	-27.20	-27.00	-0.20
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	AV	5.40161G	19.93	-65.19	-68.62	-69.02	-68.19	-61.44	-41.51	-41.20	-0.31
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.40248G	19.93	-54.91	-60.31	-60.66	-59.81	-52.17	-32.24	-21.20	-11.04
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.46657G	19.93	-58.52	-58.55	-59.07	-59.32	-52.83	-32.90	-27.00	-5.90
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.87489G	19.93	-53.80	-61.04	-62.12	-59.98	-51.82	-31.89	-27.00	-4.89
5745MHz	Pass	5.625G	5.95G	PK	5.64759G	19.53	-50.77	-52.42	-55.41	-53.21	-46.62	-27.09	-27.00	-0.09
5745MHz	Pass	5.625G	5.95G	PK	5.92676G	19.53	-65.60	-65.69	-65.14	-65.60	-59.48	-39.95	-27.00	-12.95
5785MHz	Pass	5.625G	5.95G	PK	5.62565G	19.53	-48.85	-55.83	-55.74	-54.20	-46.55	-27.02	-27.00	-0.02
5785MHz	Pass	5.625G	5.95G	PK	5.94626G	19.53	-65.99	-64.09	-66.12	-64.75	-59.13	-39.60	-27.00	-12.60
5825MHz	Pass	5.625G	5.95G	PK	5.63443G	19.53	-50.54	-54.62	-56.14	-54.81	-47.44	-27.91	-27.00	-0.91
5825MHz	Pass	5.625G	5.95G	PK	5.92676G	19.53	-65.22	-65.32	-66.86	-64.64	-59.42	-39.89	-27.00	-12.89
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.05G	5.45G	AV	5.1398G	19.13	-65.30	-67.27	-66.71	-66.69	-60.41	-41.28	-41.20	-0.08
5180MHz	Pass	5.05G	5.45G	AV	5.3872G	19.13	-68.63	-69.31	-69.41	-69.76	-63.24	-44.11	-41.20	-2.91
5180MHz	Pass	5.05G	5.45G	PK	5.1396G	19.13	-52.05	-55.76	-56.63	-55.36	-48.55	-29.42	-21.20	-8.22
5180MHz	Pass	5.05G	5.45G	PK	5.3582G	19.13	-59.55	-59.59	-57.94	-60.15	-53.20	-34.07	-21.20	-12.87
5200MHz	Pass	5.05G	5.45G	AV	5.1494G	19.13	-66.12	-66.85	-67.34	-67.58	-60.92	-41.79	-41.20	-0.59
5200MHz	Pass	5.05G	5.45G	AV	5.3526G	19.13	-64.05	-67.48	-68.08	-67.48	-60.43	-41.30	-41.20	-0.10
5200MHz	Pass	5.05G	5.45G	PK	5.1494G	19.13	-66.25	-57.32	-57.60	-56.89	-50.96	-31.83	-21.20	-10.63

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5200MHz	Pass	5.05G	5.45G	PK	5.356G	19.13	-53.21	-58.10	-57.83	-56.61	-49.93	-30.80	-21.20	-9.60
5240MHz	Pass	5.05G	5.45G	AV	5.1438G	19.13	-68.04	-69.76	-69.61	-70.17	-63.29	-44.16	-41.20	-2.96
5240MHz	Pass	5.05G	5.45G	AV	5.3948G	19.13	-63.33	-68.63	-68.23	-68.25	-60.45	-41.32	-41.20	-0.12
5240MHz	Pass	5.05G	5.45G	PK	5.1468G	19.13	-56.84	-60.07	-61.03	-60.93	-53.33	-34.20	-21.20	-13.00
5240MHz	Pass	5.05G	5.45G	PK	5.3958G	19.13	-52.53	-58.41	-59.42	-58.71	-50.22	-31.09	-21.20	-9.89
5260MHz	Pass	5.05G	5.45G	AV	5.1498G	19.53	-68.97	-69.87	-69.56	-70.68	-63.71	-44.18	-41.20	-2.98
5260MHz	Pass	5.05G	5.45G	AV	5.412G	19.53	-64.22	-68.50	-68.24	-68.50	-60.91	-41.38	-41.20	-0.18
5260MHz	Pass	5.05G	5.45G	PK	5.1064G	19.53	-55.20	-62.97	-62.07	-61.61	-53.16	-33.63	-21.20	-12.43
5260MHz	Pass	5.05G	5.45G	PK	5.416G	19.53	-53.64	-59.10	-58.90	-58.39	-50.81	-31.28	-21.20	-10.08
5300MHz	Pass	5.05G	5.45G	AV	5.1488G	19.53	-67.56	-71.47	-71.44	-71.07	-64.02	-44.49	-41.20	-3.29
5300MHz	Pass	5.05G	5.45G	AV	5.3508G	19.53	-66.39	-66.77	-67.18	-67.22	-60.86	-41.33	-41.20	-0.13
5300MHz	Pass	5.05G	5.45G	PK	5.1368G	19.53	-56.27	-62.41	-61.61	-63.22	-53.87	-34.34	-21.20	-13.14
5300MHz	Pass	5.05G	5.45G	PK	5.3556G	19.53	-66.52	-55.25	-57.17	-59.24	-50.80	-31.27	-21.20	-10.07
5320MHz	Pass	5.05G	5.45G	AV	5.1476G	19.53	-72.55	-72.99	-73.25	-72.70	-66.84	-47.31	-41.20	-6.11
5320MHz	Pass	5.05G	5.45G	AV	5.36G	19.53	-66.07	-67.67	-67.11	-66.47	-60.77	-41.24	-41.20	-0.04
5320MHz	Pass	5.05G	5.45G	PK	5.149G	19.53	-62.25	-62.22	-63.04	-63.28	-56.65	-37.12	-21.20	-15.92
5320MHz	Pass	5.05G	5.45G	PK	5.3598G	19.53	-56.54	-55.29	-55.12	-54.75	-49.35	-29.82	-21.20	-8.62
5500MHz	Pass	5.37G	5.825G	AV	5.45964G	19.93	-67.12	-67.29	-67.49	-67.26	-61.27	-41.34	-41.20	-0.14
5500MHz	Pass	5.37G	5.825G	PK	5.45964G	19.93	-55.70	-54.53	-56.82	-56.84	-49.84	-29.91	-21.20	-8.71
5500MHz	Pass	5.37G	5.825G	PK	5.46009G	19.93	-56.45	-56.94	-57.04	-56.00	-50.57	-30.64	-27.00	-3.64
5500MHz	Pass	5.37G	5.825G	PK	5.73787G	19.93	-61.49	-62.63	-61.18	-62.13	-55.80	-35.87	-27.00	-8.87
5580MHz	Pass	5.37G	5.825G	AV	5.41869G	19.93	-64.31	-68.67	-70.19	-69.21	-61.41	-41.48	-41.20	-0.28
5580MHz	Pass	5.37G	5.825G	PK	5.41709G	19.93	-52.58	-59.66	-60.78	-60.62	-50.81	-30.88	-21.20	-9.68
5580MHz	Pass	5.37G	5.825G	PK	5.46419G	19.93	-57.95	-58.57	-59.91	-58.95	-52.77	-32.84	-27.00	-5.84
5580MHz	Pass	5.37G	5.825G	PK	5.73423G	19.93	-54.03	-60.11	-59.56	-59.31	-51.42	-31.49	-27.00	-4.49
5700MHz	Pass	5.37G	5.825G	AV	5.45418G	19.93	-68.23	-69.97	-70.01	-68.89	-63.19	-43.26	-41.20	-2.06
5700MHz	Pass	5.37G	5.825G	PK	5.37842G	19.93	-56.35	-61.35	-61.45	-59.69	-53.15	-33.22	-21.20	-12.02
5700MHz	Pass	5.37G	5.825G	PK	5.46282G	19.93	-58.13	-59.07	-59.94	-59.80	-53.15	-33.22	-27.00	-6.22
5700MHz	Pass	5.37G	5.825G	PK	5.73082G	19.93	-52.78	-53.66	-52.77	-53.22	-47.07	-27.14	-27.00	-0.14
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	AV	5.39581G	19.93	-65.24	-68.10	-68.45	-68.43	-61.30	-41.37	-41.20	-0.17
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.40045G	19.93	-54.24	-58.00	-59.38	-58.39	-50.99	-31.06	-21.20	-9.86
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.46367G	19.93	-54.57	-59.33	-58.03	-58.63	-51.19	-31.26	-27.00	-4.26
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.87141G	19.93	-52.17	-59.33	-60.00	-60.85	-50.43	-30.50	-27.00	-3.50
5745MHz	Pass	5.625G	5.95G	PK	5.64466G	19.53	-50.96	-54.93	-54.49	-52.97	-47.03	-27.50	-27.00	-0.50
5745MHz	Pass	5.625G	5.95G	PK	5.93391G	19.53	-65.21	-65.54	-65.62	-65.28	-59.39	-39.86	-27.00	-12.86
5785MHz	Pass	5.625G	5.95G	PK	5.62646G	19.53	-48.81	-55.26	-58.31	-55.71	-46.93	-27.40	-27.00	-0.40
5785MHz	Pass	5.625G	5.95G	PK	5.92336G	19.53	-66.14	-65.89	-64.16	-65.78	-59.40	-39.87	-27.00	-12.87
5825MHz	Pass	5.625G	5.95G	PK	5.6302G	19.53	-49.91	-54.13	-54.69	-54.23	-46.73	-27.20	-27.00	-0.20
5825MHz	Pass	5.625G	5.95G	PK	5.93651G	19.53	-63.40	-65.63	-65.24	-65.36	-58.79	-39.26	-27.00	-12.26
802.11be EHT40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.95G	5.55G	AV	5.1498G	19.13	-66.30	-67.12	-65.87	-67.01	-60.52	-41.39	-41.20	-0.19
5190MHz	Pass	4.95G	5.55G	AV	5.3601G	19.13	-66.66	-68.81	-68.22	-68.33	-61.91	-42.78	-41.20	-1.58
5190MHz	Pass	4.95G	5.55G	PK	5.1453G	19.13	-52.52	-57.54	-58.39	-53.94	-48.91	-29.78	-21.20	-8.58
5190MHz	Pass	4.95G	5.55G	PK	5.3598G	19.13	-56.37	-59.39	-59.68	-58.83	-52.33	-33.20	-21.20	-12.00
5190MHz	Pass	4.95G	5.55G	PK	5.5197G	19.13	-59.51	-58.16	-58.47	-60.01	-52.95	-33.82	-27.00	-6.82
5230MHz	Pass	4.95G	5.55G	AV	5.1465G	19.13	-66.96	-67.99	-67.79	-68.08	-61.66	-42.53	-41.20	-1.33
5230MHz	Pass	4.95G	5.55G	AV	5.3601G	19.13	-65.47	-66.66	-67.07	-66.72	-60.42	-41.29	-41.20	-0.09
5230MHz	Pass	4.95G	5.55G	PK	5.1495G	19.13	-57.11	-59.29	-57.72	-57.66	-51.85	-32.72	-21.20	-11.52
5230MHz	Pass	4.95G	5.55G	PK	5.3715G	19.13	-55.26	-57.32	-56.65	-57.63	-50.59	-31.46	-21.20	-10.26
5230MHz	Pass	4.95G	5.55G	PK	5.5197G	19.13	-58.47	-58.89	-57.40	-58.34	-52.22	-33.09	-27.00	-6.09
5270MHz	Pass	4.95G	5.55G	AV	5.1456G	19.53	-69.87	-70.77	-70.85	-70.31	-64.41	-44.88	-41.20	-3.68
5270MHz	Pass	4.95G	5.55G	AV	5.3601G	19.53	-66.09	-66.95	-67.35	-67.58	-60.93	-41.40	-41.20	-0.20
5270MHz	Pass	4.95G	5.55G	PK	5.142G	19.53	-59.10	-61.27	-60.78	-60.96	-54.42	-34.89	-21.20	-13.69
5270MHz	Pass	4.95G	5.55G	PK	5.3502G	19.53	-56.28	-57.65	-58.28	-57.24	-51.28	-31.75	-21.20	-10.55
5270MHz	Pass	4.95G	5.55G	PK	5.4612G	19.53	-59.20	-58.47	-58.85	-61.54	-53.34	-33.81	-27.00	-6.81
5310MHz	Pass	4.95G	5.55G	AV	5.1486G	19.53	-69.75	-72.69	-72.29	-71.63	-65.41	-45.88	-41.20	-4.68
5310MHz	Pass	4.95G	5.55G	AV	5.3598G	19.53	-65.73	-67.31	-66.72	-67.52	-60.74	-41.21	-41.20	-0.01
5310MHz	Pass	4.95G	5.55G	PK	5.1483G	19.53	-59.42	-62.10	-62.44	-63.02	-55.48	-35.95	-21.20	-14.75
5310MHz	Pass	4.95G	5.55G	PK	5.352G	19.53	-55.61	-55.38	-54.71	-58.05	-49.75	-30.22	-21.20	-9.02
5310MHz	Pass	4.95G	5.55G	PK	5.4621G	19.53	-57.31	-60.04	-60.70	-60.02	-53.28	-33.75	-27.00	-6.75
5510MHz	Pass	5.27G	5.925G	AV	5.45995G	19.93	-66.51	-67.41	-67.78	-67.70	-61.30	-41.37	-41.20	-0.17
5510MHz	Pass	5.27G	5.925G	PK	5.345G	19.93	-57.52	-60.06	-61.50	-60.81	-53.67	-33.74	-27.00	-6.74
5510MHz	Pass	5.27G	5.925G	PK	5.4593G	19.93	-56.64	-54.05	-58.53	-58.93	-50.56	-30.63	-21.20	-9.43
5510MHz	Pass	5.27G	5.925G	PK	5.4665G	19.93	-57.55	-53.05	-57.26	-56.01	-49.55	-29.62	-27.00	-2.62
5510MHz	Pass	5.27G	5.925G	PK	5.72948G	19.93	-59.76	-62.75	-61.69	-61.79	-55.33	-35.40	-27.00	-8.40
5550MHz	Pass	5.27G	5.925G	AV	5.45864G	19.93	-66.42	-67.49	-68.16	-67.64	-61.36	-41.43	-41.20	-0.23
5550MHz	Pass	5.27G	5.925G	PK	5.33354G	19.93	-57.98	-60.64	-60.70	-61.37	-53.94	-34.01	-27.00	-7.01
5550MHz	Pass	5.27G	5.925G	PK	5.4593G	19.93	-56.31	-56.84	-57.75	-57.83	-51.11	-31.18	-21.20	-9.98
5550MHz	Pass	5.27G	5.925G	PK	5.46585G	19.93	-56.53	-57.02	-57.49	-58.24	-51.25	-31.32	-27.00	-4.32
5550MHz	Pass	5.27G	5.925G	PK	5.72866G	19.93	-57.48	-59.50	-59.40	-61.20	-53.17	-33.24	-27.00	-6.24

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5670MHz	Pass	5.27G	5.925G	AV	5.45504G	19.93	-66.96	-68.65	-68.11	-68.25	-61.92	-41.99	-41.20	-0.79
5670MHz	Pass	5.27G	5.925G	PK	5.34369G	19.93	-66.24	-59.64	-59.68	-60.00	-52.57	-32.64	-27.00	-5.64
5670MHz	Pass	5.27G	5.925G	PK	5.45144G	19.93	-66.07	-58.57	-57.60	-59.20	-51.67	-31.74	-21.20	-10.54
5670MHz	Pass	5.27G	5.925G	PK	5.46617G	19.93	-66.16	-58.92	-58.19	-58.87	-51.86	-31.93	-27.00	-4.93
5670MHz	Pass	5.27G	5.925G	PK	5.73178G	19.93	-53.06	-54.54	-54.31	-53.95	-47.91	-27.98	-27.00	-0.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	AV	5.45213G	19.93	-65.84	-67.61	-68.52	-67.54	-61.24	-41.31	-41.20	-0.11
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.34917G	19.93	-57.05	-57.87	-59.88	-57.91	-52.04	-32.11	-27.00	-5.11
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.3831G	19.93	-54.81	-57.92	-59.42	-58.06	-51.18	-31.25	-21.20	-10.05
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.46188G	19.93	-56.15	-58.12	-58.02	-57.42	-51.33	-31.40	-27.00	-4.40
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.8667G	19.93	-52.91	-59.13	-59.42	-58.74	-50.55	-30.62	-27.00	-3.62
5755MHz	Pass	5.525G	6.05G	PK	5.62528G	19.53	-49.83	-53.78	-54.32	-54.60	-46.62	-27.09	-27.00	-0.09
5755MHz	Pass	5.525G	6.05G	PK	6.02559G	19.53	-66.00	-66.09	-66.62	-64.40	-59.45	-39.92	-27.00	-12.92
5795MHz	Pass	5.525G	6.05G	PK	5.58964G	19.53	-48.79	-56.26	-55.20	-55.77	-46.73	-27.20	-27.00	-0.20
5795MHz	Pass	5.525G	6.05G	PK	5.95445G	19.53	-66.37	-64.42	-65.42	-65.14	-59.26	-39.73	-27.00	-12.73
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.75G	5.75G	AV	5.15G	19.13	-67.17	-65.51	-67.18	-66.94	-60.62	-41.49	-41.20	-0.29
5210MHz	Pass	4.75G	5.75G	AV	5.36G	19.13	-66.66	-67.52	-68.31	-68.08	-61.57	-42.44	-41.20	-1.24
5210MHz	Pass	4.75G	5.75G	PK	5.15G	19.13	-57.42	-55.49	-57.26	-57.75	-50.86	-31.73	-21.20	-10.53
5210MHz	Pass	4.75G	5.75G	PK	5.3595G	19.13	-56.28	-58.82	-58.43	-57.57	-51.64	-32.51	-21.20	-11.31
5210MHz	Pass	4.75G	5.75G	PK	5.52G	19.13	-58.66	-58.21	-58.65	-59.57	-52.72	-33.59	-27.00	-6.59
5290MHz	Pass	4.75G	5.75G	AV	5.149G	19.53	-69.35	-71.12	-70.25	-70.78	-64.30	-44.77	-41.20	-3.57
5290MHz	Pass	4.75G	5.75G	AV	5.35G	19.53	-66.34	-66.07	-67.51	-67.34	-60.75	-41.22	-41.20	-0.02
5290MHz	Pass	4.75G	5.75G	PK	5.1475G	19.53	-59.35	-60.76	-61.07	-62.39	-54.74	-35.21	-21.20	-14.01
5290MHz	Pass	4.75G	5.75G	PK	5.36G	19.53	-66.79	-66.63	-67.23	-69.35	-51.35	-31.82	-21.20	-10.62
5290MHz	Pass	4.75G	5.75G	PK	5.5205G	19.53	-57.06	-60.02	-58.82	-59.21	-52.62	-33.09	-27.00	-6.09
5530MHz	Pass	5.07G	6.125G	AV	5.14491G	19.93	-72.04	-73.05	-72.98	-72.79	-66.68	-46.75	-41.20	-5.55
5530MHz	Pass	5.07G	6.125G	AV	5.45719G	19.93	-65.91	-68.14	-67.96	-68.18	-61.42	-41.49	-41.20	-0.29
5530MHz	Pass	5.07G	6.125G	PK	5.18763G	19.93	-62.55	-63.50	-54.12	-63.46	-52.74	-32.81	-27.00	-5.81
5530MHz	Pass	5.07G	6.125G	PK	5.45244G	19.93	-55.32	-58.76	-58.45	-58.76	-51.53	-31.60	-21.20	-10.40
5530MHz	Pass	5.07G	6.125G	PK	5.46985G	19.93	-56.05	-57.81	-58.61	-57.13	-51.28	-31.35	-27.00	-4.35
5530MHz	Pass	5.07G	6.125G	PK	5.72779G	19.93	-57.43	-60.66	-60.17	-60.44	-53.44	-33.51	-27.00	-6.51
5610MHz	Pass	5.07G	6.125G	AV	5.1486G	19.93	-72.38	-72.59	-72.44	-72.29	-66.40	-46.47	-41.20	-5.27
5610MHz	Pass	5.07G	6.125G	AV	5.4498G	19.93	-66.10	-68.24	-68.50	-67.97	-61.57	-41.64	-41.20	-0.44
5610MHz	Pass	5.07G	6.125G	PK	5.18447G	19.93	-56.42	-61.28	-62.86	-61.18	-53.66	-33.73	-27.00	-6.73
5610MHz	Pass	5.07G	6.125G	PK	5.45138G	19.93	-66.74	-58.77	-57.98	-58.78	-51.96	-32.03	-21.20	-10.83
5610MHz	Pass	5.07G	6.125G	PK	5.46035G	19.93	-56.97	-57.65	-57.71	-58.69	-51.69	-31.76	-27.00	-4.76
5610MHz	Pass	5.07G	6.125G	PK	5.73149G	19.93	-57.08	-58.55	-58.03	-57.02	-51.60	-31.67	-27.00	-4.67
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.14847G	19.93	-70.94	-71.49	-71.60	-71.17	-65.27	-45.34	-41.20	-4.14
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.45704G	19.93	-66.71	-66.77	-67.44	-68.05	-61.19	-41.26	-41.20	-0.06
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.3473G	19.93	-58.04	-58.18	-60.49	-58.88	-52.77	-32.84	-27.00	-5.84
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.45468G	19.93	-56.87	-58.25	-57.44	-57.41	-51.44	-31.51	-21.20	-10.31
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.46707G	19.93	-55.94	-56.56	-57.48	-57.59	-50.82	-30.89	-27.00	-3.89
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.85057G	19.93	-55.76	-58.28	-57.39	-58.67	-51.35	-31.42	-27.00	-4.42
5775MHz	Pass	5.325G	6.25G	PK	5.64783G	19.53	-51.45	-52.55	-52.85	-53.75	-46.55	-27.02	-27.00	-0.02
5775MHz	Pass	5.325G	6.25G	PK	6.20699G	19.53	-65.65	-64.77	-65.69	-63.33	-58.73	-39.20	-27.00	-12.20
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.1492G	19.53	-66.72	-68.25	-69.16	-68.46	-62.03	-42.50	-41.20	-1.30
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.3517G	19.53	-65.37	-67.44	-67.97	-67.32	-60.88	-41.35	-41.20	-0.15
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.1492G	19.53	-53.20	-56.66	-56.44	-55.18	-49.12	-29.59	-21.20	-8.39
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.3508G	19.53	-56.51	-56.97	-57.72	-56.38	-50.84	-31.31	-21.20	-10.11
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.4939G	19.53	-57.10	-57.81	-57.09	-56.21	-50.99	-31.46	-27.00	-4.46
5570MHz	Pass	4.67G	6.525G	AV	5.14488G	19.93	-71.51	-72.21	-72.45	-72.01	-66.01	-46.08	-41.20	-4.88
5570MHz	Pass	4.67G	6.525G	AV	5.45652G	19.93	-66.38	-67.00	-67.25	-68.56	-61.21	-41.28	-41.20	-0.08
5570MHz	Pass	4.67G	6.525G	PK	5.32667G	19.93	-57.38	-57.70	-59.58	-58.94	-52.29	-32.36	-27.00	-5.36
5570MHz	Pass	4.67G	6.525G	PK	5.45559G	19.93	-55.30	-57.10	-57.92	-58.76	-51.05	-31.12	-21.20	-9.92
5570MHz	Pass	4.67G	6.525G	PK	5.4658G	19.93	-54.26	-56.02	-56.30	-58.04	-49.93	-30.00	-27.00	-3.00
5570MHz	Pass	4.67G	6.525G	PK	5.81175G	19.93	-57.37	-57.73	-59.19	-60.33	-52.48	-32.55	-27.00	-5.55
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.05G	5.45G	AV	5.1396G	16.12	-62.74	-64.23	-63.96	-64.19	-57.71	-41.59	-41.20	-0.39
5180MHz	Pass	5.05G	5.45G	AV	5.3598G	16.12	-66.48	-67.44	-67.01	-68.59	-61.29	-45.17	-41.20	-3.97
5180MHz	Pass	5.05G	5.45G	PK	5.1392G	16.12	-50.96	-53.78	-51.41	-53.61	-46.24	-30.12	-21.20	-8.92
5180MHz	Pass	5.05G	5.45G	PK	5.362G	16.12	-55.13	-56.96	-59.14	-59.37	-51.27	-35.15	-21.20	-13.95
5200MHz	Pass	5.05G	5.45G	AV	5.1492G	16.12	-63.26	-63.92	-64.04	-65.08	-58.01	-41.89	-41.20	-0.69
5200MHz	Pass	5.05G	5.45G	AV	5.3554G	16.12	-60.93	-64.79	-64.99	-65.11	-57.53	-41.41	-41.20	-0.21
5200MHz	Pass	5.05G	5.45G	PK	5.149G	16.12	-54.01	-54.42	-53.21	-55.03	-48.10	-31.98	-21.20	-10.78
5200MHz	Pass	5.05G	5.45G	PK	5.366G	16.12	-49.52	-55.59	-55.83	-55.90	-47.19	-31.07	-21.20	-9.87
5240MHz	Pass	5.05G	5.45G	AV	5.146G	16.12	-65.09	-66.89	-67.27	-68.01	-60.65	-44.53	-41.20	-3.33
5240MHz	Pass	5.05G	5.45G	AV	5.3972G	16.12	-60.09	-65.47	-66.09	-65.82	-57.52	-41.40	-41.20	-0.20
5240MHz	Pass	5.05G	5.45G	PK	5.149G	16.12	-56.47	-57.94	-57.74	-55.11	-50.64	-34.52	-21.20	-13.32
5240MHz	Pass	5.05G	5.45G	PK	5.3958G	16.12	-49.58	-55.92	-55.37	-56.41	-47.27	-31.15	-21.20	-9.95

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5260MHz	Pass	5.05G	5.45G	AV	5.1496G	16.52	-65.80	-67.21	-67.74	-67.56	-60.99	-44.47	-41.20	-3.27
5260MHz	Pass	5.05G	5.45G	AV	5.4154G	16.52	-61.09	-65.90	-65.56	-65.08	-57.90	-41.38	-41.20	-0.18
5260MHz	Pass	5.05G	5.45G	PK	5.1456G	16.52	-55.43	-58.24	-57.48	-56.75	-50.83	-34.31	-21.20	-13.11
5260MHz	Pass	5.05G	5.45G	PK	5.4118G	16.52	-50.22	-55.69	-56.43	-55.24	-47.58	-31.06	-21.20	-9.86
5300MHz	Pass	5.05G	5.45G	AV	5.1488G	16.52	-64.71	-69.66	-69.27	-69.02	-61.61	-45.09	-41.20	-3.89
5300MHz	Pass	5.05G	5.45G	AV	5.3508G	16.52	-63.00	-64.07	-64.25	-64.44	-57.88	-41.36	-41.20	-0.16
5300MHz	Pass	5.05G	5.45G	PK	5.1388G	16.52	-53.94	-60.64	-60.39	-60.54	-51.74	-35.22	-21.20	-14.02
5300MHz	Pass	5.05G	5.45G	PK	5.3504G	16.52	-53.47	-54.81	-53.82	-53.82	-47.93	-31.41	-21.20	-10.21
5320MHz	Pass	5.05G	5.45G	AV	5.1496G	16.52	-70.32	-72.05	-71.59	-72.05	-65.42	-48.90	-41.20	-7.70
5320MHz	Pass	5.05G	5.45G	AV	5.3602G	16.52	-63.21	-64.58	-63.60	-65.02	-58.02	-41.50	-41.20	-0.30
5320MHz	Pass	5.05G	5.45G	PK	5.1466G	16.52	-60.23	-62.45	-62.90	-61.44	-55.61	-39.09	-21.20	-17.89
5320MHz	Pass	5.05G	5.45G	PK	5.3602G	16.52	-50.21	-54.25	-51.28	-53.96	-46.06	-29.54	-21.20	-8.34
5500MHz	Pass	5.37G	5.825G	AV	5.45964G	16.92	-64.24	-64.01	-64.22	-64.84	-58.30	-41.38	-41.20	-0.18
5500MHz	Pass	5.37G	5.825G	PK	5.45941G	16.92	-53.60	-52.23	-53.56	-53.88	-47.25	-30.33	-21.20	-9.13
5500MHz	Pass	5.37G	5.825G	PK	5.46009G	16.92	-52.42	-53.67	-53.13	-52.83	-46.97	-30.05	-27.00	-3.05
5500MHz	Pass	5.37G	5.825G	PK	5.74287G	16.92	-60.47	-60.08	-60.83	-61.30	-54.63	-37.71	-27.00	-10.71
5580MHz	Pass	5.37G	5.825G	AV	5.41277G	16.92	-60.89	-65.96	-67.15	-66.77	-58.32	-41.40	-41.20	-0.20
5580MHz	Pass	5.37G	5.825G	PK	5.41482G	16.92	-50.81	-55.87	-55.01	-57.87	-48.05	-31.13	-21.20	-9.93
5580MHz	Pass	5.37G	5.825G	PK	5.46056G	16.92	-52.71	-56.84	-57.05	-55.82	-49.20	-32.28	-27.00	-5.28
5580MHz	Pass	5.37G	5.825G	PK	5.73286G	16.92	-50.12	-57.06	-57.12	-57.85	-48.16	-31.24	-27.00	-4.24
5700MHz	Pass	5.37G	5.825G	AV	5.45349G	16.92	-66.48	-68.22	-68.07	-68.54	-61.73	-44.81	-41.20	-3.61
5700MHz	Pass	5.37G	5.825G	PK	5.3882G	16.92	-53.05	-59.93	-59.99	-59.59	-50.93	-34.01	-21.20	-12.81
5700MHz	Pass	5.37G	5.825G	PK	5.46987G	16.92	-56.63	-59.21	-57.93	-57.21	-51.62	-34.70	-27.00	-7.70
5700MHz	Pass	5.37G	5.825G	PK	5.72513G	16.92	-49.61	-48.37	-51.92	-50.74	-43.94	-27.02	-27.00	-0.02
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	AV	5.39175G	16.92	-61.82	-65.53	-65.94	-64.88	-58.19	-41.27	-41.20	-0.07
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.40277G	16.92	-51.31	-56.48	-55.65	-55.79	-48.24	-31.32	-21.20	-10.12
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.46338G	16.92	-51.12	-53.77	-56.64	-55.65	-47.74	-30.82	-27.00	-3.82
5720MHz Straddle 5.47-5.725GHz	Pass	5.37G	5.95G	PK	5.87257G	16.92	-49.05	-56.23	-57.93	-56.72	-47.31	-30.39	-27.00	-3.39
5745MHz	Pass	5.625G	5.95G	PK	5.63101G	16.52	-46.61	-50.97	-51.57	-51.47	-43.57	-27.05	-27.00	-0.05
5745MHz	Pass	5.625G	5.95G	PK	5.94561G	16.52	-66.07	-65.41	-64.61	-64.47	-59.07	-42.55	-27.00	-15.55
5785MHz	Pass	5.625G	5.95G	PK	5.62646G	16.52	-46.09	-53.68	-54.18	-52.97	-44.23	-27.71	-27.00	-0.71
5785MHz	Pass	5.625G	5.95G	PK	5.93846G	16.52	-63.44	-65.77	-66.19	-65.74	-59.12	-42.60	-27.00	-15.60
5825MHz	Pass	5.625G	5.95G	PK	5.63491G	16.52	-47.38	-49.89	-51.82	-50.76	-43.61	-27.09	-27.00	-0.09
5825MHz	Pass	5.625G	5.95G	PK	5.9266G	16.52	-54.68	-65.26	-60.58	-62.80	-52.92	-36.40	-27.00	-9.40
802.11be EHT40_Nss4(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.95G	5.55G	AV	5.1498G	16.12	-63.16	-63.46	-64.24	-64.06	-57.69	-41.57	-41.20	-0.37
5190MHz	Pass	4.95G	5.55G	AV	5.3523G	16.12	-65.11	-67.59	-68.02	-66.97	-60.75	-44.63	-41.20	-3.43
5190MHz	Pass	4.95G	5.55G	PK	5.1489G	16.12	-50.13	-52.67	-54.61	-51.78	-45.98	-29.86	-21.20	-8.66
5190MHz	Pass	4.95G	5.55G	PK	5.3598G	16.12	-55.51	-58.08	-56.13	-57.30	-50.62	-34.50	-21.20	-13.30
5190MHz	Pass	4.95G	5.55G	PK	5.52G	16.12	-56.07	-59.61	-58.62	-58.29	-51.92	-35.80	-27.00	-8.80
5230MHz	Pass	4.95G	5.55G	AV	5.1498G	16.12	-63.27	-64.46	-65.23	-65.19	-58.44	-42.32	-41.20	-1.12
5230MHz	Pass	4.95G	5.55G	AV	5.3505G	16.12	-62.54	-63.37	-64.30	-64.04	-57.49	-41.37	-41.20	-0.17
5230MHz	Pass	4.95G	5.55G	PK	5.1459G	16.12	-52.38	-54.70	-55.48	-56.73	-48.50	-32.38	-21.20	-11.18
5230MHz	Pass	4.95G	5.55G	PK	5.3856G	16.12	-51.48	-54.45	-54.84	-54.15	-47.49	-31.37	-21.20	-10.17
5230MHz	Pass	4.95G	5.55G	PK	5.4636G	16.12	-54.91	-55.02	-56.58	-57.02	-49.76	-33.64	-27.00	-6.64
5270MHz	Pass	4.95G	5.55G	AV	5.1495G	16.52	-66.83	-67.70	-67.74	-68.33	-61.60	-45.08	-41.20	-3.88
5270MHz	Pass	4.95G	5.55G	AV	5.3532G	16.52	-63.00	-64.36	-64.49	-64.49	-58.02	-41.50	-41.20	-0.30
5270MHz	Pass	4.95G	5.55G	PK	5.1465G	16.52	-57.13	-57.68	-57.86	-57.19	-51.43	-34.91	-21.20	-13.71
5270MHz	Pass	4.95G	5.55G	PK	5.3535G	16.52	-53.53	-53.92	-54.54	-55.67	-48.32	-31.80	-21.20	-10.60
5270MHz	Pass	4.95G	5.55G	PK	5.4933G	16.52	-55.08	-56.91	-58.03	-58.83	-50.96	-34.44	-27.00	-7.44
5310MHz	Pass	4.95G	5.55G	AV	5.1495G	16.52	-67.34	-70.91	-70.24	-70.44	-63.46	-46.94	-41.20	-5.74
5310MHz	Pass	4.95G	5.55G	AV	5.3502G	16.52	-63.41	-63.72	-64.00	-64.86	-57.94	-41.42	-41.20	-0.22
5310MHz	Pass	4.95G	5.55G	PK	5.148G	16.52	-57.81	-60.35	-59.31	-61.39	-53.49	-36.97	-21.20	-15.77
5310MHz	Pass	4.95G	5.55G	PK	5.3511G	16.52	-53.00	-51.72	-52.43	-53.58	-46.61	-30.09	-21.20	-8.89
5310MHz	Pass	4.95G	5.55G	PK	5.4621G	16.52	-54.75	-58.64	-58.16	-58.36	-51.13	-34.61	-27.00	-7.61
5510MHz	Pass	5.27G	5.925G	AV	5.45897G	16.92	-63.78	-64.41	-65.12	-65.46	-58.62	-41.70	-41.20	-0.50
5510MHz	Pass	5.27G	5.925G	PK	5.33681G	16.92	-56.25	-58.24	-57.08	-59.20	-51.53	-34.61	-27.00	-7.61
5510MHz	Pass	5.27G	5.925G	PK	5.45962G	16.92	-51.95	-54.43	-55.46	-56.22	-48.18	-31.26	-21.20	-10.06
5510MHz	Pass	5.27G	5.925G	PK	5.46388G	16.92	-47.98	-55.15	-54.19	-53.85	-45.70	-28.78	-27.00	-1.78
5510MHz	Pass	5.27G	5.925G	PK	5.73472G	16.92	-58.78	-60.47	-59.82	-59.43	-53.56	-36.64	-27.00	-9.64
5550MHz	Pass	5.27G	5.925G	AV	5.45962G	16.92	-63.17	-64.34	-64.90	-64.94	-58.26	-41.34	-41.20	-0.14
5550MHz	Pass	5.27G	5.925G	PK	5.34958G	16.92	-55.99	-57.91	-57.61	-57.01	-51.05	-34.13	-27.00	-7.13
5550MHz	Pass	5.27G	5.925G	PK	5.45995G	16.92	-53.41	-55.29	-55.77	-54.23	-48.56	-31.64	-21.20	-10.44
5550MHz	Pass	5.27G	5.925G	PK	5.46617G	16.92	-52.88	-55.18	-54.89	-53.37	-47.95	-31.03	-27.00	-4.03
5550MHz	Pass	5.27G	5.925G	PK	5.72785G	16.92	-54.27	-57.95	-57.98	-56.78	-50.44	-33.52	-27.00	-6.52
5670MHz	Pass	5.27G	5.925G	AV	5.45537G	16.92	-64.40	-65.76	-66.56	-65.34	-59.42	-42.50	-41.20	-1.30
5670MHz	Pass	5.27G	5.925G	PK	5.34991G	16.92	-56.23	-55.76	-56.45	-56.86	-50.29	-33.37	-27.00	-6.37
5670MHz	Pass	5.27G	5.925G	PK	5.45242G	16.92	-54.42	-55.52	-55.98	-55.05	-49.18	-32.26	-21.20	-11.06
5670MHz	Pass	5.27G	5.925G	PK	5.46093G	16.92	-54.20	-55.12	-56.60	-55.50	-49.25	-32.33	-27.00	-5.33
5670MHz	Pass	5.27G	5.925G	PK	5.73112G	16.92	-49.50	-49.58	-51.56	-50.86	-44.27	-27.35	-27.00	-0.35

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	AV	5.45993G	16.92	-63.16	-64.52	-65.26	-64.28	-58.22	-41.30	-41.20	-0.10
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.27078G	16.92	-51.39	-51.13	-48.71	-49.65	-44.06	-27.14	-27.00	-0.14
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.45252G	16.92	-52.25	-54.77	-54.50	-55.02	-47.96	-31.04	-21.20	-9.84
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.4611G	16.92	-51.99	-54.75	-57.02	-54.89	-48.27	-31.35	-27.00	-4.35
5710MHz Straddle 5.47-5.725GHz	Pass	5.27G	6.05G	PK	5.85422G	16.92	-49.79	-56.01	-55.65	-54.70	-47.19	-30.27	-27.00	-3.27
5755MHz	Pass	5.525G	6.05G	PK	5.63604G	16.52	-49.06	-49.24	-49.79	-50.69	-43.63	-27.11	-27.00	-0.11
5755MHz	Pass	5.525G	6.05G	PK	5.94448G	16.52	-66.23	-65.39	-64.38	-65.22	-59.23	-42.71	-27.00	-15.71
5795MHz	Pass	5.525G	6.05G	PK	5.57671G	16.52	-46.74	-54.72	-50.91	-50.11	-43.72	-27.20	-27.00	-0.20
5795MHz	Pass	5.525G	6.05G	PK	5.93686G	16.52	-65.65	-65.91	-64.99	-65.44	-59.46	-42.94	-27.00	-15.94
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.75G	5.75G	AV	5.15G	16.12	-63.28	-62.66	-64.16	-63.89	-57.44	-41.32	-41.20	-0.12
5210MHz	Pass	4.75G	5.75G	AV	5.361G	16.12	-63.87	-66.02	-66.77	-66.42	-59.59	-43.47	-41.20	-2.27
5210MHz	Pass	4.75G	5.75G	PK	5.15G	16.12	-53.36	-54.59	-53.83	-53.40	-47.75	-31.63	-21.20	-10.43
5210MHz	Pass	4.75G	5.75G	PK	5.35G	16.12	-54.14	-56.65	-56.72	-56.22	-49.77	-33.65	-21.20	-12.45
5210MHz	Pass	4.75G	5.75G	PK	5.52G	16.12	-57.13	-59.38	-58.82	-56.98	-51.93	-35.81	-27.00	-8.81
5290MHz	Pass	4.75G	5.75G	AV	5.15G	16.52	-66.68	-68.53	-68.91	-68.78	-62.10	-45.58	-41.20	-4.38
5290MHz	Pass	4.75G	5.75G	AV	5.36G	16.52	-62.86	-63.20	-65.19	-64.85	-57.89	-41.37	-41.20	-0.17
5290MHz	Pass	4.75G	5.75G	PK	5.148G	16.52	-56.42	-59.10	-59.91	-59.78	-52.53	-36.01	-21.20	-14.81
5290MHz	Pass	4.75G	5.75G	PK	5.36G	16.52	-53.68	-53.99	-56.04	-56.06	-48.78	-32.26	-21.20	-11.06
5290MHz	Pass	4.75G	5.75G	PK	5.4745G	16.52	-54.93	-56.19	-57.99	-58.39	-50.63	-34.11	-27.00	-7.11
5530MHz	Pass	5.07G	6.125G	AV	5.14965G	16.92	-70.70	-71.65	-70.55	-71.43	-65.04	-48.12	-41.20	-6.92
5530MHz	Pass	5.07G	6.125G	AV	5.45877G	16.92	-62.87	-64.08	-65.07	-65.43	-58.23	-41.31	-41.20	-0.11
5530MHz	Pass	5.07G	6.125G	PK	5.34588G	16.92	-55.33	-56.72	-57.81	-57.32	-50.67	-33.75	-27.00	-6.75
5530MHz	Pass	5.07G	6.125G	PK	5.45455G	16.92	-52.09	-54.15	-55.90	-57.25	-48.39	-31.47	-21.20	-10.27
5530MHz	Pass	5.07G	6.125G	PK	5.46985G	16.92	-51.79	-53.89	-54.10	-55.55	-47.60	-30.68	-27.00	-3.68
5530MHz	Pass	5.07G	6.125G	PK	5.72674G	16.92	-55.28	-57.50	-56.10	-58.57	-50.66	-33.74	-27.00	-6.74
5610MHz	Pass	5.07G	6.125G	AV	5.1428G	16.92	-70.29	-70.78	-70.48	-70.68	-64.53	-47.61	-41.20	-6.41
5610MHz	Pass	5.07G	6.125G	AV	5.4498G	16.92	-62.15	-65.21	-65.56	-65.08	-58.24	-41.32	-41.20	-0.12
5610MHz	Pass	5.07G	6.125G	PK	5.34905G	16.92	-55.45	-57.62	-58.36	-58.57	-51.29	-34.37	-27.00	-7.37
5610MHz	Pass	5.07G	6.125G	PK	5.4593G	16.92	-52.70	-55.63	-54.84	-56.23	-48.61	-31.69	-21.20	-10.49
5610MHz	Pass	5.07G	6.125G	PK	5.46299G	16.92	-53.28	-54.60	-55.85	-54.29	-48.39	-31.47	-27.00	-4.47
5610MHz	Pass	5.07G	6.125G	PK	5.73149G	16.92	-53.03	-54.16	-55.03	-54.18	-48.02	-31.10	-27.00	-4.10
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.14965G	16.92	-67.46	-68.13	-68.11	-67.89	-61.87	-44.95	-41.20	-3.75
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	AV	5.45999G	16.92	-63.86	-64.17	-64.82	-64.74	-58.36	-41.44	-41.20	-0.24
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.16853G	16.92	-50.48	-51.71	-51.39	-50.79	-45.05	-28.13	-27.00	-1.13
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.45999G	16.92	-54.81	-54.15	-54.84	-55.64	-48.81	-31.89	-21.20	-10.69
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.46825G	16.92	-54.25	-54.04	-54.66	-55.56	-48.57	-31.65	-27.00	-4.65
5690MHz Straddle 5.47-5.725GHz	Pass	5.07G	6.25G	PK	5.85116G	16.92	-50.87	-52.38	-53.84	-51.10	-45.87	-28.95	-27.00	-1.95
5775MHz	Pass	5.325G	6.25G	PK	5.65384G	16.52	-54.42	-41.41	-55.10	-56.09	-40.89	-24.37	-24.16	-0.21
5775MHz	Pass	5.325G	6.25G	PK	6.20838G	16.52	-65.30	-65.53	-65.56	-63.49	-58.86	-42.34	-27.00	-15.34
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.1465G	16.52	-63.23	-63.39	-64.65	-65.55	-58.08	-41.56	-41.20	-0.36
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	AV	5.3517G	16.52	-63.39	-64.81	-64.47	-65.37	-58.43	-41.91	-41.20	-0.71
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.1465G	16.52	-45.04	-45.41	-47.79	-47.63	-40.27	-23.75	-21.20	-2.55
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.3517G	16.52	-52.59	-52.11	-53.46	-52.86	-46.71	-30.19	-21.20	-8.99
5250MHz Straddle 5.25-5.35GHz	Pass	4.35G	6.15G	PK	5.4948G	16.52	-55.27	-54.01	-55.72	-55.54	-49.06	-32.54	-27.00	-5.54
5570MHz	Pass	4.67G	6.525G	AV	5.14952G	16.92	-70.26	-71.48	-71.81	-71.93	-65.30	-48.38	-41.20	-7.18
5570MHz	Pass	4.67G	6.525G	AV	5.45652G	16.92	-64.96	-66.15	-65.46	-67.37	-59.87	-42.95	-41.20	-1.75
5570MHz	Pass	4.67G	6.525G	PK	5.32482G	16.92	-55.61	-58.22	-58.74	-58.52	-51.55	-34.63	-27.00	-7.63
5570MHz	Pass	4.67G	6.525G	PK	5.45745G	16.92	-50.59	-54.13	-52.83	-53.85	-46.59	-29.67	-21.20	-8.47
5570MHz	Pass	4.67G	6.525G	PK	5.46765G	16.92	-48.03	-52.14	-50.23	-51.23	-44.10	-27.18	-27.00	-0.18
5570MHz	Pass	4.67G	6.525G	PK	5.73199G	16.92	-55.79	-57.43	-56.48	-58.01	-50.82	-33.90	-27.00	-6.90


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5180MHz

23/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1384G	-30.70	-21.20	-9.50	16.12	0.00	-46.82	-46.82
5.05G	5.45G	1M	PK	5.356G	-33.17	-21.20	-11.97	16.12	0.00	-49.29	-49.29

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5180MHz

23/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1478G	-41.50	-41.20	-0.30	16.12	0.00	-57.62	-57.62
5.05G	5.45G	1M	AV	5.388G	-44.39	-41.20	-3.19	16.12	0.00	-60.51	-60.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5200MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.15G	-32.85	-21.20	-11.65	16.12	0.00	-48.97	-48.97
5.05G	5.45G	1M	PK	5.3616G	-31.20	-21.20	-10.00	16.12	0.00	-47.32	-47.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5200MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1492G	-43.00	-41.20	-1.80	16.12	0.00	-59.12	-59.12
5.05G	5.45G	1M	AV	5.3614G	-41.22	-41.20	-0.02	16.12	0.00	-57.34	-57.34

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5240MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1496G	-35.87	-21.20	-14.67	16.12	0.00	-51.99	-51.99
5.05G	5.45G	1M	PK	5.393G	-32.06	-21.20	-10.86	16.12	0.00	-48.18	-48.18

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5240MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1478G	-46.04	-41.20	-4.84	16.12	0.00	-62.16	-62.16
5.05G	5.45G	1M	AV	5.3964G	-41.63	-41.20	-0.43	16.12	0.00	-57.75	-57.75

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5260MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1042G	-35.54	-21.20	-14.34	16.52	0.00	-52.06	-52.06
5.05G	5.45G	1M	PK	5.413G	-31.74	-21.20	-10.54	16.52	0.00	-48.26	-48.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5260MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1058G	-45.15	-41.20	-3.95	16.52	0.00	-61.67	-61.67
5.05G	5.45G	1M	AV	5.4216G	-41.53	-41.20	-0.33	16.52	0.00	-58.05	-58.05

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5300MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1334G	-33.90	-21.20	-12.70	16.52	0.00	-50.42	-50.42
5.05G	5.45G	1M	PK	5.362G	-31.15	-21.20	-9.95	16.52	0.00	-47.67	-47.67

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5300MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1368G	-43.03	-41.20	-1.83	16.52	0.00	-59.55	-59.55
5.05G	5.45G	1M	AV	5.3526G	-41.41	-41.20	-0.21	16.52	0.00	-57.93	-57.93

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5320MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1378G	-38.11	-21.20	-16.91	16.52	0.00	-54.63	-54.63
5.05G	5.45G	1M	PK	5.3608G	-30.31	-21.20	-9.11	16.52	0.00	-46.83	-46.83

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5320MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1498G	-47.96	-41.20	-6.76	16.52	0.00	-64.48	-64.48
5.05G	5.45G	1M	AV	5.3628G	-41.26	-41.20	-0.06	16.52	0.00	-57.78	-57.78

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5500MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	PK	5.45941G	-30.91	-21.20	-9.71	16.92	0.00	-47.83	-47.83
5.37G	5.825G	1M	PK	5.46009G	-31.01	-27.00	-4.01	16.92	0.00	-47.93	-47.93
5.37G	5.825G	1M	PK	5.73195G	-36.68	-27.00	-9.68	16.92	0.00	-53.60	-53.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5500MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	AV	5.4585G	-41.42	-41.20	-0.22	16.92	0.00	-58.34	-58.34

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5580MHz

22/05/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	PK	5.41459G	-32.14	-21.20	-10.94	16.92	0.00	-49.06	-49.06
5.37G	5.825G	1M	PK	5.46305G	-35.21	-27.00	-8.21	16.92	0.00	-52.13	-52.13
5.37G	5.825G	1M	PK	5.7381G	-31.88	-27.00	-4.88	16.92	0.00	-48.80	-48.80

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5580MHz

22/05/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	AV	5.41345G	-41.35	-41.20	-0.15	16.92	0.00	-58.27	-58.27

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5700MHz

22/05/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5700MHz

22/05/2026





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

22/05/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.95G	1M	PK	5.40799G	-31.50	-21.20	-10.30	16.92	0.00	-48.42	-48.42
5.37G	5.95G	1M	PK	5.46164G	-33.03	-27.00	-6.03	16.92	0.00	-49.95	-49.95
5.37G	5.95G	1M	PK	5.67895G	-30.34	-27.00	-3.34	16.92	0.00	-47.26	-47.26

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.95G	1M	AV	5.39668G	-41.48	-41.20	-0.28	16.92	0.00	-58.40	-58.40

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5745MHz

22/05/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5785MHz

22/05/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

5825MHz

22/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.625G	5.95G	1M	PK	5.62614G	-27.55	-27.00	-0.55	16.52	0.00	-44.07	-44.07
5.625G	5.95G	1M	PK	5.92644G	-38.22	-27.00	-11.22	16.52	0.00	-54.74	-54.74

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5180MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1388G	-28.92	-21.20	-7.72	16.12	0.00	-45.04	-45.04
5.05G	5.45G	1M	PK	5.3734G	-34.44	-21.20	-13.24	16.12	0.00	-50.56	-50.56

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5180MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1396G	-41.30	-41.20	-0.10	16.12	0.00	-57.42	-57.42
5.05G	5.45G	1M	AV	5.3592G	-45.17	-41.20	-3.97	16.12	0.00	-61.29	-61.29

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5200MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1426G	-32.92	-21.20	-11.72	16.12	0.00	-49.04	-49.04
5.05G	5.45G	1M	PK	5.359G	-31.04	-21.20	-9.84	16.12	0.00	-47.16	-47.16

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5200MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.149G	-43.76	-41.20	-2.56	16.12	0.00	-59.88	-59.88
5.05G	5.45G	1M	AV	5.3534G	-41.30	-41.20	-0.10	16.12	0.00	-57.42	-57.42

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5240MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1434G	-34.90	-21.20	-13.70	16.12	0.00	-51.02	-51.02
5.05G	5.45G	1M	PK	5.3948G	-30.04	-21.20	-8.84	16.12	0.00	-46.16	-46.16

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5240MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.0886G	-46.36	-41.20	-5.16	16.12	0.00	-62.48	-62.48
5.05G	5.45G	1M	AV	5.3926G	-41.41	-41.20	-0.21	16.12	0.00	-57.53	-57.53

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5260MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1082G	-33.80	-21.20	-12.60	16.52	0.00	-50.32	-50.32
5.05G	5.45G	1M	PK	5.4126G	-29.54	-21.20	-8.34	16.52	0.00	-46.06	-46.06

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5260MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1044G	-44.49	-41.20	-3.29	16.52	0.00	-61.01	-61.01
5.05G	5.45G	1M	AV	5.418G	-41.23	-41.20	-0.03	16.52	0.00	-57.75	-57.75

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5300MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1308G	-31.84	-21.20	-10.64	16.52	0.00	-48.36	-48.36
5.05G	5.45G	1M	PK	5.3516G	-27.89	-21.20	-6.69	16.52	0.00	-44.41	-44.41

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5300MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1438G	-43.12	-41.20	-1.92	16.52	0.00	-59.64	-59.64
5.05G	5.45G	1M	AV	5.3572G	-41.36	-41.20	-0.16	16.52	0.00	-57.88	-57.88

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5320MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	PK	5.1304G	-38.36	-21.20	-17.16	16.52	0.00	-54.88	-54.88
5.05G	5.45G	1M	PK	5.3614G	-28.46	-21.20	-7.26	16.52	0.00	-44.98	-44.98

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5320MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.05G	5.45G	1M	AV	5.1488G	-49.45	-41.20	-8.25	16.52	0.00	-65.97	-65.97
5.05G	5.45G	1M	AV	5.3598G	-41.68	-41.20	-0.48	16.52	0.00	-58.20	-58.20

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5500MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	PK	5.45986G	-28.40	-21.20	-7.20	16.92	0.00	-45.32	-45.32
5.37G	5.825G	1M	PK	5.46009G	-28.84	-27.00	-1.84	16.92	0.00	-45.76	-45.76
5.37G	5.825G	1M	PK	5.73969G	-37.47	-27.00	-10.47	16.92	0.00	-54.39	-54.39

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5500MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	AV	5.45895G	-41.29	-41.20	-0.09	16.92	0.00	-58.21	-58.21

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5580MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	PK	5.4287G	-30.77	-21.20	-9.57	16.92	0.00	-47.69	-47.69
5.37G	5.825G	1M	PK	5.46601G	-34.46	-27.00	-7.46	16.92	0.00	-51.38	-51.38
5.37G	5.825G	1M	PK	5.74538G	-30.80	-27.00	-3.80	16.92	0.00	-47.72	-47.72

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5580MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(m)(dBm)	P1(dBm)
5.37G	5.825G	1M	AV	5.4271G	-41.64	-41.20	-0.44	16.92	0.00	-58.56	-58.56

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5700MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psu(m)(dBm)	P1(dBm)
5.37G	5.825G	1M	PK	5.38365G	-35.30	-21.20	-14.10	16.92	0.00	-52.22	-52.22
5.37G	5.825G	1M	PK	5.46166G	-35.77	-27.00	-8.77	16.92	0.00	-52.69	-52.69
5.37G	5.825G	1M	PK	5.73514G	-28.18	-27.00	-1.18	16.92	0.00	-45.10	-45.10

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5700MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.825G	1M	AV	5.38775G	-46.27	-41.20	-5.07	16.92	0.00	-63.19	-63.19

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5720MHz Straddle 5.47-5.725GHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.95G	1M	PK	5.39755G	-30.81	-21.20	-9.61	16.92	0.00	-47.73	-47.73
5.37G	5.95G	1M	PK	5.4628G	-32.23	-27.00	-5.23	16.92	0.00	-49.15	-49.15
5.37G	5.95G	1M	PK	5.87547G	-28.81	-27.00	-1.81	16.92	0.00	-45.73	-45.73

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5720MHz Straddle 5.47-5.725GHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.37G	5.95G	1M	AV	5.39987G	-41.26	-41.20	-0.06	16.92	0.00	-58.18	-58.18

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5745MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.625G	5.95G	1M	PK	5.64938G	-27.75	-27.00	-0.75	16.52	0.00	-44.27	-44.27
5.625G	5.95G	1M	PK	5.94366G	-42.91	-27.00	-15.91	16.52	0.00	-59.43	-59.43

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5785MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.625G	5.95G	1M	PK	5.63053G	-27.20	-27.00	-0.20	16.52	0.00	-43.72	-43.72
5.625G	5.95G	1M	PK	5.94188G	-43.30	-27.00	-16.30	16.52	0.00	-59.82	-59.82

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5825MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.625G	5.95G	1M	PK	5.65636G	-23.61	-22.29	-1.32	16.52	0.00	-40.13	-40.13
5.625G	5.95G	1M	PK	5.90206G	-24.28	-10.03	-14.25	16.52	0.00	-40.80	-40.80

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5190MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	PK	5.1492G	-29.21	-21.20	-8.01	16.12	0.00	-45.33	-45.33
4.95G	5.55G	1M	PK	5.3601G	-33.88	-21.20	-12.68	16.12	0.00	-50.00	-50.00
4.95G	5.55G	1M	PK	5.5146G	-36.43	-27.00	-9.43	16.12	0.00	-52.55	-52.55

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5190MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	AV	5.1483G	-41.46	-41.20	-0.26	16.12	0.00	-57.58	-57.58
4.95G	5.55G	1M	AV	5.3517G	-44.22	-41.20	-3.02	16.12	0.00	-60.34	-60.34

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5230MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	PK	5.1366G	-31.82	-21.20	-10.62	16.12	0.00	-47.94	-47.94
4.95G	5.55G	1M	PK	5.3739G	-30.79	-21.20	-9.59	16.12	0.00	-46.91	-46.91
4.95G	5.55G	1M	PK	5.4648G	-34.28	-27.00	-7.28	16.12	0.00	-50.40	-50.40

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5230MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	AV	5.1441G	-42.90	-41.20	-1.70	16.12	0.00	-59.02	-59.02
4.95G	5.55G	1M	AV	5.3964G	-41.38	-41.20	-0.18	16.12	0.00	-57.50	-57.50

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5270MHz

25/05/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	PK	5.1426G	-34.02	-21.20	-12.82	16.52	0.00	-50.54	-50.54
4.95G	5.55G	1M	PK	5.3589G	-30.70	-21.20	-9.50	16.52	0.00	-47.22	-47.22
4.95G	5.55G	1M	PK	5.4834G	-33.24	-27.00	-6.24	16.52	0.00	-49.76	-49.76

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5270MHz

25/05/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	AV	5.1213G	-44.60	-41.20	-3.40	16.52	0.00	-61.12	-61.12
4.95G	5.55G	1M	AV	5.3526G	-41.54	-41.20	-0.34	16.52	0.00	-58.06	-58.06

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5310MHz

25/05/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	PK	5.1459G	-35.88	-21.20	-14.68	16.52	0.00	-52.40	-52.40
4.95G	5.55G	1M	PK	5.3502G	-29.68	-21.20	-8.48	16.52	0.00	-46.20	-46.20
4.95G	5.55G	1M	PK	5.4684G	-33.59	-27.00	-6.59	16.52	0.00	-50.11	-50.11

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5310MHz

25/05/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.95G	5.55G	1M	AV	5.1498G	-45.87	-41.20	-4.67	16.52	0.00	-62.39	-62.39
4.95G	5.55G	1M	AV	5.3568G	-41.42	-41.20	-0.22	16.52	0.00	-57.94	-57.94

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5510MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	5.925G	1M	PK	5.33485G	-33.52	-27.00	-6.52	16.92	0.00	-50.44	-50.44
5.27G	5.925G	1M	PK	5.45864G	-30.17	-21.20	-8.97	16.92	0.00	-47.09	-47.09
5.27G	5.925G	1M	PK	5.46945G	-27.97	-27.00	-0.97	16.92	0.00	-44.89	-44.89
5.27G	5.925G	1M	PK	5.74455G	-36.57	-27.00	-9.57	16.92	0.00	-53.49	-53.49

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5510MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	5.925G	1M	AV	5.45897G	-41.51	-41.20	-0.31	16.92	0.00	-58.43	-58.43

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5550MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	5.925G	1M	PK	5.34434G	-32.84	-27.00	-5.84	16.92	0.00	-49.76	-49.76
5.27G	5.925G	1M	PK	5.40035G	-30.91	-21.20	-9.71	16.92	0.00	-47.83	-47.83
5.27G	5.925G	1M	PK	5.46748G	-30.14	-27.00	-3.14	16.92	0.00	-47.06	-47.06
5.27G	5.925G	1M	PK	5.72719G	-32.61	-27.00	-5.61	16.92	0.00	-49.53	-49.53

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5550MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	5.925G	1M	AV	5.38987G	-41.48	-41.20	-0.28	16.92	0.00	-58.40	-58.40

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5670MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	5.925G	1M	PK	5.34827G	-35.33	-27.00	-8.33	16.92	0.00	-52.25	-52.25
5.27G	5.925G	1M	PK	5.45602G	-34.48	-21.20	-13.28	16.92	0.00	-51.40	-51.40
5.27G	5.925G	1M	PK	5.4629G	-35.52	-27.00	-8.52	16.92	0.00	-52.44	-52.44
5.27G	5.925G	1M	PK	5.7344G	-28.00	-27.00	-1.00	16.92	0.00	-44.92	-44.92

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5670MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	5.925G	1M	AV	5.45995G	-45.27	-41.20	-4.07	16.92	0.00	-62.19	-62.19

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	6.05G	1M	PK	5.2739G	-33.02	-27.00	-6.02	16.92	0.00	-49.94	-49.94
5.27G	6.05G	1M	PK	5.39402G	-30.90	-21.20	-9.70	16.92	0.00	-47.82	-47.82
5.27G	6.05G	1M	PK	5.46305G	-31.80	-27.00	-4.80	16.92	0.00	-48.72	-48.72
5.27G	6.05G	1M	PK	5.85305G	-28.24	-27.00	-1.24	16.92	0.00	-45.16	-45.16

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.27G	6.05G	1M	AV	5.40143G	-41.92	-41.20	-0.72	16.92	0.00	-58.84	-58.84

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5755MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.525G	6.05G	1M	PK	5.58905G	-27.71	-27.00	-0.71	16.52	0.00	-44.23	-44.23
5.525G	6.05G	1M	PK	5.98359G	-43.10	-27.00	-16.10	16.52	0.00	-59.62	-59.62

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5795MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.525G	6.05G	1M	PK	5.64103G	-27.86	-27.00	-0.86	16.52	0.00	-44.38	-44.38
5.525G	6.05G	1M	PK	5.96259G	-43.11	-27.00	-16.11	16.52	0.00	-59.63	-59.63

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5210MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.75G	5.75G	1M	PK	5.1495G	-31.40	-21.20	-10.20	16.12	0.00	-47.52	-47.52
4.75G	5.75G	1M	PK	5.3915G	-32.67	-21.20	-11.47	16.12	0.00	-48.79	-48.79
4.75G	5.75G	1M	PK	5.466G	-35.80	-27.00	-8.80	16.12	0.00	-51.92	-51.92

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5210MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.75G	5.75G	1M	AV	5.15G	-41.64	-41.20	-0.44	16.12	0.00	-57.76	-57.76
4.75G	5.75G	1M	AV	5.3585G	-43.21	-41.20	-2.01	16.12	0.00	-59.33	-59.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5290MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.75G	5.75G	1M	PK	5.147G	-34.68	-21.20	-13.48	16.52	0.00	-51.20	-51.20
4.75G	5.75G	1M	PK	5.357G	-31.06	-21.20	-9.86	16.52	0.00	-47.58	-47.58
4.75G	5.75G	1M	PK	5.464G	-32.02	-27.00	-5.02	16.52	0.00	-48.54	-48.54

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5290MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.75G	5.75G	1M	AV	5.148G	-45.02	-41.20	-3.82	16.52	0.00	-61.54	-61.54
4.75G	5.75G	1M	AV	5.35G	-41.58	-41.20	-0.38	16.52	0.00	-58.10	-58.10

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5530MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	6.125G	1M	PK	5.33586G	-33.47	-27.00	-6.47	16.92	0.00	-50.39	-50.39
5.07G	6.125G	1M	PK	5.45719G	-31.75	-21.20	-10.55	16.92	0.00	-48.67	-48.67
5.07G	6.125G	1M	PK	5.46299G	-30.32	-27.00	-3.32	16.92	0.00	-47.24	-47.24
5.07G	6.125G	1M	PK	5.72516G	-33.97	-27.00	-6.97	16.92	0.00	-50.89	-50.89

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5530MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	6.125G	1M	AV	5.14702G	-49.70	-41.20	-8.50	16.92	0.00	-66.62	-66.62
5.07G	6.125G	1M	AV	5.45719G	-41.34	-41.20	-0.14	16.92	0.00	-58.26	-58.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5610MHz

25/05/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	6.125G	1M	PK	5.32689G	-35.10	-27.00	-8.10	16.92	0.00	-52.02	-52.02
5.07G	6.125G	1M	PK	5.45297G	-30.81	-21.20	-9.61	16.92	0.00	-47.73	-47.73
5.07G	6.125G	1M	PK	5.46826G	-31.95	-27.00	-4.95	16.92	0.00	-48.87	-48.87
5.07G	6.125G	1M	PK	5.72568G	-28.47	-27.00	-1.47	16.92	0.00	-45.39	-45.39

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5610MHz

25/05/2026



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.07G	6.125G	1M	AV	5.14965G	-48.47	-41.20	-7.27	16.92	0.00	-65.39	-65.39
5.07G	6.125G	1M	AV	5.4498G	-41.34	-41.20	-0.14	16.92	0.00	-58.26	-58.26