

			50	0	20.79	-6.4	12.24	38.5	Pass
	20525	836.5	1	0	21.73	-6.4	13.18	38.5	Pass
			1	24	21.80	-6.4	13.25	38.5	Pass
			1	49	21.80	-6.4	13.25	38.5	Pass
			25	0	20.79	-6.4	12.24	38.5	Pass
			25	12	20.72	-6.4	12.17	38.5	Pass
			25	25	20.72	-6.4	12.17	38.5	Pass
			50	0	20.71	-6.4	12.16	38.5	Pass
	20600	844	1	0	21.73	-6.4	13.18	38.5	Pass
			1	24	21.79	-6.4	13.24	38.5	Pass
			1	49	21.75	-6.4	13.20	38.5	Pass
			25	0	20.81	-6.4	12.26	38.5	Pass
			25	12	20.77	-6.4	12.22	38.5	Pass
			25	25	20.63	-6.4	12.08	38.5	Pass
			50	0	20.75	-6.4	12.20	38.5	Pass

LTE Band 7 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	20775	2502.5	1	0	22.28	0.8	23.08	33	Pass
			1	12	22.39	0.8	23.19	33	Pass
			1	24	22.24	0.8	23.04	33	Pass
			12	0	21.32	0.8	22.12	33	Pass
			12	6	21.36	0.8	22.16	33	Pass
			12	13	21.36	0.8	22.16	33	Pass
			25	0	21.36	0.8	22.16	33	Pass
	21100	2535	1	0	22.25	0.8	23.05	33	Pass
			1	12	22.35	0.8	23.15	33	Pass
			1	24	22.19	0.8	22.99	33	Pass
			12	0	21.30	0.8	22.10	33	Pass
			12	6	21.31	0.8	22.11	33	Pass
			12	13	21.27	0.8	22.07	33	Pass
			25	0	21.29	0.8	22.09	33	Pass
	21425	2567.5	1	0	22.35	0.8	23.15	33	Pass
			1	12	22.53	0.8	23.33	33	Pass
			1	24	22.27	0.8	23.07	33	Pass
			12	0	21.42	0.8	22.22	33	Pass
			12	6	21.42	0.8	22.22	33	Pass
			12	13	21.33	0.8	22.13	33	Pass
			25	0	21.37	0.8	22.17	33	Pass

16QAM	20775	2502.5	1	0	21.45	0.8	22.25	33	Pass
			1	12	21.49	0.8	22.29	33	Pass
			1	24	21.46	0.8	22.26	33	Pass
			12	0	20.32	0.8	21.12	33	Pass
			12	6	20.33	0.8	21.13	33	Pass
			12	13	20.35	0.8	21.15	33	Pass
			25	0	20.32	0.8	21.12	33	Pass
	21100	2535	1	0	21.55	0.8	22.35	33	Pass
			1	12	21.59	0.8	22.39	33	Pass
			1	24	21.53	0.8	22.33	33	Pass
			12	0	20.27	0.8	21.07	33	Pass
			12	6	20.30	0.8	21.10	33	Pass
			12	13	20.26	0.8	21.06	33	Pass
			25	0	20.28	0.8	21.08	33	Pass
	21425	2567.5	1	0	21.60	0.8	22.40	33	Pass
			1	12	21.64	0.8	22.44	33	Pass
			1	24	21.52	0.8	22.32	33	Pass
			12	0	20.41	0.8	21.21	33	Pass
			12	6	20.37	0.8	21.17	33	Pass
			12	13	20.30	0.8	21.10	33	Pass
			25	0	20.35	0.8	21.15	33	Pass
64QAM	20775	2502.5	1	0	21.30	0.8	22.10	33	Pass
			1	12	21.47	0.8	22.27	33	Pass
			1	24	21.27	0.8	22.07	33	Pass
			12	0	20.21	0.8	21.01	33	Pass
			12	6	20.22	0.8	21.02	33	Pass
			12	13	20.23	0.8	21.03	33	Pass
			25	0	20.23	0.8	21.03	33	Pass
	21100	2535	1	0	21.31	0.8	22.11	33	Pass
			1	12	21.35	0.8	22.15	33	Pass
			1	24	21.18	0.8	21.98	33	Pass
			12	0	20.18	0.8	20.98	33	Pass
			12	6	20.17	0.8	20.97	33	Pass
			12	13	20.13	0.8	20.93	33	Pass
			25	0	20.17	0.8	20.97	33	Pass
	21425	2567.5	1	0	21.35	0.8	22.15	33	Pass
			1	12	21.46	0.8	22.26	33	Pass
			1	24	21.30	0.8	22.10	33	Pass
			12	0	20.23	0.8	21.03	33	Pass
			12	6	20.20	0.8	21.00	33	Pass
			12	13	20.15	0.8	20.95	33	Pass
			25	0	20.22	0.8	21.02	33	Pass

LTE Band 7 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	20800	2505	1	0	22.26	0.8	23.06	33	Pass
			1	24	22.37	0.8	23.17	33	Pass
			1	49	22.26	0.8	23.06	33	Pass
			25	0	21.32	0.8	22.12	33	Pass
			25	12	21.35	0.8	22.15	33	Pass
			25	25	21.42	0.8	22.22	33	Pass
			50	0	21.37	0.8	22.17	33	Pass
	21100	2535	1	0	22.27	0.8	23.07	33	Pass
			1	24	22.35	0.8	23.15	33	Pass
			1	49	22.24	0.8	23.04	33	Pass
			25	0	21.38	0.8	22.18	33	Pass
			25	12	21.32	0.8	22.12	33	Pass
			25	25	21.35	0.8	22.15	33	Pass
			50	0	21.38	0.8	22.18	33	Pass
	21400	2565	1	0	22.41	0.8	23.21	33	Pass
			1	24	22.42	0.8	23.22	33	Pass
			1	49	22.30	0.8	23.10	33	Pass
			25	0	21.50	0.8	22.30	33	Pass
			25	12	21.41	0.8	22.21	33	Pass
			25	25	21.35	0.8	22.15	33	Pass
			50	0	21.40	0.8	22.20	33	Pass
16QAM	20800	2505	1	0	21.59	0.8	22.39	33	Pass
			1	24	21.53	0.8	22.33	33	Pass
			1	49	21.47	0.8	22.27	33	Pass
			25	0	20.31	0.8	21.11	33	Pass
			25	12	20.33	0.8	21.13	33	Pass
			25	25	20.41	0.8	21.21	33	Pass
			50	0	20.36	0.8	21.16	33	Pass
	21100	2535	1	0	21.52	0.8	22.32	33	Pass
			1	24	21.64	0.8	22.44	33	Pass
			1	49	21.39	0.8	22.19	33	Pass
			25	0	20.34	0.8	21.14	33	Pass
			25	12	20.28	0.8	21.08	33	Pass
			25	25	20.36	0.8	21.16	33	Pass
			50	0	20.36	0.8	21.16	33	Pass
	21400	2565	1	0	21.57	0.8	22.37	33	Pass

			1	24	21.60	0.8	22.40	33	Pass
			1	49	21.56	0.8	22.36	33	Pass
			25	0	20.48	0.8	21.28	33	Pass
			25	12	20.39	0.8	21.19	33	Pass
			25	25	20.31	0.8	21.11	33	Pass
			50	0	20.38	0.8	21.18	33	Pass
			50	0	20.31	0.8	21.11	33	Pass
64QAM	20800	2505	1	0	21.26	0.8	22.06	33	Pass
			1	24	21.33	0.8	22.13	33	Pass
			1	49	21.34	0.8	22.14	33	Pass
			25	0	20.19	0.8	20.99	33	Pass
			25	12	20.22	0.8	21.02	33	Pass
			25	25	20.32	0.8	21.12	33	Pass
			50	0	20.31	0.8	21.11	33	Pass
	21100	2535	1	0	21.25	0.8	22.05	33	Pass
			1	24	21.35	0.8	22.15	33	Pass
			1	49	21.24	0.8	22.04	33	Pass
			25	0	20.25	0.8	21.05	33	Pass
			25	12	20.20	0.8	21.00	33	Pass
			25	25	20.24	0.8	21.04	33	Pass
			50	0	20.22	0.8	21.02	33	Pass
	21400	2565	1	0	21.34	0.8	22.14	33	Pass
			1	24	21.37	0.8	22.17	33	Pass
			1	49	21.33	0.8	22.13	33	Pass
			25	0	20.28	0.8	21.08	33	Pass
			25	12	20.24	0.8	21.04	33	Pass
			25	25	20.21	0.8	21.01	33	Pass
			50	0	20.25	0.8	21.05	33	Pass

LTE Band 7 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	20825	2507.5	1	0	22.24	0.8	23.04	33	Pass
			1	37	22.27	0.8	23.07	33	Pass
			1	74	22.17	0.8	22.97	33	Pass
			37	0	22.26	0.8	23.06	33	Pass
			37	18	22.30	0.8	23.10	33	Pass
			37	38	22.39	0.8	23.19	33	Pass
			75	0	21.33	0.8	22.13	33	Pass
	21100	2535	1	0	22.23	0.8	23.03	33	Pass
			1	37	22.25	0.8	23.05	33	Pass

			1	74	22.18	0.8	22.98	33	Pass
			37	0	22.24	0.8	23.04	33	Pass
			37	18	22.30	0.8	23.10	33	Pass
			37	38	22.36	0.8	23.16	33	Pass
			75	0	21.38	0.8	22.18	33	Pass
	21375	2562.5	1	0	22.27	0.8	23.07	33	Pass
			1	37	22.33	0.8	23.13	33	Pass
			1	74	22.21	0.8	23.01	33	Pass
			37	0	22.21	0.8	23.01	33	Pass
			37	18	22.40	0.8	23.20	33	Pass
			37	38	22.46	0.8	23.26	33	Pass
			75	0	21.39	0.8	22.19	33	Pass
16QAM	20825	2507.5	1	0	21.47	0.8	22.27	33	Pass
			1	37	21.48	0.8	22.28	33	Pass
			1	74	21.39	0.8	22.19	33	Pass
			37	0	21.50	0.8	22.30	33	Pass
			37	18	21.46	0.8	22.26	33	Pass
			37	38	21.61	0.8	22.41	33	Pass
			75	0	20.30	0.8	21.10	33	Pass
	21100	2535	1	0	21.48	0.8	22.28	33	Pass
			1	37	21.48	0.8	22.28	33	Pass
			1	74	21.39	0.8	22.19	33	Pass
			37	0	21.47	0.8	22.27	33	Pass
			37	18	21.58	0.8	22.38	33	Pass
			37	38	21.66	0.8	22.46	33	Pass
			75	0	20.37	0.8	21.17	33	Pass
	21375	2562.5	1	0	21.49	0.8	22.29	33	Pass
			1	37	21.58	0.8	22.38	33	Pass
			1	74	21.44	0.8	22.24	33	Pass
			37	0	21.57	0.8	22.37	33	Pass
			37	18	21.67	0.8	22.47	33	Pass
			37	38	21.77	0.8	22.57	33	Pass
			75	0	20.37	0.8	21.17	33	Pass
64QAM	20825	2507.5	1	0	21.26	0.8	22.06	33	Pass
			1	37	21.31	0.8	22.11	33	Pass
			1	74	21.30	0.8	22.10	33	Pass
			37	0	21.23	0.8	22.03	33	Pass
			37	18	21.31	0.8	22.11	33	Pass
			37	38	21.39	0.8	22.19	33	Pass
			75	0	20.24	0.8	21.04	33	Pass
	21100	2535	1	0	21.19	0.8	21.99	33	Pass
			1	37	21.27	0.8	22.07	33	Pass

			1	74	21.16	0.8	21.96	33	Pass
			37	0	21.26	0.8	22.06	33	Pass
			37	18	21.27	0.8	22.07	33	Pass
			37	38	21.37	0.8	22.17	33	Pass
			75	0	20.26	0.8	21.06	33	Pass
	21375	2562.5	1	0	21.19	0.8	21.99	33	Pass
			1	37	21.31	0.8	22.11	33	Pass
			1	74	21.23	0.8	22.03	33	Pass
			37	0	21.22	0.8	22.02	33	Pass
			37	18	21.39	0.8	22.19	33	Pass
			37	38	21.37	0.8	22.17	33	Pass
			75	0	20.22	0.8	21.02	33	Pass

LTE Band 7 ,Channel Bandwidth: 20 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	20850	2510	1	0	22.16	0.8	22.96	33	Pass
			1	49	22.36	0.8	23.16	33	Pass
			1	99	22.05	0.8	22.85	33	Pass
			50	0	21.18	0.8	21.98	33	Pass
			50	25	21.31	0.8	22.11	33	Pass
			50	50	21.43	0.8	22.23	33	Pass
			100	0	21.33	0.8	22.13	33	Pass
	21100	2535	1	0	22.12	0.8	22.92	33	Pass
			1	49	22.35	0.8	23.15	33	Pass
			1	99	22.06	0.8	22.86	33	Pass
			50	0	21.40	0.8	22.20	33	Pass
			50	25	21.35	0.8	22.15	33	Pass
			50	50	21.34	0.8	22.14	33	Pass
			100	0	21.39	0.8	22.19	33	Pass
	21350	2560	1	0	22.15	0.8	22.95	33	Pass
			1	49	22.44	0.8	23.24	33	Pass
			1	99	22.12	0.8	22.92	33	Pass
			50	0	21.36	0.8	22.16	33	Pass
			50	25	21.47	0.8	22.27	33	Pass
			50	50	21.34	0.8	22.14	33	Pass
			100	0	21.35	0.8	22.15	33	Pass
16QAM	20850	2510	1	0	21.40	0.8	22.20	33	Pass
			1	49	21.57	0.8	22.37	33	Pass
			1	99	21.30	0.8	22.10	33	Pass

			50	0	20.16	0.8	20.96	33	Pass
			50	25	20.31	0.8	21.11	33	Pass
			50	50	20.41	0.8	21.21	33	Pass
			100	0	20.30	0.8	21.10	33	Pass
	21100	2535	1	0	21.35	0.8	22.15	33	Pass
			1	49	21.48	0.8	22.28	33	Pass
			1	99	21.35	0.8	22.15	33	Pass
			50	0	20.38	0.8	21.18	33	Pass
			50	25	20.37	0.8	21.17	33	Pass
			50	50	20.33	0.8	21.13	33	Pass
			100	0	20.37	0.8	21.17	33	Pass
	21350	2560	1	0	21.44	0.8	22.24	33	Pass
			1	49	21.74	0.8	22.54	33	Pass
			1	99	21.30	0.8	22.10	33	Pass
			50	0	20.36	0.8	21.16	33	Pass
			50	25	20.42	0.8	21.22	33	Pass
			50	50	20.33	0.8	21.13	33	Pass
			100	0	20.35	0.8	21.15	33	Pass
64QAM	20850	2510	1	0	21.03	0.8	21.83	33	Pass
			1	49	21.39	0.8	22.19	33	Pass
			1	99	21.07	0.8	21.87	33	Pass
			50	0	20.10	0.8	20.90	33	Pass
			50	25	20.24	0.8	21.04	33	Pass
			50	50	20.29	0.8	21.09	33	Pass
			100	0	20.20	0.8	21.00	33	Pass
	21100	2535	1	0	21.08	0.8	21.88	33	Pass
			1	49	21.36	0.8	22.16	33	Pass
			1	99	20.97	0.8	21.77	33	Pass
			50	0	20.26	0.8	21.06	33	Pass
			50	25	20.23	0.8	21.03	33	Pass
			50	50	20.21	0.8	21.01	33	Pass
			100	0	20.22	0.8	21.02	33	Pass
	21350	2560	1	0	21.11	0.8	21.91	33	Pass
			1	49	21.42	0.8	22.22	33	Pass
			1	99	21.10	0.8	21.90	33	Pass
			50	0	20.17	0.8	20.97	33	Pass
			50	25	20.24	0.8	21.04	33	Pass
			50	50	20.22	0.8	21.02	33	Pass
			100	0	20.19	0.8	20.99	33	Pass

LTE Band 12 ,Channel Bandwidth: 1.4 MHz

Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23017	699.7	1	0	22.99	-6.78	14.06	34.77	Pass
			1	3	23.02	-6.78	14.09	34.77	Pass
			1	5	22.93	-6.78	14.00	34.77	Pass
			3	0	23.01	-6.78	14.08	34.77	Pass
			3	2	23.04	-6.78	14.11	34.77	Pass
			3	3	23.17	-6.78	14.24	34.77	Pass
			6	0	22.18	-6.78	13.25	34.77	Pass
	23095	707.5	1	0	23.17	-6.78	14.24	34.77	Pass
			1	3	23.26	-6.78	14.33	34.77	Pass
			1	5	23.17	-6.78	14.24	34.77	Pass
			3	0	23.27	-6.78	14.34	34.77	Pass
			3	2	23.28	-6.78	14.35	34.77	Pass
			3	3	23.25	-6.78	14.32	34.77	Pass
			6	0	22.22	-6.78	13.29	34.77	Pass
	23173	715.3	1	0	23.09	-6.78	14.16	34.77	Pass
			1	3	23.20	-6.78	14.27	34.77	Pass
			1	5	23.07	-6.78	14.14	34.77	Pass
			3	0	23.19	-6.78	14.26	34.77	Pass
			3	2	23.21	-6.78	14.28	34.77	Pass
			3	3	23.18	-6.78	14.25	34.77	Pass
			6	0	22.18	-6.78	13.25	34.77	Pass
16QAM	23017	699.7	1	0	22.30	-6.78	13.37	34.77	Pass
			1	3	22.28	-6.78	13.35	34.77	Pass
			1	5	22.20	-6.78	13.27	34.77	Pass
			3	0	22.15	-6.78	13.22	34.77	Pass
			3	2	22.30	-6.78	13.37	34.77	Pass
			3	3	22.25	-6.78	13.32	34.77	Pass
			6	0	21.30	-6.78	12.37	34.77	Pass
	23095	707.5	1	0	22.44	-6.78	13.51	34.77	Pass
			1	3	22.61	-6.78	13.68	34.77	Pass
			1	5	22.43	-6.78	13.50	34.77	Pass
			3	0	22.35	-6.78	13.42	34.77	Pass
			3	2	22.35	-6.78	13.42	34.77	Pass
			3	3	22.32	-6.78	13.39	34.77	Pass
			6	0	21.40	-6.78	12.47	34.77	Pass
	23173	715.3	1	0	22.24	-6.78	13.31	34.77	Pass
			1	3	22.39	-6.78	13.46	34.77	Pass
			1	5	22.28	-6.78	13.35	34.77	Pass

64QAM			3	0	22.26	-6.78	13.33	34.77	Pass
			3	2	22.23	-6.78	13.30	34.77	Pass
			3	3	22.20	-6.78	13.27	34.77	Pass
			6	0	21.30	-6.78	12.37	34.77	Pass
	23017	699.7	1	0	21.45	-6.78	12.52	34.77	Pass
			1	3	21.47	-6.78	12.54	34.77	Pass
			1	5	21.38	-6.78	12.45	34.77	Pass
			3	0	21.41	-6.78	12.48	34.77	Pass
			3	2	21.44	-6.78	12.51	34.77	Pass
			3	3	21.38	-6.78	12.45	34.77	Pass
			6	0	20.31	-6.78	11.38	34.77	Pass
	23095	707.5	1	0	21.44	-6.78	12.51	34.77	Pass
			1	3	21.54	-6.78	12.61	34.77	Pass
			1	5	21.38	-6.78	12.45	34.77	Pass
			3	0	21.46	-6.78	12.53	34.77	Pass
			3	2	21.48	-6.78	12.55	34.77	Pass
			3	3	21.45	-6.78	12.52	34.77	Pass
			6	0	20.40	-6.78	11.47	34.77	Pass
	23173	715.3	1	0	21.33	-6.78	12.40	34.77	Pass
			1	3	21.41	-6.78	12.48	34.77	Pass
			1	5	21.36	-6.78	12.43	34.77	Pass
			3	0	21.38	-6.78	12.45	34.77	Pass
			3	2	21.37	-6.78	12.44	34.77	Pass
			3	3	21.43	-6.78	12.50	34.77	Pass
			6	0	20.34	-6.78	11.41	34.77	Pass

LTE Band 12 ,Channel Bandwidth: 3 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23025	700.5	1	0	23.22	-6.78	14.29	34.77	Pass
			1	7	23.30	-6.78	14.37	34.77	Pass
			1	14	23.19	-6.78	14.26	34.77	Pass
			8	0	22.16	-6.78	13.23	34.77	Pass
			8	4	22.22	-6.78	13.29	34.77	Pass
			8	7	22.18	-6.78	13.25	34.77	Pass
			15	0	22.19	-6.78	13.26	34.77	Pass
	23095	707.5	1	0	23.20	-6.78	14.27	34.77	Pass
			1	7	23.34	-6.78	14.41	34.77	Pass
			1	14	23.22	-6.78	14.29	34.77	Pass
			8	0	22.20	-6.78	13.27	34.77	Pass

			8	4	22.23	-6.78	13.30	34.77	Pass
			8	7	22.18	-6.78	13.25	34.77	Pass
			15	0	22.21	-6.78	13.28	34.77	Pass
	23165	714.5	1	0	23.18	-6.78	14.25	34.77	Pass
			1	7	23.26	-6.78	14.33	34.77	Pass
			1	14	23.13	-6.78	14.20	34.77	Pass
			8	0	22.19	-6.78	13.26	34.77	Pass
			8	4	22.19	-6.78	13.26	34.77	Pass
			8	7	22.13	-6.78	13.20	34.77	Pass
			15	0	22.19	-6.78	13.26	34.77	Pass
16QAM	23025	700.5	1	0	22.42	-6.78	13.49	34.77	Pass
			1	7	22.40	-6.78	13.47	34.77	Pass
			1	14	22.32	-6.78	13.39	34.77	Pass
			8	0	21.22	-6.78	12.29	34.77	Pass
			8	4	21.27	-6.78	12.34	34.77	Pass
			8	7	21.24	-6.78	12.31	34.77	Pass
			15	0	21.19	-6.78	12.26	34.77	Pass
	23095	707.5	1	0	22.35	-6.78	13.42	34.77	Pass
			1	7	22.58	-6.78	13.65	34.77	Pass
			1	14	22.43	-6.78	13.50	34.77	Pass
			8	0	21.26	-6.78	12.33	34.77	Pass
			8	4	21.30	-6.78	12.37	34.77	Pass
			8	7	21.29	-6.78	12.36	34.77	Pass
			15	0	21.20	-6.78	12.27	34.77	Pass
	23165	714.5	1	0	22.39	-6.78	13.46	34.77	Pass
			1	7	22.44	-6.78	13.51	34.77	Pass
			1	14	22.32	-6.78	13.39	34.77	Pass
			8	0	21.28	-6.78	12.35	34.77	Pass
			8	4	21.24	-6.78	12.31	34.77	Pass
			8	7	21.21	-6.78	12.28	34.77	Pass
			15	0	21.21	-6.78	12.28	34.77	Pass
64QAM	23025	700.5	1	0	21.40	-6.78	12.47	34.77	Pass
			1	7	21.48	-6.78	12.55	34.77	Pass
			1	14	21.37	-6.78	12.44	34.77	Pass
			8	0	20.22	-6.78	11.29	34.77	Pass
			8	4	20.29	-6.78	11.36	34.77	Pass
			8	7	20.24	-6.78	11.31	34.77	Pass
			15	0	20.29	-6.78	11.36	34.77	Pass
	23095	707.5	1	0	21.42	-6.78	12.49	34.77	Pass
			1	7	21.54	-6.78	12.61	34.77	Pass
			1	14	21.44	-6.78	12.51	34.77	Pass
			8	0	20.28	-6.78	11.35	34.77	Pass

			8	4	20.31	-6.78	11.38	34.77	Pass
			8	7	20.28	-6.78	11.35	34.77	Pass
			15	0	20.29	-6.78	11.36	34.77	Pass
	23165	714.5	1	0	21.45	-6.78	12.52	34.77	Pass
			1	7	21.48	-6.78	12.55	34.77	Pass
			1	14	21.27	-6.78	12.34	34.77	Pass
			8	0	20.20	-6.78	11.27	34.77	Pass
			8	4	20.22	-6.78	11.29	34.77	Pass
			8	7	20.17	-6.78	11.24	34.77	Pass
			15	0	20.23	-6.78	11.30	34.77	Pass

LTE Band 12 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23035	701.5	1	0	23.16	-6.78	14.23	34.77	Pass
			1	12	23.32	-6.78	14.39	34.77	Pass
			1	24	23.12	-6.78	14.19	34.77	Pass
			12	0	22.16	-6.78	13.23	34.77	Pass
			12	6	22.26	-6.78	13.33	34.77	Pass
			12	13	22.19	-6.78	13.26	34.77	Pass
			25	0	22.19	-6.78	13.26	34.77	Pass
	23095	707.5	1	0	23.20	-6.78	14.27	34.77	Pass
			1	12	23.32	-6.78	14.39	34.77	Pass
			1	24	23.17	-6.78	14.24	34.77	Pass
			12	0	22.22	-6.78	13.29	34.77	Pass
			12	6	22.24	-6.78	13.31	34.77	Pass
			12	13	22.24	-6.78	13.31	34.77	Pass
			25	0	22.22	-6.78	13.29	34.77	Pass
	23155	713.5	1	0	23.12	-6.78	14.19	34.77	Pass
			1	12	23.30	-6.78	14.37	34.77	Pass
			1	24	23.07	-6.78	14.14	34.77	Pass
			12	0	22.22	-6.78	13.29	34.77	Pass
			12	6	22.23	-6.78	13.30	34.77	Pass
			12	13	22.08	-6.78	13.15	34.77	Pass
			25	0	22.16	-6.78	13.23	34.77	Pass
16QAM	23035	701.5	1	0	22.41	-6.78	13.48	34.77	Pass
			1	12	22.61	-6.78	13.68	34.77	Pass
			1	24	22.28	-6.78	13.35	34.77	Pass
			12	0	21.22	-6.78	12.29	34.77	Pass
			12	6	21.29	-6.78	12.36	34.77	Pass

			12	13	21.26	-6.78	12.33	34.77	Pass
			25	0	21.21	-6.78	12.28	34.77	Pass
	23095	707.5	1	0	22.35	-6.78	13.42	34.77	Pass
			1	12	22.53	-6.78	13.60	34.77	Pass
			1	24	22.46	-6.78	13.53	34.77	Pass
			12	0	21.26	-6.78	12.33	34.77	Pass
			12	6	21.29	-6.78	12.36	34.77	Pass
			12	13	21.24	-6.78	12.31	34.77	Pass
			25	0	21.27	-6.78	12.34	34.77	Pass
	23155	713.5	1	0	22.35	-6.78	13.42	34.77	Pass
			1	12	22.43	-6.78	13.50	34.77	Pass
			1	24	22.24	-6.78	13.31	34.77	Pass
			12	0	21.28	-6.78	12.35	34.77	Pass
			12	6	21.30	-6.78	12.37	34.77	Pass
			12	13	21.15	-6.78	12.22	34.77	Pass
			25	0	21.20	-6.78	12.27	34.77	Pass
64QAM	23035	701.5	1	0	21.39	-6.78	12.46	34.77	Pass
			1	12	21.49	-6.78	12.56	34.77	Pass
			1	24	21.30	-6.78	12.37	34.77	Pass
			12	0	20.23	-6.78	11.30	34.77	Pass
			12	6	20.29	-6.78	11.36	34.77	Pass
			12	13	20.22	-6.78	11.29	34.77	Pass
			25	0	20.23	-6.78	11.30	34.77	Pass
	23095	707.5	1	0	21.44	-6.78	12.51	34.77	Pass
			1	12	21.54	-6.78	12.61	34.77	Pass
			1	24	21.36	-6.78	12.43	34.77	Pass
			12	0	20.29	-6.78	11.36	34.77	Pass
			12	6	20.30	-6.78	11.37	34.77	Pass
			12	13	20.28	-6.78	11.35	34.77	Pass
			25	0	20.31	-6.78	11.38	34.77	Pass
	23155	713.5	1	0	21.34	-6.78	12.41	34.77	Pass
			1	12	21.40	-6.78	12.47	34.77	Pass
			1	24	21.27	-6.78	12.34	34.77	Pass
			12	0	20.27	-6.78	11.34	34.77	Pass
			12	6	20.29	-6.78	11.36	34.77	Pass
			12	13	20.08	-6.78	11.15	34.77	Pass
			25	0	20.20	-6.78	11.27	34.77	Pass

LTE Band 12 ,Channel Bandwidth: 10 MHz								
Modulation	Channel	Frequency (MHz)	RB Configuration	Conducted Average	Antenna Gain [dBj]	ERP [dBm]	ERP Limit	Verdict

			Size	Offset	Power [dBm]			[dBm]	
QPSK	23060	704	1	0	23.15	-6.78	14.22	34.77	Pass
			1	24	23.21	-6.78	14.28	34.77	Pass
			1	49	23.14	-6.78	14.21	34.77	Pass
			25	0	22.21	-6.78	13.28	34.77	Pass
			25	12	22.22	-6.78	13.29	34.77	Pass
			25	25	22.21	-6.78	13.28	34.77	Pass
			50	0	22.22	-6.78	13.29	34.77	Pass
	23095	707.5	1	0	23.16	-6.78	14.23	34.77	Pass
			1	24	23.24	-6.78	14.31	34.77	Pass
			1	49	23.07	-6.78	14.14	34.77	Pass
			25	0	22.29	-6.78	13.36	34.77	Pass
			25	12	22.23	-6.78	13.30	34.77	Pass
			25	25	22.23	-6.78	13.30	34.77	Pass
			50	0	22.27	-6.78	13.34	34.77	Pass
	23130	711	1	0	23.16	-6.78	14.23	34.77	Pass
			1	24	23.22	-6.78	14.29	34.77	Pass
			1	49	23.10	-6.78	14.17	34.77	Pass
			25	0	22.25	-6.78	13.32	34.77	Pass
			25	12	22.21	-6.78	13.28	34.77	Pass
			25	25	22.08	-6.78	13.15	34.77	Pass
			50	0	22.20	-6.78	13.27	34.77	Pass
16QAM	23060	704	1	0	22.39	-6.78	13.46	34.77	Pass
			1	24	22.41	-6.78	13.48	34.77	Pass
			1	49	22.33	-6.78	13.40	34.77	Pass
			25	0	21.21	-6.78	12.28	34.77	Pass
			25	12	21.24	-6.78	12.31	34.77	Pass
			25	25	21.24	-6.78	12.31	34.77	Pass
			50	0	21.23	-6.78	12.30	34.77	Pass
	23095	707.5	1	0	22.38	-6.78	13.45	34.77	Pass
			1	24	22.39	-6.78	13.46	34.77	Pass
			1	49	22.29	-6.78	13.36	34.77	Pass
			25	0	21.33	-6.78	12.40	34.77	Pass
			25	12	21.25	-6.78	12.32	34.77	Pass
			25	25	21.25	-6.78	12.32	34.77	Pass
			50	0	21.28	-6.78	12.35	34.77	Pass
	23130	711	1	0	22.34	-6.78	13.41	34.77	Pass
			1	24	22.50	-6.78	13.57	34.77	Pass
			1	49	22.21	-6.78	13.28	34.77	Pass
			25	0	21.31	-6.78	12.38	34.77	Pass
			25	12	21.24	-6.78	12.31	34.77	Pass

			25	25	21.11	-6.78	12.18	34.77	Pass
			50	0	21.22	-6.78	12.29	34.77	Pass
64QAM	23060	704	1	0	21.36	-6.78	12.43	34.77	Pass
			1	24	21.37	-6.78	12.44	34.77	Pass
			1	49	21.40	-6.78	12.47	34.77	Pass
			25	0	20.26	-6.78	11.33	34.77	Pass
			25	12	20.28	-6.78	11.35	34.77	Pass
			25	25	20.31	-6.78	11.38	34.77	Pass
			50	0	20.28	-6.78	11.35	34.77	Pass
	23095	707.5	1	0	21.36	-6.78	12.43	34.77	Pass
			1	24	21.51	-6.78	12.58	34.77	Pass
			1	49	21.26	-6.78	12.33	34.77	Pass
			25	0	20.34	-6.78	11.41	34.77	Pass
			25	12	20.30	-6.78	11.37	34.77	Pass
			25	25	20.29	-6.78	11.36	34.77	Pass
			50	0	20.33	-6.78	11.40	34.77	Pass
	23130	711	1	0	21.40	-6.78	12.47	34.77	Pass
			1	24	21.44	-6.78	12.51	34.77	Pass
			1	49	21.30	-6.78	12.37	34.77	Pass
			25	0	20.33	-6.78	11.40	34.77	Pass
			25	12	20.29	-6.78	11.36	34.77	Pass
			25	25	20.13	-6.78	11.20	34.77	Pass
			50	0	20.27	-6.78	11.34	34.77	Pass

LTE Band 13 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23205	779.5	1	0	23.27	-6.4	14.72	34.77	Pass
			1	12	23.35	-6.4	14.80	34.77	Pass
			1	24	23.20	-6.4	14.65	34.77	Pass
			12	0	22.30	-6.4	13.75	34.77	Pass
			12	6	22.28	-6.4	13.73	34.77	Pass
			12	13	22.21	-6.4	13.66	34.77	Pass
			25	0	22.28	-6.4	13.73	34.77	Pass
	23230	782	1	0	23.22	-6.4	14.67	34.77	Pass
			1	12	23.38	-6.4	14.83	34.77	Pass
			1	24	23.16	-6.4	14.61	34.77	Pass
			12	0	22.30	-6.4	13.75	34.77	Pass
			12	6	22.29	-6.4	13.74	34.77	Pass
			12	13	22.32	-6.4	13.77	34.77	Pass

	23255	784.5	25	0	22.31	-6.4	13.76	34.77	Pass
			1	0	23.19	-6.4	14.64	34.77	Pass
			1	12	23.36	-6.4	14.81	34.77	Pass
			1	24	23.19	-6.4	14.64	34.77	Pass
			12	0	22.28	-6.4	13.73	34.77	Pass
			12	6	22.32	-6.4	13.77	34.77	Pass
			12	13	22.27	-6.4	13.72	34.77	Pass
16QAM	23205	779.5	25	0	22.27	-6.4	13.72	34.77	Pass
			1	0	22.42	-6.4	13.87	34.77	Pass
			1	12	22.54	-6.4	13.99	34.77	Pass
			1	24	22.43	-6.4	13.88	34.77	Pass
			12	0	21.34	-6.4	12.79	34.77	Pass
			12	6	21.34	-6.4	12.79	34.77	Pass
			12	13	21.26	-6.4	12.71	34.77	Pass
	23230	782	25	0	21.30	-6.4	12.75	34.77	Pass
			1	0	22.41	-6.4	13.86	34.77	Pass
			1	12	22.57	-6.4	14.02	34.77	Pass
			1	24	22.41	-6.4	13.86	34.77	Pass
			12	0	21.31	-6.4	12.76	34.77	Pass
			12	6	21.30	-6.4	12.75	34.77	Pass
			12	13	21.33	-6.4	12.78	34.77	Pass
	23255	784.5	25	0	21.31	-6.4	12.76	34.77	Pass
			1	0	22.49	-6.4	13.94	34.77	Pass
			1	12	22.64	-6.4	14.09	34.77	Pass
			1	24	22.47	-6.4	13.92	34.77	Pass
			12	0	21.27	-6.4	12.72	34.77	Pass
			12	6	21.29	-6.4	12.74	34.77	Pass
			12	13	21.24	-6.4	12.69	34.77	Pass
64QAM	23205	779.5	25	0	21.25	-6.4	12.70	34.77	Pass
			1	0	21.33	-6.4	12.78	34.77	Pass
			1	12	21.43	-6.4	12.88	34.77	Pass
			1	24	21.30	-6.4	12.75	34.77	Pass
			12	0	20.18	-6.4	11.63	34.77	Pass
			12	6	20.19	-6.4	11.64	34.77	Pass
			12	13	20.17	-6.4	11.62	34.77	Pass
	23230	782	25	0	20.23	-6.4	11.68	34.77	Pass
			1	0	21.27	-6.4	12.72	34.77	Pass
			1	12	21.40	-6.4	12.85	34.77	Pass
			1	24	21.30	-6.4	12.75	34.77	Pass
			12	0	20.26	-6.4	11.71	34.77	Pass
			12	6	20.30	-6.4	11.75	34.77	Pass
			12	13	20.24	-6.4	11.69	34.77	Pass

			25	0	20.26	-6.4	11.71	34.77	Pass
	23255	784.5	1	0	21.29	-6.4	12.74	34.77	Pass
			1	12	21.54	-6.4	12.99	34.77	Pass
			1	24	21.35	-6.4	12.80	34.77	Pass
			12	0	20.26	-6.4	11.71	34.77	Pass
			12	6	20.27	-6.4	11.72	34.77	Pass
			12	13	20.24	-6.4	11.69	34.77	Pass
			25	0	20.24	-6.4	11.69	34.77	Pass

LTE Band 13 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23230	782	1	0	23.22	-6.4	14.67	34.77	Pass
			1	24	23.30	-6.4	14.75	34.77	Pass
			1	49	23.20	-6.4	14.65	34.77	Pass
			25	0	22.36	-6.4	13.81	34.77	Pass
			25	12	22.29	-6.4	13.74	34.77	Pass
			25	25	22.35	-6.4	13.80	34.77	Pass
			50	0	22.38	-6.4	13.83	34.77	Pass
16QAM	23230	782	1	0	22.35	-6.4	13.80	34.77	Pass
			1	24	22.61	-6.4	14.06	34.77	Pass
			1	49	22.51	-6.4	13.96	34.77	Pass
			25	0	21.36	-6.4	12.81	34.77	Pass
			25	12	21.29	-6.4	12.74	34.77	Pass
			25	25	21.33	-6.4	12.78	34.77	Pass
			50	0	21.34	-6.4	12.79	34.77	Pass
64QAM	23230	782	1	0	21.27	-6.4	12.72	34.77	Pass
			1	24	21.35	-6.4	12.80	34.77	Pass
			1	49	21.37	-6.4	12.82	34.77	Pass
			25	0	20.32	-6.4	11.77	34.77	Pass
			25	12	20.27	-6.4	11.72	34.77	Pass
			25	25	20.29	-6.4	11.74	34.77	Pass
			50	0	20.29	-6.4	11.74	34.77	Pass

LTE Band 17 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23755	706.5	1	0	23.18	-6.78	14.25	34.77	Pass
			1	12	23.36	-6.78	14.43	34.77	Pass

			1	24	23.16	-6.78	14.23	34.77	Pass
			12	0	22.26	-6.78	13.33	34.77	Pass
			12	6	22.27	-6.78	13.34	34.77	Pass
			12	13	22.25	-6.78	13.32	34.77	Pass
			25	0	22.25	-6.78	13.32	34.77	Pass
	23790	710	1	0	23.20	-6.78	14.27	34.77	Pass
			1	12	23.35	-6.78	14.42	34.77	Pass
			1	24	23.16	-6.78	14.23	34.77	Pass
			12	0	22.26	-6.78	13.33	34.77	Pass
			12	6	22.26	-6.78	13.33	34.77	Pass
			12	13	22.19	-6.78	13.26	34.77	Pass
			25	0	22.24	-6.78	13.31	34.77	Pass
	23825	713.5	1	0	23.16	-6.78	14.23	34.77	Pass
			1	12	23.33	-6.78	14.40	34.77	Pass
			1	24	23.14	-6.78	14.21	34.77	Pass
			12	0	22.24	-6.78	13.31	34.77	Pass
			12	6	22.28	-6.78	13.35	34.77	Pass
			12	13	22.13	-6.78	13.20	34.77	Pass
			25	0	22.20	-6.78	13.27	34.77	Pass
16QAM	23755	706.5	1	0	22.41	-6.78	13.48	34.77	Pass
			1	12	22.58	-6.78	13.65	34.77	Pass
			1	24	22.43	-6.78	13.50	34.77	Pass
			12	0	21.34	-6.78	12.41	34.77	Pass
			12	6	21.31	-6.78	12.38	34.77	Pass
			12	13	21.33	-6.78	12.40	34.77	Pass
			25	0	21.27	-6.78	12.34	34.77	Pass
	23790	710	1	0	22.55	-6.78	13.62	34.77	Pass
			1	12	22.57	-6.78	13.64	34.77	Pass
			1	24	22.34	-6.78	13.41	34.77	Pass
			12	0	21.32	-6.78	12.39	34.77	Pass
			12	6	21.28	-6.78	12.35	34.77	Pass
			12	13	21.20	-6.78	12.27	34.77	Pass
			25	0	21.28	-6.78	12.35	34.77	Pass
	23825	713.5	1	0	22.42	-6.78	13.49	34.77	Pass
			1	12	22.49	-6.78	13.56	34.77	Pass
			1	24	22.36	-6.78	13.43	34.77	Pass
			12	0	21.26	-6.78	12.33	34.77	Pass
			12	6	21.31	-6.78	12.38	34.77	Pass
			12	13	21.17	-6.78	12.24	34.77	Pass
			25	0	21.23	-6.78	12.30	34.77	Pass
64QAM	23755	706.5	1	0	21.29	-6.78	12.36	34.77	Pass
			1	12	21.51	-6.78	12.58	34.77	Pass

			1	24	21.25	-6.78	12.32	34.77	Pass
			12	0	20.19	-6.78	11.26	34.77	Pass
			12	6	20.27	-6.78	11.34	34.77	Pass
			12	13	20.20	-6.78	11.27	34.77	Pass
			25	0	20.23	-6.78	11.30	34.77	Pass
	23790	710	1	0	21.26	-6.78	12.33	34.77	Pass
			1	12	21.41	-6.78	12.48	34.77	Pass
			1	24	21.10	-6.78	12.17	34.77	Pass
			12	0	20.20	-6.78	11.27	34.77	Pass
			12	6	20.19	-6.78	11.26	34.77	Pass
			12	13	20.09	-6.78	11.16	34.77	Pass
			25	0	20.17	-6.78	11.24	34.77	Pass
	23825	713.5	1	0	21.15	-6.78	12.22	34.77	Pass
			1	12	21.23	-6.78	12.30	34.77	Pass
			1	24	21.08	-6.78	12.15	34.77	Pass
			12	0	20.16	-6.78	11.23	34.77	Pass
			12	6	20.14	-6.78	11.21	34.77	Pass
			12	13	20.03	-6.78	11.10	34.77	Pass
			25	0	20.13	-6.78	11.20	34.77	Pass

LTE Band 17 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	23780	709	1	0	23.23	-6.78	14.30	34.77	Pass
			1	24	23.23	-6.78	14.30	34.77	Pass
			1	49	23.15	-6.78	14.22	34.77	Pass
			25	0	22.27	-6.78	13.34	34.77	Pass
			25	12	22.25	-6.78	13.32	34.77	Pass
			25	25	22.24	-6.78	13.31	34.77	Pass
			50	0	22.26	-6.78	13.33	34.77	Pass
	23790	710	1	0	23.23	-6.78	14.30	34.77	Pass
			1	24	23.25	-6.78	14.32	34.77	Pass
			1	49	23.19	-6.78	14.26	34.77	Pass
			25	0	22.29	-6.78	13.36	34.77	Pass
			25	12	22.25	-6.78	13.32	34.77	Pass
			25	25	22.19	-6.78	13.26	34.77	Pass
			50	0	22.28	-6.78	13.35	34.77	Pass
	23800	711	1	0	23.24	-6.78	14.31	34.77	Pass
			1	24	23.23	-6.78	14.30	34.77	Pass
			1	49	23.18	-6.78	14.25	34.77	Pass

			25	0	22.28	-6.78	13.35	34.77	Pass
			25	12	22.24	-6.78	13.31	34.77	Pass
			25	25	22.16	-6.78	13.23	34.77	Pass
			50	0	22.22	-6.78	13.29	34.77	Pass
16QAM	23780	709	1	0	22.40	-6.78	13.47	34.77	Pass
			1	24	22.41	-6.78	13.48	34.77	Pass
			1	49	22.27	-6.78	13.34	34.77	Pass
			25	0	21.29	-6.78	12.36	34.77	Pass
			25	12	21.29	-6.78	12.36	34.77	Pass
			25	25	21.24	-6.78	12.31	34.77	Pass
			50	0	21.29	-6.78	12.36	34.77	Pass
	23790	710	1	0	22.48	-6.78	13.55	34.77	Pass
			1	24	22.43	-6.78	13.50	34.77	Pass
			1	49	22.27	-6.78	13.34	34.77	Pass
			25	0	21.35	-6.78	12.42	34.77	Pass
			25	12	21.26	-6.78	12.33	34.77	Pass
			25	25	21.20	-6.78	12.27	34.77	Pass
			50	0	21.28	-6.78	12.35	34.77	Pass
	23800	711	1	0	22.41	-6.78	13.48	34.77	Pass
			1	24	22.46	-6.78	13.53	34.77	Pass
			1	49	22.41	-6.78	13.48	34.77	Pass
			25	0	21.33	-6.78	12.40	34.77	Pass
			25	12	21.28	-6.78	12.35	34.77	Pass
			25	25	21.19	-6.78	12.26	34.77	Pass
			50	0	21.24	-6.78	12.31	34.77	Pass
64QAM	23780	709	1	0	21.27	-6.78	12.34	34.77	Pass
			1	24	21.26	-6.78	12.33	34.77	Pass
			1	49	21.13	-6.78	12.20	34.77	Pass
			25	0	20.23	-6.78	11.30	34.77	Pass
			25	12	20.21	-6.78	11.28	34.77	Pass
			25	25	20.13	-6.78	11.20	34.77	Pass
			50	0	20.18	-6.78	11.25	34.77	Pass
	23790	710	1	0	21.29	-6.78	12.36	34.77	Pass
			1	24	21.29	-6.78	12.36	34.77	Pass
			1	49	21.16	-6.78	12.23	34.77	Pass
			25	0	20.22	-6.78	11.29	34.77	Pass
			25	12	20.19	-6.78	11.26	34.77	Pass
			25	25	20.10	-6.78	11.17	34.77	Pass
			50	0	20.18	-6.78	11.25	34.77	Pass
	23800	711	1	0	21.25	-6.78	12.32	34.77	Pass
			1	24	21.23	-6.78	12.30	34.77	Pass
			1	49	21.11	-6.78	12.18	34.77	Pass

			25	0	20.23	-6.78	11.30	34.77	Pass
			25	12	20.17	-6.78	11.24	34.77	Pass
			25	25	20.06	-6.78	11.13	34.77	Pass
			50	0	20.13	-6.78	11.20	34.77	Pass

LTE Band 26 ,Channel Bandwidth: 1.4 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26697	814.7	1	0	23.34	-4.69	16.50	50	Pass
			1	3	23.46	-4.69	16.62	50	Pass
			1	5	23.35	-4.69	16.51	50	Pass
			3	0	23.45	-4.69	16.61	50	Pass
			3	2	23.44	-4.69	16.60	50	Pass
			3	3	23.43	-4.69	16.59	50	Pass
			6	0	22.43	-4.69	15.59	50	Pass
	26740	819	1	0	23.36	-4.69	16.52	50	Pass
			1	3	23.46	-4.69	16.62	50	Pass
			1	5	23.35	-4.69	16.51	50	Pass
			3	0	23.45	-4.69	16.61	50	Pass
			3	2	23.47	-4.69	16.63	50	Pass
			3	3	23.44	-4.69	16.60	50	Pass
			6	0	22.45	-4.69	15.61	50	Pass
	26783	823.3	1	0	23.36	-4.69	16.52	50	Pass
			1	3	23.46	-4.69	16.62	50	Pass
			1	5	23.35	-4.69	16.51	50	Pass
			3	0	23.44	-4.69	16.60	50	Pass
			3	2	23.45	-4.69	16.61	50	Pass
			3	3	23.44	-4.69	16.60	50	Pass
			6	0	22.43	-4.69	15.59	50	Pass
16QAM	26697	814.7	1	0	22.67	-4.69	15.83	50	Pass
			1	3	22.67	-4.69	15.83	50	Pass
			1	5	22.60	-4.69	15.76	50	Pass
			3	0	22.52	-4.69	15.68	50	Pass
			3	2	22.48	-4.69	15.64	50	Pass
			3	3	22.51	-4.69	15.67	50	Pass
			6	0	21.53	-4.69	14.69	50	Pass
	26740	819	1	0	22.62	-4.69	15.78	50	Pass
			1	3	22.66	-4.69	15.82	50	Pass
			1	5	22.60	-4.69	15.76	50	Pass
			3	0	22.52	-4.69	15.68	50	Pass

			3	2	22.56	-4.69	15.72	50	Pass
			3	3	22.56	-4.69	15.72	50	Pass
			6	0	21.53	-4.69	14.69	50	Pass
	26783	823.3	1	0	22.68	-4.69	15.84	50	Pass
			1	3	22.71	-4.69	15.87	50	Pass
			1	5	22.55	-4.69	15.71	50	Pass
			3	0	22.55	-4.69	15.71	50	Pass
			3	2	22.54	-4.69	15.70	50	Pass
			3	3	22.53	-4.69	15.69	50	Pass
			6	0	21.51	-4.69	14.67	50	Pass
64QAM	26697	814.7	1	0	21.39	-4.69	14.55	50	Pass
			1	3	21.49	-4.69	14.65	50	Pass
			1	5	21.39	-4.69	14.55	50	Pass
			3	0	21.40	-4.69	14.56	50	Pass
			3	2	21.40	-4.69	14.56	50	Pass
			3	3	21.44	-4.69	14.60	50	Pass
			6	0	20.26	-4.69	13.42	50	Pass
	26740	819	1	0	21.38	-4.69	14.54	50	Pass
			1	3	21.44	-4.69	14.60	50	Pass
			1	5	21.33	-4.69	14.49	50	Pass
			3	0	21.40	-4.69	14.56	50	Pass
			3	2	21.43	-4.69	14.59	50	Pass
			3	3	21.41	-4.69	14.57	50	Pass
			6	0	20.28	-4.69	13.44	50	Pass
	26783	823.3	1	0	21.37	-4.69	14.53	50	Pass
			1	3	21.43	-4.69	14.59	50	Pass
			1	5	21.36	-4.69	14.52	50	Pass
			3	0	21.40	-4.69	14.56	50	Pass
			3	2	21.38	-4.69	14.54	50	Pass
			3	3	21.39	-4.69	14.55	50	Pass
			6	0	20.26	-4.69	13.42	50	Pass

LTE Band 26 ,Channel Bandwidth: 3 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBj]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26705	815.5	1	0	23.41	-4.69	16.57	50	Pass
			1	7	23.45	-4.69	16.61	50	Pass
			1	14	23.36	-4.69	16.52	50	Pass
			8	0	22.36	-4.69	15.52	50	Pass
			8	4	22.40	-4.69	15.56	50	Pass

			8	7	22.35	-4.69	15.51	50	Pass
			15	0	22.37	-4.69	15.53	50	Pass
			1	0	23.36	-4.69	16.52	50	Pass
			1	7	23.55	-4.69	16.71	50	Pass
			1	14	23.41	-4.69	16.57	50	Pass
			8	0	22.39	-4.69	15.55	50	Pass
			8	4	22.44	-4.69	15.60	50	Pass
			8	7	22.39	-4.69	15.55	50	Pass
			15	0	22.40	-4.69	15.56	50	Pass
			1	0	23.41	-4.69	16.57	50	Pass
			1	7	23.47	-4.69	16.63	50	Pass
			1	14	23.38	-4.69	16.54	50	Pass
			8	0	22.42	-4.69	15.58	50	Pass
			8	4	22.44	-4.69	15.60	50	Pass
16QAM	26775	822.5	8	7	22.40	-4.69	15.56	50	Pass
			15	0	22.39	-4.69	15.55	50	Pass
			1	0	22.57	-4.69	15.73	50	Pass
			1	7	22.62	-4.69	15.78	50	Pass
			1	14	22.50	-4.69	15.66	50	Pass
			8	0	21.42	-4.69	14.58	50	Pass
			8	4	21.41	-4.69	14.57	50	Pass
			8	7	21.39	-4.69	14.55	50	Pass
			15	0	21.31	-4.69	14.47	50	Pass
			1	0	22.54	-4.69	15.70	50	Pass
			1	7	22.65	-4.69	15.81	50	Pass
			1	14	22.66	-4.69	15.82	50	Pass
			8	0	21.37	-4.69	14.53	50	Pass
			8	4	21.43	-4.69	14.59	50	Pass
64QAM	26705	815.5	8	7	21.42	-4.69	14.58	50	Pass
			15	0	21.35	-4.69	14.51	50	Pass
			1	0	22.69	-4.69	15.85	50	Pass
			1	7	22.74	-4.69	15.90	50	Pass
			1	14	22.60	-4.69	15.76	50	Pass
			8	0	21.44	-4.69	14.60	50	Pass
			8	4	21.43	-4.69	14.59	50	Pass
			8	7	21.39	-4.69	14.55	50	Pass
			15	0	21.36	-4.69	14.52	50	Pass
			1	0	21.40	-4.69	14.56	50	Pass
			1	7	21.46	-4.69	14.62	50	Pass
			1	14	21.45	-4.69	14.61	50	Pass
			8	0	20.24	-4.69	13.40	50	Pass
			8	4	20.23	-4.69	13.39	50	Pass

			8	7	20.26	-4.69	13.42	50	Pass
			15	0	20.22	-4.69	13.38	50	Pass
	26740	819	1	0	21.35	-4.69	14.51	50	Pass
			1	7	21.49	-4.69	14.65	50	Pass
			1	14	21.36	-4.69	14.52	50	Pass
			8	0	20.23	-4.69	13.39	50	Pass
			8	4	20.26	-4.69	13.42	50	Pass
			8	7	20.21	-4.69	13.37	50	Pass
			15	0	20.20	-4.69	13.36	50	Pass
	26775	822.5	1	0	21.42	-4.69	14.58	50	Pass
			1	7	21.47	-4.69	14.63	50	Pass
			1	14	21.42	-4.69	14.58	50	Pass
			8	0	20.27	-4.69	13.43	50	Pass
			8	4	20.25	-4.69	13.41	50	Pass
			8	7	20.23	-4.69	13.39	50	Pass
			15	0	20.23	-4.69	13.39	50	Pass

LTE Band 26 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26715	816.5	1	0	23.34	-4.69	16.50	50	Pass
			1	12	23.44	-4.69	16.60	50	Pass
			1	24	23.35	-4.69	16.51	50	Pass
			12	0	22.40	-4.69	15.56	50	Pass
			12	6	22.41	-4.69	15.57	50	Pass
			12	13	22.44	-4.69	15.60	50	Pass
			25	0	22.41	-4.69	15.57	50	Pass
	26740	819	1	0	23.34	-4.69	16.50	50	Pass
			1	12	23.55	-4.69	16.71	50	Pass
			1	24	23.37	-4.69	16.53	50	Pass
			12	0	22.41	-4.69	15.57	50	Pass
			12	6	22.47	-4.69	15.63	50	Pass
			12	13	22.41	-4.69	15.57	50	Pass
			25	0	22.46	-4.69	15.62	50	Pass
	26765	821.5	1	0	23.39	-4.69	16.55	50	Pass
			1	12	23.56	-4.69	16.72	50	Pass
			1	24	23.33	-4.69	16.49	50	Pass
			12	0	22.43	-4.69	15.59	50	Pass
			12	6	22.46	-4.69	15.62	50	Pass
			12	13	22.42	-4.69	15.58	50	Pass

			25	0	22.45	-4.69	15.61	50	Pass
16QAM	26715	816.5	1	0	22.60	-4.69	15.76	50	Pass
			1	12	22.76	-4.69	15.92	50	Pass
			1	24	22.53	-4.69	15.69	50	Pass
			12	0	21.39	-4.69	14.55	50	Pass
			12	6	21.44	-4.69	14.60	50	Pass
			12	13	21.43	-4.69	14.59	50	Pass
			25	0	21.41	-4.69	14.57	50	Pass
	26740	819	1	0	22.50	-4.69	15.66	50	Pass
			1	12	22.62	-4.69	15.78	50	Pass
			1	24	22.61	-4.69	15.77	50	Pass
			12	0	21.40	-4.69	14.56	50	Pass
			12	6	21.47	-4.69	14.63	50	Pass
			12	13	21.41	-4.69	14.57	50	Pass
			25	0	21.41	-4.69	14.57	50	Pass
	26765	821.5	1	0	22.56	-4.69	15.72	50	Pass
			1	12	22.66	-4.69	15.82	50	Pass
			1	24	22.56	-4.69	15.72	50	Pass
			12	0	21.39	-4.69	14.55	50	Pass
			12	6	21.45	-4.69	14.61	50	Pass
			12	13	21.42	-4.69	14.58	50	Pass
			25	0	21.41	-4.69	14.57	50	Pass
64QAM	26715	816.5	1	0	21.44	-4.69	14.60	50	Pass
			1	12	21.50	-4.69	14.66	50	Pass
			1	24	21.29	-4.69	14.45	50	Pass
			12	0	20.25	-4.69	13.41	50	Pass
			12	6	20.26	-4.69	13.42	50	Pass
			12	13	20.26	-4.69	13.42	50	Pass
			25	0	20.26	-4.69	13.42	50	Pass
	26740	819	1	0	21.35	-4.69	14.51	50	Pass
			1	12	21.55	-4.69	14.71	50	Pass
			1	24	21.31	-4.69	14.47	50	Pass
			12	0	20.22	-4.69	13.38	50	Pass
			12	6	20.26	-4.69	13.42	50	Pass
			12	13	20.23	-4.69	13.39	50	Pass
			25	0	20.26	-4.69	13.42	50	Pass
	26765	821.5	1	0	21.43	-4.69	14.59	50	Pass
			1	12	21.46	-4.69	14.62	50	Pass
			1	24	21.31	-4.69	14.47	50	Pass
			12	0	20.24	-4.69	13.40	50	Pass
			12	6	20.29	-4.69	13.45	50	Pass
			12	13	20.28	-4.69	13.44	50	Pass

			25	0	20.28	-4.69	13.44	50	Pass
--	--	--	----	---	-------	-------	-------	----	------

LTE Band 26 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26740	819	1	0	23.38	-4.69	16.54	50	Pass
			1	24	23.50	-4.69	16.66	50	Pass
			1	49	23.36	-4.69	16.52	50	Pass
			25	0	22.45	-4.69	15.61	50	Pass
			25	12	22.44	-4.69	15.60	50	Pass
			25	25	22.46	-4.69	15.62	50	Pass
			50	0	22.45	-4.69	15.61	50	Pass
16QAM	26740	819	1	0	22.59	-4.69	15.75	50	Pass
			1	24	22.70	-4.69	15.86	50	Pass
			1	49	22.53	-4.69	15.69	50	Pass
			25	0	21.42	-4.69	14.58	50	Pass
			25	12	21.44	-4.69	14.60	50	Pass
			25	25	21.41	-4.69	14.57	50	Pass
			50	0	21.40	-4.69	14.56	50	Pass
64QAM	26740	819	1	0	21.42	-4.69	14.58	50	Pass
			1	24	21.50	-4.69	14.66	50	Pass
			1	49	21.34	-4.69	14.50	50	Pass
			25	0	20.27	-4.69	13.43	50	Pass
			25	12	20.27	-4.69	13.43	50	Pass
			25	25	20.28	-4.69	13.44	50	Pass
			50	0	20.32	-4.69	13.48	50	Pass

LTE Band 26 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	ERP [dBm]	ERP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26765	821.5	1	0	23.24	-4.69	16.4	50	Pass
			1	37	23.24	-4.69	16.4	50	Pass
			1	74	23.16	-4.69	16.32	50	Pass
			37	0	23.20	-4.69	16.36	50	Pass
			37	18	23.24	-4.69	16.4	50	Pass
			37	38	23.41	-4.69	16.57	50	Pass
			75	0	22.35	-4.69	15.51	50	Pass
16QAM	26765	821.5	1	0	22.41	-4.69	15.57	50	Pass
			1	37	22.59	-4.69	15.75	50	Pass

			1	74	22.35	-4.69	15.51	50	Pass
			37	0	22.50	-4.69	15.66	50	Pass
			37	18	22.53	-4.69	15.69	50	Pass
			37	38	22.62	-4.69	15.78	50	Pass
			75	0	21.34	-4.69	14.5	50	Pass
64QAM	26765	821.5	1	0	21.30	-4.69	14.46	50	Pass
			1	37	21.43	-4.69	14.59	50	Pass
			1	74	21.31	-4.69	14.47	50	Pass
			37	0	21.35	-4.69	14.51	50	Pass
			37	18	21.46	-4.69	14.62	50	Pass
			37	38	21.59	-4.69	14.75	50	Pass
			75	0	20.29	-4.69	13.45	50	Pass

LTE Band 26 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	26865	831.5	1	0	23.11	-4.69	16.27	38.5	Pass
			1	37	23.15	-4.69	16.31	38.5	Pass
			1	74	23.08	-4.69	16.24	38.5	Pass
			37	0	23.13	-4.69	16.29	38.5	Pass
			37	18	23.15	-4.69	16.31	38.5	Pass
			37	38	23.32	-4.69	16.48	38.5	Pass
			75	0	22.28	-4.69	15.44	38.5	Pass
	26915	836.5	1	0	23.13	-4.69	16.29	38.5	Pass
			1	37	23.15	-4.69	16.31	38.5	Pass
			1	74	23.04	-4.69	16.2	38.5	Pass
			37	0	23.11	-4.69	16.27	38.5	Pass
			37	18	23.15	-4.69	16.31	38.5	Pass
			37	38	23.28	-4.69	16.44	38.5	Pass
			75	0	22.26	-4.69	15.42	38.5	Pass
	26965	841.5	1	0	23.08	-4.69	16.24	38.5	Pass
			1	37	23.10	-4.69	16.26	38.5	Pass
			1	74	23.10	-4.69	16.26	38.5	Pass
			37	0	23.07	-4.69	16.23	38.5	Pass
			37	18	23.15	-4.69	16.31	38.5	Pass
			37	38	23.23	-4.69	16.39	38.5	Pass
			75	0	22.22	-4.69	15.38	38.5	Pass
16QAM	26865	831.5	1	0	22.39	-4.69	15.55	38.5	Pass
			1	37	22.35	-4.69	15.51	38.5	Pass
			1	74	22.35	-4.69	15.51	38.5	Pass

			37	0	22.42	-4.69	15.58	38.5	Pass
			37	18	22.40	-4.69	15.56	38.5	Pass
			37	38	22.50	-4.69	15.66	38.5	Pass
			75	0	21.28	-4.69	14.44	38.5	Pass
	26915	836.5	1	0	22.38	-4.69	15.54	38.5	Pass
			1	37	22.42	-4.69	15.58	38.5	Pass
			1	74	22.30	-4.69	15.46	38.5	Pass
			37	0	22.41	-4.69	15.57	38.5	Pass
			37	18	22.36	-4.69	15.52	38.5	Pass
			37	38	22.52	-4.69	15.68	38.5	Pass
			75	0	21.25	-4.69	14.41	38.5	Pass
	26965	841.5	1	0	22.32	-4.69	15.48	38.5	Pass
			1	37	22.32	-4.69	15.48	38.5	Pass
			1	74	22.23	-4.69	15.39	38.5	Pass
			37	0	22.35	-4.69	15.51	38.5	Pass
			37	18	22.41	-4.69	15.57	38.5	Pass
			37	38	22.43	-4.69	15.59	38.5	Pass
			75	0	21.22	-4.69	14.38	38.5	Pass
64QAM	26865	831.5	1	0	21.25	-4.69	14.41	38.5	Pass
			1	37	21.26	-4.69	14.42	38.5	Pass
			1	74	21.27	-4.69	14.43	38.5	Pass
			37	0	21.29	-4.69	14.45	38.5	Pass
			37	18	21.32	-4.69	14.48	38.5	Pass
			37	38	21.38	-4.69	14.54	38.5	Pass
			75	0	20.24	-4.69	13.4	38.5	Pass
	26915	836.5	1	0	21.33	-4.69	14.49	38.5	Pass
			1	37	21.30	-4.69	14.46	38.5	Pass
			1	74	21.19	-4.69	14.35	38.5	Pass
			37	0	21.27	-4.69	14.43	38.5	Pass
			37	18	21.29	-4.69	14.45	38.5	Pass
			37	38	21.36	-4.69	14.52	38.5	Pass
			75	0	20.20	-4.69	13.36	38.5	Pass
	26965	841.5	1	0	21.20	-4.69	14.36	38.5	Pass
			1	37	21.23	-4.69	14.39	38.5	Pass
			1	74	21.23	-4.69	14.39	38.5	Pass
			37	0	21.25	-4.69	14.41	38.5	Pass
			37	18	21.28	-4.69	14.44	38.5	Pass
			37	38	21.35	-4.69	14.51	38.5	Pass
			75	0	20.17	-4.69	13.33	38.5	Pass

LTE Band 38 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	37775	2572.5	1	0	23.13	0.91	24.04	33	Pass
			1	12	23.15	0.91	24.06	33	Pass
			1	24	23.05	0.91	23.96	33	Pass
			12	0	22.06	0.91	22.97	33	Pass
			12	6	22.08	0.91	22.99	33	Pass
			12	13	22.03	0.91	22.94	33	Pass
			25	0	22.09	0.91	23.00	33	Pass
	38000	2595	1	0	23.03	0.91	23.94	33	Pass
			1	12	23.21	0.91	24.12	33	Pass
			1	24	23.03	0.91	23.94	33	Pass
			12	0	22.07	0.91	22.98	33	Pass
			12	6	22.10	0.91	23.01	33	Pass
			12	13	22.06	0.91	22.97	33	Pass
			25	0	22.09	0.91	23.00	33	Pass
	38225	2617.5	1	0	23.09	0.91	24.00	33	Pass
			1	12	23.20	0.91	24.11	33	Pass
			1	24	23.10	0.91	24.01	33	Pass
			12	0	22.14	0.91	23.05	33	Pass
			12	6	22.15	0.91	23.06	33	Pass
			12	13	22.15	0.91	23.06	33	Pass
			25	0	22.18	0.91	23.09	33	Pass
16QAM	37775	2572.5	1	0	22.14	0.91	23.05	33	Pass
			1	12	22.23	0.91	23.14	33	Pass
			1	24	22.07	0.91	22.98	33	Pass
			12	0	21.16	0.91	22.07	33	Pass
			12	6	21.12	0.91	22.03	33	Pass
			12	13	21.10	0.91	22.01	33	Pass
			25	0	21.09	0.91	22.00	33	Pass
	38000	2595	1	0	22.12	0.91	23.03	33	Pass
			1	12	22.28	0.91	23.19	33	Pass
			1	24	22.10	0.91	23.01	33	Pass
			12	0	21.08	0.91	21.99	33	Pass
			12	6	21.12	0.91	22.03	33	Pass
			12	13	21.10	0.91	22.01	33	Pass
			25	0	21.06	0.91	21.97	33	Pass
	38225	2617.5	1	0	22.17	0.91	23.08	33	Pass
			1	12	22.24	0.91	23.15	33	Pass

			1	24	22.16	0.91	23.07	33	Pass
			12	0	21.16	0.91	22.07	33	Pass
			12	6	21.16	0.91	22.07	33	Pass
			12	13	21.19	0.91	22.10	33	Pass
			25	0	21.13	0.91	22.04	33	Pass
64QAM	37775	2572.5	1	0	20.95	0.91	21.86	33	Pass
			1	12	21.05	0.91	21.96	33	Pass
			1	24	21.09	0.91	22.00	33	Pass
			12	0	19.99	0.91	20.90	33	Pass
			12	6	20.03	0.91	20.94	33	Pass
			12	13	19.96	0.91	20.87	33	Pass
			25	0	20.04	0.91	20.95	33	Pass
	38000	2595	1	0	20.86	0.91	21.77	33	Pass
			1	12	21.12	0.91	22.03	33	Pass
			1	24	20.96	0.91	21.87	33	Pass
			12	0	20.01	0.91	20.92	33	Pass
			12	6	20.07	0.91	20.98	33	Pass
			12	13	19.97	0.91	20.88	33	Pass
			25	0	20.06	0.91	20.97	33	Pass
	38225	2617.5	1	0	21.21	0.91	22.12	33	Pass
			1	12	21.08	0.91	21.99	33	Pass
			1	24	21.24	0.91	22.15	33	Pass
			12	0	20.03	0.91	20.94	33	Pass
			12	6	20.09	0.91	21.00	33	Pass
			12	13	20.04	0.91	20.95	33	Pass
			25	0	20.21	0.91	21.12	33	Pass

LTE Band 38 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	37800	2575	1	0	23.16	0.91	24.07	33	Pass
			1	24	23.17	0.91	24.08	33	Pass
			1	49	23.00	0.91	23.91	33	Pass
			25	0	22.18	0.91	23.09	33	Pass
			25	12	22.13	0.91	23.04	33	Pass
			25	25	22.10	0.91	23.01	33	Pass
			50	0	22.07	0.91	22.98	33	Pass
	38000	2595	1	0	23.07	0.91	23.98	33	Pass
			1	24	23.18	0.91	24.09	33	Pass
			1	49	23.01	0.91	23.92	33	Pass

			25	0	22.12	0.91	23.03	33	Pass
			25	12	22.11	0.91	23.02	33	Pass
			25	25	22.08	0.91	22.99	33	Pass
			50	0	22.00	0.91	22.91	33	Pass
	38200	2615	1	0	23.10	0.91	24.01	33	Pass
			1	24	23.21	0.91	24.12	33	Pass
			1	49	23.10	0.91	24.01	33	Pass
			25	0	22.15	0.91	23.06	33	Pass
			25	12	22.15	0.91	23.06	33	Pass
			25	25	22.15	0.91	23.06	33	Pass
			50	0	22.07	0.91	22.98	33	Pass
16QAM	37800	2575	1	0	22.14	0.91	23.05	33	Pass
			1	24	22.19	0.91	23.10	33	Pass
			1	49	22.05	0.91	22.96	33	Pass
			25	0	21.09	0.91	22.00	33	Pass
			25	12	21.09	0.91	22.00	33	Pass
			25	25	21.11	0.91	22.02	33	Pass
			50	0	21.10	0.91	22.01	33	Pass
	38000	2595	1	0	22.11	0.91	23.02	33	Pass
			1	24	22.23	0.91	23.14	33	Pass
			1	49	22.05	0.91	22.96	33	Pass
			25	0	21.07	0.91	21.98	33	Pass
			25	12	21.09	0.91	22.00	33	Pass
			25	25	21.08	0.91	21.99	33	Pass
			50	0	21.10	0.91	22.01	33	Pass
	38200	2615	1	0	22.14	0.91	23.05	33	Pass
			1	24	22.21	0.91	23.12	33	Pass
			1	49	22.14	0.91	23.05	33	Pass
			25	0	21.13	0.91	22.04	33	Pass
			25	12	21.14	0.91	22.05	33	Pass
			25	25	21.13	0.91	22.04	33	Pass
			50	0	21.18	0.91	22.09	33	Pass
64QAM	37800	2575	1	0	20.98	0.91	21.89	33	Pass
			1	24	20.95	0.91	21.86	33	Pass
			1	49	20.94	0.91	21.85	33	Pass
			25	0	20.07	0.91	20.98	33	Pass
			25	12	20.01	0.91	20.92	33	Pass
			25	25	19.95	0.91	20.86	33	Pass
			50	0	20.02	0.91	20.93	33	Pass
	38000	2595	1	0	20.90	0.91	21.81	33	Pass
			1	24	21.01	0.91	21.92	33	Pass
			1	49	20.99	0.91	21.90	33	Pass

			25	0	20.07	0.91	20.98	33	Pass
			25	12	20.09	0.91	21.00	33	Pass
			25	25	20.03	0.91	20.94	33	Pass
			50	0	19.92	0.91	20.83	33	Pass
	38200	2615	1	0	20.98	0.91	21.89	33	Pass
			1	24	21.04	0.91	21.95	33	Pass
			1	49	20.94	0.91	21.85	33	Pass
			25	0	20.15	0.91	21.06	33	Pass
			25	12	20.14	0.91	21.05	33	Pass
			25	25	20.19	0.91	21.10	33	Pass
			50	0	20.03	0.91	20.94	33	Pass

LTE Band 38 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	37825	2577.5	1	0	23.09	0.91	24.00	33	Pass
			1	37	22.99	0.91	23.90	33	Pass
			1	74	22.96	0.91	23.87	33	Pass
			37	0	23.01	0.91	23.92	33	Pass
			37	18	23.07	0.91	23.98	33	Pass
			37	38	23.12	0.91	24.03	33	Pass
			75	0	22.00	0.91	22.91	33	Pass
	38000	2595	1	0	23.01	0.91	23.92	33	Pass
			1	37	23.05	0.91	23.96	33	Pass
			1	74	22.94	0.91	23.85	33	Pass
			37	0	23.03	0.91	23.94	33	Pass
			37	18	23.03	0.91	23.94	33	Pass
			37	38	23.15	0.91	24.06	33	Pass
			75	0	22.02	0.91	22.93	33	Pass
	38175	2612.5	1	0	23.05	0.91	23.96	33	Pass
			1	37	23.09	0.91	24.00	33	Pass
			1	74	23.03	0.91	23.94	33	Pass
			37	0	23.04	0.91	23.95	33	Pass
			37	18	23.11	0.91	24.02	33	Pass
			37	38	23.19	0.91	24.10	33	Pass
			75	0	22.06	0.91	22.97	33	Pass
16QAM	37825	2577.5	1	0	22.11	0.91	23.02	33	Pass
			1	37	22.07	0.91	22.98	33	Pass
			1	74	21.99	0.91	22.90	33	Pass
			37	0	22.11	0.91	23.02	33	Pass

			37	18	22.08	0.91	22.99	33	Pass
			37	38	22.21	0.91	23.12	33	Pass
			75	0	21.12	0.91	22.03	33	Pass
	38000	2595	1	0	22.05	0.91	22.96	33	Pass
			1	37	22.09	0.91	23.00	33	Pass
			1	74	22.00	0.91	22.91	33	Pass
			37	0	22.09	0.91	23.00	33	Pass
			37	18	22.12	0.91	23.03	33	Pass
			37	38	22.20	0.91	23.11	33	Pass
			75	0	21.15	0.91	22.06	33	Pass
	38175	2612.5	1	0	22.13	0.91	23.04	33	Pass
			1	37	22.15	0.91	23.06	33	Pass
			1	74	22.09	0.91	23.00	33	Pass
			37	0	22.12	0.91	23.03	33	Pass
			37	18	22.17	0.91	23.08	33	Pass
			37	38	22.22	0.91	23.13	33	Pass
			75	0	21.15	0.91	22.06	33	Pass
64QAM	37825	2577.5	1	0	20.78	0.91	21.69	33	Pass
			1	37	20.83	0.91	21.74	33	Pass
			1	74	20.84	0.91	21.75	33	Pass
			37	0	20.93	0.91	21.84	33	Pass
			37	18	20.97	0.91	21.88	33	Pass
			37	38	20.91	0.91	21.82	33	Pass
			75	0	19.99	0.91	20.90	33	Pass
	38000	2595	1	0	20.83	0.91	21.74	33	Pass
			1	37	20.90	0.91	21.81	33	Pass
			1	74	20.82	0.91	21.73	33	Pass
			37	0	20.82	0.91	21.73	33	Pass
			37	18	20.83	0.91	21.74	33	Pass
			37	38	21.01	0.91	21.92	33	Pass
			75	0	19.98	0.91	20.89	33	Pass
	38175	2612.5	1	0	20.96	0.91	21.87	33	Pass
			1	37	20.92	0.91	21.83	33	Pass
			1	74	20.85	0.91	21.76	33	Pass
			37	0	20.91	0.91	21.82	33	Pass
			37	18	20.98	0.91	21.89	33	Pass
			37	38	21.00	0.91	21.91	33	Pass
			75	0	20.12	0.91	21.03	33	Pass

LTE Band 38 ,Channel Bandwidth: 20 MHz									
Modulation	Channel		RB Configuration		Antenna	EIRP	EIRP	Verdict	

		Frequency (MHz)			Conducted Average Power [dBm]	Gain [dBi]	[dBm]	Limit [dBm]	
			Size	Offset					
QPSK	37850	2580	1	0	22.93	0.91	23.84	33	Pass
			1	49	23.19	0.91	24.10	33	Pass
			1	99	22.78	0.91	23.69	33	Pass
			50	0	22.04	0.91	22.95	33	Pass
			50	25	21.96	0.91	22.87	33	Pass
			50	50	21.92	0.91	22.83	33	Pass
			100	0	22.04	0.91	22.95	33	Pass
	38000	2595	1	0	22.89	0.91	23.80	33	Pass
			1	49	23.20	0.91	24.11	33	Pass
			1	99	22.80	0.91	23.71	33	Pass
			50	0	22.01	0.91	22.92	33	Pass
			50	25	22.00	0.91	22.91	33	Pass
			50	50	22.03	0.91	22.94	33	Pass
			100	0	22.10	0.91	23.01	33	Pass
	38150	2610	1	0	22.87	0.91	23.78	33	Pass
			1	49	23.21	0.91	24.12	33	Pass
			1	99	22.89	0.91	23.80	33	Pass
			50	0	22.03	0.91	22.94	33	Pass
			50	25	22.09	0.91	23.00	33	Pass
			50	50	22.04	0.91	22.95	33	Pass
			100	0	22.09	0.91	23.00	33	Pass
16QAM	37850	2580	1	0	21.94	0.91	22.85	33	Pass
			1	49	22.24	0.91	23.15	33	Pass
			1	99	21.88	0.91	22.79	33	Pass
			50	0	21.04	0.91	21.95	33	Pass
			50	25	21.07	0.91	21.98	33	Pass
			50	50	21.04	0.91	21.95	33	Pass
			100	0	21.15	0.91	22.06	33	Pass
	38000	2595	1	0	21.93	0.91	22.84	33	Pass
			1	49	22.28	0.91	23.19	33	Pass
			1	99	21.85	0.91	22.76	33	Pass
			50	0	21.11	0.91	22.02	33	Pass
			50	25	21.08	0.91	21.99	33	Pass
			50	50	21.10	0.91	22.01	33	Pass
			100	0	21.19	0.91	22.10	33	Pass
	38150	2610	1	0	21.92	0.91	22.83	33	Pass
			1	49	22.26	0.91	23.17	33	Pass
			1	99	21.91	0.91	22.82	33	Pass
			50	0	21.12	0.91	22.03	33	Pass

			50	25	21.16	0.91	22.07	33	Pass
			50	50	21.14	0.91	22.05	33	Pass
			100	0	21.22	0.91	22.13	33	Pass
64QAM	37850	2580	1	0	20.80	0.91	21.71	33	Pass
			1	49	21.04	0.91	21.95	33	Pass
			1	99	20.61	0.91	21.52	33	Pass
			50	0	19.98	0.91	20.89	33	Pass
			50	25	19.94	0.91	20.85	33	Pass
			50	50	19.95	0.91	20.86	33	Pass
			100	0	20.02	0.91	20.93	33	Pass
	38000	2595	1	0	20.72	0.91	21.63	33	Pass
			1	49	21.12	0.91	22.03	33	Pass
			1	99	20.71	0.91	21.62	33	Pass
			50	0	19.95	0.91	20.86	33	Pass
			50	25	19.94	0.91	20.85	33	Pass
			50	50	19.99	0.91	20.90	33	Pass
			100	0	19.98	0.91	20.89	33	Pass
	38150	2610	1	0	20.78	0.91	21.69	33	Pass
			1	49	21.05	0.91	21.96	33	Pass
			1	99	20.72	0.91	21.63	33	Pass
			50	0	20.01	0.91	20.92	33	Pass
			50	25	20.02	0.91	20.93	33	Pass
			50	50	20.03	0.91	20.94	33	Pass
			100	0	20.05	0.91	20.96	33	Pass

LTE Band 41 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	40065	2537.5	1	0	23.40	0.91	24.31	33	Pass
			1	12	23.42	0.91	24.33	33	Pass
			1	24	23.32	0.91	24.23	33	Pass
			12	0	22.42	0.91	23.33	33	Pass
			12	6	22.36	0.91	23.27	33	Pass
			12	13	22.31	0.91	23.22	33	Pass
			25	0	22.33	0.91	23.24	33	Pass
	40590	2590	1	0	23.50	0.91	24.41	33	Pass
			1	12	23.55	0.91	24.46	33	Pass
			1	24	23.44	0.91	24.35	33	Pass
			12	0	22.47	0.91	23.38	33	Pass
			12	6	22.48	0.91	23.39	33	Pass

			12	13	22.44	0.91	23.35	33	Pass
			25	0	22.48	0.91	23.39	33	Pass
	41215	2652.5	1	0	23.33	0.91	24.24	33	Pass
			1	12	23.39	0.91	24.30	33	Pass
			1	24	23.27	0.91	24.18	33	Pass
			12	0	22.33	0.91	23.24	33	Pass
			12	6	22.32	0.91	23.23	33	Pass
			12	13	22.29	0.91	23.20	33	Pass
			25	0	22.32	0.91	23.23	33	Pass
16QAM	40065	2537.5	1	0	22.43	0.91	23.34	33	Pass
			1	12	22.50	0.91	23.41	33	Pass
			1	24	22.33	0.91	23.24	33	Pass
			12	0	21.39	0.91	22.30	33	Pass
			12	6	21.37	0.91	22.28	33	Pass
			12	13	21.30	0.91	22.21	33	Pass
			25	0	21.29	0.91	22.20	33	Pass
	40590	2590	1	0	22.54	0.91	23.45	33	Pass
			1	12	22.65	0.91	23.56	33	Pass
			1	24	22.49	0.91	23.40	33	Pass
			12	0	21.49	0.91	22.40	33	Pass
			12	6	21.51	0.91	22.42	33	Pass
			12	13	21.48	0.91	22.39	33	Pass
			25	0	21.45	0.91	22.36	33	Pass
	41215	2652.5	1	0	22.35	0.91	23.26	33	Pass
			1	12	22.43	0.91	23.34	33	Pass
			1	24	22.33	0.91	23.24	33	Pass
			12	0	21.33	0.91	22.24	33	Pass
			12	6	21.34	0.91	22.25	33	Pass
			12	13	21.29	0.91	22.20	33	Pass
			25	0	21.27	0.91	22.18	33	Pass
64QAM	40065	2537.5	1	0	20.76	0.91	21.67	33	Pass
			1	12	20.78	0.91	21.69	33	Pass
			1	24	20.64	0.91	21.55	33	Pass
			12	0	19.84	0.91	20.75	33	Pass
			12	6	19.86	0.91	20.77	33	Pass
			12	13	19.77	0.91	20.68	33	Pass
			25	0	19.90	0.91	20.81	33	Pass
	40590	2590	1	0	20.86	0.91	21.77	33	Pass
			1	12	20.95	0.91	21.86	33	Pass
			1	24	20.84	0.91	21.75	33	Pass
			12	0	19.92	0.91	20.83	33	Pass
			12	6	19.91	0.91	20.82	33	Pass

			12	13	19.90	0.91	20.81	33	Pass
			25	0	20.00	0.91	20.91	33	Pass
	41215	2652.5	1	0	20.72	0.91	21.63	33	Pass
			1	12	20.82	0.91	21.73	33	Pass
			1	24	20.74	0.91	21.65	33	Pass
			12	0	19.79	0.91	20.70	33	Pass
			12	6	19.84	0.91	20.75	33	Pass
			12	13	19.68	0.91	20.59	33	Pass
			25	0	19.85	0.91	20.76	33	Pass

LTE Band 41 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	40090	2540	1	0	23.44	0.91	24.35	33	Pass
			1	24	23.46	0.91	24.37	33	Pass
			1	49	23.33	0.91	24.24	33	Pass
			25	0	22.43	0.91	23.34	33	Pass
			25	12	22.37	0.91	23.28	33	Pass
			25	25	22.37	0.91	23.28	33	Pass
			50	0	22.32	0.91	23.23	33	Pass
	40590	2590	1	0	23.55	0.91	24.46	33	Pass
			1	24	23.58	0.91	24.49	33	Pass
			1	49	23.47	0.91	24.38	33	Pass
			25	0	22.57	0.91	23.48	33	Pass
			25	12	22.53	0.91	23.44	33	Pass
			25	25	22.55	0.91	23.46	33	Pass
			50	0	22.48	0.91	23.39	33	Pass
	41190	2650	1	0	23.39	0.91	24.30	33	Pass
			1	24	23.43	0.91	24.34	33	Pass
			1	49	23.29	0.91	24.20	33	Pass
			25	0	22.46	0.91	23.37	33	Pass
			25	12	22.35	0.91	23.26	33	Pass
			25	25	22.36	0.91	23.27	33	Pass
			50	0	22.30	0.91	23.21	33	Pass
16QAM	40090	2540	1	0	22.50	0.91	23.41	33	Pass
			1	24	22.44	0.91	23.35	33	Pass
			1	49	22.33	0.91	23.24	33	Pass
			25	0	21.35	0.91	22.26	33	Pass
			25	12	21.35	0.91	22.26	33	Pass
			25	25	21.29	0.91	22.20	33	Pass

	40590	2590	50	0	21.37	0.91	22.28	33	Pass
			1	0	22.59	0.91	23.50	33	Pass
			1	24	22.60	0.91	23.51	33	Pass
			1	49	22.50	0.91	23.41	33	Pass
			25	0	21.49	0.91	22.40	33	Pass
			25	12	21.50	0.91	22.41	33	Pass
			25	25	21.48	0.91	22.39	33	Pass
			50	0	21.50	0.91	22.41	33	Pass
	41190	2650	1	0	22.43	0.91	23.34	33	Pass
			1	24	22.48	0.91	23.39	33	Pass
			1	49	22.35	0.91	23.26	33	Pass
			25	0	21.40	0.91	22.31	33	Pass
			25	12	21.32	0.91	22.23	33	Pass
			25	25	21.26	0.91	22.17	33	Pass
			50	0	21.33	0.91	22.24	33	Pass
64QAM	40090	2540	1	0	20.78	0.91	21.69	33	Pass
			1	24	20.78	0.91	21.69	33	Pass
			1	49	20.65	0.91	21.56	33	Pass
			25	0	19.84	0.91	20.75	33	Pass
			25	12	19.85	0.91	20.76	33	Pass
			25	25	19.75	0.91	20.66	33	Pass
			50	0	19.79	0.91	20.70	33	Pass
	40590	2590	1	0	20.96	0.91	21.87	33	Pass
			1	24	20.96	0.91	21.87	33	Pass
			1	49	20.89	0.91	21.80	33	Pass
			25	0	19.95	0.91	20.86	33	Pass
			25	12	20.07	0.91	20.98	33	Pass
			25	25	19.97	0.91	20.88	33	Pass
			50	0	19.93	0.91	20.84	33	Pass
	41190	2650	1	0	20.78	0.91	21.69	33	Pass
			1	24	20.71	0.91	21.62	33	Pass
			1	49	20.74	0.91	21.65	33	Pass
			25	0	19.92	0.91	20.83	33	Pass
			25	12	19.93	0.91	20.84	33	Pass
			25	25	19.88	0.91	20.79	33	Pass
			50	0	19.81	0.91	20.72	33	Pass

LTE Band 41 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					

QPSK	40115	2542.5	1	0	23.34	0.91	24.25	33	Pass
			1	37	23.28	0.91	24.19	33	Pass
			1	74	23.23	0.91	24.14	33	Pass
			37	0	23.34	0.91	24.25	33	Pass
			37	18	23.36	0.91	24.27	33	Pass
			37	38	23.40	0.91	24.31	33	Pass
			75	0	22.29	0.91	23.20	33	Pass
	40590	2590	1	0	23.44	0.91	24.35	33	Pass
			1	37	23.48	0.91	24.39	33	Pass
			1	74	23.38	0.91	24.29	33	Pass
			37	0	23.46	0.91	24.37	33	Pass
			37	18	23.50	0.91	24.41	33	Pass
			37	38	23.55	0.91	24.46	33	Pass
			75	0	22.48	0.91	23.39	33	Pass
	41165	2647.5	1	0	23.25	0.91	24.16	33	Pass
			1	37	23.33	0.91	24.24	33	Pass
			1	74	23.22	0.91	24.13	33	Pass
			37	0	23.26	0.91	24.17	33	Pass
			37	18	23.32	0.91	24.23	33	Pass
			37	38	23.41	0.91	24.32	33	Pass
			75	0	22.32	0.91	23.23	33	Pass
16QAM	40115	2542.5	1	0	22.34	0.91	23.25	33	Pass
			1	37	22.31	0.91	23.22	33	Pass
			1	74	22.28	0.91	23.19	33	Pass
			37	0	22.32	0.91	23.23	33	Pass
			37	18	22.35	0.91	23.26	33	Pass
			37	38	22.44	0.91	23.35	33	Pass
			75	0	21.34	0.91	22.25	33	Pass
	40590	2590	1	0	22.51	0.91	23.42	33	Pass
			1	37	22.53	0.91	23.44	33	Pass
			1	74	22.43	0.91	23.34	33	Pass
			37	0	22.49	0.91	23.40	33	Pass
			37	18	22.56	0.91	23.47	33	Pass
			37	38	22.60	0.91	23.51	33	Pass
			75	0	21.50	0.91	22.41	33	Pass
	41165	2647.5	1	0	22.33	0.91	23.24	33	Pass
			1	37	22.37	0.91	23.28	33	Pass
			1	74	22.26	0.91	23.17	33	Pass
			37	0	22.33	0.91	23.24	33	Pass
			37	18	22.33	0.91	23.24	33	Pass
			37	38	22.40	0.91	23.31	33	Pass
			75	0	21.33	0.91	22.24	33	Pass

64QAM	40115	2542.5	1	0	20.70	0.91	21.61	33	Pass
			1	37	20.65	0.91	21.56	33	Pass
			1	74	20.70	0.91	21.61	33	Pass
			37	0	20.73	0.91	21.64	33	Pass
			37	18	20.71	0.91	21.62	33	Pass
			37	38	20.76	0.91	21.67	33	Pass
			75	0	19.80	0.91	20.71	33	Pass
	40590	2590	1	0	20.94	0.91	21.85	33	Pass
			1	37	20.85	0.91	21.76	33	Pass
			1	74	20.80	0.91	21.71	33	Pass
			37	0	20.90	0.91	21.81	33	Pass
			37	18	20.95	0.91	21.86	33	Pass
			37	38	20.94	0.91	21.85	33	Pass
			75	0	19.96	0.91	20.87	33	Pass
	41165	2647.5	1	0	20.71	0.91	21.62	33	Pass
			1	37	20.72	0.91	21.63	33	Pass
			1	74	20.63	0.91	21.54	33	Pass
			37	0	20.76	0.91	21.67	33	Pass
			37	18	20.73	0.91	21.64	33	Pass
			37	38	20.86	0.91	21.77	33	Pass
			75	0	19.86	0.91	20.77	33	Pass

LTE Band 41 ,Channel Bandwidth: 20 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	40140	2545	1	0	23.19	0.91	24.10	33	Pass
			1	49	23.46	0.91	24.37	33	Pass
			1	99	23.14	0.91	24.05	33	Pass
			50	0	22.22	0.91	23.13	33	Pass
			50	25	22.27	0.91	23.18	33	Pass
			50	50	22.34	0.91	23.25	33	Pass
			100	0	22.29	0.91	23.20	33	Pass
	40590	2590	1	0	23.31	0.91	24.22	33	Pass
			1	49	23.63	0.91	24.54	33	Pass
			1	99	23.21	0.91	24.12	33	Pass
			50	0	22.43	0.91	23.34	33	Pass
			50	25	22.42	0.91	23.33	33	Pass
			50	50	22.40	0.91	23.31	33	Pass
			100	0	22.49	0.91	23.40	33	Pass
	41140	2645	1	0	23.17	0.91	24.08	33	Pass

			1	49	23.42	0.91	24.33	33	Pass
			1	99	23.05	0.91	23.96	33	Pass
			50	0	22.29	0.91	23.20	33	Pass
			50	25	22.23	0.91	23.14	33	Pass
			50	50	22.18	0.91	23.09	33	Pass
			100	0	22.31	0.91	23.22	33	Pass
			100	0	22.31	0.91	23.22	33	Pass
16QAM	40140	2545	1	0	22.19	0.91	23.10	33	Pass
			1	49	22.50	0.91	23.41	33	Pass
			1	99	22.19	0.91	23.10	33	Pass
			50	0	21.32	0.91	22.23	33	Pass
			50	25	21.36	0.91	22.27	33	Pass
			50	50	21.48	0.91	22.39	33	Pass
			100	0	21.48	0.91	22.39	33	Pass
	40590	2590	1	0	22.37	0.91	23.28	33	Pass
			1	49	22.69	0.91	23.60	33	Pass
			1	99	22.26	0.91	23.17	33	Pass
			50	0	21.49	0.91	22.40	33	Pass
			50	25	21.48	0.91	22.39	33	Pass
			50	50	21.48	0.91	22.39	33	Pass
			100	0	21.56	0.91	22.47	33	Pass
	41140	2645	1	0	22.22	0.91	23.13	33	Pass
			1	49	22.49	0.91	23.40	33	Pass
			1	99	22.10	0.91	23.01	33	Pass
			50	0	21.39	0.91	22.30	33	Pass
			50	25	21.35	0.91	22.26	33	Pass
			50	50	21.26	0.91	22.17	33	Pass
			100	0	21.36	0.91	22.27	33	Pass
64QAM	40140	2545	1	0	20.62	0.91	21.53	33	Pass
			1	49	20.79	0.91	21.70	33	Pass
			1	99	20.60	0.91	21.51	33	Pass
			50	0	19.73	0.91	20.64	33	Pass
			50	25	19.77	0.91	20.68	33	Pass
			50	50	19.84	0.91	20.75	33	Pass
			100	0	19.91	0.91	20.82	33	Pass
	40590	2590	1	0	20.82	0.91	21.73	33	Pass
			1	49	21.00	0.91	21.91	33	Pass
			1	99	20.69	0.91	21.60	33	Pass
			50	0	19.97	0.91	20.88	33	Pass
			50	25	19.94	0.91	20.85	33	Pass
			50	50	19.94	0.91	20.85	33	Pass
			100	0	19.97	0.91	20.88	33	Pass
	41140	2645	1	0	20.73	0.91	21.64	33	Pass

			1	49	20.84	0.91	21.75	33	Pass
			1	99	20.50	0.91	21.41	33	Pass
			50	0	19.88	0.91	20.79	33	Pass
			50	25	19.80	0.91	20.71	33	Pass
			50	50	19.79	0.91	20.70	33	Pass
			100	0	19.81	0.91	20.72	33	Pass

LTE Band 66 ,Channel Bandwidth: 1.4 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	131979	1710.7	1	0	22.88	-0.6	22.28	30	Pass
			1	3	22.99	-0.6	22.39	30	Pass
			1	5	22.89	-0.6	22.29	30	Pass
			3	0	23.01	-0.6	22.41	30	Pass
			3	2	23.01	-0.6	22.41	30	Pass
			3	3	22.95	-0.6	22.35	30	Pass
			6	0	22.02	-0.6	21.42	30	Pass
	132322	1745	1	0	22.71	-0.6	22.11	30	Pass
			1	3	22.82	-0.6	22.22	30	Pass
			1	5	22.72	-0.6	22.12	30	Pass
			3	0	22.81	-0.6	22.21	30	Pass
			3	2	22.82	-0.6	22.22	30	Pass
			3	3	22.82	-0.6	22.22	30	Pass
			6	0	21.82	-0.6	21.22	30	Pass
	132665	1779.3	1	0	22.83	-0.6	22.23	30	Pass
			1	3	22.92	-0.6	22.32	30	Pass
			1	5	22.84	-0.6	22.24	30	Pass
			3	0	22.94	-0.6	22.34	30	Pass
			3	2	22.98	-0.6	22.38	30	Pass
			3	3	22.93	-0.6	22.33	30	Pass
			6	0	21.99	-0.6	21.39	30	Pass
16QAM	131979	1710.7	1	0	22.22	-0.6	21.62	30	Pass
			1	3	22.23	-0.6	21.63	30	Pass
			1	5	22.18	-0.6	21.58	30	Pass
			3	0	22.13	-0.6	21.53	30	Pass
			3	2	22.19	-0.6	21.59	30	Pass
			3	3	22.12	-0.6	21.52	30	Pass
			6	0	21.07	-0.6	20.47	30	Pass
	132322	1745	1	0	22.08	-0.6	21.48	30	Pass
			1	3	22.01	-0.6	21.41	30	Pass

			1	5	22.08	-0.6	21.48	30	Pass
			3	0	22.01	-0.6	21.41	30	Pass
			3	2	21.93	-0.6	21.33	30	Pass
			3	3	21.90	-0.6	21.30	30	Pass
			6	0	20.91	-0.6	20.31	30	Pass
	132665	1779.3	1	0	22.04	-0.6	21.44	30	Pass
			1	3	22.16	-0.6	21.56	30	Pass
			1	5	22.14	-0.6	21.54	30	Pass
			3	0	22.00	-0.6	21.40	30	Pass
			3	2	22.02	-0.6	21.42	30	Pass
			3	3	22.10	-0.6	21.50	30	Pass
			6	0	21.06	-0.6	20.46	30	Pass
64QAM	131979	1710.7	1	0	20.79	-0.6	20.19	30	Pass
			1	3	21.87	-0.6	21.27	30	Pass
			1	5	21.78	-0.6	21.18	30	Pass
			3	0	21.80	-0.6	21.20	30	Pass
			3	2	21.82	-0.6	21.22	30	Pass
			3	3	21.79	-0.6	21.19	30	Pass
			6	0	20.74	-0.6	20.14	30	Pass
	132322	1745	1	0	21.77	-0.6	21.17	30	Pass
			1	3	21.84	-0.6	21.24	30	Pass
			1	5	21.73	-0.6	21.13	30	Pass
			3	0	21.78	-0.6	21.18	30	Pass
			3	2	21.82	-0.6	21.22	30	Pass
			3	3	21.86	-0.6	21.26	30	Pass
			6	0	20.69	-0.6	20.09	30	Pass
	132665	1779.3	1	0	21.80	-0.6	21.20	30	Pass
			1	3	21.93	-0.6	21.33	30	Pass
			1	5	21.79	-0.6	21.19	30	Pass
			3	0	21.86	-0.6	21.26	30	Pass
			3	2	21.86	-0.6	21.26	30	Pass
			3	3	21.88	-0.6	21.28	30	Pass
			6	0	20.78	-0.6	20.18	30	Pass

LTE Band 66 ,Channel Bandwidth: 3 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	131987	1711.5	1	0	22.89	-0.6	22.29	30	Pass
			1	7	22.82	-0.6	22.22	30	Pass
			1	14	22.87	-0.6	22.27	30	Pass

			8	0	21.93	-0.6	21.33	30	Pass
			8	4	21.94	-0.6	21.34	30	Pass
			8	7	21.90	-0.6	21.30	30	Pass
			15	0	21.89	-0.6	21.29	30	Pass
	132322	1745	1	0	22.87	-0.6	22.27	30	Pass
			1	7	22.79	-0.6	22.19	30	Pass
			1	14	22.88	-0.6	22.28	30	Pass
			8	0	21.85	-0.6	21.25	30	Pass
			8	4	21.87	-0.6	21.27	30	Pass
			8	7	21.85	-0.6	21.25	30	Pass
			15	0	21.83	-0.6	21.23	30	Pass
	132657	1778.5	1	0	22.93	-0.6	22.33	30	Pass
			1	7	22.38	-0.6	21.78	30	Pass
			1	14	22.42	-0.6	21.82	30	Pass
			8	0	21.40	-0.6	20.80	30	Pass
			8	4	21.41	-0.6	20.81	30	Pass
			8	7	21.42	-0.6	20.82	30	Pass
			15	0	21.39	-0.6	20.79	30	Pass
16QAM	131987	1711.5	1	0	22.10	-0.6	21.50	30	Pass
			1	7	22.03	-0.6	21.43	30	Pass
			1	14	22.11	-0.6	21.51	30	Pass
			8	0	20.92	-0.6	20.32	30	Pass
			8	4	20.96	-0.6	20.36	30	Pass
			8	7	20.93	-0.6	20.33	30	Pass
			15	0	20.85	-0.6	20.25	30	Pass
	132322	1745	1	0	21.99	-0.6	21.39	30	Pass
			1	7	22.00	-0.6	21.40	30	Pass
			1	14	22.04	-0.6	21.44	30	Pass
			8	0	20.89	-0.6	20.29	30	Pass
			8	4	20.91	-0.6	20.31	30	Pass
			8	7	20.89	-0.6	20.29	30	Pass
			15	0	20.81	-0.6	20.21	30	Pass
	132657	1778.5	1	0	21.72	-0.6	21.12	30	Pass
			1	7	21.64	-0.6	21.04	30	Pass
			1	14	21.62	-0.6	21.02	30	Pass
			8	0	20.50	-0.6	19.90	30	Pass
			8	4	20.53	-0.6	19.93	30	Pass
			8	7	20.46	-0.6	19.86	30	Pass
			15	0	20.39	-0.6	19.79	30	Pass
64QAM	131987	1711.5	1	0	21.81	-0.6	21.21	30	Pass
			1	7	21.78	-0.6	21.18	30	Pass
			1	14	21.79	-0.6	21.19	30	Pass

			8	0	20.70	-0.6	20.10	30	Pass
			8	4	20.73	-0.6	20.13	30	Pass
			8	7	20.69	-0.6	20.09	30	Pass
			15	0	20.68	-0.6	20.08	30	Pass
	132322	1745	1	0	21.79	-0.6	21.19	30	Pass
			1	7	21.72	-0.6	21.12	30	Pass
			1	14	21.79	-0.6	21.19	30	Pass
			8	0	20.60	-0.6	20.00	30	Pass
			8	4	20.65	-0.6	20.05	30	Pass
			8	7	20.62	-0.6	20.02	30	Pass
			15	0	20.61	-0.6	20.01	30	Pass
	132657	1778.5	1	0	21.79	-0.6	21.19	30	Pass
			1	7	21.85	-0.6	21.25	30	Pass
			1	14	21.81	-0.6	21.21	30	Pass
			8	0	20.74	-0.6	20.14	30	Pass
			8	4	20.73	-0.6	20.13	30	Pass
			8	7	20.74	-0.6	20.14	30	Pass
			15	0	20.69	-0.6	20.09	30	Pass

LTE Band 66 ,Channel Bandwidth: 5 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	131997	1712.5	1	0	22.96	-0.6	22.36	30	Pass
			1	12	23.09	-0.6	22.49	30	Pass
			1	24	22.82	-0.6	22.22	30	Pass
			12	0	22.06	-0.6	21.46	30	Pass
			12	6	22.04	-0.6	21.44	30	Pass
			12	13	22.00	-0.6	21.40	30	Pass
			25	0	22.03	-0.6	21.43	30	Pass
	132322	1745	1	0	22.84	-0.6	22.24	30	Pass
			1	12	23.02	-0.6	22.42	30	Pass
			1	24	22.81	-0.6	22.21	30	Pass
			12	0	21.89	-0.6	21.29	30	Pass
			12	6	21.94	-0.6	21.34	30	Pass
			12	13	21.91	-0.6	21.31	30	Pass
			25	0	21.92	-0.6	21.32	30	Pass
	132647	1777.5	1	0	22.93	-0.6	22.33	30	Pass
			1	12	23.09	-0.6	22.49	30	Pass
			1	24	22.89	-0.6	22.29	30	Pass
			12	0	22.08	-0.6	21.48	30	Pass

			12	6	22.08	-0.6	21.48	30	Pass
			12	13	21.98	-0.6	21.38	30	Pass
			25	0	22.04	-0.6	21.44	30	Pass
16QAM	131997	1712.5	1	0	22.29	-0.6	21.69	30	Pass
			1	12	22.43	-0.6	21.83	30	Pass
			1	24	22.13	-0.6	21.53	30	Pass
			12	0	21.02	-0.6	20.42	30	Pass
			12	6	21.02	-0.6	20.42	30	Pass
			12	13	20.96	-0.6	20.36	30	Pass
			25	0	21.02	-0.6	20.42	30	Pass
	132322	1745	1	0	22.12	-0.6	21.52	30	Pass
			1	12	22.32	-0.6	21.72	30	Pass
			1	24	22.13	-0.6	21.53	30	Pass
			12	0	20.85	-0.6	20.25	30	Pass
			12	6	20.92	-0.6	20.32	30	Pass
			12	13	20.90	-0.6	20.30	30	Pass
			25	0	20.90	-0.6	20.30	30	Pass
	132647	1777.5	1	0	22.22	-0.6	21.62	30	Pass
			1	12	22.37	-0.6	21.77	30	Pass
			1	24	22.28	-0.6	21.68	30	Pass
			12	0	21.05	-0.6	20.45	30	Pass
			12	6	21.05	-0.6	20.45	30	Pass
			12	13	20.95	-0.6	20.35	30	Pass
			25	0	21.04	-0.6	20.44	30	Pass
64QAM	131997	1712.5	1	0	21.79	-0.6	21.19	30	Pass
			1	12	21.96	-0.6	21.36	30	Pass
			1	24	21.80	-0.6	21.20	30	Pass
			12	0	20.72	-0.6	20.12	30	Pass
			12	6	20.72	-0.6	20.12	30	Pass
			12	13	20.70	-0.6	20.10	30	Pass
			25	0	20.74	-0.6	20.14	30	Pass
	132322	1745	1	0	21.81	-0.6	21.21	30	Pass
			1	12	21.91	-0.6	21.31	30	Pass
			1	24	21.78	-0.6	21.18	30	Pass
			12	0	20.63	-0.6	20.03	30	Pass
			12	6	20.68	-0.6	20.08	30	Pass
			12	13	20.68	-0.6	20.08	30	Pass
			25	0	20.68	-0.6	20.08	30	Pass
	132647	1777.5	1	0	21.79	-0.6	21.19	30	Pass
			1	12	21.96	-0.6	21.36	30	Pass
			1	24	21.81	-0.6	21.21	30	Pass
			12	0	20.73	-0.6	20.13	30	Pass

			12	6	20.77	-0.6	20.17	30	Pass
			12	13	20.73	-0.6	20.13	30	Pass
			25	0	20.76	-0.6	20.16	30	Pass

LTE Band 66 ,Channel Bandwidth: 10 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	132022	1715	1	0	22.91	-0.6	22.31	30	Pass
			1	24	22.98	-0.6	22.38	30	Pass
			1	49	22.91	-0.6	22.31	30	Pass
			25	0	22.03	-0.6	21.43	30	Pass
			25	12	22.00	-0.6	21.40	30	Pass
			25	25	21.98	-0.6	21.38	30	Pass
			50	0	22.01	-0.6	21.41	30	Pass
	132322	1745	1	0	22.80	-0.6	22.20	30	Pass
			1	24	22.92	-0.6	22.32	30	Pass
			1	49	22.87	-0.6	22.27	30	Pass
			25	0	21.90	-0.6	21.30	30	Pass
			25	12	21.95	-0.6	21.35	30	Pass
			25	25	22.00	-0.6	21.40	30	Pass
			50	0	21.98	-0.6	21.38	30	Pass
	132622	1775	1	0	22.92	-0.6	22.32	30	Pass
			1	24	23.07	-0.6	22.47	30	Pass
			1	49	22.94	-0.6	22.34	30	Pass
			25	0	22.12	-0.6	21.52	30	Pass
			25	12	22.09	-0.6	21.49	30	Pass
			25	25	22.03	-0.6	21.43	30	Pass
			50	0	22.07	-0.6	21.47	30	Pass
16QAM	132022	1715	1	0	22.20	-0.6	21.60	30	Pass
			1	24	22.32	-0.6	21.72	30	Pass
			1	49	22.15	-0.6	21.55	30	Pass
			25	0	20.98	-0.6	20.38	30	Pass
			25	12	20.96	-0.6	20.36	30	Pass
			25	25	20.95	-0.6	20.35	30	Pass
			50	0	20.99	-0.6	20.39	30	Pass
	132322	1745	1	0	22.07	-0.6	21.47	30	Pass
			1	24	22.23	-0.6	21.63	30	Pass
			1	49	22.15	-0.6	21.55	30	Pass
			25	0	20.86	-0.6	20.26	30	Pass
			25	12	20.90	-0.6	20.30	30	Pass

			25	25	20.95	-0.6	20.35	30	Pass
			50	0	20.95	-0.6	20.35	30	Pass
	132622	1775	1	0	22.23	-0.6	21.63	30	Pass
			1	24	22.37	-0.6	21.77	30	Pass
			1	49	22.21	-0.6	21.61	30	Pass
			25	0	21.06	-0.6	20.46	30	Pass
			25	12	21.08	-0.6	20.48	30	Pass
			25	25	21.03	-0.6	20.43	30	Pass
			50	0	21.04	-0.6	20.44	30	Pass
64QAM	132022	1715	1	0	21.77	-0.6	21.17	30	Pass
			1	24	21.94	-0.6	21.34	30	Pass
			1	49	21.84	-0.6	21.24	30	Pass
			25	0	20.74	-0.6	20.14	30	Pass
			25	12	20.71	-0.6	20.11	30	Pass
			25	25	20.72	-0.6	20.12	30	Pass
			50	0	20.75	-0.6	20.15	30	Pass
	132322	1745	1	0	21.78	-0.6	21.18	30	Pass
			1	24	21.86	-0.6	21.26	30	Pass
			1	49	21.85	-0.6	21.25	30	Pass
			25	0	20.69	-0.6	20.09	30	Pass
			25	12	20.69	-0.6	20.09	30	Pass
			25	25	20.74	-0.6	20.14	30	Pass
			50	0	20.71	-0.6	20.11	30	Pass
	132622	1775	1	0	21.81	-0.6	21.21	30	Pass
			1	24	21.87	-0.6	21.27	30	Pass
			1	49	21.85	-0.6	21.25	30	Pass
			25	0	20.86	-0.6	20.26	30	Pass
			25	12	20.78	-0.6	20.18	30	Pass
			25	25	20.78	-0.6	20.18	30	Pass
			50	0	20.84	-0.6	20.24	30	Pass

LTE Band 66 ,Channel Bandwidth: 15 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	132047	1717.5	1	0	22.80	-0.6	22.20	30	Pass
			1	37	22.88	-0.6	22.28	30	Pass
			1	74	22.84	-0.6	22.24	30	Pass
			37	0	22.85	-0.6	22.25	30	Pass
			37	18	22.89	-0.6	22.29	30	Pass
			37	38	23.00	-0.6	22.40	30	Pass

			75	0	21.99	-0.6	21.39	30	Pass
			1	0	22.71	-0.6	22.11	30	Pass
			1	37	22.80	-0.6	22.20	30	Pass
			1	74	22.85	-0.6	22.25	30	Pass
			37	0	22.72	-0.6	22.12	30	Pass
			37	18	22.80	-0.6	22.20	30	Pass
			37	38	22.96	-0.6	22.36	30	Pass
			75	0	21.94	-0.6	21.34	30	Pass
		132597	1	0	22.84	-0.6	22.24	30	Pass
			1	37	22.95	-0.6	22.35	30	Pass
			1	74	22.90	-0.6	22.30	30	Pass
			37	0	22.84	-0.6	22.24	30	Pass
			37	18	22.93	-0.6	22.33	30	Pass
			37	38	23.08	-0.6	22.48	30	Pass
			75	0	22.04	-0.6	21.44	30	Pass
16QAM	132047	1717.5	1	0	22.16	-0.6	21.56	30	Pass
			1	37	22.09	-0.6	21.49	30	Pass
			1	74	22.08	-0.6	21.48	30	Pass
			37	0	22.13	-0.6	21.53	30	Pass
			37	18	22.23	-0.6	21.63	30	Pass
			37	38	22.27	-0.6	21.67	30	Pass
			75	0	20.94	-0.6	20.34	30	Pass
	132322	1745	1	0	22.07	-0.6	21.47	30	Pass
			1	37	22.04	-0.6	21.44	30	Pass
			1	74	22.11	-0.6	21.51	30	Pass
			37	0	21.98	-0.6	21.38	30	Pass
			37	18	22.05	-0.6	21.45	30	Pass
			37	38	22.25	-0.6	21.65	30	Pass
			75	0	20.90	-0.6	20.30	30	Pass
	132597	1772.5	1	0	22.04	-0.6	21.44	30	Pass
			1	37	22.26	-0.6	21.66	30	Pass
			1	74	22.25	-0.6	21.65	30	Pass
			37	0	22.10	-0.6	21.50	30	Pass
			37	18	22.24	-0.6	21.64	30	Pass
			37	38	22.29	-0.6	21.69	30	Pass
			75	0	21.01	-0.6	20.41	30	Pass
64QAM	132047	1717.5	1	0	21.69	-0.6	21.09	30	Pass
			1	37	21.76	-0.6	21.16	30	Pass
			1	74	21.81	-0.6	21.21	30	Pass
			37	0	21.75	-0.6	21.15	30	Pass
			37	18	21.79	-0.6	21.19	30	Pass
			37	38	21.90	-0.6	21.30	30	Pass

			75	0	20.71	-0.6	20.11	30	Pass
	132322	1745	1	0	21.69	-0.6	21.09	30	Pass
			1	37	21.78	-0.6	21.18	30	Pass
			1	74	21.78	-0.6	21.18	30	Pass
			37	0	21.68	-0.6	21.08	30	Pass
			37	18	21.85	-0.6	21.25	30	Pass
			37	38	21.91	-0.6	21.31	30	Pass
			75	0	20.70	-0.6	20.10	30	Pass
	132597	1772.5	1	0	21.69	-0.6	21.09	30	Pass
			1	37	21.83	-0.6	21.23	30	Pass
			1	74	21.85	-0.6	21.25	30	Pass
			37	0	21.70	-0.6	21.10	30	Pass
			37	18	21.87	-0.6	21.27	30	Pass
			37	38	21.98	-0.6	21.38	30	Pass
			75	0	20.80	-0.6	20.20	30	Pass

LTE Band 66 ,Channel Bandwidth: 20 MHz									
Modulation	Channel	Frequency (MHz)	RB Configuration		Conducted Average Power [dBm]	Antenna Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
			Size	Offset					
QPSK	132072	1720	1	0	22.69	-0.6	22.09	30	Pass
			1	49	22.95	-0.6	22.35	30	Pass
			1	99	22.67	-0.6	22.07	30	Pass
			50	0	21.97	-0.6	21.37	30	Pass
			50	25	21.98	-0.6	21.38	30	Pass
			50	50	21.91	-0.6	21.31	30	Pass
			100	0	21.96	-0.6	21.36	30	Pass
	132322	1745	1	0	22.56	-0.6	21.96	30	Pass
			1	49	22.88	-0.6	22.28	30	Pass
			1	99	22.70	-0.6	22.10	30	Pass
			50	0	21.81	-0.6	21.21	30	Pass
			50	25	21.97	-0.6	21.37	30	Pass
			50	50	21.99	-0.6	21.39	30	Pass
			100	0	21.91	-0.6	21.31	30	Pass
	132572	1770	1	0	22.64	-0.6	22.04	30	Pass
			1	49	23.01	-0.6	22.41	30	Pass
			1	99	22.77	-0.6	22.17	30	Pass
			50	0	22.02	-0.6	21.42	30	Pass
			50	25	22.05	-0.6	21.45	30	Pass
			50	50	21.97	-0.6	21.37	30	Pass
			100	0	21.97	-0.6	21.37	30	Pass

16QAM	132072	1720	1	0	22.02	-0.6	21.42	30	Pass
			1	49	22.22	-0.6	21.62	30	Pass
			1	99	21.92	-0.6	21.32	30	Pass
			50	0	20.93	-0.6	20.33	30	Pass
			50	25	20.96	-0.6	20.36	30	Pass
			50	50	20.88	-0.6	20.28	30	Pass
			100	0	20.92	-0.6	20.32	30	Pass
	132322	1745	1	0	21.93	-0.6	21.33	30	Pass
			1	49	22.18	-0.6	21.58	30	Pass
			1	99	21.97	-0.6	21.37	30	Pass
			50	0	20.80	-0.6	20.20	30	Pass
			50	25	20.93	-0.6	20.33	30	Pass
			50	50	20.95	-0.6	20.35	30	Pass
			100	0	20.90	-0.6	20.30	30	Pass
	132572	1770	1	0	21.91	-0.6	21.31	30	Pass
			1	49	22.34	-0.6	21.74	30	Pass
			1	99	22.08	-0.6	21.48	30	Pass
			50	0	20.98	-0.6	20.38	30	Pass
			50	25	21.03	-0.6	20.43	30	Pass
			50	50	20.96	-0.6	20.36	30	Pass
			100	0	20.95	-0.6	20.35	30	Pass
64QAM	132072	1720	1	0	21.63	-0.6	21.03	30	Pass
			1	49	21.94	-0.6	21.34	30	Pass
			1	99	21.66	-0.6	21.06	30	Pass
			50	0	20.72	-0.6	20.12	30	Pass
			50	25	20.75	-0.6	20.15	30	Pass
			50	50	20.72	-0.6	20.12	30	Pass
			100	0	20.71	-0.6	20.11	30	Pass
	132322	1745	1	0	21.52	-0.6	20.92	30	Pass
			1	49	21.85	-0.6	21.25	30	Pass
			1	99	21.75	-0.6	21.15	30	Pass
			50	0	20.63	-0.6	20.03	30	Pass
			50	25	20.72	-0.6	20.12	30	Pass
			50	50	20.76	-0.6	20.16	30	Pass
			100	0	20.67	-0.6	20.07	30	Pass
	132572	1770	1	0	21.59	-0.6	20.99	30	Pass
			1	49	21.96	-0.6	21.36	30	Pass
			1	99	21.66	-0.6	21.06	30	Pass
			50	0	20.87	-0.6	20.27	30	Pass
			50	25	20.80	-0.6	20.20	30	Pass
			50	50	20.75	-0.6	20.15	30	Pass
			100	0	20.79	-0.6	20.19	30	Pass

8. APPENDIX B: PEAK-TO-AVERAGE RATIO

GSM:

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	2.59	13	PASS
GSM850	190	2.59	13	PASS
GSM850	251	2.59	13	PASS
GPRS850	128	2.59	13	PASS
GPRS850	190	2.59	13	PASS
GPRS850	251	2.58	13	PASS
EGPRS850	128	5.46	13	PASS
EGPRS850	190	5.44	13	PASS
EGPRS850	251	5.51	13	PASS
GSM1900	512	2.63	13	PASS
GSM1900	661	2.62	13	PASS
GSM1900	810	2.62	13	PASS
GPRS1900	512	2.62	13	PASS
GPRS1900	661	2.62	13	PASS
GPRS1900	810	2.62	13	PASS
EGPRS1900	512	5.46	13	PASS
EGPRS1900	661	5.44	13	PASS
EGPRS1900	810	5.49	13	PASS

WCDMA:

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
Band II	9262	2.97	13	PASS
Band II	9400	2.99	13	PASS
Band II	9538	2.98	13	PASS
Band IV	1312	2.98	13	PASS
Band IV	1413	3.03	13	PASS
Band IV	1513	2.9	13	PASS
Band V	4132	3.05	13	PASS
Band V	4182	3.08	13	PASS
Band V	4233	3.05	13	PASS

LTE:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	5.54	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.35	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.26	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	6.38	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	6.25	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	6.19	13	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	6.28	13	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	6.12	13	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	6.06	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.51	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.29	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.35	13	PASS

Band2	3MHz	16QAM	18615	15RB#0	6.25	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.06	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	6.12	13	PASS
Band2	3MHz	64QAM	18615	15RB#0	6.25	13	PASS
Band2	3MHz	64QAM	18900	15RB#0	5.83	13	PASS
Band2	3MHz	64QAM	19185	15RB#0	5.93	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.71	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.54	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.58	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	6.47	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.28	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	6.35	13	PASS
Band2	5MHz	64QAM	18625	25RB#0	6.38	13	PASS
Band2	5MHz	64QAM	18900	25RB#0	6.12	13	PASS
Band2	5MHz	64QAM	19175	25RB#0	6.28	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.54	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.45	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.51	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.38	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.28	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.38	13	PASS
Band2	10MHz	64QAM	18650	50RB#0	6.47	13	PASS
Band2	10MHz	64QAM	18900	50RB#0	6.31	13	PASS
Band2	10MHz	64QAM	19150	50RB#0	6.44	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.93	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.67	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.74	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.89	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.76	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.79	13	PASS
Band2	15MHz	64QAM	18675	75RB#0	7.02	13	PASS
Band2	15MHz	64QAM	18900	75RB#0	6.92	13	PASS
Band2	15MHz	64QAM	19125	75RB#0	6.99	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	6.54	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	6.38	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	6.47	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	7.21	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	7.12	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	7.15	13	PASS
Band2	20MHz	64QAM	18700	100RB#0	7.34	13	PASS
Band2	20MHz	64QAM	18900	100RB#0	7.24	13	PASS
Band2	20MHz	64QAM	19100	100RB#0	7.31	13	PASS
Band4	1.4MHz	QPSK	19957	6RB#0	5.54	13	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	5.58	13	PASS
Band4	1.4MHz	QPSK	20393	6RB#0	5.45	13	PASS
Band4	1.4MHz	16QAM	19957	6RB#0	6.44	13	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	6.51	13	PASS
Band4	1.4MHz	16QAM	20393	6RB#0	6.35	13	PASS
Band4	1.4MHz	64QAM	19957	6RB#0	6.22	13	PASS
Band4	1.4MHz	64QAM	20175	6RB#0	6.38	13	PASS
Band4	1.4MHz	64QAM	20393	6RB#0	6.19	13	PASS
Band4	3MHz	QPSK	19965	15RB#0	5.64	13	PASS
Band4	3MHz	QPSK	20175	15RB#0	5.64	13	PASS
Band4	3MHz	QPSK	20385	15RB#0	5.74	13	PASS
Band4	3MHz	16QAM	19965	15RB#0	6.41	13	PASS
Band4	3MHz	16QAM	20175	15RB#0	6.31	13	PASS

Band4	3MHz	16QAM	20385	15RB#0	6.38	13	PASS
Band4	3MHz	64QAM	19965	15RB#0	6.31	13	PASS
Band4	3MHz	64QAM	20175	15RB#0	6.44	13	PASS
Band4	3MHz	64QAM	20385	15RB#0	6.31	13	PASS
Band4	5MHz	QPSK	19975	25RB#0	5.71	13	PASS
Band4	5MHz	QPSK	20175	25RB#0	5.80	13	PASS
Band4	5MHz	QPSK	20375	25RB#0	5.83	13	PASS
Band4	5MHz	16QAM	19975	25RB#0	6.44	13	PASS
Band4	5MHz	16QAM	20175	25RB#0	6.54	13	PASS
Band4	5MHz	16QAM	20375	25RB#0	6.60	13	PASS
Band4	5MHz	64QAM	19975	25RB#0	6.44	13	PASS
Band4	5MHz	64QAM	20175	25RB#0	6.54	13	PASS
Band4	5MHz	64QAM	20375	25RB#0	6.47	13	PASS
Band4	10MHz	QPSK	20000	50RB#0	5.54	13	PASS
Band4	10MHz	QPSK	20175	50RB#0	5.61	13	PASS
Band4	10MHz	QPSK	20350	50RB#0	5.51	13	PASS
Band4	10MHz	16QAM	20000	50RB#0	6.41	13	PASS
Band4	10MHz	16QAM	20175	50RB#0	6.44	13	PASS
Band4	10MHz	16QAM	20350	50RB#0	6.38	13	PASS
Band4	10MHz	64QAM	20000	50RB#0	6.51	13	PASS
Band4	10MHz	64QAM	20175	50RB#0	6.57	13	PASS
Band4	10MHz	64QAM	20350	50RB#0	6.54	13	PASS
Band4	15MHz	QPSK	20025	75RB#0	5.83	13	PASS
Band4	15MHz	QPSK	20175	75RB#0	5.87	13	PASS
Band4	15MHz	QPSK	20325	75RB#0	5.80	13	PASS
Band4	15MHz	16QAM	20025	75RB#0	6.83	13	PASS
Band4	15MHz	16QAM	20175	75RB#0	6.86	13	PASS
Band4	15MHz	16QAM	20325	75RB#0	6.79	13	PASS
Band4	15MHz	64QAM	20025	75RB#0	6.99	13	PASS
Band4	15MHz	64QAM	20175	75RB#0	7.05	13	PASS
Band4	15MHz	64QAM	20325	75RB#0	7.05	13	PASS
Band4	20MHz	QPSK	20050	100RB#0	6.51	13	PASS
Band4	20MHz	QPSK	20175	100RB#0	6.54	13	PASS
Band4	20MHz	QPSK	20300	100RB#0	6.51	13	PASS
Band4	20MHz	16QAM	20050	100RB#0	7.15	13	PASS
Band4	20MHz	16QAM	20175	100RB#0	7.18	13	PASS
Band4	20MHz	16QAM	20300	100RB#0	7.15	13	PASS
Band4	20MHz	64QAM	20050	100RB#0	7.28	13	PASS
Band4	20MHz	64QAM	20175	100RB#0	7.37	13	PASS
Band4	20MHz	64QAM	20300	100RB#0	7.28	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	4.84	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	4.94	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	4.65	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	5.71	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	5.83	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	5.54	13	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	5.74	13	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	5.77	13	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	5.58	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	4.84	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	4.97	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	4.65	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	5.71	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	5.77	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	5.51	13	PASS
Band5	3MHz	64QAM	20415	15RB#0	5.64	13	PASS

Band5	3MHz	64QAM	20525	15RB#0	5.71	13	PASS
Band5	3MHz	64QAM	20635	15RB#0	5.51	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.19	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.19	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.06	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	5.96	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.03	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	5.87	13	PASS
Band5	5MHz	64QAM	20425	25RB#0	5.93	13	PASS
Band5	5MHz	64QAM	20525	25RB#0	5.96	13	PASS
Band5	5MHz	64QAM	20625	25RB#0	5.83	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.38	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.38	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.42	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.25	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.28	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.28	13	PASS
Band5	10MHz	64QAM	20450	50RB#0	6.28	13	PASS
Band5	10MHz	64QAM	20525	50RB#0	6.31	13	PASS
Band5	10MHz	64QAM	20600	50RB#0	6.35	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.64	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.67	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	5.87	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	6.38	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	6.38	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	6.57	13	PASS
Band7	5MHz	64QAM	20775	25RB#0	6.44	13	PASS
Band7	5MHz	64QAM	21100	25RB#0	6.38	13	PASS
Band7	5MHz	64QAM	21425	25RB#0	6.47	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.61	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.58	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.58	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	6.38	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	6.41	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	6.38	13	PASS
Band7	10MHz	64QAM	20800	50RB#0	6.44	13	PASS
Band7	10MHz	64QAM	21100	50RB#0	6.47	13	PASS
Band7	10MHz	64QAM	21400	50RB#0	6.44	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.96	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.93	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.80	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	6.89	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	6.86	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	6.83	13	PASS
Band7	15MHz	64QAM	20825	75RB#0	7.02	13	PASS
Band7	15MHz	64QAM	21100	75RB#0	7.05	13	PASS
Band7	15MHz	64QAM	21375	75RB#0	6.96	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	6.63	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	6.60	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	6.44	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	7.24	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	7.18	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	7.08	13	PASS
Band7	20MHz	64QAM	20850	100RB#0	7.37	13	PASS
Band7	20MHz	64QAM	21100	100RB#0	7.37	13	PASS
Band7	20MHz	64QAM	21350	100RB#0	7.24	13	PASS

Band12	1.4MHz	QPSK	23017	6RB#0	5.29	13	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	5.51	13	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	5.03	13	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	6.12	13	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	6.41	13	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	5.90	13	PASS
Band12	1.4MHz	64QAM	23017	6RB#0	6.47	13	PASS
Band12	1.4MHz	64QAM	23095	6RB#0	6.70	13	PASS
Band12	1.4MHz	64QAM	23173	6RB#0	6.35	13	PASS
Band12	3MHz	QPSK	23025	15RB#0	4.94	13	PASS
Band12	3MHz	QPSK	23095	15RB#0	5.29	13	PASS
Band12	3MHz	QPSK	23165	15RB#0	4.71	13	PASS
Band12	3MHz	16QAM	23025	15RB#0	5.67	13	PASS
Band12	3MHz	16QAM	23095	15RB#0	6.06	13	PASS
Band12	3MHz	16QAM	23165	15RB#0	5.51	13	PASS
Band12	3MHz	64QAM	23025	15RB#0	5.32	13	PASS
Band12	3MHz	64QAM	23095	15RB#0	5.80	13	PASS
Band12	3MHz	64QAM	23165	15RB#0	5.03	13	PASS
Band12	5MHz	QPSK	23035	25RB#0	5.26	13	PASS
Band12	5MHz	QPSK	23095	25RB#0	5.42	13	PASS
Band12	5MHz	QPSK	23155	25RB#0	5.16	13	PASS
Band12	5MHz	16QAM	23035	25RB#0	5.96	13	PASS
Band12	5MHz	16QAM	23095	25RB#0	6.19	13	PASS
Band12	5MHz	16QAM	23155	25RB#0	5.90	13	PASS
Band12	5MHz	64QAM	23035	25RB#0	8.43	13	PASS
Band12	5MHz	64QAM	23095	25RB#0	8.46	13	PASS
Band12	5MHz	64QAM	23155	25RB#0	5.48	13	PASS
Band12	10MHz	QPSK	23060	50RB#0	5.42	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.45	13	PASS
Band12	10MHz	QPSK	23130	50RB#0	5.35	13	PASS
Band12	10MHz	16QAM	23060	50RB#0	6.22	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.31	13	PASS
Band12	10MHz	16QAM	23130	50RB#0	6.25	13	PASS
Band12	10MHz	64QAM	23060	50RB#0	6.19	13	PASS
Band12	10MHz	64QAM	23095	50RB#0	6.28	13	PASS
Band12	10MHz	64QAM	23130	50RB#0	6.19	13	PASS
Band13	5MHz	QPSK	23205	25RB#0	5.00	13	PASS
Band13	5MHz	QPSK	23230	25RB#0	5.22	13	PASS
Band13	5MHz	QPSK	23255	25RB#0	5.22	13	PASS
Band13	5MHz	16QAM	23205	25RB#0	5.77	13	PASS
Band13	5MHz	16QAM	23230	25RB#0	6.03	13	PASS
Band13	5MHz	16QAM	23255	25RB#0	5.99	13	PASS
Band13	5MHz	64QAM	23205	25RB#0	5.38	13	PASS
Band13	5MHz	64QAM	23230	25RB#0	5.61	13	PASS
Band13	5MHz	64QAM	23255	25RB#0	5.67	13	PASS
Band13	10MHz	QPSK	23230	50RB#0	5.26	13	PASS
Band13	10MHz	16QAM	23230	50RB#0	6.15	13	PASS
Band13	10MHz	64QAM	23230	50RB#0	6.03	13	PASS
Band17	5MHz	QPSK	23755	25RB#0	5.22	13	PASS
Band17	5MHz	QPSK	23790	25RB#0	5.19	13	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.90	13	PASS
Band17	5MHz	16QAM	23755	25RB#0	6.03	13	PASS
Band17	5MHz	16QAM	23790	25RB#0	5.96	13	PASS
Band17	5MHz	16QAM	23825	25RB#0	5.67	13	PASS
Band17	5MHz	64QAM	23755	25RB#0	5.90	13	PASS
Band17	5MHz	64QAM	23790	25RB#0	5.83	13	PASS

Band17	5MHz	64QAM	23825	25RB#0	5.51	13	PASS
Band17	10MHz	QPSK	23780	50RB#0	5.32	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	5.29	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	5.29	13	PASS
Band17	10MHz	16QAM	23780	50RB#0	6.25	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	6.22	13	PASS
Band17	10MHz	16QAM	23800	50RB#0	6.19	13	PASS
Band17	10MHz	64QAM	23780	50RB#0	6.25	13	PASS
Band17	10MHz	64QAM	23790	50RB#0	6.22	13	PASS
Band17	10MHz	64QAM	23800	50RB#0	6.19	13	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	5.22	13	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	5.51	13	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	5.26	13	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	6.09	13	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	6.38	13	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	6.15	13	PASS
Band26	1.4MHz	64QAM	26697	6RB#0	5.77	13	PASS
Band26	1.4MHz	64QAM	26740	6RB#0	6.19	13	PASS
Band26	1.4MHz	64QAM	26783	6RB#0	5.96	13	PASS
Band26	3MHz	QPSK	26705	15RB#0	5.19	13	PASS
Band26	3MHz	QPSK	26740	15RB#0	5.42	13	PASS
Band26	3MHz	QPSK	26775	15RB#0	5.10	13	PASS
Band26	3MHz	16QAM	26705	15RB#0	5.96	13	PASS
Band26	3MHz	16QAM	26740	15RB#0	6.15	13	PASS
Band26	3MHz	16QAM	26775	15RB#0	5.87	13	PASS
Band26	3MHz	64QAM	26705	15RB#0	5.54	13	PASS
Band26	3MHz	64QAM	26740	15RB#0	5.93	13	PASS
Band26	3MHz	64QAM	26775	15RB#0	5.71	13	PASS
Band26	5MHz	QPSK	26715	25RB#0	5.45	13	PASS
Band26	5MHz	QPSK	26740	25RB#0	5.48	13	PASS
Band26	5MHz	QPSK	26765	25RB#0	5.35	13	PASS
Band26	5MHz	16QAM	26715	25RB#0	6.22	13	PASS
Band26	5MHz	16QAM	26740	25RB#0	6.25	13	PASS
Band26	5MHz	16QAM	26765	25RB#0	6.09	13	PASS
Band26	5MHz	64QAM	26715	25RB#0	5.93	13	PASS
Band26	5MHz	64QAM	26740	25RB#0	6.06	13	PASS
Band26	5MHz	64QAM	26765	25RB#0	5.96	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	5.32	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	6.19	13	PASS
Band26	10MHz	64QAM	26740	50RB#0	6.12	13	PASS
Band38	5MHz	QPSK	37775	25RB#0	9.08	13	PASS
Band38	5MHz	QPSK	38000	25RB#0	8.94	13	PASS
Band38	5MHz	QPSK	38225	25RB#0	9.02	13	PASS
Band38	5MHz	16QAM	37775	25RB#0	9.34	13	PASS
Band38	5MHz	16QAM	38000	25RB#0	9.05	13	PASS
Band38	5MHz	16QAM	38225	25RB#0	9.14	13	PASS
Band38	5MHz	64QAM	37775	25RB#0	5.49	13	PASS
Band38	5MHz	64QAM	38000	25RB#0	5.35	13	PASS
Band38	5MHz	64QAM	38225	25RB#0	5.57	13	PASS
Band38	10MHz	QPSK	37800	50RB#0	8.95	13	PASS
Band38	10MHz	QPSK	38000	50RB#0	8.93	13	PASS
Band38	10MHz	QPSK	38200	50RB#0	8.68	13	PASS
Band38	10MHz	16QAM	37800	50RB#0	9.17	13	PASS
Band38	10MHz	16QAM	38000	50RB#0	9.08	13	PASS
Band38	10MHz	16QAM	38200	50RB#0	9.05	13	PASS
Band38	10MHz	64QAM	37800	50RB#0	5.57	13	PASS

Band38	10MHz	64QAM	38000	50RB#0	5.47	13	PASS
Band38	10MHz	64QAM	38200	50RB#0	5.60	13	PASS
Band38	15MHz	QPSK	37825	75RB#0	8.89	13	PASS
Band38	15MHz	QPSK	38000	75RB#0	8.89	13	PASS
Band38	15MHz	QPSK	38175	75RB#0	9.01	13	PASS
Band38	15MHz	16QAM	37825	75RB#0	9.07	13	PASS
Band38	15MHz	16QAM	38000	75RB#0	8.95	13	PASS
Band38	15MHz	16QAM	38175	75RB#0	9.25	13	PASS
Band38	15MHz	64QAM	37825	75RB#0	5.35	13	PASS
Band38	15MHz	64QAM	38000	75RB#0	5.30	13	PASS
Band38	15MHz	64QAM	38175	75RB#0	5.46	13	PASS
Band38	20MHz	QPSK	37850	100RB#0	8.72	13	PASS
Band38	20MHz	QPSK	38000	100RB#0	8.82	13	PASS
Band38	20MHz	QPSK	38150	100RB#0	8.87	13	PASS
Band38	20MHz	16QAM	37850	100RB#0	8.91	13	PASS
Band38	20MHz	16QAM	38000	100RB#0	8.94	13	PASS
Band38	20MHz	16QAM	38150	100RB#0	8.91	13	PASS
Band38	20MHz	64QAM	37850	100RB#0	6.42	13	PASS
Band38	20MHz	64QAM	38000	100RB#0	5.33	13	PASS
Band38	20MHz	64QAM	38150	100RB#0	5.35	13	PASS
Band41	5MHz	QPSK	40065	25RB#0	5.12	13	PASS
Band41	5MHz	QPSK	40590	25RB#0	5.38	13	PASS
Band41	5MHz	QPSK	41215	25RB#0	5.17	13	PASS
Band41	5MHz	16QAM	40065	25RB#0	5.92	13	PASS
Band41	5MHz	16QAM	40590	25RB#0	6.05	13	PASS
Band41	5MHz	16QAM	41215	25RB#0	5.92	13	PASS
Band41	5MHz	64QAM	40065	25RB#0	5.14	13	PASS
Band41	5MHz	64QAM	40590	25RB#0	5.53	13	PASS
Band41	5MHz	64QAM	41215	25RB#0	5.17	13	PASS
Band41	10MHz	QPSK	40090	50RB#0	5.38	13	PASS
Band41	10MHz	QPSK	40590	50RB#0	5.48	13	PASS
Band41	10MHz	QPSK	41190	50RB#0	5.37	13	PASS
Band41	10MHz	16QAM	40090	50RB#0	6.15	13	PASS
Band41	10MHz	16QAM	40590	50RB#0	6.21	13	PASS
Band41	10MHz	16QAM	41190	50RB#0	6.18	13	PASS
Band41	10MHz	64QAM	40090	50RB#0	5.36	13	PASS
Band41	10MHz	64QAM	40590	50RB#0	5.54	13	PASS
Band41	10MHz	64QAM	41190	50RB#0	5.36	13	PASS
Band41	15MHz	QPSK	40115	75RB#0	5.25	13	PASS
Band41	15MHz	QPSK	40590	75RB#0	5.39	13	PASS
Band41	15MHz	QPSK	41165	75RB#0	5.20	13	PASS
Band41	15MHz	16QAM	40115	75RB#0	6.13	13	PASS
Band41	15MHz	16QAM	40590	75RB#0	6.16	13	PASS
Band41	15MHz	16QAM	41165	75RB#0	6.05	13	PASS
Band41	15MHz	64QAM	40115	75RB#0	5.25	13	PASS
Band41	15MHz	64QAM	40590	75RB#0	5.37	13	PASS
Band41	15MHz	64QAM	41165	75RB#0	5.19	13	PASS
Band41	20MHz	QPSK	40140	100RB#0	5.31	13	PASS
Band41	20MHz	QPSK	40590	100RB#0	5.29	13	PASS
Band41	20MHz	QPSK	41140	100RB#0	5.31	13	PASS
Band41	20MHz	16QAM	40140	100RB#0	6.35	13	PASS
Band41	20MHz	16QAM	40590	100RB#0	6.38	13	PASS
Band41	20MHz	16QAM	41140	100RB#0	6.34	13	PASS
Band41	20MHz	64QAM	40140	100RB#0	5.30	13	PASS
Band41	20MHz	64QAM	40590	100RB#0	5.33	13	PASS
Band41	20MHz	64QAM	41140	100RB#0	5.29	13	PASS