



24.11. Band Edge for SA (NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.5	18.27	30	Pass	401
716	717	0.02	RMS	716	-37.93	-13	Pass	401
717	741	0.1	RMS	717	-54.05	-13	Pass	401



24.12. Band Edge for SA (NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	705.1	0.28	30	Pass	401
716	717	0.15	RMS	716.065	-36.22	-13	Pass	401
717	741	0.1	RMS	717.18	-39.91	-13	Pass	401



25. n66 15kHz


25.1. Band Edge for SA (NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-40.46	-13	Pass	401
1708	1709	1	RMS	1709	-40.11	-13	Pass	2
1709	1710	0.05	RMS	1710	-22.64	-13	Pass	21
1710	1730	1	RMS	1710.35	19.91	30	Pass	401




25.2. Band Edge for SA (NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.77	-30.26	-13	Pass	401
1708	1709	1	RMS	1709	-30.29	-13	Pass	2
1709	1710	0.051	RMS	1710	-35.34	-13	Pass	401
1710	1730	1	RMS	1713.4	13.27	30	Pass	401




25.3. Band Edge for SA (NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	19.98	30	Pass	401
1780	1781	0.05	RMS	1780	-24.55	-13	Pass	21
1781	1782	1	RMS	1781	-40.38	-13	Pass	2
1782	1805	1	RMS	1782	-41.32	-13	Pass	401




25.4. Band Edge for SA (NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.35	13.39	30	Pass	401
1780	1781	0.051	RMS	1780	-37.47	-13	Pass	401
1781	1782	1	RMS	1781	-30.76	-13	Pass	2
1782	1805	1	RMS	1782	-31.86	-13	Pass	401




25.5. Band Edge for SA (NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1703.515	-42.91	-13	Pass	401
1708	1709	1	RMS	1709	-42.3	-13	Pass	2
1709	1710	0.15	RMS	1710	-23.83	-13	Pass	401
1710	1730	1	RMS	1710.45	19.92	30	Pass	401




25.6. Band Edge for SA (NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.885	-35.07	-13	Pass	401
1708	1709	1	RMS	1709	-35.1	-13	Pass	2
1709	1710	0.15	RMS	1710	-40.08	-13	Pass	401
1710	1730	1	RMS	1719.35	8.32	30	Pass	401




25.7. Band Edge for SA (NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	20.01	30	Pass	401
1780	1781	0.15	RMS	1780.003	-25.69	-13	Pass	401
1781	1782	1	RMS	1781	-42.53	-13	Pass	2
1782	1805	1	RMS	1786.428	-43.38	-13	Pass	401




25.8. Band Edge for SA (NTNV)(Subtest:4, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1773.5	8.42	30	Pass	401
1780	1781	0.15	RMS	1780	-39.75	-13	Pass	401
1781	1782	1	RMS	1781	-35.37	-13	Pass	2
1782	1805	1	RMS	1782.288	-34.95	-13	Pass	401




25.9. Band Edge for SA (NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1701.33	-43.63	-13	Pass	401
1708	1709	1	RMS	1709	-42.43	-13	Pass	2
1709	1710	0.2	RMS	1710	-26.17	-13	Pass	6
1710	1730	1	RMS	1710.45	19.94	30	Pass	401




25.10. Band Edge for SA (NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.138	-34.91	-13	Pass	401
1708	1709	1	RMS	1709	-35.01	-13	Pass	2
1709	1710	0.2	RMS	1709.633	-39.85	-13	Pass	401
1710	1730	1	RMS	1718.65	7.03	30	Pass	401




25.11. Band Edge for SA (NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20.01	30	Pass	401
1780	1781	0.2	RMS	1780	-27.77	-13	Pass	6
1781	1782	1	RMS	1781	-42.79	-13	Pass	2
1782	1805	1	RMS	1788.67	-43.57	-13	Pass	401



25.12. Band Edge for SA (NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1773.8	7.1	30	Pass	401
1780	1781	0.2	RMS	1780.08	-39.95	-13	Pass	401
1781	1782	1	RMS	1781	-35.48	-13	Pass	2
1782	1805	1	RMS	1782.575	-34.16	-13	Pass	401



26. n38_PC3


26.1. Band Edge for SA (NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2560	1	RMS	2560	-46.06	-25	Pass	401
2560	2565	1	RMS	2565	-44.47	-13	Pass	401
2565	2569	1	RMS	2569	-39.01	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-25.55	-10	Pass	401
2570	2610	1	RMS	2570.9	20.58	30	Pass	401




26.2. Band Edge for SA (NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2560	1	RMS	2559.475	-40.03	-25	Pass	401
2560	2565	1	RMS	2564.988	-34.3	-13	Pass	401
2565	2569	1	RMS	2569	-32.25	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-36.52	-10	Pass	401
2570	2610	1	RMS	2578.1	10.28	30	Pass	401




26.3. Band Edge for SA (NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619.1	20.6	30	Pass	401
2620	2621	0.2	RMS	2620	-54.16	-10	Pass	6
2621	2625	1	RMS	2621	-39.87	-10	Pass	5
2625	2630	1	RMS	2625.013	-44.3	-13	Pass	401
2630	2665	1	RMS	2630	-45.71	-25	Pass	401




26.4. Band Edge for SA (NTNV)(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2611.8	10.27	30	Pass	401
2620	2621	0.2	RMS	2620.8	-54.76	-10	Pass	6
2621	2625	1	RMS	2621	-33.06	-10	Pass	5
2625	2630	1	RMS	2625.063	-34.42	-13	Pass	401
2630	2665	1	RMS	2630.175	-39.38	-25	Pass	401




26.5. Band Edge for SA (NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.813	-48.1	-25	Pass	401
2550	2565	1	RMS	2562	-41.74	-13	Pass	401
2565	2569	1	RMS	2569	-40.94	-10	Pass	5
2569	2570	0.39	RMS	2569.993	-24.2	-10	Pass	401
2570	2610	1	RMS	2571	20.53	30	Pass	401




26.6. Band Edge for SA (NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.813	-41.39	-25	Pass	401
2550	2565	1	RMS	2564.888	-34.86	-13	Pass	401
2565	2569	1	RMS	2569	-35.62	-10	Pass	5
2569	2570	0.39	RMS	2569.928	-37	-10	Pass	401
2570	2610	1	RMS	2583.1	6.93	30	Pass	401




26.7. Band Edge for SA (NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	20.55	30	Pass	401
2620	2621	0.4	RMS	2620	-34.36	-10	Pass	4
2621	2625	1	RMS	2621	-41.46	-10	Pass	5
2625	2640	1	RMS	2628.038	-41.42	-13	Pass	401
2640	2665	1	RMS	2640.125	-48.15	-25	Pass	401




26.8. Band Edge for SA (NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2604.5	7.08	30	Pass	401
2620	2621	0.4	RMS	2620.667	-40.38	-10	Pass	4
2621	2625	1	RMS	2621	-35.65	-10	Pass	5
2625	2640	1	RMS	2625.3	-35.93	-13	Pass	401
2640	2665	1	RMS	2640.188	-41.61	-25	Pass	401




26.9. Band Edge for SA (NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.338	-48.74	-25	Pass	401
2530	2565	1	RMS	2552.138	-43.12	-13	Pass	401
2565	2569	1	RMS	2569	-37.73	-10	Pass	5
2569	2570	0.8	RMS	2570	-16.68	-10	Pass	3
2570	2610	1	RMS	2571.1	20.53	30	Pass	401




26.10. Band Edge for SA (NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.9	-43.67	-25	Pass	401
2530	2565	1	RMS	2560.713	-37.18	-13	Pass	401
2565	2569	1	RMS	2569	-37.74	-10	Pass	5
2569	2570	0.82	RMS	2570	-21.78	-10	Pass	401
2570	2610	1	RMS	2577.3	3.78	30	Pass	401




26.11. Band Edge for SA (NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	20.5	30	Pass	401
2620	2621	0.8	RMS	2620	-18.11	-10	Pass	3
2621	2625	1	RMS	2621	-37.34	-10	Pass	5
2625	2660	1	RMS	2637.775	-42.9	-13	Pass	401
2660	2665	1	RMS	2661.15	-48.23	-25	Pass	401



26.12. Band Edge for SA (NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2592.2	3.87	30	Pass	401
2620	2621	0.8	RMS	2620	-36.68	-10	Pass	3
2621	2625	1	RMS	2621	-37.88	-10	Pass	5
2625	2660	1	RMS	2625.7	-37.16	-13	Pass	401
2660	2665	1	RMS	2660.725	-44.9	-25	Pass	401



27. n41


27.1. Band Edge for SA (NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2488.013	-41.76	-25	Pass	401
2490.5	2495	1	RMS	2495	-35.03	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-42.29	-13	Pass	401
2496	2596	1	RMS	2497	20.45	30	Pass	401




27.2. Band Edge for SA (NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.251	-35.8	-25	Pass	401
2490.5	2495	1	RMS	2494.123	-33.45	-13	Pass	401
2495	2496	0.4	RMS	2496	-38.64	-13	Pass	4
2496	2596	1	RMS	2513.25	8	30	Pass	401




27.3. Band Edge for SA (NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.44	30	Pass	401
2690	2691	0.1	RMS	2690	-39.66	-13	Pass	401
2691	2695	1	RMS	2691	-35.3	-13	Pass	401
2695	2710	1	RMS	2697.963	-41.22	-13	Pass	401
2710	2795	1	RMS	2757.813	-47.87	-25	Pass	401




27.4. Band Edge for SA (NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673	7.95	30	Pass	401
2690	2691	0.4	RMS	2690.667	-41.7	-13	Pass	4
2691	2695	1	RMS	2691.06	-34.58	-13	Pass	401
2695	2710	1	RMS	2695.113	-37.02	-13	Pass	401
2710	2715	1	RMS	2710.475	-42.97	-25	Pass	401
2715	2795	1	RMS	2715.4	-46.66	-25	Pass	401




27.5. Band Edge for SA (NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2489.256	-46.52	-25	Pass	401
2490.5	2495	1	RMS	2495	-33.63	-13	Pass	401
2495	2496	0.051	RMS	2496	-38.65	-13	Pass	401
2496	2596	1	RMS	2497	20.28	30	Pass	401




27.6. Band Edge for SA (NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2489.754	-38.47	-25	Pass	401
2490.5	2495	1	RMS	2493.628	-36.56	-13	Pass	401
2495	2496	1.2	RMS	2496	-33.19	-13	Pass	2
2496	2596	1	RMS	2526.5	2.57	30	Pass	401




27.7. Band Edge for SA (NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.33	30	Pass	401
2690	2691	0.1	RMS	2690	-38.63	-13	Pass	401
2691	2695	1	RMS	2691	-35.47	-13	Pass	401
2695	2750	1	RMS	2695	-45.83	-13	Pass	401
2750	2795	1	RMS	2763.613	-47.83	-25	Pass	401




27.8. Band Edge for SA (NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2655.75	2.44	30	Pass	401
2690	2691	1.2	RMS	2690	-36.11	-13	Pass	2
2691	2695	1	RMS	2693.37	-40.26	-13	Pass	401
2695	2750	1	RMS	2701.738	-41.24	-13	Pass	401
2750	2755	1	RMS	2754.688	-47.94	-25	Pass	401
2755	2795	1	RMS	2764.1	-47.82	-25	Pass	401




27.9. Band Edge for SA (NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2475.575	-45.92	-25	Pass	401
2490.5	2495	1	RMS	2494.989	-32.83	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-34.56	-13	Pass	401
2496	2596	1	RMS	2497	20.29	30	Pass	401




27.10. Band Edge for SA (NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2488.261	-40.7	-25	Pass	401
2490.5	2495	1	RMS	2494.55	-39.57	-13	Pass	401
2495	2496	1	RMS	2496	-37.72	-13	Pass	2
2496	2596	1	RMS	2517.75	0.51	30	Pass	401



27.11. Band Edge for SA (NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.34	30	Pass	401
2690	2691	0.1	RMS	2690.003	-31.17	-13	Pass	401
2691	2695	1	RMS	2691.01	-32.59	-13	Pass	401
2695	2790	1	RMS	2710.438	-43.53	-13	Pass	401
2790	2795	1	RMS	2790.388	-48	-25	Pass	401



27.12. Band Edge for SA (NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2592	1.27	30	Pass	401
2690	2691	1	RMS	2690	-38.4	-13	Pass	2
2691	2695	1	RMS	2692.16	-40.36	-13	Pass	401
2695	2790	1	RMS	2696.425	-40.99	-13	Pass	401
2790	2795	1	RMS	2794.688	-48.39	-25	Pass	401



28. n2 15kHz


28.1. Band Edge for SA (NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	0.1	RMS	1848.04	-46.72	-13	Pass	401
1849	1850	0.02	RMS	1850	-26.25	-13	Pass	401
1850	1870	0.1	RMS	1850.35	17.61	30	Pass	401




28.2. Band Edge for SA (NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	0.1	RMS	1848.88	-35.4	-13	Pass	401
1849	1850	0.051	RMS	1849.998	-33.87	-13	Pass	401
1850	1870	0.1	RMS	1852.3	3.52	30	Pass	401




28.3. Band Edge for SA (NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.65	17.56	30	Pass	401
1910	1911	0.02	RMS	1910	-28.05	-13	Pass	401
1911	1935	0.1	RMS	1911.9	-47.72	-13	Pass	401




28.4. Band Edge for SA (NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1905.65	3.61	30	Pass	401
1910	1911	0.051	RMS	1910.018	-33.22	-13	Pass	401
1911	1935	0.1	RMS	1911	-32.88	-13	Pass	401




28.5. Band Edge for SA (NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	0.1	RMS	1843.78	-49	-13	Pass	401
1849	1850	0.02	RMS	1850	-37.13	-13	Pass	401
1850	1870	0.1	RMS	1850.45	17.53	30	Pass	401




28.6. Band Edge for SA (NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	0.1	RMS	1848.94	-39.16	-13	Pass	401
1849	1850	0.15	RMS	1849.993	-36.55	-13	Pass	401
1850	1870	0.1	RMS	1859.3	-1.43	30	Pass	401




28.7. Band Edge for SA (NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.5	17.42	30	Pass	401
1910	1911	0.02	RMS	1910	-38.5	-13	Pass	401
1911	1935	0.1	RMS	1916.22	-49.36	-13	Pass	401




28.8. Band Edge for SA (NTNV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1895.95	-0.74	30	Pass	401
1910	1911	0.15	RMS	1910.01	-36.15	-13	Pass	401
1911	1935	0.1	RMS	1912.2	-38.78	-13	Pass	401




28.9. Band Edge for SA (NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	0.1	RMS	1841.62	-49.66	-13	Pass	401
1849	1850	0.02	RMS	1850	-37.72	-13	Pass	401
1850	1870	0.1	RMS	1850.55	17.57	30	Pass	401




28.10. Band Edge for SA (NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	0.1	RMS	1846.72	-40.95	-13	Pass	401
1849	1850	0.2	RMS	1849.995	-37.36	-13	Pass	401
1850	1870	0.1	RMS	1859.4	-2.64	30	Pass	401



28.11. Band Edge for SA (NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1909.45	17.47	30	Pass	401
1910	1911	0.02	RMS	1910	-39	-13	Pass	401
1911	1935	0.1	RMS	1911	-52.14	-13	Pass	401



28.12. Band Edge for SA (NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1892.8	-2.24	30	Pass	401
1910	1911	0.2	RMS	1910.528	-37.54	-13	Pass	401
1911	1935	0.1	RMS	1912.02	-41.24	-13	Pass	401



--BLANK BELOW--