



7.2 Test Graph

7.2.1 Duty Cycle_Band 5_Ant10




7.2.2 Contention Based Protocol_Detection Power_Band 5_Ant10


802.11be(EHT20)_MCH_6175MHz_Inject signal_6175MHz_Detection status_OFF




802.11be(EHT20)_MCH_6175MHz_Inject signal_6175MHz_Detection status_Minimal




802.11be(EHT20)_MCH_6175MHz_Inject signal_6175MHz_Detection status_ON




802.11be(EHT320)_LCH_6105MHz_Inject signal_5950MHz_Detection status_OFF




802.11be(EHT320)_LCH_6105MHz_Inject signal_5950MHz_Detection status_Minimal




802.11be(EHT320)_LCH_6105MHz_Inject signal_5950MHz_Detection status_ON




802.11be(EHT320)_LCH_6105MHz_Inject signal_6105MHz_Detection status_OFF




802.11be(EHT320)_LCH_6105MHz_Inject signal_6105MHz_Detection status_Minimal




802.11be(EHT320)_LCH_6105MHz_Inject signal_6105MHz_Detection status_ON




802.11be(EHT320)_LCH_6105MHz_Inject signal_6260MHz_Detection status_OFF



802.11be(EHT320)_LCH_6105MHz_Inject signal_6260MHz_Detection status_Minimal




802.11be(EHT320)_LCH_6105MHz_Inject signal_6260MHz_Detection status_ON




7.2.3 Contention Based Protocol_Detection Probability_Band 5_Ant10


802.11be(EHT20)_MCH_6175MHz_Inject signal_6175MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11be(EHT320)_LCH_6105MHz_Inject signal_5950MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




802.11be(EHT320)_LCH_6105MHz_Inject signal_6105MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected



802.11be(EHT320)_LCH_6105MHz_Inject signal_6260MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




7.2.4 Duty Cycle_Band 6_Ant10




7.2.5 Contention Based Protocol_Detection Power_Band 6_Ant10


802.11be(EHT20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_OFF



802.11be(EHT20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_Minimal




802.11be(EHT20)_MCH_6475MHz_Inject signal_6475MHz_Detection status_ON




7.2.6 Contention Based Protocol_Detection Probability_Band 6_Ant10

802.11be(EHT20)_MCH_6475MHz_Inject signal_6475MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




7.2.7 Duty Cycle_Band 7_Ant10




7.2.8 Contention Based Protocol_Detection Power_Band 7_Ant10


802.11be(EHT20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_OFF



802.11be(EHT20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_Minimal




802.11be(EHT20)_MCH_6695MHz_Inject signal_6695MHz_Detection status_ON




7.2.9 Contention Based Protocol_Detection Probability_Band 7_Ant10

802.11be(EHT20)_MCH_6695MHz_Inject signal_6695MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




7.2.10 Duty Cycle_Band 8_Ant10




7.2.11 Contention Based Protocol_Detection Power_Band 8_Ant10


802.11be(EHT20)_MCH_6995MHz_Inject signal_6995MHz_Detection status_OFF



802.11be(EHT20)_MCH_6995MHz_Inject signal_6995MHz_Detection status_Minimal




802.11be(EHT20)_MCH_6995MHz_Inject signal_6995MHz_Detection status_ON




7.2.12 Contention Based Protocol_Detection Probability_Band 8_Ant10

802.11be(EHT20)_MCH_6995MHz_Inject signal_6995MHz_- Inject Incumbent signal at 10th seconds and keep the signal continuously injected




Radiated Spurious Emissions Radiated emission below 1GHz Worst case Mode:



Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	49.1575	36.36	18.77	-34.18	20.95	40.00	19.05	211	342	Horizontal
2	58.615	30.77	17.64	-34.11	14.30	40.00	25.70	196	317	Horizontal
3	75.8325	33.03	15.25	-33.96	14.32	40.00	25.68	235	133	Horizontal
4	83.835	36.90	14.67	-33.89	17.67	40.00	22.33	187	342	Horizontal
5	138.64	33.42	18.46	-33.60	18.28	43.50	25.22	224	334	Horizontal
6	179.6225	37.85	16.58	-33.35	21.08	43.50	22.42	184	240	Horizontal



Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	33.1525	38.96	18.12	-34.18	22.90	40.00	17.10	205	252	Vertical
2	44.065	43.54	18.81	-34.18	28.17	40.00	11.83	199	144	Vertical
3	49.1575	47.98	18.77	-34.18	32.57	40.00	7.43	233	182	Vertical
4	55.22	38.11	18.20	-34.14	22.17	40.00	17.83	187	206	Vertical
5	84.32	43.21	14.73	-33.89	24.05	40.00	15.95	254	299	Vertical
6	99.84	35.13	14.58	-33.80	15.92	43.50	27.58	191	65	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)


Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Value(dBμV/m)

- 2) All channels have been tested, but only the worst case data displayed in this report.


Radiated emission Above 1GHz

11a_TX_CH_001_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10280.3333	38.95	38.04	-31.47	45.53	88.30	42.77	Horizontal
2	12005	38.35	38.41	-28.96	47.79	74.00	26.21	Horizontal
3	13756	38.39	40.13	-28.81	49.71	88.30	38.59	Horizontal

11a_TX_CH_001_Verical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10175	40.19	37.99	-31.67	46.51	88.30	41.79	Vertical
2	12055.6667	39.02	38.47	-29.08	48.40	74.00	25.60	Vertical
3	13783.3333	38.63	40.15	-28.80	49.98	88.30	38.32	Vertical

11a_TX_CH_045_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10006	40.03	37.90	-31.82	46.12	88.30	42.18	Horizontal
2	11237	37.23	38.40	-29.42	46.21	74.00	27.79	Horizontal
3	13805	38.62	40.16	-28.79	49.99	88.30	38.31	Horizontal

11a_TX_CH_045_Verical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10352.6667	39.09	38.08	-31.03	46.14	88.30	42.16	Vertical
2	11982.6667	38.88	38.40	-29.04	48.24	74.00	25.76	Vertical
3	13868.3333	38.84	40.21	-28.80	50.25	88.30	38.05	Vertical

11a_TX_CH_093_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9479.3333	42.34	37.74	-33.21	46.87	74.00	27.13	Horizontal
2	11990	39.29	38.40	-29.00	48.69	74.00	25.31	Horizontal
3	14808	38.63	40.14	-26.80	51.97	88.30	36.33	Horizontal
4	14858	28.58	40.13	-27.00	41.71	68.30	26.59	Horizontal

11a_TX_CH_093_Verical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10106.6667	40.03	37.95	-31.60	46.39	88.30	41.91	Vertical
2	11772	38.85	38.40	-29.46	47.79	74.00	26.21	Vertical
3	14226	39.60	40.25	-29.05	50.81	88.30	37.49	Vertical

11a_TX_CH_097_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9384	42.02	37.72	-33.04	46.70	74.00	27.30	Horizontal
2	11847.3333	39.36	38.40	-29.48	48.28	74.00	25.72	Horizontal
3	14872	38.26	40.13	-27.05	51.33	88.30	36.97	Horizontal
4	14854.3333	28.86	40.13	-26.98	42.01	68.30	26.29	Horizontal

11a_TX_CH_097_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9380.6667	44.35	37.71	-33.05	49.01	74.00	24.99	Vertical
2	11979.6667	39.08	38.40	-29.05	48.43	74.00	25.57	Vertical
3	14869.3333	37.81	40.13	-27.04	50.90	88.30	37.40	Vertical

11a_TX_CH_105_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9417.6667	42.76	37.73	-33.03	47.45	74.00	26.55	Horizontal
2	11835	38.51	38.40	-29.49	47.42	74.00	26.58	Horizontal
3	14311.6667	39.65	40.24	-28.35	51.54	88.30	36.76	Horizontal
4	14332.6667	29.86	40.23	-28.22	41.88	68.30	26.42	Horizontal

11a_TX_CH_105_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9355.3333	43.34	37.71	-33.14	47.91	74.00	26.09	Vertical
2	11964.6667	39.12	38.40	-29.13	48.39	74.00	25.61	Vertical
3	14392	39.38	40.22	-27.85	51.75	88.30	36.55	Vertical
4	14328.3333	29.81	40.23	-28.24	41.80	68.30	26.50	Vertical

11a_TX_CH_113_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9385	43.34	37.72	-33.03	48.02	74.00	25.98	Horizontal
2	11841.6667	39.54	38.40	-29.48	48.46	74.00	25.54	Horizontal
3	14862	37.98	40.13	-27.01	51.10	88.30	37.20	Horizontal
4	14854.6667	28.53	40.13	-26.98	41.68	68.30	26.62	Horizontal

11a_TX_CH_113_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9377.3333	43.41	37.71	-33.06	48.06	74.00	25.94	Vertical
2	11220.3333	39.47	38.40	-29.45	48.42	74.00	25.58	Vertical
3	14853	38.33	40.13	-26.98	51.48	88.30	36.82	Vertical
4	14870	29.61	40.13	-27.04	42.69	68.30	25.61	Vertical

11a_TX_CH_117_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9392.3333	43.25	37.72	-33.01	47.96	74.00	26.04	Horizontal
2	12201.3333	40.09	38.64	-29.13	49.60	74.00	24.40	Horizontal
3	14865.6667	38.38	40.13	-27.03	51.48	88.30	36.82	Horizontal
4	14872.3333	28.61	40.13	-27.05	41.68	68.30	26.62	Horizontal

11a_TX_CH_117_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9356	43.28	37.71	-33.14	47.85	74.00	26.15	Vertical
2	12152.6667	39.41	38.58	-29.16	48.83	74.00	25.17	Vertical
3	14790	38.63	40.14	-26.89	51.88	88.30	36.42	Vertical
4	14862.6667	29.25	40.13	-27.01	42.36	68.30	25.94	Vertical

11a_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9364.6667	43.21	37.71	-33.11	47.81	74.00	26.19	Horizontal
2	12003.6667	39.10	38.40	-28.96	48.55	74.00	25.45	Horizontal
3	14876.6667	39.14	40.12	-27.07	52.20	88.30	36.10	Horizontal
4	14878.3333	28.54	40.12	-27.08	41.59	68.30	26.71	Horizontal

11a_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9373.3333	43.64	37.71	-33.08	48.28	74.00	25.72	Vertical
2	11974.6667	39.42	38.40	-29.08	48.74	74.00	25.26	Vertical
3	14812.6667	38.29	40.14	-26.82	51.61	88.30	36.69	Vertical
4	14854.3333	29.17	40.13	-26.98	42.32	68.30	25.98	Vertical

11a_TX_CH_181_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9360	43.13	37.71	-33.12	47.71	74.00	26.29	Horizontal
2	11811	39.42	38.40	-29.50	48.32	74.00	25.68	Horizontal
3	14853.3333	38.47	40.13	-26.98	51.62	88.30	36.68	Horizontal
4	14802.3333	28.28	40.14	-26.78	41.64	68.30	26.66	Horizontal

11a_TX_CH_181_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9309.3333	43.66	37.69	-33.31	48.05	74.00	25.95	Vertical
2	11938	39.76	38.40	-29.27	48.89	74.00	25.11	Vertical
3	14874	38.60	40.13	-27.06	51.67	88.30	36.63	Vertical
4	14869.6667	29.04	40.13	-27.04	42.12	68.30	26.18	Vertical

11a_TX_CH_189_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9341.6667	43.29	37.70	-33.19	47.80	74.00	26.20	Horizontal
2	11566.3333	38.38	38.40	-29.18	47.60	74.00	26.40	Horizontal
3	14815	38.04	40.14	-26.83	51.35	88.30	36.95	Horizontal
4	14817.3333	28.44	40.14	-26.84	41.74	68.30	26.56	Horizontal

11a_TX_CH_189_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9359.3333	43.35	37.71	-33.13	47.93	74.00	26.07	Vertical
2	11669	39.53	38.40	-29.26	48.67	74.00	25.33	Vertical
3	14854.3333	38.36	40.13	-26.98	51.51	88.30	36.79	Vertical
4	14885.3333	29.65	40.12	-27.10	42.67	68.30	25.63	Vertical

11a_TX_CH_209_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9362	42.95	37.71	-33.12	47.54	74.00	26.46	Horizontal
2	12024.6667	39.16	38.43	-29.01	48.58	74.00	25.42	Horizontal
3	14914	39.35	40.12	-27.24	52.23	88.30	36.07	Horizontal
4	14877.3333	29.34	40.12	-27.07	42.39	68.30	25.91	Horizontal

11a_TX_CH_209_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9405.3333	43.48	37.72	-33.00	48.21	74.00	25.79	Vertical
2	12413.3333	39.36	38.90	-29.28	48.98	74.00	25.02	Vertical
3	14857	38.54	40.13	-26.99	51.68	88.30	36.62	Vertical
4	14906	29.25	40.12	-27.19	42.18	68.30	26.12	Vertical

11a_TX_CH_233_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9411.3333	42.70	37.72	-33.01	47.41	74.00	26.59	Horizontal
2	11423.3333	38.96	38.40	-29.81	47.55	74.00	26.45	Horizontal
3	14893	38.33	40.12	-27.13	51.32	88.30	36.98	Horizontal
4	14857.3333	28.81	40.13	-26.99	41.94	68.30	26.36	Horizontal

11a_TX_CH_233_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8556.6667	44.13	37.38	-34.56	46.95	88.30	41.35	Vertical
2	10775	39.09	38.29	-30.11	47.27	74.00	26.73	Vertical
3	14335	40.94	40.23	-28.20	52.97	88.30	35.33	Vertical
4	14330	30.34	40.23	-28.23	42.34	68.30	25.96	Vertical

11be(EHT20)_TX_CH_001_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9373	42.12	37.71	-33.08	46.75	74.00	27.25	Horizontal
2	11825.6667	38.10	38.40	-29.49	47.01	74.00	26.99	Horizontal
3	14916.3333	37.82	40.12	-27.25	50.69	88.30	37.61	Horizontal

11be(EHT20)_TX_CH_001_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9424	42.75	37.73	-33.05	47.43	74.00	26.57	Vertical
2	11908.6667	38.29	38.40	-29.42	47.27	74.00	26.73	Vertical
3	14901.3333	38.69	40.12	-27.17	51.64	88.30	36.66	Vertical
4	14918.3333	28.66	40.12	-27.26	41.52	68.30	26.78	Vertical

11be(EHT20)_TX_CH_045_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9369.3333	42.55	37.71	-33.09	47.17	74.00	26.83	Horizontal
2	11736.3333	37.76	38.40	-29.41	46.75	74.00	27.25	Horizontal
3	14844	37.62	40.13	-26.94	50.81	88.30	37.49	Horizontal

11be(EHT20)_TX_CH_045_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9367.6667	43.20	37.71	-33.10	47.81	74.00	26.19	Vertical
2	11796	37.83	38.40	-29.49	46.74	74.00	27.26	Vertical
3	14974.3333	38.59	40.11	-27.57	51.13	88.30	37.17	Vertical
4	14865.6667	28.48	40.13	-27.03	41.58	68.30	26.72	Vertical

11be(EHT20)_TX_CH_093_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9435.6667	41.68	37.73	-33.08	46.33	74.00	27.67	Horizontal
2	11983.3333	38.32	38.40	-29.03	47.69	74.00	26.31	Horizontal
3	14810.3333	37.40	40.14	-26.81	50.73	88.30	37.57	Horizontal

11be(EHT20)_TX_CH_093_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9394	43.11	37.72	-33.00	47.83	74.00	26.17	Vertical
2	11990	38.08	38.40	-29.00	47.48	74.00	26.52	Vertical
3	14875	38.26	40.12	-27.06	51.32	88.30	36.98	Vertical
4	14900	28.60	40.12	-27.16	41.56	68.30	26.74	Vertical

11be(EHT20)_TX_CH_097_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	4055.0625	40.51	31.39	-18.93	52.97	74.00	21.03	Horizontal
2	9434.6667	42.51	37.73	-33.08	47.16	74.00	26.84	Horizontal
3	12107	38.74	38.53	-29.19	48.08	74.00	25.92	Horizontal
4	14802.3333	37.73	40.14	-26.78	51.09	88.30	37.21	Horizontal
5	14842.3333	28.22	40.13	-26.94	41.42	68.30	26.88	Horizontal

11be(EHT20)_TX_CH_097_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9386.6667	43.90	37.72	-33.03	48.59	74.00	25.41	Vertical
2	11977.6667	38.62	38.40	-29.06	47.96	74.00	26.04	Vertical
3	14834	38.07	40.13	-26.90	51.30	88.30	37.00	Vertical
4	14907	28.70	40.12	-27.20	41.62	68.30	26.68	Vertical

11be(EHT20)_TX_CH_105_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9382.6667	43.70	37.71	-33.04	48.37	74.00	25.63	Horizontal
2	11302.6667	37.56	38.40	-29.33	46.63	74.00	27.37	Horizontal
3	14397.6667	38.81	40.22	-27.81	51.22	88.30	37.08	Horizontal
4	14344.3333	29.46	40.23	-28.15	41.55	68.30	26.75	Horizontal

11be(EHT20)_TX_CH_105_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9360.6667	43.81	37.71	-33.12	48.40	74.00	25.60	Vertical
2	12006	40.54	38.41	-28.96	49.98	74.00	24.02	Vertical
3	14873.6667	38.16	40.13	-27.06	51.23	88.30	37.07	Vertical
4	14918.6667	28.97	40.12	-27.26	41.82	68.30	26.48	Vertical

11be(EHT20)_TX_CH_113_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9432	43.23	37.73	-33.07	47.89	74.00	26.11	Horizontal
2	10692.3333	39.02	38.25	-30.35	46.92	74.00	27.08	Horizontal
3	13489.3333	39.14	39.94	-28.70	50.39	88.30	37.91	Horizontal

11be(EHT20)_TX_CH_113_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9361.3333	43.82	37.71	-33.12	48.41	74.00	25.59	Vertical
2	11681.6667	39.58	38.40	-29.30	48.68	74.00	25.32	Vertical
3	14903.6667	38.55	40.12	-27.18	51.49	88.30	36.81	Vertical
4	14912	29.37	40.12	-27.23	42.26	68.30	26.04	Vertical

11be(EHT20)_TX_CH_117_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9414.3333	43.37	37.72	-33.02	48.07	74.00	25.93	Horizontal
2	10692.6667	39.38	38.25	-30.35	47.28	74.00	26.72	Horizontal
3	12952.6667	39.37	39.54	-29.38	49.54	88.30	38.76	Horizontal

11be(EHT20)_TX_CH_117_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9362.6667	43.61	37.71	-33.11	48.20	74.00	25.80	Vertical
2	10809	38.77	38.30	-30.05	47.03	74.00	26.97	Vertical
3	13208.3333	39.01	39.75	-28.75	50.00	88.30	38.30	Vertical

11be(EHT20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9936	41.94	37.88	-32.02	47.81	88.30	40.49	Horizontal
2	11690	38.96	38.40	-29.33	48.03	74.00	25.97	Horizontal
3	13161.3333	40.10	39.71	-28.86	50.95	88.30	37.35	Horizontal

11be(EHT20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9878	42.10	37.86	-32.22	47.74	88.30	40.56	Vertical
2	11295.6667	39.21	38.40	-29.32	48.29	74.00	25.71	Vertical
3	13140.3333	39.91	39.70	-28.95	50.66	88.30	37.64	Vertical

11be(EHT20)_TX_CH_181_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9367	44.69	37.71	-33.10	49.30	74.00	24.70	Horizontal
2	11701.6667	40.33	38.40	-29.36	49.37	74.00	24.63	Horizontal
3	14358.6667	40.38	40.23	-28.06	52.55	88.30	35.75	Horizontal
4	14374.3333	30.91	40.23	-27.96	43.18	68.30	25.12	Horizontal

11be(EHT20)_TX_CH_181_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9463.3333	45.08	37.74	-33.16	49.66	74.00	24.34	Vertical
2	11323	40.57	38.40	-29.45	49.52	74.00	24.48	Vertical
3	14305.6667	40.62	40.24	-28.38	52.47	88.30	35.83	Vertical
4	14338.6667	31.32	40.23	-28.18	43.37	68.30	24.93	Vertical


11be(EHT20)_TX_CH_189_Horizontal



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8868	44.94	37.53	-34.21	48.27	88.30	40.03	Horizontal
2	10685.3333	41.03	38.24	-30.37	48.90	74.00	25.10	Horizontal
3	13806	40.81	40.16	-28.79	52.18	88.30	36.12	Horizontal
4	13696.3333	30.62	40.09	-28.83	41.88	68.30	26.42	Horizontal

11be(EHT20)_TX_CH_189_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8640.6667	45.99	37.42	-34.37	49.04	88.30	39.26	Vertical
2	11281	40.01	38.40	-29.34	49.07	74.00	24.93	Vertical
3	13373.6667	41.40	39.86	-29.18	52.08	74.00	21.92	Vertical
4	13495	31.71	39.95	-28.67	42.99	68.30	25.31	Vertical

11be(EHT20)_TX_CH_209_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9374.6667	44.73	37.71	-33.07	49.37	74.00	24.63	Horizontal
2	11270	39.84	38.40	-29.36	48.88	74.00	25.12	Horizontal
3	14362	40.27	40.23	-28.04	52.46	88.30	35.84	Horizontal
4	14309.6667	31.14	40.24	-28.36	43.02	68.30	25.28	Horizontal

11be(EHT20)_TX_CH_209_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9398.3333	44.54	37.72	-32.99	49.27	74.00	24.73	Vertical
2	11347.3333	41.01	38.40	-29.60	49.81	74.00	24.19	Vertical
3	14343.6667	39.83	40.23	-28.15	51.91	88.30	36.39	Vertical
4	14314.3333	31.41	40.24	-28.33	43.32	68.30	24.98	Vertical

11be(EHT20)_TX_CH_233_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9309	41.95	37.69	-33.31	46.34	74.00	27.66	Horizontal
2	11913.3333	37.81	38.40	-29.39	46.82	74.00	27.18	Horizontal
3	14792.6667	37.05	40.14	-26.86	50.33	88.30	37.97	Horizontal

11be(EHT20)_TX_CH_233_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9376.6667	42.64	37.71	-33.06	47.29	74.00	26.71	Vertical
2	12137.3333	38.08	38.56	-29.17	47.48	74.00	26.52	Vertical
3	14932.6667	37.60	40.11	-27.34	50.37	88.30	37.93	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Level} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB}/\text{m}) + \text{Factor}(\text{dB})$$


$$\text{AF} = \text{Antenna Factor}(\text{dB}/\text{m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V}/\text{m}) - \text{Level}(\text{dB}\mu\text{V}/\text{m})$$
- All channels have been tested, but only the worst case data displayed in this report.


Restricted bands around fundamental frequency

11a_TX_CH_001_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.02	39.96	34.51	-14.53	59.94	88.30	28.36	Horizontal
2	5923	38.92	34.54	-14.54	58.92	88.30	29.38	Horizontal

11a_TX_CH_001_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5906.48	27.24	34.48	-14.53	47.19	68.30	21.11	Horizontal
2	5921.6	27.37	34.53	-14.54	47.37	68.30	20.93	Horizontal

11a_TX_CH_001_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.4	39.23	34.50	-14.53	59.19	88.30	29.11	Vertical
2	5923.28	38.82	34.54	-14.54	58.82	88.30	29.48	Vertical

11a_TX_CH_001_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.94	27.57	34.48	-14.53	47.52	68.30	20.78	Vertical
2	5922.16	27.23	34.54	-14.54	47.23	68.30	21.07	Vertical

11a_TX_CH_233_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	38.29	36.15	-14.45	59.99	88.30	28.31	Horizontal
2	7134.12	38.87	36.16	-14.41	60.62	88.30	27.68	Horizontal

11a_TX_CH_233_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	27.63	36.15	-14.45	49.33	68.30	18.97	Horizontal
2	7132.635	27.45	36.16	-14.42	49.19	68.30	19.11	Horizontal

11a_TX_CH_233_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	28.70	36.15	-14.45	50.40	68.30	17.90	Vertical
2	7136.595	27.66	36.16	-14.40	49.42	68.30	18.88	Vertical

11a_TX_CH_233_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	41.39	36.15	-14.45	63.09	88.30	25.21	Vertical
2	7132.635	39.64	36.16	-14.42	61.38	88.30	26.92	Vertical

11be(EHT20)_TX_CH_001_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.64	38.73	34.50	-14.53	58.70	88.30	29.60	Horizontal
2	5923	39.02	34.54	-14.54	59.02	88.30	29.28	Horizontal

11be(EHT20)_TX_CH_001_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916	27.31	34.51	-14.53	47.29	68.30	21.01	Horizontal
2	5924.12	27.28	34.54	-14.54	47.28	68.30	21.02	Horizontal

11be(EHT20)_TX_CH_001_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5911.1	27.21	34.50	-14.53	47.17	68.30	21.13	Vertical
2	5923.84	27.36	34.54	-14.54	47.36	68.30	20.94	Vertical

11be(EHT20)_TX_CH_001_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5911.52	39.09	34.50	-14.53	59.06	88.30	29.24	Vertical
2	5923.7	39.46	34.54	-14.54	59.46	88.30	28.84	Vertical

11be(EHT40)_TX_CH_003_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.635	38.71	34.50	-14.53	58.67	88.30	29.63	Horizontal
2	5923.835	38.81	34.54	-14.54	58.81	88.30	29.49	Horizontal

11be(EHT40)_TX_CH_003_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5914.595	27.56	34.51	-14.53	47.54	68.30	20.76	Horizontal
2	5923.34	27.67	34.54	-14.54	47.67	68.30	20.63	Horizontal

11be(EHT40)_TX_CH_003_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5909.81	27.56	34.49	-14.53	47.52	68.30	20.78	Vertical
2	5924.165	27.56	34.54	-14.54	47.56	68.30	20.74	Vertical

11be(EHT40)_TX_CH_003_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5906.015	39.13	34.48	-14.53	59.08	88.30	29.22	Vertical
2	5922.845	38.78	34.54	-14.54	58.78	88.30	29.52	Vertical

11be(EHT80)_TX_CH_007_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895.08	39.26	34.44	-14.53	59.18	88.30	29.12	Horizontal
2	5922.92	39.98	34.54	-14.54	59.98	88.30	28.32	Horizontal

11be(EHT80)_TX_CH_007_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.04	28.51	34.47	-14.53	48.45	68.30	19.85	Horizontal
2	5922.6	28.71	34.54	-14.54	48.71	68.30	19.59	Horizontal

11be(EHT80)_TX_CH_007_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5907.56	28.28	34.49	-14.53	48.23	68.30	20.07	Vertical
2	5923.88	28.49	34.54	-14.54	48.49	68.30	19.81	Vertical

11be(EHT80)_TX_CH_007_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5903.08	38.60	34.47	-14.53	58.54	88.30	29.76	Vertical
2	5922.28	38.82	34.54	-14.54	58.82	88.30	29.48	Vertical

11be(EHT160)_TX_CH_015_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895.16	39.68	34.44	-14.53	59.60	88.30	28.70	Horizontal
2	5921.44	39.40	34.53	-14.54	59.40	88.30	28.90	Horizontal

11be(EHT160)_TX_CH_015_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.16	28.21	34.47	-14.53	48.15	68.30	20.15	Horizontal
2	5922.52	28.31	34.54	-14.54	48.31	68.30	19.99	Horizontal

11be(EHT160)_TX_CH_015_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5896.96	28.09	34.45	-14.53	48.01	68.30	20.29	Vertical
2	5921.8	28.12	34.53	-14.54	48.12	68.30	20.18	Vertical

11be(EHT160)_TX_CH_015_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.04	39.66	34.45	-14.53	59.58	88.30	28.72	Vertical
2	5924.68	39.79	34.54	-14.54	59.80	88.30	28.50	Vertical

11be(EHT320)_TX_CH_031_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5894.2	39.02	34.44	-14.53	58.93	88.30	29.37	Horizontal
2	5924.36	40.37	34.54	-14.54	60.38	88.30	27.92	Horizontal

11be(EHT320)_TX_CH_031_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5895.76	27.40	34.45	-14.53	47.32	68.30	20.98	Horizontal
2	5918.64	27.31	34.52	-14.54	47.30	68.30	21.00	Horizontal

11be(EHT320)_TX_CH_031_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5886.92	27.55	34.42	-14.52	47.45	68.30	20.85	Vertical
2	5923.32	27.43	34.54	-14.54	47.43	68.30	20.87	Vertical

11be(EHT320)_TX_CH_031_Vertica_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5892.64	38.56	34.43	-14.52	58.47	88.30	29.83	Vertical
2	5921.76	38.86	34.53	-14.54	58.86	88.30	29.44	Vertical