

## Effective (Isotropic) Radiated Power Output Data for SA

### Test Result

Ant 1

| Band        | SCS | Bandwidth | Modulation  | Channel | RB Config | Power (dBm) | ERP (dbm) | Limit (dBm) | Verdict |
|-------------|-----|-----------|-------------|---------|-----------|-------------|-----------|-------------|---------|
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | L       | 1@1       | 24.84       | 17.19     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | L       | 1@23      | 24.84       | 17.19     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | L       | 25@0      | 24.40       | 16.75     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | L       | 1@1       | 24.96       | 17.31     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | L       | 1@23      | 24.97       | 17.32     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | L       | 25@0      | 23.88       | 16.23     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | L       | 1@1       | 23.52       | 15.87     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | L       | 1@23      | 23.46       | 15.81     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | L       | 25@0      | 22.86       | 15.21     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | L       | 1@1       | 22.27       | 14.62     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | L       | 1@23      | 22.18       | 14.53     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | L       | 25@0      | 22.38       | 14.73     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | L       | 1@1       | 22.30       | 14.65     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | L       | 1@23      | 22.30       | 14.65     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | L       | 25@0      | 22.39       | 14.74     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | M       | 1@1       | 24.75       | 17.1      | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | M       | 1@23      | 24.69       | 17.04     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | M       | 25@0      | 24.25       | 16.6      | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | M       | 1@1       | 24.82       | 17.17     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | M       | 1@23      | 24.75       | 17.1      | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | M       | 25@0      | 23.75       | 16.1      | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | M       | 1@1       | 23.54       | 15.89     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | M       | 1@23      | 23.54       | 15.89     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | M       | 25@0      | 22.73       | 15.08     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | M       | 1@1       | 22.24       | 14.59     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | M       | 1@23      | 22.21       | 14.56     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | M       | 25@0      | 22.23       | 14.58     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | M       | 1@1       | 22.17       | 14.52     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | M       | 1@23      | 22.11       | 14.46     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | M       | 25@0      | 22.23       | 14.58     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | H       | 1@1       | 24.66       | 17.01     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | H       | 1@23      | 24.70       | 17.05     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | H       | 25@0      | 24.24       | 16.59     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | H       | 1@1       | 24.75       | 17.1      | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | H       | 1@23      | 24.80       | 17.15     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | H       | 25@0      | 23.73       | 16.08     | 38.45       | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | H       | 1@1       | 23.51       | 15.86     | 38.45       | PASS    |

|             |    |    |             |   |      |       |       |       |      |
|-------------|----|----|-------------|---|------|-------|-------|-------|------|
| N26-824-849 | 15 | 5  | DFT-16QAM   | H | 1@23 | 23.55 | 15.9  | 38.45 | PASS |
| N26-824-849 | 15 | 5  | DFT-16QAM   | H | 25@0 | 22.73 | 15.08 | 38.45 | PASS |
| N26-824-849 | 15 | 5  | DFT-64QAM   | H | 1@1  | 22.18 | 14.53 | 38.45 | PASS |
| N26-824-849 | 15 | 5  | DFT-64QAM   | H | 1@23 | 22.20 | 14.55 | 38.45 | PASS |
| N26-824-849 | 15 | 5  | DFT-64QAM   | H | 25@0 | 22.23 | 14.58 | 38.45 | PASS |
| N26-824-849 | 15 | 5  | DFT-256QAM  | H | 1@1  | 22.07 | 14.42 | 38.45 | PASS |
| N26-824-849 | 15 | 5  | DFT-256QAM  | H | 1@23 | 22.13 | 14.48 | 38.45 | PASS |
| N26-824-849 | 15 | 5  | DFT-256QAM  | H | 25@0 | 22.24 | 14.59 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | L | 1@1  | 24.90 | 17.25 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | L | 1@50 | 24.85 | 17.2  | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | L | 50@0 | 24.43 | 16.78 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | L | 1@1  | 25.04 | 17.39 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | L | 1@50 | 24.95 | 17.3  | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | L | 50@0 | 23.94 | 16.29 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | L | 1@1  | 23.74 | 16.09 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | L | 1@50 | 23.74 | 16.09 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | L | 50@0 | 22.91 | 15.26 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | L | 1@1  | 22.39 | 14.74 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | L | 1@50 | 22.32 | 14.67 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | L | 50@0 | 22.41 | 14.76 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | L | 1@1  | 22.23 | 14.58 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | L | 1@50 | 22.25 | 14.6  | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | L | 50@0 | 22.43 | 14.78 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | M | 1@1  | 24.83 | 17.18 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | M | 1@50 | 24.72 | 17.07 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | M | 50@0 | 24.31 | 16.66 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | M | 1@1  | 24.94 | 17.29 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | M | 1@50 | 24.81 | 17.16 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | M | 50@0 | 23.79 | 16.14 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | M | 1@1  | 23.73 | 16.08 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | M | 1@50 | 23.56 | 15.91 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | M | 50@0 | 22.78 | 15.13 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | M | 1@1  | 22.35 | 14.7  | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | M | 1@50 | 22.24 | 14.59 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | M | 50@0 | 22.29 | 14.64 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | M | 1@1  | 22.33 | 14.68 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | M | 1@50 | 22.22 | 14.57 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | M | 50@0 | 22.31 | 14.66 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | H | 1@1  | 24.80 | 17.15 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | H | 1@50 | 24.79 | 17.14 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | H | 50@0 | 24.29 | 16.64 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | H | 1@1  | 24.90 | 17.25 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | H | 1@50 | 24.91 | 17.26 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | H | 50@0 | 23.79 | 16.14 | 38.45 | PASS |


|             |    |    |             |   |      |       |       |       |      |
|-------------|----|----|-------------|---|------|-------|-------|-------|------|
| N26-824-849 | 15 | 10 | DFT-16QAM   | H | 1@1  | 23.49 | 15.84 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | H | 1@50 | 23.45 | 15.8  | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | H | 50@0 | 22.77 | 15.12 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | H | 1@1  | 22.22 | 14.57 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | H | 1@50 | 22.13 | 14.48 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | H | 50@0 | 22.29 | 14.64 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | H | 1@1  | 22.27 | 14.62 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | H | 1@50 | 22.21 | 14.56 | 38.45 | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | H | 50@0 | 22.32 | 14.67 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | L | 1@1  | 24.78 | 17.13 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | L | 1@77 | 24.66 | 17.01 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | L | 75@0 | 24.41 | 16.76 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | L | 1@1  | 24.91 | 17.26 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | L | 1@77 | 24.75 | 17.1  | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | L | 75@0 | 23.89 | 16.24 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | L | 1@1  | 23.63 | 15.98 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | L | 1@77 | 23.52 | 15.87 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | L | 75@0 | 22.91 | 15.26 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | L | 1@1  | 22.31 | 14.66 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | L | 1@77 | 22.20 | 14.55 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | L | 75@0 | 22.43 | 14.78 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | L | 1@1  | 22.35 | 14.7  | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | L | 1@77 | 22.17 | 14.52 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | L | 75@0 | 22.43 | 14.78 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | M | 1@1  | 24.79 | 17.14 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | M | 1@77 | 24.60 | 16.95 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | M | 75@0 | 24.34 | 16.69 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | M | 1@1  | 24.92 | 17.27 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | M | 1@77 | 24.70 | 17.05 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | M | 75@0 | 23.79 | 16.14 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | M | 1@1  | 23.66 | 16.01 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | M | 1@77 | 23.45 | 15.8  | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | M | 75@0 | 22.82 | 15.17 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | M | 1@1  | 22.27 | 14.62 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | M | 1@77 | 22.11 | 14.46 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | M | 75@0 | 22.33 | 14.68 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | M | 1@1  | 22.18 | 14.53 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | M | 1@77 | 22.11 | 14.46 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | M | 75@0 | 22.34 | 14.69 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | H | 1@1  | 24.76 | 17.11 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | H | 1@77 | 24.72 | 17.07 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | H | 75@0 | 24.35 | 16.7  | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | H | 1@1  | 24.88 | 17.23 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | H | 1@77 | 24.83 | 17.18 | 38.45 | PASS |

|             |    |    |             |   |       |       |       |       |      |
|-------------|----|----|-------------|---|-------|-------|-------|-------|------|
| N26-824-849 | 15 | 15 | DFT-QPSK    | H | 75@0  | 23.85 | 16.2  | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | H | 1@1   | 23.52 | 15.87 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | H | 1@77  | 23.54 | 15.89 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | H | 75@0  | 22.83 | 15.18 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | H | 1@1   | 22.25 | 14.6  | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | H | 1@77  | 22.28 | 14.63 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | H | 75@0  | 22.36 | 14.71 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | H | 1@1   | 22.31 | 14.66 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | H | 1@77  | 22.24 | 14.59 | 38.45 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | H | 75@0  | 22.33 | 14.68 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | L | 1@1   | 24.84 | 17.19 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | L | 1@104 | 24.64 | 16.99 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | L | 100@0 | 24.36 | 16.71 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | L | 1@1   | 24.97 | 17.32 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | L | 1@104 | 24.70 | 17.05 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | L | 100@0 | 23.86 | 16.21 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | L | 1@1   | 23.56 | 15.91 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | L | 1@104 | 23.58 | 15.93 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | L | 100@0 | 22.86 | 15.21 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | L | 1@1   | 22.21 | 14.56 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | L | 1@104 | 22.19 | 14.54 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | L | 100@0 | 22.36 | 14.71 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | L | 1@1   | 22.34 | 14.69 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | L | 1@104 | 21.84 | 14.19 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | L | 100@0 | 22.36 | 14.71 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | M | 1@1   | 24.86 | 17.21 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | M | 1@104 | 24.61 | 16.96 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | M | 100@0 | 24.31 | 16.66 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | M | 1@1   | 24.94 | 17.29 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | M | 1@104 | 24.74 | 17.09 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | M | 100@0 | 23.81 | 16.16 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | M | 1@1   | 23.59 | 15.94 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | M | 1@104 | 23.37 | 15.72 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | M | 100@0 | 22.82 | 15.17 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | M | 1@1   | 22.35 | 14.7  | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | M | 1@104 | 22.14 | 14.49 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | M | 100@0 | 22.32 | 14.67 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | M | 1@1   | 22.35 | 14.7  | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | M | 1@104 | 22.11 | 14.46 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | M | 100@0 | 22.31 | 14.66 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | H | 1@1   | 24.81 | 17.16 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | H | 1@104 | 24.63 | 16.98 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | H | 100@0 | 24.26 | 16.61 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | H | 1@1   | 24.93 | 17.28 | 38.45 | PASS |

|             |    |    |            |   |       |       |       |       |      |
|-------------|----|----|------------|---|-------|-------|-------|-------|------|
| N26-824-849 | 15 | 20 | DFT-QPSK   | H | 1@104 | 24.78 | 17.13 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK   | H | 100@0 | 23.77 | 16.12 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM  | H | 1@1   | 23.55 | 15.9  | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM  | H | 1@104 | 23.39 | 15.74 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM  | H | 100@0 | 22.77 | 15.12 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM  | H | 1@1   | 22.32 | 14.67 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM  | H | 1@104 | 22.16 | 14.51 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM  | H | 100@0 | 22.28 | 14.63 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM | H | 1@1   | 22.32 | 14.67 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM | H | 1@104 | 22.13 | 14.48 | 38.45 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM | H | 100@0 | 22.26 | 14.61 | 38.45 | PASS |

Peak-to-Average Ratio for SA

Test Graphs





1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-256QAM-Outer\_Full-100@0-6.62dB-PASS



1-N26-824-849-PC3-15-20-M-2-NS\_01-CP-256QAM-Outer\_Full-106@0-8.40dB-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-256QAM-Outer\_Full-100@0-6.64dB-PASS



1-N26-824-849-PC3-15-20-H-2-NS\_01-CP-256QAM-Outer\_Full-106@0-8.41dB-PASS

## 26dB Bandwidth and Occupied Bandwidth for SA


### Test Result

| Band        | SCS | Bandwidth | Modulation  | Channel | RB Config | 99%<br>Result<br>(MHz) | 26dB<br>Result<br>(MHz) | Verdict |
|-------------|-----|-----------|-------------|---------|-----------|------------------------|-------------------------|---------|
| N26-824-849 | 15  | 5         | DFT-QPSK    | L       | 25@0      | 4.456                  | 4.830                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | L       | 25@0      | 4.456                  | 4.840                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | L       | 25@0      | 4.476                  | 4.850                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | L       | 25@0      | 4.525                  | 4.930                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | L       | 25@0      | 4.496                  | 4.820                   | PASS    |
| N26-824-849 | 15  | 5         | CP-QPSK     | L       | 25@0      | 4.476                  | 4.870                   | PASS    |
| N26-824-849 | 15  | 5         | CP-16QAM    | L       | 25@0      | 4.496                  | 4.880                   | PASS    |
| N26-824-849 | 15  | 5         | CP-64QAM    | L       | 25@0      | 4.466                  | 4.860                   | PASS    |
| N26-824-849 | 15  | 5         | CP-256QAM   | L       | 25@0      | 4.496                  | 4.910                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | M       | 25@0      | 4.476                  | 4.830                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | M       | 25@0      | 4.476                  | 4.890                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | M       | 25@0      | 4.505                  | 4.960                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | M       | 25@0      | 4.505                  | 4.900                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | M       | 25@0      | 4.505                  | 4.900                   | PASS    |
| N26-824-849 | 15  | 5         | CP-QPSK     | M       | 25@0      | 4.486                  | 4.920                   | PASS    |
| N26-824-849 | 15  | 5         | CP-16QAM    | M       | 25@0      | 4.476                  | 4.920                   | PASS    |
| N26-824-849 | 15  | 5         | CP-64QAM    | M       | 25@0      | 4.486                  | 4.840                   | PASS    |
| N26-824-849 | 15  | 5         | CP-256QAM   | M       | 25@0      | 4.496                  | 4.900                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-QPSK    | H       | 25@0      | 4.476                  | 4.910                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-PI2BPSK | H       | 25@0      | 4.486                  | 4.950                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-16QAM   | H       | 25@0      | 4.496                  | 4.910                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-64QAM   | H       | 25@0      | 4.525                  | 4.930                   | PASS    |
| N26-824-849 | 15  | 5         | DFT-256QAM  | H       | 25@0      | 4.525                  | 4.940                   | PASS    |
| N26-824-849 | 15  | 5         | CP-QPSK     | H       | 25@0      | 4.496                  | 4.940                   | PASS    |
| N26-824-849 | 15  | 5         | CP-16QAM    | H       | 25@0      | 4.486                  | 4.930                   | PASS    |
| N26-824-849 | 15  | 5         | CP-64QAM    | H       | 25@0      | 4.486                  | 4.950                   | PASS    |
| N26-824-849 | 15  | 5         | CP-256QAM   | H       | 25@0      | 4.505                  | 4.940                   | PASS    |
| N26-824-849 | 15  | 10        | DFT-QPSK    | L       | 50@0      | 8.971                  | 9.460                   | PASS    |
| N26-824-849 | 15  | 10        | DFT-PI2BPSK | L       | 50@0      | 8.931                  | 9.480                   | PASS    |
| N26-824-849 | 15  | 10        | DFT-16QAM   | L       | 50@0      | 8.971                  | 9.560                   | PASS    |
| N26-824-849 | 15  | 10        | DFT-64QAM   | L       | 50@0      | 8.951                  | 9.540                   | PASS    |
| N26-824-849 | 15  | 10        | DFT-256QAM  | L       | 50@0      | 8.971                  | 9.520                   | PASS    |
| N26-824-849 | 15  | 10        | CP-QPSK     | L       | 52@0      | 9.351                  | 9.940                   | PASS    |
| N26-824-849 | 15  | 10        | CP-16QAM    | L       | 52@0      | 9.291                  | 9.860                   | PASS    |
| N26-824-849 | 15  | 10        | CP-64QAM    | L       | 52@0      | 9.271                  | 9.920                   | PASS    |


|             |    |    |             |   |      |        |        |      |
|-------------|----|----|-------------|---|------|--------|--------|------|
| N26-824-849 | 15 | 10 | CP-256QAM   | L | 52@0 | 9.291  | 9.900  | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | M | 50@0 | 8.951  | 9.480  | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | M | 50@0 | 8.971  | 9.540  | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | M | 50@0 | 8.971  | 9.540  | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | M | 50@0 | 9.011  | 9.500  | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | M | 50@0 | 8.971  | 9.600  | PASS |
| N26-824-849 | 15 | 10 | CP-QPSK     | M | 52@0 | 9.331  | 9.860  | PASS |
| N26-824-849 | 15 | 10 | CP-16QAM    | M | 52@0 | 9.331  | 9.880  | PASS |
| N26-824-849 | 15 | 10 | CP-64QAM    | M | 52@0 | 9.311  | 9.880  | PASS |
| N26-824-849 | 15 | 10 | CP-256QAM   | M | 52@0 | 9.331  | 9.860  | PASS |
| N26-824-849 | 15 | 10 | DFT-QPSK    | H | 50@0 | 8.931  | 9.500  | PASS |
| N26-824-849 | 15 | 10 | DFT-PI2BPSK | H | 50@0 | 8.951  | 9.460  | PASS |
| N26-824-849 | 15 | 10 | DFT-16QAM   | H | 50@0 | 8.951  | 9.480  | PASS |
| N26-824-849 | 15 | 10 | DFT-64QAM   | H | 50@0 | 8.951  | 9.500  | PASS |
| N26-824-849 | 15 | 10 | DFT-256QAM  | H | 50@0 | 8.971  | 9.540  | PASS |
| N26-824-849 | 15 | 10 | CP-QPSK     | H | 52@0 | 9.291  | 9.840  | PASS |
| N26-824-849 | 15 | 10 | CP-16QAM    | H | 52@0 | 9.331  | 9.920  | PASS |
| N26-824-849 | 15 | 10 | CP-64QAM    | H | 52@0 | 9.291  | 9.900  | PASS |
| N26-824-849 | 15 | 10 | CP-256QAM   | H | 52@0 | 9.311  | 9.880  | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | L | 75@0 | 13.427 | 14.220 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | L | 75@0 | 13.487 | 14.190 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | L | 75@0 | 13.487 | 14.310 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | L | 75@0 | 13.457 | 14.250 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | L | 75@0 | 13.487 | 14.220 | PASS |
| N26-824-849 | 15 | 15 | CP-QPSK     | L | 79@0 | 14.176 | 14.910 | PASS |
| N26-824-849 | 15 | 15 | CP-16QAM    | L | 79@0 | 14.146 | 15.000 | PASS |
| N26-824-849 | 15 | 15 | CP-64QAM    | L | 79@0 | 14.086 | 14.940 | PASS |
| N26-824-849 | 15 | 15 | CP-256QAM   | L | 79@0 | 14.116 | 14.910 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | M | 75@0 | 13.427 | 14.310 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | M | 75@0 | 13.457 | 14.340 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | M | 75@0 | 13.487 | 14.370 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | M | 75@0 | 13.457 | 14.340 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | M | 75@0 | 13.457 | 14.310 | PASS |
| N26-824-849 | 15 | 15 | CP-QPSK     | M | 79@0 | 14.176 | 15.120 | PASS |
| N26-824-849 | 15 | 15 | CP-16QAM    | M | 79@0 | 14.146 | 15.090 | PASS |
| N26-824-849 | 15 | 15 | CP-64QAM    | M | 79@0 | 14.146 | 15.030 | PASS |
| N26-824-849 | 15 | 15 | CP-256QAM   | M | 79@0 | 14.146 | 15.060 | PASS |
| N26-824-849 | 15 | 15 | DFT-QPSK    | H | 75@0 | 13.427 | 14.220 | PASS |
| N26-824-849 | 15 | 15 | DFT-PI2BPSK | H | 75@0 | 13.487 | 14.340 | PASS |
| N26-824-849 | 15 | 15 | DFT-16QAM   | H | 75@0 | 13.487 | 14.280 | PASS |
| N26-824-849 | 15 | 15 | DFT-64QAM   | H | 75@0 | 13.487 | 14.160 | PASS |
| N26-824-849 | 15 | 15 | DFT-256QAM  | H | 75@0 | 13.397 | 14.160 | PASS |
| N26-824-849 | 15 | 15 | CP-QPSK     | H | 79@0 | 14.116 | 14.940 | PASS |
| N26-824-849 | 15 | 15 | CP-16QAM    | H | 79@0 | 14.146 | 14.910 | PASS |

|             |    |    |             |   |       |        |        |      |
|-------------|----|----|-------------|---|-------|--------|--------|------|
| N26-824-849 | 15 | 15 | CP-64QAM    | H | 79@0  | 14.056 | 14.910 | PASS |
| N26-824-849 | 15 | 15 | CP-256QAM   | H | 79@0  | 14.176 | 14.970 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | L | 100@0 | 18.022 | 19.160 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | L | 100@0 | 18.022 | 19.160 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | L | 100@0 | 18.062 | 19.200 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | L | 100@0 | 17.982 | 19.160 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | L | 100@0 | 18.022 | 19.240 | PASS |
| N26-824-849 | 15 | 20 | CP-QPSK     | L | 106@0 | 19.061 | 20.240 | PASS |
| N26-824-849 | 15 | 20 | CP-16QAM    | L | 106@0 | 19.021 | 20.200 | PASS |
| N26-824-849 | 15 | 20 | CP-64QAM    | L | 106@0 | 19.021 | 20.160 | PASS |
| N26-824-849 | 15 | 20 | CP-256QAM   | L | 106@0 | 19.061 | 20.280 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | M | 100@0 | 17.942 | 19.080 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | M | 100@0 | 18.062 | 19.160 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | M | 100@0 | 17.982 | 19.160 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | M | 100@0 | 18.022 | 19.080 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | M | 100@0 | 18.022 | 19.120 | PASS |
| N26-824-849 | 15 | 20 | CP-QPSK     | M | 106@0 | 19.061 | 20.160 | PASS |
| N26-824-849 | 15 | 20 | CP-16QAM    | M | 106@0 | 19.021 | 20.280 | PASS |
| N26-824-849 | 15 | 20 | CP-64QAM    | M | 106@0 | 19.061 | 20.160 | PASS |
| N26-824-849 | 15 | 20 | CP-256QAM   | M | 106@0 | 18.941 | 20.240 | PASS |
| N26-824-849 | 15 | 20 | DFT-QPSK    | H | 100@0 | 17.942 | 19.120 | PASS |
| N26-824-849 | 15 | 20 | DFT-PI2BPSK | H | 100@0 | 17.982 | 19.200 | PASS |
| N26-824-849 | 15 | 20 | DFT-16QAM   | H | 100@0 | 18.022 | 19.160 | PASS |
| N26-824-849 | 15 | 20 | DFT-64QAM   | H | 100@0 | 18.022 | 19.160 | PASS |
| N26-824-849 | 15 | 20 | DFT-256QAM  | H | 100@0 | 17.982 | 19.080 | PASS |
| N26-824-849 | 15 | 20 | CP-QPSK     | H | 106@0 | 18.901 | 20.200 | PASS |
| N26-824-849 | 15 | 20 | CP-16QAM    | H | 106@0 | 18.981 | 20.160 | PASS |
| N26-824-849 | 15 | 20 | CP-64QAM    | H | 106@0 | 19.021 | 20.200 | PASS |
| N26-824-849 | 15 | 20 | CP-256QAM   | H | 106@0 | 18.981 | 20.240 | PASS |


Test Graphs




1-N26-824-849-PC3-15-5-L-1-DFT-QPSK-Outer\_Full-25@0-Ant1-4.456-4.830-≤5-PASS




1-N26-824-849-PC3-15-5-L-2-DFT-PI2BPSK-Outer\_Full-25@0-Ant1-4.456-4.840-≤5-PASS




1-N26-824-849-PC3-15-5-L-3-DFT-16QAM-Outer\_Full-25@0-Ant1-4.476-4.850-≤5-PASS




1-N26-824-849-PC3-15-5-L-4-DFT-64QAM-Outer\_Full-25@0-Ant1-4.525-4.930-≤5-PASS




1-N26-824-849-PC3-15-5-L-5-DFT-256QAM-Outer\_Full-25@0-Ant1-4.496-4.820-≤5-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer\_Full-25@0-Ant1-4.476-4.870-≤5-PASS




1-N26-824-849-PC3-15-5-L-7-CP-16QAM-Outer\_Full-25@0-Ant1-4.496-4.880-≤5-PASS




1-N26-824-849-PC3-15-5-L-8-CP-64QAM-Outer\_Full-25@0-Ant1-4.466-4.860-≤5-PASS




1-N26-824-849-PC3-15-5-L-9-CP-256QAM-Outer\_Full-25@0-Ant1-4.496-4.910-≤5-PASS




1-N26-824-849-PC3-15-5-M-1-DFT-QPSK-Outer\_Full-25@0-Ant1-4.476-4.830-≤5-PASS




1-N26-824-849-PC3-15-5-M-2-DFT-PI2BPSK-Outer\_Full-25@0-Ant1-4.476-4.890-≤5-PASS




1-N26-824-849-PC3-15-5-M-3-DFT-16QAM-Outer\_Full-25@0-Ant1-4.505-4.960-≤5-PASS




1-N26-824-849-PC3-15-5-M-4-DFT-64QAM-Outer\_Full-25@0-Ant1-4.505-4.900-≤5-PASS




1-N26-824-849-PC3-15-5-M-5-DFT-256QAM-Outer\_Full-25@0-Ant1-4.505-4.900-≤5-PASS




1-N26-824-849-PC3-15-5-M-6-CP-QPSK-Outer\_Full-25@0-Ant1-4.486-4.920-≤5-PASS




1-N26-824-849-PC3-15-5-M-7-CP-16QAM-Outer\_Full-25@0-Ant1-4.476-4.920-≤5-PASS




1-N26-824-849-PC3-15-5-M-8-CP-64QAM-Outer\_Full-25@0-Ant1-4.486-4.840-≤5-PASS




1-N26-824-849-PC3-15-5-M-9-CP-256QAM-Outer\_Full-25@0-Ant1-4.496-4.900-≤5-PASS




1-N26-824-849-PC3-15-5-H-1-DFT-QPSK-Outer\_Full-25@0-Ant1-4.476-4.910-≤5-PASS




1-N26-824-849-PC3-15-5-H-2-DFT-PI2BPSK-Outer\_Full-25@0-Ant1-4.486-4.950-≤5-PASS




1-N26-824-849-PC3-15-5-H-3-DFT-16QAM-Outer\_Full-25@0-Ant1-4.496-4.910-≤5-PASS




1-N26-824-849-PC3-15-5-H-4-DFT-64QAM-Outer\_Full-25@0-Ant1-4.525-4.930-≤5-PASS




1-N26-824-849-PC3-15-5-H-5-DFT-256QAM-Outer\_Full-25@0-Ant1-4.525-4.940-≤5-PASS




1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer\_Full-25@0-Ant1-4.496-4.940-≤5-PASS




1-N26-824-849-PC3-15-5-H-7-CP-16QAM-Outer\_Full-25@0-Ant1-4.486-4.930-≤5-PASS




1-N26-824-849-PC3-15-5-H-8-CP-64QAM-Outer\_Full-25@0-Ant1-4.486-4.950-≤5-PASS




1-N26-824-849-PC3-15-5-H-9-CP-256QAM-Outer\_Full-25@0-Ant1-4.505-4.940-≤5-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-QPSK-Outer\_Full-50@0-Ant1-8.971-9.460-≤10-PASS




1-N26-824-849-PC3-15-10-L-2-DFT-PI2BPSK-Outer\_Full-50@0-Ant1-8.931-9.480-≤10-PASS




1-N26-824-849-PC3-15-10-L-3-DFT-16QAM-Outer\_Full-50@0-Ant1-8.971-9.560-≤10-PASS




1-N26-824-849-PC3-15-10-L-4-DFT-64QAM-Outer\_Full-50@0-Ant1-8.951-9.540-≤10-PASS




1-N26-824-849-PC3-15-10-L-5-DFT-256QAM-Outer\_Full-50@0-Ant1-8.971-9.520-≤10-PASS




1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer\_Full-52@0-Ant1-9.351-9.940-≤10-PASS




1-N26-824-849-PC3-15-10-L-7-CP-16QAM-Outer\_Full-52@0-Ant1-9.291-9.860-≤10-PASS




1-N26-824-849-PC3-15-10-L-8-CP-64QAM-Outer\_Full-52@0-Ant1-9.271-9.920-≤10-PASS




1-N26-824-849-PC3-15-10-L-9-CP-256QAM-Outer\_Full-52@0-Ant1-9.291-9.900-≤10-PASS




1-N26-824-849-PC3-15-10-M-1-DFT-QPSK-Outer\_Full-50@0-Ant1-8.951-9.480-≤10-PASS




1-N26-824-849-PC3-15-10-M-2-DFT-PI2BPSK-Outer\_Full-50@0-Ant1-8.971-9.540-≤10-PASS




1-N26-824-849-PC3-15-10-M-3-DFT-16QAM-Outer\_Full-50@0-Ant1-8.971-9.540-≤10-PASS




1-N26-824-849-PC3-15-10-M-4-DFT-64QAM-Outer\_Full-50@0-Ant1-9.011-9.500-≤10-PASS




1-N26-824-849-PC3-15-10-M-5-DFT-256QAM-Outer\_Full-50@0-Ant1-8.971-9.600-≤10-PASS




1-N26-824-849-PC3-15-10-M-6-CP-QPSK-Outer\_Full-52@0-Ant1-9.331-9.860-≤10-PASS




1-N26-824-849-PC3-15-10-M-7-CP-16QAM-Outer\_Full-52@0-Ant1-9.331-9.880-≤10-PASS




1-N26-824-849-PC3-15-10-M-8-CP-64QAM-Outer\_Full-52@0-Ant1-9.311-9.880-≤10-PASS




1-N26-824-849-PC3-15-10-M-9-CP-256QAM-Outer\_Full-52@0-Ant1-9.331-9.860-≤10-PASS




1-N26-824-849-PC3-15-10-H-1-DFT-QPSK-Outer\_Full-50@0-Ant1-8.931-9.500-≤10-PASS




1-N26-824-849-PC3-15-10-H-2-DFT-PI2BPSK-Outer\_Full-50@0-Ant1-8.951-9.460-≤10-PASS




1-N26-824-849-PC3-15-10-H-3-DFT-16QAM-Outer\_Full-50@0-Ant1-8.951-9.480-≤10-PASS




1-N26-824-849-PC3-15-10-H-4-DFT-64QAM-Outer\_Full-50@0-Ant1-8.951-9.500-≤10-PASS




1-N26-824-849-PC3-15-10-H-5-DFT-256QAM-Outer\_Full-50@0-Ant1-8.971-9.540-≤10-PASS




1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer\_Full-52@0-Ant1-9.291-9.840-≤10-PASS




1-N26-824-849-PC3-15-10-H-7-CP-16QAM-Outer\_Full-52@0-Ant1-9.331-9.920-≤10-PASS




1-N26-824-849-PC3-15-10-H-8-CP-64QAM-Outer\_Full-52@0-Ant1-9.291-9.900-≤10-PASS




1-N26-824-849-PC3-15-10-H-9-CP-256QAM-Outer\_Full-52@0-Ant1-9.311-9.880-≤10-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-QPSK-Outer\_Full-75@0-Ant1-13.427-14.220-≤15-PASS




1-N26-824-849-PC3-15-15-L-2-DFT-PI2BPSK-Outer\_Full-75@0-Ant1-13.487-14.190-≤15-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-16QAM-Outer\_Full-75@0-Ant1-13.487-14.310-≤15-PASS




1-N26-824-849-PC3-15-15-L-4-DFT-64QAM-Outer\_Full-75@0-Ant1-13.457-14.250-≤15-PASS




1-N26-824-849-PC3-15-15-L-5-DFT-256QAM-Outer\_Full-75@0-Ant1-13.487-14.220-≤15-PASS




1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outer\_Full-79@0-Ant1-14.176-14.910-≤15-PASS




1-N26-824-849-PC3-15-15-L-7-CP-16QAM-Outer\_Full-79@0-Ant1-14.146-15.000-≤15-PASS




1-N26-824-849-PC3-15-15-L-8-CP-64QAM-Outer\_Full-79@0-Ant1-14.086-14.940-≤15-PASS




1-N26-824-849-PC3-15-15-L-9-CP-256QAM-Outer\_Full-79@0-Ant1-14.116-14.910-≤15-PASS




1-N26-824-849-PC3-15-15-M-1-DFT-QPSK-Outer\_Full-75@0-Ant1-13.427-14.310-≤15-PASS




1-N26-824-849-PC3-15-15-M-2-DFT-PI2BPSK-Outer\_Full-75@0-Ant1-13.457-14.340-≤15-PASS




1-N26-824-849-PC3-15-15-M-3-DFT-16QAM-Outer\_Full-75@0-Ant1-13.487-14.370-≤15-PASS




1-N26-824-849-PC3-15-15-M-4-DFT-64QAM-Outer\_Full-75@0-Ant1-13.457-14.340-≤15-PASS




1-N26-824-849-PC3-15-15-M-5-DFT-256QAM-Outer\_Full-75@0-Ant1-13.457-14.310-≤15-PASS




1-N26-824-849-PC3-15-15-M-6-CP-QPSK-Outer\_Full-79@0-Ant1-14.176-15.120-≤15-PASS




1-N26-824-849-PC3-15-15-M-7-CP-16QAM-Out\_Full-79@0-Ant1-14.146-15.090-≤15-PASS




1-N26-824-849-PC3-15-15-M-8-CP-64QAM-Out\_Full-79@0-Ant1-14.146-15.030-≤15-PASS




1-N26-824-849-PC3-15-15-M-9-CP-256QAM-Out\_Full-79@0-Ant1-14.146-15.060-≤15-PASS




1-N26-824-849-PC3-15-15-H-1-DFT-QPSK-Outer\_Full-75@0-Ant1-13.427-14.220-≤15-PASS




1-N26-824-849-PC3-15-15-H-2-DFT-PI2BPSK-Outer\_Full-75@0-Ant1-13.487-14.340-≤15-PASS




1-N26-824-849-PC3-15-15-H-3-DFT-16QAM-Outer\_Full-75@0-Ant1-13.487-14.280-≤15-PASS




1-N26-824-849-PC3-15-15-H-4-DFT-64QAM-Outer\_Full-75@0-Ant1-13.487-14.160-≤15-PASS




1-N26-824-849-PC3-15-15-H-5-DFT-256QAM-Outer\_Full-75@0-Ant1-13.397-14.160-≤15-PASS




1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer\_Full-79@0-Ant1-14.116-14.940-≤15-PASS




1-N26-824-849-PC3-15-15-H-7-CP-16QAM-Outer\_Full-79@0-Ant1-14.146-14.910-≤15-PASS




1-N26-824-849-PC3-15-15-H-8-CP-64QAM-Outer\_Full-79@0-Ant1-14.056-14.910-≤15-PASS




1-N26-824-849-PC3-15-15-H-9-CP-256QAM-Outer\_Full-79@0-Ant1-14.176-14.970-≤15-PASS




1-N26-824-849-PC3-15-20-L-1-DFT-QPSK-Outer\_Full-100@0-Ant1-18.022-19.160-≤20-PASS




1-N26-824-849-PC3-15-20-L-2-DFT-PI2BPSK-Outer\_Full-100@0-Ant1-18.022-19.160-≤20-PASS




1-N26-824-849-PC3-15-20-L-3-DFT-16QAM-Outer\_Full-100@0-Ant1-18.062-19.200-≤20-PASS




1-N26-824-849-PC3-15-20-L-4-DFT-64QAM-Outer\_Full-100@0-Ant1-17.982-19.160-≤20-PASS




1-N26-824-849-PC3-15-20-L-5-DFT-256QAM-Outer\_Full-100@0-Ant1-18.022-19.240-≤20-PASS




1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer\_Full-106@0-Ant1-19.061-20.240-≤20-PASS




1-N26-824-849-PC3-15-20-L-7-CP-16QAM-Outer\_Full-106@0-Ant1-19.021-20.200-≤20-PASS



1-N26-824-849-PC3-15-20-L-8-CP-64QAM-Outer\_Full-106@0-Ant1-19.021-20.160-≤20-PASS




1-N26-824-849-PC3-15-20-L-9-CP-256QAM-Outer\_Full-106@0-Ant1-19.061-20.280-≤20-PASS




1-N26-824-849-PC3-15-20-M-1-DFT-QPSK-Outer\_Full-100@0-Ant1-17.942-19.080-≤20-PASS




1-N26-824-849-PC3-15-20-M-2-DFT-PI2BPSK-Outer\_Full-100@0-Ant1-18.062-19.160-≤20-PASS




1-N26-824-849-PC3-15-20-M-3-DFT-16QAM-Outer\_Full-100@0-Ant1-17.982-19.160-≤20-PASS




1-N26-824-849-PC3-15-20-M-4-DFT-64QAM-Outer\_Full-100@0-Ant1-18.022-19.080-≤20-PASS




1-N26-824-849-PC3-15-20-M-5-DFT-256QAM-Outer\_Full-100@0-Ant1-18.022-19.120-≤20-PASS




1-N26-824-849-PC3-15-20-M-6-CP-QPSK-Outer\_Full-106@0-Ant1-19.061-20.160-≤20-PASS




1-N26-824-849-PC3-15-20-M-7-CP-16QAM-Outer\_Full-106@0-Ant1-19.021-20.280-≤20-PASS




1-N26-824-849-PC3-15-20-M-8-CP-64QAM-Outer\_Full-106@0-Ant1-19.061-20.160-≤20-PASS




1-N26-824-849-PC3-15-20-M-9-CP-256QAM-Outer\_Full-106@0-Ant1-18.941-20.240-≤20-PASS




1-N26-824-849-PC3-15-20-H-1-DFT-QPSK-Outer\_Full-100@0-Ant1-17.942-19.120-≤20-PASS




1-N26-824-849-PC3-15-20-H-2-DFT-PI2BPSK-Outer\_Full-100@0-Ant1-17.982-19.200-≤20-PASS




1-N26-824-849-PC3-15-20-H-3-DFT-16QAM-Outer\_Full-100@0-Ant1-18.022-19.160-≤20-PASS




1-N26-824-849-PC3-15-20-H-4-DFT-64QAM-Outer\_Full-100@0-Ant1-18.022-19.160-≤20-PASS




1-N26-824-849-PC3-15-20-H-5-DFT-256QAM-Outer\_Full-100@0-Ant1-17.982-19.080-≤20-PASS




1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outer\_Full-106@0-Ant1-18.901-20.200-≤20-PASS



1-N26-824-849-PC3-15-20-H-7-CP-16QAM-Outer\_Full-106@0-Ant1-18.981-20.160-≤20-PASS




1-N26-824-849-PC3-15-20-H-8-CP-64QAM-Outer\_Full-106@0-Ant1-19.021-20.200-≤20-PASS




1-N26-824-849-PC3-15-20-H-9-CP-256QAM-Outer\_Full-106@0-Ant1-18.981-20.240-≤20-PASS


Band Edge for SA

Test Graphs







1-N26-824-849-PC3-15-5-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant1-819.00-6.49--19.49-PASS




1-N26-824-849-PC3-15-5-L-6-CP-QPSK-Outer\_Full-25@0-Ant1-819.00-18.50--31.50-PASS




1-N26-824-849-PC3-15-5-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@24-Ant1-849.00-6.93--19.93-PASS




1-N26-824-849-PC3-15-5-H-3-DFT-PI2BPSK-Outer\_Full-25@0-Ant1-849.00-15.63--28.63-PASS




1-N26-824-849-PC3-15-5-H-5-CP-QPSK-Edge\_1RB\_Right-1@24-Ant1-849.00-7.73--20.73-PASS




1-N26-824-849-PC3-15-5-H-6-CP-QPSK-Outer\_Full-25@0-Ant1-849.01-19.15--32.15-PASS




1-N26-824-849-PC3-15-10-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant1-824.00-9.80--22.80-PASS




1-N26-824-849-PC3-15-10-L-3-DFT-PI2BPSK-Outer\_Full-50@0-Ant1-824.00-17.91--30.91-PASS




1-N26-824-849-PC3-15-10-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant1-824.00-10.29--23.29-PASS




1-N26-824-849-PC3-15-10-L-6-CP-QPSK-Outer\_Full-52@0-Ant1-824.00-19.28--32.28-PASS




1-N26-824-849-PC3-15-10-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@51-Ant1-849.00-10.85--23.85-PASS




1-N26-824-849-PC3-15-10-H-3-DFT-PI2BPSK-Outer\_Full-50@0-Ant1-849.01-21.74--34.74-PASS




1-N26-824-849-PC3-15-10-H-5-CP-QPSK-Edge\_1RB\_Right-1@51-Ant1-849.00-11.40--24.40-PASS




1-N26-824-849-PC3-15-10-H-6-CP-QPSK-Outer\_Full-52@0-Ant1-849.02-21.08--34.08-PASS




1-N26-824-849-PC3-15-15-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant1-824.00-10.32--23.32-PASS




1-N26-824-849-PC3-15-15-L-3-DFT-PI2BPSK-Outer\_Full-75@0-Ant1-824.00-16.59--29.59-PASS




1-N26-824-849-PC3-15-15-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant1-824.00-10.95--23.95-PASS




1-N26-824-849-PC3-15-15-L-6-CP-QPSK-Outer\_Full-79@0-Ant1-823.99-19.35--32.35-PASS




1-N26-824-849-PC3-15-15-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@78-Ant1-849.00-12.66--25.66-PASS



1-N26-824-849-PC3-15-15-H-3-DFT-PI2BPSK-Outer\_Full-75@0-Ant1-849.04-21.99--34.99-PASS




1-N26-824-849-PC3-15-15-H-5-CP-QPSK-Edge\_1RB\_Right-1@78-Ant1-849.00-11.10--24.10-PASS




Date: 17.OCT.2024 10:35:44

1-N26-824-849-PC3-15-15-H-6-CP-QPSK-Outer\_Full-79@0-Ant1-849.01-20.70--33.70-PASS




Date: 17.OCT.2024 10:36:34

1-N26-824-849-PC3-15-20-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant1-824.00-8.61--21.61-PASS




Date: 17.OCT.2024 10:36:50


1-N26-824-849-PC3-15-20-L-3-DFT-PI2BPSK-Outer\_Full-100@0-Ant1-824.00-17.39--30.39-PASS




1-N26-824-849-PC3-15-20-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant1-824.00-10.99--23.99-PASS




1-N26-824-849-PC3-15-20-L-6-CP-QPSK-Outer\_Full-106@0-Ant1-823.74-19.36--32.36-PASS




1-N26-824-849-PC3-15-20-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@105-Ant1-849.00-11.39--24.39-PASS



1-N26-824-849-PC3-15-20-H-3-DFT-PI2BPSK-Outter\_Full-100@0-Ant1-849.15-21.74--34.74-PASS



1-N26-824-849-PC3-15-20-H-5-CP-QPSK-Edge\_1RB\_Right-1@105-Ant1-849.00-10.90--23.90-PASS




1-N26-824-849-PC3-15-20-H-6-CP-QPSK-Outter\_Full-106@0-Ant1-849.11-21.56--34.56-PASS


## Conducted Spurious Emission for SA

### Test Result


| Band        | SCS | Bandwidth | Modulation  | Channel | StartFreq | StopFreq | RB Config | Result (dBm) | Limit (dBm) | Verdict |
|-------------|-----|-----------|-------------|---------|-----------|----------|-----------|--------------|-------------|---------|
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | L       | 0.009     | 0.15     | 1@0       | -58.00       | -33         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | L       | 0.15      | 30       | 1@0       | -54.21       | -23         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | L       | 30        | 1000     | 1@0       | -42.96       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | L       | 1000      | 3000     | 1@0       | -39.40       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | L       | 3000      | 12000    | 1@0       | -42.31       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | L       | 12000     | 20000    | 1@0       | -44.31       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 0.009     | 0.15     | 1@0       | -59.13       | -33         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 0.15      | 30       | 1@0       | -54.39       | -23         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 30        | 1000     | 1@0       | -41.71       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 1000      | 3000     | 1@0       | -39.41       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 3000      | 12000    | 1@0       | -42.30       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 12000     | 20000    | 1@0       | -44.31       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | H       | 0.009     | 0.15     | 1@0       | -59.03       | -33         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | H       | 0.15      | 30       | 1@0       | -54.26       | -23         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | H       | 30        | 1000     | 1@0       | -42.30       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | H       | 1000      | 3000     | 1@0       | -39.41       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | H       | 3000      | 12000    | 1@0       | -42.33       | -13         | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | H       | 12000     | 20000    | 1@0       | -44.32       | -13         | PASS    |

Test Graphs







1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-30-1000-Ant1-854.02--42.96--1  
 3-PASS




1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-1000-3000-Ant1-2999.80--39.4  
 0--13-PASS




1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-3000-12000-Ant1-6998.25--42.  
 31--13-PASS




1-N26-824-849-PC3-15-20-L-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-12000-20000-Ant1-19938.80--4  
 4.31--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-0.009-0.15-Ant1-0.03--59.13--3  
 3-PASS




1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-0.15-30-Ant1-0.15--54.39--23-P  
 ASS




1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-30-1000-Ant1-827.24--41.71--1  
 3-PASS




1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-1000-3000-Ant1-3000.00--39.4  
 1--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-3000-12000-Ant1-6991.95--42.  
 30--13-PASS




1-N26-824-849-PC3-15-20-M-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-12000-20000-Ant1-19925.60--44.31--13-PASS




1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-0.009-0.15-Ant1-0.03--59.03--33-PASS




1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-0.15-30-Ant1-0.15--54.26--23-PASS




1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-30-1000-Ant1-852.75--42.30--1  
 3-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-1000-3000-Ant1-2997.40--39.4  
 1--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-3000-12000-Ant1-6998.25--42.  
 33--13-PASS



1-N26-824-849-PC3-15-20-H-1-NS\_01-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-12000-20000-Ant1-19936.40--4  
4.32--13-PASS

# Frequency Stability for SA

## Test Result

### Frequency Error VS. Voltage

| Voltage     |     |           |             |         |           |               |                |               |                 |         |
|-------------|-----|-----------|-------------|---------|-----------|---------------|----------------|---------------|-----------------|---------|
| Band        | SCS | Bandwidth | Modulation  | Channel | RB Config | Voltage (Vdc) | Temperature(℃) | Deviation(Hz) | Deviation (ppm) | Verdict |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | HV            | NT             | -3.51         | -0.00420        | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | NT             | -3.60         | -0.00430        | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | LV            | NT             | -2.24         | -0.00268        | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | HV            | NT             | -5.72         | -0.00684        | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | NT             | -5.93         | -0.00709        | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | LV            | NT             | -3.92         | -0.00469        | PASS    |

### Frequency Error VS. Temperature

| Temperature |     |           |             |         |           |               |                |               |                 |         |
|-------------|-----|-----------|-------------|---------|-----------|---------------|----------------|---------------|-----------------|---------|
| Band        | SCS | Bandwidth | Modulation  | Channel | RB Config | Voltage (Vdc) | Temperature(℃) | Deviation(Hz) | Deviation (ppm) | Verdict |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | 50             | -5.494000     | -0.006568       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | -20            | -4.927000     | -0.005890       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | -10            | -3.682000     | -0.004402       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | 0              | -3.434000     | -0.004105       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | 10             | -4.238000     | -0.005066       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | 20             | -3.889000     | -0.004649       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | 30             | -4.716000     | -0.005638       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | -30            | -2.912000     | -0.003481       | PASS    |
| N26-824-849 | 15  | 20        | DFT-PI2BPSK | M       | 100@0     | NV            | 40             | -4.403000     | -0.005264       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | 50             | -5.032000     | -0.006016       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | -20            | -5.762000     | -0.006888       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | -10            | -5.231000     | -0.006253       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | 0              | -5.715000     | -0.006832       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | 10             | -5.604000     | -0.006699       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | 20             | -5.059000     | -0.006048       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | 30             | -5.428000     | -0.006489       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | 40             | -5.382000     | -0.006434       | PASS    |
| N26-824-849 | 15  | 20        | CP-QPSK     | M       | 106@0     | NV            | -30            | -6.244000     | -0.007464       | PASS    |

## Field Strength of Spurious Radiation

| NR N26 824-849 ANT1-Low channel |            |             |                 |                  |                 |                    |                    |        |
|---------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                 | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1650.0                          | -71.02     | -13         | -58.02          | -73.9            | 2.62            | 5.5                | Horizontal         | Pass   |
| 2475.0                          | -69.71     | -13         | -56.71          | -72.41           | 3.06            | 5.76               | Horizontal         | Pass   |
| 3300.0                          | -67.48     | -13         | -54.48          | -71.85           | 3.3             | 7.67               | Horizontal         | Pass   |
| 1650.0                          | -68.63     | -13         | -55.63          | -71.51           | 2.62            | 5.5                | Vertical           | Pass   |
| 2475.0                          | -69.62     | -13         | -56.62          | -72.32           | 3.06            | 5.76               | Vertical           | Pass   |
| 3300.0                          | -66.49     | -13         | -53.49          | -70.86           | 3.3             | 7.67               | Vertical           | Pass   |

| NR N26 824-849 ANT1-Middle channel |            |             |                 |                  |                 |                    |                    |        |
|------------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                    | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1655.0                             | -70.52     | -13         | -57.52          | -73.39           | 2.62            | 5.49               | Horizontal         | Pass   |
| 2482.5                             | -69.51     | -13         | -56.51          | -72.22           | 3.07            | 5.78               | Horizontal         | Pass   |
| 3310.0                             | -67.42     | -13         | -54.42          | -71.82           | 3.3             | 7.7                | Horizontal         | Pass   |
| 1655.0                             | -68.35     | -13         | -55.35          | -71.22           | 2.62            | 5.49               | Vertical           | Pass   |
| 2482.5                             | -69.12     | -13         | -56.12          | -71.83           | 3.07            | 5.78               | Vertical           | Pass   |
| 3310.0                             | -67.19     | -13         | -54.19          | -71.59           | 3.3             | 7.7                | Vertical           | Pass   |

| NR N26 824-849 ANT1-High channel |            |             |                 |                  |                 |                    |                    |        |
|----------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                  | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1660.0                           | -71.9      | -13         | -58.9           | -74.76           | 2.62            | 5.48               | Horizontal         | Pass   |
| 2490.0                           | -69.67     | -13         | -56.67          | -72.4            | 3.07            | 5.8                | Horizontal         | Pass   |
| 3320.0                           | -68.0      | -13         | -55.0           | -72.41           | 3.31            | 7.72               | Horizontal         | Pass   |
| 1660.0                           | -70.76     | -13         | -57.76          | -73.62           | 2.62            | 5.48               | Vertical           | Pass   |
| 2490.0                           | -69.43     | -13         | -56.43          | -72.16           | 3.07            | 5.8                | Vertical           | Pass   |
| 3320.0                           | -67.92     | -13         | -54.92          | -72.33           | 3.31            | 7.72               | Vertical           | Pass   |

| NSA_7A_n26A 824-849-Low channel |            |             |                 |                  |                 |                    |                    |        |
|---------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                 | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 3300.0                          | -66.87     | -13         | -53.87          | -71.24           | 3.3             | 7.67               | Horizontal         | Pass   |
| 4125.0                          | -65.18     | -13         | -52.18          | -70.19           | 3.97            | 8.98               | Horizontal         | Pass   |
| 4950.0                          | -62.98     | -13         | -49.98          | -68.5            | 4.55            | 10.07              | Horizontal         | Pass   |
| 3300.0                          | -66.81     | -13         | -53.81          | -71.18           | 3.3             | 7.67               | Vertical           | Pass   |
| 4125.0                          | -65.02     | -13         | -52.02          | -70.03           | 3.97            | 8.98               | Vertical           | Pass   |
| 4950.0                          | -62.65     | -13         | -49.65          | -68.17           | 4.55            | 10.07              | Vertical           | Pass   |

| NSA_7A_n26A 824-849-Middle channel |            |             |                 |                  |                 |                    |                    |        |
|------------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                    | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 3310.0                             | -67.41     | -13         | -54.41          | -71.81           | 3.3             | 7.7                | Horizontal         | Pass   |
| 4137.5                             | -65.37     | -13         | -52.37          | -70.38           | 3.98            | 8.99               | Horizontal         | Pass   |
| 4965.0                             | -63.01     | -13         | -50.01          | -68.55           | 4.55            | 10.09              | Horizontal         | Pass   |
| 3310.0                             | -67.28     | -13         | -54.28          | -71.68           | 3.3             | 7.7                | Vertical           | Pass   |
| 4137.5                             | -66.05     | -13         | -53.05          | -71.06           | 3.98            | 8.99               | Vertical           | Pass   |
| 4965.0                             | -63.4      | -13         | -50.4           | -68.94           | 4.55            | 10.09              | Vertical           | Pass   |

| NSA_7A_n26A 824-849-High channel |            |             |                 |                  |                 |                    |                    |        |
|----------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                  | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 3320.0                           | -67.18     | -13         | -54.18          | -71.59           | 3.31            | 7.72               | Horizontal         | Pass   |
| 4150.0                           | -65.8      | -13         | -52.8           | -70.82           | 3.99            | 9.01               | Horizontal         | Pass   |
| 4980.0                           | -62.78     | -13         | -49.78          | -68.33           | 4.56            | 10.11              | Horizontal         | Pass   |
| 3320.0                           | -67.66     | -13         | -54.66          | -72.07           | 3.31            | 7.72               | Vertical           | Pass   |
| 4150.0                           | -65.37     | -13         | -52.37          | -70.39           | 3.99            | 9.01               | Vertical           | Pass   |
| 4980.0                           | -62.95     | -13         | -49.95          | -68.5            | 4.56            | 10.11              | Vertical           | Pass   |