


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.77	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.79	-13	Pass	2986
30	500	0.1	Peak	363.3	-42.85	-13	Pass	4701
500	1000	0.1	Peak	824.3	33.28	-13	N/A	5001
1000	10000	1	Peak	7010	-19.27	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-52.52	-13	Pass	401
0.15	30	0.01	Peak	0.32	-53.57	-13	Pass	2986
30	500	0.1	Peak	409	-42.99	-13	Pass	4701
500	1000	0.1	Peak	836.5	33.35	-13	N/A	5001
1000	10000	1	Peak	7202	-19.26	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-51.43	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.51	-13	Pass	2986
30	500	0.1	Peak	388.2	-43.73	-13	Pass	4701
500	1000	0.1	Peak	848.9	33.46	-13	N/A	5001
1000	10000	1	Peak	9394	-19.41	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-52.85	-13	Pass	401
0.15	30	0.01	Peak	0.23	-59.38	-13	Pass	2986
30	1000	0.1	Peak	846.5	-48.44	-13	Pass	9701
1000	3000	1	Peak	1850	28.13	-13	N/A	2001
3000	20000	1	Peak	19710	-37.07	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-51.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.35	-13	Pass	2986
30	1000	0.1	Peak	989.793	-48.16	-13	Pass	9701
1000	3000	1	Peak	1880	30.3	-13	N/A	2001
3000	20000	1	Peak	19414	-38.23	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.43	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.2	-13	Pass	2986
30	1000	0.1	Peak	841.4	-48.28	-13	Pass	9701
1000	3000	1	Peak	1910	30.61	-13	N/A	2001
3000	20000	1	Peak	19118	-37.75	-13	Pass	17003



1. EGPRS_GSM850


1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-52.62	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.4	-13	Pass	2986
30	500	0.1	Peak	498.4	-42.45	-13	Pass	4701
500	1000	0.1	Peak	824.3	27.31	-13	N/A	5001
1000	10000	1	Peak	6985	-19.34	-13	Pass	9002




1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-52.33	-13	Pass	401
0.15	30	0.01	Peak	0.35	-52.79	-13	Pass	2986
30	500	0.1	Peak	372.7	-43.24	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.09	-13	N/A	5001
1000	10000	1	Peak	7273	-19.5	-13	Pass	9002



1.4. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.03	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.49	-13	Pass	2986
30	500	0.1	Peak	366.5	-42.85	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.65	-13	N/A	5001
1000	10000	1	Peak	7219	-19.62	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-52.05	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.1	-13	Pass	2986
30	1000	0.1	Peak	855.004	-48.17	-13	Pass	9701
1000	3000	1	Peak	1850	28.6	-13	N/A	2001
3000	20000	1	Peak	19217	-37.4	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-54.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.1	-13	Pass	2986
30	1000	0.1	Peak	853.003	-47.87	-13	Pass	9701
1000	3000	1	Peak	1879	23.71	-13	N/A	2001
3000	20000	1	Peak	18872	-37.97	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-54.45	-13	Pass	401
0.15	30	0.01	Peak	0.2	-59.27	-13	Pass	2986
30	1000	0.1	Peak	976.985	-47.5	-13	Pass	9701
1000	3000	1	Peak	1909	25.27	-13	N/A	2001
3000	20000	1	Peak	19736	-37.76	-13	Pass	17003



1. WCDMA_Band5


1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-64.84	-13	51.84	Pass	401
0.15	30	0.01	Peak	0.17	-62.1	-13	49.1	Pass	2986
30	500	0.1	Peak	403	-53.81	-13	40.81	Pass	4701
500	1000	0.1	Peak	825.6	19.04	-13	-32.04	N/A	5001
1000	10000	1	Peak	7120	-30.38	-13	17.38	Pass	9002




1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.42	-13	50.42	Pass	401
0.15	30	0.01	Peak	0.22	-62.5	-13	49.5	Pass	2986
30	500	0.1	Peak	369	-53.91	-13	40.91	Pass	4701
500	1000	0.1	Peak	836.4	18.31	-13	-31.31	N/A	5001
1000	10000	1	Peak	9467	-29.55	-13	16.55	Pass	9002



1.4. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-64.77	-13	51.77	Pass	401
0.15	30	0.01	Peak	0.23	-62.54	-13	49.54	Pass	2986
30	500	0.1	Peak	402.8	-53.76	-13	40.76	Pass	4701
500	1000	0.1	Peak	847.3	18.88	-13	-31.88	N/A	5001
1000	10000	1	Peak	9792	-30.21	-13	17.21	Pass	9002



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.52	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.81	-13	Pass	2986
30	1000	0.1	Peak	831	-52.41	-13	Pass	9701
1000	3000	1	Peak	1854	21.24	-13	N/A	2001
3000	20000	1	Peak	19395	-19.54	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-51.11	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.85	-13	Pass	2986
30	1000	0.1	Peak	482.1	-52.6	-13	Pass	9701
1000	3000	1	Peak	1881	21.96	-13	N/A	2001
3000	20000	1	Peak	19837	-19.72	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.83	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.38	-13	Pass	2986
30	1000	0.1	Peak	817.7	-52.67	-13	Pass	9701
1000	3000	1	Peak	1909	23.32	-13	N/A	2001
3000	20000	1	Peak	19737	-19.12	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-52.41	-13	Pass	401
0.15	30	0.01	Peak	0.44	-64.15	-13	Pass	2986
30	1000	0.1	Peak	893.229	-52.64	-13	Pass	9701
1000	3000	1	Peak	1712	20.1	-13	N/A	2001
3000	20000	1	Peak	19703	-19.69	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-53.58	-13	Pass	401
0.15	30	0.01	Peak	0.37	-64.96	-13	Pass	2986
30	1000	0.1	Peak	788.3	-52.54	-13	Pass	9701
1000	3000	1	Peak	1733	18.6	-13	N/A	2001
3000	20000	1	Peak	19534	-19.59	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-51.67	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.45	-13	Pass	2986
30	1000	0.1	Peak	840	-52.78	-13	Pass	9701
1000	3000	1	Peak	1751	17.25	-13	N/A	2001
3000	20000	1	Peak	19669	-19.22	-13	Pass	17003



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	872.215	-63.48	-13	Pass	9701
1000	1840	1	RMS	1840	-51.76	-13	Pass	841
1840	1920	1	RMS	1850.2	19.99	60	Pass	401
1920	3000	1	RMS	2958	-48.36	-13	Pass	1081
3000	12000	1	RMS	11948	-40.02	-13	Pass	9002
12000	20000	1	RMS	19405	-30.97	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.5	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.1	-13	Pass	2986
30	1000	0.1	RMS	838.7	-63.57	-13	Pass	9701
1000	1840	1	RMS	1840	-51.77	-13	Pass	841
1840	1920	1	RMS	1850.2	19.4	60	Pass	401
1920	3000	1	RMS	2954	-48.33	-13	Pass	1081
3000	12000	1	RMS	11845	-40.04	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.47	-13	Pass	9701
1000	1840	1	RMS	1812	-51.92	-13	Pass	841
1840	1920	1	RMS	1879.4	21	60	Pass	401
1920	3000	1	RMS	2951	-48.33	-13	Pass	1081
3000	12000	1	RMS	11949	-39.98	-13	Pass	9002
12000	20000	1	RMS	19413	-30.93	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2986
30	1000	0.1	RMS	856.705	-63.52	-13	Pass	9701
1000	1840	1	RMS	1806	-51.96	-13	Pass	841
1840	1920	1	RMS	1879.4	19.96	60	Pass	401
1920	3000	1	RMS	2958	-48.35	-13	Pass	1081
3000	12000	1	RMS	11948	-39.91	-13	Pass	9002
12000	20000	1	RMS	19400	-31.01	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	852.002	-63.59	-13	Pass	9701
1000	1840	1	RMS	1786	-51.95	-13	Pass	841
1840	1920	1	RMS	1908.8	22.25	60	Pass	401
1920	3000	1	RMS	2941	-48.35	-13	Pass	1081
3000	12000	1	RMS	11847	-40.02	-13	Pass	9002
12000	20000	1	RMS	19399	-30.91	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.4	-13	Pass	9701
1000	1840	1	RMS	1811	-51.94	-13	Pass	841
1840	1920	1	RMS	1908.8	22.14	60	Pass	401
1920	3000	1	RMS	2949	-48.31	-13	Pass	1081
3000	12000	1	RMS	11851	-40.03	-13	Pass	9002
12000	20000	1	RMS	19397	-31	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.37	-13	Pass	9701
1000	1840	1	RMS	1840	-51.65	-13	Pass	841
1840	1920	1	RMS	1850.2	20.03	60	Pass	401
1920	3000	1	RMS	2957	-48.29	-13	Pass	1081
3000	12000	1	RMS	11850	-40	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.77	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.49	-13	Pass	2986
30	1000	0.1	RMS	982.989	-63.5	-13	Pass	9701
1000	1840	1	RMS	1840	-51.78	-13	Pass	841
1840	1920	1	RMS	1850.2	19.09	60	Pass	401
1920	3000	1	RMS	2946	-48.35	-13	Pass	1081
3000	12000	1	RMS	11843	-40.01	-13	Pass	9002
12000	20000	1	RMS	19403	-30.93	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	1000	0.1	RMS	847	-63.45	-13	Pass	9701
1000	1840	1	RMS	1809	-51.89	-13	Pass	841
1840	1920	1	RMS	1878.6	20.99	60	Pass	401
1920	3000	1	RMS	2950	-48.34	-13	Pass	1081
3000	12000	1	RMS	11948	-39.96	-13	Pass	9002
12000	20000	1	RMS	19403	-30.97	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.55	-13	Pass	9701
1000	1840	1	RMS	1813	-51.95	-13	Pass	841
1840	1920	1	RMS	1878.6	20.46	60	Pass	401
1920	3000	1	RMS	2944	-48.31	-13	Pass	1081
3000	12000	1	RMS	11949	-39.98	-13	Pass	9002
12000	20000	1	RMS	19399	-30.9	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	829	-63.47	-13	Pass	9701
1000	1840	1	RMS	1807	-51.98	-13	Pass	841
1840	1920	1	RMS	1907.2	22.26	60	Pass	401
1920	3000	1	RMS	2955	-48.35	-13	Pass	1081
3000	12000	1	RMS	11949	-40.01	-13	Pass	9002
12000	20000	1	RMS	19407	-30.96	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.62	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.27	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.61	-13	Pass	9701
1000	1840	1	RMS	1797	-51.96	-13	Pass	841
1840	1920	1	RMS	1907.2	21.35	60	Pass	401
1920	3000	1	RMS	2957	-48.29	-13	Pass	1081
3000	12000	1	RMS	11852	-40	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.42	-13	Pass	9701
1000	1840	1	RMS	1840	-51.51	-13	Pass	841
1840	1920	1	RMS	1850.2	19.54	60	Pass	401
1920	3000	1	RMS	2946	-48.29	-13	Pass	1081
3000	12000	1	RMS	11947	-40	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.83	-13	Pass	841
1840	1920	1	RMS	1850.2	18.35	60	Pass	401
1920	3000	1	RMS	2961	-48.3	-13	Pass	1081
3000	12000	1	RMS	11947	-40.01	-13	Pass	9002
12000	20000	1	RMS	19397	-30.98	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2986
30	1000	0.1	RMS	838.3	-63.49	-13	Pass	9701
1000	1840	1	RMS	1816	-51.94	-13	Pass	841
1840	1920	1	RMS	1877.8	20.71	60	Pass	401
1920	3000	1	RMS	2952	-48.3	-13	Pass	1081
3000	12000	1	RMS	11945	-39.97	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.83	-13	Pass	2986
30	1000	0.1	RMS	843.3	-63.39	-13	Pass	9701
1000	1840	1	RMS	1807	-51.97	-13	Pass	841
1840	1920	1	RMS	1877.8	20.44	60	Pass	401
1920	3000	1	RMS	2959	-48.32	-13	Pass	1081
3000	12000	1	RMS	11947	-39.96	-13	Pass	9002
12000	20000	1	RMS	19407	-30.95	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.9	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.14	-13	Pass	2986
30	1000	0.1	RMS	851.502	-63.46	-13	Pass	9701
1000	1840	1	RMS	1816	-51.99	-13	Pass	841
1840	1920	1	RMS	1905.2	21.85	60	Pass	401
1920	3000	1	RMS	2958	-48.31	-13	Pass	1081
3000	12000	1	RMS	11946	-40.01	-13	Pass	9002
12000	20000	1	RMS	19397	-30.99	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.56	-13	Pass	9701
1000	1840	1	RMS	1795	-51.94	-13	Pass	841
1840	1920	1	RMS	1905.2	21.17	60	Pass	401
1920	3000	1	RMS	2953	-48.3	-13	Pass	1081
3000	12000	1	RMS	11951	-39.92	-13	Pass	9002
12000	20000	1	RMS	19402	-31	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	1000	0.1	RMS	858.406	-63.54	-13	Pass	9701
1000	1840	1	RMS	1833	-49.44	-13	Pass	841
1840	1920	1	RMS	1850.4	19.95	60	Pass	401
1920	3000	1	RMS	2957	-48.35	-13	Pass	1081
3000	12000	1	RMS	11850	-39.93	-13	Pass	9002
12000	20000	1	RMS	19404	-30.97	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.01	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.34	-13	Pass	2986
30	1000	0.1	RMS	831.6	-63.53	-13	Pass	9701
1000	1840	1	RMS	1833	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.4	19.11	60	Pass	401
1920	3000	1	RMS	2953	-48.27	-13	Pass	1081
3000	12000	1	RMS	11947	-40.01	-13	Pass	9002
12000	20000	1	RMS	19407	-30.95	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.45	-13	Pass	9701
1000	1840	1	RMS	1809	-51.95	-13	Pass	841
1840	1920	1	RMS	1875.4	20.92	60	Pass	401
1920	3000	1	RMS	2954	-48.3	-13	Pass	1081
3000	12000	1	RMS	11845	-40.09	-13	Pass	9002
12000	20000	1	RMS	19409	-30.94	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.56	-13	Pass	9701
1000	1840	1	RMS	1803	-51.98	-13	Pass	841
1840	1920	1	RMS	1875.4	20.31	60	Pass	401
1920	3000	1	RMS	2950	-48.33	-13	Pass	1081
3000	12000	1	RMS	11951	-40.02	-13	Pass	9002
12000	20000	1	RMS	19391	-30.97	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	837.3	-63.57	-13	Pass	9701
1000	1840	1	RMS	1809	-51.96	-13	Pass	841
1840	1920	1	RMS	1900.4	22.07	60	Pass	401
1920	3000	1	RMS	2958	-48.32	-13	Pass	1081
3000	12000	1	RMS	11856	-40.03	-13	Pass	9002
12000	20000	1	RMS	19701	-31.03	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	1000	0.1	RMS	841.9	-63.46	-13	Pass	9701
1000	1840	1	RMS	1813	-51.96	-13	Pass	841
1840	1920	1	RMS	1900.4	21	60	Pass	401
1920	3000	1	RMS	2954	-48.3	-13	Pass	1081
3000	12000	1	RMS	11948	-40.05	-13	Pass	9002
12000	20000	1	RMS	19711	-30.94	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.3	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.14	-13	Pass	2986
30	1000	0.1	RMS	848	-63.51	-13	Pass	9701
1000	1840	1	RMS	1838	-47.64	-13	Pass	841
1840	1920	1	RMS	1850.8	19.65	60	Pass	401
1920	3000	1	RMS	2955	-48.3	-13	Pass	1081
3000	12000	1	RMS	11947	-39.97	-13	Pass	9002
12000	20000	1	RMS	19402	-30.99	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.46	-13	Pass	9701
1000	1840	1	RMS	1838	-48.61	-13	Pass	841
1840	1920	1	RMS	1850.8	18.67	60	Pass	401
1920	3000	1	RMS	2949	-48.25	-13	Pass	1081
3000	12000	1	RMS	11948	-39.97	-13	Pass	9002
12000	20000	1	RMS	19402	-30.93	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.43	-13	Pass	9701
1000	1840	1	RMS	1814	-51.94	-13	Pass	841
1840	1920	1	RMS	1873.2	20.83	60	Pass	401
1920	3000	1	RMS	2950	-48.31	-13	Pass	1081
3000	12000	1	RMS	11946	-40.07	-13	Pass	9002
12000	20000	1	RMS	19400	-30.95	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.17	-13	Pass	2986
30	1000	0.1	RMS	840.8	-63.58	-13	Pass	9701
1000	1840	1	RMS	1802	-51.94	-13	Pass	841
1840	1920	1	RMS	1873.2	20.28	60	Pass	401
1920	3000	1	RMS	2956	-48.27	-13	Pass	1081
3000	12000	1	RMS	11845	-39.99	-13	Pass	9002
12000	20000	1	RMS	19399	-30.87	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.46	-13	Pass	9701
1000	1840	1	RMS	1810	-51.97	-13	Pass	841
1840	1920	1	RMS	1895.8	21.58	60	Pass	401
1920	3000	1	RMS	2960	-48.35	-13	Pass	1081
3000	12000	1	RMS	11951	-40.03	-13	Pass	9002
12000	20000	1	RMS	19411	-31	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	1000	0.1	RMS	835.2	-63.59	-13	Pass	9701
1000	1840	1	RMS	1789	-51.93	-13	Pass	841
1840	1920	1	RMS	1895.8	20.78	60	Pass	401
1920	3000	1	RMS	2952	-48.34	-13	Pass	1081
3000	12000	1	RMS	11842	-40.03	-13	Pass	9002
12000	20000	1	RMS	19410	-31.03	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.54	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.21	-13	Pass	2986
30	1000	0.1	RMS	853.303	-63.64	-13	Pass	9701
1000	1840	1	RMS	1833	-49.99	-13	Pass	841
1840	1920	1	RMS	1851	19.78	60	Pass	401
1920	3000	1	RMS	2957	-48.29	-13	Pass	1081
3000	12000	1	RMS	11950	-39.91	-13	Pass	9002
12000	20000	1	RMS	19398	-30.95	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.37	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.95	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.48	-13	Pass	9701
1000	1840	1	RMS	1833	-49.46	-13	Pass	841
1840	1920	1	RMS	1851	19.73	60	Pass	401
1920	3000	1	RMS	2957	-48.3	-13	Pass	1081
3000	12000	1	RMS	11859	-40.06	-13	Pass	9002
12000	20000	1	RMS	19401	-30.93	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2986
30	1000	0.1	RMS	850.701	-63.54	-13	Pass	9701
1000	1840	1	RMS	1836	-50.34	-13	Pass	841
1840	1920	1	RMS	1871	21.09	60	Pass	401
1920	3000	1	RMS	2957	-48.35	-13	Pass	1081
3000	12000	1	RMS	11848	-40.01	-13	Pass	9002
12000	20000	1	RMS	19404	-30.95	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	867.912	-63.58	-13	Pass	9701
1000	1840	1	RMS	1836	-51.24	-13	Pass	841
1840	1920	1	RMS	1871	20.12	60	Pass	401
1920	3000	1	RMS	2955	-48.32	-13	Pass	1081
3000	12000	1	RMS	11948	-39.98	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.53	-13	Pass	9701
1000	1840	1	RMS	1811	-51.94	-13	Pass	841
1840	1920	1	RMS	1891	21.74	60	Pass	401
1920	3000	1	RMS	2948	-48.35	-13	Pass	1081
3000	12000	1	RMS	11950	-40.02	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.47	-13	Pass	9701
1000	1840	1	RMS	1838	-51.97	-13	Pass	841
1840	1920	1	RMS	1891	21.26	60	Pass	401
1920	3000	1	RMS	2955	-48.3	-13	Pass	1081
3000	12000	1	RMS	11848	-39.98	-13	Pass	9002
12000	20000	1	RMS	19419	-30.98	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2986
30	1000	0.1	RMS	838.2	-63.39	-13	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	Pass	701
1700	1765	1	RMS	1710.238	20.54	60	Pass	401
1765	3000	1	RMS	2946	-48.34	-13	Pass	1236
3000	12000	1	RMS	3420	-39.2	-13	Pass	9002
12000	20000	1	RMS	19403	-31.01	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.51	-13	Pass	9701
1000	1700	1	RMS	1700	-52.04	-13	Pass	701
1700	1765	1	RMS	1710.238	19.71	60	Pass	401
1765	3000	1	RMS	2952	-48.28	-13	Pass	1236
3000	12000	1	RMS	11850	-39.95	-13	Pass	9002
12000	20000	1	RMS	19402	-30.85	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.6	-13	Pass	9701
1000	1700	1	RMS	1699	-52.26	-13	Pass	701
1700	1765	1	RMS	1732.013	18.68	60	Pass	401
1765	3000	1	RMS	2956	-48.32	-13	Pass	1236
3000	12000	1	RMS	3464	-38.14	-13	Pass	9002
12000	20000	1	RMS	19403	-30.96	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.46	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.11	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.42	-13	Pass	9701
1000	1700	1	RMS	1694	-52.27	-13	Pass	701
1700	1765	1	RMS	1732.013	18.49	60	Pass	401
1765	3000	1	RMS	2955	-48.27	-13	Pass	1236
3000	12000	1	RMS	3464	-38.34	-13	Pass	9002
12000	20000	1	RMS	19403	-31.02	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.53	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.48	-13	Pass	9701
1000	1700	1	RMS	1695	-52.29	-13	Pass	701
1700	1765	1	RMS	1753.788	17.21	60	Pass	401
1765	3000	1	RMS	2948	-48.35	-13	Pass	1236
3000	12000	1	RMS	3508	-38.78	-13	Pass	9002
12000	20000	1	RMS	19405	-31.02	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	1000	0.1	RMS	859.407	-63.43	-13	Pass	9701
1000	1700	1	RMS	1698	-52.26	-13	Pass	701
1700	1765	1	RMS	1753.788	16.72	60	Pass	401
1765	3000	1	RMS	2946	-48.31	-13	Pass	1236
3000	12000	1	RMS	3508	-39.39	-13	Pass	9002
12000	20000	1	RMS	19407	-31	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	Pass	2986
30	1000	0.1	RMS	859.007	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-51.85	-13	Pass	701
1700	1765	1	RMS	1710.238	20.44	60	Pass	401
1765	3000	1	RMS	2961	-48.36	-13	Pass	1236
3000	12000	1	RMS	11848	-39.98	-13	Pass	9002
12000	20000	1	RMS	19399	-30.94	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.95	-13	Pass	701
1700	1765	1	RMS	1710.238	19.43	60	Pass	401
1765	3000	1	RMS	2957	-48.32	-13	Pass	1236
3000	12000	1	RMS	11949	-39.95	-13	Pass	9002
12000	20000	1	RMS	19395	-30.98	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.93	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.51	-13	Pass	9701
1000	1700	1	RMS	1699	-52.24	-13	Pass	701
1700	1765	1	RMS	1731.2	18.83	60	Pass	401
1765	3000	1	RMS	2955	-48.27	-13	Pass	1236
3000	12000	1	RMS	11957	-40.03	-13	Pass	9002
12000	20000	1	RMS	19400	-30.87	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.58	-13	Pass	9701
1000	1700	1	RMS	1697	-52.28	-13	Pass	701
1700	1765	1	RMS	1731.2	17.96	60	Pass	401
1765	3000	1	RMS	2947	-48.29	-13	Pass	1236
3000	12000	1	RMS	11849	-39.97	-13	Pass	9002
12000	20000	1	RMS	19410	-31.05	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.55	-13	Pass	9701
1000	1700	1	RMS	1689	-52.28	-13	Pass	701
1700	1765	1	RMS	1752.163	17.13	60	Pass	401
1765	3000	1	RMS	2952	-48.34	-13	Pass	1236
3000	12000	1	RMS	3504	-39.47	-13	Pass	9002
12000	20000	1	RMS	19401	-30.98	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2986
30	1000	0.1	RMS	839.5	-63.49	-13	Pass	9701
1000	1700	1	RMS	1695	-52.3	-13	Pass	701
1700	1765	1	RMS	1752.163	16.92	60	Pass	401
1765	3000	1	RMS	2950	-48.34	-13	Pass	1236
3000	12000	1	RMS	3504	-39.54	-13	Pass	9002
12000	20000	1	RMS	19406	-31.01	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.48	-13	Pass	9701
1000	1700	1	RMS	1700	-51.9	-13	Pass	701
1700	1765	1	RMS	1710.238	20.22	60	Pass	401
1765	3000	1	RMS	2945	-48.34	-13	Pass	1236
3000	12000	1	RMS	3421	-38.88	-13	Pass	9002
12000	20000	1	RMS	19703	-30.99	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.3	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	Pass	701
1700	1765	1	RMS	1710.238	19.42	60	Pass	401
1765	3000	1	RMS	2959	-48.27	-13	Pass	1236
3000	12000	1	RMS	3421	-40	-13	Pass	9002
12000	20000	1	RMS	19401	-30.9	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.44	-13	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	Pass	701
1700	1765	1	RMS	1730.225	18.41	60	Pass	401
1765	3000	1	RMS	2955	-48.36	-13	Pass	1236
3000	12000	1	RMS	3461	-39.61	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	868.713	-63.52	-13	Pass	9701
1000	1700	1	RMS	1694	-52.27	-13	Pass	701
1700	1765	1	RMS	1730.225	17.56	60	Pass	401
1765	3000	1	RMS	2955	-48.39	-13	Pass	1236
3000	12000	1	RMS	11852	-40.06	-13	Pass	9002
12000	20000	1	RMS	19398	-30.96	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2986
30	1000	0.1	RMS	837.3	-63.5	-13	Pass	9701
1000	1700	1	RMS	1699	-52.29	-13	Pass	701
1700	1765	1	RMS	1750.213	17.46	60	Pass	401
1765	3000	1	RMS	2947	-48.35	-13	Pass	1236
3000	12000	1	RMS	3501	-39.55	-13	Pass	9002
12000	20000	1	RMS	19398	-30.96	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.98	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.25	-13	Pass	2986
30	1000	0.1	RMS	840.9	-63.52	-13	Pass	9701
1000	1700	1	RMS	1698	-52.27	-13	Pass	701
1700	1765	1	RMS	1750.213	17.31	60	Pass	401
1765	3000	1	RMS	2956	-48.31	-13	Pass	1236
3000	12000	1	RMS	3501	-39.48	-13	Pass	9002
12000	20000	1	RMS	19402	-30.92	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	861.008	-63.57	-13	Pass	9701
1000	1700	1	RMS	1693	-46.22	-13	Pass	701
1700	1765	1	RMS	1710.563	20.61	60	Pass	401
1765	3000	1	RMS	2948	-48.37	-13	Pass	1236
3000	12000	1	RMS	3421	-37.74	-13	Pass	9002
12000	20000	1	RMS	19397	-30.96	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.58	-13	Pass	401
0.15	30	0.01	RMS	0.3	-73.09	-13	Pass	2986
30	1000	0.1	RMS	805.5	-63.58	-13	Pass	9701
1000	1700	1	RMS	1693	-47.56	-13	Pass	701
1700	1765	1	RMS	1710.563	19.53	60	Pass	401
1765	3000	1	RMS	2954	-48.29	-13	Pass	1236
3000	12000	1	RMS	3421	-38.96	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.43	-13	Pass	9701
1000	1700	1	RMS	1696	-52.2	-13	Pass	701
1700	1765	1	RMS	1727.95	18.94	60	Pass	401
1765	3000	1	RMS	2950	-48.3	-13	Pass	1236
3000	12000	1	RMS	3456	-38.48	-13	Pass	9002
12000	20000	1	RMS	19402	-30.99	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	842.8	-63.53	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1765	1	RMS	1727.95	18.38	60	Pass	401
1765	3000	1	RMS	2953	-48.3	-13	Pass	1236
3000	12000	1	RMS	3456	-39.13	-13	Pass	9002
12000	20000	1	RMS	19400	-30.95	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	857.506	-63.57	-13	Pass	9701
1000	1700	1	RMS	1694	-52.3	-13	Pass	701
1700	1765	1	RMS	1745.5	18.42	60	Pass	401
1765	3000	1	RMS	2959	-48.33	-13	Pass	1236
3000	12000	1	RMS	3491	-37.63	-13	Pass	9002
12000	20000	1	RMS	19408	-30.92	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.27	-13	Pass	2986
30	1000	0.1	RMS	838.3	-63.55	-13	Pass	9701
1000	1700	1	RMS	1696	-52.31	-13	Pass	701
1700	1765	1	RMS	1745.5	17.48	60	Pass	401
1765	3000	1	RMS	2950	-48.32	-13	Pass	1236
3000	12000	1	RMS	3491	-38.5	-13	Pass	9002
12000	20000	1	RMS	19402	-30.86	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.54	-13	Pass	9701
1000	1700	1	RMS	1698	-38.29	-13	Pass	701
1700	1765	1	RMS	1710.725	20.44	60	Pass	401
1765	3000	1	RMS	2964	-48.35	-13	Pass	1236
3000	12000	1	RMS	3422	-38.19	-13	Pass	9002
12000	20000	1	RMS	19397	-30.94	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	874.717	-63.45	-13	Pass	9701
1000	1700	1	RMS	1698	-39.56	-13	Pass	701
1700	1765	1	RMS	1710.725	19.5	60	Pass	401
1765	3000	1	RMS	2950	-48.29	-13	Pass	1236
3000	12000	1	RMS	3422	-39.4	-13	Pass	9002
12000	20000	1	RMS	19400	-30.97	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.54	-13	Pass	9701
1000	1700	1	RMS	1699	-48.63	-13	Pass	701
1700	1765	1	RMS	1725.838	18.71	60	Pass	401
1765	3000	1	RMS	2954	-48.3	-13	Pass	1236
3000	12000	1	RMS	3452	-38.47	-13	Pass	9002
12000	20000	1	RMS	19400	-30.94	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.65	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.61	-13	Pass	2986
30	1000	0.1	RMS	858.806	-63.53	-13	Pass	9701
1000	1700	1	RMS	1699	-48.81	-13	Pass	701
1700	1765	1	RMS	1725.838	18.14	60	Pass	401
1765	3000	1	RMS	2953	-48.34	-13	Pass	1236
3000	12000	1	RMS	3452	-39.12	-13	Pass	9002
12000	20000	1	RMS	19400	-30.97	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.97	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	Pass	701
1700	1765	1	RMS	1740.788	18.76	60	Pass	401
1765	3000	1	RMS	2957	-48.3	-13	Pass	1236
3000	12000	1	RMS	3482	-39.47	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.63	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-13	Pass	2986
30	1000	0.1	RMS	841.1	-63.43	-13	Pass	9701
1000	1700	1	RMS	1696	-52.28	-13	Pass	701
1700	1765	1	RMS	1740.788	18.46	60	Pass	401
1765	3000	1	RMS	2950	-48.32	-13	Pass	1236
3000	12000	1	RMS	3482	-39.78	-13	Pass	9002
12000	20000	1	RMS	19408	-30.94	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.09	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.48	-13	Pass	9701
1000	1700	1	RMS	1693	-37.9	-13	Pass	701
1700	1765	1	RMS	1711.05	20.55	60	Pass	401
1765	3000	1	RMS	2960	-48.34	-13	Pass	1236
3000	12000	1	RMS	3422	-37.45	-13	Pass	9002
12000	20000	1	RMS	19399	-31.01	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.65	-13	Pass	9701
1000	1700	1	RMS	1693	-38.52	-13	Pass	701
1700	1765	1	RMS	1711.05	20.03	60	Pass	401
1765	3000	1	RMS	2951	-48.3	-13	Pass	1236
3000	12000	1	RMS	3422	-38.23	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.1	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.14	-13	Pass	2986
30	1000	0.1	RMS	862.809	-63.59	-13	Pass	9701
1000	1700	1	RMS	1688	-52.08	-13	Pass	701
1700	1765	1	RMS	1723.563	18.9	60	Pass	401
1765	3000	1	RMS	2945	-48.33	-13	Pass	1236
3000	12000	1	RMS	3447	-39.16	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.52	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.14	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.46	-13	Pass	9701
1000	1700	1	RMS	1697	-52.07	-13	Pass	701
1700	1765	1	RMS	1723.563	18.28	60	Pass	401
1765	3000	1	RMS	2958	-48.36	-13	Pass	1236
3000	12000	1	RMS	3447	-39.74	-13	Pass	9002
12000	20000	1	RMS	19401	-30.98	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.45	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1765	1	RMS	1736.075	18.89	60	Pass	401
1765	3000	1	RMS	2958	-48.35	-13	Pass	1236
3000	12000	1	RMS	3472	-38.81	-13	Pass	9002
12000	20000	1	RMS	19403	-30.95	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.31	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.47	-13	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	Pass	701
1700	1765	1	RMS	1736.075	17.83	60	Pass	401
1765	3000	1	RMS	2944	-48.35	-13	Pass	1236
3000	12000	1	RMS	3472	-39.71	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.11	-13	61.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	814	0.1	RMS	813.6	-61.82	-13	48.82	Pass	7841
814	860	0.1	RMS	824.2	21.22	60	38.78	Pass	461
860	1000	0.1	RMS	862.9	-63.48	-13	50.48	Pass	1401
1000	3000	1	RMS	1648	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	7208	-40.44	-13	27.44	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.15	-13	61.15	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.6	-61.7	-13	48.7	Pass	7841
814	860	0.1	RMS	824.2	21.07	60	38.93	Pass	461
860	1000	0.1	RMS	869.2	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1648	-47.17	-13	34.17	Pass	2001
3000	10000	1	RMS	7201	-40.41	-13	27.41	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	814	0.1	RMS	812.8	-63.67	-13	50.67	Pass	7841
814	860	0.1	RMS	836.1	20.97	60	39.03	Pass	461
860	1000	0.1	RMS	861.1	-63.73	-13	50.73	Pass	1401
1000	3000	1	RMS	1672	-46.56	-13	33.56	Pass	2001
3000	10000	1	RMS	7212	-40.43	-13	27.43	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	61.22	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	814	0.1	RMS	809.8	-63.72	-13	50.72	Pass	7841
814	860	0.1	RMS	836.1	21.59	60	38.41	Pass	461
860	1000	0.1	RMS	872.1	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1672	-44.86	-13	31.86	Pass	2001
3000	10000	1	RMS	7202	-40.43	-13	27.43	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	811.5	-63.84	-13	50.84	Pass	7841
814	860	0.1	RMS	847.9	20.95	60	39.05	Pass	461
860	1000	0.1	RMS	860	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1695	-46.35	-13	33.35	Pass	2001
3000	10000	1	RMS	7203	-40.44	-13	27.44	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.51	-13	60.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	806.5	-63.82	-13	50.82	Pass	7841
814	860	0.1	RMS	847.9	20.92	60	39.08	Pass	461
860	1000	0.1	RMS	861.2	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1695	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	7202	-40.44	-13	27.44	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	813.5	-61.97	-13	48.97	Pass	7841
814	860	0.1	RMS	824.2	21.62	60	38.38	Pass	461
860	1000	0.1	RMS	870	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1648	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	7205	-40.42	-13	27.42	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	57.5	Pass	2986
30	814	0.1	RMS	813.5	-61.94	-13	48.94	Pass	7841
814	860	0.1	RMS	824.2	21.15	60	38.85	Pass	461
860	1000	0.1	RMS	869.8	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	1648	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	7207	-40.36	-13	27.36	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	811.8	-63.85	-13	50.85	Pass	7841
814	860	0.1	RMS	835.2	21.14	60	38.86	Pass	461
860	1000	0.1	RMS	861.5	-63.73	-13	50.73	Pass	1401
1000	3000	1	RMS	1670	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	7201	-40.43	-13	27.43	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	808.6	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	835.2	21.37	60	38.63	Pass	461
860	1000	0.1	RMS	989.7	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1670	-44.58	-13	31.58	Pass	2001
3000	10000	1	RMS	7207	-40.44	-13	27.44	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	2986
30	814	0.1	RMS	813.3	-63.76	-13	50.76	Pass	7841
814	860	0.1	RMS	846.2	21.21	60	38.79	Pass	461
860	1000	0.1	RMS	862.5	-63.57	-13	50.57	Pass	1401
1000	3000	1	RMS	1692	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	7202	-40.49	-13	27.49	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.19	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	812.7	-63.85	-13	50.85	Pass	7841
814	860	0.1	RMS	846.2	21.31	60	38.69	Pass	461
860	1000	0.1	RMS	861	-63.74	-13	50.74	Pass	1401
1000	3000	1	RMS	1692	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	7199	-40.43	-13	27.43	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.6	-62.13	-13	49.13	Pass	7841
814	860	0.1	RMS	824.3	20.98	60	39.02	Pass	461
860	1000	0.1	RMS	870.2	-63.46	-13	50.46	Pass	1401
1000	3000	1	RMS	1648	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	7207	-40.45	-13	27.45	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	813.6	-61.78	-13	48.78	Pass	7841
814	860	0.1	RMS	824.3	20.52	60	39.48	Pass	461
860	1000	0.1	RMS	959.9	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1648	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	7207	-40.46	-13	27.46	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-13	61.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	812.1	-63.65	-13	50.65	Pass	7841
814	860	0.1	RMS	834.3	21.02	60	38.98	Pass	461
860	1000	0.1	RMS	860.4	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1668	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	7202	-40.44	-13	27.44	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	813	-63.68	-13	50.68	Pass	7841
814	860	0.1	RMS	834.3	21.37	60	38.63	Pass	461
860	1000	0.1	RMS	883	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1668	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	7202	-40.46	-13	27.46	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.08	-13	62.08	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	812.7	-63.89	-13	50.89	Pass	7841
814	860	0.1	RMS	844.3	21.08	60	38.92	Pass	461
860	1000	0.1	RMS	971.9	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1688	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	7201	-40.44	-13	27.44	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.17	-71.56	-13	58.56	Pass	2986
30	814	0.1	RMS	811.4	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	844.3	20.96	60	39.04	Pass	461
860	1000	0.1	RMS	864.5	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	1688	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	7201	-40.39	-13	27.39	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	814	0.1	RMS	807	-57.33	-13	44.33	Pass	7841
814	860	0.1	RMS	824.6	21.93	60	38.07	Pass	461
860	1000	0.1	RMS	862.4	-63.6	-13	50.6	Pass	1401
1000	3000	1	RMS	1649	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	7205	-40.48	-13	27.48	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	811.4	-59.78	-13	46.78	Pass	7841
814	860	0.1	RMS	824.6	21.85	60	38.15	Pass	461
860	1000	0.1	RMS	870.1	-63.62	-13	50.62	Pass	1401
1000	3000	1	RMS	1649	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	7207	-40.46	-13	27.46	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-13	61.05	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	814	-63.3	-13	50.3	Pass	7841
814	860	0.1	RMS	832.1	21.99	60	38.01	Pass	461
860	1000	0.1	RMS	879.5	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1664	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	7206	-40.44	-13	27.44	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	814	-63.1	-13	50.1	Pass	7841
814	860	0.1	RMS	832.1	22.14	60	37.86	Pass	461
860	1000	0.1	RMS	865.9	-63.6	-13	50.6	Pass	1401
1000	3000	1	RMS	1664	-45.31	-13	32.31	Pass	2001
3000	10000	1	RMS	7207	-40.45	-13	27.45	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.6	-63.4	-13	50.4	Pass	7841
814	860	0.1	RMS	839.6	21.92	60	38.08	Pass	461
860	1000	0.1	RMS	860.4	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1679	-46.44	-13	33.44	Pass	2001
3000	10000	1	RMS	7203	-40.38	-13	27.38	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	61.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	814	0.1	RMS	811.1	-63.68	-13	50.68	Pass	7841
814	860	0.1	RMS	839.6	21.86	60	38.14	Pass	461
860	1000	0.1	RMS	862.1	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1679	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	7202	-40.44	-13	27.44	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-25	48.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-25	46.98	Pass	2986
30	1000	0.1	RMS	848.1	-63.56	-25	38.56	Pass	9701
1000	2490	1	RMS	2490	-49.44	-25	24.44	Pass	1491
2490	2580	1	RMS	2500.125	23	60	37	Pass	401
2580	3000	1	RMS	2966	-48.57	-25	23.57	Pass	421
3000	12000	1	RMS	11991	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25999	-41.99	-25	16.99	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-25	48.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	47.39	Pass	2986
30	1000	0.1	RMS	833.8	-63.52	-25	38.52	Pass	9701
1000	2490	1	RMS	2490	-49.84	-25	24.84	Pass	1491
2490	2580	1	RMS	2500.125	21.73	60	38.27	Pass	401
2580	3000	1	RMS	2970	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11987	-58.53	-25	33.53	Pass	9002
12000	26000	1	RMS	25998	-40.61	-25	15.61	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.67	-25	49.67	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	572.2	-63.41	-25	38.41	Pass	9701
1000	2490	1	RMS	2486	-50.26	-25	25.26	Pass	1491
2490	2580	1	RMS	2532.75	23.34	60	36.66	Pass	401
2580	3000	1	RMS	2956	-48.57	-25	23.57	Pass	421
3000	12000	1	RMS	11991	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25994	-40.64	-25	15.64	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	49.05	Pass	401
0.15	30	0.01	RMS	0.19	-71.66	-25	46.66	Pass	2986
30	1000	0.1	RMS	851.402	-63.59	-25	38.59	Pass	9701
1000	2490	1	RMS	2489	-50.33	-25	25.33	Pass	1491
2490	2580	1	RMS	2532.75	23.06	60	36.94	Pass	401
2580	3000	1	RMS	2957	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11999	-58.56	-25	33.56	Pass	9002
12000	26000	1	RMS	26000	-40.68	-25	15.68	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-25	48.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-25	47.1	Pass	2986
30	1000	0.1	RMS	604.6	-62.67	-25	37.67	Pass	9701
1000	2490	1	RMS	2488	-50.25	-25	25.25	Pass	1491
2490	2580	1	RMS	2565.15	23.72	60	36.28	Pass	401
2580	3000	1	RMS	2969	-48.59	-25	23.59	Pass	421
3000	12000	1	RMS	11996	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25993	-40.7	-25	15.7	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-25	48.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-25	46.27	Pass	2986
30	1000	0.1	RMS	604.6	-62.68	-25	37.68	Pass	9701
1000	2490	1	RMS	2488	-50.28	-25	25.28	Pass	1491
2490	2580	1	RMS	2565.15	23.19	60	36.81	Pass	401
2580	3000	1	RMS	2962	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11994	-58.63	-25	33.63	Pass	9002
12000	26000	1	RMS	26000	-40.56	-25	15.56	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-25	48.98	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	849.8	-63.53	-25	38.53	Pass	9701
1000	2490	1	RMS	2483	-42.61	-25	17.61	Pass	1491
2490	2580	1	RMS	2500.575	23.32	60	36.68	Pass	401
2580	3000	1	RMS	2955	-48.56	-25	23.56	Pass	421
3000	12000	1	RMS	11998	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25997	-40.76	-25	15.76	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.96	-25	49.96	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-25	47.51	Pass	2986
30	1000	0.1	RMS	843.8	-63.67	-25	38.67	Pass	9701
1000	2490	1	RMS	2483	-46.18	-25	21.18	Pass	1491
2490	2580	1	RMS	2500.575	22.38	60	37.62	Pass	401
2580	3000	1	RMS	2957	-48.55	-25	23.55	Pass	421
3000	12000	1	RMS	11998	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	26000	-40.61	-25	15.61	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-25	49.34	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-25	46.86	Pass	2986
30	1000	0.1	RMS	853.703	-63.56	-25	38.56	Pass	9701
1000	2490	1	RMS	2483	-50.3	-25	25.3	Pass	1491
2490	2580	1	RMS	2530.5	23.54	60	36.46	Pass	401
2580	3000	1	RMS	2958	-48.63	-25	23.63	Pass	421
3000	12000	1	RMS	11998	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25998	-40.63	-25	15.63	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-25	49.12	Pass	401
0.15	30	0.01	RMS	0.16	-72.67	-25	47.67	Pass	2986
30	1000	0.1	RMS	859.807	-63.61	-25	38.61	Pass	9701
1000	2490	1	RMS	2489	-50.32	-25	25.32	Pass	1491
2490	2580	1	RMS	2530.5	23.21	60	36.79	Pass	401
2580	3000	1	RMS	2965	-48.56	-25	23.56	Pass	421
3000	12000	1	RMS	12000	-58.58	-25	33.58	Pass	9002
12000	26000	1	RMS	25991	-40.68	-25	15.68	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-25	48.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	46.66	Pass	2986
30	1000	0.1	RMS	599.9	-61.59	-25	36.59	Pass	9701
1000	2490	1	RMS	2489	-50.32	-25	25.32	Pass	1491
2490	2580	1	RMS	2560.425	23.79	60	36.21	Pass	401
2580	3000	1	RMS	2968	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11999	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25999	-40.67	-25	15.67	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-25	47.73	Pass	2986
30	1000	0.1	RMS	599.9	-62.38	-25	37.38	Pass	9701
1000	2490	1	RMS	2487	-50.27	-25	25.27	Pass	1491
2490	2580	1	RMS	2560.425	23.17	60	36.83	Pass	401
2580	3000	1	RMS	2956	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11999	-58.56	-25	33.56	Pass	9002
12000	26000	1	RMS	25993	-40.69	-25	15.69	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-25	48.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	861.508	-63.57	-25	38.57	Pass	9701
1000	2490	1	RMS	2488	-42.45	-25	17.45	Pass	1491
2490	2580	1	RMS	2500.8	23.28	60	36.72	Pass	401
2580	3000	1	RMS	2963	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11998	-58.61	-25	33.61	Pass	9002
12000	26000	1	RMS	25997	-40.61	-25	15.61	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.87	-25	47.87	Pass	401
0.15	30	0.01	RMS	0.25	-72.25	-25	47.25	Pass	2986
30	1000	0.1	RMS	851.001	-63.51	-25	38.51	Pass	9701
1000	2490	1	RMS	2488	-43.67	-25	18.67	Pass	1491
2490	2580	1	RMS	2500.8	22.48	60	37.52	Pass	401
2580	3000	1	RMS	2957	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	12000	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25998	-40.59	-25	15.59	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.45	-25	49.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	849	-63.56	-25	38.56	Pass	9701
1000	2490	1	RMS	2490	-50.22	-25	25.22	Pass	1491
2490	2580	1	RMS	2528.25	23.39	60	36.61	Pass	401
2580	3000	1	RMS	2962	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11998	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25999	-40.71	-25	15.71	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-25	48.14	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	850.301	-63.61	-25	38.61	Pass	9701
1000	2490	1	RMS	2489	-50.25	-25	25.25	Pass	1491
2490	2580	1	RMS	2528.25	23.24	60	36.76	Pass	401
2580	3000	1	RMS	2956	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11994	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25988	-40.67	-25	15.67	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-25	47.96	Pass	401
0.15	30	0.01	RMS	0.22	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	595.2	-62.4	-25	37.4	Pass	9701
1000	2490	1	RMS	2489	-50.28	-25	25.28	Pass	1491
2490	2580	1	RMS	2555.7	23.77	60	36.23	Pass	401
2580	3000	1	RMS	2582	-37.72	-25	12.72	Pass	421
3000	12000	1	RMS	12000	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25998	-40.61	-25	15.61	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74	-25	49	Pass	401
0.15	30	0.01	RMS	0.23	-72.14	-25	47.14	Pass	2986
30	1000	0.1	RMS	595.1	-62.55	-25	37.55	Pass	9701
1000	2490	1	RMS	2490	-50.3	-25	25.3	Pass	1491
2490	2580	1	RMS	2555.7	22.78	60	37.22	Pass	401
2580	3000	1	RMS	2582	-39.9	-25	14.9	Pass	421
3000	12000	1	RMS	11989	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25999	-40.55	-25	15.55	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-25	48.8	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-25	47.31	Pass	2986
30	1000	0.1	RMS	838.9	-63.62	-25	38.62	Pass	9701
1000	2490	1	RMS	2483	-39.34	-25	14.34	Pass	1491
2490	2580	1	RMS	2501.025	22.96	60	37.04	Pass	401
2580	3000	1	RMS	2963	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11999	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25996	-40.71	-25	15.71	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.97	-25	48.97	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	839.8	-63.62	-25	38.62	Pass	9701
1000	2490	1	RMS	2483	-39.3	-25	14.3	Pass	1491
2490	2580	1	RMS	2501.025	22.55	60	37.45	Pass	401
2580	3000	1	RMS	2957	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11997	-58.61	-25	33.61	Pass	9002
12000	26000	1	RMS	25999	-40.7	-25	15.7	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	49.48	Pass	401
0.15	30	0.01	RMS	0.2	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	751.1	-63.66	-25	38.66	Pass	9701
1000	2490	1	RMS	2490	-46.76	-25	21.76	Pass	1491
2490	2580	1	RMS	2526	23.53	60	36.47	Pass	401
2580	3000	1	RMS	2953	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11996	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25996	-40.55	-25	15.55	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.82	-25	49.82	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-25	47.43	Pass	2986
30	1000	0.1	RMS	860.207	-63.62	-25	38.62	Pass	9701
1000	2490	1	RMS	2490	-47.91	-25	22.91	Pass	1491
2490	2580	1	RMS	2526	22.66	60	37.34	Pass	401
2580	3000	1	RMS	2957	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	12000	-58.56	-25	33.56	Pass	9002
12000	26000	1	RMS	25998	-40.63	-25	15.63	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-25	48.88	Pass	401
0.15	30	0.01	RMS	0.18	-72.22	-25	47.22	Pass	2986
30	1000	0.1	RMS	590.4	-61.91	-25	36.91	Pass	9701
1000	2490	1	RMS	2488	-50.31	-25	25.31	Pass	1491
2490	2580	1	RMS	2550.975	23.64	60	36.36	Pass	401
2580	3000	1	RMS	2586	-44.56	-25	19.56	Pass	421
3000	12000	1	RMS	11999	-58.55	-25	33.55	Pass	9002
12000	26000	1	RMS	25983	-40.69	-25	15.69	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.09	-25	49.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-25	46.46	Pass	2986
30	1000	0.1	RMS	590.4	-62.11	-25	37.11	Pass	9701
1000	2490	1	RMS	2488	-50.33	-25	25.33	Pass	1491
2490	2580	1	RMS	2550.975	22.87	60	37.13	Pass	401
2580	3000	1	RMS	2586	-44.5	-25	19.5	Pass	421
3000	12000	1	RMS	12000	-58.63	-25	33.63	Pass	9002
12000	26000	1	RMS	25995	-40.65	-25	15.65	Pass	14002



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.21	-71.57	-13	58.57	Pass	2986
30	767	0.1	RMS	766.6	-62.11	-13	49.11	Pass	7371
767	797	0.1	RMS	777.35	21.62	60	38.38	Pass	401
797	1000	0.1	RMS	850	-63.65	-13	50.65	Pass	2031
1000	3000	1	RMS	1554	-47.24	-13	34.24	Pass	2001
3000	10000	1	RMS	7207	-40.49	-13	27.49	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-13	59.25	Pass	2986
30	767	0.1	RMS	766.6	-63.04	-13	50.04	Pass	7371
767	797	0.1	RMS	777.35	20.8	60	39.2	Pass	401
797	1000	0.1	RMS	860.4	-63.62	-13	50.62	Pass	2031
1000	3000	1	RMS	1554	-48.27	-13	35.27	Pass	2001
3000	10000	1	RMS	7208	-40.5	-13	27.5	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.8	-13	61.8	Pass	401
0.15	30	0.01	RMS	0.21	-72.5	-13	59.5	Pass	2986
30	767	0.1	RMS	756.5	-64.08	-13	51.08	Pass	7371
767	797	0.1	RMS	779.825	21.52	60	38.48	Pass	401
797	1000	0.1	RMS	817.5	-63.51	-13	50.51	Pass	2031
1000	3000	1	RMS	1559	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	7206	-40.45	-13	27.45	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.57	-13	61.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	767	0.1	RMS	745.8	-64	-13	51	Pass	7371
767	797	0.1	RMS	779.825	21.04	60	38.96	Pass	401
797	1000	0.1	RMS	840.1	-63.53	-13	50.53	Pass	2031
1000	3000	1	RMS	1559	-48	-13	35	Pass	2001
3000	10000	1	RMS	7210	-40.44	-13	27.44	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	61.05	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	767	0.1	RMS	763.2	-64	-13	51	Pass	7371
767	797	0.1	RMS	782.3	21.32	60	38.68	Pass	401
797	1000	0.1	RMS	850.8	-63.42	-13	50.42	Pass	2031
1000	3000	1	RMS	1564	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	7200	-40.46	-13	27.46	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.21	-72.63	-13	59.63	Pass	2986
30	767	0.1	RMS	760.8	-63.94	-13	50.94	Pass	7371
767	797	0.1	RMS	782.375	20.54	60	39.46	Pass	401
797	1000	0.1	RMS	852.3	-63.45	-13	50.45	Pass	2031
1000	3000	1	RMS	1564	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	7210	-40.44	-13	27.44	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	767	0.1	RMS	766.9	-61.75	-13	48.75	Pass	7371
767	797	0.1	RMS	777.575	22.02	60	37.98	Pass	401
797	1000	0.1	RMS	799.6	-61.91	-13	48.91	Pass	2031
1000	3000	1	RMS	1555	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	7203	-40.37	-13	27.37	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	767	0.1	RMS	766.9	-62.41	-13	49.41	Pass	7371
767	797	0.1	RMS	777.575	20.95	60	39.05	Pass	401
797	1000	0.1	RMS	799.8	-62.39	-13	49.39	Pass	2031
1000	3000	1	RMS	1555	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	7204	-40.46	-13	27.46	Pass	7001



6. LTE_Band18(part22)


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.6	-62.28	-13	49.28	Pass	7841
814	841	0.1	RMS	824.328	21.43	60	38.57	Pass	401
841	1000	0.1	RMS	851.7	-63.49	-13	50.49	Pass	1591
1000	3000	1	RMS	1648	-47.9	-13	34.9	Pass	2001
3000	10000	1	RMS	7200	-40.45	-13	27.45	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	813.7	-62.65	-13	49.65	Pass	7841
814	841	0.1	RMS	824.328	20.56	60	39.44	Pass	401
841	1000	0.1	RMS	843.6	-63.21	-13	50.21	Pass	1591
1000	3000	1	RMS	1648	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	7202	-40.45	-13	27.45	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	61.03	Pass	401
0.15	30	0.01	RMS	0.18	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	813.8	-63.56	-13	50.56	Pass	7841
814	841	0.1	RMS	824.868	21.38	60	38.62	Pass	401
841	1000	0.1	RMS	849.7	-63.27	-13	50.27	Pass	1591
1000	3000	1	RMS	1649	-48	-13	35	Pass	2001
3000	10000	1	RMS	7213	-40.47	-13	27.47	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.32	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	813.8	-63.62	-13	50.62	Pass	7841
814	841	0.1	RMS	824.868	20.75	60	39.25	Pass	401
841	1000	0.1	RMS	842.2	-63.45	-13	50.45	Pass	1591
1000	3000	1	RMS	1649	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	7201	-40.41	-13	27.41	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	812.7	-63.52	-13	50.52	Pass	7841
814	841	0.1	RMS	825.34	21.47	60	38.53	Pass	401
841	1000	0.1	RMS	844.5	-63.33	-13	50.33	Pass	1591
1000	3000	1	RMS	1650	-47.93	-13	34.93	Pass	2001
3000	10000	1	RMS	7204	-40.48	-13	27.48	Pass	7001



6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	812.3	-63.69	-13	50.69	Pass	7841
814	841	0.1	RMS	825.34	20.78	60	39.22	Pass	401
841	1000	0.1	RMS	844.5	-63.41	-13	50.41	Pass	1591
1000	3000	1	RMS	2955	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	7210	-40.47	-13	27.47	Pass	7001



7. LTE_Band26(part22)


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-13	61.61	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	57.93	Pass	2986
30	814	0.1	RMS	813.5	-62.08	-13	49.08	Pass	7841
814	860	0.1	RMS	824.2	20.95	60	39.05	Pass	461
860	1000	0.1	RMS	986.3	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1648	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	7205	-40.41	-13	27.41	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.5	-62.46	-13	49.46	Pass	7841
814	860	0.1	RMS	824.2	20.32	60	39.68	Pass	461
860	1000	0.1	RMS	861.5	-63.73	-13	50.73	Pass	1401
1000	3000	1	RMS	1648	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	7206	-40.42	-13	27.42	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-13	61.32	Pass	401
0.15	30	0.01	RMS	0.21	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	812.7	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	836.1	21.04	60	38.96	Pass	461
860	1000	0.1	RMS	986.4	-63.64	-13	50.64	Pass	1401
1000	3000	1	RMS	1672	-46.32	-13	33.32	Pass	2001
3000	10000	1	RMS	7198	-40.51	-13	27.51	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	813	-63.82	-13	50.82	Pass	7841
814	860	0.1	RMS	836.1	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	864.9	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1672	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	7207	-40.45	-13	27.45	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	754	-63.75	-13	50.75	Pass	7841
814	860	0.1	RMS	847.8	20.83	60	39.17	Pass	461
860	1000	0.1	RMS	867.7	-63.64	-13	50.64	Pass	1401
1000	3000	1	RMS	1695	-46.6	-13	33.6	Pass	2001
3000	10000	1	RMS	7208	-40.46	-13	27.46	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	763	-63.93	-13	50.93	Pass	7841
814	860	0.1	RMS	847.9	19.86	60	40.14	Pass	461
860	1000	0.1	RMS	862.4	-63.62	-13	50.62	Pass	1401
1000	3000	1	RMS	1695	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	7199	-40.4	-13	27.4	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	813.5	-61.78	-13	48.78	Pass	7841
814	860	0.1	RMS	824.2	21.4	60	38.6	Pass	461
860	1000	0.1	RMS	868.7	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1648	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	7207	-40.43	-13	27.43	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	813.6	-62.5	-13	49.5	Pass	7841
814	860	0.1	RMS	824.2	20.26	60	39.74	Pass	461
860	1000	0.1	RMS	869.2	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1648	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	7205	-40.41	-13	27.41	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	811	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	835.2	20.97	60	39.03	Pass	461
860	1000	0.1	RMS	861.2	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1670	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	7201	-40.45	-13	27.45	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	814	0.1	RMS	809.6	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	835.2	20.77	60	39.23	Pass	461
860	1000	0.1	RMS	967.3	-63.74	-13	50.74	Pass	1401
1000	3000	1	RMS	1670	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	7201	-40.43	-13	27.43	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	811.7	-63.77	-13	50.77	Pass	7841
814	860	0.1	RMS	846.2	21.14	60	38.86	Pass	461
860	1000	0.1	RMS	867.3	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	1692	-47.22	-13	34.22	Pass	2001
3000	10000	1	RMS	7206	-40.44	-13	27.44	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-13	59.78	Pass	2986
30	814	0.1	RMS	812.8	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	846.2	20.57	60	39.43	Pass	461
860	1000	0.1	RMS	863.5	-63.71	-13	50.71	Pass	1401
1000	3000	1	RMS	1692	-47.5	-13	34.5	Pass	2001
3000	10000	1	RMS	7203	-40.43	-13	27.43	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	61.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	813.6	-62.14	-13	49.14	Pass	7841
814	860	0.1	RMS	824.3	20.96	60	39.04	Pass	461
860	1000	0.1	RMS	870.3	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1648	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	7202	-40.35	-13	27.35	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.21	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	813.6	-62.39	-13	49.39	Pass	7841
814	860	0.1	RMS	824.3	20.08	60	39.92	Pass	461
860	1000	0.1	RMS	873.1	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	2968	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	7202	-40.42	-13	27.42	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	812	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	834.3	20.95	60	39.05	Pass	461
860	1000	0.1	RMS	860	-63.66	-13	50.66	Pass	1401
1000	3000	1	RMS	1668	-46	-13	33	Pass	2001
3000	10000	1	RMS	7203	-40.39	-13	27.39	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	61.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	813.5	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	834.3	20.4	60	39.6	Pass	461
860	1000	0.1	RMS	881.8	-63.61	-13	50.61	Pass	1401
1000	3000	1	RMS	1668	-46.53	-13	33.53	Pass	2001
3000	10000	1	RMS	7205	-40.48	-13	27.48	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.3	-63.61	-13	50.61	Pass	7841
814	860	0.1	RMS	844.3	20.99	60	39.01	Pass	461
860	1000	0.1	RMS	870.8	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	1688	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	7207	-40.37	-13	27.37	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.3	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	813	-63.81	-13	50.81	Pass	7841
814	860	0.1	RMS	844.3	20.06	60	39.94	Pass	461
860	1000	0.1	RMS	863.7	-63.79	-13	50.79	Pass	1401
1000	3000	1	RMS	1688	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	7204	-40.39	-13	27.39	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	807	-58.91	-13	45.91	Pass	7841
814	860	0.1	RMS	824.6	21.62	60	38.38	Pass	461
860	1000	0.1	RMS	869.6	-63.51	-13	50.51	Pass	1401
1000	3000	1	RMS	1649	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	7216	-40.47	-13	27.47	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	61.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	807	-59.81	-13	46.81	Pass	7841
814	860	0.1	RMS	824.6	20.78	60	39.22	Pass	461
860	1000	0.1	RMS	871.9	-63.45	-13	50.45	Pass	1401
1000	3000	1	RMS	2963	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	7200	-40.48	-13	27.48	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.98	-13	61.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	814	0.1	RMS	814	-62.81	-13	49.81	Pass	7841
814	860	0.1	RMS	832.1	21.52	60	38.48	Pass	461
860	1000	0.1	RMS	866.1	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1664	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	7203	-40.45	-13	27.45	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	814	-63.01	-13	50.01	Pass	7841
814	860	0.1	RMS	832.1	21.07	60	38.93	Pass	461
860	1000	0.1	RMS	879.2	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1664	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	7207	-40.44	-13	27.44	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	812.8	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	839.6	21.57	60	38.43	Pass	461
860	1000	0.1	RMS	860.6	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	1679	-46.46	-13	33.46	Pass	2001
3000	10000	1	RMS	7212	-40.4	-13	27.4	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.25	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	813	-63.62	-13	50.62	Pass	7841
814	860	0.1	RMS	839.6	20.76	60	39.24	Pass	461
860	1000	0.1	RMS	886.1	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	1679	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	7200	-40.33	-13	27.33	Pass	7001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	811.5	-51.55	-13	38.55	Pass	7841
814	860	0.1	RMS	824.8	20.98	60	39.02	Pass	461
860	1000	0.1	RMS	877.3	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1649	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	7200	-40.44	-13	27.44	Pass	7001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	811.5	-52.37	-13	39.37	Pass	7841
814	860	0.1	RMS	824.8	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	870.4	-63.6	-13	50.6	Pass	1401
1000	3000	1	RMS	1649	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	7205	-40.43	-13	27.43	Pass	7001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.22	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	809.9	-60.03	-13	47.03	Pass	7841
814	860	0.1	RMS	829.8	21.02	60	38.98	Pass	461
860	1000	0.1	RMS	862.4	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1659	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	7208	-40.45	-13	27.45	Pass	7001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	61.52	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	58.48	Pass	2986
30	814	0.1	RMS	809.8	-59.59	-13	46.59	Pass	7841
814	860	0.1	RMS	829.8	20.91	60	39.09	Pass	461
860	1000	0.1	RMS	888	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	1659	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	7201	-40.44	-13	27.44	Pass	7001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.18	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	808.3	-58.64	-13	45.64	Pass	7841
814	860	0.1	RMS	834.8	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	864.5	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1669	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	7199	-40.45	-13	27.45	Pass	7001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	808.2	-59.48	-13	46.48	Pass	7841
814	860	0.1	RMS	834.8	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	879.9	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1669	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	7202	-40.43	-13	27.43	Pass	7001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	831.5	-63.47	-13	50.47	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1710.125	24.55	60	35.45	Pass	401
1790	3000	1	RMS	2962	-48.46	-13	35.46	Pass	1211
3000	12000	1	RMS	11993	-38.78	-13	25.78	Pass	9002
12000	20000	1	RMS	19716	-29.18	-13	16.18	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	859.107	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	38.24	Pass	701
1700	1790	1	RMS	1710.125	24.01	60	35.99	Pass	401
1790	3000	1	RMS	2964	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	11999	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19697	-29.18	-13	16.18	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.66	-13	61.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	977.585	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1689	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1744.55	24.38	60	35.62	Pass	401
1790	3000	1	RMS	2960	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	3489	-37.65	-13	24.65	Pass	9002
12000	20000	1	RMS	19404	-29.19	-13	16.19	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.22	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	844.4	-63.47	-13	50.47	Pass	9701
1000	1700	1	RMS	1698	-52.28	-13	39.28	Pass	701
1700	1790	1	RMS	1744.325	23.56	60	36.44	Pass	401
1790	3000	1	RMS	2962	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	3489	-38.66	-13	25.66	Pass	9002
12000	20000	1	RMS	19730	-29.23	-13	16.23	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	849.4	-63.46	-13	50.46	Pass	9701
1000	1700	1	RMS	1698	-52.34	-13	39.34	Pass	701
1700	1790	1	RMS	1778.75	24.34	60	35.66	Pass	401
1790	3000	1	RMS	2956	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	3558	-38.23	-13	25.23	Pass	9002
12000	20000	1	RMS	19704	-29.18	-13	16.18	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.27	-13	61.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	989.293	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-52.2	-13	39.2	Pass	701
1700	1790	1	RMS	1778.75	24.13	60	35.87	Pass	401
1790	3000	1	RMS	2952	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	3558	-38.46	-13	25.46	Pass	9002
12000	20000	1	RMS	19702	-29.16	-13	16.16	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	831.2	-63.46	-13	50.46	Pass	9701
1000	1700	1	RMS	1700	-51.14	-13	38.14	Pass	701
1700	1790	1	RMS	1710.125	24.42	60	35.58	Pass	401
1790	3000	1	RMS	2957	-48.53	-13	35.53	Pass	1211
3000	12000	1	RMS	11990	-38.79	-13	25.79	Pass	9002
12000	20000	1	RMS	19703	-29.09	-13	16.09	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.21	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	853.503	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-51.36	-13	38.36	Pass	701
1700	1790	1	RMS	1710.125	23.75	60	36.25	Pass	401
1790	3000	1	RMS	2957	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	12000	-38.76	-13	25.76	Pass	9002
12000	20000	1	RMS	19401	-29.21	-13	16.21	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	828.7	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1699	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1743.65	24.07	60	35.93	Pass	401
1790	3000	1	RMS	2965	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	11997	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19704	-29.17	-13	16.17	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	851.702	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1691	-52.31	-13	39.31	Pass	701
1700	1790	1	RMS	1743.65	23.62	60	36.38	Pass	401
1790	3000	1	RMS	2961	-48.49	-13	35.49	Pass	1211
3000	12000	1	RMS	12000	-38.77	-13	25.77	Pass	9002
12000	20000	1	RMS	19404	-29.18	-13	16.18	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.27	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.9	-13	Pass	2986
30	1000	0.1	RMS	863.409	-63.58	-13	Pass	9701
1000	1700	1	RMS	1699	-52.27	-13	Pass	701
1700	1790	1	RMS	1777.175	15.98	60	Pass	401
1790	3000	1	RMS	2952	-48.31	-13	Pass	1211
3000	12000	1	RMS	3554	-39.49	-13	Pass	9002
12000	20000	1	RMS	19403	-31.03	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	852.502	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1699	-52.29	-13	39.29	Pass	701
1700	1790	1	RMS	1777.175	23.45	60	36.55	Pass	401
1790	3000	1	RMS	2967	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	11996	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19407	-29.19	-13	16.19	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.2	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	832.4	-63.57	-13	50.57	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	37.84	Pass	701
1700	1790	1	RMS	1710.125	24.03	60	35.97	Pass	401
1790	3000	1	RMS	2964	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	3421	-38.6	-13	25.6	Pass	9002
12000	20000	1	RMS	19419	-29.2	-13	16.2	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	849.2	-63.52	-13	50.52	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	38.04	Pass	701
1700	1790	1	RMS	1710.125	23.36	60	36.64	Pass	401
1790	3000	1	RMS	2969	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	11999	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19400	-29.22	-13	16.22	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	836.4	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1698	-52.35	-13	39.35	Pass	701
1700	1790	1	RMS	1742.75	24.25	60	35.75	Pass	401
1790	3000	1	RMS	2957	-48.45	-13	35.45	Pass	1211
3000	12000	1	RMS	11997	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19715	-29.19	-13	16.19	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.17	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	853.003	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1697	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1742.75	23.49	60	36.51	Pass	401
1790	3000	1	RMS	2955	-48.4	-13	35.4	Pass	1211
3000	12000	1	RMS	11995	-38.78	-13	25.78	Pass	9002
12000	20000	1	RMS	19723	-29.15	-13	16.15	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	857.606	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1697	-52.26	-13	39.26	Pass	701
1700	1790	1	RMS	1775.15	24.13	60	35.87	Pass	401
1790	3000	1	RMS	2969	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	12000	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19409	-29.19	-13	16.19	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	852.702	-63.5	-13	50.5	Pass	9701
1000	1700	1	RMS	1698	-52.29	-13	39.29	Pass	701
1700	1790	1	RMS	1775.15	23.28	60	36.72	Pass	401
1790	3000	1	RMS	2968	-48.47	-13	35.47	Pass	1211
3000	12000	1	RMS	11998	-38.75	-13	25.75	Pass	9002
12000	20000	1	RMS	19709	-29.19	-13	16.19	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	844.7	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1693	-42.9	-13	29.9	Pass	701
1700	1790	1	RMS	1710.575	24.44	60	35.56	Pass	401
1790	3000	1	RMS	2948	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	3421	-37.68	-13	24.68	Pass	9002
12000	20000	1	RMS	19403	-29.18	-13	16.18	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	849.6	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1693	-44.58	-13	31.58	Pass	701
1700	1790	1	RMS	1710.575	23.69	60	36.31	Pass	401
1790	3000	1	RMS	2969	-48.49	-13	35.49	Pass	1211
3000	12000	1	RMS	3421	-38.52	-13	25.52	Pass	9002
12000	20000	1	RMS	19400	-29.17	-13	16.17	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	849.8	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	39.25	Pass	701
1700	1790	1	RMS	1740.5	24.3	60	35.7	Pass	401
1790	3000	1	RMS	2963	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	11994	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19410	-29.21	-13	16.21	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	815.3	-63.53	-13	50.53	Pass	9701
1000	1700	1	RMS	1700	-52.31	-13	39.31	Pass	701
1700	1790	1	RMS	1740.5	23.8	60	36.2	Pass	401
1790	3000	1	RMS	2964	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	11992	-38.85	-13	25.85	Pass	9002
12000	20000	1	RMS	19713	-29.2	-13	16.2	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	852.002	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1699	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1770.425	24.48	60	35.52	Pass	401
1790	3000	1	RMS	2945	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	3541	-37.75	-13	24.75	Pass	9002
12000	20000	1	RMS	19710	-29.19	-13	16.19	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	860.608	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1696	-52.27	-13	39.27	Pass	701
1700	1790	1	RMS	1770.425	23.55	60	36.45	Pass	401
1790	3000	1	RMS	2969	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	11987	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19404	-29.23	-13	16.23	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	848.4	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1698	-33.54	-13	20.54	Pass	701
1700	1790	1	RMS	1710.8	24.54	60	35.46	Pass	401
1790	3000	1	RMS	2957	-48.47	-13	35.47	Pass	1211
3000	12000	1	RMS	3422	-37.81	-13	24.81	Pass	9002
12000	20000	1	RMS	19402	-29.17	-13	16.17	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	999.9	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1698	-34.9	-13	21.9	Pass	701
1700	1790	1	RMS	1710.8	23.82	60	36.18	Pass	401
1790	3000	1	RMS	2958	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	3422	-38.68	-13	25.68	Pass	9002
12000	20000	1	RMS	19400	-29.19	-13	16.19	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	865.711	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1698	-52.2	-13	39.2	Pass	701
1700	1790	1	RMS	1738.25	24.21	60	35.79	Pass	401
1790	3000	1	RMS	2947	-48.54	-13	35.54	Pass	1211
3000	12000	1	RMS	11994	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19401	-29.16	-13	16.16	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.16	-70.69	-13	57.69	Pass	2986
30	1000	0.1	RMS	834.8	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1696	-52.3	-13	39.3	Pass	701
1700	1790	1	RMS	1738.25	24.23	60	35.77	Pass	401
1790	3000	1	RMS	2960	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	11991	-38.79	-13	25.79	Pass	9002
12000	20000	1	RMS	19407	-29.17	-13	16.17	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	60.73	Pass	401
0.15	30	0.01	RMS	0.21	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	837.9	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1699	-52.34	-13	39.34	Pass	701
1700	1790	1	RMS	1765.7	24.41	60	35.59	Pass	401
1790	3000	1	RMS	1793	-46.07	-13	33.07	Pass	1211
3000	12000	1	RMS	3532	-38.52	-13	25.52	Pass	9002
12000	20000	1	RMS	19702	-29.17	-13	16.17	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	867.712	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1697	-52.3	-13	39.3	Pass	701
1700	1790	1	RMS	1765.7	23.4	60	36.6	Pass	401
1790	3000	1	RMS	2964	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	11997	-38.83	-13	25.83	Pass	9002
12000	20000	1	RMS	19709	-29.2	-13	16.2	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	825.7	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1693	-33.98	-13	20.98	Pass	701
1700	1790	1	RMS	1711.025	24.47	60	35.53	Pass	401
1790	3000	1	RMS	2951	-48.54	-13	35.54	Pass	1211
3000	12000	1	RMS	3422	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	19405	-29.18	-13	16.18	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	838.2	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1693	-35.94	-13	22.94	Pass	701
1700	1790	1	RMS	1711.025	23.76	60	36.24	Pass	401
1790	3000	1	RMS	2966	-48.47	-13	35.47	Pass	1211
3000	12000	1	RMS	3422	-38.12	-13	25.12	Pass	9002
12000	20000	1	RMS	19397	-29.2	-13	16.2	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	982.288	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1700	-49.45	-13	36.45	Pass	701
1700	1790	1	RMS	1736	24.29	60	35.71	Pass	401
1790	3000	1	RMS	2963	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	11999	-38.79	-13	25.79	Pass	9002
12000	20000	1	RMS	19731	-29.17	-13	16.17	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	845.1	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1700	-50.25	-13	37.25	Pass	701
1700	1790	1	RMS	1736	23.61	60	36.39	Pass	401
1790	3000	1	RMS	2962	-48.49	-13	35.49	Pass	1211
3000	12000	1	RMS	11994	-38.72	-13	25.72	Pass	9002
12000	20000	1	RMS	19704	-29.2	-13	16.2	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	846.8	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1694	-52.31	-13	39.31	Pass	701
1700	1790	1	RMS	1760.975	24.35	60	35.65	Pass	401
1790	3000	1	RMS	1797	-43.86	-13	30.86	Pass	1211
3000	12000	1	RMS	3522	-38.32	-13	25.32	Pass	9002
12000	20000	1	RMS	19702	-29.19	-13	16.19	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	862.409	-63.5	-13	50.5	Pass	9701
1000	1700	1	RMS	1698	-52.33	-13	39.33	Pass	701
1700	1790	1	RMS	1760.975	24.01	60	35.99	Pass	401
1790	3000	1	RMS	1797	-44.56	-13	31.56	Pass	1211
3000	12000	1	RMS	3522	-38.57	-13	25.57	Pass	9002
12000	20000	1	RMS	19397	-29.05	-13	16.05	Pass	8001



9. LTE_Band38


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.49	-25	44.49	Pass	401
0.15	30	0.01	RMS	0.2	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	831.6	-59.51	-25	34.51	Pass	9701
1000	2560	1	RMS	2560	-45.49	-25	20.49	Pass	1561
2560	2630	1	RMS	2570.325	23.76	60	36.24	Pass	401
2630	3000	1	RMS	2966.7	-44.54	-25	19.54	Pass	401
3000	12000	1	RMS	11988	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	26000	-38.03	-25	13.03	Pass	14502




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.6	-25	44.6	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	851.301	-59.56	-25	34.56	Pass	9701
1000	2560	1	RMS	2559	-45.22	-25	20.22	Pass	1561
2560	2630	1	RMS	2570.15	23.69	60	36.31	Pass	401
2630	3000	1	RMS	2957.45	-44.56	-25	19.56	Pass	401
3000	12000	1	RMS	12000	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	26000	-38.06	-25	13.06	Pass	14502




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	829.5	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2523	-46.02	-25	21.02	Pass	1561
2560	2630	1	RMS	2592.725	23.81	60	36.19	Pass	401
2630	3000	1	RMS	2963.925	-44.56	-25	19.56	Pass	401
3000	12000	1	RMS	11999	-44.52	-25	19.52	Pass	9002
12000	26500	1	RMS	26007	-37.96	-25	12.96	Pass	14502




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.26	-25	44.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-25	43.94	Pass	2986
30	1000	0.1	RMS	850.601	-59.57	-25	34.57	Pass	9701
1000	2560	1	RMS	2525	-46	-25	21	Pass	1561
2560	2630	1	RMS	2592.9	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2965.775	-44.54	-25	19.54	Pass	401
3000	12000	1	RMS	11998	-44.47	-25	19.47	Pass	9002
12000	26500	1	RMS	26001	-37.95	-25	12.95	Pass	14502




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	838.7	-59.27	-25	34.27	Pass	9701
1000	2560	1	RMS	2525	-46.01	-25	21.01	Pass	1561
2560	2630	1	RMS	2615.3	23.44	60	36.56	Pass	401
2630	3000	1	RMS	2957.45	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	11998	-44.42	-25	19.42	Pass	9002
12000	26500	1	RMS	26006	-38.05	-25	13.05	Pass	14502




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.02	-25	42.02	Pass	401
0.15	30	0.01	RMS	0.18	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	845.1	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2524	-46.02	-25	21.02	Pass	1561
2560	2630	1	RMS	2615.3	24.19	60	35.81	Pass	401
2630	3000	1	RMS	2956.525	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	11999	-44.48	-25	19.48	Pass	9002
12000	26500	1	RMS	26000	-37.79	-25	12.79	Pass	14502




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.36	-25	44.36	Pass	401
0.15	30	0.01	RMS	0.18	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	609.9	-59.35	-25	34.35	Pass	9701
1000	2560	1	RMS	2553	-34.36	-25	9.36	Pass	1561
2560	2630	1	RMS	2570.5	24.27	60	35.73	Pass	401
2630	3000	1	RMS	2967.625	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	12000	-44.42	-25	19.42	Pass	9002
12000	26500	1	RMS	26001	-38.07	-25	13.07	Pass	14502




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.25	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	862.909	-59.47	-25	34.47	Pass	9701
1000	2560	1	RMS	2552	-41.45	-25	16.45	Pass	1561
2560	2630	1	RMS	2570.5	22.36	60	37.64	Pass	401
2630	3000	1	RMS	2956.525	-44.52	-25	19.52	Pass	401
3000	12000	1	RMS	11996	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	25999	-37.86	-25	12.86	Pass	14502



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.01	-25	45.01	Pass	401
0.15	30	0.01	RMS	0.16	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	847.4	-59.55	-25	34.55	Pass	9701
1000	2560	1	RMS	2520	-45.99	-25	20.99	Pass	1561
2560	2630	1	RMS	2590.625	24.4	60	35.6	Pass	401
2630	3000	1	RMS	2964.85	-44.52	-25	19.52	Pass	401
3000	12000	1	RMS	11999	-44.41	-25	19.41	Pass	9002
12000	26500	1	RMS	25999	-37.98	-25	12.98	Pass	14502



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.2	-25	44.2	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	42.88	Pass	2986
30	1000	0.1	RMS	868.813	-59.5	-25	34.5	Pass	9701
1000	2560	1	RMS	2535	-46.02	-25	21.02	Pass	1561
2560	2630	1	RMS	2590.45	23.82	60	36.18	Pass	401
2630	3000	1	RMS	2956.525	-44.56	-25	19.56	Pass	401
3000	12000	1	RMS	12000	-44.33	-25	19.33	Pass	9002
12000	26500	1	RMS	26003	-38.08	-25	13.08	Pass	14502



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	857.305	-59.45	-25	34.45	Pass	9701
1000	2560	1	RMS	2518	-46.01	-25	21.01	Pass	1561
2560	2630	1	RMS	2610.575	24.04	60	35.96	Pass	401
2630	3000	1	RMS	2630	-37.23	-25	12.23	Pass	401
3000	12000	1	RMS	11996	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	26005	-38.01	-25	13.01	Pass	14502



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.19	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	850.501	-59.6	-25	34.6	Pass	9701
1000	2560	1	RMS	2523	-45.98	-25	20.98	Pass	1561
2560	2630	1	RMS	2610.4	23.78	60	36.22	Pass	401
2630	3000	1	RMS	2630	-37.34	-25	12.34	Pass	401
3000	12000	1	RMS	11994	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	26001	-37.93	-25	12.93	Pass	14502



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.69	-25	44.69	Pass	401
0.15	30	0.01	RMS	0.17	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	857.506	-59.45	-25	34.45	Pass	9701
1000	2560	1	RMS	2545	-37.16	-25	12.16	Pass	1561
2560	2630	1	RMS	2570.85	24.34	60	35.66	Pass	401
2630	3000	1	RMS	2961.15	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	12000	-44.47	-25	19.47	Pass	9002
12000	26500	1	RMS	26001	-38	-25	13	Pass	14502



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.29	-25	45.29	Pass	401
0.15	30	0.01	RMS	0.2	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	610.2	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2558	-40.11	-25	15.11	Pass	1561
2560	2630	1	RMS	2570.675	23.23	60	36.77	Pass	401
2630	3000	1	RMS	2967.625	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	11998	-44.49	-25	19.49	Pass	9002
12000	26500	1	RMS	25995	-38.01	-25	13.01	Pass	14502



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.19	-25	45.19	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	848.2	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2560	-44.69	-25	19.69	Pass	1561
2560	2630	1	RMS	2588.35	24	60	36	Pass	401
2630	3000	1	RMS	2956.525	-44.51	-25	19.51	Pass	401
3000	12000	1	RMS	12000	-44.36	-25	19.36	Pass	9002
12000	26500	1	RMS	26008	-37.89	-25	12.89	Pass	14502



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-25	44.56	Pass	401
0.15	30	0.01	RMS	0.17	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	856.605	-59.57	-25	34.57	Pass	9701
1000	2560	1	RMS	2559	-43.69	-25	18.69	Pass	1561
2560	2630	1	RMS	2588.175	23.47	60	36.53	Pass	401
2630	3000	1	RMS	2969.475	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	12000	-44.45	-25	19.45	Pass	9002
12000	26500	1	RMS	26001	-37.92	-25	12.92	Pass	14502



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.43	-25	44.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	857.005	-59.6	-25	34.6	Pass	9701
1000	2560	1	RMS	2553	-45.82	-25	20.82	Pass	1561
2560	2630	1	RMS	2605.85	24.25	60	35.75	Pass	401
2630	3000	1	RMS	2631.85	-33.31	-25	8.31	Pass	401
3000	12000	1	RMS	12000	-44.43	-25	19.43	Pass	9002
12000	26500	1	RMS	26011	-38.05	-25	13.05	Pass	14502



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.22	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	861.008	-59.48	-25	34.48	Pass	9701
1000	2560	1	RMS	2549	-45.72	-25	20.72	Pass	1561
2560	2630	1	RMS	2605.85	23.47	60	36.53	Pass	401
2630	3000	1	RMS	2631.85	-32.6	-25	7.6	Pass	401
3000	12000	1	RMS	11984	-44.45	-25	19.45	Pass	9002
12000	26500	1	RMS	25991	-38.02	-25	13.02	Pass	14502



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.26	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	852.102	-59.44	-25	34.44	Pass	9701
1000	2560	1	RMS	2535	-39.94	-25	14.94	Pass	1561
2560	2630	1	RMS	2570.85	24.15	60	35.85	Pass	401
2630	3000	1	RMS	2646.65	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	11999	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	26000	-37.98	-25	12.98	Pass	14502



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-25	45.32	Pass	401
0.15	30	0.01	RMS	0.23	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	936.158	-59.53	-25	34.53	Pass	9701
1000	2560	1	RMS	2553	-40.31	-25	15.31	Pass	1561
2560	2630	1	RMS	2571.025	23.73	60	36.27	Pass	401
2630	3000	1	RMS	2968.55	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	11999	-44.44	-25	19.44	Pass	9002
12000	26500	1	RMS	25992	-37.99	-25	12.99	Pass	14502



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.18	-25	44.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	995.197	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2551	-41.64	-25	16.64	Pass	1561
2560	2630	1	RMS	2586.075	24.13	60	35.87	Pass	401
2630	3000	1	RMS	2962.075	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	11997	-44.52	-25	19.52	Pass	9002
12000	26500	1	RMS	25981	-38.06	-25	13.06	Pass	14502



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	0.21	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	863.71	-59.6	-25	34.6	Pass	9701
1000	2560	1	RMS	2551	-41.77	-25	16.77	Pass	1561
2560	2630	1	RMS	2585.9	23.55	60	36.45	Pass	401
2630	3000	1	RMS	2964.85	-44.57	-25	19.57	Pass	401
3000	12000	1	RMS	11998	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	25995	-38.02	-25	13.02	Pass	14502



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.17	-25	44.17	Pass	401
0.15	30	0.01	RMS	0.16	-67.44	-25	42.44	Pass	2986
30	1000	0.1	RMS	835	-59.55	-25	34.55	Pass	9701
1000	2560	1	RMS	2554	-45.85	-25	20.85	Pass	1561
2560	2630	1	RMS	2600.95	24.84	60	35.16	Pass	401
2630	3000	1	RMS	2636.475	-38.05	-25	13.05	Pass	401
3000	12000	1	RMS	11999	-44.51	-25	19.51	Pass	9002
12000	26500	1	RMS	25994	-38.02	-25	13.02	Pass	14502



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	44.53	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	827.5	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2559	-45.72	-25	20.72	Pass	1561
2560	2630	1	RMS	2600.95	24.19	60	35.81	Pass	401
2630	3000	1	RMS	2636.475	-40.74	-25	15.74	Pass	401
3000	12000	1	RMS	12000	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	25988	-38.09	-25	13.09	Pass	14502



10. LTE_Band41 120M


10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.65	-25	44.65	Pass	401
0.15	30	0.01	RMS	0.25	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	855.504	-59.54	-25	34.54	Pass	9701
1000	2525	1	RMS	2525	-44.73	-25	19.73	Pass	1526
2525	2665	1	RMS	2535.5	22.49	60	37.51	Pass	401
2665	3000	1	RMS	2956.45	-44.58	-25	19.58	Pass	401
3000	12000	1	RMS	11994	-54.54	-25	29.54	Pass	9002
12000	27000	1	RMS	26005	-36.69	-25	11.69	Pass	15002




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.23	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	849.8	-59.56	-25	34.56	Pass	9701
1000	2525	1	RMS	2523	-45.26	-25	20.26	Pass	1526
2525	2665	1	RMS	2535.5	22.76	60	37.24	Pass	401
2665	3000	1	RMS	2957.288	-44.54	-25	19.54	Pass	401
3000	12000	1	RMS	11998	-54.5	-25	29.5	Pass	9002
12000	27000	1	RMS	26003	-36.73	-25	11.73	Pass	15002




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.19	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	843.9	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2521	-46.09	-25	21.09	Pass	1526
2525	2665	1	RMS	2592.9	23.17	60	36.83	Pass	401
2665	3000	1	RMS	2955.613	-44.58	-25	19.58	Pass	401
3000	12000	1	RMS	11995	-54.52	-25	29.52	Pass	9002
12000	27000	1	RMS	25990	-36.65	-25	11.65	Pass	15002




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.51	-25	44.51	Pass	401
0.15	30	0.01	RMS	0.18	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	858.006	-59.59	-25	34.59	Pass	9701
1000	2525	1	RMS	2521	-46.08	-25	21.08	Pass	1526
2525	2665	1	RMS	2592.9	24.12	60	35.88	Pass	401
2665	3000	1	RMS	2968.175	-44.59	-25	19.59	Pass	401
3000	12000	1	RMS	11999	-54.54	-25	29.54	Pass	9002
12000	27000	1	RMS	26002	-36.58	-25	11.58	Pass	15002




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.13	-25	44.13	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	978.286	-59.59	-25	34.59	Pass	9701
1000	2525	1	RMS	2519	-46.12	-25	21.12	Pass	1526
2525	2665	1	RMS	2650.3	23.92	60	36.08	Pass	401
2665	3000	1	RMS	2966.5	-44.61	-25	19.61	Pass	401
3000	12000	1	RMS	11994	-54.54	-25	29.54	Pass	9002
12000	27000	1	RMS	25994	-36.64	-25	11.64	Pass	15002




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.85	-25	43.85	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	852.802	-59.48	-25	34.48	Pass	9701
1000	2525	1	RMS	2525	-46.14	-25	21.14	Pass	1526
2525	2665	1	RMS	2649.95	24.25	60	35.75	Pass	401
2665	3000	1	RMS	2964.825	-44.61	-25	19.61	Pass	401
3000	12000	1	RMS	5301	-53.7	-25	28.7	Pass	9002
12000	27000	1	RMS	26000	-36.56	-25	11.56	Pass	15002




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-25	44.56	Pass	401
0.15	30	0.01	RMS	0.2	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	863.91	-59.6	-25	34.6	Pass	9701
1000	2525	1	RMS	2518	-36.64	-25	11.64	Pass	1526
2525	2665	1	RMS	2535.5	23.63	60	36.37	Pass	401
2665	3000	1	RMS	2957.288	-44.59	-25	19.59	Pass	401
3000	12000	1	RMS	11983	-54.6	-25	29.6	Pass	9002
12000	27000	1	RMS	26001	-36.61	-25	11.61	Pass	15002



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.19	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	574.9	-59.44	-25	34.44	Pass	9701
1000	2525	1	RMS	2518	-41.85	-25	16.85	Pass	1526
2525	2665	1	RMS	2535.15	23.29	60	36.71	Pass	401
2665	3000	1	RMS	2971.525	-44.62	-25	19.62	Pass	401
3000	12000	1	RMS	11995	-54.48	-25	29.48	Pass	9002
12000	27000	1	RMS	26003	-36.63	-25	11.63	Pass	15002



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.99	-25	44.99	Pass	401
0.15	30	0.01	RMS	0.2	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	870.914	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2524	-46.13	-25	21.13	Pass	1526
2525	2665	1	RMS	2590.1	23.22	60	36.78	Pass	401
2665	3000	1	RMS	2967.338	-44.62	-25	19.62	Pass	401
3000	12000	1	RMS	11999	-54.58	-25	29.58	Pass	9002
12000	27000	1	RMS	26001	-36.64	-25	11.64	Pass	15002



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-25	44.77	Pass	401
0.15	30	0.01	RMS	0.22	-67.36	-25	42.36	Pass	2986
30	1000	0.1	RMS	825.5	-59.34	-25	34.34	Pass	9701
1000	2525	1	RMS	2518	-46.08	-25	21.08	Pass	1526
2525	2665	1	RMS	2590.1	23.81	60	36.19	Pass	401
2665	3000	1	RMS	2958.963	-44.62	-25	19.62	Pass	401
3000	12000	1	RMS	11991	-54.58	-25	29.58	Pass	9002
12000	27000	1	RMS	25998	-36.65	-25	11.65	Pass	15002



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.6	-25	44.6	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	842.3	-59.43	-25	34.43	Pass	9701
1000	2525	1	RMS	2524	-46.12	-25	21.12	Pass	1526
2525	2665	1	RMS	2645.4	23.21	60	36.79	Pass	401
2665	3000	1	RMS	2665	-38.46	-25	13.46	Pass	401
3000	12000	1	RMS	12000	-54.52	-25	29.52	Pass	9002
12000	27000	1	RMS	25996	-36.73	-25	11.73	Pass	15002



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.18	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	847.4	-59.67	-25	34.67	Pass	9701
1000	2525	1	RMS	2523	-46.14	-25	21.14	Pass	1526
2525	2665	1	RMS	2645.4	24.45	60	35.55	Pass	401
2665	3000	1	RMS	2665	-39.3	-25	14.3	Pass	401
3000	12000	1	RMS	5291	-52.51	-25	27.51	Pass	9002
12000	27000	1	RMS	25988	-36.66	-25	11.66	Pass	15002



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	0.18	-67.7	-25	42.7	Pass	2986
30	1000	0.1	RMS	851.001	-59.54	-25	34.54	Pass	9701
1000	2525	1	RMS	2523	-40.01	-25	15.01	Pass	1526
2525	2665	1	RMS	2535.85	23.09	60	36.91	Pass	401
2665	3000	1	RMS	2965.663	-44.61	-25	19.61	Pass	401
3000	12000	1	RMS	11999	-54.62	-25	29.62	Pass	9002
12000	27000	1	RMS	26003	-36.62	-25	11.62	Pass	15002



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.78	-25	44.78	Pass	401
0.15	30	0.01	RMS	0.16	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	836.8	-59.27	-25	34.27	Pass	9701
1000	2525	1	RMS	2523	-39.76	-25	14.76	Pass	1526
2525	2665	1	RMS	2535.5	21.93	60	38.07	Pass	401
2665	3000	1	RMS	2957.288	-44.3	-25	19.3	Pass	401
3000	12000	1	RMS	11999	-54.21	-25	29.21	Pass	9002
12000	27000	1	RMS	25999	-36.38	-25	11.38	Pass	15002



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.17	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	858.106	-59.2	-25	34.2	Pass	9701
1000	2525	1	RMS	2522	-45.69	-25	20.69	Pass	1526
2525	2665	1	RMS	2588	22.63	60	37.37	Pass	401
2665	3000	1	RMS	2965.663	-44.29	-25	19.29	Pass	401
3000	12000	1	RMS	11998	-54.24	-25	29.24	Pass	9002
12000	27000	1	RMS	26001	-36.22	-25	11.22	Pass	15002



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.67	-25	44.67	Pass	401
0.15	30	0.01	RMS	0.21	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	857.105	-59.35	-25	34.35	Pass	9701
1000	2525	1	RMS	2521	-45.69	-25	20.69	Pass	1526
2525	2665	1	RMS	2588	23.52	60	36.48	Pass	401
2665	3000	1	RMS	2957.288	-44.32	-25	19.32	Pass	401
3000	12000	1	RMS	12000	-54.13	-25	29.13	Pass	9002
12000	27000	1	RMS	25986	-36.33	-25	11.33	Pass	15002



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	44.53	Pass	401
0.15	30	0.01	RMS	0.2	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	857.706	-59.21	-25	34.21	Pass	9701
1000	2525	1	RMS	2523	-45.77	-25	20.77	Pass	1526
2525	2665	1	RMS	2640.5	23.07	60	36.93	Pass	401
2665	3000	1	RMS	2667.513	-38.25	-25	13.25	Pass	401
3000	12000	1	RMS	11999	-54.13	-25	29.13	Pass	9002
12000	27000	1	RMS	26982	-36.41	-25	11.41	Pass	15002



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-25	45.16	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	843.9	-59.24	-25	34.24	Pass	9701
1000	2525	1	RMS	2520	-45.73	-25	20.73	Pass	1526
2525	2665	1	RMS	2640.5	23.35	60	36.65	Pass	401
2665	3000	1	RMS	2667.513	-37.39	-25	12.39	Pass	401
3000	12000	1	RMS	11999	-54.22	-25	29.22	Pass	9002
12000	27000	1	RMS	25991	-36.36	-25	11.36	Pass	15002



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-25	45.31	Pass	401
0.15	30	0.01	RMS	0.17	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	848.2	-59.21	-25	34.21	Pass	9701
1000	2525	1	RMS	2518	-38.59	-25	13.59	Pass	1526
2525	2665	1	RMS	2535.85	22.6	60	37.4	Pass	401
2665	3000	1	RMS	2961.475	-44.3	-25	19.3	Pass	401
3000	12000	1	RMS	11997	-54.19	-25	29.19	Pass	9002
12000	27000	1	RMS	26004	-36.35	-25	11.35	Pass	15002



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.7	-25	44.7	Pass	401
0.15	30	0.01	RMS	0.23	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	843.9	-59.18	-25	34.18	Pass	9701
1000	2525	1	RMS	2519	-39.13	-25	14.13	Pass	1526
2525	2665	1	RMS	2536.2	22.87	60	37.13	Pass	401
2665	3000	1	RMS	2955.613	-44.28	-25	19.28	Pass	401
3000	12000	1	RMS	11998	-54.21	-25	29.21	Pass	9002
12000	27000	1	RMS	26003	-36.24	-25	11.24	Pass	15002



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-25	44.42	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	825.3	-58.99	-25	33.99	Pass	9701
1000	2525	1	RMS	2523	-45.73	-25	20.73	Pass	1526
2525	2665	1	RMS	2585.9	23.04	60	36.96	Pass	401
2665	3000	1	RMS	2969.013	-44.3	-25	19.3	Pass	401
3000	12000	1	RMS	11996	-54.15	-25	29.15	Pass	9002
12000	27000	1	RMS	25999	-36.32	-25	11.32	Pass	15002



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.95	-25	44.95	Pass	401
0.15	30	0.01	RMS	0.16	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	986.591	-59.27	-25	34.27	Pass	9701
1000	2525	1	RMS	2520	-45.64	-25	20.64	Pass	1526
2525	2665	1	RMS	2585.9	22.04	60	37.96	Pass	401
2665	3000	1	RMS	2968.175	-44.24	-25	19.24	Pass	401
3000	12000	1	RMS	12000	-54.21	-25	29.21	Pass	9002
12000	27000	1	RMS	25986	-36.37	-25	11.37	Pass	15002



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.71	-25	45.71	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	848.8	-59.24	-25	34.24	Pass	9701
1000	2525	1	RMS	2520	-45.76	-25	20.76	Pass	1526
2525	2665	1	RMS	2635.6	22.86	60	37.14	Pass	401
2665	3000	1	RMS	2671.7	-42.79	-25	17.79	Pass	401
3000	12000	1	RMS	11996	-54.2	-25	29.2	Pass	9002
12000	27000	1	RMS	25996	-36.33	-25	11.33	Pass	15002



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	823.3	-59.15	-25	34.15	Pass	9701
1000	2525	1	RMS	2520	-45.67	-25	20.67	Pass	1526
2525	2665	1	RMS	2635.95	23.98	60	36.02	Pass	401
2665	3000	1	RMS	2670.863	-42.71	-25	17.71	Pass	401
3000	12000	1	RMS	11997	-54.22	-25	29.22	Pass	9002
12000	27000	1	RMS	25995	-36.37	-25	11.37	Pass	15002



11. LTE_Band19


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-13	57.17	Pass	2986
30	820	0.1	RMS	819.6	-63.15	-13	50.15	Pass	7901
820	856	0.1	RMS	830.35	21.25	60	38.75	Pass	401
856	1000	0.1	RMS	995.7	-63.62	-13	50.62	Pass	1441
1000	3000	1	RMS	1660	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	6979	-41.38	-13	28.38	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	57.62	Pass	2986
30	820	0.1	RMS	819.6	-63.13	-13	50.13	Pass	7901
820	856	0.1	RMS	830.35	20.67	60	39.33	Pass	401
856	1000	0.1	RMS	996.2	-63.4	-13	50.4	Pass	1441
1000	3000	1	RMS	1660	-46.58	-13	33.58	Pass	2001
3000	10000	1	RMS	6982	-41.52	-13	28.52	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	820	0.1	RMS	817.7	-63.78	-13	50.78	Pass	7901
820	856	0.1	RMS	835.3	20.78	60	39.22	Pass	401
856	1000	0.1	RMS	900	-63.49	-13	50.49	Pass	1441
1000	3000	1	RMS	1670	-45.1	-13	32.1	Pass	2001
3000	10000	1	RMS	6980	-41.65	-13	28.65	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.2	-71.27	-13	58.27	Pass	2986
30	820	0.1	RMS	819.9	-63.85	-13	50.85	Pass	7901
820	856	0.1	RMS	835.3	20.33	60	39.67	Pass	401
856	1000	0.1	RMS	882.2	-63.67	-13	50.67	Pass	1441
1000	3000	1	RMS	1670	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	6978	-41.55	-13	28.55	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	820	0.1	RMS	819.6	-63.87	-13	50.87	Pass	7901
820	856	0.1	RMS	840.34	21.29	60	38.71	Pass	401
856	1000	0.1	RMS	995.9	-63.67	-13	50.67	Pass	1441
1000	3000	1	RMS	1680	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	6980	-41.67	-13	28.67	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-13	58.27	Pass	2986
30	820	0.1	RMS	812.4	-64.09	-13	51.09	Pass	7901
820	856	0.1	RMS	840.34	20.5	60	39.5	Pass	401
856	1000	0.1	RMS	995.4	-63.58	-13	50.58	Pass	1441
1000	3000	1	RMS	1680	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6977	-41.64	-13	28.64	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	57.56	Pass	2986
30	820	0.1	RMS	813	-52.72	-13	39.72	Pass	7901
820	856	0.1	RMS	830.62	21.37	60	38.63	Pass	401
856	1000	0.1	RMS	900	-63.79	-13	50.79	Pass	1441
1000	3000	1	RMS	1661	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	6980	-41.19	-13	28.19	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.18	-69.85	-13	56.85	Pass	2986
30	820	0.1	RMS	812.9	-51.64	-13	38.64	Pass	7901
820	856	0.1	RMS	830.62	20.39	60	39.61	Pass	401
856	1000	0.1	RMS	998.6	-63.06	-13	50.06	Pass	1441
1000	3000	1	RMS	1661	-46.45	-13	33.45	Pass	2001
3000	10000	1	RMS	6977	-41.16	-13	28.16	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	57.4	Pass	2986
30	820	0.1	RMS	815.5	-51.88	-13	38.88	Pass	7901
820	856	0.1	RMS	833.05	20.87	60	39.13	Pass	401
856	1000	0.1	RMS	900	-63.18	-13	50.18	Pass	1441
1000	3000	1	RMS	1666	-45.41	-13	32.41	Pass	2001
3000	10000	1	RMS	6979	-41.16	-13	28.16	Pass	7001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.17	-70	-13	57	Pass	2986
30	820	0.1	RMS	815.5	-52.55	-13	39.55	Pass	7901
820	856	0.1	RMS	833.05	20.37	60	39.63	Pass	401
856	1000	0.1	RMS	900	-62.85	-13	49.85	Pass	1441
1000	3000	1	RMS	1666	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	6979	-41.27	-13	28.27	Pass	7001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.16	-70.61	-13	57.61	Pass	2986
30	820	0.1	RMS	818	-53.83	-13	40.83	Pass	7901
820	856	0.1	RMS	835.57	21.19	60	38.81	Pass	401
856	1000	0.1	RMS	998.8	-63.01	-13	50.01	Pass	1441
1000	3000	1	RMS	1671	-45.37	-13	32.37	Pass	2001
3000	10000	1	RMS	6980	-41.14	-13	28.14	Pass	7001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.19	-71.09	-13	58.09	Pass	2986
30	820	0.1	RMS	818	-54.47	-13	41.47	Pass	7901
820	856	0.1	RMS	835.57	20.79	60	39.21	Pass	401
856	1000	0.1	RMS	900	-62.94	-13	49.94	Pass	1441
1000	3000	1	RMS	1671	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	6981	-41.21	-13	28.21	Pass	7001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.17	-70.18	-13	57.18	Pass	2986
30	820	0.1	RMS	817.5	-53.03	-13	40.03	Pass	7901
820	856	0.1	RMS	830.8	21.23	60	38.77	Pass	401
856	1000	0.1	RMS	900	-62.99	-13	49.99	Pass	1441
1000	3000	1	RMS	1661	-44.97	-13	31.97	Pass	2001
3000	10000	1	RMS	6982	-41.26	-13	28.26	Pass	7001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	57.33	Pass	2986
30	820	0.1	RMS	817.5	-54.78	-13	41.78	Pass	7901
820	856	0.1	RMS	830.8	20.09	60	39.91	Pass	401
856	1000	0.1	RMS	900	-62.93	-13	49.93	Pass	1441
1000	3000	1	RMS	1661	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	6980	-41.22	-13	28.22	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.75	-13	52.75	Pass	401
0.15	30	0.01	Peak	0.15	-64.78	-13	51.78	Pass	2986
30	809	0.1	Peak	808.7	-52.6	-13	39.6	Pass	7791
809	829	0.1	Peak	814.3	26.64	60	33.36	Pass	401
829	1000	0.1	Peak	987.4	-52.72	-13	39.72	Pass	1711
1000	3000	1	Peak	1628	-36.02	-13	23.02	Pass	2001
3000	10000	1	Peak	8406	-28.68	-13	15.68	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.91	-13	54.91	Pass	401
0.15	30	0.01	Peak	0.2	-64.01	-13	51.01	Pass	2986
30	809	0.1	Peak	809	-51.26	-13	38.26	Pass	7791
809	829	0.1	Peak	814.2	27.42	60	32.58	Pass	401
829	1000	0.1	Peak	901.2	-52.33	-13	39.33	Pass	1711
1000	3000	1	Peak	1629	-36.21	-13	23.21	Pass	2001
3000	10000	1	Peak	7715	-28.57	-13	15.57	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.88	-13	51.88	Pass	401
0.15	30	0.01	Peak	0.53	-64.79	-13	51.79	Pass	2986
30	809	0.1	Peak	464.8	-53.04	-13	40.04	Pass	7791
809	829	0.1	Peak	818.55	26.6	60	33.4	Pass	401
829	1000	0.1	Peak	852	-52.56	-13	39.56	Pass	1711
1000	3000	1	Peak	1637	-34.9	-13	21.9	Pass	2001
3000	10000	1	Peak	7914	-29.37	-13	16.37	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.95	-13	53.95	Pass	401
0.15	30	0.01	Peak	0.24	-63.9	-13	50.9	Pass	2986
30	809	0.1	Peak	740.9	-53.04	-13	40.04	Pass	7791
809	829	0.1	Peak	818.55	27.27	60	32.73	Pass	401
829	1000	0.1	Peak	873.2	-52.83	-13	39.83	Pass	1711
1000	3000	1	Peak	1637	-34.91	-13	21.91	Pass	2001
3000	10000	1	Peak	7328	-28.94	-13	15.94	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.09	-13	55.09	Pass	401
0.15	30	0.01	Peak	0.17	-63.65	-13	50.65	Pass	2986
30	809	0.1	Peak	383.9	-53.3	-13	40.3	Pass	7791
809	829	0.1	Peak	822.9	26.33	60	33.67	Pass	401
829	1000	0.1	Peak	829.1	-51.51	-13	38.51	Pass	1711
1000	3000	1	Peak	1646	-37.11	-13	24.11	Pass	2001
3000	10000	1	Peak	7195	-28.71	-13	15.71	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.49	-13	53.49	Pass	401
0.15	30	0.01	Peak	0.16	-63.09	-13	50.09	Pass	2986
30	809	0.1	Peak	804.6	-53.14	-13	40.14	Pass	7791
809	829	0.1	Peak	822.8	27.07	60	32.93	Pass	401
829	1000	0.1	Peak	829.5	-51.08	-13	38.08	Pass	1711
1000	3000	1	Peak	2950	-36.48	-13	23.48	Pass	2001
3000	10000	1	Peak	7668	-28.59	-13	15.59	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.69	-13	53.69	Pass	401
0.15	30	0.01	Peak	0.16	-64.04	-13	51.04	Pass	2986
30	809	0.1	Peak	809	-44.57	-13	31.57	Pass	7791
809	829	0.1	Peak	814.2	26.2	60	33.8	Pass	401
829	1000	0.1	Peak	844.4	-52.69	-13	39.69	Pass	1711
1000	3000	1	Peak	1628	-36.01	-13	23.01	Pass	2001
3000	10000	1	Peak	7199	-28.71	-13	15.71	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.56	-13	54.56	Pass	401
0.15	30	0.01	Peak	0.2	-64.58	-13	51.58	Pass	2986
30	809	0.1	Peak	809	-42.91	-13	29.91	Pass	7791
809	829	0.1	Peak	814.2	26.91	60	33.09	Pass	401
829	1000	0.1	Peak	919.2	-52.64	-13	39.64	Pass	1711
1000	3000	1	Peak	1628	-36.46	-13	23.46	Pass	2001
3000	10000	1	Peak	7321	-29.02	-13	16.02	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.97	-13	53.97	Pass	401
0.15	30	0.01	Peak	0.18	-62.03	-13	49.03	Pass	2986
30	809	0.1	Peak	526.4	-53.03	-13	40.03	Pass	7791
809	829	0.1	Peak	817.7	26.5	60	33.5	Pass	401
829	1000	0.1	Peak	832.8	-52.59	-13	39.59	Pass	1711
1000	3000	1	Peak	1635	-34.71	-13	21.71	Pass	2001
3000	10000	1	Peak	7688	-28.88	-13	15.88	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.29	-13	53.29	Pass	401
0.15	30	0.01	Peak	0.19	-64.87	-13	51.87	Pass	2986
30	809	0.1	Peak	801.2	-52.77	-13	39.77	Pass	7791
809	829	0.1	Peak	817.8	26.98	60	33.02	Pass	401
829	1000	0.1	Peak	846.4	-52.29	-13	39.29	Pass	1711
1000	3000	1	Peak	1635	-35.01	-13	22.01	Pass	2001
3000	10000	1	Peak	7222	-28.74	-13	15.74	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.57	-13	54.57	Pass	401
0.15	30	0.01	Peak	0.15	-63.7	-13	50.7	Pass	2986
30	809	0.1	Peak	573.4	-52.63	-13	39.63	Pass	7791
809	829	0.1	Peak	821.25	26.56	60	33.44	Pass	401
829	1000	0.1	Peak	831	-52.01	-13	39.01	Pass	1711
1000	3000	1	Peak	1642	-36.14	-13	23.14	Pass	2001
3000	10000	1	Peak	7636	-28.98	-13	15.98	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.37	-13	53.37	Pass	401
0.15	30	0.01	Peak	0.15	-64.95	-13	51.95	Pass	2986
30	809	0.1	Peak	636.9	-52.94	-13	39.94	Pass	7791
809	829	0.1	Peak	821.25	27.07	60	32.93	Pass	401
829	1000	0.1	Peak	831.3	-51.43	-13	38.43	Pass	1711
1000	3000	1	Peak	1643	-36.79	-13	23.79	Pass	2001
3000	10000	1	Peak	7055	-28.99	-13	15.99	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.71	-13	54.71	Pass	401
0.15	30	0.01	Peak	0.2	-64.06	-13	51.06	Pass	2986
30	809	0.1	Peak	803.7	-52.39	-13	39.39	Pass	7791
809	829	0.1	Peak	814.3	26.41	60	33.59	Pass	401
829	1000	0.1	Peak	969.9	-52.17	-13	39.17	Pass	1711
1000	3000	1	Peak	1629	-35.9	-13	22.9	Pass	2001
3000	10000	1	Peak	8443	-28.74	-13	15.74	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.93	-13	53.93	Pass	401
0.15	30	0.01	Peak	0.2	-64.17	-13	51.17	Pass	2986
30	809	0.1	Peak	699	-52.3	-13	39.3	Pass	7791
809	829	0.1	Peak	814.3	26.9	60	33.1	Pass	401
829	1000	0.1	Peak	850.4	-52.74	-13	39.74	Pass	1711
1000	3000	1	Peak	1629	-36.24	-13	23.24	Pass	2001
3000	10000	1	Peak	6692	-28.91	-13	15.91	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.69	-13	53.69	Pass	401
0.15	30	0.01	Peak	0.15	-63.98	-13	50.98	Pass	2986
30	809	0.1	Peak	808.3	-47.04	-13	34.04	Pass	7791
809	829	0.1	Peak	816.85	26.48	60	33.52	Pass	401
829	1000	0.1	Peak	928.1	-52.75	-13	39.75	Pass	1711
1000	3000	1	Peak	1634	-35.89	-13	22.89	Pass	2001
3000	10000	1	Peak	7590	-28.95	-13	15.95	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.79	-13	54.79	Pass	401
0.15	30	0.01	Peak	0.16	-63.7	-13	50.7	Pass	2986
30	809	0.1	Peak	808.5	-44.89	-13	31.89	Pass	7791
809	829	0.1	Peak	816.8	27.38	60	32.62	Pass	401
829	1000	0.1	Peak	939	-52.62	-13	39.62	Pass	1711
1000	3000	1	Peak	1634	-35.18	-13	22.18	Pass	2001
3000	10000	1	Peak	6979	-28.94	-13	15.94	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.59	-13	54.59	Pass	401
0.15	30	0.01	Peak	0.15	-65.19	-13	52.19	Pass	2986
30	809	0.1	Peak	775.2	-53.17	-13	40.17	Pass	7791
809	829	0.1	Peak	819.35	26.21	60	33.79	Pass	401
829	1000	0.1	Peak	829.4	-51.82	-13	38.82	Pass	1711
1000	3000	1	Peak	1639	-35.88	-13	22.88	Pass	2001
3000	10000	1	Peak	7196	-28.13	-13	15.13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.03	-13	55.03	Pass	401
0.15	30	0.01	Peak	0.31	-64.58	-13	51.58	Pass	2986
30	809	0.1	Peak	786.9	-52.3	-13	39.3	Pass	7791
809	829	0.1	Peak	819.3	26.59	60	33.41	Pass	401
829	1000	0.1	Peak	996.9	-52.62	-13	39.62	Pass	1711
1000	3000	1	Peak	1639	-36.49	-13	23.49	Pass	2001
3000	10000	1	Peak	7200	-29.12	-13	16.12	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.61	-13	54.61	Pass	401
0.15	30	0.01	Peak	0.15	-63.05	-13	50.05	Pass	2986
30	809	0.1	Peak	808.3	-45.26	-13	32.26	Pass	7791
809	829	0.1	Peak	814.6	26.7	60	33.3	Pass	401
829	1000	0.1	Peak	832.3	-38.4	-13	25.4	Pass	1711
1000	3000	1	Peak	1629	-36.01	-13	23.01	Pass	2001
3000	10000	1	Peak	9162	-29.3	-13	16.3	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.99	-13	53.99	Pass	401
0.15	30	0.01	Peak	0.26	-64.26	-13	51.26	Pass	2986
30	809	0.1	Peak	808.7	-45.51	-13	32.51	Pass	7791
809	829	0.1	Peak	814.55	26.94	60	33.06	Pass	401
829	1000	0.1	Peak	832.2	-37.87	-13	24.87	Pass	1711
1000	3000	1	Peak	1629	-35.41	-13	22.41	Pass	2001
3000	10000	1	Peak	6971	-28.74	-13	15.74	Pass	7001



2. LTE_Band18(part90)


2.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.79	-13	49.79	Pass	401
0.15	30	0.01	Peak	0.25	-62.15	-13	49.15	Pass	2986
30	810	0.1	Peak	807	-51.05	-13	38.05	Pass	7801
810	829	0.1	Peak	815.32	26.41	60	33.59	Pass	401
829	1000	0.1	Peak	834.4	-52.08	-13	39.08	Pass	1711
1000	3000	1	Peak	1631	-34.67	-13	21.67	Pass	2001
3000	10000	1	Peak	9249	-29.82	-13	16.82	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.24	-13	52.24	Pass	401
0.15	30	0.01	Peak	0.24	-62.21	-13	49.21	Pass	2986
30	810	0.1	Peak	806.8	-51.6	-13	38.6	Pass	7801
810	829	0.1	Peak	815.273	26.85	60	33.15	Pass	401
829	1000	0.1	Peak	859.6	-51.87	-13	38.87	Pass	1711
1000	3000	1	Peak	1631	-34.64	-13	21.64	Pass	2001
3000	10000	1	Peak	7100	-29.99	-13	16.99	Pass	7001




2.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.04	-13	52.04	Pass	401
0.15	30	0.01	Peak	0.27	-63.04	-13	50.04	Pass	2986
30	810	0.1	Peak	809	-46.96	-13	33.96	Pass	7801
810	829	0.1	Peak	817.363	26.57	60	33.43	Pass	401
829	1000	0.1	Peak	961.9	-52.67	-13	39.67	Pass	1711
1000	3000	1	Peak	1635	-34.96	-13	21.96	Pass	2001
3000	10000	1	Peak	6957	-29.77	-13	16.77	Pass	7001




2.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.09	-13	51.09	Pass	401
0.15	30	0.01	Peak	0.41	-61.68	-13	48.68	Pass	2986
30	810	0.1	Peak	808.8	-46.17	-13	33.17	Pass	7801
810	829	0.1	Peak	817.315	27.55	60	32.45	Pass	401
829	1000	0.1	Peak	847	-52.24	-13	39.24	Pass	1711
1000	3000	1	Peak	1635	-34.4	-13	21.4	Pass	2001
3000	10000	1	Peak	7075	-30.18	-13	17.18	Pass	7001




2.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.4	-13	51.4	Pass	401
0.15	30	0.01	Peak	0.15	-62.52	-13	49.52	Pass	2986
30	810	0.1	Peak	779.9	-53.03	-13	40.03	Pass	7801
810	829	0.1	Peak	819.31	26.21	60	33.79	Pass	401
829	1000	0.1	Peak	836.6	-52.04	-13	39.04	Pass	1711
1000	3000	1	Peak	1639	-34.84	-13	21.84	Pass	2001
3000	10000	1	Peak	8448	-30.13	-13	17.13	Pass	7001



2.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.5	-13	51.5	Pass	401
0.15	30	0.01	Peak	0.15	-61.9	-13	48.9	Pass	2986
30	810	0.1	Peak	780.9	-52.55	-13	39.55	Pass	7801
810	829	0.1	Peak	819.31	26.5	60	33.5	Pass	401
829	1000	0.1	Peak	841.8	-52.9	-13	39.9	Pass	1711
1000	3000	1	Peak	1639	-35.3	-13	22.3	Pass	2001
3000	10000	1	Peak	9458	-29.95	-13	16.95	Pass	7001



--BLANK BELOW--