


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.77	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.79	-13	Pass	2986
30	500	0.1	Peak	363.3	-42.85	-13	Pass	4701
500	1000	0.1	Peak	824.3	33.28	-13	N/A	5001
1000	10000	1	Peak	7010	-19.27	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-52.52	-13	Pass	401
0.15	30	0.01	Peak	0.32	-53.57	-13	Pass	2986
30	500	0.1	Peak	409	-42.99	-13	Pass	4701
500	1000	0.1	Peak	836.5	33.35	-13	N/A	5001
1000	10000	1	Peak	7202	-19.26	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-51.43	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.51	-13	Pass	2986
30	500	0.1	Peak	388.2	-43.73	-13	Pass	4701
500	1000	0.1	Peak	848.9	33.46	-13	N/A	5001
1000	10000	1	Peak	9394	-19.41	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-52.85	-13	Pass	401
0.15	30	0.01	Peak	0.23	-59.38	-13	Pass	2986
30	1000	0.1	Peak	846.5	-48.44	-13	Pass	9701
1000	3000	1	Peak	1850	28.13	-13	N/A	2001
3000	20000	1	Peak	19710	-37.07	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-51.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.35	-13	Pass	2986
30	1000	0.1	Peak	989.793	-48.16	-13	Pass	9701
1000	3000	1	Peak	1880	30.3	-13	N/A	2001
3000	20000	1	Peak	19414	-38.23	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.43	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.2	-13	Pass	2986
30	1000	0.1	Peak	841.4	-48.28	-13	Pass	9701
1000	3000	1	Peak	1910	30.61	-13	N/A	2001
3000	20000	1	Peak	19118	-37.75	-13	Pass	17003



1. EGPRS_GSM850


1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-52.62	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.4	-13	Pass	2986
30	500	0.1	Peak	498.4	-42.45	-13	Pass	4701
500	1000	0.1	Peak	824.3	27.31	-13	N/A	5001
1000	10000	1	Peak	6985	-19.34	-13	Pass	9002




1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-52.33	-13	Pass	401
0.15	30	0.01	Peak	0.35	-52.79	-13	Pass	2986
30	500	0.1	Peak	372.7	-43.24	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.09	-13	N/A	5001
1000	10000	1	Peak	7273	-19.5	-13	Pass	9002



1.4. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.03	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.49	-13	Pass	2986
30	500	0.1	Peak	366.5	-42.85	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.65	-13	N/A	5001
1000	10000	1	Peak	7219	-19.62	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-52.05	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.1	-13	Pass	2986
30	1000	0.1	Peak	855.004	-48.17	-13	Pass	9701
1000	3000	1	Peak	1850	28.6	-13	N/A	2001
3000	20000	1	Peak	19217	-37.4	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-54.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.1	-13	Pass	2986
30	1000	0.1	Peak	853.003	-47.87	-13	Pass	9701
1000	3000	1	Peak	1879	23.71	-13	N/A	2001
3000	20000	1	Peak	18872	-37.97	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-54.45	-13	Pass	401
0.15	30	0.01	Peak	0.2	-59.27	-13	Pass	2986
30	1000	0.1	Peak	976.985	-47.5	-13	Pass	9701
1000	3000	1	Peak	1909	25.27	-13	N/A	2001
3000	20000	1	Peak	19736	-37.76	-13	Pass	17003



1. WCDMA_Band5


1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-64.84	-13	51.84	Pass	401
0.15	30	0.01	Peak	0.17	-62.1	-13	49.1	Pass	2986
30	500	0.1	Peak	403	-53.81	-13	40.81	Pass	4701
500	1000	0.1	Peak	825.6	19.04	-13	-32.04	N/A	5001
1000	10000	1	Peak	7120	-30.38	-13	17.38	Pass	9002




1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.42	-13	50.42	Pass	401
0.15	30	0.01	Peak	0.22	-62.5	-13	49.5	Pass	2986
30	500	0.1	Peak	369	-53.91	-13	40.91	Pass	4701
500	1000	0.1	Peak	836.4	18.31	-13	-31.31	N/A	5001
1000	10000	1	Peak	9467	-29.55	-13	16.55	Pass	9002



1.4. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-64.77	-13	51.77	Pass	401
0.15	30	0.01	Peak	0.23	-62.54	-13	49.54	Pass	2986
30	500	0.1	Peak	402.8	-53.76	-13	40.76	Pass	4701
500	1000	0.1	Peak	847.3	18.88	-13	-31.88	N/A	5001
1000	10000	1	Peak	9792	-30.21	-13	17.21	Pass	9002



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.52	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.81	-13	Pass	2986
30	1000	0.1	Peak	831	-52.41	-13	Pass	9701
1000	3000	1	Peak	1854	21.24	-13	N/A	2001
3000	20000	1	Peak	19395	-19.54	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-51.11	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.85	-13	Pass	2986
30	1000	0.1	Peak	482.1	-52.6	-13	Pass	9701
1000	3000	1	Peak	1881	21.96	-13	N/A	2001
3000	20000	1	Peak	19837	-19.72	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.83	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.38	-13	Pass	2986
30	1000	0.1	Peak	817.7	-52.67	-13	Pass	9701
1000	3000	1	Peak	1909	23.32	-13	N/A	2001
3000	20000	1	Peak	19737	-19.12	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-52.41	-13	Pass	401
0.15	30	0.01	Peak	0.44	-64.15	-13	Pass	2986
30	1000	0.1	Peak	893.229	-52.64	-13	Pass	9701
1000	3000	1	Peak	1712	20.1	-13	N/A	2001
3000	20000	1	Peak	19703	-19.69	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-53.58	-13	Pass	401
0.15	30	0.01	Peak	0.37	-64.96	-13	Pass	2986
30	1000	0.1	Peak	788.3	-52.54	-13	Pass	9701
1000	3000	1	Peak	1733	18.6	-13	N/A	2001
3000	20000	1	Peak	19534	-19.59	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-51.67	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.45	-13	Pass	2986
30	1000	0.1	Peak	840	-52.78	-13	Pass	9701
1000	3000	1	Peak	1751	17.25	-13	N/A	2001
3000	20000	1	Peak	19669	-19.22	-13	Pass	17003



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	872.215	-63.48	-13	Pass	9701
1000	1840	1	RMS	1840	-51.76	-13	Pass	841
1840	1920	1	RMS	1850.2	19.99	60	Pass	401
1920	3000	1	RMS	2958	-48.36	-13	Pass	1081
3000	12000	1	RMS	11948	-40.02	-13	Pass	9002
12000	20000	1	RMS	19405	-30.97	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.5	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.1	-13	Pass	2986
30	1000	0.1	RMS	838.7	-63.57	-13	Pass	9701
1000	1840	1	RMS	1840	-51.77	-13	Pass	841
1840	1920	1	RMS	1850.2	19.4	60	Pass	401
1920	3000	1	RMS	2954	-48.33	-13	Pass	1081
3000	12000	1	RMS	11845	-40.04	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.47	-13	Pass	9701
1000	1840	1	RMS	1812	-51.92	-13	Pass	841
1840	1920	1	RMS	1879.4	21	60	Pass	401
1920	3000	1	RMS	2951	-48.33	-13	Pass	1081
3000	12000	1	RMS	11949	-39.98	-13	Pass	9002
12000	20000	1	RMS	19413	-30.93	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2986
30	1000	0.1	RMS	856.705	-63.52	-13	Pass	9701
1000	1840	1	RMS	1806	-51.96	-13	Pass	841
1840	1920	1	RMS	1879.4	19.96	60	Pass	401
1920	3000	1	RMS	2958	-48.35	-13	Pass	1081
3000	12000	1	RMS	11948	-39.91	-13	Pass	9002
12000	20000	1	RMS	19400	-31.01	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	852.002	-63.59	-13	Pass	9701
1000	1840	1	RMS	1786	-51.95	-13	Pass	841
1840	1920	1	RMS	1908.8	22.25	60	Pass	401
1920	3000	1	RMS	2941	-48.35	-13	Pass	1081
3000	12000	1	RMS	11847	-40.02	-13	Pass	9002
12000	20000	1	RMS	19399	-30.91	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.4	-13	Pass	9701
1000	1840	1	RMS	1811	-51.94	-13	Pass	841
1840	1920	1	RMS	1908.8	22.14	60	Pass	401
1920	3000	1	RMS	2949	-48.31	-13	Pass	1081
3000	12000	1	RMS	11851	-40.03	-13	Pass	9002
12000	20000	1	RMS	19397	-31	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.37	-13	Pass	9701
1000	1840	1	RMS	1840	-51.65	-13	Pass	841
1840	1920	1	RMS	1850.2	20.03	60	Pass	401
1920	3000	1	RMS	2957	-48.29	-13	Pass	1081
3000	12000	1	RMS	11850	-40	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.77	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.49	-13	Pass	2986
30	1000	0.1	RMS	982.989	-63.5	-13	Pass	9701
1000	1840	1	RMS	1840	-51.78	-13	Pass	841
1840	1920	1	RMS	1850.2	19.09	60	Pass	401
1920	3000	1	RMS	2946	-48.35	-13	Pass	1081
3000	12000	1	RMS	11843	-40.01	-13	Pass	9002
12000	20000	1	RMS	19403	-30.93	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	1000	0.1	RMS	847	-63.45	-13	Pass	9701
1000	1840	1	RMS	1809	-51.89	-13	Pass	841
1840	1920	1	RMS	1878.6	20.99	60	Pass	401
1920	3000	1	RMS	2950	-48.34	-13	Pass	1081
3000	12000	1	RMS	11948	-39.96	-13	Pass	9002
12000	20000	1	RMS	19403	-30.97	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.55	-13	Pass	9701
1000	1840	1	RMS	1813	-51.95	-13	Pass	841
1840	1920	1	RMS	1878.6	20.46	60	Pass	401
1920	3000	1	RMS	2944	-48.31	-13	Pass	1081
3000	12000	1	RMS	11949	-39.98	-13	Pass	9002
12000	20000	1	RMS	19399	-30.9	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	829	-63.47	-13	Pass	9701
1000	1840	1	RMS	1807	-51.98	-13	Pass	841
1840	1920	1	RMS	1907.2	22.26	60	Pass	401
1920	3000	1	RMS	2955	-48.35	-13	Pass	1081
3000	12000	1	RMS	11949	-40.01	-13	Pass	9002
12000	20000	1	RMS	19407	-30.96	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.62	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.27	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.61	-13	Pass	9701
1000	1840	1	RMS	1797	-51.96	-13	Pass	841
1840	1920	1	RMS	1907.2	21.35	60	Pass	401
1920	3000	1	RMS	2957	-48.29	-13	Pass	1081
3000	12000	1	RMS	11852	-40	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.42	-13	Pass	9701
1000	1840	1	RMS	1840	-51.51	-13	Pass	841
1840	1920	1	RMS	1850.2	19.54	60	Pass	401
1920	3000	1	RMS	2946	-48.29	-13	Pass	1081
3000	12000	1	RMS	11947	-40	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.83	-13	Pass	841
1840	1920	1	RMS	1850.2	18.35	60	Pass	401
1920	3000	1	RMS	2961	-48.3	-13	Pass	1081
3000	12000	1	RMS	11947	-40.01	-13	Pass	9002
12000	20000	1	RMS	19397	-30.98	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2986
30	1000	0.1	RMS	838.3	-63.49	-13	Pass	9701
1000	1840	1	RMS	1816	-51.94	-13	Pass	841
1840	1920	1	RMS	1877.8	20.71	60	Pass	401
1920	3000	1	RMS	2952	-48.3	-13	Pass	1081
3000	12000	1	RMS	11945	-39.97	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.83	-13	Pass	2986
30	1000	0.1	RMS	843.3	-63.39	-13	Pass	9701
1000	1840	1	RMS	1807	-51.97	-13	Pass	841
1840	1920	1	RMS	1877.8	20.44	60	Pass	401
1920	3000	1	RMS	2959	-48.32	-13	Pass	1081
3000	12000	1	RMS	11947	-39.96	-13	Pass	9002
12000	20000	1	RMS	19407	-30.95	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.9	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.14	-13	Pass	2986
30	1000	0.1	RMS	851.502	-63.46	-13	Pass	9701
1000	1840	1	RMS	1816	-51.99	-13	Pass	841
1840	1920	1	RMS	1905.2	21.85	60	Pass	401
1920	3000	1	RMS	2958	-48.31	-13	Pass	1081
3000	12000	1	RMS	11946	-40.01	-13	Pass	9002
12000	20000	1	RMS	19397	-30.99	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.56	-13	Pass	9701
1000	1840	1	RMS	1795	-51.94	-13	Pass	841
1840	1920	1	RMS	1905.2	21.17	60	Pass	401
1920	3000	1	RMS	2953	-48.3	-13	Pass	1081
3000	12000	1	RMS	11951	-39.92	-13	Pass	9002
12000	20000	1	RMS	19402	-31	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	1000	0.1	RMS	858.406	-63.54	-13	Pass	9701
1000	1840	1	RMS	1833	-49.44	-13	Pass	841
1840	1920	1	RMS	1850.4	19.95	60	Pass	401
1920	3000	1	RMS	2957	-48.35	-13	Pass	1081
3000	12000	1	RMS	11850	-39.93	-13	Pass	9002
12000	20000	1	RMS	19404	-30.97	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.01	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.34	-13	Pass	2986
30	1000	0.1	RMS	831.6	-63.53	-13	Pass	9701
1000	1840	1	RMS	1833	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.4	19.11	60	Pass	401
1920	3000	1	RMS	2953	-48.27	-13	Pass	1081
3000	12000	1	RMS	11947	-40.01	-13	Pass	9002
12000	20000	1	RMS	19407	-30.95	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.45	-13	Pass	9701
1000	1840	1	RMS	1809	-51.95	-13	Pass	841
1840	1920	1	RMS	1875.4	20.92	60	Pass	401
1920	3000	1	RMS	2954	-48.3	-13	Pass	1081
3000	12000	1	RMS	11845	-40.09	-13	Pass	9002
12000	20000	1	RMS	19409	-30.94	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.56	-13	Pass	9701
1000	1840	1	RMS	1803	-51.98	-13	Pass	841
1840	1920	1	RMS	1875.4	20.31	60	Pass	401
1920	3000	1	RMS	2950	-48.33	-13	Pass	1081
3000	12000	1	RMS	11951	-40.02	-13	Pass	9002
12000	20000	1	RMS	19391	-30.97	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	837.3	-63.57	-13	Pass	9701
1000	1840	1	RMS	1809	-51.96	-13	Pass	841
1840	1920	1	RMS	1900.4	22.07	60	Pass	401
1920	3000	1	RMS	2958	-48.32	-13	Pass	1081
3000	12000	1	RMS	11856	-40.03	-13	Pass	9002
12000	20000	1	RMS	19701	-31.03	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	1000	0.1	RMS	841.9	-63.46	-13	Pass	9701
1000	1840	1	RMS	1813	-51.96	-13	Pass	841
1840	1920	1	RMS	1900.4	21	60	Pass	401
1920	3000	1	RMS	2954	-48.3	-13	Pass	1081
3000	12000	1	RMS	11948	-40.05	-13	Pass	9002
12000	20000	1	RMS	19711	-30.94	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.3	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.14	-13	Pass	2986
30	1000	0.1	RMS	848	-63.51	-13	Pass	9701
1000	1840	1	RMS	1838	-47.64	-13	Pass	841
1840	1920	1	RMS	1850.8	19.65	60	Pass	401
1920	3000	1	RMS	2955	-48.3	-13	Pass	1081
3000	12000	1	RMS	11947	-39.97	-13	Pass	9002
12000	20000	1	RMS	19402	-30.99	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.46	-13	Pass	9701
1000	1840	1	RMS	1838	-48.61	-13	Pass	841
1840	1920	1	RMS	1850.8	18.67	60	Pass	401
1920	3000	1	RMS	2949	-48.25	-13	Pass	1081
3000	12000	1	RMS	11948	-39.97	-13	Pass	9002
12000	20000	1	RMS	19402	-30.93	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.43	-13	Pass	9701
1000	1840	1	RMS	1814	-51.94	-13	Pass	841
1840	1920	1	RMS	1873.2	20.83	60	Pass	401
1920	3000	1	RMS	2950	-48.31	-13	Pass	1081
3000	12000	1	RMS	11946	-40.07	-13	Pass	9002
12000	20000	1	RMS	19400	-30.95	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.17	-13	Pass	2986
30	1000	0.1	RMS	840.8	-63.58	-13	Pass	9701
1000	1840	1	RMS	1802	-51.94	-13	Pass	841
1840	1920	1	RMS	1873.2	20.28	60	Pass	401
1920	3000	1	RMS	2956	-48.27	-13	Pass	1081
3000	12000	1	RMS	11845	-39.99	-13	Pass	9002
12000	20000	1	RMS	19399	-30.87	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.46	-13	Pass	9701
1000	1840	1	RMS	1810	-51.97	-13	Pass	841
1840	1920	1	RMS	1895.8	21.58	60	Pass	401
1920	3000	1	RMS	2960	-48.35	-13	Pass	1081
3000	12000	1	RMS	11951	-40.03	-13	Pass	9002
12000	20000	1	RMS	19411	-31	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	1000	0.1	RMS	835.2	-63.59	-13	Pass	9701
1000	1840	1	RMS	1789	-51.93	-13	Pass	841
1840	1920	1	RMS	1895.8	20.78	60	Pass	401
1920	3000	1	RMS	2952	-48.34	-13	Pass	1081
3000	12000	1	RMS	11842	-40.03	-13	Pass	9002
12000	20000	1	RMS	19410	-31.03	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.54	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.21	-13	Pass	2986
30	1000	0.1	RMS	853.303	-63.64	-13	Pass	9701
1000	1840	1	RMS	1833	-49.99	-13	Pass	841
1840	1920	1	RMS	1851	19.78	60	Pass	401
1920	3000	1	RMS	2957	-48.29	-13	Pass	1081
3000	12000	1	RMS	11950	-39.91	-13	Pass	9002
12000	20000	1	RMS	19398	-30.95	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.37	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.95	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.48	-13	Pass	9701
1000	1840	1	RMS	1833	-49.46	-13	Pass	841
1840	1920	1	RMS	1851	19.73	60	Pass	401
1920	3000	1	RMS	2957	-48.3	-13	Pass	1081
3000	12000	1	RMS	11859	-40.06	-13	Pass	9002
12000	20000	1	RMS	19401	-30.93	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2986
30	1000	0.1	RMS	850.701	-63.54	-13	Pass	9701
1000	1840	1	RMS	1836	-50.34	-13	Pass	841
1840	1920	1	RMS	1871	21.09	60	Pass	401
1920	3000	1	RMS	2957	-48.35	-13	Pass	1081
3000	12000	1	RMS	11848	-40.01	-13	Pass	9002
12000	20000	1	RMS	19404	-30.95	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	867.912	-63.58	-13	Pass	9701
1000	1840	1	RMS	1836	-51.24	-13	Pass	841
1840	1920	1	RMS	1871	20.12	60	Pass	401
1920	3000	1	RMS	2955	-48.32	-13	Pass	1081
3000	12000	1	RMS	11948	-39.98	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.53	-13	Pass	9701
1000	1840	1	RMS	1811	-51.94	-13	Pass	841
1840	1920	1	RMS	1891	21.74	60	Pass	401
1920	3000	1	RMS	2948	-48.35	-13	Pass	1081
3000	12000	1	RMS	11950	-40.02	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.47	-13	Pass	9701
1000	1840	1	RMS	1838	-51.97	-13	Pass	841
1840	1920	1	RMS	1891	21.26	60	Pass	401
1920	3000	1	RMS	2955	-48.3	-13	Pass	1081
3000	12000	1	RMS	11848	-39.98	-13	Pass	9002
12000	20000	1	RMS	19419	-30.98	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2986
30	1000	0.1	RMS	838.2	-63.39	-13	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	Pass	701
1700	1765	1	RMS	1710.238	20.54	60	Pass	401
1765	3000	1	RMS	2946	-48.34	-13	Pass	1236
3000	12000	1	RMS	3420	-39.2	-13	Pass	9002
12000	20000	1	RMS	19403	-31.01	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.51	-13	Pass	9701
1000	1700	1	RMS	1700	-52.04	-13	Pass	701
1700	1765	1	RMS	1710.238	19.71	60	Pass	401
1765	3000	1	RMS	2952	-48.28	-13	Pass	1236
3000	12000	1	RMS	11850	-39.95	-13	Pass	9002
12000	20000	1	RMS	19402	-30.85	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.6	-13	Pass	9701
1000	1700	1	RMS	1699	-52.26	-13	Pass	701
1700	1765	1	RMS	1732.013	18.68	60	Pass	401
1765	3000	1	RMS	2956	-48.32	-13	Pass	1236
3000	12000	1	RMS	3464	-38.14	-13	Pass	9002
12000	20000	1	RMS	19403	-30.96	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.46	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.11	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.42	-13	Pass	9701
1000	1700	1	RMS	1694	-52.27	-13	Pass	701
1700	1765	1	RMS	1732.013	18.49	60	Pass	401
1765	3000	1	RMS	2955	-48.27	-13	Pass	1236
3000	12000	1	RMS	3464	-38.34	-13	Pass	9002
12000	20000	1	RMS	19403	-31.02	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.53	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.48	-13	Pass	9701
1000	1700	1	RMS	1695	-52.29	-13	Pass	701
1700	1765	1	RMS	1753.788	17.21	60	Pass	401
1765	3000	1	RMS	2948	-48.35	-13	Pass	1236
3000	12000	1	RMS	3508	-38.78	-13	Pass	9002
12000	20000	1	RMS	19405	-31.02	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	1000	0.1	RMS	859.407	-63.43	-13	Pass	9701
1000	1700	1	RMS	1698	-52.26	-13	Pass	701
1700	1765	1	RMS	1753.788	16.72	60	Pass	401
1765	3000	1	RMS	2946	-48.31	-13	Pass	1236
3000	12000	1	RMS	3508	-39.39	-13	Pass	9002
12000	20000	1	RMS	19407	-31	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	Pass	2986
30	1000	0.1	RMS	859.007	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-51.85	-13	Pass	701
1700	1765	1	RMS	1710.238	20.44	60	Pass	401
1765	3000	1	RMS	2961	-48.36	-13	Pass	1236
3000	12000	1	RMS	11848	-39.98	-13	Pass	9002
12000	20000	1	RMS	19399	-30.94	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.95	-13	Pass	701
1700	1765	1	RMS	1710.238	19.43	60	Pass	401
1765	3000	1	RMS	2957	-48.32	-13	Pass	1236
3000	12000	1	RMS	11949	-39.95	-13	Pass	9002
12000	20000	1	RMS	19395	-30.98	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.93	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.51	-13	Pass	9701
1000	1700	1	RMS	1699	-52.24	-13	Pass	701
1700	1765	1	RMS	1731.2	18.83	60	Pass	401
1765	3000	1	RMS	2955	-48.27	-13	Pass	1236
3000	12000	1	RMS	11957	-40.03	-13	Pass	9002
12000	20000	1	RMS	19400	-30.87	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.58	-13	Pass	9701
1000	1700	1	RMS	1697	-52.28	-13	Pass	701
1700	1765	1	RMS	1731.2	17.96	60	Pass	401
1765	3000	1	RMS	2947	-48.29	-13	Pass	1236
3000	12000	1	RMS	11849	-39.97	-13	Pass	9002
12000	20000	1	RMS	19410	-31.05	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.55	-13	Pass	9701
1000	1700	1	RMS	1689	-52.28	-13	Pass	701
1700	1765	1	RMS	1752.163	17.13	60	Pass	401
1765	3000	1	RMS	2952	-48.34	-13	Pass	1236
3000	12000	1	RMS	3504	-39.47	-13	Pass	9002
12000	20000	1	RMS	19401	-30.98	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2986
30	1000	0.1	RMS	839.5	-63.49	-13	Pass	9701
1000	1700	1	RMS	1695	-52.3	-13	Pass	701
1700	1765	1	RMS	1752.163	16.92	60	Pass	401
1765	3000	1	RMS	2950	-48.34	-13	Pass	1236
3000	12000	1	RMS	3504	-39.54	-13	Pass	9002
12000	20000	1	RMS	19406	-31.01	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.48	-13	Pass	9701
1000	1700	1	RMS	1700	-51.9	-13	Pass	701
1700	1765	1	RMS	1710.238	20.22	60	Pass	401
1765	3000	1	RMS	2945	-48.34	-13	Pass	1236
3000	12000	1	RMS	3421	-38.88	-13	Pass	9002
12000	20000	1	RMS	19703	-30.99	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.3	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	Pass	701
1700	1765	1	RMS	1710.238	19.42	60	Pass	401
1765	3000	1	RMS	2959	-48.27	-13	Pass	1236
3000	12000	1	RMS	3421	-40	-13	Pass	9002
12000	20000	1	RMS	19401	-30.9	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.44	-13	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	Pass	701
1700	1765	1	RMS	1730.225	18.41	60	Pass	401
1765	3000	1	RMS	2955	-48.36	-13	Pass	1236
3000	12000	1	RMS	3461	-39.61	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	868.713	-63.52	-13	Pass	9701
1000	1700	1	RMS	1694	-52.27	-13	Pass	701
1700	1765	1	RMS	1730.225	17.56	60	Pass	401
1765	3000	1	RMS	2955	-48.39	-13	Pass	1236
3000	12000	1	RMS	11852	-40.06	-13	Pass	9002
12000	20000	1	RMS	19398	-30.96	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2986
30	1000	0.1	RMS	837.3	-63.5	-13	Pass	9701
1000	1700	1	RMS	1699	-52.29	-13	Pass	701
1700	1765	1	RMS	1750.213	17.46	60	Pass	401
1765	3000	1	RMS	2947	-48.35	-13	Pass	1236
3000	12000	1	RMS	3501	-39.55	-13	Pass	9002
12000	20000	1	RMS	19398	-30.96	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.98	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.25	-13	Pass	2986
30	1000	0.1	RMS	840.9	-63.52	-13	Pass	9701
1000	1700	1	RMS	1698	-52.27	-13	Pass	701
1700	1765	1	RMS	1750.213	17.31	60	Pass	401
1765	3000	1	RMS	2956	-48.31	-13	Pass	1236
3000	12000	1	RMS	3501	-39.48	-13	Pass	9002
12000	20000	1	RMS	19402	-30.92	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	861.008	-63.57	-13	Pass	9701
1000	1700	1	RMS	1693	-46.22	-13	Pass	701
1700	1765	1	RMS	1710.563	20.61	60	Pass	401
1765	3000	1	RMS	2948	-48.37	-13	Pass	1236
3000	12000	1	RMS	3421	-37.74	-13	Pass	9002
12000	20000	1	RMS	19397	-30.96	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.58	-13	Pass	401
0.15	30	0.01	RMS	0.3	-73.09	-13	Pass	2986
30	1000	0.1	RMS	805.5	-63.58	-13	Pass	9701
1000	1700	1	RMS	1693	-47.56	-13	Pass	701
1700	1765	1	RMS	1710.563	19.53	60	Pass	401
1765	3000	1	RMS	2954	-48.29	-13	Pass	1236
3000	12000	1	RMS	3421	-38.96	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.43	-13	Pass	9701
1000	1700	1	RMS	1696	-52.2	-13	Pass	701
1700	1765	1	RMS	1727.95	18.94	60	Pass	401
1765	3000	1	RMS	2950	-48.3	-13	Pass	1236
3000	12000	1	RMS	3456	-38.48	-13	Pass	9002
12000	20000	1	RMS	19402	-30.99	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	842.8	-63.53	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1765	1	RMS	1727.95	18.38	60	Pass	401
1765	3000	1	RMS	2953	-48.3	-13	Pass	1236
3000	12000	1	RMS	3456	-39.13	-13	Pass	9002
12000	20000	1	RMS	19400	-30.95	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	857.506	-63.57	-13	Pass	9701
1000	1700	1	RMS	1694	-52.3	-13	Pass	701
1700	1765	1	RMS	1745.5	18.42	60	Pass	401
1765	3000	1	RMS	2959	-48.33	-13	Pass	1236
3000	12000	1	RMS	3491	-37.63	-13	Pass	9002
12000	20000	1	RMS	19408	-30.92	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.27	-13	Pass	2986
30	1000	0.1	RMS	838.3	-63.55	-13	Pass	9701
1000	1700	1	RMS	1696	-52.31	-13	Pass	701
1700	1765	1	RMS	1745.5	17.48	60	Pass	401
1765	3000	1	RMS	2950	-48.32	-13	Pass	1236
3000	12000	1	RMS	3491	-38.5	-13	Pass	9002
12000	20000	1	RMS	19402	-30.86	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.54	-13	Pass	9701
1000	1700	1	RMS	1698	-38.29	-13	Pass	701
1700	1765	1	RMS	1710.725	20.44	60	Pass	401
1765	3000	1	RMS	2964	-48.35	-13	Pass	1236
3000	12000	1	RMS	3422	-38.19	-13	Pass	9002
12000	20000	1	RMS	19397	-30.94	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	874.717	-63.45	-13	Pass	9701
1000	1700	1	RMS	1698	-39.56	-13	Pass	701
1700	1765	1	RMS	1710.725	19.5	60	Pass	401
1765	3000	1	RMS	2950	-48.29	-13	Pass	1236
3000	12000	1	RMS	3422	-39.4	-13	Pass	9002
12000	20000	1	RMS	19400	-30.97	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.54	-13	Pass	9701
1000	1700	1	RMS	1699	-48.63	-13	Pass	701
1700	1765	1	RMS	1725.838	18.71	60	Pass	401
1765	3000	1	RMS	2954	-48.3	-13	Pass	1236
3000	12000	1	RMS	3452	-38.47	-13	Pass	9002
12000	20000	1	RMS	19400	-30.94	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.65	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.61	-13	Pass	2986
30	1000	0.1	RMS	858.806	-63.53	-13	Pass	9701
1000	1700	1	RMS	1699	-48.81	-13	Pass	701
1700	1765	1	RMS	1725.838	18.14	60	Pass	401
1765	3000	1	RMS	2953	-48.34	-13	Pass	1236
3000	12000	1	RMS	3452	-39.12	-13	Pass	9002
12000	20000	1	RMS	19400	-30.97	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.97	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	Pass	701
1700	1765	1	RMS	1740.788	18.76	60	Pass	401
1765	3000	1	RMS	2957	-48.3	-13	Pass	1236
3000	12000	1	RMS	3482	-39.47	-13	Pass	9002
12000	20000	1	RMS	19399	-31	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.63	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-13	Pass	2986
30	1000	0.1	RMS	841.1	-63.43	-13	Pass	9701
1000	1700	1	RMS	1696	-52.28	-13	Pass	701
1700	1765	1	RMS	1740.788	18.46	60	Pass	401
1765	3000	1	RMS	2950	-48.32	-13	Pass	1236
3000	12000	1	RMS	3482	-39.78	-13	Pass	9002
12000	20000	1	RMS	19408	-30.94	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.09	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.48	-13	Pass	9701
1000	1700	1	RMS	1693	-37.9	-13	Pass	701
1700	1765	1	RMS	1711.05	20.55	60	Pass	401
1765	3000	1	RMS	2960	-48.34	-13	Pass	1236
3000	12000	1	RMS	3422	-37.45	-13	Pass	9002
12000	20000	1	RMS	19399	-31.01	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2986
30	1000	0.1	RMS	850.501	-63.65	-13	Pass	9701
1000	1700	1	RMS	1693	-38.52	-13	Pass	701
1700	1765	1	RMS	1711.05	20.03	60	Pass	401
1765	3000	1	RMS	2951	-48.3	-13	Pass	1236
3000	12000	1	RMS	3422	-38.23	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.1	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.14	-13	Pass	2986
30	1000	0.1	RMS	862.809	-63.59	-13	Pass	9701
1000	1700	1	RMS	1688	-52.08	-13	Pass	701
1700	1765	1	RMS	1723.563	18.9	60	Pass	401
1765	3000	1	RMS	2945	-48.33	-13	Pass	1236
3000	12000	1	RMS	3447	-39.16	-13	Pass	9002
12000	20000	1	RMS	19402	-30.97	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.52	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.14	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.46	-13	Pass	9701
1000	1700	1	RMS	1697	-52.07	-13	Pass	701
1700	1765	1	RMS	1723.563	18.28	60	Pass	401
1765	3000	1	RMS	2958	-48.36	-13	Pass	1236
3000	12000	1	RMS	3447	-39.74	-13	Pass	9002
12000	20000	1	RMS	19401	-30.98	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.45	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1765	1	RMS	1736.075	18.89	60	Pass	401
1765	3000	1	RMS	2958	-48.35	-13	Pass	1236
3000	12000	1	RMS	3472	-38.81	-13	Pass	9002
12000	20000	1	RMS	19403	-30.95	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.31	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.47	-13	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	Pass	701
1700	1765	1	RMS	1736.075	17.83	60	Pass	401
1765	3000	1	RMS	2944	-48.35	-13	Pass	1236
3000	12000	1	RMS	3472	-39.71	-13	Pass	9002
12000	20000	1	RMS	19401	-30.92	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.11	-13	61.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	814	0.1	RMS	813.6	-61.82	-13	48.82	Pass	7841
814	860	0.1	RMS	824.2	21.22	60	38.78	Pass	461
860	1000	0.1	RMS	862.9	-63.48	-13	50.48	Pass	1401
1000	3000	1	RMS	1648	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	7208	-40.44	-13	27.44	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.15	-13	61.15	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.6	-61.7	-13	48.7	Pass	7841
814	860	0.1	RMS	824.2	21.07	60	38.93	Pass	461
860	1000	0.1	RMS	869.2	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1648	-47.17	-13	34.17	Pass	2001
3000	10000	1	RMS	7201	-40.41	-13	27.41	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	814	0.1	RMS	812.8	-63.67	-13	50.67	Pass	7841
814	860	0.1	RMS	836.1	20.97	60	39.03	Pass	461
860	1000	0.1	RMS	861.1	-63.73	-13	50.73	Pass	1401
1000	3000	1	RMS	1672	-46.56	-13	33.56	Pass	2001
3000	10000	1	RMS	7212	-40.43	-13	27.43	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	61.22	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	814	0.1	RMS	809.8	-63.72	-13	50.72	Pass	7841
814	860	0.1	RMS	836.1	21.59	60	38.41	Pass	461
860	1000	0.1	RMS	872.1	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1672	-44.86	-13	31.86	Pass	2001
3000	10000	1	RMS	7202	-40.43	-13	27.43	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	811.5	-63.84	-13	50.84	Pass	7841
814	860	0.1	RMS	847.9	20.95	60	39.05	Pass	461
860	1000	0.1	RMS	860	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1695	-46.35	-13	33.35	Pass	2001
3000	10000	1	RMS	7203	-40.44	-13	27.44	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.51	-13	60.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	806.5	-63.82	-13	50.82	Pass	7841
814	860	0.1	RMS	847.9	20.92	60	39.08	Pass	461
860	1000	0.1	RMS	861.2	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1695	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	7202	-40.44	-13	27.44	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	813.5	-61.97	-13	48.97	Pass	7841
814	860	0.1	RMS	824.2	21.62	60	38.38	Pass	461
860	1000	0.1	RMS	870	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1648	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	7205	-40.42	-13	27.42	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	57.5	Pass	2986
30	814	0.1	RMS	813.5	-61.94	-13	48.94	Pass	7841
814	860	0.1	RMS	824.2	21.15	60	38.85	Pass	461
860	1000	0.1	RMS	869.8	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	1648	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	7207	-40.36	-13	27.36	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	811.8	-63.85	-13	50.85	Pass	7841
814	860	0.1	RMS	835.2	21.14	60	38.86	Pass	461
860	1000	0.1	RMS	861.5	-63.73	-13	50.73	Pass	1401
1000	3000	1	RMS	1670	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	7201	-40.43	-13	27.43	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	808.6	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	835.2	21.37	60	38.63	Pass	461
860	1000	0.1	RMS	989.7	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1670	-44.58	-13	31.58	Pass	2001
3000	10000	1	RMS	7207	-40.44	-13	27.44	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	2986
30	814	0.1	RMS	813.3	-63.76	-13	50.76	Pass	7841
814	860	0.1	RMS	846.2	21.21	60	38.79	Pass	461
860	1000	0.1	RMS	862.5	-63.57	-13	50.57	Pass	1401
1000	3000	1	RMS	1692	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	7202	-40.49	-13	27.49	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.19	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	812.7	-63.85	-13	50.85	Pass	7841
814	860	0.1	RMS	846.2	21.31	60	38.69	Pass	461
860	1000	0.1	RMS	861	-63.74	-13	50.74	Pass	1401
1000	3000	1	RMS	1692	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	7199	-40.43	-13	27.43	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.6	-62.13	-13	49.13	Pass	7841
814	860	0.1	RMS	824.3	20.98	60	39.02	Pass	461
860	1000	0.1	RMS	870.2	-63.46	-13	50.46	Pass	1401
1000	3000	1	RMS	1648	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	7207	-40.45	-13	27.45	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	813.6	-61.78	-13	48.78	Pass	7841
814	860	0.1	RMS	824.3	20.52	60	39.48	Pass	461
860	1000	0.1	RMS	959.9	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1648	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	7207	-40.46	-13	27.46	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-13	61.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	812.1	-63.65	-13	50.65	Pass	7841
814	860	0.1	RMS	834.3	21.02	60	38.98	Pass	461
860	1000	0.1	RMS	860.4	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1668	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	7202	-40.44	-13	27.44	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	813	-63.68	-13	50.68	Pass	7841
814	860	0.1	RMS	834.3	21.37	60	38.63	Pass	461
860	1000	0.1	RMS	883	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1668	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	7202	-40.46	-13	27.46	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.08	-13	62.08	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	812.7	-63.89	-13	50.89	Pass	7841
814	860	0.1	RMS	844.3	21.08	60	38.92	Pass	461
860	1000	0.1	RMS	971.9	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1688	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	7201	-40.44	-13	27.44	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.17	-71.56	-13	58.56	Pass	2986
30	814	0.1	RMS	811.4	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	844.3	20.96	60	39.04	Pass	461
860	1000	0.1	RMS	864.5	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	1688	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	7201	-40.39	-13	27.39	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	814	0.1	RMS	807	-57.33	-13	44.33	Pass	7841
814	860	0.1	RMS	824.6	21.93	60	38.07	Pass	461
860	1000	0.1	RMS	862.4	-63.6	-13	50.6	Pass	1401
1000	3000	1	RMS	1649	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	7205	-40.48	-13	27.48	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	811.4	-59.78	-13	46.78	Pass	7841
814	860	0.1	RMS	824.6	21.85	60	38.15	Pass	461
860	1000	0.1	RMS	870.1	-63.62	-13	50.62	Pass	1401
1000	3000	1	RMS	1649	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	7207	-40.46	-13	27.46	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-13	61.05	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	814	-63.3	-13	50.3	Pass	7841
814	860	0.1	RMS	832.1	21.99	60	38.01	Pass	461
860	1000	0.1	RMS	879.5	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1664	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	7206	-40.44	-13	27.44	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	814	-63.1	-13	50.1	Pass	7841
814	860	0.1	RMS	832.1	22.14	60	37.86	Pass	461
860	1000	0.1	RMS	865.9	-63.6	-13	50.6	Pass	1401
1000	3000	1	RMS	1664	-45.31	-13	32.31	Pass	2001
3000	10000	1	RMS	7207	-40.45	-13	27.45	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.6	-63.4	-13	50.4	Pass	7841
814	860	0.1	RMS	839.6	21.92	60	38.08	Pass	461
860	1000	0.1	RMS	860.4	-63.7	-13	50.7	Pass	1401
1000	3000	1	RMS	1679	-46.44	-13	33.44	Pass	2001
3000	10000	1	RMS	7203	-40.38	-13	27.38	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	61.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	814	0.1	RMS	811.1	-63.68	-13	50.68	Pass	7841
814	860	0.1	RMS	839.6	21.86	60	38.14	Pass	461
860	1000	0.1	RMS	862.1	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1679	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	7202	-40.44	-13	27.44	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-25	48.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-25	46.98	Pass	2986
30	1000	0.1	RMS	848.1	-63.56	-25	38.56	Pass	9701
1000	2490	1	RMS	2490	-49.44	-25	24.44	Pass	1491
2490	2580	1	RMS	2500.125	23	60	37	Pass	401
2580	3000	1	RMS	2966	-48.57	-25	23.57	Pass	421
3000	12000	1	RMS	11991	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25999	-41.99	-25	16.99	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-25	48.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	47.39	Pass	2986
30	1000	0.1	RMS	833.8	-63.52	-25	38.52	Pass	9701
1000	2490	1	RMS	2490	-49.84	-25	24.84	Pass	1491
2490	2580	1	RMS	2500.125	21.73	60	38.27	Pass	401
2580	3000	1	RMS	2970	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11987	-58.53	-25	33.53	Pass	9002
12000	26000	1	RMS	25998	-40.61	-25	15.61	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.67	-25	49.67	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	572.2	-63.41	-25	38.41	Pass	9701
1000	2490	1	RMS	2486	-50.26	-25	25.26	Pass	1491
2490	2580	1	RMS	2532.75	23.34	60	36.66	Pass	401
2580	3000	1	RMS	2956	-48.57	-25	23.57	Pass	421
3000	12000	1	RMS	11991	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25994	-40.64	-25	15.64	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	49.05	Pass	401
0.15	30	0.01	RMS	0.19	-71.66	-25	46.66	Pass	2986
30	1000	0.1	RMS	851.402	-63.59	-25	38.59	Pass	9701
1000	2490	1	RMS	2489	-50.33	-25	25.33	Pass	1491
2490	2580	1	RMS	2532.75	23.06	60	36.94	Pass	401
2580	3000	1	RMS	2957	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11999	-58.56	-25	33.56	Pass	9002
12000	26000	1	RMS	26000	-40.68	-25	15.68	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-25	48.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-25	47.1	Pass	2986
30	1000	0.1	RMS	604.6	-62.67	-25	37.67	Pass	9701
1000	2490	1	RMS	2488	-50.25	-25	25.25	Pass	1491
2490	2580	1	RMS	2565.15	23.72	60	36.28	Pass	401
2580	3000	1	RMS	2969	-48.59	-25	23.59	Pass	421
3000	12000	1	RMS	11996	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25993	-40.7	-25	15.7	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-25	48.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-25	46.27	Pass	2986
30	1000	0.1	RMS	604.6	-62.68	-25	37.68	Pass	9701
1000	2490	1	RMS	2488	-50.28	-25	25.28	Pass	1491
2490	2580	1	RMS	2565.15	23.19	60	36.81	Pass	401
2580	3000	1	RMS	2962	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11994	-58.63	-25	33.63	Pass	9002
12000	26000	1	RMS	26000	-40.56	-25	15.56	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-25	48.98	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	849.8	-63.53	-25	38.53	Pass	9701
1000	2490	1	RMS	2483	-42.61	-25	17.61	Pass	1491
2490	2580	1	RMS	2500.575	23.32	60	36.68	Pass	401
2580	3000	1	RMS	2955	-48.56	-25	23.56	Pass	421
3000	12000	1	RMS	11998	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25997	-40.76	-25	15.76	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.96	-25	49.96	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-25	47.51	Pass	2986
30	1000	0.1	RMS	843.8	-63.67	-25	38.67	Pass	9701
1000	2490	1	RMS	2483	-46.18	-25	21.18	Pass	1491
2490	2580	1	RMS	2500.575	22.38	60	37.62	Pass	401
2580	3000	1	RMS	2957	-48.55	-25	23.55	Pass	421
3000	12000	1	RMS	11998	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	26000	-40.61	-25	15.61	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-25	49.34	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-25	46.86	Pass	2986
30	1000	0.1	RMS	853.703	-63.56	-25	38.56	Pass	9701
1000	2490	1	RMS	2483	-50.3	-25	25.3	Pass	1491
2490	2580	1	RMS	2530.5	23.54	60	36.46	Pass	401
2580	3000	1	RMS	2958	-48.63	-25	23.63	Pass	421
3000	12000	1	RMS	11998	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25998	-40.63	-25	15.63	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-25	49.12	Pass	401
0.15	30	0.01	RMS	0.16	-72.67	-25	47.67	Pass	2986
30	1000	0.1	RMS	859.807	-63.61	-25	38.61	Pass	9701
1000	2490	1	RMS	2489	-50.32	-25	25.32	Pass	1491
2490	2580	1	RMS	2530.5	23.21	60	36.79	Pass	401
2580	3000	1	RMS	2965	-48.56	-25	23.56	Pass	421
3000	12000	1	RMS	12000	-58.58	-25	33.58	Pass	9002
12000	26000	1	RMS	25991	-40.68	-25	15.68	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-25	48.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	46.66	Pass	2986
30	1000	0.1	RMS	599.9	-61.59	-25	36.59	Pass	9701
1000	2490	1	RMS	2489	-50.32	-25	25.32	Pass	1491
2490	2580	1	RMS	2560.425	23.79	60	36.21	Pass	401
2580	3000	1	RMS	2968	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11999	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25999	-40.67	-25	15.67	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-25	47.73	Pass	2986
30	1000	0.1	RMS	599.9	-62.38	-25	37.38	Pass	9701
1000	2490	1	RMS	2487	-50.27	-25	25.27	Pass	1491
2490	2580	1	RMS	2560.425	23.17	60	36.83	Pass	401
2580	3000	1	RMS	2956	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11999	-58.56	-25	33.56	Pass	9002
12000	26000	1	RMS	25993	-40.69	-25	15.69	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-25	48.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	861.508	-63.57	-25	38.57	Pass	9701
1000	2490	1	RMS	2488	-42.45	-25	17.45	Pass	1491
2490	2580	1	RMS	2500.8	23.28	60	36.72	Pass	401
2580	3000	1	RMS	2963	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11998	-58.61	-25	33.61	Pass	9002
12000	26000	1	RMS	25997	-40.61	-25	15.61	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.87	-25	47.87	Pass	401
0.15	30	0.01	RMS	0.25	-72.25	-25	47.25	Pass	2986
30	1000	0.1	RMS	851.001	-63.51	-25	38.51	Pass	9701
1000	2490	1	RMS	2488	-43.67	-25	18.67	Pass	1491
2490	2580	1	RMS	2500.8	22.48	60	37.52	Pass	401
2580	3000	1	RMS	2957	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	12000	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25998	-40.59	-25	15.59	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.45	-25	49.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	849	-63.56	-25	38.56	Pass	9701
1000	2490	1	RMS	2490	-50.22	-25	25.22	Pass	1491
2490	2580	1	RMS	2528.25	23.39	60	36.61	Pass	401
2580	3000	1	RMS	2962	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11998	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25999	-40.71	-25	15.71	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-25	48.14	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	850.301	-63.61	-25	38.61	Pass	9701
1000	2490	1	RMS	2489	-50.25	-25	25.25	Pass	1491
2490	2580	1	RMS	2528.25	23.24	60	36.76	Pass	401
2580	3000	1	RMS	2956	-48.58	-25	23.58	Pass	421
3000	12000	1	RMS	11994	-58.59	-25	33.59	Pass	9002
12000	26000	1	RMS	25988	-40.67	-25	15.67	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-25	47.96	Pass	401
0.15	30	0.01	RMS	0.22	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	595.2	-62.4	-25	37.4	Pass	9701
1000	2490	1	RMS	2489	-50.28	-25	25.28	Pass	1491
2490	2580	1	RMS	2555.7	23.77	60	36.23	Pass	401
2580	3000	1	RMS	2582	-37.72	-25	12.72	Pass	421
3000	12000	1	RMS	12000	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25998	-40.61	-25	15.61	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74	-25	49	Pass	401
0.15	30	0.01	RMS	0.23	-72.14	-25	47.14	Pass	2986
30	1000	0.1	RMS	595.1	-62.55	-25	37.55	Pass	9701
1000	2490	1	RMS	2490	-50.3	-25	25.3	Pass	1491
2490	2580	1	RMS	2555.7	22.78	60	37.22	Pass	401
2580	3000	1	RMS	2582	-39.9	-25	14.9	Pass	421
3000	12000	1	RMS	11989	-58.57	-25	33.57	Pass	9002
12000	26000	1	RMS	25999	-40.55	-25	15.55	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-25	48.8	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-25	47.31	Pass	2986
30	1000	0.1	RMS	838.9	-63.62	-25	38.62	Pass	9701
1000	2490	1	RMS	2483	-39.34	-25	14.34	Pass	1491
2490	2580	1	RMS	2501.025	22.96	60	37.04	Pass	401
2580	3000	1	RMS	2963	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11999	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25996	-40.71	-25	15.71	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.97	-25	48.97	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	839.8	-63.62	-25	38.62	Pass	9701
1000	2490	1	RMS	2483	-39.3	-25	14.3	Pass	1491
2490	2580	1	RMS	2501.025	22.55	60	37.45	Pass	401
2580	3000	1	RMS	2957	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11997	-58.61	-25	33.61	Pass	9002
12000	26000	1	RMS	25999	-40.7	-25	15.7	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	49.48	Pass	401
0.15	30	0.01	RMS	0.2	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	751.1	-63.66	-25	38.66	Pass	9701
1000	2490	1	RMS	2490	-46.76	-25	21.76	Pass	1491
2490	2580	1	RMS	2526	23.53	60	36.47	Pass	401
2580	3000	1	RMS	2953	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	11996	-58.48	-25	33.48	Pass	9002
12000	26000	1	RMS	25996	-40.55	-25	15.55	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.82	-25	49.82	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-25	47.43	Pass	2986
30	1000	0.1	RMS	860.207	-63.62	-25	38.62	Pass	9701
1000	2490	1	RMS	2490	-47.91	-25	22.91	Pass	1491
2490	2580	1	RMS	2526	22.66	60	37.34	Pass	401
2580	3000	1	RMS	2957	-48.6	-25	23.6	Pass	421
3000	12000	1	RMS	12000	-58.56	-25	33.56	Pass	9002
12000	26000	1	RMS	25998	-40.63	-25	15.63	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-25	48.88	Pass	401
0.15	30	0.01	RMS	0.18	-72.22	-25	47.22	Pass	2986
30	1000	0.1	RMS	590.4	-61.91	-25	36.91	Pass	9701
1000	2490	1	RMS	2488	-50.31	-25	25.31	Pass	1491
2490	2580	1	RMS	2550.975	23.64	60	36.36	Pass	401
2580	3000	1	RMS	2586	-44.56	-25	19.56	Pass	421
3000	12000	1	RMS	11999	-58.55	-25	33.55	Pass	9002
12000	26000	1	RMS	25983	-40.69	-25	15.69	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.09	-25	49.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-25	46.46	Pass	2986
30	1000	0.1	RMS	590.4	-62.11	-25	37.11	Pass	9701
1000	2490	1	RMS	2488	-50.33	-25	25.33	Pass	1491
2490	2580	1	RMS	2550.975	22.87	60	37.13	Pass	401
2580	3000	1	RMS	2586	-44.5	-25	19.5	Pass	421
3000	12000	1	RMS	12000	-58.63	-25	33.63	Pass	9002
12000	26000	1	RMS	25995	-40.65	-25	15.65	Pass	14002



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.21	-71.57	-13	58.57	Pass	2986
30	767	0.1	RMS	766.6	-62.11	-13	49.11	Pass	7371
767	797	0.1	RMS	777.35	21.62	60	38.38	Pass	401
797	1000	0.1	RMS	850	-63.65	-13	50.65	Pass	2031
1000	3000	1	RMS	1554	-47.24	-13	34.24	Pass	2001
3000	10000	1	RMS	7207	-40.49	-13	27.49	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-13	59.25	Pass	2986
30	767	0.1	RMS	766.6	-63.04	-13	50.04	Pass	7371
767	797	0.1	RMS	777.35	20.8	60	39.2	Pass	401
797	1000	0.1	RMS	860.4	-63.62	-13	50.62	Pass	2031
1000	3000	1	RMS	1554	-48.27	-13	35.27	Pass	2001
3000	10000	1	RMS	7208	-40.5	-13	27.5	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.8	-13	61.8	Pass	401
0.15	30	0.01	RMS	0.21	-72.5	-13	59.5	Pass	2986
30	767	0.1	RMS	756.5	-64.08	-13	51.08	Pass	7371
767	797	0.1	RMS	779.825	21.52	60	38.48	Pass	401
797	1000	0.1	RMS	817.5	-63.51	-13	50.51	Pass	2031
1000	3000	1	RMS	1559	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	7206	-40.45	-13	27.45	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.57	-13	61.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	767	0.1	RMS	745.8	-64	-13	51	Pass	7371
767	797	0.1	RMS	779.825	21.04	60	38.96	Pass	401
797	1000	0.1	RMS	840.1	-63.53	-13	50.53	Pass	2031
1000	3000	1	RMS	1559	-48	-13	35	Pass	2001
3000	10000	1	RMS	7210	-40.44	-13	27.44	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	61.05	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	767	0.1	RMS	763.2	-64	-13	51	Pass	7371
767	797	0.1	RMS	782.3	21.32	60	38.68	Pass	401
797	1000	0.1	RMS	850.8	-63.42	-13	50.42	Pass	2031
1000	3000	1	RMS	1564	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	7200	-40.46	-13	27.46	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.21	-72.63	-13	59.63	Pass	2986
30	767	0.1	RMS	760.8	-63.94	-13	50.94	Pass	7371
767	797	0.1	RMS	782.375	20.54	60	39.46	Pass	401
797	1000	0.1	RMS	852.3	-63.45	-13	50.45	Pass	2031
1000	3000	1	RMS	1564	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	7210	-40.44	-13	27.44	Pass	7001



5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	767	0.1	RMS	766.9	-61.75	-13	48.75	Pass	7371
767	797	0.1	RMS	777.575	22.02	60	37.98	Pass	401
797	1000	0.1	RMS	799.6	-61.91	-13	48.91	Pass	2031
1000	3000	1	RMS	1555	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	7203	-40.37	-13	27.37	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	767	0.1	RMS	766.9	-62.41	-13	49.41	Pass	7371
767	797	0.1	RMS	777.575	20.95	60	39.05	Pass	401
797	1000	0.1	RMS	799.8	-62.39	-13	49.39	Pass	2031
1000	3000	1	RMS	1555	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	7204	-40.46	-13	27.46	Pass	7001

