

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.39	0.22	22.46	<=38.45	Pass
			2	24.20	0.22	22.27	<=38.45	Pass
			5	24.14	0.22	22.21	<=38.45	Pass
		3	0	23.94	0.22	22.01	<=38.45	Pass
			2	23.96	0.22	22.03	<=38.45	Pass
			3	23.87	0.22	21.94	<=38.45	Pass
		6	0	23.97	0.22	22.04	<=38.45	Pass
	836.5	1	0	24.27	0.22	22.34	<=38.45	Pass
			2	24.13	0.22	22.20	<=38.45	Pass
			5	24.05	0.22	22.12	<=38.45	Pass
		3	0	24.19	0.22	22.26	<=38.45	Pass
			2	24.16	0.22	22.23	<=38.45	Pass
			3	24.16	0.22	22.23	<=38.45	Pass
		6	0	24.21	0.22	22.28	<=38.45	Pass
	848.3	1	0	24.47	0.22	22.54	<=38.45	Pass
			2	24.48	0.22	22.55	<=38.45	Pass
			5	24.39	0.22	22.46	<=38.45	Pass
		3	0	24.25	0.22	22.32	<=38.45	Pass
			2	24.31	0.22	22.38	<=38.45	Pass
			3	24.36	0.22	22.43	<=38.45	Pass
		6	0	24.19	0.22	22.26	<=38.45	Pass
16QAM	824.7	1	0	23.43	0.22	21.50	<=38.45	Pass
			2	23.50	0.22	21.57	<=38.45	Pass
			5	23.03	0.22	21.10	<=38.45	Pass
		3	0	23.58	0.22	21.65	<=38.45	Pass
			2	23.55	0.22	21.62	<=38.45	Pass
			3	23.52	0.22	21.59	<=38.45	Pass
		6	0	23.55	0.22	21.62	<=38.45	Pass
	836.5	1	0	23.74	0.22	21.81	<=38.45	Pass
			2	23.76	0.22	21.83	<=38.45	Pass
			5	23.76	0.22	21.83	<=38.45	Pass
		3	0	23.78	0.22	21.85	<=38.45	Pass
			2	23.75	0.22	21.82	<=38.45	Pass
			3	23.75	0.22	21.82	<=38.45	Pass
		6	0	22.96	0.22	21.03	<=38.45	Pass
	848.3	1	0	23.26	0.22	21.33	<=38.45	Pass
			2	23.50	0.22	21.57	<=38.45	Pass
			5	23.07	0.22	21.14	<=38.45	Pass
		3	0	23.72	0.22	21.79	<=38.45	Pass
			2	23.73	0.22	21.80	<=38.45	Pass
			3	23.73	0.22	21.80	<=38.45	Pass
		6	0	22.75	0.22	20.82	<=38.45	Pass
64QAM	824.7	1	0	22.78	0.22	20.85	<=38.45	Pass
			2	22.50	0.22	20.57	<=38.45	Pass
			5	22.54	0.22	20.61	<=38.45	Pass
		3	0	23.52	0.22	21.59	<=38.45	Pass
			2	23.58	0.22	21.65	<=38.45	Pass
			3	23.52	0.22	21.59	<=38.45	Pass
		6	0	21.98	0.22	20.05	<=38.45	Pass
	836.5	1	0	22.66	0.22	20.73	<=38.45	Pass
			2	22.57	0.22	20.64	<=38.45	Pass
			5	22.52	0.22	20.59	<=38.45	Pass
		3	0	23.10	0.22	21.17	<=38.45	Pass
			2	23.06	0.22	21.13	<=38.45	Pass

			3	23.18	0.22	21.25	<=38.45	Pass
		6	0	22.02	0.22	20.09	<=38.45	Pass
	848.3	1	0	22.19	0.22	20.26	<=38.45	Pass
			2	22.11	0.22	20.18	<=38.45	Pass
			5	21.62	0.22	19.69	<=38.45	Pass
		3	0	22.67	0.22	20.74	<=38.45	Pass
			2	22.82	0.22	20.89	<=38.45	Pass
			3	22.59	0.22	20.66	<=38.45	Pass
		6	0	21.91	0.22	19.98	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.31	0.22	22.38	<=38.45	Pass
			7	24.47	0.22	22.54	<=38.45	Pass
			14	24.37	0.22	22.44	<=38.45	Pass
		8	0	24.09	0.22	22.16	<=38.45	Pass
			4	23.98	0.22	22.05	<=38.45	Pass
			7	23.99	0.22	22.06	<=38.45	Pass
		15	0	23.96	0.22	22.03	<=38.45	Pass
	836.5	1	0	24.11	0.22	22.18	<=38.45	Pass
			7	24.20	0.22	22.27	<=38.45	Pass
			14	24.07	0.22	22.14	<=38.45	Pass
		8	0	24.26	0.22	22.33	<=38.45	Pass
			4	24.66	0.22	22.73	<=38.45	Pass
			7	24.28	0.22	22.35	<=38.45	Pass
		15	0	24.43	0.22	22.50	<=38.45	Pass
	847.5	1	0	24.06	0.22	22.13	<=38.45	Pass
			7	24.32	0.22	22.39	<=38.45	Pass
			14	24.18	0.22	22.25	<=38.45	Pass
		8	0	24.33	0.22	22.40	<=38.45	Pass
			4	24.37	0.22	22.44	<=38.45	Pass
			7	24.34	0.22	22.41	<=38.45	Pass
		15	0	24.17	0.22	22.24	<=38.45	Pass
16QAM	825.5	1	0	23.70	0.22	21.77	<=38.45	Pass
			7	23.73	0.22	21.80	<=38.45	Pass
			14	23.49	0.22	21.56	<=38.45	Pass
		8	0	23.56	0.22	21.63	<=38.45	Pass
			4	23.52	0.22	21.59	<=38.45	Pass
			7	23.46	0.22	21.53	<=38.45	Pass
		15	0	23.50	0.22	21.57	<=38.45	Pass
	836.5	1	0	23.57	0.22	21.64	<=38.45	Pass
			7	23.50	0.22	21.57	<=38.45	Pass
			14	23.42	0.22	21.49	<=38.45	Pass
		8	0	22.81	0.22	20.88	<=38.45	Pass
			4	22.78	0.22	20.85	<=38.45	Pass
			7	22.87	0.22	20.94	<=38.45	Pass
		15	0	23.11	0.22	21.18	<=38.45	Pass
	847.5	1	0	22.97	0.22	21.04	<=38.45	Pass
			7	23.57	0.22	21.64	<=38.45	Pass
			14	23.20	0.22	21.27	<=38.45	Pass
		8	0	22.87	0.22	20.94	<=38.45	Pass
			4	23.00	0.22	21.07	<=38.45	Pass
			7	22.95	0.22	21.02	<=38.45	Pass
		15	0	22.87	0.22	20.94	<=38.45	Pass
64QAM	825.5	1	0	22.67	0.22	20.74	<=38.45	Pass
			7	22.52	0.22	20.59	<=38.45	Pass
			14	22.67	0.22	20.74	<=38.45	Pass
		8	0	22.51	0.22	20.58	<=38.45	Pass

		15	4	22.49	0.22	20.56	<=38.45	Pass	
			7	22.42	0.22	20.49	<=38.45	Pass	
			0	22.39	0.22	20.46	<=38.45	Pass	
	836.5	1	0	22.66	0.22	20.73	<=38.45	Pass	
			7	22.60	0.22	20.67	<=38.45	Pass	
			14	22.29	0.22	20.36	<=38.45	Pass	
		8	0	22.23	0.22	20.30	<=38.45	Pass	
			4	21.93	0.22	20.00	<=38.45	Pass	
			7	22.19	0.22	20.26	<=38.45	Pass	
		15	0	22.08	0.22	20.15	<=38.45	Pass	
		847.5	1	0	22.59	0.22	20.66	<=38.45	Pass
				7	21.95	0.22	20.02	<=38.45	Pass
	14			22.57	0.22	20.64	<=38.45	Pass	
	8		0	21.90	0.22	19.97	<=38.45	Pass	
			4	21.92	0.22	19.99	<=38.45	Pass	
			7	21.94	0.22	20.01	<=38.45	Pass	
	15		0	21.77	0.22	19.84	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.32	0.22	22.39	<=38.45	Pass
			13	24.47	0.22	22.54	<=38.45	Pass
			24	23.98	0.22	22.05	<=38.45	Pass
		12	0	24.45	0.22	22.52	<=38.45	Pass
			6	24.40	0.22	22.47	<=38.45	Pass
			13	24.35	0.22	22.42	<=38.45	Pass
		25	0	24.55	0.22	22.62	<=38.45	Pass
	836.5	1	0	24.12	0.22	22.19	<=38.45	Pass
			13	24.31	0.22	22.38	<=38.45	Pass
			24	24.04	0.22	22.11	<=38.45	Pass
		12	0	24.46	0.22	22.53	<=38.45	Pass
			6	24.46	0.22	22.53	<=38.45	Pass
			13	24.37	0.22	22.44	<=38.45	Pass
		25	0	24.56	0.22	22.63	<=38.45	Pass
	846.5	1	0	24.24	0.22	22.31	<=38.45	Pass
			13	24.69	0.22	22.76	<=38.45	Pass
			24	24.15	0.22	22.22	<=38.45	Pass
		12	0	24.45	0.22	22.52	<=38.45	Pass
			6	24.42	0.22	22.49	<=38.45	Pass
			13	24.42	0.22	22.49	<=38.45	Pass
		25	0	24.50	0.22	22.57	<=38.45	Pass
16QAM	826.5	1	0	23.55	0.22	21.62	<=38.45	Pass
			13	23.82	0.22	21.89	<=38.45	Pass
			24	23.57	0.22	21.64	<=38.45	Pass
		12	0	23.68	0.22	21.75	<=38.45	Pass
			6	23.60	0.22	21.67	<=38.45	Pass
			13	23.56	0.22	21.63	<=38.45	Pass
		25	0	23.72	0.22	21.79	<=38.45	Pass
	836.5	1	0	23.50	0.22	21.57	<=38.45	Pass
			13	23.98	0.22	22.05	<=38.45	Pass
			24	23.42	0.22	21.49	<=38.45	Pass
		12	0	23.40	0.22	21.47	<=38.45	Pass
			6	23.25	0.22	21.32	<=38.45	Pass
			13	23.11	0.22	21.18	<=38.45	Pass
		25	0	23.31	0.22	21.38	<=38.45	Pass
	846.5	1	0	23.57	0.22	21.64	<=38.45	Pass
			13	23.41	0.22	21.48	<=38.45	Pass
			24	23.63	0.22	21.70	<=38.45	Pass

64QAM	826.5	12	0	22.97	0.22	21.04	<=38.45	Pass
			6	22.92	0.22	20.99	<=38.45	Pass
			13	22.99	0.22	21.06	<=38.45	Pass
		25	0	23.07	0.22	21.14	<=38.45	Pass
			6	22.69	0.22	20.76	<=38.45	Pass
			13	22.50	0.22	20.57	<=38.45	Pass
		25	0	22.64	0.22	20.71	<=38.45	Pass
			6	22.64	0.22	20.71	<=38.45	Pass
			13	22.64	0.22	20.71	<=38.45	Pass
	836.5	1	0	22.89	0.22	20.96	<=38.45	Pass
			13	22.74	0.22	20.81	<=38.45	Pass
			24	22.74	0.22	20.81	<=38.45	Pass
		12	0	22.44	0.22	20.51	<=38.45	Pass
			6	22.41	0.22	20.48	<=38.45	Pass
			13	22.31	0.22	20.38	<=38.45	Pass
		25	0	22.24	0.22	20.31	<=38.45	Pass
			6	22.63	0.22	20.70	<=38.45	Pass
			13	22.71	0.22	20.78	<=38.45	Pass
	846.5	1	0	22.49	0.22	20.56	<=38.45	Pass
			13	22.04	0.22	20.11	<=38.45	Pass
			24	22.13	0.22	20.20	<=38.45	Pass
		12	0	22.01	0.22	20.08	<=38.45	Pass
			6	22.01	0.22	20.08	<=38.45	Pass
			13	22.01	0.22	20.08	<=38.45	Pass
		25	0	22.07	0.22	20.14	<=38.45	Pass
			6	22.07	0.22	20.14	<=38.45	Pass
			13	22.07	0.22	20.14	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.17	0.22	22.24	<=38.45	Pass
			25	24.40	0.22	22.47	<=38.45	Pass
			49	24.27	0.22	22.34	<=38.45	Pass
		25	0	24.05	0.22	22.12	<=38.45	Pass
			13	24.29	0.22	22.36	<=38.45	Pass
			25	24.10	0.22	22.17	<=38.45	Pass
		50	0	23.97	0.22	22.04	<=38.45	Pass
			0	24.50	0.22	22.57	<=38.45	Pass
			25	24.43	0.22	22.50	<=38.45	Pass
	836.5	1	0	24.24	0.22	22.31	<=38.45	Pass
			25	24.24	0.22	22.31	<=38.45	Pass
			49	24.24	0.22	22.31	<=38.45	Pass
		25	0	23.90	0.22	21.97	<=38.45	Pass
			13	24.51	0.22	22.58	<=38.45	Pass
			25	24.30	0.22	22.37	<=38.45	Pass
		50	0	24.14	0.22	22.21	<=38.45	Pass
			0	24.67	0.22	22.74	<=38.45	Pass
			25	24.80	0.22	22.87	<=38.45	Pass
	844	1	0	24.47	0.22	22.54	<=38.45	Pass
			25	24.47	0.22	22.54	<=38.45	Pass
			49	24.47	0.22	22.54	<=38.45	Pass
		25	0	24.82	0.22	22.89	<=38.45	Pass
			13	24.40	0.22	22.47	<=38.45	Pass
			25	24.71	0.22	22.78	<=38.45	Pass
		50	0	24.42	0.22	22.49	<=38.45	Pass
			0	23.55	0.22	21.62	<=38.45	Pass
			25	23.97	0.22	22.04	<=38.45	Pass
16QAM	829	1	0	23.70	0.22	21.77	<=38.45	Pass
			25	23.74	0.22	21.81	<=38.45	Pass
			49	23.74	0.22	21.81	<=38.45	Pass
		25	0	23.73	0.22	21.80	<=38.45	Pass
			13	23.69	0.22	21.76	<=38.45	Pass
			25	23.69	0.22	21.76	<=38.45	Pass
		50	0	23.71	0.22	21.78	<=38.45	Pass
			0	23.78	0.22	21.85	<=38.45	Pass
			25	23.92	0.22	21.99	<=38.45	Pass

		25		49	23.98	0.22	22.05	<=38.45	Pass
			0	23.55	0.22	21.62	<=38.45	Pass	
			13	23.52	0.22	21.59	<=38.45	Pass	
			25	23.46	0.22	21.53	<=38.45	Pass	
		50	0	23.48	0.22	21.55	<=38.45	Pass	
	844	1		0	23.80	0.22	21.87	<=38.45	Pass
			25	23.18	0.22	21.25	<=38.45	Pass	
			49	23.64	0.22	21.71	<=38.45	Pass	
		25		0	23.08	0.22	21.15	<=38.45	Pass
			13	23.31	0.22	21.38	<=38.45	Pass	
			25	23.03	0.22	21.10	<=38.45	Pass	
		50	0	23.06	0.22	21.13	<=38.45	Pass	
		64QAM	829	1		0	23.41	0.22	21.48
25	23.05				0.22	21.12	<=38.45	Pass	
49	22.84				0.22	20.91	<=38.45	Pass	
25				0	22.71	0.22	20.78	<=38.45	Pass
	13			22.68	0.22	20.75	<=38.45	Pass	
	25			22.64	0.22	20.71	<=38.45	Pass	
50	0		22.73	0.22	20.80	<=38.45	Pass		
836.5	1			0	23.17	0.22	21.24	<=38.45	Pass
			25	23.01	0.22	21.08	<=38.45	Pass	
			49	22.21	0.22	20.28	<=38.45	Pass	
	25			0	22.54	0.22	20.61	<=38.45	Pass
			13	22.47	0.22	20.54	<=38.45	Pass	
			25	22.42	0.22	20.49	<=38.45	Pass	
50	0		22.49	0.22	20.56	<=38.45	Pass		
844	1			0	22.85	0.22	20.92	<=38.45	Pass
			25	22.36	0.22	20.43	<=38.45	Pass	
			49	22.11	0.22	20.18	<=38.45	Pass	
	25			0	22.15	0.22	20.22	<=38.45	Pass
			13	22.24	0.22	20.31	<=38.45	Pass	
			25	22.26	0.22	20.33	<=38.45	Pass	
50	0		22.31	0.22	20.38	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	24.37	0.22	22.44	<=38.45	Pass
			38	24.38	0.22	22.45	<=38.45	Pass
			74	24.18	0.22	22.25	<=38.45	Pass
		36	0	24.55	0.22	22.62	<=38.45	Pass
			18	24.45	0.22	22.52	<=38.45	Pass
			39	24.42	0.22	22.49	<=38.45	Pass
		75	0	24.28	0.22	22.35	<=38.45	Pass
	836.5	1	0	24.58	0.22	22.65	<=38.45	Pass
			38	24.56	0.22	22.63	<=38.45	Pass
			74	24.10	0.22	22.17	<=38.45	Pass
		36	0	24.57	0.22	22.64	<=38.45	Pass
			18	24.64	0.22	22.71	<=38.45	Pass
			39	24.41	0.22	22.48	<=38.45	Pass
		75	0	23.98	0.22	22.05	<=38.45	Pass
	841.5	1	0	24.14	0.22	22.21	<=38.45	Pass
			38	24.29	0.22	22.36	<=38.45	Pass
			74	24.53	0.22	22.60	<=38.45	Pass
		36	0	24.18	0.22	22.25	<=38.45	Pass
			18	24.07	0.22	22.14	<=38.45	Pass
			39	23.96	0.22	22.03	<=38.45	Pass
		75	0	24.41	0.22	22.48	<=38.45	Pass
16QAM	831.5	1	0	23.68	0.22	21.75	<=38.45	Pass

		36		38	23.43	0.22	21.50	<=38.45	Pass
				74	23.39	0.22	21.46	<=38.45	Pass
				0	23.32	0.22	21.39	<=38.45	Pass
				18	23.22	0.22	21.29	<=38.45	Pass
				39	23.04	0.22	21.11	<=38.45	Pass
			75	0	23.28	0.22	21.35	<=38.45	Pass
	836.5	1		0	23.56	0.22	21.63	<=38.45	Pass
				38	23.58	0.22	21.65	<=38.45	Pass
				74	22.80	0.22	20.87	<=38.45	Pass
		36		0	23.10	0.22	21.17	<=38.45	Pass
				18	23.12	0.22	21.19	<=38.45	Pass
				39	22.89	0.22	20.96	<=38.45	Pass
	75		0	22.96	0.22	21.03	<=38.45	Pass	
	841.5	1		0	23.74	0.22	21.81	<=38.45	Pass
				38	23.42	0.22	21.49	<=38.45	Pass
				74	23.45	0.22	21.52	<=38.45	Pass
		36		0	22.77	0.22	20.84	<=38.45	Pass
				18	22.56	0.22	20.63	<=38.45	Pass
				39	22.45	0.22	20.52	<=38.45	Pass
	75		0	22.81	0.22	20.88	<=38.45	Pass	
	64QAM	831.5	1		0	22.82	0.22	20.89	<=38.45
				38	22.69	0.22	20.76	<=38.45	Pass
				74	22.62	0.22	20.69	<=38.45	Pass
36				0	22.31	0.22	20.38	<=38.45	Pass
				18	22.22	0.22	20.29	<=38.45	Pass
				39	22.09	0.22	20.16	<=38.45	Pass
75			0	22.26	0.22	20.33	<=38.45	Pass	
836.5		1		0	22.40	0.22	20.47	<=38.45	Pass
				38	22.20	0.22	20.27	<=38.45	Pass
				74	21.85	0.22	19.92	<=38.45	Pass
		36		0	22.20	0.22	20.27	<=38.45	Pass
				18	22.13	0.22	20.20	<=38.45	Pass
				39	21.91	0.22	19.98	<=38.45	Pass
75			0	21.82	0.22	19.89	<=38.45	Pass	
841.5		1		0	22.77	0.22	20.84	<=38.45	Pass
				38	22.48	0.22	20.55	<=38.45	Pass
				74	21.65	0.22	19.72	<=38.45	Pass
		36		0	21.99	0.22	20.06	<=38.45	Pass
			18	21.87	0.22	19.94	<=38.45	Pass	
			39	21.68	0.22	19.75	<=38.45	Pass	
75		0	21.90	0.22	19.97	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	3.27	10.900	0.0130	-2.5 to 2.5	Pass
					3.85	-2.800	-0.0033	-2.5 to 2.5	Pass
					4.43	6.400	0.0077	-2.5 to 2.5	Pass
				-30	3.85	-1.400	-0.0017	-2.5 to 2.5	Pass
				-20	3.85	-0.900	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	2.700	0.0032	-2.5 to 2.5	Pass
				0	3.85	-1.200	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-8.000	-0.0096	-2.5 to 2.5	Pass
				30	3.85	-6.900	-0.0082	-2.5 to 2.5	Pass
				40	3.85	4.100	0.0049	-2.5 to 2.5	Pass
				50	3.85	-2.700	-0.0032	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.134	/	Pass
		836.5	6	0	1.117	/	Pass
		848.3	6	0	1.138	/	Pass
	16QAM	824.7	6	0	1.136	/	Pass
		836.5	6	0	1.127	/	Pass
		848.3	6	0	1.127	/	Pass
	64QAM	824.7	6	0	1.128	/	Pass
		836.5	6	0	1.121	/	Pass
		848.3	6	0	1.124	/	Pass
3	QPSK	825.5	15	0	2.773	/	Pass
		836.5	15	0	2.729	/	Pass
		847.5	15	0	2.741	/	Pass
	16QAM	825.5	15	0	2.755	/	Pass
		836.5	15	0	2.732	/	Pass
		847.5	15	0	2.735	/	Pass
	64QAM	825.5	15	0	2.742	/	Pass
		836.5	15	0	2.727	/	Pass
		847.5	15	0	2.726	/	Pass
5	QPSK	826.5	25	0	4.623	/	Pass
		836.5	25	0	4.543	/	Pass
		846.5	25	0	4.564	/	Pass
	16QAM	826.5	25	0	4.591	/	Pass
		836.5	25	0	4.554	/	Pass
		846.5	25	0	4.562	/	Pass
	64QAM	826.5	25	0	4.563	/	Pass
		836.5	25	0	4.556	/	Pass
		846.5	25	0	4.553	/	Pass
10	QPSK	829	50	0	9.179	/	Pass
		836.5	50	0	9.113	/	Pass
		844	50	0	9.181	/	Pass
	16QAM	829	50	0	9.141	/	Pass
		836.5	50	0	9.061	/	Pass
		844	50	0	9.105	/	Pass
	64QAM	829	50	0	9.108	/	Pass
		836.5	50	0	9.086	/	Pass
		844	50	0	9.119	/	Pass
15	QPSK	831.5	75	0	13.691	/	Pass
		836.5	75	0	13.647	/	Pass
		841.5	75	0	13.581	/	Pass
	16QAM	831.5	75	0	13.705	/	Pass
		836.5	75	0	13.676	/	Pass
		841.5	75	0	13.642	/	Pass
	64QAM	831.5	75	0	13.637	/	Pass
		836.5	75	0	13.581	/	Pass
		841.5	75	0	13.587	/	Pass


3.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.999	/	Pass
		836.5	6	0	1.340	/	Pass
		848.3	6	0	1.899	/	Pass
	16QAM	824.7	6	0	1.838	/	Pass
		836.5	6	0	1.623	/	Pass
		848.3	6	0	1.667	/	Pass
	64QAM	824.7	6	0	1.492	/	Pass
		836.5	6	0	1.342	/	Pass
		848.3	6	0	1.364	/	Pass
3	QPSK	825.5	15	0	4.698	/	Pass
		836.5	15	0	3.044	/	Pass
		847.5	15	0	3.711	/	Pass
	16QAM	825.5	15	0	5.084	/	Pass
		836.5	15	0	3.062	/	Pass
		847.5	15	0	3.799	/	Pass
	64QAM	825.5	15	0	3.253	/	Pass
		836.5	15	0	3.018	/	Pass
		847.5	15	0	3.000	/	Pass
5	QPSK	826.5	25	0	8.680	/	Pass
		836.5	25	0	5.156	/	Pass
		846.5	25	0	6.496	/	Pass
	16QAM	826.5	25	0	7.622	/	Pass
		836.5	25	0	5.083	/	Pass
		846.5	25	0	6.322	/	Pass
	64QAM	826.5	25	0	5.290	/	Pass
		836.5	25	0	5.026	/	Pass
		846.5	25	0	5.196	/	Pass
10	QPSK	829	50	0	16.822	/	Pass
		836.5	50	0	11.106	/	Pass
		844	50	0	13.847	/	Pass
	16QAM	829	50	0	14.281	/	Pass
		836.5	50	0	9.969	/	Pass
		844	50	0	13.145	/	Pass
	64QAM	829	50	0	10.168	/	Pass
		836.5	50	0	10.042	/	Pass
		844	50	0	10.060	/	Pass
15	QPSK	831.5	75	0	19.764	/	Pass
		836.5	75	0	16.239	/	Pass
		841.5	75	0	16.343	/	Pass
	16QAM	831.5	75	0	19.504	/	Pass
		836.5	75	0	17.559	/	Pass
		841.5	75	0	15.333	/	Pass
	64QAM	831.5	75	0	16.535	/	Pass
		836.5	75	0	14.927	/	Pass
		841.5	75	0	14.967	/	Pass


3.2 Test Graph

3.2.1 Band26b_OBW








Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV









Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTN




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV







Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV







Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV





Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV







3.2.2 Band26b_XDB









Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTN




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTN




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV







Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV







Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV







Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV







Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV





4. Peak-Average Ratio

4.1 Test Result

4.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	2.63	<=13	Pass
	836.5	6	0	3.77	<=13	Pass
	848.3	6	0	2.77	<=13	Pass
16QAM	824.7	6	0	3.46	<=13	Pass
	836.5	6	0	4.43	<=13	Pass
	848.3	6	0	3.71	<=13	Pass
64QAM	824.7	6	0	4.33	<=13	Pass
	836.5	6	0	5.10	<=13	Pass
	848.3	6	0	4.63	<=13	Pass

4.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	2.82	<=13	Pass
	836.5	15	0	3.86	<=13	Pass
	847.5	15	0	3.19	<=13	Pass
16QAM	825.5	15	0	3.53	<=13	Pass
	836.5	15	0	4.63	<=13	Pass
	847.5	15	0	4.09	<=13	Pass
64QAM	825.5	15	0	4.37	<=13	Pass
	836.5	15	0	5.29	<=13	Pass
	847.5	15	0	4.87	<=13	Pass

4.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	3.52	<=13	Pass
	836.5	25	0	4.37	<=13	Pass
	846.5	25	0	3.89	<=13	Pass
16QAM	826.5	25	0	4.15	<=13	Pass
	836.5	25	0	4.92	<=13	Pass
	846.5	25	0	4.53	<=13	Pass
64QAM	826.5	25	0	4.82	<=13	Pass
	836.5	25	0	5.45	<=13	Pass
	846.5	25	0	5.17	<=13	Pass

4.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	3.88	<=13	Pass
	836.5	50	0	4.20	<=13	Pass
	844	50	0	4.35	<=13	Pass
16QAM	829	50	0	4.55	<=13	Pass
	836.5	50	0	4.94	<=13	Pass
	844	50	0	4.84	<=13	Pass
64QAM	829	50	0	5.06	<=13	Pass
	836.5	50	0	5.41	<=13	Pass
	844	50	0	5.29	<=13	Pass


4.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	3.71	<=13	Pass
	836.5	75	0	3.53	<=13	Pass
	841.5	75	0	4.15	<=13	Pass
16QAM	831.5	75	0	4.32	<=13	Pass
	836.5	75	0	4.26	<=13	Pass
	841.5	75	0	4.82	<=13	Pass
64QAM	831.5	75	0	4.88	<=13	Pass
	836.5	75	0	4.88	<=13	Pass
	841.5	75	0	5.29	<=13	Pass


4.2 Test Graph


4.2.1 B26b_1.4MHz







Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV









4.2.2 B26b_3MHz







Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV





Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV








4.2.3 B26b_5MHz














4.2.4 B26b_10MHz




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV







Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




4.2.5 B26b_15MHz




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV


Samples: 10.0M
RBW: 25.00MHz
Freq: 836.500MHz
Power:
Avg 22.56dBm
Peak: 26.76dBm
Crest: 4.20dB
10.0 %: 2.06dB
1.0 %: 3.10dB
0.1 %: 3.53dB
0.01 %: 3.81dB




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV

0.0 dB20.0 dB







5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			6	0	Refer To Test Graph	
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			6	0	Refer To Test Graph	
64QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			6	0	Refer To Test Graph	

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
64QAM	826.5		0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
16QAM	829		0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
		1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
64QAM	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
	844	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass


5.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
16QAM	831.5		0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
			0	Refer To Test Graph	Pass
	841.5	1	74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass


	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTN




Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTN



Band26b 1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b 1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-23.17	-13	Pass
850	852	0.1	CHP	2	850.052	-48.94	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.019	CHP	/	/	/	/	/
849	850	0.019	CHP	1	849.030	-15.70	-13	Pass
850	852	0.1	CHP	2	850.055	-34.12	-13	Pass

Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-46.80	-13	Pass
823	824	0.003	/	2	823.997	-22.27	-13	Pass
824	827	0.003	/	/	/	/	/	/






Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB 1 5_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-23.18	-13	Pass
850	852	0.1	CHP	2	850.052	-49.04	-13	Pass


Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB 6 0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.017	CHP	/	/	/	/	/
849	850	0.017	CHP	1	849.015	-18.84	-13	Pass
850	852	0.1	CHP	2	850.060	-34.05	-13	Pass












5.2.2 B26b_3MHz




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-22.21	-13	Pass
850	852	0.1	CHP	2	850.074	-35.05	-13	Pass

Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.037	CHP	/	/	/	/	/
849	850	0.037	CHP	1	849.006	-18.17	-13	Pass
850	852	0.1	CHP	2	850.170	-18.92	-13	Pass

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-33.08	-13	Pass
823	824	0.003	/	2	823.999	-22.39	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.902	-16.79	-13	Pass
823	824	0.051	CHP	2	823.994	-15.82	-13	Pass
824	827	0.051	CHP	/	/	/	/	/


Band26b_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.012	-20.91	-13	Pass
850	852	0.1	CHP	2	850.054	-36.15	-13	Pass

Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.038	CHP	/	/	/	/	/
849	850	0.038	CHP	1	849.024	-20.66	-13	Pass
850	852	0.1	CHP	2	850.068	-21.19	-13	Pass


Band26b_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV











5.2.3 B26b_5MHz




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.740	-16.01	-13	Pass
823	824	0.087	CHP	2	823.990	-13.62	-13	Pass
824	829	0.087	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-26.12	-13	Pass
850	854	0.1	CHP	2	850.541	-44.71	-13	Pass

Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.065	CHP	/	/	/	/	/
849	850	0.065	CHP	1	849.180	-17.35	-13	Pass
850	854	0.1	CHP	2	850.060	-19.08	-13	Pass

Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.428	-44.78	-13	Pass
823	824	0.003	/	2	823.989	-26.81	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.830	-17.81	-13	Pass
823	824	0.076	CHP	2	823.970	-16.51	-13	Pass
824	829	0.076	CHP	/	/	/	/	/


Band26b_5MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_16QAM_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.012	-27.00	-13	Pass
850	854	0.1	CHP	2	850.557	-46.06	-13	Pass

Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.063	CHP	/	/	/	/	/
849	850	0.063	CHP	1	849.080	-21.10	-13	Pass
850	854	0.1	CHP	2	850.060	-22.15	-13	Pass


Band26b_5MHz_64QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_1_0_NTNV












5.2.4 B26b_10MHz




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.010	-33.49	-13	Pass
850	859	0.1	CHP	2	850.054	-48.82	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.138	CHP	/	/	/	/	/
849	850	0.138	CHP	1	849.020	-15.59	-13	Pass
850	859	0.1	/	2	850.060	-17.59	-13	Pass

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	820.137	-46.37	-13	Pass
823	824	0.003	/	2	823.998	-33.63	-13	Pass
824	834	0.003	/	/	/	/	/	/

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.000	-19.35	-13	Pass
823	824	0.143	CHP	2	823.980	-18.34	-13	Pass
824	834	0.143	CHP	/	/	/	/	/


Band26b_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.029	-34.35	-13	Pass
850	859	0.1	CHP	2	850.060	-49.72	-13	Pass

Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.131	CHP	/	/	/	/	/
849	850	0.131	CHP	1	849.020	-19.11	-13	Pass
850	859	0.1	/	2	850.100	-20.71	-13	Pass

Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV







Band26b_10MHz_64QAM_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_1_49_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.023	-35.33	-13	Pass
850	859	0.1	CHP	2	850.058	-52.33	-13	Pass




5.2.5 B26b_15MHz








Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.163	CHP	/	/	/	/	/
849	850	0.163	CHP	1	849.090	-17.78	-13	Pass
850	864	0.1	/	2	850.320	-20.68	-13	Pass


Band26b_15MHz_16QAM_LCH_831.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	822.944	-44.45	-13	Pass
823	824	0.003	/	2	823.984	-35.41	-13	Pass
824	839	0.003	/	/	/	/	/	/




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-36.48	-13	Pass
850	864	0.1	CHP	2	850.052	-47.66	-13	Pass


Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.153	CHP	/	/	/	/	/
849	850	0.153	CHP	1	849.030	-21.09	-13	Pass
850	864	0.1	/	2	850.230	-23.59	-13	Pass









---End of Attachment---