



802.11ac40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17934.0667	33.75	41.51	-31.06	44.20	54.00	9.80	Horizontal
2	6497.7083	40.29	35.50	-16.75	59.04	68.20	9.16	Horizontal
3	10602.4333	45.15	38.82	-36.65	47.32	74.00	26.68	Horizontal
4	13289.6	43.04	40.04	-34.62	48.47	74.00	25.53	Horizontal
5	14624.75	43.57	40.03	-34.37	49.22	68.20	18.98	Horizontal
6	17926.0167	40.80	41.49	-31.08	51.21	74.00	22.79	Horizontal

802.11ac40_Channel 110



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17959.75	33.66	41.58	-31.01	44.23	54.00	9.77	Vertical
2	6459.2083	40.45	35.42	-16.68	59.19	68.20	9.01	Vertical
3	7901.0833	48.53	37.10	-41.50	44.14	68.20	24.06	Vertical
4	12808.1333	43.57	39.67	-34.75	48.49	68.20	19.71	Vertical
5	14498.6333	44.16	40.10	-34.81	49.46	74.00	24.54	Vertical
6	17963.2	40.73	41.59	-31.00	51.32	74.00	22.68	Vertical


802.11ac40_Channel 134



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17976.6167	32.69	41.63	-30.98	43.35	54.00	10.65	Horizontal
2	6112.7083	41.35	34.73	-16.70	59.38	68.20	8.82	Horizontal
3	7462.1667	49.88	36.30	-42.04	44.14	74.00	29.86	Horizontal
4	12875.2167	42.84	39.75	-34.54	48.05	68.20	20.15	Horizontal
5	14416.6	43.18	40.15	-33.94	49.39	68.20	18.81	Horizontal
6	17920.65	40.91	41.47	-31.09	51.29	74.00	22.71	Horizontal

802.11ac40_Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17925.25	33.09	41.48	-31.08	43.49	54.00	10.51	Vertical
2	6040.2917	40.85	34.58	-16.94	58.49	68.20	9.71	Vertical
3	10462.9	44.92	38.66	-36.50	47.08	68.20	21.12	Vertical
4	13295.35	43.91	40.05	-34.61	49.34	74.00	24.66	Vertical
5	14346.8333	44.00	40.19	-34.40	49.79	68.20	18.41	Vertical
6	17973.55	40.81	41.62	-30.98	51.45	74.00	22.55	Vertical


802.11ac40_Channel 151



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.95	32.92	41.61	-30.99	43.54	54.00	10.46	Horizontal
2	6379.4583	41.11	35.26	-16.67	59.69	68.20	8.51	Horizontal
3	8508.2833	48.38	37.66	-40.28	45.75	68.20	22.45	Horizontal
4	11642.4167	44.58	38.91	-35.39	48.11	74.00	25.89	Horizontal
5	13837	43.85	40.32	-34.65	49.52	68.20	18.68	Horizontal
6	17901.1	41.33	41.41	-31.13	51.62	74.00	22.38	Horizontal

802.11ac40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17968.95	32.96	41.61	-30.99	43.58	54.00	10.42	Vertical
2	6442.7083	40.49	35.39	-16.65	59.22	68.20	8.98	Vertical
3	9511.4667	45.96	38.05	-38.46	45.55	68.20	22.65	Vertical
4	11620.5667	44.10	38.93	-35.28	47.74	74.00	26.26	Vertical
5	13880.3167	43.23	40.34	-34.07	49.50	68.20	18.70	Vertical
6	17934.8333	41.14	41.51	-31.06	51.59	74.00	22.41	Vertical

802.11ac40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17926.7833	33.51	41.49	-31.08	43.92	54.00	10.08	Horizontal
2	6423	40.23	35.35	-16.62	58.96	68.20	9.24	Horizontal
3	8992.05	47.21	37.99	-39.28	45.92	68.20	22.28	Horizontal
4	12355.0333	43.47	39.13	-34.67	47.93	74.00	26.07	Horizontal
5	14351.05	43.61	40.19	-34.35	49.45	68.20	18.75	Horizontal
6	17998.4667	40.99	41.70	-30.93	51.75	74.00	22.25	Horizontal

802.11ac40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.0333	32.82	41.60	-31.00	43.43	54.00	10.57	Vertical
2	6322.625	40.95	35.15	-16.94	59.16	68.20	9.04	Vertical
3	9584.6833	45.69	38.06	-38.26	45.49	68.20	22.71	Vertical
4	12324.3667	44.13	39.09	-34.68	48.54	74.00	25.46	Vertical
5	13322.95	44.20	40.06	-34.58	49.69	74.00	24.31	Vertical
6	17953.2333	41.51	41.56	-31.02	52.05	74.00	21.95	Vertical

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17960.1333	33.00	41.58	-31.01	43.57	54.00	10.43	Horizontal
2	6132.875	40.60	34.77	-16.72	58.64	68.20	9.56	Horizontal
3	8959.85	47.89	37.97	-39.41	46.46	68.20	21.74	Horizontal
4	12746.0333	42.87	39.60	-34.59	47.87	68.20	20.33	Horizontal
5	13857.7	43.63	40.33	-34.37	49.59	68.20	18.61	Horizontal
6	17993.4833	40.76	41.68	-30.94	51.50	74.00	22.50	Horizontal

802.11ac80_Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.8	33.40	41.61	-30.99	44.01	54.00	9.99	Vertical
2	6176.4167	40.51	34.85	-16.78	58.58	68.20	9.62	Vertical
3	6946.2	52.12	36.21	-42.63	45.70	68.20	22.50	Vertical
4	11189.7	44.12	39.19	-35.13	48.18	74.00	25.82	Vertical
5	13901.4	44.02	40.35	-33.82	50.55	68.20	17.65	Vertical
6	17933.3	41.00	41.51	-31.06	51.44	74.00	22.56	Vertical


802.11ac80_Channel 58



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17934.0667	33.28	41.51	-31.06	43.73	54.00	10.27	Horizontal
2	6270.8333	40.89	35.04	-16.97	58.96	68.20	9.24	Horizontal
3	10454.85	44.21	38.65	-36.51	46.34	68.20	21.86	Horizontal
4	12809.6667	43.50	39.67	-34.75	48.42	68.20	19.78	Horizontal
5	14821.4	43.39	39.91	-34.11	49.19	68.20	19.01	Horizontal
6	17966.2667	40.86	41.60	-31.00	51.46	74.00	22.54	Horizontal

802.11ac80_Channel 58



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	1438.1667	43.24	25.22	-26.56	41.90	74.00	32.10	Vertical
2	8003.8167	49.75	37.30	-41.17	45.88	68.20	22.32	Vertical
3	9672.85	46.14	38.07	-37.80	46.40	68.20	21.80	Vertical
4	11899.6333	43.27	38.76	-34.53	47.51	74.00	26.49	Vertical
5	14842.4833	43.40	39.89	-33.92	49.38	68.20	18.82	Vertical
6	17977	40.85	41.63	-30.98	51.51	74.00	22.49	Vertical


802.11ac80_Channel 106



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17985.8167	33.18	41.66	-30.96	43.88	54.00	10.12	Horizontal
2	6298.7917	40.55	35.10	-17.04	58.61	68.20	9.59	Horizontal
3	10117.1333	45.33	38.24	-37.27	46.30	68.20	21.90	Horizontal
4	12168.7333	43.50	38.90	-35.25	47.15	74.00	26.85	Horizontal
5	13354.3833	44.75	40.08	-34.53	50.30	74.00	23.70	Horizontal
6	17933.3	40.55	41.51	-31.06	50.99	74.00	23.01	Horizontal

802.11ac80_Channel 106



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17955.5333	32.89	41.57	-31.02	43.44	54.00	10.56	Vertical
2	6436.2917	40.68	35.37	-16.64	59.41	68.20	8.79	Vertical
3	8212.35	48.86	37.45	-40.60	45.70	74.00	28.30	Vertical
4	10646.5167	44.54	38.88	-36.31	47.11	74.00	26.89	Vertical
5	13318.7333	44.33	40.06	-34.58	49.81	74.00	24.19	Vertical
6	17977.7667	40.58	41.64	-30.97	51.24	74.00	22.76	Vertical


802.11ac80_Channel 122



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17978.15	32.94	41.64	-30.97	43.60	54.00	10.40	Horizontal
2	6429.875	39.23	35.36	-16.63	57.96	68.20	10.24	Horizontal
3	7351.7667	49.76	36.30	-42.08	43.98	74.00	30.02	Horizontal
4	9467.7667	45.97	38.05	-38.53	45.48	74.00	28.52	Horizontal
5	12962.6167	43.91	39.86	-35.04	48.72	68.20	19.48	Horizontal
6	17991.5667	41.03	41.68	-30.95	51.76	74.00	22.24	Horizontal

802.11ac80_Channel 122



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17971.25	32.87	41.62	-30.99	43.50	54.00	10.50	Vertical
2	6399.1667	39.37	35.30	-16.58	58.08	68.20	10.12	Vertical
3	7114.4833	49.91	36.30	-42.41	43.80	68.20	24.40	Vertical
4	9040.7333	46.46	38.00	-39.43	45.03	74.00	28.97	Vertical
5	12580.4333	43.67	39.40	-35.59	47.48	74.00	26.52	Vertical
6	14914.9333	42.31	39.85	-33.53	48.64	68.20	19.56	Vertical
7	17993.4833	40.93	41.68	-30.94	51.67	74.00	22.33	Vertical


802.11ac80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17972.0167	33.15	41.62	-30.99	43.78	54.00	10.22	Horizontal
2	6240.125	41.64	34.98	-16.90	59.72	68.20	8.48	Horizontal
3	9138.1	47.40	38.01	-39.46	45.95	74.00	28.05	Horizontal
4	11324.25	44.54	39.11	-35.92	47.72	74.00	26.28	Horizontal
5	14896.9167	43.00	39.86	-33.43	49.43	68.20	18.77	Horizontal
6	17993.4833	40.86	41.68	-30.94	51.60	74.00	22.40	Horizontal

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17975.85	33.01	41.63	-30.98	43.66	54.00	10.34	Vertical
2	6392.75	40.59	35.29	-16.61	59.26	68.20	8.94	Vertical
3	9403.3667	46.66	38.04	-38.62	46.08	74.00	27.92	Vertical
4	12342	43.60	39.11	-34.67	48.04	74.00	25.96	Vertical
5	14627.05	44.21	40.02	-34.36	49.88	68.20	18.32	Vertical
6	17991.5667	40.71	41.68	-30.95	51.44	74.00	22.56	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:


$$\text{Level} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB}/\text{m}) + \text{Factor}(\text{dB})$$

$$\text{AF} = \text{Antenna Factor}(\text{dB}/\text{m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$


$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V}/\text{m}) - \text{Level}(\text{dB}\mu\text{V}/\text{m})$$
- All channels have been tested, but only the worst case data displayed in this report.
- Both peak and average measured complies with the limit line, so test result is "PASS"

Restricted bands around fundamental frequency
802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.04	25.62	33.07	-18.21	40.48	54.00	13.52	Horizontal
2	5148.3	25.59	33.07	-18.19	40.48	54.00	13.52	Horizontal

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.7	26.74	33.07	-18.22	41.59	54.00	12.41	Vertical
2	5149.28	27.05	33.07	-18.18	41.94	54.00	12.06	Vertical

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.86	37.80	33.07	-18.20	52.67	74.00	21.33	Horizontal
2	5146.48	37.70	33.07	-18.19	52.58	74.00	21.42	Horizontal

802.11a_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5126.32	38.04	33.07	-18.25	52.86	74.00	21.14	Vertical
2	5149	38.07	33.07	-18.18	52.96	74.00	21.04	Vertical

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.5	38.17	33.03	-17.75	53.44	74.00	20.56	Horizontal
2	5360.6	37.71	33.03	-17.76	52.97	74.00	21.03	Horizontal

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.1	39.04	33.03	-17.75	54.32	74.00	19.68	Vertical
2	5366.6	38.30	33.03	-17.77	53.55	74.00	20.45	Vertical

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.1	26.12	33.03	-17.75	41.40	54.00	12.60	Horizontal
2	5371.1	25.87	33.03	-17.78	41.12	54.00	12.88	Horizontal

802.11a_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.3	27.06	33.03	-17.75	42.34	54.00	11.66	Vertical
2	5359.7	26.68	33.03	-17.76	41.94	54.00	12.06	Vertical

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.44	37.58	33.01	-17.70	52.89	74.00	21.11	Horizontal
2	5469.89	37.21	33.01	-17.61	52.61	68.30	15.69	Horizontal

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.36	38.34	33.01	-17.66	53.69	74.00	20.31	Vertical
2	5464.19	37.66	33.01	-17.63	53.04	68.30	15.26	Vertical

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.84	25.46	33.01	-17.72	40.75	54.00	13.25	Horizontal
2	5459.06	25.59	33.01	-17.64	40.96	54.00	13.04	Horizontal

802.11a_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5429.99	25.81	33.01	-17.73	41.09	54.00	12.91	Vertical
2	5459.44	26.16	33.01	-17.64	41.53	54.00	12.47	Vertical

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.25	38.12	33.68	-17.25	54.54	68.20	13.66	Horizontal
2	5733.5	38.12	33.70	-17.23	54.59	68.20	13.61	Horizontal

802.11a_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.4	39.33	33.68	-17.25	55.75	68.20	12.45	Vertical
2	5733.2	39.23	33.70	-17.23	55.70	68.20	12.50	Vertical

802.11a_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.075	37.28	33.41	-17.27	53.42	68.30	14.88	Horizontal
2	5668.225	39.15	33.50	-17.30	55.36	81.82	26.46	Horizontal
3	5710.475	37.15	33.63	-17.30	53.48	108.24	54.76	Horizontal
4	5724.775	47.25	33.67	-17.25	63.67	121.79	58.12	Horizontal


802.11a_Channel 149



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.15	38.00	33.44	-17.28	54.16	68.30	14.14	Vertical
2	5674.725	37.22	33.52	-17.30	53.44	86.64	33.20	Vertical
3	5711.125	38.06	33.63	-17.30	54.40	108.42	54.02	Vertical
4	5724.125	44.89	33.67	-17.26	61.31	120.31	59.00	Vertical

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.175	37.15	34.06	-16.91	54.30	117.34	63.04	Horizontal
2	5864.85	37.06	34.09	-16.88	54.27	108.14	53.87	Horizontal
3	5902.875	36.58	34.21	-16.82	53.97	84.63	30.66	Horizontal
4	5938.3	37.78	34.31	-16.93	55.17	68.30	13.13	Horizontal

802.11a_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.825	37.93	34.06	-16.91	55.08	115.86	60.78	Vertical
2	5864.525	37.05	34.09	-16.88	54.26	108.23	53.97	Vertical
3	5901.9	37.25	34.21	-16.82	54.64	85.36	30.72	Vertical
4	5940.25	36.46	34.32	-16.93	53.85	68.30	14.45	Vertical

802.11ac20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.94	38.03	33.07	-18.22	52.89	74.00	21.11	Horizontal
2	5148.72	36.75	33.07	-18.18	51.64	74.00	22.36	Horizontal

802.11ac20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.14	39.68	33.07	-18.22	54.53	74.00	19.47	Vertical
2	5149.28	37.67	33.07	-18.18	52.56	74.00	21.44	Vertical

802.11ac20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.84	25.86	33.07	-18.22	40.71	54.00	13.29	Horizontal
2	5148.58	26.13	33.07	-18.18	41.02	54.00	12.98	Horizontal

802.11ac20_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.52	27.15	33.07	-18.22	42.01	54.00	11.99	Vertical
2	5149	27.28	33.07	-18.18	42.17	54.00	11.83	Vertical

802.11ac20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.7	37.35	33.03	-17.75	52.63	74.00	21.37	Horizontal
2	5355.7	38.95	33.03	-17.76	54.22	74.00	19.78	Horizontal

802.11ac20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	37.64	33.03	-17.75	52.92	74.00	21.08	Vertical
2	5358.5	37.34	33.03	-17.76	52.61	74.00	21.39	Vertical

802.11ac20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.6	26.05	33.03	-17.75	41.33	54.00	12.67	Horizontal
2	5369	26.01	33.03	-17.78	41.26	54.00	12.74	Horizontal

802.11ac20_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.6	26.97	33.03	-17.75	42.25	54.00	11.75	Vertical
2	5362.8	26.57	33.03	-17.77	41.83	54.00	12.17	Vertical

802.11ac20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.78	38.09	33.01	-17.65	53.45	74.00	20.55	Horizontal
2	5467.8	36.85	33.01	-17.62	52.24	68.30	16.06	Horizontal

802.11ac20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.46	37.38	33.01	-17.67	52.72	74.00	21.28	Vertical
2	5465.52	37.81	33.01	-17.62	53.19	68.30	15.11	Vertical

802.11ac20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.16	25.38	33.01	-17.71	40.69	54.00	13.31	Horizontal
2	5457.54	25.69	33.01	-17.65	41.05	54.00	12.95	Horizontal

802.11ac20_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5407.95	25.59	33.02	-17.80	40.81	54.00	13.19	Vertical
2	5454.88	26.31	33.01	-17.66	41.66	54.00	12.34	Vertical

802.11ac20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.25	37.94	33.68	-17.25	54.36	68.20	13.84	Horizontal
2	5735.15	39.73	33.71	-17.22	56.21	68.20	11.99	Horizontal

802.11ac20_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.3	38.81	33.68	-17.25	55.24	68.20	12.96	Vertical
2	5728.7	39.46	33.69	-17.24	55.91	68.20	12.29	Vertical

802.11ac20_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.3	37.81	33.42	-17.27	53.96	68.30	14.34	Horizontal
2	5686.425	37.53	33.56	-17.32	53.77	95.29	41.52	Horizontal
3	5713.725	37.63	33.64	-17.29	53.98	109.15	55.17	Horizontal
4	5724.775	41.43	33.67	-17.25	57.85	121.79	63.94	Horizontal

802.11ac20_Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.325	37.72	33.41	-17.27	53.87	68.30	14.43	Vertical
2	5680.575	37.89	33.54	-17.31	54.12	90.96	36.84	Vertical
3	5709.825	37.93	33.63	-17.30	54.26	108.05	53.79	Vertical
4	5724.45	44.10	33.67	-17.25	60.52	121.05	60.53	Vertical


802.11ac20_Channel 165



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.875	38.36	34.05	-16.91	55.50	120.30	64.80	Horizontal
2	5872.325	36.99	34.12	-16.87	54.24	106.05	51.81	Horizontal
3	5905.475	38.14	34.22	-16.83	55.53	82.71	27.18	Horizontal
4	5937.65	36.46	34.31	-16.93	53.85	68.30	14.45	Horizontal

802.11ac20_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5676.025	36.37	33.53	-17.31	52.59	87.60	35.01	Vertical
2	5851.85	38.22	34.06	-16.91	55.36	118.08	62.72	Vertical
3	5863.55	38.77	34.09	-16.89	55.97	108.50	52.53	Vertical
4	5899.625	36.85	34.20	-16.81	54.24	87.04	32.80	Vertical
5	5935.375	36.18	34.31	-16.92	53.57	68.30	14.73	Vertical

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5	39.73	33.07	-18.19	54.61	74.00	19.39	Horizontal
2	5352.6	37.58	33.03	-17.75	52.86	74.00	21.14	Horizontal

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	43.45	33.07	-18.18	58.34	74.00	15.66	Vertical
2	5356.8	37.04	33.03	-17.76	52.31	74.00	21.69	Vertical

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	29.36	33.07	-18.18	44.25	54.00	9.75	Horizontal
2	5354.7	26.15	33.03	-17.76	41.42	54.00	12.58	Horizontal

802.11ac40_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8	34.29	33.07	-18.18	49.18	54.00	4.82	Vertical
2	5353.2	26.57	33.03	-17.75	41.84	54.00	12.16	Vertical

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.5	38.83	33.07	-18.19	53.71	74.00	20.29	Horizontal
2	5352	39.32	33.03	-17.75	54.60	74.00	19.40	Horizontal

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5125.8	38.92	33.07	-18.25	53.74	74.00	20.26	Vertical
2	5351.7	40.79	33.03	-17.75	56.07	74.00	17.93	Vertical

802.11ac40_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148	27.34	33.07	-18.19	42.22	54.00	11.78	Horizontal
2	5350.8	29.31	33.03	-17.75	44.59	54.00	9.41	Horizontal

802.11ac40_Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	27.17	33.07	-18.18	42.06	54.00	11.94	Vertical
2	5350.8	31.40	33.03	-17.75	46.68	54.00	7.32	Vertical


802.11ac40_Channel 102



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.055	37.46	33.01	-17.70	52.77	74.00	21.23	Horizontal
2	5468.69	38.80	33.01	-17.61	54.19	68.20	14.01	Horizontal
3	5731.8	38.66	33.70	-17.23	55.12	68.20	13.08	Horizontal

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.92	38.23	33.01	-17.66	53.58	74.00	20.42	Vertical
2	5467.03	41.42	33.01	-17.62	56.81	68.20	11.39	Vertical
3	5731.385	39.22	33.69	-17.23	55.68	68.20	12.52	Vertical

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.055	26.84	33.01	-17.70	42.15	54.00	11.85	Horizontal
2	5454.165	26.67	33.01	-17.66	42.02	54.00	11.98	Horizontal

802.11ac40_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.905	27.03	33.01	-17.71	42.33	54.00	11.67	Vertical
2	5456.24	27.78	33.01	-17.65	43.14	54.00	10.86	Vertical

802.11ac40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.185	37.07	33.01	-17.67	52.41	74.00	21.59	Horizontal
2	5466.615	36.81	33.01	-17.62	52.20	68.20	16.00	Horizontal
3	5733.875	37.38	33.70	-17.22	53.86	68.20	14.34	Horizontal

802.11ac40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5446.28	37.56	33.01	-17.68	52.89	74.00	21.11	Vertical
2	5462.88	38.04	33.01	-17.63	53.42	68.20	14.78	Vertical
3	5733.875	38.21	33.70	-17.22	54.69	68.20	13.51	Vertical

802.11ac40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.395	26.60	33.01	-17.70	41.91	54.00	12.09	Horizontal
2	5457.07	26.64	33.01	-17.65	42.00	54.00	12.00	Horizontal

802.11ac40_Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5441.715	26.55	33.01	-17.69	41.87	54.00	12.13	Vertical
2	5456.24	26.93	33.01	-17.65	42.29	54.00	11.71	Vertical

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.225	37.63	33.01	-17.70	52.94	74.00	21.06	Horizontal
2	5462.05	37.19	33.01	-17.63	52.56	68.20	15.64	Horizontal
3	5730.555	38.45	33.69	-17.24	54.91	68.20	13.29	Horizontal

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.865	37.26	33.01	-17.68	52.59	74.00	21.41	Vertical
2	5464.125	37.58	33.01	-17.63	52.96	68.20	15.24	Vertical
3	5726.82	39.45	33.68	-17.25	55.88	68.20	12.32	Vertical

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.81	26.28	33.01	-17.70	41.59	54.00	12.41	Horizontal
2	5454.58	26.54	33.01	-17.66	41.89	54.00	12.11	Horizontal

802.11ac40_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5432.17	26.75	33.01	-17.72	42.04	54.00	11.96	Vertical
2	5459.145	26.71	33.01	-17.64	42.08	54.00	11.92	Vertical

802.11ac40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5635.725	38.29	33.41	-17.27	54.43	68.30	13.87	Horizontal
2	5677.975	38.72	33.53	-17.31	54.95	89.04	34.09	Horizontal
3	5708.85	38.73	33.63	-17.30	55.05	107.78	52.73	Horizontal
4	5723.8	40.91	33.67	-17.26	57.33	119.56	62.23	Horizontal
5	5854.45	36.93	34.06	-16.91	54.09	112.15	58.06	Horizontal
6	5863.55	36.99	34.09	-16.89	54.19	108.50	54.31	Horizontal
7	5892.15	37.81	34.18	-16.83	55.16	92.57	37.41	Horizontal
8	5936.35	37.48	34.31	-16.92	54.87	68.30	13.43	Horizontal

802.11ac40_Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5646.125	38.00	33.44	-17.28	54.16	68.30	14.14	Vertical
2	5672.775	37.78	33.52	-17.30	54.00	85.19	31.19	Vertical
3	5708.85	39.39	33.63	-17.30	55.71	107.78	52.07	Vertical
4	5723.8	43.71	33.67	-17.26	60.13	119.56	59.43	Vertical
5	5855.75	37.09	34.07	-16.90	54.25	110.69	56.44	Vertical
6	5868.1	37.17	34.10	-16.88	54.40	107.23	52.83	Vertical
7	5893.45	37.27	34.18	-16.82	54.63	91.61	36.98	Vertical
8	5933.425	37.67	34.30	-16.91	55.06	68.30	13.24	Vertical

802.11ac40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.625	37.72	33.42	-17.27	53.87	68.30	14.43	Horizontal
2	5680.25	37.83	33.54	-17.31	54.06	90.72	36.66	Horizontal
3	5708.85	38.61	33.63	-17.30	54.93	107.78	52.85	Horizontal
4	5721.85	37.33	33.67	-17.26	53.73	115.12	61.39	Horizontal
5	5852.825	37.30	34.06	-16.91	54.45	115.86	61.41	Horizontal
6	5868.1	37.94	34.10	-16.88	55.17	107.23	52.06	Horizontal
7	5896.375	37.09	34.19	-16.82	54.46	89.44	34.98	Horizontal
8	5933.425	36.53	34.30	-16.91	53.92	68.30	14.38	Horizontal

802.11ac40_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.5	37.16	33.43	-17.27	53.32	68.30	14.98	Vertical
2	5674.4	38.33	33.52	-17.30	54.55	86.40	31.85	Vertical
3	5705.6	37.69	33.62	-17.31	53.99	106.87	52.88	Vertical
4	5724.125	38.37	33.67	-17.26	54.79	120.31	65.52	Vertical
5	5853.15	38.27	34.06	-16.91	55.42	115.12	59.70	Vertical
6	5865.825	38.05	34.10	-16.88	55.27	107.87	52.60	Vertical
7	5893.45	36.53	34.18	-16.82	53.89	91.61	37.72	Vertical
8	5933.1	37.73	34.30	-16.91	55.12	68.30	13.18	Vertical

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1	37.77	33.07	-18.19	52.65	74.00	21.35	Horizontal
2	5353.2	37.63	33.03	-17.75	52.90	74.00	21.10	Horizontal

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.9	44.12	33.07	-18.18	59.01	74.00	14.99	Vertical
2	5355.6	38.40	33.03	-17.76	53.67	74.00	20.33	Vertical

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	28.16	33.07	-18.19	43.04	54.00	10.96	Horizontal
2	5350.2	26.37	33.03	-17.75	41.65	54.00	12.35	Horizontal

802.11ac80_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.6	31.27	33.07	-18.19	46.15	54.00	7.85	Vertical
2	5355.9	26.43	33.03	-17.76	41.70	54.00	12.30	Vertical

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.7	38.14	33.07	-18.19	53.02	74.00	20.98	Horizontal
2	5350.8	39.89	33.03	-17.75	55.17	74.00	18.83	Horizontal

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	37.46	33.07	-18.19	52.34	74.00	21.66	Vertical
2	5355.6	44.11	33.03	-17.76	59.38	74.00	14.62	Vertical

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.6	27.47	33.07	-18.18	42.36	54.00	11.64	Horizontal
2	5352.9	30.57	33.03	-17.75	45.85	54.00	8.15	Horizontal

802.11ac80_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	27.27	33.07	-18.19	42.15	54.00	11.85	Vertical
2	5350.8	32.93	33.03	-17.75	48.21	54.00	5.79	Vertical

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.26	40.10	33.01	-17.67	55.44	74.00	18.56	Horizontal
2	5466.2	40.01	33.01	-17.62	55.40	68.20	12.80	Horizontal
3	5725.99	38.24	33.68	-17.25	54.67	68.20	13.53	Horizontal

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.035	40.77	33.01	-17.68	56.10	74.00	17.90	Vertical
2	5468.275	46.30	33.01	-17.62	61.69	68.20	6.51	Vertical
3	5732.63	37.87	33.70	-17.23	54.34	68.20	13.86	Vertical

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.225	27.37	33.01	-17.70	42.68	54.00	11.32	Horizontal
2	5458.315	29.67	33.01	-17.65	45.03	54.00	8.97	Horizontal

802.11ac80_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.81	29.45	33.01	-17.70	44.76	54.00	9.24	Vertical
2	5458.315	33.21	33.01	-17.65	48.57	54.00	5.43	Vertical

802.11ac80_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.9	37.14	33.43	-17.27	53.29	68.30	15.01	Horizontal
2	5672.45	37.06	33.52	-17.30	53.27	84.95	31.68	Horizontal
3	5706.25	41.19	33.62	-17.31	57.50	107.05	49.55	Horizontal
4	5721.2	41.27	33.66	-17.26	57.67	113.64	55.97	Horizontal
5	5850.875	37.49	34.05	-16.91	54.63	120.30	65.67	Horizontal
6	5865.5	36.79	34.10	-16.88	54.00	107.96	53.96	Horizontal
7	5895.075	37.22	34.19	-16.82	54.58	90.41	35.83	Horizontal
8	5935.375	36.78	34.31	-16.92	54.17	68.30	14.13	Horizontal

802.11ac80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638	37.38	33.41	-17.27	53.53	68.30	14.77	Vertical
2	5667.575	38.19	33.50	-17.30	54.40	81.34	26.94	Vertical
3	5713.725	45.62	33.64	-17.29	61.97	109.15	47.18	Vertical
4	5720.875	46.22	33.66	-17.27	62.62	112.90	50.28	Vertical
5	5852.5	39.35	34.06	-16.91	56.50	116.60	60.10	Vertical
6	5860.3	37.53	34.08	-16.89	54.72	109.41	54.69	Vertical
7	5894.1	37.06	34.18	-16.82	54.42	91.13	36.71	Vertical
8	5932.125	37.36	34.30	-16.91	54.75	68.30	13.55	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

$$\text{Level} = \text{Reading}(\text{dB}\mu\text{V}) + \text{AF}(\text{dB}/\text{m}) + \text{Factor}(\text{dB})$$

$$\text{AF} = \text{Antenna Factor}(\text{dB}/\text{m})$$

$$\text{Factor} = \text{Cable Factor}(\text{dB}) - \text{Preamplifier gain}(\text{dB})$$

$$\text{Margin} = \text{Limit}(\text{dB}\mu\text{V}/\text{m}) - \text{Level}(\text{dB}\mu\text{V}/\text{m})$$
- Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---