

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.43	0.18	23.61	<=33.01	Pass
			2	23.47	0.18	23.65	<=33.01	Pass
			5	23.39	0.18	23.57	<=33.01	Pass
		3	0	23.43	0.18	23.61	<=33.01	Pass
			2	23.50	0.18	23.68	<=33.01	Pass
			3	23.35	0.18	23.53	<=33.01	Pass
		6	0	22.51	0.18	22.69	<=33.01	Pass
	1880	1	0	23.21	0.18	23.39	<=33.01	Pass
			2	23.28	0.18	23.46	<=33.01	Pass
			5	23.18	0.18	23.36	<=33.01	Pass
		3	0	23.18	0.18	23.36	<=33.01	Pass
			2	23.19	0.18	23.37	<=33.01	Pass
			3	23.20	0.18	23.38	<=33.01	Pass
		6	0	22.24	0.18	22.42	<=33.01	Pass
	1909.3	1	0	23.04	0.18	23.22	<=33.01	Pass
			2	23.15	0.18	23.33	<=33.01	Pass
			5	23.04	0.18	23.22	<=33.01	Pass
		3	0	23.03	0.18	23.21	<=33.01	Pass
			2	23.09	0.18	23.27	<=33.01	Pass
			3	22.96	0.18	23.14	<=33.01	Pass
		6	0	22.05	0.18	22.23	<=33.01	Pass
16QAM	1850.7	1	0	22.53	0.18	22.71	<=33.01	Pass
			2	22.78	0.18	22.96	<=33.01	Pass
			5	22.89	0.18	23.07	<=33.01	Pass
		3	0	22.39	0.18	22.57	<=33.01	Pass
			2	22.55	0.18	22.73	<=33.01	Pass
			3	22.35	0.18	22.53	<=33.01	Pass
		6	0	21.52	0.18	21.70	<=33.01	Pass
	1880	1	0	22.36	0.18	22.54	<=33.01	Pass
			2	22.56	0.18	22.74	<=33.01	Pass
			5	22.35	0.18	22.53	<=33.01	Pass
		3	0	22.25	0.18	22.43	<=33.01	Pass
			2	22.31	0.18	22.49	<=33.01	Pass
			3	22.20	0.18	22.38	<=33.01	Pass
		6	0	21.36	0.18	21.54	<=33.01	Pass
	1909.3	1	0	22.19	0.18	22.37	<=33.01	Pass
			2	22.49	0.18	22.67	<=33.01	Pass
			5	22.26	0.18	22.44	<=33.01	Pass
		3	0	21.97	0.18	22.15	<=33.01	Pass
			2	21.96	0.18	22.14	<=33.01	Pass
			3	22.04	0.18	22.22	<=33.01	Pass
		6	0	21.18	0.18	21.36	<=33.01	Pass
64QAM	1850.7	1	0	22.69	0.18	22.87	<=33.01	Pass
			2	22.90	0.18	23.08	<=33.01	Pass
			5	22.46	0.18	22.64	<=33.01	Pass
		3	0	22.41	0.18	22.59	<=33.01	Pass
			2	22.55	0.18	22.73	<=33.01	Pass
			3	22.50	0.18	22.68	<=33.01	Pass
		6	0	21.44	0.18	21.62	<=33.01	Pass
	1880	1	0	22.38	0.18	22.56	<=33.01	Pass
			2	22.35	0.18	22.53	<=33.01	Pass
			5	22.32	0.18	22.50	<=33.01	Pass
		3	0	21.99	0.18	22.17	<=33.01	Pass
			2	22.16	0.18	22.34	<=33.01	Pass

			3	22.17	0.18	22.35	<=33.01	Pass
		6	0	21.16	0.18	21.34	<=33.01	Pass
	1909.3	1	0	22.02	0.18	22.20	<=33.01	Pass
			2	22.26	0.18	22.44	<=33.01	Pass
			5	21.99	0.18	22.17	<=33.01	Pass
		3	0	22.14	0.18	22.32	<=33.01	Pass
			2	21.96	0.18	22.14	<=33.01	Pass
			3	22.01	0.18	22.19	<=33.01	Pass
		6	0	21.08	0.18	21.26	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.47	0.18	23.65	<=33.01	Pass
			7	23.38	0.18	23.56	<=33.01	Pass
			14	23.38	0.18	23.56	<=33.01	Pass
		8	0	22.48	0.18	22.66	<=33.01	Pass
			4	22.44	0.18	22.62	<=33.01	Pass
			7	22.45	0.18	22.63	<=33.01	Pass
		15	0	22.52	0.18	22.70	<=33.01	Pass
	1880	1	0	23.07	0.18	23.25	<=33.01	Pass
			7	23.22	0.18	23.40	<=33.01	Pass
			14	23.09	0.18	23.27	<=33.01	Pass
		8	0	22.32	0.18	22.50	<=33.01	Pass
			4	22.22	0.18	22.40	<=33.01	Pass
			7	22.18	0.18	22.36	<=33.01	Pass
		15	0	22.19	0.18	22.37	<=33.01	Pass
	1908.5	1	0	23.08	0.18	23.26	<=33.01	Pass
			7	22.99	0.18	23.17	<=33.01	Pass
			14	22.88	0.18	23.06	<=33.01	Pass
		8	0	22.05	0.18	22.23	<=33.01	Pass
			4	22.15	0.18	22.33	<=33.01	Pass
			7	22.06	0.18	22.24	<=33.01	Pass
		15	0	22.11	0.18	22.29	<=33.01	Pass
16QAM	1851.5	1	0	22.63	0.18	22.81	<=33.01	Pass
			7	22.78	0.18	22.96	<=33.01	Pass
			14	22.49	0.18	22.67	<=33.01	Pass
		8	0	21.53	0.18	21.71	<=33.01	Pass
			4	21.49	0.18	21.67	<=33.01	Pass
			7	21.39	0.18	21.57	<=33.01	Pass
		15	0	21.52	0.18	21.70	<=33.01	Pass
	1880	1	0	22.29	0.18	22.47	<=33.01	Pass
			7	22.31	0.18	22.49	<=33.01	Pass
			14	22.55	0.18	22.73	<=33.01	Pass
		8	0	21.25	0.18	21.43	<=33.01	Pass
			4	21.22	0.18	21.40	<=33.01	Pass
			7	21.26	0.18	21.44	<=33.01	Pass
		15	0	21.22	0.18	21.40	<=33.01	Pass
	1908.5	1	0	22.38	0.18	22.56	<=33.01	Pass
			7	22.37	0.18	22.55	<=33.01	Pass
			14	22.20	0.18	22.38	<=33.01	Pass
		8	0	21.12	0.18	21.30	<=33.01	Pass
			4	21.23	0.18	21.41	<=33.01	Pass
			7	21.17	0.18	21.35	<=33.01	Pass
		15	0	21.15	0.18	21.33	<=33.01	Pass
64QAM	1851.5	1	0	21.40	0.18	21.58	<=33.01	Pass
			7	21.63	0.18	21.81	<=33.01	Pass
			14	21.48	0.18	21.66	<=33.01	Pass
		8	0	20.45	0.18	20.63	<=33.01	Pass

		15	4	20.49	0.18	20.67	<=33.01	Pass	
			7	20.39	0.18	20.57	<=33.01	Pass	
			0	20.42	0.18	20.60	<=33.01	Pass	
	1880	1	0	21.41	0.18	21.59	<=33.01	Pass	
			7	21.22	0.18	21.40	<=33.01	Pass	
			14	21.06	0.18	21.24	<=33.01	Pass	
		8	0	20.39	0.18	20.57	<=33.01	Pass	
			4	20.24	0.18	20.42	<=33.01	Pass	
			7	20.16	0.18	20.34	<=33.01	Pass	
		15	0	20.27	0.18	20.45	<=33.01	Pass	
		1908.5	1	0	21.35	0.18	21.53	<=33.01	Pass
				7	21.04	0.18	21.22	<=33.01	Pass
	14			20.92	0.18	21.10	<=33.01	Pass	
	8		0	20.22	0.18	20.40	<=33.01	Pass	
			4	20.07	0.18	20.25	<=33.01	Pass	
			7	20.01	0.18	20.19	<=33.01	Pass	
	15		0	20.11	0.18	20.29	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.64	0.18	23.82	<=33.01	Pass
			13	23.31	0.18	23.49	<=33.01	Pass
			24	23.45	0.18	23.63	<=33.01	Pass
		12	0	22.57	0.18	22.75	<=33.01	Pass
			6	22.42	0.18	22.60	<=33.01	Pass
			13	22.47	0.18	22.65	<=33.01	Pass
		25	0	22.42	0.18	22.60	<=33.01	Pass
	1880	1	0	23.26	0.18	23.44	<=33.01	Pass
			13	23.16	0.18	23.34	<=33.01	Pass
			24	23.15	0.18	23.33	<=33.01	Pass
		12	0	22.20	0.18	22.38	<=33.01	Pass
			6	22.24	0.18	22.42	<=33.01	Pass
			13	22.21	0.18	22.39	<=33.01	Pass
		25	0	22.20	0.18	22.38	<=33.01	Pass
	1907.5	1	0	23.20	0.18	23.38	<=33.01	Pass
			13	23.07	0.18	23.25	<=33.01	Pass
			24	22.53	0.18	22.71	<=33.01	Pass
		12	0	22.14	0.18	22.32	<=33.01	Pass
			6	22.23	0.18	22.41	<=33.01	Pass
			13	22.15	0.18	22.33	<=33.01	Pass
		25	0	22.10	0.18	22.28	<=33.01	Pass
16QAM	1852.5	1	0	22.82	0.18	23.00	<=33.01	Pass
			13	22.44	0.18	22.62	<=33.01	Pass
			24	22.77	0.18	22.95	<=33.01	Pass
		12	0	21.50	0.18	21.68	<=33.01	Pass
			6	21.33	0.18	21.51	<=33.01	Pass
			13	21.29	0.18	21.47	<=33.01	Pass
		25	0	21.33	0.18	21.51	<=33.01	Pass
	1880	1	0	22.51	0.18	22.69	<=33.01	Pass
			13	22.40	0.18	22.58	<=33.01	Pass
			24	22.29	0.18	22.47	<=33.01	Pass
		12	0	21.23	0.18	21.41	<=33.01	Pass
			6	21.27	0.18	21.45	<=33.01	Pass
			13	21.26	0.18	21.44	<=33.01	Pass
		25	0	21.23	0.18	21.41	<=33.01	Pass
	1907.5	1	0	22.37	0.18	22.55	<=33.01	Pass
			13	22.16	0.18	22.34	<=33.01	Pass
			24	21.73	0.18	21.91	<=33.01	Pass

		12	0	21.18	0.18	21.36	<=33.01	Pass		
			6	21.17	0.18	21.35	<=33.01	Pass		
			13	21.10	0.18	21.28	<=33.01	Pass		
		25	0	21.15	0.18	21.33	<=33.01	Pass		
64QAM	1852.5	1	0	21.56	0.18	21.74	<=33.01	Pass		
			13	21.50	0.18	21.68	<=33.01	Pass		
			24	21.51	0.18	21.69	<=33.01	Pass		
		12	0	20.57	0.18	20.75	<=33.01	Pass		
			6	20.41	0.18	20.59	<=33.01	Pass		
			13	20.47	0.18	20.65	<=33.01	Pass		
		25	0	20.49	0.18	20.67	<=33.01	Pass		
		1880	1	0	21.32	0.18	21.50	<=33.01	Pass	
				13	21.12	0.18	21.30	<=33.01	Pass	
	24			21.20	0.18	21.38	<=33.01	Pass		
	12		0	20.19	0.18	20.37	<=33.01	Pass		
			6	20.37	0.18	20.55	<=33.01	Pass		
			13	20.19	0.18	20.37	<=33.01	Pass		
	25		0	20.28	0.18	20.46	<=33.01	Pass		
	1907.5		1	0	21.31	0.18	21.49	<=33.01	Pass	
				13	21.18	0.18	21.36	<=33.01	Pass	
		24		20.68	0.18	20.86	<=33.01	Pass		
		12	0	20.17	0.18	20.35	<=33.01	Pass		
			6	20.19	0.18	20.37	<=33.01	Pass		
			13	20.19	0.18	20.37	<=33.01	Pass		
		25	0	20.12	0.18	20.30	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1855	1	0	23.35	0.18	23.53	<=33.01	Pass		
			25	23.33	0.18	23.51	<=33.01	Pass		
			49	23.16	0.18	23.34	<=33.01	Pass		
		25	0	22.35	0.18	22.53	<=33.01	Pass		
			13	22.31	0.18	22.49	<=33.01	Pass		
			25	22.37	0.18	22.55	<=33.01	Pass		
		50	0	22.47	0.18	22.65	<=33.01	Pass		
		1880	1	0	23.39	0.18	23.57	<=33.01	Pass	
				25	23.21	0.18	23.39	<=33.01	Pass	
	49			23.20	0.18	23.38	<=33.01	Pass		
	25		0	22.18	0.18	22.36	<=33.01	Pass		
			13	22.25	0.18	22.43	<=33.01	Pass		
			25	22.06	0.18	22.24	<=33.01	Pass		
	50		0	22.17	0.18	22.35	<=33.01	Pass		
	1905		1	0	23.32	0.18	23.50	<=33.01	Pass	
				25	23.06	0.18	23.24	<=33.01	Pass	
		49		21.99	0.18	22.17	<=33.01	Pass		
		25	0	22.04	0.18	22.22	<=33.01	Pass		
			13	22.13	0.18	22.31	<=33.01	Pass		
			25	22.02	0.18	22.20	<=33.01	Pass		
		50	0	22.18	0.18	22.36	<=33.01	Pass		
		16QAM	1855	1	0	22.66	0.18	22.84	<=33.01	Pass
					25	22.64	0.18	22.82	<=33.01	Pass
	49				22.38	0.18	22.56	<=33.01	Pass	
25	0			21.36	0.18	21.54	<=33.01	Pass		
	13			21.36	0.18	21.54	<=33.01	Pass		
	25			21.33	0.18	21.51	<=33.01	Pass		
50	0			21.42	0.18	21.60	<=33.01	Pass		
1880	1			0	22.64	0.18	22.82	<=33.01	Pass	
				25	22.37	0.18	22.55	<=33.01	Pass	

64QAM		25	49	22.41	0.18	22.59	<=33.01	Pass
			0	21.21	0.18	21.39	<=33.01	Pass
			13	21.18	0.18	21.36	<=33.01	Pass
			25	21.09	0.18	21.27	<=33.01	Pass
		50	0	21.20	0.18	21.38	<=33.01	Pass
	1905	1	0	22.58	0.18	22.76	<=33.01	Pass
			25	22.42	0.18	22.60	<=33.01	Pass
			49	21.45	0.18	21.63	<=33.01	Pass
		25	0	21.14	0.18	21.32	<=33.01	Pass
			13	21.16	0.18	21.34	<=33.01	Pass
			25	21.14	0.18	21.32	<=33.01	Pass
		50	0	21.21	0.18	21.39	<=33.01	Pass
	1855	1	0	21.64	0.18	21.82	<=33.01	Pass
			25	21.38	0.18	21.56	<=33.01	Pass
			49	21.12	0.18	21.30	<=33.01	Pass
		25	0	20.23	0.18	20.41	<=33.01	Pass
			13	20.41	0.18	20.59	<=33.01	Pass
			25	20.32	0.18	20.50	<=33.01	Pass
		50	0	20.44	0.18	20.62	<=33.01	Pass
	1880	1	0	21.37	0.18	21.55	<=33.01	Pass
			25	21.41	0.18	21.59	<=33.01	Pass
			49	21.10	0.18	21.28	<=33.01	Pass
		25	0	20.17	0.18	20.35	<=33.01	Pass
			13	20.20	0.18	20.38	<=33.01	Pass
			25	20.14	0.18	20.32	<=33.01	Pass
		50	0	20.26	0.18	20.44	<=33.01	Pass
	1905	1	0	21.28	0.18	21.46	<=33.01	Pass
			25	21.25	0.18	21.43	<=33.01	Pass
			49	20.10	0.18	20.28	<=33.01	Pass
		25	0	20.09	0.18	20.27	<=33.01	Pass
			13	20.10	0.18	20.28	<=33.01	Pass
			25	20.12	0.18	20.30	<=33.01	Pass
		50	0	20.16	0.18	20.34	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.50	0.18	23.68	<=33.01	Pass
			38	23.26	0.18	23.44	<=33.01	Pass
			74	22.99	0.18	23.17	<=33.01	Pass
		36	0	22.39	0.18	22.57	<=33.01	Pass
			18	22.29	0.18	22.47	<=33.01	Pass
			39	22.33	0.18	22.51	<=33.01	Pass
		75	0	22.36	0.18	22.54	<=33.01	Pass
	1880	1	0	23.35	0.18	23.53	<=33.01	Pass
			38	23.21	0.18	23.39	<=33.01	Pass
			74	23.36	0.18	23.54	<=33.01	Pass
		36	0	22.20	0.18	22.38	<=33.01	Pass
			18	22.22	0.18	22.40	<=33.01	Pass
			39	22.04	0.18	22.22	<=33.01	Pass
		75	0	22.17	0.18	22.35	<=33.01	Pass
	1902.5	1	0	23.47	0.18	23.65	<=33.01	Pass
			38	23.19	0.18	23.37	<=33.01	Pass
			74	22.52	0.18	22.70	<=33.01	Pass
		36	0	22.22	0.18	22.40	<=33.01	Pass
			18	22.22	0.18	22.40	<=33.01	Pass
			39	22.07	0.18	22.25	<=33.01	Pass
		75	0	22.20	0.18	22.38	<=33.01	Pass
16QAM	1857.5	1	0	22.60	0.18	22.78	<=33.01	Pass

			38	22.34	0.18	22.52	<=33.01	Pass
			74	22.24	0.18	22.42	<=33.01	Pass
		36	0	21.29	0.18	21.47	<=33.01	Pass
			18	21.29	0.18	21.47	<=33.01	Pass
			39	21.36	0.18	21.54	<=33.01	Pass
		75	0	21.37	0.18	21.55	<=33.01	Pass
	1880	1	0	22.38	0.18	22.56	<=33.01	Pass
			38	22.16	0.18	22.34	<=33.01	Pass
			74	22.58	0.18	22.76	<=33.01	Pass
		36	0	21.14	0.18	21.32	<=33.01	Pass
			18	21.16	0.18	21.34	<=33.01	Pass
			39	21.06	0.18	21.24	<=33.01	Pass
	75	0	21.20	0.18	21.38	<=33.01	Pass	
	1902.5	1	0	22.63	0.18	22.81	<=33.01	Pass
			38	22.33	0.18	22.51	<=33.01	Pass
			74	21.83	0.18	22.01	<=33.01	Pass
		36	0	21.14	0.18	21.32	<=33.01	Pass
			18	21.14	0.18	21.32	<=33.01	Pass
			39	21.09	0.18	21.27	<=33.01	Pass
	75	0	21.19	0.18	21.37	<=33.01	Pass	
64QAM	1857.5	1	0	21.67	0.18	21.85	<=33.01	Pass
			38	21.06	0.18	21.24	<=33.01	Pass
			74	20.74	0.18	20.92	<=33.01	Pass
		36	0	20.36	0.18	20.54	<=33.01	Pass
			18	20.27	0.18	20.45	<=33.01	Pass
			39	20.35	0.18	20.53	<=33.01	Pass
	75	0	20.31	0.18	20.49	<=33.01	Pass	
	1880	1	0	21.09	0.18	21.27	<=33.01	Pass
			38	21.22	0.18	21.40	<=33.01	Pass
			74	21.28	0.18	21.46	<=33.01	Pass
		36	0	20.21	0.18	20.39	<=33.01	Pass
			18	20.24	0.18	20.42	<=33.01	Pass
			39	20.14	0.18	20.32	<=33.01	Pass
	75	0	20.16	0.18	20.34	<=33.01	Pass	
	1902.5	1	0	21.09	0.18	21.27	<=33.01	Pass
			38	21.12	0.18	21.30	<=33.01	Pass
			74	20.46	0.18	20.64	<=33.01	Pass
		36	0	20.18	0.18	20.36	<=33.01	Pass
			18	20.24	0.18	20.42	<=33.01	Pass
			39	20.19	0.18	20.37	<=33.01	Pass
75	0	20.24	0.18	20.42	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.41	0.18	23.59	<=33.01	Pass
			50	23.22	0.18	23.40	<=33.01	Pass
			99	22.84	0.18	23.02	<=33.01	Pass
		50	0	22.36	0.18	22.54	<=33.01	Pass
			25	22.40	0.18	22.58	<=33.01	Pass
			50	22.25	0.18	22.43	<=33.01	Pass
		100	0	22.31	0.18	22.49	<=33.01	Pass
	1880	1	0	23.21	0.18	23.39	<=33.01	Pass
			50	23.06	0.18	23.24	<=33.01	Pass
			99	22.89	0.18	23.07	<=33.01	Pass
		50	0	22.24	0.18	22.42	<=33.01	Pass
			25	22.24	0.18	22.42	<=33.01	Pass
			50	22.07	0.18	22.25	<=33.01	Pass
		100	0	22.17	0.18	22.35	<=33.01	Pass

	1900	1	0	23.22	0.18	23.40	<=33.01	Pass
			50	22.98	0.18	23.16	<=33.01	Pass
			99	22.35	0.18	22.53	<=33.01	Pass
		50	0	22.22	0.18	22.40	<=33.01	Pass
			25	22.22	0.18	22.40	<=33.01	Pass
			50	22.05	0.18	22.23	<=33.01	Pass
		100	0	22.18	0.18	22.36	<=33.01	Pass
16QAM	1860	1	0	22.23	0.18	22.41	<=33.01	Pass
			50	22.00	0.18	22.18	<=33.01	Pass
			99	21.62	0.18	21.80	<=33.01	Pass
		50	0	21.46	0.18	21.64	<=33.01	Pass
			25	21.43	0.18	21.61	<=33.01	Pass
			50	21.30	0.18	21.48	<=33.01	Pass
		100	0	21.41	0.18	21.59	<=33.01	Pass
	1880	1	0	22.35	0.18	22.53	<=33.01	Pass
			50	22.30	0.18	22.48	<=33.01	Pass
			99	21.95	0.18	22.13	<=33.01	Pass
		50	0	21.29	0.18	21.47	<=33.01	Pass
			25	21.29	0.18	21.47	<=33.01	Pass
			50	21.12	0.18	21.30	<=33.01	Pass
		100	0	21.19	0.18	21.37	<=33.01	Pass
	1900	1	0	22.30	0.18	22.48	<=33.01	Pass
			50	22.39	0.18	22.57	<=33.01	Pass
			99	21.92	0.18	22.10	<=33.01	Pass
		50	0	21.26	0.18	21.44	<=33.01	Pass
			25	21.22	0.18	21.40	<=33.01	Pass
			50	21.09	0.18	21.27	<=33.01	Pass
		100	0	21.21	0.18	21.39	<=33.01	Pass
64QAM	1860	1	0	21.54	0.18	21.72	<=33.01	Pass
			50	21.37	0.18	21.55	<=33.01	Pass
			99	21.01	0.18	21.19	<=33.01	Pass
		50	0	20.25	0.18	20.43	<=33.01	Pass
			25	20.36	0.18	20.54	<=33.01	Pass
			50	20.27	0.18	20.45	<=33.01	Pass
		100	0	20.34	0.18	20.52	<=33.01	Pass
	1880	1	0	21.35	0.18	21.53	<=33.01	Pass
			50	20.95	0.18	21.13	<=33.01	Pass
			99	20.58	0.18	20.76	<=33.01	Pass
		50	0	20.16	0.18	20.34	<=33.01	Pass
			25	20.26	0.18	20.44	<=33.01	Pass
			50	20.09	0.18	20.27	<=33.01	Pass
		100	0	20.18	0.18	20.36	<=33.01	Pass
	1900	1	0	21.19	0.18	21.37	<=33.01	Pass
			50	20.99	0.18	21.17	<=33.01	Pass
			99	20.40	0.18	20.58	<=33.01	Pass
		50	0	20.23	0.18	20.41	<=33.01	Pass
			25	20.20	0.18	20.38	<=33.01	Pass
			50	20.08	0.18	20.26	<=33.01	Pass
		100	0	20.19	0.18	20.37	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	3.4	3.900	0.0021	-2.5 to 2.5	Pass

					3.8	2.700	0.0014	-2.5 to 2.5	Pass
					4.2	4.100	0.0022	-2.5 to 2.5	Pass
				-30	3.8	4.300	0.0023	-2.5 to 2.5	Pass
				-20	3.8	2.700	0.0014	-2.5 to 2.5	Pass
				-10	3.8	2.500	0.0013	-2.5 to 2.5	Pass
				0	3.8	1.900	0.0010	-2.5 to 2.5	Pass
				10	3.8	2.900	0.0015	-2.5 to 2.5	Pass
				30	3.8	1.100	0.0006	-2.5 to 2.5	Pass
				40	3.8	2.400	0.0013	-2.5 to 2.5	Pass
				50	3.8	0.300	0.0002	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.102	/	Pass
	16QAM	1880	6	0	1.100	/	Pass
	64QAM	1880	6	0	1.098	/	Pass
3	QPSK	1880	15	0	2.736	/	Pass
	16QAM	1880	15	0	2.727	/	Pass
	64QAM	1880	15	0	2.736	/	Pass
5	QPSK	1880	25	0	4.513	/	Pass
	16QAM	1880	25	0	4.511	/	Pass
	64QAM	1880	25	0	4.503	/	Pass
10	QPSK	1880	50	0	9.009	/	Pass
	16QAM	1880	50	0	8.977	/	Pass
	64QAM	1880	50	0	9.004	/	Pass
15	QPSK	1880	75	0	13.486	/	Pass
	16QAM	1880	75	0	13.474	/	Pass
	64QAM	1880	75	0	13.485	/	Pass
20	QPSK	1880	100	0	18.002	/	Pass
	16QAM	1880	100	0	18.006	/	Pass
	64QAM	1880	100	0	18.021	/	Pass


3.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.308	/	Pass
	16QAM	1880	6	0	1.307	/	Pass
	64QAM	1880	6	0	1.315	/	Pass
3	QPSK	1880	15	0	3.070	/	Pass
	16QAM	1880	15	0	3.065	/	Pass
	64QAM	1880	15	0	3.076	/	Pass
5	QPSK	1880	25	0	5.085	/	Pass
	16QAM	1880	25	0	5.052	/	Pass
	64QAM	1880	25	0	5.021	/	Pass
10	QPSK	1880	50	0	9.814	/	Pass
	16QAM	1880	50	0	9.818	/	Pass
	64QAM	1880	50	0	9.784	/	Pass
15	QPSK	1880	75	0	14.702	/	Pass
	16QAM	1880	75	0	14.813	/	Pass
	64QAM	1880	75	0	14.756	/	Pass
20	QPSK	1880	100	0	19.573	/	Pass


	16QAM	1880	100	0	19.654	/	Pass
	64QAM	1880	100	0	19.475	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




3.2.2 Band2_XDB


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result


4.1.1 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.40	<=13	Pass
16QAM	1880	100	0	6.10	<=13	Pass
64QAM	1880	100	0	6.06	<=13	Pass

4.2 Test Graph

4.2.1 B2_20MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.58	-13	Pass
1849	1850	0.013	CHP	2	1849.980	-27.28	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.007	-26.65	-13	Pass
1911	1913	1	CHP	2	1911.500	-37.01	-13	Pass


Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-27.14	-13	Pass
1911	1913	1	CHP	2	1911.500	-27.50	-13	Pass


5.2.2 B2_3MHz

Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1847.976	-31.01	-13	Pass
1849	1850	0.003	/	2	1849.997	-25.80	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-16.56	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-24.75	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-25.05	-13	Pass
1911	1913	1	CHP	2	1911.500	-26.72	-13	Pass

Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.031	CHP	/	/	/	/	/
1910	1911	0.031	CHP	1	1910.006	-26.26	-13	Pass
1911	1913	1	CHP	2	1911.500	-17.52	-13	Pass


5.2.3 B2_5MHz



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.390	-16.89	-13	Pass
1849	1850	0.051	CHP	2	1849.990	-23.41	-13	Pass
1850	1855	0.051	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-31.47	-13	Pass
1911	1915	1	CHP	2	1911.500	-27.74	-13	Pass


Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	CHP	/	/	/	/	/
1910	1911	0.051	CHP	1	1910.010	-26.05	-13	Pass
1911	1915	1	CHP	2	1911.500	-18.44	-13	Pass


5.2.4 B2_10MHz

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1846.294	-27.52	-13	Pass
1849	1850	0.003	/	2	1849.983	-42.99	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-16.48	-13	Pass
1849	1850	0.098	CHP	2	1849.797	-25.51	-13	Pass
1850	1860	0.098	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-44.58	-13	Pass
1911	1920	1	CHP	2	1911.501	-37.89	-13	Pass


Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.098	CHP	/	/	/	/	/
1910	1911	0.098	CHP	1	1910.368	-27.01	-13	Pass
1911	1920	1	CHP	2	1911.508	-18.31	-13	Pass


5.2.5 B2_15MHz

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1844.090	-27.78	-13	Pass
1849	1850	0.003	/	2	1849.997	-41.59	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.350	-16.90	-13	Pass
1849	1850	0.147	CHP	2	1849.880	-24.37	-13	Pass
1850	1865	0.147	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-42.95	-13	Pass
1911	1925	1	CHP	2	1915.541	-37.59	-13	Pass


Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.147	CHP	/	/	/	/	/
1910	1911	0.147	CHP	1	1910.270	-26.12	-13	Pass
1911	1925	1	CHP	2	1911.500	-18.56	-13	Pass


5.2.6 B2_20MHz

Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1841.924	-28.61	-13	Pass
1849	1850	0.003	/	2	1849.993	-45.86	-13	Pass
1850	1870	0.003	/	/	/	/	/	/


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-16.73	-13	Pass
1849	1850	0.196	CHP	2	1849.400	-23.10	-13	Pass
1850	1870	0.196	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.018	-47.22	-13	Pass
1911	1930	1	CHP	2	1911.500	-38.76	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.196	CHP	/	/	/	/	/
1910	1911	0.196	CHP	1	1910.120	-25.67	-13	Pass
1911	1930	1	CHP	2	1911.520	-19.47	-13	Pass

---End of Attachment---