

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.24	0.26	23.50	<=30	Pass
			2	23.28	0.26	23.54	<=30	Pass
			5	23.25	0.26	23.51	<=30	Pass
		3	0	23.28	0.26	23.54	<=30	Pass
			2	23.23	0.26	23.49	<=30	Pass
			3	23.19	0.26	23.45	<=30	Pass
		6	0	22.26	0.26	22.52	<=30	Pass
	1745	1	0	23.29	0.26	23.55	<=30	Pass
			2	23.06	0.26	23.32	<=30	Pass
			5	23.08	0.26	23.34	<=30	Pass
		3	0	23.29	0.26	23.55	<=30	Pass
			2	23.24	0.26	23.50	<=30	Pass
			3	23.27	0.26	23.53	<=30	Pass
		6	0	22.17	0.26	22.43	<=30	Pass
	1779.3	1	0	22.62	0.26	22.88	<=30	Pass
			2	23.46	0.26	23.72	<=30	Pass
			5	23.41	0.26	23.67	<=30	Pass
		3	0	23.40	0.26	23.66	<=30	Pass
			2	23.39	0.26	23.65	<=30	Pass
			3	23.40	0.26	23.66	<=30	Pass
		6	0	22.30	0.26	22.56	<=30	Pass
16QAM	1710.7	1	0	22.76	0.26	23.02	<=30	Pass
			2	22.41	0.26	22.67	<=30	Pass
			5	22.50	0.26	22.76	<=30	Pass
		3	0	22.22	0.26	22.48	<=30	Pass
			2	22.28	0.26	22.54	<=30	Pass
			3	22.30	0.26	22.56	<=30	Pass
		6	0	21.25	0.26	21.51	<=30	Pass
	1745	1	0	22.39	0.26	22.65	<=30	Pass
			2	22.60	0.26	22.86	<=30	Pass
			5	22.51	0.26	22.77	<=30	Pass
		3	0	22.14	0.26	22.40	<=30	Pass
			2	22.11	0.26	22.37	<=30	Pass
			3	22.22	0.26	22.48	<=30	Pass
		6	0	21.19	0.26	21.45	<=30	Pass
	1779.3	1	0	22.43	0.26	22.69	<=30	Pass
			2	22.64	0.26	22.90	<=30	Pass
			5	22.67	0.26	22.93	<=30	Pass
		3	0	22.33	0.26	22.59	<=30	Pass
			2	22.45	0.26	22.71	<=30	Pass
			3	22.18	0.26	22.44	<=30	Pass
		6	0	21.40	0.26	21.66	<=30	Pass
64QAM	1710.7	1	0	22.48	0.26	22.74	<=30	Pass
			2	22.50	0.26	22.76	<=30	Pass
			5	22.41	0.26	22.67	<=30	Pass
		3	0	22.23	0.26	22.49	<=30	Pass
			2	22.40	0.26	22.66	<=30	Pass
			3	22.36	0.26	22.62	<=30	Pass
		6	0	21.24	0.26	21.50	<=30	Pass
	1745	1	0	22.50	0.26	22.76	<=30	Pass
			2	22.23	0.26	22.49	<=30	Pass
			5	22.30	0.26	22.56	<=30	Pass
		3	0	22.28	0.26	22.54	<=30	Pass
			2	22.24	0.26	22.50	<=30	Pass

			3	22.24	0.26	22.50	<=30	Pass
		6	0	21.17	0.26	21.43	<=30	Pass
	1779.3	1	0	22.34	0.26	22.60	<=30	Pass
			2	22.58	0.26	22.84	<=30	Pass
			5	22.51	0.26	22.77	<=30	Pass
		3	0	22.25	0.26	22.51	<=30	Pass
			2	22.35	0.26	22.61	<=30	Pass
			3	22.34	0.26	22.60	<=30	Pass
		6	0	21.30	0.26	21.56	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.24	0.26	23.50	<=30	Pass
			7	23.28	0.26	23.54	<=30	Pass
			14	23.03	0.26	23.29	<=30	Pass
		8	0	22.18	0.26	22.44	<=30	Pass
			4	22.19	0.26	22.45	<=30	Pass
			7	22.17	0.26	22.43	<=30	Pass
		15	0	22.14	0.26	22.40	<=30	Pass
	1745	1	0	23.29	0.26	23.55	<=30	Pass
			7	23.26	0.26	23.52	<=30	Pass
			14	23.34	0.26	23.60	<=30	Pass
		8	0	22.31	0.26	22.57	<=30	Pass
			4	22.26	0.26	22.52	<=30	Pass
			7	22.31	0.26	22.57	<=30	Pass
		15	0	22.23	0.26	22.49	<=30	Pass
	1778.5	1	0	23.46	0.26	23.72	<=30	Pass
			7	23.35	0.26	23.61	<=30	Pass
			14	23.16	0.26	23.42	<=30	Pass
		8	0	22.50	0.26	22.76	<=30	Pass
			4	22.47	0.26	22.73	<=30	Pass
			7	22.37	0.26	22.63	<=30	Pass
		15	0	22.50	0.26	22.76	<=30	Pass
16QAM	1711.5	1	0	22.56	0.26	22.82	<=30	Pass
			7	22.64	0.26	22.90	<=30	Pass
			14	22.48	0.26	22.74	<=30	Pass
		8	0	21.14	0.26	21.40	<=30	Pass
			4	21.25	0.26	21.51	<=30	Pass
			7	21.24	0.26	21.50	<=30	Pass
		15	0	21.27	0.26	21.53	<=30	Pass
	1745	1	0	22.57	0.26	22.83	<=30	Pass
			7	22.73	0.26	22.99	<=30	Pass
			14	22.64	0.26	22.90	<=30	Pass
		8	0	21.28	0.26	21.54	<=30	Pass
			4	21.28	0.26	21.54	<=30	Pass
			7	21.38	0.26	21.64	<=30	Pass
		15	0	21.25	0.26	21.51	<=30	Pass
	1778.5	1	0	22.93	0.26	23.19	<=30	Pass
			7	22.49	0.26	22.75	<=30	Pass
			14	22.67	0.26	22.93	<=30	Pass
		8	0	21.57	0.26	21.83	<=30	Pass
			4	21.53	0.26	21.79	<=30	Pass
			7	21.56	0.26	21.82	<=30	Pass
		15	0	21.51	0.26	21.77	<=30	Pass
64QAM	1711.5	1	0	22.23	0.26	22.49	<=30	Pass
			7	22.36	0.26	22.62	<=30	Pass
			14	22.24	0.26	22.50	<=30	Pass
		8	0	21.17	0.26	21.43	<=30	Pass

			4	21.14	0.26	21.40	<=30	Pass
			7	21.07	0.26	21.33	<=30	Pass
		15	0	21.11	0.26	21.37	<=30	Pass
	1745	1	0	22.43	0.26	22.69	<=30	Pass
			7	22.46	0.26	22.72	<=30	Pass
			14	22.25	0.26	22.51	<=30	Pass
		8	0	21.14	0.26	21.40	<=30	Pass
			4	21.34	0.26	21.60	<=30	Pass
			7	21.40	0.26	21.66	<=30	Pass
		15	0	21.33	0.26	21.59	<=30	Pass
		1778.5	1	0	22.56	0.26	22.82	<=30
	7			22.51	0.26	22.77	<=30	Pass
	14			22.58	0.26	22.84	<=30	Pass
	8		0	21.55	0.26	21.81	<=30	Pass
			4	21.45	0.26	21.71	<=30	Pass
			7	21.52	0.26	21.78	<=30	Pass
	15		0	21.50	0.26	21.76	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.41	0.26	23.67	<=30	Pass
			13	23.33	0.26	23.59	<=30	Pass
			24	23.24	0.26	23.50	<=30	Pass
		12	0	22.36	0.26	22.62	<=30	Pass
			6	22.38	0.26	22.64	<=30	Pass
			13	22.25	0.26	22.51	<=30	Pass
		25	0	22.39	0.26	22.65	<=30	Pass
	1745	1	0	23.35	0.26	23.61	<=30	Pass
			13	23.55	0.26	23.81	<=30	Pass
			24	23.32	0.26	23.58	<=30	Pass
		12	0	22.59	0.26	22.85	<=30	Pass
			6	22.40	0.26	22.66	<=30	Pass
			13	22.54	0.26	22.80	<=30	Pass
		25	0	22.37	0.26	22.63	<=30	Pass
	1777.5	1	0	23.75	0.26	24.01	<=30	Pass
			13	23.52	0.26	23.78	<=30	Pass
			24	23.28	0.26	23.54	<=30	Pass
		12	0	22.62	0.26	22.88	<=30	Pass
			6	22.51	0.26	22.77	<=30	Pass
			13	22.57	0.26	22.83	<=30	Pass
		25	0	22.51	0.26	22.77	<=30	Pass
16QAM	1712.5	1	0	22.63	0.26	22.89	<=30	Pass
			13	22.69	0.26	22.95	<=30	Pass
			24	22.69	0.26	22.95	<=30	Pass
		12	0	21.41	0.26	21.67	<=30	Pass
			6	21.33	0.26	21.59	<=30	Pass
			13	21.28	0.26	21.54	<=30	Pass
		25	0	21.35	0.26	21.61	<=30	Pass
	1745	1	0	22.56	0.26	22.82	<=30	Pass
			13	22.87	0.26	23.13	<=30	Pass
			24	22.74	0.26	23.00	<=30	Pass
		12	0	21.53	0.26	21.79	<=30	Pass
			6	21.26	0.26	21.52	<=30	Pass
			13	21.58	0.26	21.84	<=30	Pass
		25	0	21.31	0.26	21.57	<=30	Pass
	1777.5	1	0	22.76	0.26	23.02	<=30	Pass
			13	22.75	0.26	23.01	<=30	Pass
			24	22.84	0.26	23.10	<=30	Pass

64QAM	1712.5	12	0	21.61	0.26	21.87	<=30	Pass
			6	21.42	0.26	21.68	<=30	Pass
			13	21.52	0.26	21.78	<=30	Pass
		25	0	21.45	0.26	21.71	<=30	Pass
			1	22.56	0.26	22.82	<=30	Pass
			13	22.70	0.26	22.96	<=30	Pass
			24	22.32	0.26	22.58	<=30	Pass
		12	0	21.36	0.26	21.62	<=30	Pass
			6	21.33	0.26	21.59	<=30	Pass
			13	21.32	0.26	21.58	<=30	Pass
		25	0	21.38	0.26	21.64	<=30	Pass
	1745	1	0	22.70	0.26	22.96	<=30	Pass
			13	22.73	0.26	22.99	<=30	Pass
			24	22.53	0.26	22.79	<=30	Pass
		12	0	21.39	0.26	21.65	<=30	Pass
			6	21.43	0.26	21.69	<=30	Pass
			13	21.47	0.26	21.73	<=30	Pass
		25	0	21.37	0.26	21.63	<=30	Pass
	1777.5	1	0	22.83	0.26	23.09	<=30	Pass
			13	22.60	0.26	22.86	<=30	Pass
			24	22.66	0.26	22.92	<=30	Pass
		12	0	21.61	0.26	21.87	<=30	Pass
			6	21.48	0.26	21.74	<=30	Pass
			13	21.57	0.26	21.83	<=30	Pass
		25	0	21.45	0.26	21.71	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.70	0.26	22.96	<=30	Pass
			25	23.32	0.26	23.58	<=30	Pass
			49	23.31	0.26	23.57	<=30	Pass
		25	0	22.27	0.26	22.53	<=30	Pass
			13	22.26	0.26	22.52	<=30	Pass
			25	22.41	0.26	22.67	<=30	Pass
		50	0	22.33	0.26	22.59	<=30	Pass
	1745	1	0	22.85	0.26	23.11	<=30	Pass
			25	23.34	0.26	23.60	<=30	Pass
			49	23.34	0.26	23.60	<=30	Pass
		25	0	22.37	0.26	22.63	<=30	Pass
			13	22.33	0.26	22.59	<=30	Pass
			25	22.44	0.26	22.70	<=30	Pass
		50	0	22.43	0.26	22.69	<=30	Pass
	1775	1	0	23.00	0.26	23.26	<=30	Pass
			25	23.49	0.26	23.75	<=30	Pass
			49	22.89	0.26	23.15	<=30	Pass
		25	0	22.44	0.26	22.70	<=30	Pass
			13	22.57	0.26	22.83	<=30	Pass
			25	22.69	0.26	22.95	<=30	Pass
		50	0	22.60	0.26	22.86	<=30	Pass
16QAM	1715	1	0	22.02	0.26	22.28	<=30	Pass
			25	22.63	0.26	22.89	<=30	Pass
			49	23.06	0.26	23.32	<=30	Pass
		25	0	21.23	0.26	21.49	<=30	Pass
			13	21.49	0.26	21.75	<=30	Pass
			25	21.65	0.26	21.91	<=30	Pass
		50	0	21.43	0.26	21.69	<=30	Pass
	1745	1	0	22.12	0.26	22.38	<=30	Pass
			25	22.78	0.26	23.04	<=30	Pass

64QAM	1775	25	49	22.58	0.26	22.84	<=30	Pass
			0	21.41	0.26	21.67	<=30	Pass
			13	21.42	0.26	21.68	<=30	Pass
			25	21.49	0.26	21.75	<=30	Pass
		50	0	21.36	0.26	21.62	<=30	Pass
	1775	1	0	22.34	0.26	22.60	<=30	Pass
			25	22.67	0.26	22.93	<=30	Pass
			49	22.21	0.26	22.47	<=30	Pass
		25	0	21.28	0.26	21.54	<=30	Pass
			13	21.48	0.26	21.74	<=30	Pass
			25	21.56	0.26	21.82	<=30	Pass
		50	0	21.49	0.26	21.75	<=30	Pass
	1715	1	0	21.56	0.26	21.82	<=30	Pass
			25	22.37	0.26	22.63	<=30	Pass
			49	22.74	0.26	23.00	<=30	Pass
		25	0	21.25	0.26	21.51	<=30	Pass
			13	21.40	0.26	21.66	<=30	Pass
			25	21.53	0.26	21.79	<=30	Pass
		50	0	21.44	0.26	21.70	<=30	Pass
	1745	1	0	21.82	0.26	22.08	<=30	Pass
			25	22.45	0.26	22.71	<=30	Pass
			49	22.33	0.26	22.59	<=30	Pass
		25	0	21.27	0.26	21.53	<=30	Pass
			13	21.24	0.26	21.50	<=30	Pass
			25	21.31	0.26	21.57	<=30	Pass
		50	0	21.41	0.26	21.67	<=30	Pass
	1775	1	0	22.24	0.26	22.50	<=30	Pass
			25	22.45	0.26	22.71	<=30	Pass
			49	22.04	0.26	22.30	<=30	Pass
		25	0	21.44	0.26	21.70	<=30	Pass
			13	21.66	0.26	21.92	<=30	Pass
			25	21.61	0.26	21.87	<=30	Pass
		50	0	21.49	0.26	21.75	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.48	0.26	23.74	<=30	Pass
			38	23.50	0.26	23.76	<=30	Pass
			74	23.60	0.26	23.86	<=30	Pass
		36	0	22.35	0.26	22.61	<=30	Pass
			18	22.26	0.26	22.52	<=30	Pass
			39	22.32	0.26	22.58	<=30	Pass
		75	0	22.29	0.26	22.55	<=30	Pass
	1745	1	0	23.41	0.26	23.67	<=30	Pass
			38	23.41	0.26	23.67	<=30	Pass
			74	23.41	0.26	23.67	<=30	Pass
		36	0	22.25	0.26	22.51	<=30	Pass
			18	22.20	0.26	22.46	<=30	Pass
			39	22.16	0.26	22.42	<=30	Pass
		75	0	22.22	0.26	22.48	<=30	Pass
	1772.5	1	0	23.70	0.26	23.96	<=30	Pass
			38	23.56	0.26	23.82	<=30	Pass
			74	23.04	0.26	23.30	<=30	Pass
		36	0	22.50	0.26	22.76	<=30	Pass
			18	22.40	0.26	22.66	<=30	Pass
			39	22.39	0.26	22.65	<=30	Pass
		75	0	22.46	0.26	22.72	<=30	Pass
16QAM	1717.5	1	0	22.63	0.26	22.89	<=30	Pass

			38	23.06	0.26	23.32	<=30	Pass
			74	22.74	0.26	23.00	<=30	Pass
		36	0	21.40	0.26	21.66	<=30	Pass
			18	21.19	0.26	21.45	<=30	Pass
			39	21.27	0.26	21.53	<=30	Pass
		75	0	21.24	0.26	21.50	<=30	Pass
	1745	1	0	22.61	0.26	22.87	<=30	Pass
			38	22.69	0.26	22.95	<=30	Pass
			74	22.55	0.26	22.81	<=30	Pass
		36	0	21.24	0.26	21.50	<=30	Pass
			18	21.11	0.26	21.37	<=30	Pass
			39	21.24	0.26	21.50	<=30	Pass
	75	0	21.19	0.26	21.45	<=30	Pass	
	1772.5	1	0	22.75	0.26	23.01	<=30	Pass
			38	22.65	0.26	22.91	<=30	Pass
			74	22.17	0.26	22.43	<=30	Pass
		36	0	21.46	0.26	21.72	<=30	Pass
			18	21.40	0.26	21.66	<=30	Pass
			39	21.35	0.26	21.61	<=30	Pass
	75	0	21.46	0.26	21.72	<=30	Pass	
64QAM	1717.5	1	0	22.40	0.26	22.66	<=30	Pass
			38	22.62	0.26	22.88	<=30	Pass
			74	22.51	0.26	22.77	<=30	Pass
		36	0	21.28	0.26	21.54	<=30	Pass
			18	21.25	0.26	21.51	<=30	Pass
			39	21.37	0.26	21.63	<=30	Pass
	75	0	21.17	0.26	21.43	<=30	Pass	
	1745	1	0	22.51	0.26	22.77	<=30	Pass
			38	22.44	0.26	22.70	<=30	Pass
			74	22.45	0.26	22.71	<=30	Pass
		36	0	21.21	0.26	21.47	<=30	Pass
			18	21.13	0.26	21.39	<=30	Pass
			39	21.21	0.26	21.47	<=30	Pass
	75	0	21.18	0.26	21.44	<=30	Pass	
	1772.5	1	0	22.82	0.26	23.08	<=30	Pass
			38	22.81	0.26	23.07	<=30	Pass
			74	22.22	0.26	22.48	<=30	Pass
		36	0	21.34	0.26	21.60	<=30	Pass
			18	21.38	0.26	21.64	<=30	Pass
			39	21.37	0.26	21.63	<=30	Pass
75	0	21.43	0.26	21.69	<=30	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.14	0.26	23.40	<=30	Pass
			50	23.32	0.26	23.58	<=30	Pass
			99	23.56	0.26	23.82	<=30	Pass
		50	0	22.22	0.26	22.48	<=30	Pass
			25	22.28	0.26	22.54	<=30	Pass
			50	22.35	0.26	22.61	<=30	Pass
		100	0	22.28	0.26	22.54	<=30	Pass
	1745	1	0	23.00	0.26	23.26	<=30	Pass
			50	23.26	0.26	23.52	<=30	Pass
			99	23.09	0.26	23.35	<=30	Pass
		50	0	22.19	0.26	22.45	<=30	Pass
			25	22.22	0.26	22.48	<=30	Pass
			50	22.31	0.26	22.57	<=30	Pass
		100	0	22.14	0.26	22.40	<=30	Pass

	1770	1	0	23.31	0.26	23.57	<=30	Pass		
			50	23.62	0.26	23.88	<=30	Pass		
			99	22.82	0.26	23.08	<=30	Pass		
		50	0	22.42	0.26	22.68	<=30	Pass		
			25	22.39	0.26	22.65	<=30	Pass		
			50	22.42	0.26	22.68	<=30	Pass		
		100	0	22.44	0.26	22.70	<=30	Pass		
		16QAM	1720	1	0	22.28	0.26	22.54	<=30	Pass
					50	22.62	0.26	22.88	<=30	Pass
99	22.73				0.26	22.99	<=30	Pass		
50	0			21.17	0.26	21.43	<=30	Pass		
	25			21.32	0.26	21.58	<=30	Pass		
	50			21.43	0.26	21.69	<=30	Pass		
100	0			21.35	0.26	21.61	<=30	Pass		
1745	1			0	22.33	0.26	22.59	<=30	Pass	
				50	22.03	0.26	22.29	<=30	Pass	
			99	22.52	0.26	22.78	<=30	Pass		
	50		0	21.17	0.26	21.43	<=30	Pass		
			25	21.24	0.26	21.50	<=30	Pass		
			50	21.38	0.26	21.64	<=30	Pass		
	100		0	21.11	0.26	21.37	<=30	Pass		
	1770		1	0	22.37	0.26	22.63	<=30	Pass	
				50	22.45	0.26	22.71	<=30	Pass	
99				22.20	0.26	22.46	<=30	Pass		
50			0	21.34	0.26	21.60	<=30	Pass		
			25	21.34	0.26	21.60	<=30	Pass		
			50	21.58	0.26	21.84	<=30	Pass		
100			0	21.49	0.26	21.75	<=30	Pass		
64QAM			1720	1	0	22.12	0.26	22.38	<=30	Pass
					50	22.31	0.26	22.57	<=30	Pass
	99				22.83	0.26	23.09	<=30	Pass	
	50			0	21.14	0.26	21.40	<=30	Pass	
				25	21.20	0.26	21.46	<=30	Pass	
				50	21.39	0.26	21.65	<=30	Pass	
	100			0	21.34	0.26	21.60	<=30	Pass	
	1745			1	0	22.17	0.26	22.43	<=30	Pass
					50	22.21	0.26	22.47	<=30	Pass
			99		22.60	0.26	22.86	<=30	Pass	
			50	0	21.17	0.26	21.43	<=30	Pass	
				25	21.11	0.26	21.37	<=30	Pass	
				50	21.26	0.26	21.52	<=30	Pass	
			100	0	21.23	0.26	21.49	<=30	Pass	
			1770	1	0	22.35	0.26	22.61	<=30	Pass
					50	22.48	0.26	22.74	<=30	Pass
	99				22.31	0.26	22.57	<=30	Pass	
	50			0	21.33	0.26	21.59	<=30	Pass	
		25		21.39	0.26	21.65	<=30	Pass		
		50		21.55	0.26	21.81	<=30	Pass		
	100	0		21.43	0.26	21.69	<=30	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1745	50	0	20	3.4	-4.500	-0.0026	-2.5 to 2.5	Pass

					3.8	-3.400	-0.0019	-2.5 to 2.5	Pass
					4.2	-5.500	-0.0032	-2.5 to 2.5	Pass
				-30	3.8	-2.400	-0.0014	-2.5 to 2.5	Pass
				-20	3.8	0.600	0.0003	-2.5 to 2.5	Pass
				-10	3.8	0.300	0.0002	-2.5 to 2.5	Pass
				0	3.8	-2.500	-0.0014	-2.5 to 2.5	Pass
				10	3.8	-2.400	-0.0014	-2.5 to 2.5	Pass
				30	3.8	-0.400	-0.0002	-2.5 to 2.5	Pass
				40	3.8	0.200	0.0001	-2.5 to 2.5	Pass
				50	3.8	-2.700	-0.0015	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band66_OBW

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.101	/	Pass
	16QAM	1745	6	0	1.099	/	Pass
	64QAM	1745	6	0	1.098	/	Pass
3	QPSK	1745	15	0	2.734	/	Pass
	16QAM	1745	15	0	2.736	/	Pass
	64QAM	1745	15	0	2.736	/	Pass
5	QPSK	1745	25	0	4.506	/	Pass
	16QAM	1745	25	0	4.498	/	Pass
	64QAM	1745	25	0	4.501	/	Pass
10	QPSK	1745	50	0	9.026	/	Pass
	16QAM	1745	50	0	8.976	/	Pass
	64QAM	1745	50	0	9.012	/	Pass
15	QPSK	1745	75	0	13.458	/	Pass
	16QAM	1745	75	0	13.441	/	Pass
	64QAM	1745	75	0	13.476	/	Pass
20	QPSK	1745	100	0	18.000	/	Pass
	16QAM	1745	100	0	18.028	/	Pass
	64QAM	1745	100	0	17.961	/	Pass


3.1.2 Band66_XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.293	/	Pass
	16QAM	1745	6	0	1.301	/	Pass
	64QAM	1745	6	0	1.312	/	Pass
3	QPSK	1745	15	0	3.050	/	Pass
	16QAM	1745	15	0	3.057	/	Pass
	64QAM	1745	15	0	3.060	/	Pass
5	QPSK	1745	25	0	5.024	/	Pass
	16QAM	1745	25	0	5.009	/	Pass
	64QAM	1745	25	0	4.996	/	Pass
10	QPSK	1745	50	0	9.827	/	Pass
	16QAM	1745	50	0	9.863	/	Pass
	64QAM	1745	50	0	9.838	/	Pass
15	QPSK	1745	75	0	14.512	/	Pass
	16QAM	1745	75	0	14.618	/	Pass
	64QAM	1745	75	0	14.676	/	Pass
20	QPSK	1745	100	0	19.436	/	Pass


	16QAM	1745	100	0	19.564	/	Pass
	64QAM	1745	100	0	19.634	/	Pass

3.2 Test Graph


3.2.1 Band66_OBW




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV





Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV







Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV




3.2.2 Band66_XDB


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	5.58	<=13	Pass
16QAM	1745	100	0	6.34	<=13	Pass
64QAM	1745	100	0	6.30	<=13	Pass

4.2 Test Graph

4.2.1 B66_20MHz



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1779.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B66_20MHz


Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B66_1.4MHz



Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-25.30	-13	Pass
1709	1710	0.013	CHP	2	1709.995	-27.36	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTN



Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 0 NTN




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.007	-27.69	-13	Pass
1781	1783	1	CHP	2	1781.500	-34.66	-13	Pass

Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.013	CHP	/	/	/	/	/
1780	1781	0.013	CHP	1	1780.005	-25.46	-13	Pass
1781	1783	1	CHP	2	1781.500	-23.50	-13	Pass


5.2.2 B66_3MHz



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-21.96	-13	Pass
1709	1710	0.031	CHP	2	1709.994	-25.45	-13	Pass
1710	1713	0.031	CHP	/	/	/	/	/


Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-24.73	-13	Pass
1781	1783	1	CHP	2	1782.030	-23.03	-13	Pass


Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.031	CHP	/	/	/	/	/
1780	1781	0.031	CHP	1	1780.006	-24.05	-13	Pass
1781	1783	1	CHP	2	1781.500	-15.64	-13	Pass


5.2.3 B66_5MHz

Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1706.197	-29.84	-13	Pass
1709	1710	0.003	/	2	1709.997	-30.81	-13	Pass
1710	1715	0.003	/	/	/	/	/	/


Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-23.14	-13	Pass
1709	1710	0.05	CHP	2	1709.990	-26.56	-13	Pass
1710	1715	0.05	CHP	/	/	/	/	/


Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-29.78	-13	Pass
1781	1785	1	CHP	2	1783.749	-27.54	-13	Pass


Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05	CHP	/	/	/	/	/
1780	1781	0.05	CHP	1	1780.010	-25.70	-13	Pass
1781	1785	1	CHP	2	1781.500	-17.07	-13	Pass


5.2.4 B66_10MHz

Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.495	-36.53	-13	Pass
1709	1710	0.003	/	2	1709.998	-45.52	-13	Pass
1710	1720	0.003	/	/	/	/	/	/


Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.072	-25.15	-13	Pass
1709	1710	0.098	CHP	2	1709.992	-30.51	-13	Pass
1710	1720	0.098	CHP	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-41.49	-13	Pass
1781	1790	1	CHP	2	1781.501	-34.99	-13	Pass

Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.098	CHP	/	/	/	/	/
1780	1781	0.098	CHP	1	1780.248	-28.26	-13	Pass
1781	1790	1	CHP	2	1781.943	-18.95	-13	Pass


5.2.5 B66_15MHz



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.410	-25.54	-13	Pass
1709	1710	0.145	CHP	2	1709.970	-31.31	-13	Pass
1710	1725	0.145	CHP	/	/	/	/	/


Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-41.62	-13	Pass
1781	1795	1	CHP	2	1781.500	-35.80	-13	Pass


Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.145	CHP	/	/	/	/	/
1780	1781	0.145	CHP	1	1780.240	-29.77	-13	Pass
1781	1795	1	CHP	2	1781.530	-21.50	-13	Pass


5.2.6 B66_20MHz

Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.500	-36.78	-13	Pass
1709	1710	0.003	/	2	1709.993	-46.43	-13	Pass
1710	1730	0.003	/	/	/	/	/	/


Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-26.12	-13	Pass
1709	1710	0.194	CHP	2	1709.960	-32.20	-13	Pass
1710	1730	0.194	CHP	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-45.00	-13	Pass
1781	1800	1	CHP	2	1781.500	-35.76	-13	Pass

Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.194	CHP	/	/	/	/	/
1780	1781	0.194	CHP	1	1780.280	-29.77	-13	Pass
1781	1800	1	CHP	2	1781.520	-22.92	-13	Pass

---End of Attachment---