

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.29	0.18	23.47	<=33.01	Pass
			2	23.35	0.18	23.53	<=33.01	Pass
			5	23.32	0.18	23.50	<=33.01	Pass
		3	0	23.35	0.18	23.53	<=33.01	Pass
			2	23.34	0.18	23.52	<=33.01	Pass
			3	23.31	0.18	23.49	<=33.01	Pass
		6	0	22.31	0.18	22.49	<=33.01	Pass
	1882.5	1	0	22.91	0.18	23.09	<=33.01	Pass
			2	23.02	0.18	23.20	<=33.01	Pass
			5	22.91	0.18	23.09	<=33.01	Pass
		3	0	22.91	0.18	23.09	<=33.01	Pass
			2	22.92	0.18	23.10	<=33.01	Pass
			3	22.85	0.18	23.03	<=33.01	Pass
		6	0	21.99	0.18	22.17	<=33.01	Pass
	1914.3	1	0	22.97	0.18	23.15	<=33.01	Pass
			2	23.09	0.18	23.27	<=33.01	Pass
			5	22.98	0.18	23.16	<=33.01	Pass
		3	0	22.97	0.18	23.15	<=33.01	Pass
			2	23.14	0.18	23.32	<=33.01	Pass
			3	22.91	0.18	23.09	<=33.01	Pass
		6	0	22.01	0.18	22.19	<=33.01	Pass
16QAM	1850.7	1	0	22.44	0.18	22.62	<=33.01	Pass
			2	22.56	0.18	22.74	<=33.01	Pass
			5	22.52	0.18	22.70	<=33.01	Pass
		3	0	22.28	0.18	22.46	<=33.01	Pass
			2	22.43	0.18	22.61	<=33.01	Pass
			3	22.35	0.18	22.53	<=33.01	Pass
		6	0	21.46	0.18	21.64	<=33.01	Pass
	1882.5	1	0	22.14	0.18	22.32	<=33.01	Pass
			2	21.99	0.18	22.17	<=33.01	Pass
			5	22.04	0.18	22.22	<=33.01	Pass
		3	0	22.01	0.18	22.19	<=33.01	Pass
			2	22.05	0.18	22.23	<=33.01	Pass
			3	21.85	0.18	22.03	<=33.01	Pass
		6	0	21.03	0.18	21.21	<=33.01	Pass
	1914.3	1	0	22.36	0.18	22.54	<=33.01	Pass
			2	22.41	0.18	22.59	<=33.01	Pass
			5	22.18	0.18	22.36	<=33.01	Pass
		3	0	21.91	0.18	22.09	<=33.01	Pass
			2	22.05	0.18	22.23	<=33.01	Pass
			3	21.96	0.18	22.14	<=33.01	Pass
		6	0	21.10	0.18	21.28	<=33.01	Pass
64QAM	1850.7	1	0	22.55	0.18	22.73	<=33.01	Pass
			2	22.69	0.18	22.87	<=33.01	Pass
			5	22.44	0.18	22.62	<=33.01	Pass
		3	0	22.37	0.18	22.55	<=33.01	Pass
			2	22.38	0.18	22.56	<=33.01	Pass
			3	22.23	0.18	22.41	<=33.01	Pass
		6	0	21.33	0.18	21.51	<=33.01	Pass
	1882.5	1	0	21.95	0.18	22.13	<=33.01	Pass
			2	22.35	0.18	22.53	<=33.01	Pass
			5	22.07	0.18	22.25	<=33.01	Pass
		3	0	21.85	0.18	22.03	<=33.01	Pass
			2	22.12	0.18	22.30	<=33.01	Pass

			3	21.94	0.18	22.12	<=33.01	Pass
		6	0	20.92	0.18	21.10	<=33.01	Pass
	1914.3	1	0	22.07	0.18	22.25	<=33.01	Pass
			2	22.05	0.18	22.23	<=33.01	Pass
			5	22.06	0.18	22.24	<=33.01	Pass
		3	0	21.84	0.18	22.02	<=33.01	Pass
			2	21.90	0.18	22.08	<=33.01	Pass
			3	21.80	0.18	21.98	<=33.01	Pass
		6	0	20.93	0.18	21.11	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.42	0.18	23.60	<=33.01	Pass
			7	23.57	0.18	23.75	<=33.01	Pass
			14	23.39	0.18	23.57	<=33.01	Pass
		8	0	22.45	0.18	22.63	<=33.01	Pass
			4	22.51	0.18	22.69	<=33.01	Pass
			7	22.39	0.18	22.57	<=33.01	Pass
		15	0	22.44	0.18	22.62	<=33.01	Pass
	1882.5	1	0	23.03	0.18	23.21	<=33.01	Pass
			7	23.00	0.18	23.18	<=33.01	Pass
			14	22.94	0.18	23.12	<=33.01	Pass
		8	0	22.00	0.18	22.18	<=33.01	Pass
			4	22.03	0.18	22.21	<=33.01	Pass
			7	21.95	0.18	22.13	<=33.01	Pass
		15	0	22.06	0.18	22.24	<=33.01	Pass
	1913.5	1	0	23.09	0.18	23.27	<=33.01	Pass
			7	22.94	0.18	23.12	<=33.01	Pass
			14	23.00	0.18	23.18	<=33.01	Pass
		8	0	22.11	0.18	22.29	<=33.01	Pass
			4	22.08	0.18	22.26	<=33.01	Pass
			7	21.98	0.18	22.16	<=33.01	Pass
		15	0	22.09	0.18	22.27	<=33.01	Pass
16QAM	1851.5	1	0	22.69	0.18	22.87	<=33.01	Pass
			7	22.72	0.18	22.90	<=33.01	Pass
			14	22.68	0.18	22.86	<=33.01	Pass
		8	0	21.39	0.18	21.57	<=33.01	Pass
			4	21.46	0.18	21.64	<=33.01	Pass
			7	21.45	0.18	21.63	<=33.01	Pass
		15	0	21.46	0.18	21.64	<=33.01	Pass
	1882.5	1	0	22.23	0.18	22.41	<=33.01	Pass
			7	22.35	0.18	22.53	<=33.01	Pass
			14	22.28	0.18	22.46	<=33.01	Pass
		8	0	21.03	0.18	21.21	<=33.01	Pass
			4	21.04	0.18	21.22	<=33.01	Pass
			7	21.00	0.18	21.18	<=33.01	Pass
		15	0	21.05	0.18	21.23	<=33.01	Pass
	1913.5	1	0	22.46	0.18	22.64	<=33.01	Pass
			7	22.05	0.18	22.23	<=33.01	Pass
			14	22.28	0.18	22.46	<=33.01	Pass
		8	0	21.14	0.18	21.32	<=33.01	Pass
			4	21.13	0.18	21.31	<=33.01	Pass
			7	21.12	0.18	21.30	<=33.01	Pass
		15	0	21.12	0.18	21.30	<=33.01	Pass
64QAM	1851.5	1	0	22.53	0.18	22.71	<=33.01	Pass
			7	22.52	0.18	22.70	<=33.01	Pass
			14	22.21	0.18	22.39	<=33.01	Pass
		8	0	21.35	0.18	21.53	<=33.01	Pass

		15	4	21.47	0.18	21.65	<=33.01	Pass	
			7	21.39	0.18	21.57	<=33.01	Pass	
			0	21.38	0.18	21.56	<=33.01	Pass	
	1882.5	1	0	22.19	0.18	22.37	<=33.01	Pass	
			7	22.10	0.18	22.28	<=33.01	Pass	
			14	22.20	0.18	22.38	<=33.01	Pass	
		8	0	21.06	0.18	21.24	<=33.01	Pass	
			4	21.09	0.18	21.27	<=33.01	Pass	
			7	21.04	0.18	21.22	<=33.01	Pass	
		15	0	20.99	0.18	21.17	<=33.01	Pass	
		1913.5	1	0	22.07	0.18	22.25	<=33.01	Pass
				7	21.80	0.18	21.98	<=33.01	Pass
	14			22.34	0.18	22.52	<=33.01	Pass	
	8		0	21.07	0.18	21.25	<=33.01	Pass	
			4	21.08	0.18	21.26	<=33.01	Pass	
			7	21.03	0.18	21.21	<=33.01	Pass	
	15		0	21.02	0.18	21.20	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.30	0.18	23.48	<=33.01	Pass
			13	23.23	0.18	23.41	<=33.01	Pass
			24	23.05	0.18	23.23	<=33.01	Pass
		12	0	22.34	0.18	22.52	<=33.01	Pass
			6	22.42	0.18	22.60	<=33.01	Pass
			13	22.36	0.18	22.54	<=33.01	Pass
		25	0	22.41	0.18	22.59	<=33.01	Pass
	1882.5	1	0	23.24	0.18	23.42	<=33.01	Pass
			13	23.13	0.18	23.31	<=33.01	Pass
			24	23.04	0.18	23.22	<=33.01	Pass
		12	0	22.11	0.18	22.29	<=33.01	Pass
			6	22.02	0.18	22.20	<=33.01	Pass
			13	22.15	0.18	22.33	<=33.01	Pass
		25	0	22.09	0.18	22.27	<=33.01	Pass
	1912.5	1	0	23.26	0.18	23.44	<=33.01	Pass
			13	23.10	0.18	23.28	<=33.01	Pass
			24	23.08	0.18	23.26	<=33.01	Pass
		12	0	22.27	0.18	22.45	<=33.01	Pass
			6	22.12	0.18	22.30	<=33.01	Pass
			13	22.17	0.18	22.35	<=33.01	Pass
		25	0	22.07	0.18	22.25	<=33.01	Pass
16QAM	1852.5	1	0	22.71	0.18	22.89	<=33.01	Pass
			13	22.62	0.18	22.80	<=33.01	Pass
			24	22.18	0.18	22.36	<=33.01	Pass
		12	0	21.27	0.18	21.45	<=33.01	Pass
			6	21.32	0.18	21.50	<=33.01	Pass
			13	21.23	0.18	21.41	<=33.01	Pass
		25	0	21.30	0.18	21.48	<=33.01	Pass
	1882.5	1	0	22.27	0.18	22.45	<=33.01	Pass
			13	22.25	0.18	22.43	<=33.01	Pass
			24	22.10	0.18	22.28	<=33.01	Pass
		12	0	21.09	0.18	21.27	<=33.01	Pass
			6	21.06	0.18	21.24	<=33.01	Pass
			13	21.06	0.18	21.24	<=33.01	Pass
		25	0	21.03	0.18	21.21	<=33.01	Pass
	1912.5	1	0	22.47	0.18	22.65	<=33.01	Pass
			13	22.14	0.18	22.32	<=33.01	Pass
			24	22.28	0.18	22.46	<=33.01	Pass

		12	0	21.20	0.18	21.38	<=33.01	Pass		
			6	21.10	0.18	21.28	<=33.01	Pass		
			13	21.13	0.18	21.31	<=33.01	Pass		
		25	0	21.06	0.18	21.24	<=33.01	Pass		
64QAM	1852.5	1	0	22.40	0.18	22.58	<=33.01	Pass		
			13	22.28	0.18	22.46	<=33.01	Pass		
			24	22.14	0.18	22.32	<=33.01	Pass		
		12	0	21.28	0.18	21.46	<=33.01	Pass		
			6	21.28	0.18	21.46	<=33.01	Pass		
			13	21.22	0.18	21.40	<=33.01	Pass		
		25	0	21.43	0.18	21.61	<=33.01	Pass		
		1882.5	1	0	22.27	0.18	22.45	<=33.01	Pass	
				13	22.03	0.18	22.21	<=33.01	Pass	
	24			21.86	0.18	22.04	<=33.01	Pass		
	12		0	21.03	0.18	21.21	<=33.01	Pass		
			6	21.01	0.18	21.19	<=33.01	Pass		
			13	21.04	0.18	21.22	<=33.01	Pass		
	25		0	21.09	0.18	21.27	<=33.01	Pass		
	1912.5		1	0	22.19	0.18	22.37	<=33.01	Pass	
				13	22.00	0.18	22.18	<=33.01	Pass	
		24		22.28	0.18	22.46	<=33.01	Pass		
		12	0	21.20	0.18	21.38	<=33.01	Pass		
			6	21.21	0.18	21.39	<=33.01	Pass		
			13	21.12	0.18	21.30	<=33.01	Pass		
		25	0	21.17	0.18	21.35	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTVN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1855	1	0	23.36	0.18	23.54	<=33.01	Pass		
			25	23.32	0.18	23.50	<=33.01	Pass		
			49	23.10	0.18	23.28	<=33.01	Pass		
		25	0	22.46	0.18	22.64	<=33.01	Pass		
			13	22.28	0.18	22.46	<=33.01	Pass		
			25	22.45	0.18	22.63	<=33.01	Pass		
		50	0	22.34	0.18	22.52	<=33.01	Pass		
		1882.5	1	0	23.40	0.18	23.58	<=33.01	Pass	
				25	23.22	0.18	23.40	<=33.01	Pass	
	49			22.98	0.18	23.16	<=33.01	Pass		
	25		0	22.00	0.18	22.18	<=33.01	Pass		
			13	22.07	0.18	22.25	<=33.01	Pass		
			25	22.07	0.18	22.25	<=33.01	Pass		
	50		0	22.15	0.18	22.33	<=33.01	Pass		
	1910		1	0	23.32	0.18	23.50	<=33.01	Pass	
				25	22.94	0.18	23.12	<=33.01	Pass	
		49		22.36	0.18	22.54	<=33.01	Pass		
		25	0	22.82	0.18	23.00	<=33.01	Pass		
			13	22.14	0.18	22.32	<=33.01	Pass		
			25	22.10	0.18	22.28	<=33.01	Pass		
		50	0	22.25	0.18	22.43	<=33.01	Pass		
		16QAM	1855	1	0	22.70	0.18	22.88	<=33.01	Pass
					25	22.35	0.18	22.53	<=33.01	Pass
	49				21.96	0.18	22.14	<=33.01	Pass	
25	0			21.33	0.18	21.51	<=33.01	Pass		
	13			21.25	0.18	21.43	<=33.01	Pass		
	25			21.32	0.18	21.50	<=33.01	Pass		
50	0			21.53	0.18	21.71	<=33.01	Pass		
1882.5	1			0	22.67	0.18	22.85	<=33.01	Pass	
				25	22.22	0.18	22.40	<=33.01	Pass	

		25		49	21.93	0.18	22.11	<=33.01	Pass
			0	21.15	0.18	21.33	<=33.01	Pass	
				13	21.03	0.18	21.21	<=33.01	Pass
				25	21.04	0.18	21.22	<=33.01	Pass
		50	0	21.13	0.18	21.31	<=33.01	Pass	
	1910	1	0	22.68	0.18	22.86	<=33.01	Pass	
			25	22.09	0.18	22.27	<=33.01	Pass	
			49	21.93	0.18	22.11	<=33.01	Pass	
		25	0	21.24	0.18	21.42	<=33.01	Pass	
			13	21.20	0.18	21.38	<=33.01	Pass	
			25	21.31	0.18	21.49	<=33.01	Pass	
		50	0	21.19	0.18	21.37	<=33.01	Pass	
	64QAM	1855	1	0	22.43	0.18	22.61	<=33.01	Pass
				25	22.43	0.18	22.61	<=33.01	Pass
49				22.17	0.18	22.35	<=33.01	Pass	
25			0	21.35	0.18	21.53	<=33.01	Pass	
			13	21.28	0.18	21.46	<=33.01	Pass	
			25	21.38	0.18	21.56	<=33.01	Pass	
50			0	21.46	0.18	21.64	<=33.01	Pass	
1882.5		1	0	22.41	0.18	22.59	<=33.01	Pass	
			25	22.43	0.18	22.61	<=33.01	Pass	
			49	21.73	0.18	21.91	<=33.01	Pass	
		25	0	21.10	0.18	21.28	<=33.01	Pass	
			13	21.08	0.18	21.26	<=33.01	Pass	
			25	21.11	0.18	21.29	<=33.01	Pass	
		50	0	21.08	0.18	21.26	<=33.01	Pass	
1910		1	0	22.22	0.18	22.40	<=33.01	Pass	
			25	22.04	0.18	22.22	<=33.01	Pass	
			49	21.55	0.18	21.73	<=33.01	Pass	
		25	0	21.19	0.18	21.37	<=33.01	Pass	
			13	21.15	0.18	21.33	<=33.01	Pass	
			25	21.26	0.18	21.44	<=33.01	Pass	
		50	0	21.22	0.18	21.40	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.44	0.18	23.62	<=33.01	Pass
			38	23.36	0.18	23.54	<=33.01	Pass
			74	22.94	0.18	23.12	<=33.01	Pass
		36	0	22.39	0.18	22.57	<=33.01	Pass
			18	22.38	0.18	22.56	<=33.01	Pass
			39	22.52	0.18	22.70	<=33.01	Pass
		75	0	22.43	0.18	22.61	<=33.01	Pass
	1882.5	1	0	23.27	0.18	23.45	<=33.01	Pass
			38	23.00	0.18	23.18	<=33.01	Pass
			74	22.95	0.18	23.13	<=33.01	Pass
		36	0	22.33	0.18	22.51	<=33.01	Pass
			18	22.15	0.18	22.33	<=33.01	Pass
			39	22.31	0.18	22.49	<=33.01	Pass
		75	0	22.27	0.18	22.45	<=33.01	Pass
	1907.5	1	0	23.36	0.18	23.54	<=33.01	Pass
			38	23.18	0.18	23.36	<=33.01	Pass
			74	22.63	0.18	22.81	<=33.01	Pass
		36	0	23.00	0.18	23.18	<=33.01	Pass
			18	22.38	0.18	22.56	<=33.01	Pass
			39	22.43	0.18	22.61	<=33.01	Pass
		75	0	22.41	0.18	22.59	<=33.01	Pass
16QAM	1857.5	1	0	22.71	0.18	22.89	<=33.01	Pass

			38	22.68	0.18	22.86	<=33.01	Pass
			74	22.34	0.18	22.52	<=33.01	Pass
		36	0	21.36	0.18	21.54	<=33.01	Pass
			18	21.46	0.18	21.64	<=33.01	Pass
			39	21.45	0.18	21.63	<=33.01	Pass
		75	0	21.52	0.18	21.70	<=33.01	Pass
	1882.5	1	0	22.49	0.18	22.67	<=33.01	Pass
			38	22.39	0.18	22.57	<=33.01	Pass
			74	22.17	0.18	22.35	<=33.01	Pass
		36	0	21.35	0.18	21.53	<=33.01	Pass
			18	21.17	0.18	21.35	<=33.01	Pass
			39	21.26	0.18	21.44	<=33.01	Pass
	75	0	21.16	0.18	21.34	<=33.01	Pass	
	1907.5	1	0	22.66	0.18	22.84	<=33.01	Pass
			38	22.61	0.18	22.79	<=33.01	Pass
			74	21.91	0.18	22.09	<=33.01	Pass
		36	0	21.46	0.18	21.64	<=33.01	Pass
			18	21.43	0.18	21.61	<=33.01	Pass
			39	21.62	0.18	21.80	<=33.01	Pass
	75	0	21.68	0.18	21.86	<=33.01	Pass	
64QAM	1857.5	1	0	22.27	0.18	22.45	<=33.01	Pass
			38	22.20	0.18	22.38	<=33.01	Pass
			74	21.71	0.18	21.89	<=33.01	Pass
		36	0	21.31	0.18	21.49	<=33.01	Pass
			18	21.34	0.18	21.52	<=33.01	Pass
			39	21.48	0.18	21.66	<=33.01	Pass
	75	0	21.49	0.18	21.67	<=33.01	Pass	
	1882.5	1	0	22.17	0.18	22.35	<=33.01	Pass
			38	21.91	0.18	22.09	<=33.01	Pass
			74	21.72	0.18	21.90	<=33.01	Pass
		36	0	21.34	0.18	21.52	<=33.01	Pass
			18	21.15	0.18	21.33	<=33.01	Pass
			39	21.25	0.18	21.43	<=33.01	Pass
	75	0	21.24	0.18	21.42	<=33.01	Pass	
	1907.5	1	0	22.36	0.18	22.54	<=33.01	Pass
			38	22.22	0.18	22.40	<=33.01	Pass
			74	21.58	0.18	21.76	<=33.01	Pass
		36	0	21.45	0.18	21.63	<=33.01	Pass
			18	21.37	0.18	21.55	<=33.01	Pass
			39	21.47	0.18	21.65	<=33.01	Pass
75	0	21.65	0.18	21.83	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.52	0.18	23.70	<=33.01	Pass
			50	23.35	0.18	23.53	<=33.01	Pass
			99	22.92	0.18	23.10	<=33.01	Pass
		50	0	22.45	0.18	22.63	<=33.01	Pass
			25	22.42	0.18	22.60	<=33.01	Pass
			50	22.30	0.18	22.48	<=33.01	Pass
		100	0	22.54	0.18	22.72	<=33.01	Pass
	1882.5	1	0	23.34	0.18	23.52	<=33.01	Pass
			50	23.43	0.18	23.61	<=33.01	Pass
			99	23.00	0.18	23.18	<=33.01	Pass
		50	0	22.29	0.18	22.47	<=33.01	Pass
			25	22.21	0.18	22.39	<=33.01	Pass
			50	22.20	0.18	22.38	<=33.01	Pass
		100	0	22.19	0.18	22.37	<=33.01	Pass

	1905	1	0	23.62	0.18	23.80	<=33.01	Pass		
			50	23.31	0.18	23.49	<=33.01	Pass		
			99	22.38	0.18	22.56	<=33.01	Pass		
		50	0	22.38	0.18	22.56	<=33.01	Pass		
			25	22.37	0.18	22.55	<=33.01	Pass		
			50	22.33	0.18	22.51	<=33.01	Pass		
		100	0	22.59	0.18	22.77	<=33.01	Pass		
		16QAM	1860	1	0	22.61	0.18	22.79	<=33.01	Pass
					50	22.15	0.18	22.33	<=33.01	Pass
99	21.73				0.18	21.91	<=33.01	Pass		
50	0			21.42	0.18	21.60	<=33.01	Pass		
	25			21.50	0.18	21.68	<=33.01	Pass		
	50			21.41	0.18	21.59	<=33.01	Pass		
100	0			21.43	0.18	21.61	<=33.01	Pass		
1882.5	1			0	22.54	0.18	22.72	<=33.01	Pass	
				50	22.33	0.18	22.51	<=33.01	Pass	
			99	22.05	0.18	22.23	<=33.01	Pass		
	50		0	21.35	0.18	21.53	<=33.01	Pass		
			25	21.28	0.18	21.46	<=33.01	Pass		
			50	21.17	0.18	21.35	<=33.01	Pass		
	100		0	21.26	0.18	21.44	<=33.01	Pass		
	1905		1	0	22.60	0.18	22.78	<=33.01	Pass	
				50	22.15	0.18	22.33	<=33.01	Pass	
99				21.19	0.18	21.37	<=33.01	Pass		
50			0	21.56	0.18	21.74	<=33.01	Pass		
			25	21.39	0.18	21.57	<=33.01	Pass		
			50	21.47	0.18	21.65	<=33.01	Pass		
100			0	21.48	0.18	21.66	<=33.01	Pass		
64QAM			1860	1	0	22.32	0.18	22.50	<=33.01	Pass
					50	22.43	0.18	22.61	<=33.01	Pass
	99				21.68	0.18	21.86	<=33.01	Pass	
	50			0	21.32	0.18	21.50	<=33.01	Pass	
				25	21.30	0.18	21.48	<=33.01	Pass	
				50	21.32	0.18	21.50	<=33.01	Pass	
	100			0	21.36	0.18	21.54	<=33.01	Pass	
	1882.5	1		0	22.22	0.18	22.40	<=33.01	Pass	
				50	21.94	0.18	22.12	<=33.01	Pass	
			99	21.39	0.18	21.57	<=33.01	Pass		
		50	0	21.32	0.18	21.50	<=33.01	Pass		
			25	21.24	0.18	21.42	<=33.01	Pass		
			50	21.14	0.18	21.32	<=33.01	Pass		
		100	0	21.15	0.18	21.33	<=33.01	Pass		
		1905	1	0	22.33	0.18	22.51	<=33.01	Pass	
				50	22.49	0.18	22.67	<=33.01	Pass	
	99			21.46	0.18	21.64	<=33.01	Pass		
	50		0	21.52	0.18	21.70	<=33.01	Pass		
			25	21.41	0.18	21.59	<=33.01	Pass		
			50	21.34	0.18	21.52	<=33.01	Pass		
	100		0	21.45	0.18	21.63	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	3.4	5.400	0.0029	-2.5 to 2.5	Pass

					3.8	0.100	0.0001	-2.5 to 2.5	Pass
					4.2	1.000	0.0005	-2.5 to 2.5	Pass
				-30	3.8	2.200	0.0012	-2.5 to 2.5	Pass
				-20	3.8	3.200	0.0017	-2.5 to 2.5	Pass
				-10	3.8	1.300	0.0007	-2.5 to 2.5	Pass
				0	3.8	1.000	0.0005	-2.5 to 2.5	Pass
				10	3.8	-0.400	-0.0002	-2.5 to 2.5	Pass
				30	3.8	1.400	0.0007	-2.5 to 2.5	Pass
				40	3.8	4.300	0.0023	-2.5 to 2.5	Pass
				50	3.8	2.300	0.0012	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.102	/	Pass
	16QAM	1882.5	6	0	1.100	/	Pass
	64QAM	1882.5	6	0	1.098	/	Pass
3	QPSK	1882.5	15	0	2.742	/	Pass
	16QAM	1882.5	15	0	2.734	/	Pass
	64QAM	1882.5	15	0	2.738	/	Pass
5	QPSK	1882.5	25	0	4.508	/	Pass
	16QAM	1882.5	25	0	4.506	/	Pass
	64QAM	1882.5	25	0	4.500	/	Pass
10	QPSK	1882.5	50	0	9.009	/	Pass
	16QAM	1882.5	50	0	8.995	/	Pass
	64QAM	1882.5	50	0	8.969	/	Pass
15	QPSK	1882.5	75	0	13.479	/	Pass
	16QAM	1882.5	75	0	13.521	/	Pass
	64QAM	1882.5	75	0	13.469	/	Pass
20	QPSK	1882.5	100	0	18.004	/	Pass
	16QAM	1882.5	100	0	17.981	/	Pass
	64QAM	1882.5	100	0	18.015	/	Pass


3.1.2 Band25_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.302	/	Pass
	16QAM	1882.5	6	0	1.306	/	Pass
	64QAM	1882.5	6	0	1.317	/	Pass
3	QPSK	1882.5	15	0	3.072	/	Pass
	16QAM	1882.5	15	0	3.066	/	Pass
	64QAM	1882.5	15	0	3.072	/	Pass
5	QPSK	1882.5	25	0	5.077	/	Pass
	16QAM	1882.5	25	0	5.020	/	Pass
	64QAM	1882.5	25	0	5.018	/	Pass
10	QPSK	1882.5	50	0	9.873	/	Pass
	16QAM	1882.5	50	0	9.713	/	Pass
	64QAM	1882.5	50	0	9.899	/	Pass
15	QPSK	1882.5	75	0	14.687	/	Pass
	16QAM	1882.5	75	0	14.730	/	Pass
	64QAM	1882.5	75	0	14.583	/	Pass
20	QPSK	1882.5	100	0	19.587	/	Pass


	16QAM	1882.5	100	0	19.684	/	Pass
	64QAM	1882.5	100	0	19.536	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV




3.2.2 Band25_XDB




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	5.36	<=13	Pass
16QAM	1882.5	100	0	6.04	<=13	Pass
64QAM	1882.5	100	0	6.00	<=13	Pass

4.2 Test Graph

4.2.1 B25_20MHz



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1914.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B25_1.4MHz



Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-27.58	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-26.71	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTN



Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTN




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.005	-26.34	-13	Pass
1916	1918	1	CHP	2	1916.500	-36.65	-13	Pass


Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.013	CHP	/	/	/	/	/
1915	1916	0.013	CHP	1	1915.015	-25.91	-13	Pass
1916	1918	1	CHP	2	1916.500	-24.28	-13	Pass


5.2.2 B25_3MHz

Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1847.945	-30.99	-13	Pass
1849	1850	0.003	/	2	1849.998	-24.86	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-16.33	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-23.86	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-24.58	-13	Pass
1916	1918	1	CHP	2	1916.500	-28.81	-13	Pass


Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.031	CHP	/	/	/	/	/
1915	1916	0.031	CHP	1	1915.006	-25.70	-13	Pass
1916	1918	1	CHP	2	1916.500	-16.84	-13	Pass


5.2.3 B25_5MHz

Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.435	-29.04	-13	Pass
1849	1850	0.003	/	2	1849.998	-31.32	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-16.64	-13	Pass
1849	1850	0.051	CHP	2	1849.990	-24.03	-13	Pass
1850	1855	0.051	CHP	/	/	/	/	/


Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.002	-31.39	-13	Pass
1916	1920	1	CHP	2	1916.500	-31.56	-13	Pass


Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.051	CHP	/	/	/	/	/
1915	1916	0.051	CHP	1	1915.010	-26.47	-13	Pass
1916	1920	1	CHP	2	1916.500	-18.54	-13	Pass


5.2.4 B25_10MHz

Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1846.291	-27.78	-13	Pass
1849	1850	0.003	/	2	1849.998	-42.73	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-16.24	-13	Pass
1849	1850	0.099	CHP	2	1849.962	-25.25	-13	Pass
1850	1860	0.099	CHP	/	/	/	/	/


Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.004	-45.53	-13	Pass
1916	1925	1	CHP	2	1916.501	-38.03	-13	Pass


Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.099	CHP	/	/	/	/	/
1915	1916	0.099	CHP	1	1915.008	-27.24	-13	Pass
1916	1925	1	CHP	2	1916.508	-18.62	-13	Pass


5.2.5 B25_15MHz

Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1844.264	-28.02	-13	Pass
1849	1850	0.003	/	2	1849.995	-41.48	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.470	-16.54	-13	Pass
1849	1850	0.147	CHP	2	1849.820	-24.51	-13	Pass
1850	1865	0.147	CHP	/	/	/	/	/


Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.006	-42.66	-13	Pass
1916	1930	1	CHP	2	1916.500	-38.21	-13	Pass


Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.147	CHP	/	/	/	/	/
1915	1916	0.147	CHP	1	1915.030	-27.40	-13	Pass
1916	1930	1	CHP	2	1916.500	-20.09	-13	Pass


5.2.6 B25_20MHz

Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1841.933	-28.84	-13	Pass
1849	1850	0.003	/	2	1849.993	-46.21	-13	Pass
1850	1870	0.003	/	/	/	/	/	/


Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-16.60	-13	Pass
1849	1850	0.196	CHP	2	1849.120	-23.29	-13	Pass
1850	1870	0.196	CHP	/	/	/	/	/


Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band25_20MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.005	-46.59	-13	Pass
1916	1935	1	CHP	2	1916.500	-38.43	-13	Pass

Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.196	CHP	/	/	/	/	/
1915	1916	0.196	CHP	1	1915.200	-26.48	-13	Pass
1916	1935	1	CHP	2	1916.520	-20.66	-13	Pass

---End of Attachment---