

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6575 GHz	3.6625 GHz	1.000 MHz	3.657850000 GHz	-41.63 dBm	-16.63 dB
2	2	3.6625 GHz	3.6815 GHz	1.000 MHz	3.681500000 GHz	-35.24 dBm	-22.24 dB
3	3	3.6815 GHz	3.6825 GHz	150.0 kHz	3.682350000 GHz	-39.30 dBm	-26.30 dB
4	4	3.6825 GHz	3.7025 GHz	1.000 MHz	3.685700000 GHz	20.73 dBm	-9.273 dB
5	5	3.7025 GHz	3.7035 GHz	150.0 kHz	3.702920000 GHz	-49.35 dBm	-36.35 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.706360000 GHz	-41.11 dBm	-28.11 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.715000000 GHz	-41.02 dBm	-16.02 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.723200000 GHz	-41.16 dBm	-1.156 dB

Band48_15MHz_QPSK_RB1_0_CH56665



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6575 GHz	3.6625 GHz	1.000 MHz	3.661650000 GHz	-41.76 dBm	-16.76 dB
2	2	3.6625 GHz	3.6815 GHz	1.000 MHz	3.680550000 GHz	-41.42 dBm	-28.42 dB
3	3	3.6815 GHz	3.6825 GHz	150.0 kHz	3.681620000 GHz	-49.53 dBm	-36.53 dB
4	4	3.6825 GHz	3.7025 GHz	1.000 MHz	3.699300000 GHz	20.78 dBm	-9.225 dB
5	5	3.7025 GHz	3.7035 GHz	150.0 kHz	3.702640000 GHz	-38.69 dBm	-25.69 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.703500000 GHz	-34.50 dBm	-21.50 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710600000 GHz	-40.87 dBm	-15.87 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.727000000 GHz	-40.89 dBm	-0.892 dB

Band48_15MHz_QPSK_RB1_74_CH56665

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6575 GHz	3.6625 GHz	1.000 MHz	3.662300000 GHz	-41.43 dBm	-16.43 dB
2	2	3.6625 GHz	3.6815 GHz	1.000 MHz	3.681310000 GHz	-35.87 dBm	-22.87 dB
3	3	3.6815 GHz	3.6825 GHz	150.0 kHz	3.682480000 GHz	-43.32 dBm	-30.32 dB
4	4	3.6825 GHz	3.7025 GHz	1.000 MHz	3.688100000 GHz	8.557 dBm	-21.44 dB
5	5	3.7025 GHz	3.7035 GHz	150.0 kHz	3.702970000 GHz	-42.93 dBm	-29.93 dB
6	6	3.7035 GHz	3.7100 GHz	1.000 MHz	3.703500000 GHz	-35.87 dBm	-22.87 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710000000 GHz	-38.71 dBm	-13.71 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.720600000 GHz	-40.67 dBm	-0.670 dB

Band48_15MHz_QPSK_RB75_0_CH56665

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.525200000 GHz	-44.86 dBm	-4.861 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.540000000 GHz	-44.33 dBm	-19.33 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.549000000 GHz	-24.28 dBm	-11.28 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.550000000 GHz	-28.82 dBm	-15.82 dB
5	5	3.5500 GHz	3.5700 GHz	1.000 MHz	3.551200000 GHz	21.56 dBm	-8.435 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570420000 GHz	-51.55 dBm	-38.55 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.579360000 GHz	-44.36 dBm	-31.36 dB
8	8	3.5900 GHz	3.5950 GHz	1.000 MHz	3.593950000 GHz	-44.80 dBm	-19.80 dB

Band48_20MHz_QPSK_RB1_0_CH55340

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.529050000 GHz	-45.22 dBm	-5.220 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539900000 GHz	-44.67 dBm	-19.67 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.541710000 GHz	-44.55 dBm	-31.55 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.549750000 GHz	-51.50 dBm	-38.50 dB
5	5	3.5500 GHz	3.5700 GHz	1.000 MHz	3.568800000 GHz	21.45 dBm	-8.549 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570900000 GHz	-28.25 dBm	-15.25 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-23.76 dBm	-10.76 dB
8	8	3.5900 GHz	3.5950 GHz	1.000 MHz	3.594550000 GHz	-44.43 dBm	-19.43 dB

Band48_20MHz_QPSK_RB1_99_CH55340

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5250 GHz	3.5300 GHz	1.000 MHz	3.529850000 GHz	-41.56 dBm	-1.561 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.540000000 GHz	-38.12 dBm	-13.12 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548910000 GHz	-33.52 dBm	-20.52 dB
4	4	3.5490 GHz	3.5500 GHz	200.0 kHz	3.550000000 GHz	-37.01 dBm	-24.01 dB
5	5	3.5500 GHz	3.5700 GHz	1.000 MHz	3.556000000 GHz	7.903 dBm	-22.10 dB
6	6	3.5700 GHz	3.5710 GHz	200.0 kHz	3.570050000 GHz	-36.68 dBm	-23.68 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-32.57 dBm	-19.57 dB
8	8	3.5900 GHz	3.5950 GHz	1.000 MHz	3.590000000 GHz	-41.56 dBm	-16.56 dB

Band48_20MHz_QPSK_RB100_0_CH55340

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48_20MHz_QPSK_RB1_0_CH55990

Band48_20MHz_QPSK_RB1_99_CH55990

Band48_20MHz_QPSK_RB100_0_CH55990

Band48_20MHz_QPSK_RB1_0_CH56640

Band48_20MHz_QPSK_RB1_99_CH56640

Band48_20MHz_QPSK_RB100_0_CH56640

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

NR

Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH637000



Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH637000



Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH637000



Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH641668



Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH641668



Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH641668

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH646332



Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_23_CH646332



Band48-Part96_10MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB24_0_CH646332



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH637000



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH637000

Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH637000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH641668



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH641668



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH641668



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH646332



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB1_23_CH646332



Band48-Part96_10MHz_CP_OFDM_SCS30kHz_QPSK_RB24_0_CH646332

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529900000 GHz	-47.66 dBm	-7.656 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.540000000 GHz	-45.91 dBm	-20.91 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548550000 GHz	-16.70 dBm	-3.704 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.550000000 GHz	-16.54 dBm	-3.544 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.550850000 GHz	18.60 dBm	-11.40 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570180000 GHz	-55.30 dBm	-42.30 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-45.71 dBm	-32.71 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.598800000 GHz	-47.70 dBm	-22.70 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH637168



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529400000 GHz	-48.12 dBm	-8.120 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539300000 GHz	-47.77 dBm	-22.77 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548820000 GHz	-46.77 dBm	-33.77 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549880000 GHz	-54.59 dBm	-41.59 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.564200000 GHz	18.54 dBm	-11.46 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570050000 GHz	-49.12 dBm	-36.12 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-41.84 dBm	-28.84 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.592900000 GHz	-47.33 dBm	-22.33 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH637168

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529900000 GHz	-47.45 dBm	-7.453 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538500000 GHz	-40.80 dBm	-15.80 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.549000000 GHz	-26.81 dBm	-13.81 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.550000000 GHz	-29.30 dBm	-16.30 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.552800000 GHz	3.943 dBm	-26.06 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570100000 GHz	-47.03 dBm	-34.03 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.572520000 GHz	-40.12 dBm	-27.12 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.598200000 GHz	-47.60 dBm	-22.60 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH637168

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.593920000 GHz	-47.32 dBm	-22.32 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.614020000 GHz	-31.35 dBm	-18.35 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614160000 GHz	-37.14 dBm	-24.14 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.618270000 GHz	18.38 dBm	-11.62 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635400000 GHz	-52.77 dBm	-39.77 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-43.12 dBm	-30.12 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.665020000 GHz	-44.93 dBm	-19.93 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.592620000 GHz	-47.71 dBm	-22.71 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.613260000 GHz	-44.99 dBm	-31.99 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614690000 GHz	-52.94 dBm	-39.94 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.631770000 GHz	18.19 dBm	-11.81 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635960000 GHz	-37.37 dBm	-24.37 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-29.34 dBm	-16.34 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.655420000 GHz	-44.69 dBm	-19.69 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.595020000 GHz	-47.33 dBm	-22.33 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.614020000 GHz	-34.87 dBm	-21.87 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614970000 GHz	-38.71 dBm	-25.71 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.625920000 GHz	3.926 dBm	-26.07 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635030000 GHz	-39.48 dBm	-26.48 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-35.97 dBm	-22.97 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.664120000 GHz	-44.83 dBm	-19.83 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH641668

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6500 GHz	3.6600 GHz	1.000 MHz	3.659300000 GHz	-44.83 dBm	-19.83 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.679000000 GHz	-42.28 dBm	-29.28 dB
3	3	3.6790 GHz	3.6800 GHz	100.0 kHz	3.679970000 GHz	-48.69 dBm	-35.69 dB
4	4	3.6800 GHz	3.7000 GHz	100.0 kHz	3.685800000 GHz	17.97 dBm	-12.03 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700080000 GHz	-52.16 dBm	-39.16 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701000000 GHz	-42.29 dBm	-29.29 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.713600000 GHz	-44.28 dBm	-19.28 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.723800000 GHz	-44.30 dBm	-4.304 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH646166

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6500 GHz	3.6600 GHz	1.000 MHz	3.657200000 GHz	-44.96 dBm	-19.96 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.677860000 GHz	-44.56 dBm	-31.56 dB
3	3	3.6790 GHz	3.6800 GHz	100.0 kHz	3.679470000 GHz	-52.58 dBm	-39.58 dB
4	4	3.6800 GHz	3.7000 GHz	100.0 kHz	3.699150000 GHz	17.70 dBm	-12.30 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700000000 GHz	-18.55 dBm	-5.552 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701000000 GHz	-15.02 dBm	-2.023 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710200000 GHz	-43.57 dBm	-18.57 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.723600000 GHz	-44.22 dBm	-4.223 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_37_CH646166

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6500 GHz	3.6600 GHz	1.000 MHz	3.659300000 GHz	-44.90 dBm	-19.90 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.679000000 GHz	-36.47 dBm	-23.47 dB
3	3	3.6790 GHz	3.6800 GHz	100.0 kHz	3.679490000 GHz	-43.56 dBm	-30.56 dB
4	4	3.6800 GHz	3.7000 GHz	100.0 kHz	3.697400000 GHz	3.102 dBm	-26.90 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700110000 GHz	-33.06 dBm	-20.06 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701000000 GHz	-27.31 dBm	-14.31 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710000000 GHz	-41.77 dBm	-16.77 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.721300000 GHz	-44.28 dBm	-4.277 dB

Band48-Part96_15MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB36_0_CH646166



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.530000000 GHz	-47.91 dBm	-7.909 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539700000 GHz	-46.68 dBm	-21.68 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548550000 GHz	-19.37 dBm	-6.369 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549990000 GHz	-22.03 dBm	-9.030 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.550850000 GHz	15.82 dBm	-14.18 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570060000 GHz	-55.60 dBm	-42.60 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-45.77 dBm	-32.77 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.598000000 GHz	-47.80 dBm	-22.80 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH637168



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528600000 GHz	-48.20 dBm	-8.204 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.540000000 GHz	-47.91 dBm	-22.91 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548730000 GHz	-47.36 dBm	-34.36 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549860000 GHz	-54.77 dBm	-41.77 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.564150000 GHz	15.77 dBm	-14.23 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570020000 GHz	-51.34 dBm	-38.34 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-43.56 dBm	-30.56 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.596900000 GHz	-47.62 dBm	-22.62 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH637168



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529600000 GHz	-47.44 dBm	-7.438 dB
2	2	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539900000 GHz	-41.61 dBm	-16.61 dB
3	3	3.5400 GHz	3.5490 GHz	1.000 MHz	3.549000000 GHz	-27.40 dBm	-14.40 dB
4	4	3.5490 GHz	3.5500 GHz	100.0 kHz	3.550000000 GHz	-29.02 dBm	-16.02 dB
5	5	3.5500 GHz	3.5700 GHz	100.0 kHz	3.551200000 GHz	0.634 dBm	-29.37 dB
6	6	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570280000 GHz	-47.85 dBm	-34.85 dB
7	7	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571000000 GHz	-39.18 dBm	-26.18 dB
8	8	3.5900 GHz	3.6000 GHz	1.000 MHz	3.593700000 GHz	-47.69 dBm	-22.69 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH637168

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.592620000 GHz	-47.57 dBm	-22.57 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.614020000 GHz	-33.84 dBm	-20.84 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614970000 GHz	-39.86 dBm	-26.86 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.618320000 GHz	15.83 dBm	-14.17 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635990000 GHz	-52.98 dBm	-39.98 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-43.23 dBm	-30.23 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.664820000 GHz	-44.91 dBm	-19.91 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.594520000 GHz	-47.76 dBm	-22.76 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.614020000 GHz	-45.20 dBm	-32.20 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614390000 GHz	-53.05 dBm	-40.05 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.631670000 GHz	15.58 dBm	-14.42 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635690000 GHz	-39.55 dBm	-26.55 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-31.93 dBm	-18.93 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.664320000 GHz	-44.85 dBm	-19.85 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.595020000 GHz	-47.57 dBm	-22.57 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.614020000 GHz	-37.93 dBm	-24.93 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614970000 GHz	-43.00 dBm	-30.00 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.621070000 GHz	0.225 dBm	-29.78 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635260000 GHz	-43.77 dBm	-30.77 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-36.60 dBm	-23.60 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.664820000 GHz	-44.89 dBm	-19.89 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH641668

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6500 GHz	3.6600 GHz	1.000 MHz	3.659500000 GHz	-44.84 dBm	-19.84 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.679000000 GHz	-43.09 dBm	-30.09 dB
3	3	3.6790 GHz	3.6800 GHz	100.0 kHz	3.679970000 GHz	-50.16 dBm	-37.16 dB
4	4	3.6800 GHz	3.7000 GHz	100.0 kHz	3.685800000 GHz	15.20 dBm	-14.80 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700130000 GHz	-52.22 dBm	-39.22 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701000000 GHz	-42.59 dBm	-29.59 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.717800000 GHz	-44.42 dBm	-19.42 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.725300000 GHz	-44.40 dBm	-4.401 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH646166



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6500 GHz	3.6600 GHz	1.000 MHz	3.659000000 GHz	-45.01 dBm	-20.01 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.677860000 GHz	-44.68 dBm	-31.68 dB
3	3	3.6790 GHz	3.6800 GHz	100.0 kHz	3.679420000 GHz	-52.72 dBm	-39.72 dB
4	4	3.6800 GHz	3.7000 GHz	100.0 kHz	3.699200000 GHz	15.39 dBm	-14.61 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700000000 GHz	-23.60 dBm	-10.60 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701000000 GHz	-17.44 dBm	-4.437 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710200000 GHz	-43.70 dBm	-18.70 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.728700000 GHz	-44.24 dBm	-4.236 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB1_37_CH646166



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.6500 GHz	3.6600 GHz	1.000 MHz	3.656100000 GHz	-45.01 dBm	-20.01 dB
2	2	3.6600 GHz	3.6790 GHz	1.000 MHz	3.679000000 GHz	-39.32 dBm	-26.32 dB
3	3	3.6790 GHz	3.6800 GHz	100.0 kHz	3.679990000 GHz	-45.78 dBm	-32.78 dB
4	4	3.6800 GHz	3.7000 GHz	100.0 kHz	3.687550000 GHz	0.300 dBm	-29.70 dB
5	5	3.7000 GHz	3.7010 GHz	100.0 kHz	3.700010000 GHz	-30.43 dBm	-17.43 dB
6	6	3.7010 GHz	3.7100 GHz	1.000 MHz	3.701000000 GHz	-26.31 dBm	-13.31 dB
7	7	3.7100 GHz	3.7200 GHz	1.000 MHz	3.710200000 GHz	-42.54 dBm	-17.54 dB
8	8	3.7200 GHz	3.7300 GHz	1.000 MHz	3.722200000 GHz	-44.27 dBm	-4.274 dB

Band48-Part96_15MHz_CP_OFDM_SCS30kHz_QPSK_RB38_0_CH646166

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.528401600 GHz	-47.76 dBm	-7.756 dB
2	2	3.5300 GHz	3.5300 GHz	1.000 MHz	3.530002800 GHz	-47.62 dBm	-22.62 dB
3	3	3.5300 GHz	3.5400 GHz	1.000 MHz	3.539500500 GHz	-45.78 dBm	-20.78 dB
4	4	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548649600 GHz	-16.62 dBm	-3.621 dB
5	5	3.5490 GHz	3.5500 GHz	100.0 kHz	3.550000000 GHz	-19.56 dBm	-6.563 dB
6	6	3.5500 GHz	3.5700 GHz	100.0 kHz	3.551110000 GHz	20.33 dBm	-9.672 dB
7	7	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570550000 GHz	-54.18 dBm	-41.18 dB
8	8	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571010000 GHz	-44.58 dBm	-31.58 dB
9	9	3.5900 GHz	3.6000 GHz	1.000 MHz	3.599310000 GHz	-45.70 dBm	-20.70 dB

Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH637334

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.530000000 GHz	-48.21 dBm	-8.205 dB
2	2	3.5300 GHz	3.5300 GHz	1.000 MHz	3.530000400 GHz	-48.14 dBm	-23.14 dB
3	3	3.5300 GHz	3.5400 GHz	1.000 MHz	3.538901100 GHz	-47.88 dBm	-22.88 dB
4	4	3.5400 GHz	3.5490 GHz	1.000 MHz	3.548199100 GHz	-47.34 dBm	-34.34 dB
5	5	3.5490 GHz	3.5500 GHz	100.0 kHz	3.549480000 GHz	-54.04 dBm	-41.04 dB
6	6	3.5500 GHz	3.5700 GHz	100.0 kHz	3.568960000 GHz	19.60 dBm	-10.40 dB
7	7	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570010000 GHz	-19.03 dBm	-6.034 dB
8	8	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571010000 GHz	-13.80 dBm	-0.799 dB
9	9	3.5900 GHz	3.6000 GHz	1.000 MHz	3.590010000 GHz	-45.51 dBm	-20.51 dB

Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH637334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5200 GHz	3.5300 GHz	1.000 MHz	3.529800200 GHz	-44.97 dBm	-4.972 dB
2	2	3.5300 GHz	3.5300 GHz	1.000 MHz	3.530001700 GHz	-44.77 dBm	-19.77 dB
3	3	3.5300 GHz	3.5400 GHz	1.000 MHz	3.536803200 GHz	-41.29 dBm	-16.29 dB
4	4	3.5400 GHz	3.5490 GHz	1.000 MHz	3.549010000 GHz	-26.09 dBm	-13.09 dB
5	5	3.5490 GHz	3.5500 GHz	100.0 kHz	3.550000000 GHz	-27.09 dBm	-14.09 dB
6	6	3.5500 GHz	3.5700 GHz	100.0 kHz	3.566010000 GHz	3.791 dBm	-26.21 dB
7	7	3.5700 GHz	3.5710 GHz	100.0 kHz	3.570010000 GHz	-30.19 dBm	-17.19 dB
8	8	3.5710 GHz	3.5900 GHz	1.000 MHz	3.571010000 GHz	-24.12 dBm	-11.12 dB
9	9	3.5900 GHz	3.6000 GHz	1.000 MHz	3.590110000 GHz	-44.52 dBm	-19.52 dB

Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH637334



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.594420000 GHz	-47.15 dBm	-22.15 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.613830000 GHz	-15.67 dBm	-2.673 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.615020000 GHz	-19.92 dBm	-6.919 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.616120000 GHz	19.52 dBm	-10.48 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635500000 GHz	-51.67 dBm	-38.67 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-42.15 dBm	-29.15 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.663720000 GHz	-45.02 dBm	-20.02 dB

Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.586720000 GHz	-50.33 dBm	-25.33 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.595590000 GHz	-47.36 dBm	-34.36 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.614050000 GHz	-52.81 dBm	-39.81 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.634070000 GHz	19.18 dBm	-10.82 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635020000 GHz	-21.16 dBm	-8.165 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-13.89 dBm	-0.888 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.664720000 GHz	-48.29 dBm	-23.29 dB

Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH641668



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	ΔLimit
1	1	3.5850 GHz	3.5950 GHz	1.000 MHz	3.591820000 GHz	-46.85 dBm	-21.85 dB
2	2	3.5950 GHz	3.6140 GHz	1.000 MHz	3.614020000 GHz	-27.81 dBm	-14.81 dB
3	3	3.6140 GHz	3.6150 GHz	100.0 kHz	3.615010000 GHz	-28.92 dBm	-15.92 dB
4	4	3.6150 GHz	3.6350 GHz	100.0 kHz	3.628420000 GHz	3.555 dBm	-26.44 dB
5	5	3.6350 GHz	3.6360 GHz	100.0 kHz	3.635380000 GHz	-33.60 dBm	-20.60 dB
6	6	3.6360 GHz	3.6550 GHz	1.000 MHz	3.636020000 GHz	-26.79 dBm	-13.79 dB
7	7	3.6550 GHz	3.6650 GHz	1.000 MHz	3.655620000 GHz	-44.78 dBm	-19.78 dB

Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH641668

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH646000



Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH646000



Band48-Part96_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH646000



Band48-Part96_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH637334



Band48-Part96_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH637334



Band48-Part96_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH637334

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.