

Spurious Emission at Antenna Terminals

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 13	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 14	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 25	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass


Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 71	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.2	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	998.399	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.02	-13	40.02	Pass	841
1840	1920	1	RMS	1850.2	21.94	60	38.06	Pass	401
1920	3000	1	RMS	3000	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11995	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.2	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	857.005	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.14	-13	40.14	Pass	841
1840	1920	1	RMS	1850.2	21.03	60	38.97	Pass	401
1920	3000	1	RMS	2994	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	994.897	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1839	-53.84	-13	40.84	Pass	841
1840	1920	1	RMS	1879.4	22.31	60	37.69	Pass	401
1920	3000	1	RMS	2993	-51.44	-13	38.44	Pass	1081
3000	12000	1	RMS	11993	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.18	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	844.8	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1839	-53.87	-13	40.87	Pass	841
1840	1920	1	RMS	1879.4	21.44	60	38.56	Pass	401
1920	3000	1	RMS	2978	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11989	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13598	-39.77	-13	26.77	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	992.795	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1832	-53.8	-13	40.8	Pass	841
1840	1920	1	RMS	1908.8	22.14	60	37.86	Pass	401
1920	3000	1	RMS	2991	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11995	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	844.8	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1828	-53.81	-13	40.81	Pass	841
1840	1920	1	RMS	1908.8	21.24	60	38.76	Pass	401
1920	3000	1	RMS	2996	-51.46	-13	38.46	Pass	1081
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13603	-39.82	-13	26.82	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	826.1	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.2	-13	40.2	Pass	841
1840	1920	1	RMS	1850.2	21.37	60	38.63	Pass	401
1920	3000	1	RMS	2985	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.2	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	944.363	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.29	-13	40.29	Pass	841
1840	1920	1	RMS	1850.2	20.49	60	39.51	Pass	401
1920	3000	1	RMS	2985	-51.45	-13	38.45	Pass	1081
3000	12000	1	RMS	11989	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.88	-13	26.88	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	939.46	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1838	-53.8	-13	40.8	Pass	841
1840	1920	1	RMS	1878.6	21.99	60	38.01	Pass	401
1920	3000	1	RMS	2992	-51.44	-13	38.44	Pass	1081
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	956.271	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1835	-53.78	-13	40.78	Pass	841
1840	1920	1	RMS	1878.6	21.23	60	38.77	Pass	401
1920	3000	1	RMS	2992	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11993	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13606	-39.84	-13	26.84	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	985.09	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1830	-53.8	-13	40.8	Pass	841
1840	1920	1	RMS	1907.2	21.84	60	38.16	Pass	401
1920	3000	1	RMS	3000	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13597	-39.86	-13	26.86	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.22	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	972.182	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1836	-53.78	-13	40.78	Pass	841
1840	1920	1	RMS	1907.2	20.87	60	39.13	Pass	401
1920	3000	1	RMS	2843	-51.44	-13	38.44	Pass	1081
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13606	-39.85	-13	26.85	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	861.508	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.23	-13	40.23	Pass	841
1840	1920	1	RMS	1850.2	21.8	60	38.2	Pass	401
1920	3000	1	RMS	2996	-51.44	-13	38.44	Pass	1081
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	861.408	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.34	-13	40.34	Pass	841
1840	1920	1	RMS	1850.2	20.91	60	39.09	Pass	401
1920	3000	1	RMS	2985	-51.46	-13	38.46	Pass	1081
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13607	-39.77	-13	26.77	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.17	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	870.214	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1840	-53.77	-13	40.77	Pass	841
1840	1920	1	RMS	1877.8	22.59	60	37.41	Pass	401
1920	3000	1	RMS	2931	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	11990	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	851.902	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1839	-53.76	-13	40.76	Pass	841
1840	1920	1	RMS	1877.8	21.77	60	38.23	Pass	401
1920	3000	1	RMS	2992	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11994	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	837.2	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1828	-53.76	-13	40.76	Pass	841
1840	1920	1	RMS	1905.2	22.59	60	37.41	Pass	401
1920	3000	1	RMS	2998	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13608	-39.77	-13	26.77	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	987.792	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1840	-53.77	-13	40.77	Pass	841
1840	1920	1	RMS	1905.2	21.76	60	38.24	Pass	401
1920	3000	1	RMS	2841	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11994	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	831.4	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1833	-47.12	-13	34.12	Pass	841
1840	1920	1	RMS	1850.4	21.78	60	38.22	Pass	401
1920	3000	1	RMS	2989	-51.34	-13	38.34	Pass	1081
3000	12000	1	RMS	11995	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	853.603	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1833	-48.29	-13	35.29	Pass	841
1840	1920	1	RMS	1850.4	20.92	60	39.08	Pass	401
1920	3000	1	RMS	2994	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	995.097	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1838	-53.76	-13	40.76	Pass	841
1840	1920	1	RMS	1875.4	22.8	60	37.2	Pass	401
1920	3000	1	RMS	2996	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	827.3	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1838	-53.8	-13	40.8	Pass	841
1840	1920	1	RMS	1875.4	22	60	38	Pass	401
1920	3000	1	RMS	2985	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	842.5	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1824	-53.75	-13	40.75	Pass	841
1840	1920	1	RMS	1900.4	23.38	60	36.62	Pass	401
1920	3000	1	RMS	2980	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	3801	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	826.4	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1831	-53.78	-13	40.78	Pass	841
1840	1920	1	RMS	1900.6	22.5	60	37.5	Pass	401
1920	3000	1	RMS	2991	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	11984	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13602	-39.82	-13	26.82	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	879.42	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1838	-44.11	-13	31.11	Pass	841
1840	1920	1	RMS	1850.8	22.2	60	37.8	Pass	401
1920	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13605	-39.78	-13	26.78	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	961.575	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1838	-45.13	-13	32.13	Pass	841
1840	1920	1	RMS	1850.8	21.26	60	38.74	Pass	401
1920	3000	1	RMS	2928	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	850.901	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1834	-53.63	-13	40.63	Pass	841
1840	1920	1	RMS	1873.2	23.38	60	36.62	Pass	401
1920	3000	1	RMS	2973	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13604	-39.77	-13	26.77	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	846.7	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1833	-52.82	-13	39.82	Pass	841
1840	1920	1	RMS	1873.2	22.28	60	37.72	Pass	401
1920	3000	1	RMS	2981	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	866.111	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1837	-53.73	-13	40.73	Pass	841
1840	1920	1	RMS	1895.8	23.35	60	36.65	Pass	401
1920	3000	1	RMS	1922	-36.68	-13	23.68	Pass	1081
3000	12000	1	RMS	11998	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13604	-39.8	-13	26.8	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	843.4	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1829	-53.74	-13	40.74	Pass	841
1840	1920	1	RMS	1895.8	22.42	60	37.58	Pass	401
1920	3000	1	RMS	1922	-36.36	-13	23.36	Pass	1081
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13606	-39.72	-13	26.72	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	955.571	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-45.61	-13	32.61	Pass	841
1840	1920	1	RMS	1851	22.29	60	37.71	Pass	401
1920	3000	1	RMS	2978	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	11984	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	976.885	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1831	-45.2	-13	32.2	Pass	841
1840	1920	1	RMS	1851	22.11	60	37.89	Pass	401
1920	3000	1	RMS	3000	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11990	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	863.81	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.74	-13	40.74	Pass	841
1840	1920	1	RMS	1871	24.03	60	35.97	Pass	401
1920	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	842.1	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1840	-53.72	-13	40.72	Pass	841
1840	1920	1	RMS	1871	23.59	60	36.41	Pass	401
1920	3000	1	RMS	2937	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	11999	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	849.1	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1838	-53.75	-13	40.75	Pass	841
1840	1920	1	RMS	1891	23.65	60	36.35	Pass	401
1920	3000	1	RMS	3000	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	11994	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	851.902	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1837	-53.76	-13	40.76	Pass	841
1840	1920	1	RMS	1891	22.86	60	37.14	Pass	401
1920	3000	1	RMS	2990	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13604	-39.78	-13	26.78	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.39	-72.83	-13	59.83	Pass	2986
30	1000	0.1	RMS	850.101	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-53.27	-13	40.27	Pass	701
1700	1765	1	RMS	1710.238	21.78	60	38.22	Pass	401
1765	3000	1	RMS	3000	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	831.4	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-53.49	-13	40.49	Pass	701
1700	1765	1	RMS	1710.238	20.77	60	39.23	Pass	401
1765	3000	1	RMS	2987	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	12000	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	986.791	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1676	-54	-13	41	Pass	701
1700	1765	1	RMS	1732.013	21.74	60	38.26	Pass	401
1765	3000	1	RMS	2994	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13603	-39.83	-13	26.83	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.19	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	928.653	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1678	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1732.013	20.77	60	39.23	Pass	401
1765	3000	1	RMS	2985	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13604	-39.86	-13	26.86	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.36	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	851.802	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1680	-54	-13	41	Pass	701
1700	1765	1	RMS	1753.788	21.74	60	38.26	Pass	401
1765	3000	1	RMS	2990	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	12000	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	992.195	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1678	-54	-13	41	Pass	701
1700	1765	1	RMS	1753.788	20.79	60	39.21	Pass	401
1765	3000	1	RMS	2985	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	12000	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	919.447	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1700	-53.44	-13	40.44	Pass	701
1700	1765	1	RMS	1710.238	21.29	60	38.71	Pass	401
1765	3000	1	RMS	2993	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	843.3	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-53.6	-13	40.6	Pass	701
1700	1765	1	RMS	1710.238	20.27	60	39.73	Pass	401
1765	3000	1	RMS	2980	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11993	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.85	-13	26.85	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	841.8	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1668	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1731.2	21.33	60	38.67	Pass	401
1765	3000	1	RMS	2998	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11999	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13598	-39.81	-13	26.81	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-13	59.85	Pass	2986
30	1000	0.1	RMS	834.9	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1672	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1731.2	20.39	60	39.61	Pass	401
1765	3000	1	RMS	2990	-51.5	-13	38.5	Pass	1236
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13605	-39.84	-13	26.84	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	862.709	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1677	-54	-13	41	Pass	701
1700	1765	1	RMS	1752.163	21.36	60	38.64	Pass	401
1765	3000	1	RMS	2988	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-39.78	-13	26.78	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.56	-13	60.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	974.783	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1682	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1752.163	20.49	60	39.51	Pass	401
1765	3000	1	RMS	2983	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	840.8	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-53.26	-13	40.26	Pass	701
1700	1765	1	RMS	1710.238	21.87	60	38.13	Pass	401
1765	3000	1	RMS	3000	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11986	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13605	-39.87	-13	26.87	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	837.1	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.47	-13	40.47	Pass	701
1700	1765	1	RMS	1710.238	20.93	60	39.07	Pass	401
1765	3000	1	RMS	3000	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11991	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13599	-39.86	-13	26.86	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	926.251	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1679	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1730.225	21.9	60	38.1	Pass	401
1765	3000	1	RMS	2982	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.24	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	955.27	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1680	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1730.225	21.06	60	38.94	Pass	401
1765	3000	1	RMS	2989	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11993	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13602	-39.82	-13	26.82	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	849.5	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1684	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1750.213	21.96	60	38.04	Pass	401
1765	3000	1	RMS	2984	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	858.706	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1750.213	21.03	60	38.97	Pass	401
1765	3000	1	RMS	2980	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	12000	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	960.174	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1693	-45.2	-13	32.2	Pass	701
1700	1765	1	RMS	1710.563	22.04	60	37.96	Pass	401
1765	3000	1	RMS	2985	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11995	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13599	-39.86	-13	26.86	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	837.3	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1693	-46.09	-13	33.09	Pass	701
1700	1765	1	RMS	1710.563	20.93	60	39.07	Pass	401
1765	3000	1	RMS	2984	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11995	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	844.5	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1673	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1727.95	21.88	60	38.12	Pass	401
1765	3000	1	RMS	2996	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11995	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13604	-39.86	-13	26.86	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	847.1	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1677	-53.99	-13	40.99	Pass	701
1700	1765	1	RMS	1727.95	20.99	60	39.01	Pass	401
1765	3000	1	RMS	2980	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11993	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13607	-39.86	-13	26.86	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	995.197	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1678	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1745.5	22.02	60	37.98	Pass	401
1765	3000	1	RMS	1765	-51.31	-13	38.31	Pass	1236
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	841.9	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1678	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1745.5	21.23	60	38.77	Pass	401
1765	3000	1	RMS	2992	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11999	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13599	-39.81	-13	26.81	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	850.101	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1698	-43.76	-13	30.76	Pass	701
1700	1765	1	RMS	1710.725	21.71	60	38.29	Pass	401
1765	3000	1	RMS	1765	-50.26	-13	37.26	Pass	1236
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.24	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	933.456	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1684	-44.4	-13	31.4	Pass	701
1700	1765	1	RMS	1710.725	20.2	60	39.8	Pass	401
1765	3000	1	RMS	1765	-46.99	-13	33.99	Pass	1236
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	834.9	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1699	-36.77	-13	23.77	Pass	701
1700	1765	1	RMS	1725.838	21.27	60	38.73	Pass	401
1765	3000	1	RMS	1779	-43.7	-13	30.7	Pass	1236
3000	12000	1	RMS	11995	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13598	-39.84	-13	26.84	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.18	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	855.004	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1699	-38.17	-13	25.17	Pass	701
1700	1765	1	RMS	1725.838	20.46	60	39.54	Pass	401
1765	3000	1	RMS	1779	-44.91	-13	31.91	Pass	1236
3000	12000	1	RMS	11992	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	905.537	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1688	-52.68	-13	39.68	Pass	701
1700	1765	1	RMS	1740.788	21.72	60	38.28	Pass	401
1765	3000	1	RMS	1767	-32.52	-13	19.52	Pass	1236
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13599	-39.73	-13	26.73	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.19	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	985.691	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1688	-53.1	-13	40.1	Pass	701
1700	1765	1	RMS	1740.788	20.94	60	39.06	Pass	401
1765	3000	1	RMS	1767	-33.09	-13	20.09	Pass	1236
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	948.266	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1693	-39.93	-13	26.93	Pass	701
1700	1765	1	RMS	1711.05	21.95	60	38.05	Pass	401
1765	3000	1	RMS	1782	-48.03	-13	35.03	Pass	1236
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13604	-39.87	-13	26.87	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	980.687	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1693	-43.91	-13	30.91	Pass	701
1700	1765	1	RMS	1711.05	20.87	60	39.13	Pass	401
1765	3000	1	RMS	1782	-38.85	-13	25.85	Pass	1236
3000	12000	1	RMS	11998	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	849.3	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1688	-45.35	-13	32.35	Pass	701
1700	1765	1	RMS	1723.563	21.82	60	38.18	Pass	401
1765	3000	1	RMS	1795	-43.31	-13	30.31	Pass	1236
3000	12000	1	RMS	11999	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13602	-39.82	-13	26.82	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	831.9	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1688	-46.74	-13	33.74	Pass	701
1700	1765	1	RMS	1723.563	20.91	60	39.09	Pass	401
1765	3000	1	RMS	1795	-44.56	-13	31.56	Pass	1236
3000	12000	1	RMS	11996	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.88	-13	26.88	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	857.706	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-43.34	-13	30.34	Pass	701
1700	1765	1	RMS	1736.075	21.93	60	38.07	Pass	401
1765	3000	1	RMS	1772	-26.68	-13	13.68	Pass	1236
3000	12000	1	RMS	11995	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13607	-39.84	-13	26.84	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	995.297	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-41.12	-13	28.12	Pass	701
1700	1765	1	RMS	1736.075	20.95	60	39.05	Pass	401
1765	3000	1	RMS	1772	-25.41	-13	12.41	Pass	1236
3000	12000	1	RMS	11996	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13603	-39.83	-13	26.83	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	814	0.1	RMS	813.5	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	824.2	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	916.1	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-49.56	-13	36.56	Pass	2001
3000	10000	1	RMS	6796	-45.64	-13	32.64	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.23	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	813.5	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	824.3	17.89	60	42.11	Pass	461
860	1000	0.1	RMS	974.6	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1648	-50.26	-13	37.26	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	811.5	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	836	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	990.1	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	2508	-49.81	-13	36.81	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	810	-65.77	-13	52.77	Pass	7841
814	860	0.1	RMS	836	18	60	42	Pass	461
860	1000	0.1	RMS	985.3	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	2508	-50.38	-13	37.38	Pass	2001
3000	10000	1	RMS	6802	-45.74	-13	32.74	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	806.2	-65.68	-13	52.68	Pass	7841
814	860	0.1	RMS	847.9	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	860.2	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1695	-44.23	-13	31.23	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.18	-72.93	-13	59.93	Pass	2986
30	814	0.1	RMS	789.3	-65.81	-13	52.81	Pass	7841
814	860	0.1	RMS	847.9	18.18	60	41.82	Pass	461
860	1000	0.1	RMS	867.7	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1695	-45.05	-13	32.05	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	814	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	824.2	18.83	60	41.17	Pass	461
860	1000	0.1	RMS	864	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1648	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	814	0.1	RMS	813.5	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	824.2	17.86	60	42.14	Pass	461
860	1000	0.1	RMS	959.5	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1648	-50.49	-13	37.49	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	799.2	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	835.2	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	911.1	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1670	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6801	-45.72	-13	32.72	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	786.7	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	835.2	18.03	60	41.97	Pass	461
860	1000	0.1	RMS	977.5	-65.51	-13	52.51	Pass	1401
1000	3000	1	RMS	1670	-49.16	-13	36.16	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	813.9	-65.85	-13	52.85	Pass	7841
814	860	0.1	RMS	846.2	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	981.3	-65.54	-13	52.54	Pass	1401
1000	3000	1	RMS	1692	-45.34	-13	32.34	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	814	0.1	RMS	807.7	-65.89	-13	52.89	Pass	7841
814	860	0.1	RMS	846.2	17.82	60	42.18	Pass	461
860	1000	0.1	RMS	971.7	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1692	-46.15	-13	33.15	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	813.6	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	824.3	19.21	60	40.79	Pass	461
860	1000	0.1	RMS	929.9	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1648	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6797	-45.69	-13	32.69	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	814	0.1	RMS	813.7	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	824.3	18.23	60	41.77	Pass	461
860	1000	0.1	RMS	995.1	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1648	-50.11	-13	37.11	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.19	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.7	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	834.3	19.35	60	40.65	Pass	461
860	1000	0.1	RMS	960	-65.54	-13	52.54	Pass	1401
1000	3000	1	RMS	1668	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	6802	-45.78	-13	32.78	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.4	-65.78	-13	52.78	Pass	7841
814	860	0.1	RMS	834.3	18.45	60	41.55	Pass	461
860	1000	0.1	RMS	881.8	-65.51	-13	52.51	Pass	1401
1000	3000	1	RMS	1668	-48.1	-13	35.1	Pass	2001
3000	10000	1	RMS	6801	-45.72	-13	32.72	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.7	-65.82	-13	52.82	Pass	7841
814	860	0.1	RMS	844.3	19.14	60	40.86	Pass	461
860	1000	0.1	RMS	983.3	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1688	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	800.6	-65.91	-13	52.91	Pass	7841
814	860	0.1	RMS	844.3	18.28	60	41.72	Pass	461
860	1000	0.1	RMS	949.9	-65.56	-13	52.56	Pass	1401
1000	3000	1	RMS	1688	-47.87	-13	34.87	Pass	2001
3000	10000	1	RMS	6803	-45.8	-13	32.8	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.18	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	813.9	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	824.6	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	999.1	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1649	-49.38	-13	36.38	Pass	2001
3000	10000	1	RMS	6801	-45.75	-13	32.75	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	809.7	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	824.6	18.66	60	41.34	Pass	461
860	1000	0.1	RMS	973.4	-65.52	-13	52.52	Pass	1401
1000	3000	1	RMS	1649	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	6802	-45.73	-13	32.73	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	811.8	-65.8	-13	52.8	Pass	7841
814	860	0.1	RMS	832.1	19.7	60	40.3	Pass	461
860	1000	0.1	RMS	980.3	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1664	-46.38	-13	33.38	Pass	2001
3000	10000	1	RMS	6798	-45.7	-13	32.7	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	797.3	-65.97	-13	52.97	Pass	7841
814	860	0.1	RMS	832.1	18.8	60	41.2	Pass	461
860	1000	0.1	RMS	963.4	-65.64	-13	52.64	Pass	1401
1000	3000	1	RMS	1664	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	6800	-45.76	-13	32.76	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	811.9	-65.83	-13	52.83	Pass	7841
814	860	0.1	RMS	839.6	19.61	60	40.39	Pass	461
860	1000	0.1	RMS	937.5	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	2518	-49.64	-13	36.64	Pass	2001
3000	10000	1	RMS	6801	-45.74	-13	32.74	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	809.1	-65.8	-13	52.8	Pass	7841
814	860	0.1	RMS	839.6	18.67	60	41.33	Pass	461
860	1000	0.1	RMS	978.4	-65.63	-13	52.63	Pass	1401
1000	3000	1	RMS	2518	-50.25	-13	37.25	Pass	2001
3000	10000	1	RMS	6799	-45.69	-13	32.69	Pass	7001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	58.35	Pass	2986
30	689	0.1	RMS	688.6	-65.92	-13	52.92	Pass	6591
689	726	0.1	RMS	699.268	19.66	60	40.34	Pass	401
726	1000	0.1	RMS	972	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1398	-49.12	-13	36.12	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.19	-72.52	-13	59.52	Pass	2986
30	689	0.1	RMS	688.6	-65.78	-13	52.78	Pass	6591
689	726	0.1	RMS	699.268	18.76	60	41.24	Pass	401
726	1000	0.1	RMS	836.1	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1398	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	689	0.1	RMS	494.3	-66.09	-13	53.09	Pass	6591
689	726	0.1	RMS	707.038	19.73	60	40.27	Pass	401
726	1000	0.1	RMS	872.1	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1414	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	689	0.1	RMS	491.2	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	707.038	18.63	60	41.37	Pass	401
726	1000	0.1	RMS	974.5	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1414	-49.45	-13	36.45	Pass	2001
3000	10000	1	RMS	6803	-45.58	-13	32.58	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.37	-72.96	-13	59.96	Pass	2986
30	689	0.1	RMS	484.2	-66.18	-13	53.18	Pass	6591
689	726	0.1	RMS	714.808	19.35	60	40.65	Pass	401
726	1000	0.1	RMS	837	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1429	-50.65	-13	37.65	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.21	-72.37	-13	59.37	Pass	2986
30	689	0.1	RMS	516.6	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	714.808	18.44	60	41.56	Pass	401
726	1000	0.1	RMS	899.6	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1429	-51.13	-13	38.13	Pass	2001
3000	10000	1	RMS	6802	-45.53	-13	32.53	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	689	0.1	RMS	688.5	-65.73	-13	52.73	Pass	6591
689	726	0.1	RMS	699.268	19.12	60	40.88	Pass	401
726	1000	0.1	RMS	846.2	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1398	-49.85	-13	36.85	Pass	2001
3000	10000	1	RMS	6803	-45.67	-13	32.67	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	689	0.1	RMS	688.5	-66.13	-13	53.13	Pass	6591
689	726	0.1	RMS	699.268	18.26	60	41.74	Pass	401
726	1000	0.1	RMS	981.9	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1398	-50.79	-13	37.79	Pass	2001
3000	10000	1	RMS	6799	-45.53	-13	32.53	Pass	7001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	689	0.1	RMS	617	-65.97	-13	52.97	Pass	6591
689	726	0.1	RMS	706.205	19.01	60	40.99	Pass	401
726	1000	0.1	RMS	993.6	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1412	-50.63	-13	37.63	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.2	-72.36	-13	59.36	Pass	2986
30	689	0.1	RMS	590.5	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	706.205	18.06	60	41.94	Pass	401
726	1000	0.1	RMS	997.3	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1412	-51.27	-13	38.27	Pass	2001
3000	10000	1	RMS	6802	-45.55	-13	32.55	Pass	7001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.19	-72.92	-13	59.92	Pass	2986
30	689	0.1	RMS	617.1	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	713.235	19.33	60	40.67	Pass	401
726	1000	0.1	RMS	848.1	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1426	-50.68	-13	37.68	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.19	-71.85	-13	58.85	Pass	2986
30	689	0.1	RMS	608.4	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	713.235	18.41	60	41.59	Pass	401
726	1000	0.1	RMS	855.6	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	3000	-51.4	-13	38.4	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.2	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	688.6	-65.78	-13	52.78	Pass	6591
689	726	0.1	RMS	699.36	19.54	60	40.46	Pass	401
726	1000	0.1	RMS	992.9	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1398	-49.19	-13	36.19	Pass	2001
3000	10000	1	RMS	6796	-45.66	-13	32.66	Pass	7001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.19	-72.59	-13	59.59	Pass	2986
30	689	0.1	RMS	508.9	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	699.36	18.76	60	41.24	Pass	401
726	1000	0.1	RMS	987.5	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1398	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.19	-72.46	-13	59.46	Pass	2986
30	689	0.1	RMS	505.9	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	705.373	19.48	60	40.52	Pass	401
726	1000	0.1	RMS	853.4	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1410	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	6798	-45.66	-13	32.66	Pass	7001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	689	0.1	RMS	504.1	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	705.373	18.54	60	41.46	Pass	401
726	1000	0.1	RMS	845.5	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1410	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	689	0.1	RMS	518	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	711.293	18.93	60	41.07	Pass	401
726	1000	0.1	RMS	872.9	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1422	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	689	0.1	RMS	602	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	711.385	18.23	60	41.77	Pass	401
726	1000	0.1	RMS	840.2	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1422	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	689	0.1	RMS	688.9	-65.57	-13	52.57	Pass	6591
689	726	0.1	RMS	699.545	19.03	60	40.97	Pass	401
726	1000	0.1	RMS	905.9	-64.92	-13	51.92	Pass	2741
1000	3000	1	RMS	1399	-49.59	-13	36.59	Pass	2001
3000	10000	1	RMS	6798	-45.61	-13	32.61	Pass	7001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	689	0.1	RMS	488.7	-65.92	-13	52.92	Pass	6591
689	726	0.1	RMS	699.638	18.12	60	41.88	Pass	401
726	1000	0.1	RMS	839.9	-64.96	-13	51.96	Pass	2741
1000	3000	1	RMS	1399	-50.39	-13	37.39	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	689	0.1	RMS	497.5	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	703.06	19.59	60	40.41	Pass	401
726	1000	0.1	RMS	969.4	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1406	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	689	0.1	RMS	507.1	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	703.06	18.75	60	41.25	Pass	401
726	1000	0.1	RMS	978.8	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1406	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.35	-73.01	-13	60.01	Pass	2986
30	689	0.1	RMS	588.8	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	706.575	19.64	60	40.36	Pass	401
726	1000	0.1	RMS	856.8	-64.87	-13	51.87	Pass	2741
1000	3000	1	RMS	1413	-49.62	-13	36.62	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	689	0.1	RMS	484.4	-65.98	-13	52.98	Pass	6591
689	726	0.1	RMS	706.575	18.81	60	41.19	Pass	401
726	1000	0.1	RMS	886.2	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1413	-50.47	-13	37.47	Pass	2001
3000	10000	1	RMS	6803	-45.54	-13	32.54	Pass	7001



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	767	0.1	RMS	766.6	-65.47	-13	52.47	Pass	7371
767	797	0.1	RMS	777.35	20.19	60	39.81	Pass	401
797	1000	0.1	RMS	798.7	-64.07	-13	51.07	Pass	2031
1000	3000	1	RMS	1554	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	767	0.1	RMS	739.2	-65.75	-13	52.75	Pass	7371
767	797	0.1	RMS	777.35	19.25	60	40.75	Pass	401
797	1000	0.1	RMS	798.7	-64.09	-13	51.09	Pass	2031
1000	3000	1	RMS	1554	-48.94	-13	35.94	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	58.58	Pass	2986
30	767	0.1	RMS	764.6	-65.69	-13	52.69	Pass	7371
767	797	0.1	RMS	779.825	19.75	60	40.25	Pass	401
797	1000	0.1	RMS	797	-58.07	-13	45.07	Pass	2031
1000	3000	1	RMS	1559	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	767	0.1	RMS	752.4	-65.76	-13	52.76	Pass	7371
767	797	0.1	RMS	779.825	18.98	60	41.02	Pass	401
797	1000	0.1	RMS	797.1	-59.6	-13	46.6	Pass	2031
1000	3000	1	RMS	1559	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	59.35	Pass	2986
30	767	0.1	RMS	753.6	-65.5	-13	52.5	Pass	7371
767	797	0.1	RMS	782.375	19.5	60	40.5	Pass	401
797	1000	0.1	RMS	797.4	-55.18	-13	42.18	Pass	2031
1000	3000	1	RMS	1564	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-13	59.39	Pass	2986
30	767	0.1	RMS	753.2	-65.62	-13	52.62	Pass	7371
767	797	0.1	RMS	782.375	18.54	60	41.46	Pass	401
797	1000	0.1	RMS	797.4	-57.05	-13	44.05	Pass	2031
1000	3000	1	RMS	1564	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	767	0.1	RMS	766.9	-64.97	-13	51.97	Pass	7371
767	797	0.1	RMS	777.575	20.04	60	39.96	Pass	401
797	1000	0.1	RMS	799.6	-49.27	-13	36.27	Pass	2031
1000	3000	1	RMS	1555	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.17	-72.87	-13	59.87	Pass	2986
30	767	0.1	RMS	766.9	-65.29	-13	52.29	Pass	7371
767	797	0.1	RMS	777.575	19.11	60	40.89	Pass	401
797	1000	0.1	RMS	799.6	-49.89	-13	36.89	Pass	2031
1000	3000	1	RMS	1555	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	6798	-45.57	-13	32.57	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.2	-72.49	-13	59.49	Pass	2986
30	767	0.1	RMS	766.9	-65.02	-13	52.02	Pass	7371
767	797	0.1	RMS	777.575	20.04	60	39.96	Pass	401
797	1000	0.1	RMS	799.6	-49.74	-13	36.74	Pass	2031
1000	3000	1	RMS	1555	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6803	-45.57	-13	32.57	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.72	-13	59.72	Pass	2986
30	767	0.1	RMS	754.4	-65.59	-13	52.59	Pass	7371
767	797	0.1	RMS	777.575	19.03	60	40.97	Pass	401
797	1000	0.1	RMS	799.6	-50.42	-13	37.42	Pass	2031
1000	3000	1	RMS	1555	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	767	0.1	RMS	766.9	-65.25	-13	52.25	Pass	7371
767	797	0.1	RMS	777.575	20.06	60	39.94	Pass	401
797	1000	0.1	RMS	799.6	-49.24	-13	36.24	Pass	2031
1000	3000	1	RMS	1555	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	6806	-45.61	-13	32.61	Pass	7001



5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.25	-72.81	-13	59.81	Pass	2986
30	767	0.1	RMS	766.9	-65.38	-13	52.38	Pass	7371
767	797	0.1	RMS	777.575	19.04	60	40.96	Pass	401
797	1000	0.1	RMS	799.6	-49.76	-13	36.76	Pass	2031
1000	3000	1	RMS	1555	-49.65	-13	36.65	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001



6. LTE_Band14


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	778	0.1	RMS	777.6	-64.44	-13	51.44	Pass	7481
778	808	0.1	RMS	788.35	20.61	60	39.39	Pass	401
808	1000	0.1	RMS	813.4	-65.01	-13	52.01	Pass	1921
1000	3000	1	RMS	1576	-46.53	-13	33.53	Pass	2001
3000	10000	1	RMS	6799	-45.53	-13	32.53	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-13	59.36	Pass	2986
30	778	0.1	RMS	778	-64.48	-13	51.48	Pass	7481
778	808	0.1	RMS	788.35	19.93	60	40.07	Pass	401
808	1000	0.1	RMS	813.3	-64.91	-13	51.91	Pass	1921
1000	3000	1	RMS	1576	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	778	0.1	RMS	777.9	-65.28	-13	52.28	Pass	7481
778	808	0.1	RMS	790.825	20.25	60	39.75	Pass	401
808	1000	0.1	RMS	817.4	-64.6	-13	51.6	Pass	1921
1000	3000	1	RMS	1581	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.24	-72.85	-13	59.85	Pass	2986
30	778	0.1	RMS	777.5	-65.54	-13	52.54	Pass	7481
778	808	0.1	RMS	790.825	19.56	60	40.44	Pass	401
808	1000	0.1	RMS	817.3	-64.89	-13	51.89	Pass	1921
1000	3000	1	RMS	1581	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6802	-45.59	-13	32.59	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.24	-72.12	-13	59.12	Pass	2986
30	778	0.1	RMS	776.9	-65.1	-13	52.1	Pass	7481
778	808	0.1	RMS	793.375	19.69	60	40.31	Pass	401
808	1000	0.1	RMS	815.9	-64.79	-13	51.79	Pass	1921
1000	3000	1	RMS	1586	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	6801	-45.49	-13	32.49	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	778	0.1	RMS	776.9	-64.99	-13	51.99	Pass	7481
778	808	0.1	RMS	793.375	18.94	60	41.06	Pass	401
808	1000	0.1	RMS	815.8	-64.97	-13	51.97	Pass	1921
1000	3000	1	RMS	1586	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	6803	-45.57	-13	32.57	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	778	0.1	RMS	777.9	-62.76	-13	49.76	Pass	7481
778	808	0.1	RMS	788.575	20.02	60	39.98	Pass	401
808	1000	0.1	RMS	815	-57.95	-13	44.95	Pass	1921
1000	3000	1	RMS	1577	-48.24	-13	35.24	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	59.44	Pass	2986
30	778	0.1	RMS	778	-63.33	-13	50.33	Pass	7481
778	808	0.1	RMS	788.575	19.17	60	40.83	Pass	401
808	1000	0.1	RMS	815	-59.25	-13	46.25	Pass	1921
1000	3000	1	RMS	1577	-49.29	-13	36.29	Pass	2001
3000	10000	1	RMS	6806	-45.6	-13	32.6	Pass	7001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	59.23	Pass	2986
30	778	0.1	RMS	777.9	-62.26	-13	49.26	Pass	7481
778	808	0.1	RMS	788.575	19.97	60	40.03	Pass	401
808	1000	0.1	RMS	815	-58.11	-13	45.11	Pass	1921
1000	3000	1	RMS	1577	-48.24	-13	35.24	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	778	0.1	RMS	777.9	-63.32	-13	50.32	Pass	7481
778	808	0.1	RMS	788.575	19.18	60	40.82	Pass	401
808	1000	0.1	RMS	815.1	-59.09	-13	46.09	Pass	1921
1000	3000	1	RMS	1577	-49.12	-13	36.12	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	778	0.1	RMS	778	-62.92	-13	49.92	Pass	7481
778	808	0.1	RMS	788.575	20.08	60	39.92	Pass	401
808	1000	0.1	RMS	815	-58.6	-13	45.6	Pass	1921
1000	3000	1	RMS	1577	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	778	0.1	RMS	777.9	-63.22	-13	50.22	Pass	7481
778	808	0.1	RMS	788.575	19.18	60	40.82	Pass	401
808	1000	0.1	RMS	815.1	-59.31	-13	46.31	Pass	1921
1000	3000	1	RMS	1577	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001



7. LTE_Band25


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	899.233	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1840	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1850.2	21.62	60	38.38	Pass	401
1925	3000	1	RMS	2992	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.73	-13	26.73	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	850.001	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-53.13	-13	40.13	Pass	841
1840	1925	1	RMS	1850.2	20.7	60	39.3	Pass	401
1925	3000	1	RMS	2995	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.17	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	862.009	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-53.73	-13	40.73	Pass	841
1840	1925	1	RMS	1881.863	22.02	60	37.98	Pass	401
1925	3000	1	RMS	2993	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	858.006	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1833	-53.72	-13	40.72	Pass	841
1840	1925	1	RMS	1881.863	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2981	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11996	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	993.596	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1837	-53.69	-13	40.69	Pass	841
1840	1925	1	RMS	1913.738	22.95	60	37.05	Pass	401
1925	3000	1	RMS	2990	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.75	-13	26.75	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	860.608	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1837	-53.7	-13	40.7	Pass	841
1840	1925	1	RMS	1913.738	22.06	60	37.94	Pass	401
1925	3000	1	RMS	2995	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	11999	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	875.117	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.17	-13	40.17	Pass	841
1840	1925	1	RMS	1850.2	21.25	60	38.75	Pass	401
1925	3000	1	RMS	2946	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11994	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	983.489	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.33	-13	40.33	Pass	841
1840	1925	1	RMS	1850.2	20.3	60	39.7	Pass	401
1925	3000	1	RMS	3000	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11999	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	955.571	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1839	-53.7	-13	40.7	Pass	841
1840	1925	1	RMS	1881.225	21.62	60	38.38	Pass	401
1925	3000	1	RMS	2990	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11998	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-39.78	-13	26.78	Pass	8001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	840.1	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1839	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1881.225	20.78	60	39.22	Pass	401
1925	3000	1	RMS	2944	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	848.7	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1835	-53.65	-13	40.65	Pass	841
1840	1925	1	RMS	1912.038	22.1	60	37.9	Pass	401
1925	3000	1	RMS	2986	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	7649	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	1000	0.1	RMS	853.603	-65.04	-13	52.04	Pass	9701
1000	1840	1	RMS	1836	-53.7	-13	40.7	Pass	841
1840	1925	1	RMS	1912.038	21.24	60	38.76	Pass	401
1925	3000	1	RMS	2997	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13603	-39.72	-13	26.72	Pass	8001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	858.906	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.18	-13	40.18	Pass	841
1840	1925	1	RMS	1850.2	21.8	60	38.2	Pass	401
1925	3000	1	RMS	2987	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11993	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	984.69	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-53.29	-13	40.29	Pass	841
1840	1925	1	RMS	1850.2	20.89	60	39.11	Pass	401
1925	3000	1	RMS	2936	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	840.2	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1838	-53.67	-13	40.67	Pass	841
1840	1925	1	RMS	1880.163	22.1	60	37.9	Pass	401
1925	3000	1	RMS	2993	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11995	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13603	-39.69	-13	26.69	Pass	8001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	971.481	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1837	-53.73	-13	40.73	Pass	841
1840	1925	1	RMS	1880.163	21.3	60	38.7	Pass	401
1925	3000	1	RMS	3000	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.67	-13	26.67	Pass	8001




**7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	877.919	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1833	-53.68	-13	40.68	Pass	841
1840	1925	1	RMS	1910.125	22.14	60	37.86	Pass	401
1925	3000	1	RMS	2983	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11993	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	841.4	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1834	-53.71	-13	40.71	Pass	841
1840	1925	1	RMS	1910.125	21.28	60	38.72	Pass	401
1925	3000	1	RMS	3000	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13607	-39.73	-13	26.73	Pass	8001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	57.63	Pass	2986
30	1000	0.1	RMS	897.432	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1833	-47.48	-13	34.48	Pass	841
1840	1925	1	RMS	1850.413	21.97	60	38.03	Pass	401
1925	3000	1	RMS	2992	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11896	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.71	-13	26.71	Pass	8001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	843.1	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1833	-48.34	-13	35.34	Pass	841
1840	1925	1	RMS	1850.413	21.03	60	38.97	Pass	401
1925	3000	1	RMS	2987	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	11994	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	848.7	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1839	-53.7	-13	40.7	Pass	841
1840	1925	1	RMS	1878.038	22.62	60	37.38	Pass	401
1925	3000	1	RMS	2991	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11996	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	967.879	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1837	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1878.038	21.8	60	38.2	Pass	401
1925	3000	1	RMS	2996	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	12000	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.7	-13	26.7	Pass	8001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	841.4	-65.08	-13	52.08	Pass	9701
1000	1840	1	RMS	1829	-53.61	-13	40.61	Pass	841
1840	1925	1	RMS	1905.45	22.61	60	37.39	Pass	401
1925	3000	1	RMS	3000	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13608	-39.78	-13	26.78	Pass	8001




7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	847.2	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.73	-13	40.73	Pass	841
1840	1925	1	RMS	1905.45	21.71	60	38.29	Pass	401
1925	3000	1	RMS	2986	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11994	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




7.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	860.107	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1824	-41.1	-13	28.1	Pass	841
1840	1925	1	RMS	1850.838	21.62	60	38.38	Pass	401
1925	3000	1	RMS	2998	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11999	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13602	-39.73	-13	26.73	Pass	8001




7.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	984.79	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1824	-43.16	-13	30.16	Pass	841
1840	1925	1	RMS	1850.838	20.77	60	39.23	Pass	401
1925	3000	1	RMS	2990	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13599	-39.68	-13	26.68	Pass	8001




7.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	862.709	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1836	-52.02	-13	39.02	Pass	841
1840	1925	1	RMS	1875.7	22.62	60	37.38	Pass	401
1925	3000	1	RMS	2989	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11998	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13599	-39.72	-13	26.72	Pass	8001




7.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	842.4	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1836	-52.65	-13	39.65	Pass	841
1840	1925	1	RMS	1875.7	21.88	60	38.12	Pass	401
1925	3000	1	RMS	3000	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




7.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	929.653	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1836	-53.63	-13	40.63	Pass	841
1840	1925	1	RMS	1900.775	23.33	60	36.67	Pass	401
1925	3000	1	RMS	2991	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	3802	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




7.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	848.6	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1834	-53.62	-13	40.62	Pass	841
1840	1925	1	RMS	1900.775	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2986	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




7.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	977.085	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-45.38	-13	32.38	Pass	841
1840	1925	1	RMS	1851.05	22.39	60	37.61	Pass	401
1925	3000	1	RMS	2984	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11997	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001




7.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.18	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	839.4	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-44.91	-13	31.91	Pass	841
1840	1925	1	RMS	1851.05	22.04	60	37.96	Pass	401
1925	3000	1	RMS	2991	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11996	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




7.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	899.233	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1839	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1873.575	23.64	60	36.36	Pass	401
1925	3000	1	RMS	2979	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001




7.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	854.904	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1837	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1873.363	23.2	60	36.8	Pass	401
1925	3000	1	RMS	2931	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




7.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	943.963	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1836	-53.69	-13	40.69	Pass	841
1840	1925	1	RMS	1895.888	23.57	60	36.43	Pass	401
1925	3000	1	RMS	2998	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	3792	-43.9	-13	30.9	Pass	9002
12000	20000	1	RMS	13603	-39.76	-13	26.76	Pass	8001



7.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	843.4	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1839	-53.71	-13	40.71	Pass	841
1840	1925	1	RMS	1895.888	23.28	60	36.72	Pass	401
1925	3000	1	RMS	2996	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	3792	-43.89	-13	30.89	Pass	9002
12000	20000	1	RMS	13598	-39.74	-13	26.74	Pass	8001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	845.8	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-53.16	-13	40.16	Pass	701
1700	1790	1	RMS	1710.125	21.91	60	38.09	Pass	401
1790	3000	1	RMS	2976	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.8	-13	26.8	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	849.1	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-53.45	-13	40.45	Pass	701
1700	1790	1	RMS	1710.125	20.88	60	39.12	Pass	401
1790	3000	1	RMS	2999	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11995	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.65	-13	26.65	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	856.805	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1680	-53.89	-13	40.89	Pass	701
1700	1790	1	RMS	1744.55	21.85	60	38.15	Pass	401
1790	3000	1	RMS	2992	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	11994	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.7	-13	26.7	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	968.179	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1680	-53.93	-13	40.93	Pass	701
1700	1790	1	RMS	1744.325	21.05	60	38.95	Pass	401
1790	3000	1	RMS	2943	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11992	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13604	-39.73	-13	26.73	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	924.55	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1699	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1778.75	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2987	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11992	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.82	-13	26.82	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	852.302	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1680	-53.91	-13	40.91	Pass	701
1700	1790	1	RMS	1778.75	21.01	60	38.99	Pass	401
1790	3000	1	RMS	2990	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11874	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	885.824	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1700	-53.3	-13	40.3	Pass	701
1700	1790	1	RMS	1710.125	21.46	60	38.54	Pass	401
1790	3000	1	RMS	2987	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.68	-13	26.68	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.2	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	852.102	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-53.51	-13	40.51	Pass	701
1700	1790	1	RMS	1710.125	20.41	60	39.59	Pass	401
1790	3000	1	RMS	2988	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11994	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	835.5	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1680	-53.91	-13	40.91	Pass	701
1700	1790	1	RMS	1743.65	21.54	60	38.46	Pass	401
1790	3000	1	RMS	2947	-51.3	-13	38.3	Pass	1211
3000	12000	1	RMS	11996	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	843.9	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1682	-53.91	-13	40.91	Pass	701
1700	1790	1	RMS	1743.65	20.65	60	39.35	Pass	401
1790	3000	1	RMS	2927	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11994	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13598	-39.77	-13	26.77	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	998.599	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1681	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1777.175	21.43	60	38.57	Pass	401
1790	3000	1	RMS	2987	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	840.5	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1679	-53.85	-13	40.85	Pass	701
1700	1790	1	RMS	1777.175	20.46	60	39.54	Pass	401
1790	3000	1	RMS	2987	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11993	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13606	-39.81	-13	26.81	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.19	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	841.8	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1700	-53.24	-13	40.24	Pass	701
1700	1790	1	RMS	1710.125	21.84	60	38.16	Pass	401
1790	3000	1	RMS	2990	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11992	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13604	-39.75	-13	26.75	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	846.3	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-53.39	-13	40.39	Pass	701
1700	1790	1	RMS	1710.35	20.89	60	39.11	Pass	401
1790	3000	1	RMS	3000	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11996	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	980.687	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1679	-53.86	-13	40.86	Pass	701
1700	1790	1	RMS	1742.75	22.07	60	37.93	Pass	401
1790	3000	1	RMS	2990	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	878.519	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1679	-53.88	-13	40.88	Pass	701
1700	1790	1	RMS	1742.75	21.21	60	38.79	Pass	401
1790	3000	1	RMS	2998	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11996	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13607	-39.76	-13	26.76	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	842.8	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1673	-53.88	-13	40.88	Pass	701
1700	1790	1	RMS	1775.15	21.88	60	38.12	Pass	401
1790	3000	1	RMS	2996	-51.23	-13	38.23	Pass	1211
3000	12000	1	RMS	11998	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13606	-39.74	-13	26.74	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	851.001	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1699	-53.87	-13	40.87	Pass	701
1700	1790	1	RMS	1775.15	20.94	60	39.06	Pass	401
1790	3000	1	RMS	2987	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11994	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	978.085	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1693	-45.77	-13	32.77	Pass	701
1700	1790	1	RMS	1710.575	21.87	60	38.13	Pass	401
1790	3000	1	RMS	2998	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11996	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13604	-39.75	-13	26.75	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.18	-72.76	-13	59.76	Pass	2986
30	1000	0.1	RMS	823.5	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1693	-46.05	-13	33.05	Pass	701
1700	1790	1	RMS	1710.575	20.81	60	39.19	Pass	401
1790	3000	1	RMS	2990	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.82	-13	26.82	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	869.213	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1682	-53.89	-13	40.89	Pass	701
1700	1790	1	RMS	1740.5	22.09	60	37.91	Pass	401
1790	3000	1	RMS	2992	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	848.4	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1679	-53.88	-13	40.88	Pass	701
1700	1790	1	RMS	1740.5	21.27	60	38.73	Pass	401
1790	3000	1	RMS	2983	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	12000	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	840.8	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1679	-53.93	-13	40.93	Pass	701
1700	1790	1	RMS	1770.425	21.95	60	38.05	Pass	401
1790	3000	1	RMS	1790	-49.65	-13	36.65	Pass	1211
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	961.474	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1682	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1770.425	21.08	60	38.92	Pass	401
1790	3000	1	RMS	1790	-50.04	-13	37.04	Pass	1211
3000	12000	1	RMS	11992	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	980.587	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1698	-43.28	-13	30.28	Pass	701
1700	1790	1	RMS	1710.8	21.74	60	38.26	Pass	401
1790	3000	1	RMS	2986	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	864.91	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1684	-44.43	-13	31.43	Pass	701
1700	1790	1	RMS	1710.8	20.28	60	39.72	Pass	401
1790	3000	1	RMS	1791	-48.81	-13	35.81	Pass	1211
3000	12000	1	RMS	11999	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	978.586	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1698	-52.22	-13	39.22	Pass	701
1700	1790	1	RMS	1738.25	21.75	60	38.25	Pass	401
1790	3000	1	RMS	1792	-46.12	-13	33.12	Pass	1211
3000	12000	1	RMS	11995	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.74	-13	26.74	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.18	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	969.38	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1698	-51.99	-13	38.99	Pass	701
1700	1790	1	RMS	1738.25	20.34	60	39.66	Pass	401
1790	3000	1	RMS	1792	-44.72	-13	31.72	Pass	1211
3000	12000	1	RMS	11995	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13599	-39.71	-13	26.71	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	842.5	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1699	-53.5	-13	40.5	Pass	701
1700	1790	1	RMS	1765.7	21.83	60	38.17	Pass	401
1790	3000	1	RMS	1792	-33.87	-13	20.87	Pass	1211
3000	12000	1	RMS	11990	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.22	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	982.789	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1699	-52.88	-13	39.88	Pass	701
1700	1790	1	RMS	1765.7	20.55	60	39.45	Pass	401
1790	3000	1	RMS	1792	-32.9	-13	19.9	Pass	1211
3000	12000	1	RMS	11998	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	924.35	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1693	-40.76	-13	27.76	Pass	701
1700	1790	1	RMS	1711.025	21.95	60	38.05	Pass	401
1790	3000	1	RMS	2990	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11995	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	967.278	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1693	-44.07	-13	31.07	Pass	701
1700	1790	1	RMS	1711.025	20.95	60	39.05	Pass	401
1790	3000	1	RMS	2983	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11998	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	856.905	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-43.4	-13	30.4	Pass	701
1700	1790	1	RMS	1736	21.99	60	38.01	Pass	401
1790	3000	1	RMS	2991	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.71	-13	26.71	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	869.814	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1700	-40.86	-13	27.86	Pass	701
1700	1790	1	RMS	1736	21.01	60	38.99	Pass	401
1790	3000	1	RMS	1807	-50.32	-13	37.32	Pass	1211
3000	12000	1	RMS	11995	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	914.643	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1690	-51.14	-13	38.14	Pass	701
1700	1790	1	RMS	1760.975	21.92	60	38.08	Pass	401
1790	3000	1	RMS	1797	-28.09	-13	15.09	Pass	1211
3000	12000	1	RMS	11994	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	861.108	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1690	-51.9	-13	38.9	Pass	701
1700	1790	1	RMS	1760.975	21.11	60	38.89	Pass	401
1790	3000	1	RMS	1797	-29.86	-13	16.86	Pass	1211
3000	12000	1	RMS	11996	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001



9. LTE_Band71


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	653	0.1	RMS	652.6	-65.42	-13	52.42	Pass	6231
653	709	0.1	RMS	663.3	19.75	60	40.25	Pass	561
709	1000	0.1	RMS	978.5	-65.08	-13	52.08	Pass	2911
1000	3000	1	RMS	1326	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	653	0.1	RMS	652.6	-65.88	-13	52.88	Pass	6231
653	709	0.1	RMS	663.3	18.75	60	41.25	Pass	561
709	1000	0.1	RMS	960.8	-65.04	-13	52.04	Pass	2911
1000	3000	1	RMS	1326	-47.62	-13	34.62	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.24	-72.62	-13	59.62	Pass	2986
30	653	0.1	RMS	475.4	-65.88	-13	52.88	Pass	6231
653	709	0.1	RMS	678.3	19.52	60	40.48	Pass	561
709	1000	0.1	RMS	850.6	-65.01	-13	52.01	Pass	2911
1000	3000	1	RMS	1356	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	59.47	Pass	2986
30	653	0.1	RMS	482.4	-65.92	-13	52.92	Pass	6231
653	709	0.1	RMS	678.3	18.59	60	41.41	Pass	561
709	1000	0.1	RMS	887.4	-65.03	-13	52.03	Pass	2911
1000	3000	1	RMS	1356	-49.89	-13	36.89	Pass	2001
3000	10000	1	RMS	6798	-45.53	-13	32.53	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.25	-72.66	-13	59.66	Pass	2986
30	653	0.1	RMS	506	-66.06	-13	53.06	Pass	6231
653	709	0.1	RMS	693.3	19.33	60	40.67	Pass	561
709	1000	0.1	RMS	847.6	-65.05	-13	52.05	Pass	2911
1000	3000	1	RMS	1386	-50.51	-13	37.51	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	59.06	Pass	2986
30	653	0.1	RMS	514.7	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	693.3	18.3	60	41.7	Pass	561
709	1000	0.1	RMS	841.1	-64.98	-13	51.98	Pass	2911
1000	3000	1	RMS	1386	-51.12	-13	38.12	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	653	0.1	RMS	652.9	-65.54	-13	52.54	Pass	6231
653	709	0.1	RMS	663.6	19.94	60	40.06	Pass	561
709	1000	0.1	RMS	983.8	-65.01	-13	52.01	Pass	2911
1000	3000	1	RMS	1327	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.22	-72.49	-13	59.49	Pass	2986
30	653	0.1	RMS	652.9	-65.78	-13	52.78	Pass	6231
653	709	0.1	RMS	663.6	19.11	60	40.89	Pass	561
709	1000	0.1	RMS	929.8	-64.97	-13	51.97	Pass	2911
1000	3000	1	RMS	1327	-48.23	-13	35.23	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	653	0.1	RMS	496.1	-65.91	-13	52.91	Pass	6231
653	709	0.1	RMS	676.1	19.85	60	40.15	Pass	561
709	1000	0.1	RMS	991.9	-65.03	-13	52.03	Pass	2911
1000	3000	1	RMS	2028	-51	-13	38	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	58.96	Pass	2986
30	653	0.1	RMS	494.7	-65.98	-13	52.98	Pass	6231
653	709	0.1	RMS	676.1	18.81	60	41.19	Pass	561
709	1000	0.1	RMS	857.7	-64.96	-13	51.96	Pass	2911
1000	3000	1	RMS	2995	-51.38	-13	38.38	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	653	0.1	RMS	495.8	-65.93	-13	52.93	Pass	6231
653	709	0.1	RMS	688.6	19.94	60	40.06	Pass	561
709	1000	0.1	RMS	929.5	-64.95	-13	51.95	Pass	2911
1000	3000	1	RMS	1377	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6805	-45.53	-13	32.53	Pass	7001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	653	0.1	RMS	601.7	-66.03	-13	53.03	Pass	6231
653	709	0.1	RMS	688.6	19.12	60	40.88	Pass	561
709	1000	0.1	RMS	978.8	-65.08	-13	52.08	Pass	2911
1000	3000	1	RMS	1377	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	653	0.1	RMS	628	-65.89	-13	52.89	Pass	6231
653	709	0.1	RMS	663.8	19.29	60	40.71	Pass	561
709	1000	0.1	RMS	941.2	-65.14	-13	52.14	Pass	2911
1000	3000	1	RMS	1327	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	6801	-45.51	-13	32.51	Pass	7001




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.22	-72.49	-13	59.49	Pass	2986
30	653	0.1	RMS	650.6	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	663.8	18.28	60	41.72	Pass	561
709	1000	0.1	RMS	938.1	-65.05	-13	52.05	Pass	2911
1000	3000	1	RMS	1327	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	653	0.1	RMS	600.9	-66.08	-13	53.08	Pass	6231
653	709	0.1	RMS	673.8	18.49	60	41.51	Pass	561
709	1000	0.1	RMS	847.4	-65.02	-13	52.02	Pass	2911
1000	3000	1	RMS	1347	-51.08	-13	38.08	Pass	2001
3000	10000	1	RMS	6802	-45.51	-13	32.51	Pass	7001




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	653	0.1	RMS	498.3	-66.04	-13	53.04	Pass	6231
653	709	0.1	RMS	673.8	17.77	60	42.23	Pass	561
709	1000	0.1	RMS	837.3	-65.14	-13	52.14	Pass	2911
1000	3000	1	RMS	1347	-51.36	-13	38.36	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.22	-72.54	-13	59.54	Pass	2986
30	653	0.1	RMS	619.8	-66.04	-13	53.04	Pass	6231
653	709	0.1	RMS	683.8	19.14	60	40.86	Pass	561
709	1000	0.1	RMS	710.5	-39.1	-13	26.1	Pass	2911
1000	3000	1	RMS	1367	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.17	-72.88	-13	59.88	Pass	2986
30	653	0.1	RMS	489.9	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	683.8	17.86	60	42.14	Pass	561
709	1000	0.1	RMS	710.5	-38.29	-13	25.29	Pass	2911
1000	3000	1	RMS	1367	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




**9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19,
Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.24	-72.58	-13	59.58	Pass	2986
30	653	0.1	RMS	499.4	-65.94	-13	52.94	Pass	6231
653	709	0.1	RMS	664.1	20.3	60	39.7	Pass	561
709	1000	0.1	RMS	996.6	-64.95	-13	51.95	Pass	2911
1000	3000	1	RMS	1328	-46.27	-13	33.27	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.21	-71.93	-13	58.93	Pass	2986
30	653	0.1	RMS	492.5	-65.91	-13	52.91	Pass	6231
653	709	0.1	RMS	664.1	19.44	60	40.56	Pass	561
709	1000	0.1	RMS	929.6	-65.06	-13	52.06	Pass	2911
1000	3000	1	RMS	1328	-47.22	-13	34.22	Pass	2001
3000	10000	1	RMS	6802	-45.55	-13	32.55	Pass	7001




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	653	0.1	RMS	640.1	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	671.6	19.6	60	40.4	Pass	561
709	1000	0.1	RMS	842.2	-65.13	-13	52.13	Pass	2911
1000	3000	1	RMS	1343	-48.8	-13	35.8	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:133297, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	653	0.1	RMS	594	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	671.6	18.53	60	41.47	Pass	561
709	1000	0.1	RMS	965.3	-65.09	-13	52.09	Pass	2911
1000	3000	1	RMS	1343	-49.29	-13	36.29	Pass	2001
3000	10000	1	RMS	6801	-45.44	-13	32.44	Pass	7001




9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	653	0.1	RMS	502.5	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	679.1	20.13	60	39.87	Pass	561
709	1000	0.1	RMS	714.7	-49.11	-13	36.11	Pass	2911
1000	3000	1	RMS	1358	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001



9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-72.57	-13	59.57	Pass	2986
30	653	0.1	RMS	615.3	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	679.1	19.16	60	40.84	Pass	561
709	1000	0.1	RMS	714.7	-51.11	-13	38.11	Pass	2911
1000	3000	1	RMS	1358	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001



--BLANK BELOW--