

Band Edge

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 13	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
		HCH	16-QAM	RB1#Low	Pass
				RB25#Low	Pass
			QPSK	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	16-QAM	RB1#High	Pass
				RB25#High	Pass
			QPSK	RB1#Low	Pass
				RB50#Low	Pass
		HCH	16-QAM	RB1#Low	Pass
				RB50#Low	Pass
			QPSK	RB1#High	Pass
				RB50#High	Pass
		16-QAM	QPSK	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 14	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
		HCH	16-QAM	RB1#Low	Pass
				RB25#Low	Pass
			QPSK	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	16-QAM	RB1#High	Pass
				RB25#High	Pass
		HCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		QPSK	16-QAM	RB1#High	Pass
				RB50#High	Pass
		16-QAM	QPSK	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 25	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB27#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB27#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB27#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB27#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB27#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB27#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass


Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 71	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

1. LTE_Band2

1.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.76	-13	26.76	Pass	401
1848	1849	1	RMS	1849	-20.9	-13	7.9	Pass	2
1849	1850	0.02	RMS	1850	-17.45	-13	4.45	Pass*	401
1850	1852	0.1	RMS	1850.25	19.5	30	10.5	Pass	401




1.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.24	-13	27.24	Pass	401
1848	1849	1	RMS	1849	-30.22	-13	17.22	Pass	2
1849	1850	0.02	RMS	1850	-22.48	-13	9.48	Pass	401
1850	1852	0.1	RMS	1850.925	11.24	30	18.76	Pass	401




1.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.71	-13	27.71	Pass	401
1848	1849	1	RMS	1849	-22.42	-13	9.42	Pass	2
1849	1850	0.02	RMS	1849.998	-18.36	-13	5.36	Pass*	401
1850	1852	0.1	RMS	1850.265	18.53	30	11.47	Pass	401




1.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.05	-13	29.05	Pass	401
1848	1849	1	RMS	1849	-31.87	-13	18.87	Pass	2
1849	1850	0.02	RMS	1849.998	-23.37	-13	10.37	Pass	401
1850	1852	0.1	RMS	1851.02	10.2	30	19.8	Pass	401




1.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	19.75	30	10.25	Pass	401
1910	1911	0.02	RMS	1910.003	-15.85	-13	2.85	Pass*	401
1911	1912	1	RMS	1911	-18.4	-13	5.4	Pass*	2
1912	1920	1	RMS	1912	-38.29	-13	25.29	Pass	401




1.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.22	11.44	30	18.56	Pass	401
1910	1911	0.02	RMS	1910.003	-20.51	-13	7.51	Pass	401
1911	1912	1	RMS	1911	-29.91	-13	16.91	Pass	2
1912	1920	1	RMS	1912	-39.26	-13	26.26	Pass	401




1.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.745	18.75	30	11.25	Pass	401
1910	1911	0.02	RMS	1910.005	-16.66	-13	3.66	Pass*	401
1911	1912	1	RMS	1911	-19.31	-13	6.31	Pass	2
1912	1920	1	RMS	1912	-39.68	-13	26.68	Pass	401




1.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.17	10.49	30	19.51	Pass	401
1910	1911	0.02	RMS	1910	-21.14	-13	8.14	Pass	401
1911	1912	1	RMS	1911	-31.57	-13	18.57	Pass	2
1912	1920	1	RMS	1912	-40.31	-13	27.31	Pass	401




1.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.8	-13	17.8	Pass	401
1848	1849	1	RMS	1849	-24.43	-13	11.43	Pass	2
1849	1850	0.03	RMS	1850	-13.4	-13	0.4	Pass*	401
1850	1853	0.1	RMS	1850.248	18.95	30	11.05	Pass	401




1.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.77	-13	20.77	Pass	401
1848	1849	1	RMS	1849	-28.57	-13	15.57	Pass	2
1849	1850	0.03	RMS	1849.998	-22.88	-13	9.88	Pass	401
1850	1853	0.1	RMS	1851.583	7.4	30	22.6	Pass	401




1.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-32.03	-13	19.03	Pass	401
1848	1849	1	RMS	1849	-25.58	-13	12.58	Pass	2
1849	1850	0.03	RMS	1849.998	-14.22	-13	1.22	Pass*	401
1850	1853	0.1	RMS	1850.248	18.13	30	11.87	Pass	401




1.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.89	-13	21.89	Pass	401
1848	1849	1	RMS	1849	-28.97	-13	15.97	Pass	2
1849	1850	0.03	RMS	1850	-23.29	-13	10.29	Pass	401
1850	1853	0.1	RMS	1851.86	6.42	30	23.58	Pass	401




1.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.768	19.24	30	10.76	Pass	401
1910	1911	0.03	RMS	1910	-13.22	-13	0.22	Pass*	35
1911	1912	1	RMS	1912	-27.53	-13	14.53	Pass	2
1912	1920	1	RMS	1912.26	-27.53	-13	14.53	Pass	401




1.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.073	7.51	30	22.49	Pass	401
1910	1911	0.03	RMS	1910.003	-22.01	-13	9.01	Pass	401
1911	1912	1	RMS	1911	-30.37	-13	17.37	Pass	2
1912	1920	1	RMS	1912	-35.61	-13	22.61	Pass	401




1.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	18.27	30	11.73	Pass	401
1910	1911	0.03	RMS	1910	-13.05	-13	0.05	Pass*	401
1911	1912	1	RMS	1912	-28.36	-13	15.36	Pass	2
1912	1920	1	RMS	1912.18	-28.27	-13	15.27	Pass	401




1.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.998	10.5	30	19.5	Pass	401
1910	1911	0.03	RMS	1910.005	-22.92	-13	9.92	Pass	401
1911	1912	1	RMS	1911	-32.05	-13	19.05	Pass	2
1912	1920	1	RMS	1912.02	-37.39	-13	24.39	Pass	401




1.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.14	-13	12.14	Pass	401
1848	1849	1	RMS	1848	-24.77	-13	11.77	Pass	2
1849	1850	0.05	RMS	1850	-14.29	-13	1.29	Pass*	21
1850	1855	0.1	RMS	1850.338	19.39	30	10.61	Pass	401




1.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.77	-13	19.77	Pass	401
1848	1849	1	RMS	1849	-28.83	-13	15.83	Pass	2
1849	1850	0.051	RMS	1849.995	-26	-13	13	Pass	401
1850	1855	0.1	RMS	1852.775	6.26	30	23.74	Pass	401




1.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.43	-13	13.43	Pass	401
1848	1849	1	RMS	1848	-26.01	-13	13.01	Pass	2
1849	1850	0.051	RMS	1850	-13.79	-13	0.79	Pass*	401
1850	1855	0.1	RMS	1850.363	18.59	30	11.41	Pass	401




1.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.41	-13	20.41	Pass	401
1848	1849	1	RMS	1849	-29.28	-13	16.28	Pass	2
1849	1850	0.051	RMS	1849.998	-26.89	-13	13.89	Pass	401
1850	1855	0.1	RMS	1852.85	5.34	30	24.66	Pass	401




1.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	19.9	30	10.1	Pass	401
1910	1911	0.051	RMS	1910.008	-13.07	-13	0.07	Pass*	401
1911	1912	1	RMS	1911	-28.43	-13	15.43	Pass	2
1912	1920	1	RMS	1914	-29.47	-13	16.47	Pass	401




1.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.388	6.27	30	23.73	Pass	401
1910	1911	0.051	RMS	1910.003	-25.95	-13	12.95	Pass	401
1911	1912	1	RMS	1911	-31.36	-13	18.36	Pass	2
1912	1920	1	RMS	1912	-35.21	-13	22.21	Pass	401




1.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	18.87	30	11.13	Pass	401
1910	1911	0.051	RMS	1910	-13.45	-13	0.45	Pass*	401
1911	1912	1	RMS	1911	-28.89	-13	15.89	Pass	2
1912	1920	1	RMS	1914.02	-30.24	-13	17.24	Pass	401




1.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.188	5.32	30	24.68	Pass	401
1910	1911	0.051	RMS	1910	-26.56	-13	13.56	Pass	401
1911	1912	1	RMS	1911	-32.24	-13	19.24	Pass	2
1912	1920	1	RMS	1912.04	-36.4	-13	23.4	Pass	401




1.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.16	-26.31	-13	13.31	Pass	401
1848	1849	1	RMS	1849	-16.95	-13	3.95	Pass*	2
1849	1850	0.1	RMS	1849.995	-14.71	-13	1.71	Pass*	401
1850	1860	0.1	RMS	1850.6	19.42	30	10.58	Pass	401




1.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.63	-13	16.63	Pass	401
1848	1849	1	RMS	1849	-30.11	-13	17.11	Pass	2
1849	1850	0.1	RMS	1849.993	-26.15	-13	13.15	Pass	401
1850	1860	0.1	RMS	1859.375	3.18	30	26.82	Pass	401




1.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.2	-27.4	-13	14.4	Pass	401
1848	1849	1	RMS	1848	-15.95	-13	2.95	Pass*	2
1849	1850	0.1	RMS	1849.993	-15.3	-13	2.3	Pass*	401
1850	1860	0.1	RMS	1850.6	18.61	30	11.39	Pass	401




1.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.81	-13	17.81	Pass	401
1848	1849	1	RMS	1849	-23.87	-13	10.87	Pass	2
1849	1850	0.1	RMS	1849.993	-25.42	-13	12.42	Pass	401
1850	1860	0.1	RMS	1855.225	4.41	30	25.59	Pass	401




1.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.81	30	10.19	Pass	401
1910	1911	0.1	RMS	1910.013	-13.75	-13	0.75	Pass*	401
1911	1912	1	RMS	1911	-15.91	-13	2.91	Pass*	2
1912	1920	1	RMS	1912	-30.02	-13	17.02	Pass	401




1.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1900.65	3.32	30	26.68	Pass	401
1910	1911	0.1	RMS	1910.023	-26.33	-13	13.33	Pass	401
1911	1912	1	RMS	1911	-24.48	-13	11.48	Pass	2
1912	1920	1	RMS	1912.02	-32.08	-13	19.08	Pass	401




1.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	18.85	30	11.15	Pass	401
1910	1911	0.1	RMS	1910.003	-14.36	-13	1.36	Pass*	401
1911	1912	1	RMS	1911	-16.68	-13	3.68	Pass*	2
1912	1920	1	RMS	1912	-30.58	-13	17.58	Pass	401




1.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1910	0.1	RMS	1905.2	4.33	30	25.67	Pass	401
1910	1911	0.1	RMS	1910.005	-25.17	-13	12.17	Pass	401
1911	1912	1	RMS	1911	-24.37	-13	11.37	Pass	2
1912	1920	1	RMS	1912	-34.07	-13	21.07	Pass	401




1.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.14	-27.55	-13	14.55	Pass	401
1848	1849	1	RMS	1849	-25.78	-13	12.78	Pass	2
1849	1850	0.15	RMS	1849.99	-18.62	-13	5.62	Pass*	401
1850	1865	0.1	RMS	1850.825	19.15	30	10.85	Pass	401




1.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.29	-13	13.29	Pass	401
1848	1849	1	RMS	1849	-25.22	-13	12.22	Pass	2
1849	1850	0.15	RMS	1849.993	-29.3	-13	16.3	Pass	401
1850	1865	0.1	RMS	1863.95	1.59	30	28.41	Pass	401




1.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.14	-28.6	-13	15.6	Pass	401
1848	1849	1	RMS	1849	-26.53	-13	13.53	Pass	2
1849	1850	0.15	RMS	1849.995	-19.36	-13	6.36	Pass	401
1850	1865	0.1	RMS	1850.825	18.46	30	11.54	Pass	401




1.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-31.53	-13	18.53	Pass	401
1848	1849	1	RMS	1849	-28.55	-13	15.55	Pass	2
1849	1850	0.15	RMS	1849.995	-27.98	-13	14.98	Pass	401
1850	1865	0.1	RMS	1855.513	4.28	30	25.72	Pass	401




1.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.138	19.57	30	10.43	Pass	401
1910	1911	0.15	RMS	1910.013	-18.25	-13	5.25	Pass*	401
1911	1912	1	RMS	1911	-25.41	-13	12.41	Pass	2
1912	1920	1	RMS	1915.82	-35.08	-13	22.08	Pass	401




1.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1896.2	1.85	30	28.15	Pass	401
1910	1911	0.15	RMS	1910.013	-29.98	-13	16.98	Pass	401
1911	1912	1	RMS	1911	-28.38	-13	15.38	Pass	2
1912	1920	1	RMS	1912.1	-29.22	-13	16.22	Pass	401




1.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	18.5	30	11.5	Pass	401
1910	1911	0.15	RMS	1910	-19.1	-13	6.1	Pass	401
1911	1912	1	RMS	1911	-25.92	-13	12.92	Pass	2
1912	1920	1	RMS	1915.78	-31.95	-13	18.95	Pass	401




1.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:48)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	0.1	RMS	1904.675	4.25	30	25.75	Pass	401
1910	1911	0.15	RMS	1910.015	-28.22	-13	15.22	Pass	401
1911	1912	1	RMS	1911	-31.38	-13	18.38	Pass	2
1912	1920	1	RMS	1912	-35.52	-13	22.52	Pass	401




1.41. LTE Band Edge_Part22-24-27(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.02	-25.75	-13	12.75	Pass	401
1848	1849	1	RMS	1849	-22.88	-13	9.88	Pass	2
1849	1850	0.2	RMS	1849.975	-16.35	-13	3.35	Pass*	401
1850	1870	0.1	RMS	1851.1	19.94	30	10.06	Pass	401




1.42. LTE Band Edge_Part22-24-27(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.42	-13	14.42	Pass	401
1848	1849	1	RMS	1849	-27.63	-13	14.63	Pass	2
1849	1850	0.2	RMS	1850	-29.87	-13	16.87	Pass	401
1850	1870	0.1	RMS	1867.4	0.77	30	29.23	Pass	401




1.43. LTE Band Edge_Part22-24-27(Subtest:43, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1845.96	-26.06	-13	13.06	Pass	401
1848	1849	1	RMS	1849	-22.81	-13	9.81	Pass	2
1849	1850	0.2	RMS	1849.97	-16.21	-13	3.21	Pass*	401
1850	1870	0.1	RMS	1851.1	19.67	30	10.33	Pass	401




1.44. LTE Band Edge_Part22-24-27(Subtest:44, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.21	-13	19.21	Pass	401
1848	1849	1	RMS	1849	-32.37	-13	19.37	Pass	2
1849	1850	0.2	RMS	1849.995	-29	-13	16	Pass	401
1850	1870	0.1	RMS	1855.2	4.34	30	25.66	Pass	401




1.45. LTE Band Edge_Part22-24-27(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.78	30	10.22	Pass	401
1910	1911	0.2	RMS	1910.01	-19.74	-13	6.74	Pass	401
1911	1912	1	RMS	1911	-29.53	-13	16.53	Pass	2
1912	1920	1	RMS	1917.84	-35.38	-13	22.38	Pass	401




1.46. LTE Band Edge_Part22-24-27(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1896.3	0.72	30	29.28	Pass	401
1910	1911	0.2	RMS	1910.003	-30.53	-13	17.53	Pass	401
1911	1912	1	RMS	1911	-28.3	-13	15.3	Pass	2
1912	1920	1	RMS	1912.04	-29.44	-13	16.44	Pass	401




1.47. LTE Band Edge_Part22-24-27(Subtest:47, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	18.83	30	11.17	Pass	401
1910	1911	0.2	RMS	1910	-20	-13	7	Pass	401
1911	1912	1	RMS	1911	-29.87	-13	16.87	Pass	2
1912	1920	1	RMS	1917.82	-32.59	-13	19.59	Pass	401



1.48. LTE Band Edge_Part22-24-27(Subtest:48, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:73)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	0.1	RMS	1904.3	4.45	30	25.55	Pass	401
1910	1911	0.2	RMS	1910	-28.93	-13	15.93	Pass	401
1911	1912	1	RMS	1911	-14.86	-13	1.86	Pass*	2
1912	1920	1	RMS	1912.1	-35.62	-13	22.62	Pass	401



2. LTE_Band4


2.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.75	-13	21.75	Pass	401
1708	1709	1	RMS	1709	-22.65	-13	9.65	Pass	2
1709	1710	0.02	RMS	1710	-16.12	-13	3.12	Pass*	401
1710	1712	0.1	RMS	1710.255	19.73	30	10.27	Pass	401




2.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.54	-13	25.54	Pass	401
1708	1709	1	RMS	1708	-27.62	-13	14.62	Pass	2
1709	1710	0.02	RMS	1709.995	-21.37	-13	8.37	Pass	401
1710	1712	0.1	RMS	1710.665	11.17	30	18.83	Pass	401




2.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.2	-13	24.2	Pass	401
1708	1709	1	RMS	1709	-25.22	-13	12.22	Pass	2
1709	1710	0.02	RMS	1710	-16.98	-13	3.98	Pass*	401
1710	1712	0.1	RMS	1710.235	18.52	30	11.48	Pass	401




2.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.31	-13	27.31	Pass	401
1708	1709	1	RMS	1709	-30.28	-13	17.28	Pass	2
1709	1710	0.02	RMS	1710	-22.04	-13	9.04	Pass	401
1710	1712	0.1	RMS	1710.74	10.05	30	19.95	Pass	401




2.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.755	19.55	30	10.45	Pass	401
1755	1756	0.02	RMS	1755	-16.02	-13	3.02	Pass*	401
1756	1757	1	RMS	1756	-23.02	-13	10.02	Pass	2
1757	1765	1	RMS	1757	-35.23	-13	22.23	Pass	401




2.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.155	11.23	30	18.77	Pass	401
1755	1756	0.02	RMS	1755.003	-21.05	-13	8.05	Pass	401
1756	1757	1	RMS	1756	-16.48	-13	3.48	Pass*	2
1757	1765	1	RMS	1757	-39.67	-13	26.67	Pass	401




2.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	18.52	30	11.48	Pass	401
1755	1756	0.02	RMS	1755	-16.92	-13	3.92	Pass*	401
1756	1757	1	RMS	1756	-24.5	-13	11.5	Pass	2
1757	1765	1	RMS	1757	-36.52	-13	23.52	Pass	401




2.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.305	10.21	30	19.79	Pass	401
1755	1756	0.02	RMS	1755.003	-22.89	-13	9.89	Pass	401
1756	1757	1	RMS	1756	-18.15	-13	5.15	Pass*	2
1757	1765	1	RMS	1757	-41.37	-13	28.37	Pass	401




2.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.67	-13	19.67	Pass	401
1708	1709	1	RMS	1709	-24.81	-13	11.81	Pass	2
1709	1710	0.03	RMS	1710	-13.45	-13	0.45	Pass*	401
1710	1713	0.1	RMS	1710.24	18.73	30	11.27	Pass	401




2.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.66	-13	17.66	Pass	401
1708	1709	1	RMS	1709	-25.4	-13	12.4	Pass	2
1709	1710	0.03	RMS	1710	-22.11	-13	9.11	Pass	401
1710	1713	0.1	RMS	1711.485	7.19	30	22.81	Pass	401




2.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.16	-13	20.16	Pass	401
1708	1709	1	RMS	1709	-23.89	-13	10.89	Pass	2
1709	1710	0.03	RMS	1710	-13.4	-13	0.4	Pass*	401
1710	1713	0.1	RMS	1710.233	18.11	30	11.89	Pass	401




2.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.31	-13	19.31	Pass	401
1708	1709	1	RMS	1709	-26.84	-13	13.84	Pass	2
1709	1710	0.03	RMS	1710	-23.04	-13	10.04	Pass	401
1710	1713	0.1	RMS	1711.275	6.09	30	23.91	Pass	401




2.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.745	18.74	30	11.26	Pass	401
1755	1756	0.03	RMS	1755	-13.22	-13	0.22	Pass*	401
1756	1757	1	RMS	1756	-33.06	-13	20.06	Pass	2
1757	1765	1	RMS	1757.26	-33.08	-13	20.08	Pass	401




2.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.463	7.24	30	22.76	Pass	401
1755	1756	0.03	RMS	1755	-22.22	-13	9.22	Pass	401
1756	1757	1	RMS	1756	-26.98	-13	13.98	Pass	2
1757	1765	1	RMS	1757.02	-32.53	-13	19.53	Pass	401




2.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	18.15	30	11.85	Pass	401
1755	1756	0.03	RMS	1755	-13.2	-13	0.2	Pass*	401
1756	1757	1	RMS	1756	-33.72	-13	20.72	Pass	2
1757	1765	1	RMS	1757.22	-33.83	-13	20.83	Pass	401




2.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.17	6.16	30	23.84	Pass	401
1755	1756	0.03	RMS	1755.003	-23.33	-13	10.33	Pass	401
1756	1757	1	RMS	1756	-27.94	-13	14.94	Pass	2
1757	1765	1	RMS	1757	-33.84	-13	20.84	Pass	401




2.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.9	-13	11.9	Pass	401
1708	1709	1	RMS	1708	-24.54	-13	11.54	Pass	2
1709	1710	0.051	RMS	1709.998	-13.23	-13	0.23	Pass*	401
1710	1715	0.1	RMS	1710.338	19.22	30	10.78	Pass	401




2.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.43	-13	16.43	Pass	401
1708	1709	1	RMS	1709	-25.8	-13	12.8	Pass	2
1709	1710	0.051	RMS	1710	-25.5	-13	12.5	Pass	401
1710	1715	0.1	RMS	1712.75	5.91	30	24.09	Pass	401




2.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.03	-13	11.03	Pass	401
1708	1709	1	RMS	1708	-23.71	-13	10.71	Pass	2
1709	1710	0.051	RMS	1709.998	-13.98	-13	0.98	Pass*	401
1710	1715	0.1	RMS	1710.35	18.61	30	11.39	Pass	401




2.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.91	-13	17.91	Pass	401
1708	1709	1	RMS	1708	-20.26	-13	7.26	Pass	2
1709	1710	0.051	RMS	1709.998	-26.68	-13	13.68	Pass	401
1710	1715	0.1	RMS	1712.725	4.84	30	25.16	Pass	401




2.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.638	19.32	30	10.68	Pass	401
1755	1756	0.051	RMS	1755	-13.42	-13	0.42	Pass*	401
1756	1757	1	RMS	1756	-29.24	-13	16.24	Pass	2
1757	1765	1	RMS	1757	-31.91	-13	18.91	Pass	401




2.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.875	5.86	30	24.14	Pass	401
1755	1756	0.051	RMS	1755	-25.85	-13	12.85	Pass	401
1756	1757	1	RMS	1756	-27.49	-13	14.49	Pass	2
1757	1765	1	RMS	1757	-30.73	-13	17.73	Pass	401




2.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	18.66	30	11.34	Pass	401
1755	1756	0.051	RMS	1755.003	-13.68	-13	0.68	Pass*	401
1756	1757	1	RMS	1756	-29.79	-13	16.79	Pass	2
1757	1765	1	RMS	1757	-33.12	-13	20.12	Pass	401




2.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.938	4.74	30	25.26	Pass	401
1755	1756	0.051	RMS	1755.005	-27.51	-13	14.51	Pass	401
1756	1757	1	RMS	1756	-28.58	-13	15.58	Pass	2
1757	1765	1	RMS	1757.02	-31.98	-13	18.98	Pass	401




2.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.22	-25.31	-13	12.31	Pass	401
1708	1709	1	RMS	1709	-16.68	-13	3.68	Pass*	2
1709	1710	0.1	RMS	1710	-14.37	-13	1.37	Pass*	401
1710	1720	0.1	RMS	1710.6	19.45	30	10.55	Pass	401




2.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.52	-13	16.52	Pass	401
1708	1709	1	RMS	1709	-24.3	-13	11.3	Pass	2
1709	1710	0.1	RMS	1709.99	-26.65	-13	13.65	Pass	401
1710	1720	0.1	RMS	1719.375	1.81	30	28.19	Pass	401




2.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.14	-24.6	-13	11.6	Pass	401
1708	1709	1	RMS	1709	-17.67	-13	4.67	Pass*	2
1709	1710	0.1	RMS	1709.995	-15.37	-13	2.37	Pass*	401
1710	1720	0.1	RMS	1710.575	18.48	30	11.52	Pass	401




2.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.34	-13	16.34	Pass	401
1708	1709	1	RMS	1709	-23.11	-13	10.11	Pass	2
1709	1710	0.1	RMS	1709.995	-24.99	-13	11.99	Pass	401
1710	1720	0.1	RMS	1715.15	3.48	30	26.52	Pass	401




2.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	19.37	30	10.63	Pass	401
1755	1756	0.1	RMS	1755.013	-14.19	-13	1.19	Pass*	401
1756	1757	1	RMS	1756	-16.55	-13	3.55	Pass*	2
1757	1765	1	RMS	1758.84	-28.8	-13	15.8	Pass	401




2.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1745.625	1.97	30	28.03	Pass	401
1755	1756	0.1	RMS	1755.005	-26.57	-13	13.57	Pass	401
1756	1757	1	RMS	1756	-24.41	-13	11.41	Pass	2
1757	1765	1	RMS	1757.02	-30.2	-13	17.2	Pass	401




2.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	18.58	30	11.42	Pass	401
1755	1756	0.1	RMS	1755.005	-14.95	-13	1.95	Pass*	401
1756	1757	1	RMS	1756	-17.35	-13	4.35	Pass*	2
1757	1765	1	RMS	1758.8	-29.85	-13	16.85	Pass	401




2.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750.175	3.62	30	26.38	Pass	401
1755	1756	0.1	RMS	1755.02	-25.57	-13	12.57	Pass	401
1756	1757	1	RMS	1756	-23.92	-13	10.92	Pass	2
1757	1765	1	RMS	1757	-30.66	-13	17.66	Pass	401




2.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.18	-25.87	-13	12.87	Pass	401
1708	1709	1	RMS	1709	-25.97	-13	12.97	Pass	2
1709	1710	0.15	RMS	1709.993	-18.41	-13	5.41	Pass*	401
1710	1725	0.1	RMS	1710.863	19.18	30	10.82	Pass	401




2.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.94	-13	16.94	Pass	401
1708	1709	1	RMS	1709	-30.15	-13	17.15	Pass	2
1709	1710	0.15	RMS	1710	-30.46	-13	17.46	Pass	401
1710	1725	0.1	RMS	1723.8	0.43	30	29.57	Pass	401




2.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.18	-26.65	-13	13.65	Pass	401
1708	1709	1	RMS	1709	-26.42	-13	13.42	Pass	2
1709	1710	0.15	RMS	1709.99	-19.87	-13	6.87	Pass	401
1710	1725	0.1	RMS	1710.825	17.66	30	12.34	Pass	401




2.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.01	-13	17.01	Pass	401
1708	1709	1	RMS	1709	-27.37	-13	14.37	Pass	2
1709	1710	0.15	RMS	1709.98	-27.85	-13	14.85	Pass	401
1710	1725	0.1	RMS	1712.513	3.5	30	26.5	Pass	401




2.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	18.92	30	11.08	Pass	401
1755	1756	0.15	RMS	1755.008	-18.91	-13	5.91	Pass*	401
1756	1757	1	RMS	1756	-26.01	-13	13.01	Pass	2
1757	1765	1	RMS	1760.76	-28.56	-13	15.56	Pass	401




2.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1741.35	0.39	30	29.61	Pass	401
1755	1756	0.15	RMS	1755	-30.26	-13	17.26	Pass	401
1756	1757	1	RMS	1756	-29.52	-13	16.52	Pass	2
1757	1765	1	RMS	1757.06	-30.64	-13	17.64	Pass	401




2.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	18.03	30	11.97	Pass	401
1755	1756	0.15	RMS	1755	-19.49	-13	6.49	Pass	401
1756	1757	1	RMS	1756	-26.53	-13	13.53	Pass	2
1757	1765	1	RMS	1760.78	-29.55	-13	16.55	Pass	401




2.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:48)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1751.85	3.58	30	26.42	Pass	401
1755	1756	0.15	RMS	1755	-27.62	-13	14.62	Pass	401
1756	1757	1	RMS	1756	-28.16	-13	15.16	Pass	2
1757	1765	1	RMS	1757	-31.41	-13	18.41	Pass	401




2.41. LTE Band Edge_Part22-24-27(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.18	-25.66	-13	12.66	Pass	401
1708	1709	1	RMS	1709	-46.62	-13	33.62	Pass	2
1709	1710	0.2	RMS	1710	-20.62	-13	7.62	Pass	401
1710	1730	0.1	RMS	1711.1	19.41	30	10.59	Pass	401




2.42. LTE Band Edge_Part22-24-27(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-32.57	-13	19.57	Pass	401
1708	1709	1	RMS	1709	-31.72	-13	18.72	Pass	2
1709	1710	0.2	RMS	1709.988	-32.32	-13	19.32	Pass	401
1710	1730	0.1	RMS	1728.5	-0.54	30	30.54	Pass	401




2.43. LTE Band Edge_Part22-24-27(Subtest:43, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.18	-24.94	-13	11.94	Pass	401
1708	1709	1	RMS	1709	-30.76	-13	17.76	Pass	2
1709	1710	0.2	RMS	1710	-20.94	-13	7.94	Pass	401
1710	1730	0.1	RMS	1711.1	18.32	30	11.68	Pass	401




2.44. LTE Band Edge_Part22-24-27(Subtest:44, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.61	-13	17.61	Pass	401
1708	1709	1	RMS	1709	-28.66	-13	15.66	Pass	2
1709	1710	0.2	RMS	1710	-28.08	-13	15.08	Pass	401
1710	1730	0.1	RMS	1712.3	3.62	30	26.38	Pass	401




2.45. LTE Band Edge_Part22-24-27(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.28	30	10.72	Pass	401
1755	1756	0.2	RMS	1755.008	-20.15	-13	7.15	Pass	401
1756	1757	1	RMS	1756	-30.05	-13	17.05	Pass	2
1757	1765	1	RMS	1762.8	-27.62	-13	14.62	Pass	401




2.46. LTE Band Edge_Part22-24-27(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1737.7	-0.9	30	30.9	Pass	401
1755	1756	0.2	RMS	1755.003	-31.99	-13	18.99	Pass	401
1756	1757	1	RMS	1756	-31.64	-13	18.64	Pass	2
1757	1765	1	RMS	1757.04	-32.54	-13	19.54	Pass	401




2.47. LTE Band Edge_Part22-24-27(Subtest:47, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	18.49	30	11.51	Pass	401
1755	1756	0.2	RMS	1755.003	-20.77	-13	7.77	Pass	401
1756	1757	1	RMS	1756	-30.66	-13	17.66	Pass	2
1757	1765	1	RMS	1762.8	-28.72	-13	15.72	Pass	401



2.48. LTE Band Edge_Part22-24-27(Subtest:48, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:73)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1750.5	3.62	30	26.38	Pass	401
1755	1756	0.2	RMS	1755	-28.32	-13	15.32	Pass	401
1756	1757	1	RMS	1756	-29.61	-13	16.61	Pass	2
1757	1765	1	RMS	1757	-31.91	-13	18.91	Pass	401



3. LTE_Band5


3.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-42.28	-13	29.28	Pass	401
823	824	0.02	RMS	824	-17.19	-13	4.19	Pass*	401
824	826	0.1	RMS	824.25	20.01	30	9.99	Pass	401




3.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-41.39	-13	28.39	Pass	401
823	824	0.02	RMS	824	-22.63	-13	9.63	Pass	401
824	826	0.1	RMS	824.865	11.64	30	18.36	Pass	401




3.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-43.14	-13	30.14	Pass	401
823	824	0.02	RMS	824	-17.49	-13	4.49	Pass*	401
824	826	0.1	RMS	824.245	18.9	30	11.1	Pass	401




3.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.04	-13	29.04	Pass	401
823	824	0.02	RMS	824	-23.65	-13	10.65	Pass	401
824	826	0.1	RMS	824.68	10.56	30	19.44	Pass	401




3.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	20.03	30	9.97	Pass	401
849	850	0.02	RMS	849	-16.96	-13	3.96	Pass*	401
850	860	0.1	RMS	850	-46.3	-13	33.3	Pass	401




3.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.455	11.69	30	18.31	Pass	401
849	850	0.02	RMS	849	-22.67	-13	9.67	Pass	401
850	860	0.1	RMS	850	-42.19	-13	29.19	Pass	401




3.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	19.1	30	10.9	Pass	401
849	850	0.02	RMS	849	-17.72	-13	4.72	Pass*	401
850	860	0.1	RMS	850.025	-47.69	-13	34.69	Pass	401




3.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.365	10.58	30	19.42	Pass	401
849	850	0.02	RMS	849	-24.08	-13	11.08	Pass	401
850	860	0.1	RMS	850	-42.58	-13	29.58	Pass	401




3.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34.65	-13	21.65	Pass	401
823	824	0.03	RMS	823.998	-13.54	-13	0.54	Pass*	401
824	827	0.1	RMS	824.233	19.23	30	10.77	Pass	401




3.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.42	-13	22.42	Pass	401
823	824	0.03	RMS	823.998	-23.18	-13	10.18	Pass	401
824	827	0.1	RMS	825.425	7.53	30	22.47	Pass	401




3.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.28	-13	20.28	Pass	401
823	824	0.03	RMS	824	-13.8	-13	0.8	Pass*	401
824	827	0.1	RMS	824.24	18.37	30	11.63	Pass	401




3.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-36.91	-13	23.91	Pass	401
823	824	0.03	RMS	824	-23.58	-13	10.58	Pass	401
824	827	0.1	RMS	826.348	6.5	30	23.5	Pass	401




3.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.46	30	10.54	Pass	401
849	850	0.03	RMS	849.003	-13.09	-13	0.09	Pass*	401
850	860	0.1	RMS	850.025	-36.61	-13	23.61	Pass	401




3.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.763	7.61	30	22.39	Pass	401
849	850	0.03	RMS	849.005	-23.19	-13	10.19	Pass	401
850	860	0.1	RMS	850	-35.32	-13	22.32	Pass	401




3.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.79	18.62	30	11.38	Pass	401
849	850	0.03	RMS	849	-13.83	-13	0.83	Pass*	35
850	860	0.1	RMS	850	-37.83	-13	24.83	Pass	401




3.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.035	6.61	30	23.39	Pass	401
849	850	0.03	RMS	849	-24.25	-13	11.25	Pass	401
850	860	0.1	RMS	850	-37.16	-13	24.16	Pass	401




3.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-33.73	-13	20.73	Pass	401
823	824	0.051	RMS	823.998	-13.53	-13	0.53	Pass*	401
824	829	0.1	RMS	824.35	19.73	30	10.27	Pass	401




3.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.23	-13	24.23	Pass	401
823	824	0.051	RMS	824	-26.07	-13	13.07	Pass	401
824	829	0.1	RMS	826.838	6.19	30	23.81	Pass	401




3.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.2	-32.21	-13	19.21	Pass	401
823	824	0.051	RMS	824	-14.21	-13	1.21	Pass*	401
824	829	0.1	RMS	824.363	18.93	30	11.07	Pass	401




3.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.62	-13	25.62	Pass	401
823	824	0.051	RMS	823.993	-27.14	-13	14.14	Pass	401
824	829	0.1	RMS	826.863	5.36	30	24.64	Pass	401




3.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.99	30	10.01	Pass	401
849	850	0.051	RMS	849.003	-13.35	-13	0.35	Pass*	401
850	860	0.1	RMS	850.825	-33.14	-13	20.14	Pass	401




3.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.3	6.08	30	23.92	Pass	401
849	850	0.051	RMS	849	-26.38	-13	13.38	Pass	401
850	860	0.1	RMS	850.025	-36.93	-13	23.93	Pass	401




3.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.16	30	10.84	Pass	401
849	850	0.051	RMS	849	-13.81	-13	0.81	Pass*	401
850	860	0.1	RMS	850.825	-34.32	-13	21.32	Pass	401




3.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.25	5.24	30	24.76	Pass	401
849	850	0.051	RMS	849	-27.14	-13	14.14	Pass	401
850	860	0.1	RMS	850.025	-37.99	-13	24.99	Pass	401




3.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-27.99	-13	14.99	Pass	401
823	824	0.1	RMS	823.995	-14.87	-13	1.87	Pass*	401
824	834	0.1	RMS	824.6	19.54	30	10.46	Pass	401




3.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.46	-13	21.46	Pass	401
823	824	0.1	RMS	824	-26.48	-13	13.48	Pass	401
824	834	0.1	RMS	828.725	2.21	30	27.79	Pass	401




3.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-28.32	-13	15.32	Pass	401
823	824	0.1	RMS	823.998	-15.32	-13	2.32	Pass*	401
824	834	0.1	RMS	824.575	18.68	30	11.32	Pass	401




3.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.11	-13	21.11	Pass	401
823	824	0.1	RMS	824	-25.35	-13	12.35	Pass	401
824	834	0.1	RMS	826.975	3.97	30	26.03	Pass	401




3.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.82	30	10.18	Pass	401
849	850	0.1	RMS	849.003	-14.2	-13	1.2	Pass*	401
850	860	0.1	RMS	850	-27.15	-13	14.15	Pass	401




3.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	843.775	2.05	30	27.95	Pass	401
849	850	0.1	RMS	849.005	-26.18	-13	13.18	Pass	401
850	860	0.1	RMS	850	-34.37	-13	21.37	Pass	401




3.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	18.83	30	11.17	Pass	401
849	850	0.1	RMS	849.013	-14.93	-13	1.93	Pass*	401
850	860	0.1	RMS	850	-27.95	-13	14.95	Pass	401



3.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	846.975	3.94	30	26.06	Pass	401
849	850	0.1	RMS	849.01	-24.4	-13	11.4	Pass	401
850	860	0.1	RMS	850	-33.11	-13	20.11	Pass	401



4. LTE_Band12


4.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.08	-13	7.08	Pass	401
698.9	699	0.03	RMS	698.999	-14.8	-13	1.8	Pass*	401
699	701	0.1	RMS	699.25	20.36	30	9.64	Pass	401



4.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.8	-13	11.8	Pass	401
698.9	699	0.03	RMS	698.999	-20.45	-13	7.45	Pass	401
699	701	0.1	RMS	700.06	11.76	30	18.24	Pass	401




4.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.28	-13	8.28	Pass	401
698.9	699	0.03	RMS	698.999	-15.3	-13	2.3	Pass*	401
699	701	0.1	RMS	699.24	19.27	30	10.73	Pass	401




4.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.69	-13	12.69	Pass	401
698.9	699	0.03	RMS	698.999	-21.42	-13	8.42	Pass	401
699	701	0.1	RMS	699.745	10.75	30	19.25	Pass	401




4.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.73	20.2	30	9.8	Pass	401
716	716.1	0.03	RMS	716	-14.84	-13	1.84	Pass*	401
716.1	725	0.1	RMS	716.1	-20.09	-13	7.09	Pass	401




4.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.17	12.15	30	17.85	Pass	401
716	716.1	0.03	RMS	716.002	-20.59	-13	7.59	Pass	401
716.1	725	0.1	RMS	716.1	-24.34	-13	11.34	Pass	401




4.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.74	19.31	30	10.69	Pass	401
716	716.1	0.03	RMS	716	-15.81	-13	2.81	Pass*	401
716.1	725	0.1	RMS	716.1	-21.44	-13	8.44	Pass	401




4.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	714.975	11.12	30	18.88	Pass	401
716	716.1	0.03	RMS	716.001	-21.32	-13	8.32	Pass	401
716.1	725	0.1	RMS	716.1	-25.21	-13	12.21	Pass	401




4.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-13.11	-13	0.11	Pass*	401
698.9	699	0.03	RMS	699	-13.13	-13	0.13	Pass*	401
699	702	0.1	RMS	699.233	19.45	30	10.55	Pass	401




4.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.47	-13	8.47	Pass	401
698.9	699	0.03	RMS	698.996	-22.48	-13	9.48	Pass	401
699	702	0.1	RMS	701.145	7.67	30	22.33	Pass	401




4.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-13.67	-13	0.67	Pass*	401
698.9	699	0.03	RMS	698.999	-13.42	-13	0.42	Pass*	401
699	702	0.1	RMS	699.233	18.82	30	11.18	Pass	401




4.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.03	-13	9.03	Pass	401
698.9	699	0.03	RMS	698.999	-22.91	-13	9.91	Pass	401
699	702	0.1	RMS	700.95	6.73	30	23.27	Pass	401




4.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	19.72	30	10.28	Pass	401
716	716.1	0.03	RMS	716	-13	-13	0	Pass*	5
716.1	725	0.1	RMS	716.1	-13.26	-13	0.26	Pass*	401




4.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.485	8.05	30	21.95	Pass	401
716	716.1	0.03	RMS	716.001	-23	-13	10	Pass	401
716.1	725	0.1	RMS	716.1	-22.4	-13	9.4	Pass	401




4.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	18.84	30	11.16	Pass	401
716	716.1	0.03	RMS	716	-13.37	-13	0.37	Pass*	401
716.1	725	0.1	RMS	716.1	-13.37	-13	0.37	Pass*	401




4.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.14	6.87	30	23.13	Pass	401
716	716.1	0.03	RMS	716.001	-23.71	-13	10.71	Pass	401
716.1	725	0.1	RMS	716.1	-23.23	-13	10.23	Pass	401




4.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-13.59	-13	0.59	Pass*	401
698.9	699	0.03	RMS	698.999	-15.36	-13	2.36	Pass*	401
699	704	0.1	RMS	699.325	20.03	30	9.97	Pass	401




4.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.8	-13	12.8	Pass	401
698.9	699	0.03	RMS	699	-28.36	-13	15.36	Pass	401
699	704	0.1	RMS	701.85	6.69	30	23.31	Pass	401




4.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-13.51	-13	0.51	Pass*	401
698.9	699	0.03	RMS	698.999	-15.55	-13	2.55	Pass*	401
699	704	0.1	RMS	699.338	19.13	30	10.87	Pass	401




4.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-26.71	-13	13.71	Pass	401
698.9	699	0.03	RMS	698.999	-29.37	-13	16.37	Pass	401
699	704	0.1	RMS	701.838	5.74	30	24.26	Pass	401




4.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.23	30	9.77	Pass	401
716	716.1	0.03	RMS	716.001	-15.57	-13	2.57	Pass*	401
716.1	725	0.1	RMS	716.1	-14.24	-13	1.24	Pass*	401




4.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.525	6.46	30	23.54	Pass	401
716	716.1	0.03	RMS	716.001	-29.06	-13	16.06	Pass	401
716.1	725	0.1	RMS	716.1	-26.57	-13	13.57	Pass	401




4.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.32	30	10.68	Pass	401
716	716.1	0.03	RMS	716.002	-16.28	-13	3.28	Pass*	401
716.1	725	0.1	RMS	716.1	-14.48	-13	1.48	Pass*	401




4.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.3	5.49	30	24.51	Pass	401
716	716.1	0.03	RMS	716.004	-29.76	-13	16.76	Pass	401
716.1	725	0.1	RMS	716.1	-27.05	-13	14.05	Pass	401




4.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-15.41	-13	2.41	Pass*	401
698.9	699	0.03	RMS	698.999	-19.04	-13	6.04	Pass	401
699	709	0.1	RMS	699.6	20.04	30	9.96	Pass	401




4.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-27.72	-13	14.72	Pass	401
698.9	699	0.03	RMS	698.998	-31.93	-13	18.93	Pass	401
699	709	0.1	RMS	702.925	2.63	30	27.37	Pass	401




4.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-16.78	-13	3.78	Pass*	401
698.9	699	0.03	RMS	698.999	-20	-13	7	Pass	401
699	709	0.1	RMS	699.575	19.06	30	10.94	Pass	401




4.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-26.32	-13	13.32	Pass	401
698.9	699	0.03	RMS	698.998	-29.99	-13	16.99	Pass	401
699	709	0.1	RMS	703	4.37	30	25.63	Pass	401




4.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.17	30	9.83	Pass	401
716	716.1	0.03	RMS	716.002	-19.22	-13	6.22	Pass	401
716.1	725	0.1	RMS	716.122	-15.89	-13	2.89	Pass*	401




4.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.45	3.06	30	26.94	Pass	401
716	716.1	0.03	RMS	716.003	-31.25	-13	18.25	Pass	401
716.1	725	0.1	RMS	716.1	-27.27	-13	14.27	Pass	401




4.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.35	30	10.65	Pass	401
716	716.1	0.03	RMS	716.001	-19.82	-13	6.82	Pass	401
716.1	725	0.1	RMS	716.122	-16.72	-13	3.72	Pass*	401



4.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	713.175	4.12	30	25.88	Pass	401
716	716.1	0.03	RMS	716.002	-30.61	-13	17.61	Pass	401
716.1	725	0.1	RMS	716.1	-26.74	-13	13.74	Pass	401



5. LTE_Band13


5.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-72.17	-35	37.17	Pass	1201
775	775.9	0.1	RMS	775.88	-52.63	-13	39.63	Pass	401
775.9	776	0.03	RMS	775.999	-55.83	-13	42.83	Pass	401
776	788	0.1	RMS	777.35	20.21	30	9.79	Pass	401




5.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-64.15	-35	29.15	Pass	1201
775	775.9	0.1	RMS	775.898	-42.05	-13	29.05	Pass	401
775.9	776	0.03	RMS	775.997	-45.69	-13	32.69	Pass	401
776	788	0.1	RMS	779.3	6.49	30	23.51	Pass	401




5.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.92	-73.3	-35	38.3	Pass	1201
775	775.9	0.1	RMS	775.891	-53.63	-13	40.63	Pass	401
775.9	776	0.03	RMS	775.999	-56.72	-13	43.72	Pass	401
776	788	0.1	RMS	777.35	19.42	30	10.58	Pass	401




5.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-66.74	-35	31.74	Pass	1201
775	775.9	0.1	RMS	775.9	-43.66	-13	30.66	Pass	401
775.9	776	0.03	RMS	775.998	-46.98	-13	33.98	Pass	401
776	788	0.1	RMS	779.21	5.8	30	24.2	Pass	401




5.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.57	30	9.43	Pass	401
788	788.1	0.03	RMS	788.001	-52.24	-13	39.24	Pass	401
788.1	793	0.1	RMS	788.811	-32.09	-13	19.09	Pass	401
793	805	0.01	RMS	795.31	-43.06	-35	8.06	Pass	1201




5.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	784.85	6.84	30	23.16	Pass	401
788	788.1	0.03	RMS	788.046	-34.83	-13	21.83	Pass	401
788.1	793	0.1	RMS	788.125	-30.23	-13	17.23	Pass	401
793	805	0.01	RMS	793.09	-65.02	-35	30.02	Pass	1201




5.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	19.78	30	10.22	Pass	401
788	788.1	0.03	RMS	788.002	-53.25	-13	40.25	Pass	401
788.1	793	0.1	RMS	788.811	-31.57	-13	18.57	Pass	401
793	805	0.01	RMS	795.32	-44.15	-35	9.15	Pass	1201




5.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	784.97	5.93	30	24.07	Pass	401
788	788.1	0.03	RMS	788.045	-36.12	-13	23.12	Pass	401
788.1	793	0.1	RMS	788.1	-31.48	-13	18.48	Pass	401
793	805	0.01	RMS	793	-65.38	-35	30.38	Pass	1201




5.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.18	-69.23	-35	34.23	Pass	1201
775	775.9	0.1	RMS	775.898	-40.07	-13	27.07	Pass	401
775.9	776	0.03	RMS	776	-41.66	-13	28.66	Pass	401
776	788	0.1	RMS	777.59	20.37	30	9.63	Pass	401




5.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.42	-64.99	-35	29.99	Pass	1201
775	775.9	0.1	RMS	775.898	-42.35	-13	29.35	Pass	401
775.9	776	0.03	RMS	775.996	-45.15	-13	32.15	Pass	401
776	788	0.1	RMS	786.05	4.54	30	25.46	Pass	401




5.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.18	-68	-35	33	Pass	1201
775	775.9	0.1	RMS	775.898	-40.12	-13	27.12	Pass	401
775.9	776	0.03	RMS	775.997	-41.92	-13	28.92	Pass	401
776	788	0.1	RMS	777.59	19.36	30	10.64	Pass	401




5.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.95	-65.72	-35	30.72	Pass	1201
775	775.9	0.1	RMS	775.9	-43.94	-13	30.94	Pass	401
775.9	776	0.03	RMS	775.996	-46.94	-13	33.94	Pass	401
776	788	0.1	RMS	779.27	4.3	30	25.7	Pass	401




5.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.54	30	9.46	Pass	401
788	788.1	0.03	RMS	788.003	-31.43	-13	18.43	Pass	401
788.1	793	0.1	RMS	788.112	-28.3	-13	15.3	Pass	401
793	805	0.01	RMS	799.67	-40.39	-35	5.39	Pass*	1201




5.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.32	4.58	30	25.42	Pass	401
788	788.1	0.03	RMS	788.005	-32.79	-13	19.79	Pass	401
788.1	793	0.1	RMS	788.1	-28.39	-13	15.39	Pass	401
793	805	0.01	RMS	793.2	-46.27	-35	11.27	Pass	1201




5.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	19.74	30	10.26	Pass	401
788	788.1	0.03	RMS	788.002	-32.45	-13	19.45	Pass	401
788.1	793	0.1	RMS	788.125	-29.28	-13	16.28	Pass	401
793	805	0.01	RMS	804	-42.27	-35	7.27	Pass	1201



5.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	5.39	30	24.61	Pass	401
788	788.1	0.03	RMS	788.006	-34.93	-13	21.93	Pass	401
788.1	793	0.1	RMS	788.112	-30.7	-13	17.7	Pass	401
793	805	0.01	RMS	793.59	-56.38	-35	21.38	Pass	1201



6. LTE_Band14


6.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	772.847	-76.5	-35	41.5	Pass	968
775	787.9	0.1	RMS	787.9	-13.05	-13	0.05	Pass*	401
787.9	788	0.03	RMS	787.999	-14.92	-13	1.92	Pass*	401
788	798	0.1	RMS	788.35	20.35	30	9.65	Pass	401




6.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	772.264	-76.28	-35	41.28	Pass	968
775	787.9	0.1	RMS	787.9	-22.59	-13	9.59	Pass	401
787.9	788	0.03	RMS	787.999	-25.71	-13	12.71	Pass	401
788	798	0.1	RMS	789.975	6.31	30	23.69	Pass	401




6.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	770.34	-76.09	-35	41.09	Pass	968
775	787.9	0.1	RMS	787.9	-13.12	-13	0.12	Pass*	401
787.9	788	0.03	RMS	788	-14.81	-13	1.81	Pass*	401
788	798	0.1	RMS	788.35	19.95	30	10.05	Pass	401




6.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	774.398	-76.42	-35	41.42	Pass	968
775	787.9	0.1	RMS	787.9	-23.95	-13	10.95	Pass	401
787.9	788	0.03	RMS	788	-27.09	-13	14.09	Pass	401
788	798	0.1	RMS	790.175	5.48	30	24.52	Pass	401




6.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	19.5	30	10.5	Pass	401
798	798.1	0.03	RMS	798.002	-15.52	-13	2.52	Pass*	401
798.1	799	0.1	RMS	798.1	-13.17	-13	0.17	Pass*	401
799	805	0.0062	RMS	799.831	-40.76	-35	5.76	Pass*	968
805	810	0.1	RMS	806.313	-36.02	-13	23.02	Pass	401




6.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	795.85	5.91	30	24.09	Pass	401
798	798.1	0.03	RMS	798.001	-26.33	-13	13.33	Pass	401
798.1	799	0.1	RMS	798.102	-22.99	-13	9.99	Pass	401
799	805	0.0062	RMS	799.05	-41.73	-35	6.73	Pass	968
805	810	0.1	RMS	805.163	-57.96	-13	44.96	Pass	401




6.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	18.75	30	11.25	Pass	401
798	798.1	0.03	RMS	798.003	-16.23	-13	3.23	Pass*	401
798.1	799	0.1	RMS	798.105	-13.94	-13	0.94	Pass*	401
799	805	0.0062	RMS	799.813	-40.62	-35	5.62	Pass*	968
805	810	0.1	RMS	806.338	-36.53	-13	23.53	Pass	401




6.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	795.825	5	30	25	Pass	401
798	798.1	0.03	RMS	798.002	-27.75	-13	14.75	Pass	401
798.1	799	0.1	RMS	798.107	-24.3	-13	11.3	Pass	401
799	805	0.0062	RMS	799.105	-43.16	-35	8.16	Pass	968
805	810	0.1	RMS	805	-58.98	-13	45.98	Pass	401




6.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	773.877	-75.69	-35	40.69	Pass	968
775	787.9	0.1	RMS	787.9	-15.21	-13	2.21	Pass*	401
787.9	788	0.03	RMS	787.999	-18.56	-13	5.56	Pass*	401
788	798	0.1	RMS	788.575	20.24	30	9.76	Pass	401




6.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	770.204	-76.24	-35	41.24	Pass	968
775	787.9	0.1	RMS	787.9	-23.97	-13	10.97	Pass	401
787.9	788	0.03	RMS	787.993	-28.31	-13	15.31	Pass	401
788	798	0.1	RMS	788.675	4.02	30	25.98	Pass	401




6.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	772.506	-76.11	-35	41.11	Pass	968
775	787.9	0.1	RMS	787.9	-15.72	-13	2.72	Pass*	401
787.9	788	0.03	RMS	787.998	-19.15	-13	6.15	Pass	401
788	798	0.1	RMS	788.575	19.38	30	10.62	Pass	401




6.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	771.364	-76.64	-35	41.64	Pass	968
775	787.9	0.1	RMS	787.9	-23.94	-13	10.94	Pass	401
787.9	788	0.03	RMS	787.993	-27.74	-13	14.74	Pass	401
788	798	0.1	RMS	788.725	5.08	30	24.92	Pass	401




6.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.425	19.59	30	10.41	Pass	401
798	798.1	0.03	RMS	798.007	-18.97	-13	5.97	Pass*	401
798.1	799	0.1	RMS	798.111	-15.15	-13	2.15	Pass*	401
799	805	0.0062	RMS	799.006	-37.57	-35	2.57	Pass*	968
805	810	0.1	RMS	806.238	-48.45	-13	35.45	Pass	401




6.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	788.8	3.95	30	26.05	Pass	401
798	798.1	0.03	RMS	798.014	-28.9	-13	15.9	Pass	401
798.1	799	0.1	RMS	798.125	-24.54	-13	11.54	Pass	401
799	805	0.0062	RMS	799.099	-39.93	-35	4.93	Pass*	968
805	810	0.1	RMS	805.125	-42.41	-13	29.41	Pass	401




6.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	18.73	30	11.27	Pass	401
798	798.1	0.03	RMS	798.001	-19.47	-13	6.47	Pass	401
798.1	799	0.1	RMS	798.102	-15.62	-13	2.62	Pass*	401
799	805	0.0062	RMS	799.025	-38.97	-35	3.97	Pass*	968
805	810	0.1	RMS	806.25	-48.38	-13	35.38	Pass	401



6.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.35	4.33	30	25.67	Pass	401
798	798.1	0.03	RMS	798.009	-28.43	-13	15.43	Pass	401
798.1	799	0.1	RMS	798.102	-24.15	-13	11.15	Pass	401
799	805	0.0062	RMS	799.037	-42.37	-35	7.37	Pass	968
805	810	0.1	RMS	805.038	-49.22	-13	36.22	Pass	401



7. LTE_Band25


7.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.57	-13	26.57	Pass	401
1848	1849	1	RMS	1849	-21.12	-13	8.12	Pass	2
1849	1850	0.02	RMS	1850	-17.56	-13	4.56	Pass*	401
1850	1852	0.1	RMS	1850.25	19.48	30	10.52	Pass	401




7.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.85	-13	26.85	Pass	401
1848	1849	1	RMS	1849	-30.33	-13	17.33	Pass	2
1849	1850	0.02	RMS	1849.998	-22.25	-13	9.25	Pass	401
1850	1852	0.1	RMS	1850.87	11.31	30	18.69	Pass	401




7.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.58	-13	27.58	Pass	401
1848	1849	1	RMS	1849	-22.71	-13	9.71	Pass	2
1849	1850	0.02	RMS	1850	-18.13	-13	5.13	Pass*	401
1850	1852	0.1	RMS	1850.245	18.44	30	11.56	Pass	401




7.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.82	-13	28.82	Pass	401
1848	1849	1	RMS	1849	-31.93	-13	18.93	Pass	2
1849	1850	0.02	RMS	1850	-23.49	-13	10.49	Pass	401
1850	1852	0.1	RMS	1851.11	10.09	30	19.91	Pass	401




7.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.745	20.82	30	9.18	Pass	401
1915	1916	0.02	RMS	1915	-14.25	-13	1.25	Pass*	401
1916	1917	1	RMS	1916	-18	-13	5	Pass*	2
1917	1925	1	RMS	1917	-36.3	-13	23.3	Pass	401




7.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.335	12.88	30	17.12	Pass	401
1915	1916	0.02	RMS	1915.003	-17.68	-13	4.68	Pass*	401
1916	1917	1	RMS	1916	-17.73	-13	4.73	Pass*	2
1917	1925	1	RMS	1917	-35.08	-13	22.08	Pass	401




7.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.76	19.85	30	10.15	Pass	401
1915	1916	0.02	RMS	1915.003	-15.88	-13	2.88	Pass*	401
1916	1917	1	RMS	1916	-19.39	-13	6.39	Pass	2
1917	1925	1	RMS	1917	-37.34	-13	24.34	Pass	401




7.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.35	11.73	30	18.27	Pass	401
1915	1916	0.02	RMS	1915	-20.15	-13	7.15	Pass	401
1916	1917	1	RMS	1916	-20.66	-13	7.66	Pass	2
1917	1925	1	RMS	1917	-37.5	-13	24.5	Pass	401




7.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-30.9	-13	17.9	Pass	401
1848	1849	1	RMS	1849	-24.48	-13	11.48	Pass	2
1849	1850	0.03	RMS	1849.998	-13.74	-13	0.74	Pass*	401
1850	1853	0.1	RMS	1850.233	18.88	30	11.12	Pass	401




7.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.6	-13	20.6	Pass	401
1848	1849	1	RMS	1849	-28.66	-13	15.66	Pass	2
1849	1850	0.03	RMS	1850	-22.83	-13	9.83	Pass	401
1850	1853	0.1	RMS	1851.395	7.31	30	22.69	Pass	401




7.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-32.19	-13	19.19	Pass	401
1848	1849	1	RMS	1848	-32.81	-13	19.81	Pass	2
1849	1850	0.03	RMS	1849.995	-14.02	-13	1.02	Pass*	401
1850	1853	0.1	RMS	1850.233	17.99	30	12.01	Pass	401




7.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.84	-13	21.84	Pass	401
1848	1849	1	RMS	1849	-29.09	-13	16.09	Pass	2
1849	1850	0.03	RMS	1849.995	-23.93	-13	10.93	Pass	401
1850	1853	0.1	RMS	1852.31	6.35	30	23.65	Pass	401




7.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.745	18.24	30	11.76	Pass	401
1915	1916	0.03	RMS	1915	-13.43	-13	0.43	Pass*	401
1916	1917	1	RMS	1917	-29.51	-13	16.51	Pass	2
1917	1925	1	RMS	1917.16	-29.52	-13	16.52	Pass	401




7.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.478	8.42	30	21.58	Pass	401
1915	1916	0.03	RMS	1915.005	-20	-13	7	Pass	401
1916	1917	1	RMS	1916	-15.2	-13	2.2	Pass*	2
1917	1925	1	RMS	1917	-20.94	-13	7.94	Pass	401




7.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	19.26	30	10.74	Pass	401
1915	1916	0.03	RMS	1915	-13.22	-13	0.22	Pass*	35
1916	1917	1	RMS	1917	-28.77	-13	15.77	Pass	2
1917	1925	1	RMS	1917.2	-28.63	-13	15.63	Pass	401




7.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.478	7.5	30	22.5	Pass	401
1915	1916	0.03	RMS	1915	-21.48	-13	8.48	Pass	401
1916	1917	1	RMS	1916	-18.02	-13	5.02	Pass*	2
1917	1925	1	RMS	1917	-24.25	-13	11.25	Pass	401




7.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.23	-13	12.23	Pass	401
1848	1849	1	RMS	1848	-24.85	-13	11.85	Pass	2
1849	1850	0.051	RMS	1849.998	-13.8	-13	0.8	Pass*	401
1850	1855	0.1	RMS	1850.338	19.39	30	10.61	Pass	401




7.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.62	-13	19.62	Pass	401
1848	1849	1	RMS	1849	-28.83	-13	15.83	Pass	2
1849	1850	0.051	RMS	1849.998	-26.18	-13	13.18	Pass	401
1850	1855	0.1	RMS	1852.888	6.29	30	23.71	Pass	401




7.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.53	-13	13.53	Pass	401
1848	1849	1	RMS	1848	-26.07	-13	13.07	Pass	2
1849	1850	0.051	RMS	1849.995	-14.27	-13	1.27	Pass*	401
1850	1855	0.1	RMS	1850.325	18.47	30	11.53	Pass	401




7.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.37	-13	20.37	Pass	401
1848	1849	1	RMS	1849	-29.43	-13	16.43	Pass	2
1849	1850	0.051	RMS	1850	-27.26	-13	14.26	Pass	401
1850	1855	0.1	RMS	1852.863	5.33	30	24.67	Pass	401




7.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	18.57	30	11.43	Pass	401
1915	1916	0.05	RMS	1915	-14.62	-13	1.62	Pass*	21
1916	1917	1	RMS	1916	-26.07	-13	13.07	Pass	2
1917	1925	1	RMS	1918.94	-33.15	-13	20.15	Pass	401




7.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.688	6.74	30	23.26	Pass	401
1915	1916	0.051	RMS	1915.003	-24.07	-13	11.07	Pass	401
1916	1917	1	RMS	1916	-19.68	-13	6.68	Pass	2
1917	1925	1	RMS	1917	-22.65	-13	9.65	Pass	401




7.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	19.52	30	10.48	Pass	401
1915	1916	0.05	RMS	1915	-14.08	-13	1.08	Pass*	21
1916	1917	1	RMS	1916	-32.12	-13	19.12	Pass	2
1917	1925	1	RMS	1918.96	-32.29	-13	19.29	Pass	401




7.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.488	5.76	30	24.24	Pass	401
1915	1916	0.051	RMS	1915.003	-25.04	-13	12.04	Pass	401
1916	1917	1	RMS	1916	-21.82	-13	8.82	Pass	2
1917	1925	1	RMS	1917.04	-25.11	-13	12.11	Pass	401




7.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.16	-26.39	-13	13.39	Pass	401
1848	1849	1	RMS	1849	-17.03	-13	4.03	Pass*	2
1849	1850	0.1	RMS	1850	-14.78	-13	1.78	Pass*	401
1850	1860	0.1	RMS	1850.575	19.44	30	10.56	Pass	401




7.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.54	-13	16.54	Pass	401
1848	1849	1	RMS	1849	-24.15	-13	11.15	Pass	2
1849	1850	0.1	RMS	1849.993	-26.27	-13	13.27	Pass	401
1850	1860	0.1	RMS	1859	3.13	30	26.87	Pass	401




7.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.2	-27.55	-13	14.55	Pass	401
1848	1849	1	RMS	1849	-17.6	-13	4.6	Pass*	2
1849	1850	0.1	RMS	1849.998	-15.33	-13	2.33	Pass*	401
1850	1860	0.1	RMS	1850.575	18.59	30	11.41	Pass	401




7.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.78	-13	17.78	Pass	401
1848	1849	1	RMS	1849	-23.81	-13	10.81	Pass	2
1849	1850	0.1	RMS	1849.995	-25.47	-13	12.47	Pass	401
1850	1860	0.1	RMS	1855.25	4.35	30	25.65	Pass	401




7.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	20.27	30	9.73	Pass	401
1915	1916	0.1	RMS	1915	-13.43	-13	0.43	Pass*	11
1916	1917	1	RMS	1916	-22.77	-13	9.77	Pass	2
1917	1925	1	RMS	1917	-28.4	-13	15.4	Pass	401




7.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.1	2.82	30	27.18	Pass	401
1915	1916	0.1	RMS	1915.013	-25.25	-13	12.25	Pass	401
1916	1917	1	RMS	1916	-22.62	-13	9.62	Pass	2
1917	1925	1	RMS	1917	-28.01	-13	15.01	Pass	401




7.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	19.97	30	10.03	Pass	401
1915	1916	0.1	RMS	1915.003	-13.55	-13	0.55	Pass*	401
1916	1917	1	RMS	1916	-15.56	-13	2.56	Pass*	2
1917	1925	1	RMS	1917	-28.96	-13	15.96	Pass	401




7.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.25	4.75	30	25.25	Pass	401
1915	1916	0.1	RMS	1915.025	-22.96	-13	9.96	Pass	401
1916	1917	1	RMS	1916	-19.81	-13	6.81	Pass	2
1917	1925	1	RMS	1917.02	-24.74	-13	11.74	Pass	401




7.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.16	-27.56	-13	14.56	Pass	401
1848	1849	1	RMS	1849	-25.82	-13	12.82	Pass	2
1849	1850	0.15	RMS	1850	-18.29	-13	5.29	Pass*	401
1850	1865	0.1	RMS	1850.825	19.26	30	10.74	Pass	401




7.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.56	-13	13.56	Pass	401
1848	1849	1	RMS	1849	-25.53	-13	12.53	Pass	2
1849	1850	0.15	RMS	1849.99	-29.41	-13	16.41	Pass	401
1850	1865	0.1	RMS	1863.95	1.86	30	28.14	Pass	401




7.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.14	-28.62	-13	15.62	Pass	401
1848	1849	1	RMS	1849	-26.41	-13	13.41	Pass	2
1849	1850	0.15	RMS	1850	-19.3	-13	6.3	Pass	401
1850	1865	0.1	RMS	1850.825	18.43	30	11.57	Pass	401




7.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.46	-13	18.46	Pass	401
1848	1849	1	RMS	1848	-18.72	-13	5.72	Pass*	2
1849	1850	0.15	RMS	1849.993	-28.01	-13	15.01	Pass	401
1850	1865	0.1	RMS	1855.513	4.17	30	25.83	Pass	401




7.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.138	20.63	30	9.37	Pass	401
1915	1916	0.15	RMS	1915	-16.86	-13	3.86	Pass*	401
1916	1917	1	RMS	1916	-23.46	-13	10.46	Pass	2
1917	1925	1	RMS	1920.78	-35.24	-13	22.24	Pass	401




7.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.238	1.68	30	28.32	Pass	401
1915	1916	0.15	RMS	1915	-29.06	-13	16.06	Pass	401
1916	1917	1	RMS	1916	-26.76	-13	13.76	Pass	2
1917	1925	1	RMS	1917.02	-28.83	-13	15.83	Pass	401




7.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.138	19.71	30	10.29	Pass	401
1915	1916	0.15	RMS	1915.003	-17.72	-13	4.72	Pass*	401
1916	1917	1	RMS	1916	-24.23	-13	11.23	Pass	2
1917	1925	1	RMS	1920.78	-36.61	-13	23.61	Pass	401




7.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:48)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1913.725	4.81	30	25.19	Pass	401
1915	1916	0.15	RMS	1915.005	-25.24	-13	12.24	Pass	401
1916	1917	1	RMS	1916	-23.35	-13	10.35	Pass	2
1917	1925	1	RMS	1917	-26.24	-13	13.24	Pass	401




7.41. LTE Band Edge_Part22-24-27(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1845.98	-25.86	-13	12.86	Pass	401
1848	1849	1	RMS	1849	-22.91	-13	9.91	Pass	2
1849	1850	0.2	RMS	1849.993	-16.58	-13	3.58	Pass*	401
1850	1870	0.1	RMS	1851.1	20	30	10	Pass	401




7.42. LTE Band Edge_Part22-24-27(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-27.44	-13	14.44	Pass	401
1848	1849	1	RMS	1849	-26.68	-13	13.68	Pass	2
1849	1850	0.2	RMS	1849.988	-29.81	-13	16.81	Pass	401
1850	1870	0.1	RMS	1867.4	0.75	30	29.25	Pass	401




7.43. LTE Band Edge_Part22-24-27(Subtest:43, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1845.96	-26.14	-13	13.14	Pass	401
1848	1849	1	RMS	1849	-43.66	-13	30.66	Pass	2
1849	1850	0.2	RMS	1849.993	-16.21	-13	3.21	Pass*	401
1850	1870	0.1	RMS	1851.1	19.59	30	10.41	Pass	401




7.44. LTE Band Edge_Part22-24-27(Subtest:44, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-32.07	-13	19.07	Pass	401
1848	1849	1	RMS	1849	-30.07	-13	17.07	Pass	2
1849	1850	0.2	RMS	1849.99	-29.11	-13	16.11	Pass	401
1850	1870	0.1	RMS	1855.25	4.28	30	25.72	Pass	401




7.45. LTE Band Edge_Part22-24-27(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	20.62	30	9.38	Pass	401
1915	1916	0.2	RMS	1915.013	-18.59	-13	5.59	Pass*	401
1916	1917	1	RMS	1916	-27.19	-13	14.19	Pass	2
1917	1925	1	RMS	1922.84	-38.42	-13	25.42	Pass	401




7.46. LTE Band Edge_Part22-24-27(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1897.55	0.62	30	29.38	Pass	401
1915	1916	0.2	RMS	1915.015	-30.39	-13	17.39	Pass	401
1916	1917	1	RMS	1916	-27.81	-13	14.81	Pass	2
1917	1925	1	RMS	1917.02	-29.2	-13	16.2	Pass	401




7.47. LTE Band Edge_Part22-24-27(Subtest:47, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.66	30	10.34	Pass	401
1915	1916	0.2	RMS	1915.008	-19.01	-13	6.01	Pass	401
1916	1917	1	RMS	1916	-27.71	-13	14.71	Pass	2
1917	1925	1	RMS	1922.78	-39.44	-13	26.44	Pass	401



7.48. LTE Band Edge_Part22-24-27(Subtest:48, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:73)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1912.4	4.63	30	25.37	Pass	401
1915	1916	0.2	RMS	1915.008	-26.01	-13	13.01	Pass	401
1916	1917	1	RMS	1916	-24.84	-13	11.84	Pass	2
1917	1925	1	RMS	1917	-27.57	-13	14.57	Pass	401



8. LTE_Band66


8.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.88	-13	21.88	Pass	401
1708	1709	1	RMS	1709	-34.83	-13	21.83	Pass	2
1709	1710	0.02	RMS	1710	-15.73	-13	2.73	Pass*	401
1710	1712	0.1	RMS	1710.24	19.79	30	10.21	Pass	401




8.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.55	-13	25.55	Pass	401
1708	1709	1	RMS	1709	-39.16	-13	26.16	Pass	2
1709	1710	0.02	RMS	1710	-21.66	-13	8.66	Pass	401
1710	1712	0.1	RMS	1710.45	11.23	30	18.77	Pass	401




8.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.2	-13	24.2	Pass	401
1708	1709	1	RMS	1709	-25.4	-13	12.4	Pass	2
1709	1710	0.02	RMS	1710	-16.13	-13	3.13	Pass*	401
1710	1712	0.1	RMS	1710.255	18.48	30	11.52	Pass	401




8.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.1	-13	27.1	Pass	401
1708	1709	1	RMS	1709	-30.3	-13	17.3	Pass	2
1709	1710	0.02	RMS	1709.998	-22.57	-13	9.57	Pass	401
1710	1712	0.1	RMS	1710.99	10.11	30	19.89	Pass	401




8.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.745	19.64	30	10.36	Pass	401
1780	1781	0.02	RMS	1780.003	-15.73	-13	2.73	Pass*	401
1781	1782	1	RMS	1781	-20.94	-13	7.94	Pass	2
1782	1790	1	RMS	1782	-35.89	-13	22.89	Pass	401




8.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.29	11.25	30	18.75	Pass	401
1780	1781	0.02	RMS	1780	-21.09	-13	8.09	Pass	401
1781	1782	1	RMS	1781	-29.88	-13	16.88	Pass	2
1782	1790	1	RMS	1782	-39.61	-13	26.61	Pass	401



8.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	18.6	30	11.4	Pass	401
1780	1781	0.02	RMS	1780	-16.62	-13	3.62	Pass*	401
1781	1782	1	RMS	1781	-22.44	-13	9.44	Pass	2
1782	1790	1	RMS	1782	-37.2	-13	24.2	Pass	401



8.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.97	10.21	30	19.79	Pass	401
1780	1781	0.02	RMS	1780	-22.28	-13	9.28	Pass	401
1781	1782	1	RMS	1781	-31.25	-13	18.25	Pass	2
1782	1790	1	RMS	1782	-41.55	-13	28.55	Pass	401

