


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.214498G	-8.37	6.27655G	-57.85	-48.37	-9.48	1
6.223345G	-8.70	6.28645G	-57.73	-48.70	-9.03	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423495G	-9.20	6.33495G	-58.17	-49.20	-8.97	1
6.387554G	-9.62	6.4956G	-57.74	-49.62	-8.12	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427954G	-7.39	6.53435G	-56.40	-47.39	-9.01	1
6.438502G	-8.55	6.5287G	-57.27	-48.55	-8.72	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.500946G	-7.24	6.57505G	-56.73	-47.24	-9.49	1
6.474353G	-8.33	6.5788G	-57.12	-48.33	-8.79	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542546G	-7.29	6.6142G	-56.34	-47.29	-9.05	1
6.515402G	-8.41	6.61065G	-57.01	-48.41	-8.60	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.583145G	-6.82	6.4899G	-57.73	-46.82	-10.91	1
6.575997G	-7.80	6.49445G	-57.04	-47.80	-9.24	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.700946G	-7.69	6.77465G	-56.21	-47.69	-8.52	1
6.672153G	-8.31	6.77585G	-56.43	-48.31	-8.12	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.866405G	-7.69	6.977G	-56.33	-47.69	-8.64	1
6.870704G	-7.58	6.97025G	-56.23	-47.58	-8.65	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

12/11/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

12/11/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

12/11/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

12/11/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2278G	-4.53	6.3576G	-54.13	-44.53	-9.60	1
6.239G	-4.87	6.3567G	-52.85	-44.87	-7.98	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34981G	-4.58	6.2195G	-53.61	-44.58	-9.03	1
6.35491G	-4.94	6.2302G	-52.83	-44.94	-7.89	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43511G	-4.36	6.467G	-52.59	-44.36	-8.23	1
6.4576G	-5.08	6.3058G	-52.13	-45.08	-7.05	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5531G	-4.39	6.6883G	-52.45	-44.39	-8.06	1
6.51531G	-5.27	6.4074G	-52.08	-45.27	-6.81	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6238G	-4.67	6.8141G	-53.01	-44.67	-8.34	1
6.59021G	-5.12	6.481G	-52.33	-45.12	-7.21	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67851G	-4.76	6.8612G	-52.49	-44.76	-7.73	1
6.67201G	-4.99	6.5599G	-52.08	-44.99	-7.09	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7835G	-4.43	6.9493G	-52.31	-44.43	-7.88	1
6.773G	-4.68	6.9729G	-52.35	-44.68	-7.67	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

12/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84151G	-4.72	7.0084G	-52.03	-44.72	-7.31	1
6.83281G	-4.73	6.9971G	-52.00	-44.73	-7.27	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

12/11/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

13/11/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

13/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08898G	-1.79	6.2878G	-46.98	-41.79	-5.19	1
6.09898G	-2.51	6.281G	-46.75	-42.41	-4.34	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

13/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1884G	-1.63	6.4472G	-47.37	-41.63	-5.74	1
6.21639G	-1.85	6.4464G	-47.06	-41.85	-5.21	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

13/11/2025




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

13/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59822G	-1.78	6.93G	-47.79	-41.78	-6.01	1
6.59002G	-2.10	6.2804G	-46.40	-42.10	-4.30	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

13/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80421G	-1.69	6.562G	-47.68	-41.69	-5.99	1
6.75422G	-1.83	6.4404G	-46.06	-41.83	-4.23	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

13/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91942G	-1.81	6.7226G	-47.20	-41.81	-5.39	1
6.91222G	-1.75	6.6016G	-45.59	-41.75	-3.84	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

01/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20857G	-0.44	6.625G	-43.85	-40.44	-3.41	1
6.23817G	-0.42	6.6182G	-44.33	-40.42	-3.91	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

01/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2454G	-0.97	6.7822G	-44.96	-40.97	-3.99	1
6.23621G	-0.30	6.7938G	-44.68	-40.30	-4.38	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

01/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27024G	-0.63	6.9438G	-44.70	-40.63	-4.07	1
6.27704G	0.03	6.9362G	-44.79	-39.97	-4.82	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

01/12/2025

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5998G	-0.99	6.0718G	-46.46	-40.99	-5.47	1
6.43464G	-0.59	6.0762G	-45.41	-40.59	-4.82	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

01/12/2025

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59864G	-0.66	6.2358G	-45.61	-40.66	-4.95	1
6.59504G	-0.08	6.2374G	-43.57	-40.08	-3.49	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

01/12/2025

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76264G	-0.70	6.3946G	-45.07	-40.70	-4.37	1
6.74984G	-0.18	6.2926G	-43.56	-40.18	-3.38	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

15/12/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02129G	-5.74	6.1626G	-53.72	-45.74	-7.98	1
6.01759G	-5.73	6.1706G	-52.10	-45.73	-6.37	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

MASK

5985MHz_TX

15/12/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02299G	-5.16	6.1765G	-54.15	-45.16	-8.99	1
6.02119G	-5.54	6.162G	-52.55	-45.54	-7.01	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

7025MHz_TX

15/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

MASK

7025MHz_TX

15/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6025MHz_TX

15/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

MASK

6025MHz_TX

15/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

MASK

6025MHz_TX

15/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6985MHz_TX

15/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

MASK

6985MHz_TX

15/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

MASK

6985MHz_TX

15/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

MASK

6105MHz_TX

15/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

MASK

6105MHz_TX

15/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

MASK

6105MHz_TX

15/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

MASK

6105MHz_TX

15/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

MASK

6905MHz_TX

15/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

MASK

6905MHz_TX

15/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

MASK

6905MHz_TX

15/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

MASK

6905MHz_TX

15/12/2025



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

MASK

5985MHz_TX

17/12/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01939G	-4.63	6.1209G	-51.71	-44.63	-7.08	1
6.01739G	-4.80	6.1253G	-50.86	-44.80	-6.06	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

MASK

7025MHz_TX

17/12/2025

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99771G	-5.55	7.2122G	-50.88	-45.55	-5.33	1
6.99141G	-5.30	6.8669G	-50.38	-45.30	-5.08	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

MASK

6025MHz_TX

17/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

MASK

6025MHz_TX

17/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

MASK

6985MHz_TX

17/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

MASK

6985MHz_TX

17/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

MASK

6105MHz_TX

17/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21697G	-0.48	6.6414G	-43.05	-40.48	-2.57	1
6.19698G	-0.67	6.6102G	-43.67	-40.67	-3.00	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_2TX

MASK

6105MHz_TX

17/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14899G	-0.04	6.615G	-46.51	-40.04	-6.47	1
6.18018G	-0.43	6.6078G	-46.62	-40.43	-6.19	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

MASK

6105MHz_TX

17/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17938G	-0.35	6.619G	-46.49	-40.35	-6.14	1
6.17698G	-0.81	6.609G	-46.85	-40.81	-6.04	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_2TX

MASK

6905MHz_TX

17/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75984G	-0.67	6.3994G	-42.91	-40.49	-2.42	1
6.75024G	-0.13	6.4018G	-41.93	-39.87	-2.06	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

MASK

6905MHz_TX

17/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX

MASK

6905MHz_TX

17/12/2025



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-64.92	4.08	-69.00	≤ -62
						Minimal	-65.92	4.08	-70.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.92	4.08	-70.00	≤ -62
						Minimal	-66.92	4.08	-71.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-67.92	4.08	-72.00	≤ -62
						Minimal	-68.92	4.08	-73.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-66.92	4.08	-71.00	≤ -62
						Minimal	-67.92	4.08	-72.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-65.92	4.08	-70.00	≤ -62
						Minimal	-66.92	4.08	-71.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				Center	6105	OFF	-63.92	4.08	-68.00	≤ -62
						Minimal	-64.92	4.08	-69.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				High edge	6260	OFF	-70.92	4.08	-75.00	≤ -62
						Minimal	-71.92	4.08	-76.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-70.92	4.08	-75.00	≤ -62
						Minimal	-71.92	4.08	-76.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				Center	6425	OFF	-61.92	4.08	-66.00	≤ -62
						Minimal	-62.92	4.08	-67.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				High edge	6580	OFF	-67.92	4.08	-72.00	≤ -62
						Minimal	-68.92	4.08	-73.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-71.92	4.08	-76.00	≤ -62
						Minimal	-72.92	4.08	-77.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				Center	6745	OFF	-60.92	4.08	-65.00	≤ -62
						Minimal	-61.92	4.08	-66.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				High edge	6900	OFF	-61.92	4.08	-66.00	≤ -62
						Minimal	-62.92	4.08	-67.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-66.92	4.08	-71.00	≤ -62
						Minimal	-67.92	4.08	-72.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				Center	6905	OFF	-57.92	4.08	-62.00	≤ -62
						Minimal	-58.92	4.08	-63.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62
				High edge	7060	OFF	-62.92	4.08	-67.00	≤ -62
						Minimal	-63.92	4.08	-68.00	≤ -62
						ON	-77.92	4.08	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69.00	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-70.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-72.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-71.00	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-70.00	OFF	9	90	90	PASS
				Center	6105	-68.00	OFF	10	100	90	PASS
				High edge	6260	-75.00	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-75.00	OFF	9	90	90	PASS
				Center	6425	-66.00	OFF	10	100	90	PASS
				High edge	6580	-72.00	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-76.00	OFF	9	90	90	PASS
				Center	6745	-65.00	OFF	10	100	90	PASS
				High edge	6900	-66.00	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-71.00	OFF	9	90	90	PASS
				Center	6905	-62.00	OFF	10	100	90	PASS
				High edge	7060	-67.00	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz



Date: 9.MAR.2026 17:31:50


Frequency (MHz): 7015 MHz



Date: 9.MAR.2026 17:32:23


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 9.MAR.2026 17:33:12

Frequency (MHz): 6105 MHz




Date: 9.MAR.2026 17:33:36

Frequency (MHz): 6260 MHz




Date: 9.MAR.2026 17:34:41

Frequency (MHz): 6270 MHz




Date: 9.MAR.2026 17:35:11

Frequency (MHz): 6425 MHz




Date: 9.MAR.2026 17:35:31

Frequency (MHz): 6580 MHz




Date: 9.MAR.2026 17:35:55

Frequency (MHz): 6590 MHz




Date: 9.MAR.2026 17:36:43

Frequency (MHz): 6745 MHz




Date: 9.MAR.2026 17:37:33

Frequency (MHz): 6750 MHz




Date: 9.MAR.2026 17:38:38

Frequency (MHz): 6900 MHz




Date: 9.MAR.2026 17:37:58

Frequency (MHz): 6905 MHz



Date: 9.MAR.2026 17:39:14

Frequency (MHz): 7060 MHz




Date: 9.MAR.2026 17:39:49

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 9.MAR.2026 16:33:20

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 9.MAR.2026 16:37:23

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 9.MAR.2026 16:44:21

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 9.MAR.2026 16:47:22

Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz



Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6260 MHz



Date: 9.MAR.2026 11:41:51

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6270 MHz



Date: 9.MAR.2026 13:54:50


Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz



Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 9.MAR.2026 14:30:42

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6745 MHz



Date: 9.MAR.2026 14:13:39


Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz



Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6905 MHz



Date: 9.MAR.2026 15:24:41

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 9.MAR.2026 15:51:42

Note : M1 : Inject AWGN signal