


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.62	0.23	2.85	10.00
CH40	5200	2.85	0.23	3.08	10.00
CH48	5240	2.59	0.23	2.82	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	2.85	2.51	5.36	10.00
CH40	5200	3.08	2.51	5.59	10.00
CH48	5240	2.82	2.51	5.33	10.00


CH36



CH40



CH48



Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.55	10.00
CH40	5200	5.80	10.00
CH48	5240	5.85	10.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	7.60	10.00
CH40	5200	8.05	10.00
CH48	5240	8.07	10.00

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.61	0.51	1.12	10.00
CH40	5200	0.99	0.51	1.50	10.00
CH48	5240	2.44	0.51	2.95	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	1.12	1.91	3.03	10.00
CH40	5200	1.50	1.91	3.41	10.00
CH48	5240	2.95	1.91	4.86	10.00


CH36



CH40



CH48




Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.44	0.51	1.95	10.00
CH40	5200	1.49	0.51	2.00	10.00
CH48	5240	2.67	0.51	3.18	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	1.95	2.51	4.46	10.00
CH40	5200	2.00	2.51	4.51	10.00
CH48	5240	3.18	2.51	5.69	10.00


CH36



CH40



CH48



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.57	10.00
CH40	5200	4.77	10.00
CH48	5240	6.08	10.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	6.82	10.00
CH40	5200	7.01	10.00
CH48	5240	8.31	10.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.63	1.22	-1.41	10.00
CH46	5230	-1.90	1.22	-0.68	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-1.41	1.91	0.50	10.00
CH46	5230	-0.68	1.91	1.23	10.00

CH38



CH46




Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.85	1.22	-0.63	10.00
CH46	5230	-1.63	1.22	-0.41	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-0.63	2.51	1.88	10.00
CH46	5230	-0.41	2.51	2.10	10.00

CH38



CH46



Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.01	10.00
CH46	5230	2.47	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	4.26	10.00
CH46	5230	4.70	10.00


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.63	0.23	2.86	11.00
CH60	5300	2.62	0.23	2.85	11.00
CH64	5320	2.34	0.23	2.57	11.00


CH52



CH60




CH64




Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.58	0.23	2.81	11.00
CH60	5300	3.24	0.23	3.47	11.00
CH64	5320	3.21	0.23	3.44	11.00


CH52



CH60



CH64




Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.85	11.00
CH60	5300	6.18	11.00
CH64	5320	6.04	11.00

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.46	0.51	2.97	11.00
CH60	5300	1.25	0.51	1.76	11.00
CH64	5320	1.22	0.51	1.73	11.00



CH60




CH64




Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.48	0.51	2.99	11.00
CH60	5300	2.03	0.51	2.54	11.00
CH64	5320	2.22	0.51	2.73	11.00


CH52



CH60



CH64




Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.99	11.00
CH60	5300	5.18	11.00
CH64	5320	5.27	11.00


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.84	1.22	-0.62	11.00
CH62	5310	-3.03	1.22	-1.81	11.00

CH54




CH62




Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.57	1.22	-0.35	11.00
CH62	5310	-2.32	1.22	-1.10	11.00

CH54



CH62




Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.53	11.00
CH62	5310	1.57	11.00


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.00	0.23	2.23	11.00
CH116	5580	2.75	0.23	2.98	11.00
CH140	5700	2.68	0.23	2.91	11.00


CH100



CH116




CH140




Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.55	0.23	3.78	11.00
CH116	5580	3.36	0.23	3.59	11.00
CH140	5700	3.09	0.23	3.32	11.00


CH100



CH116



CH140




Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.08	11.00
CH116	5580	6.31	11.00
CH140	5700	6.13	11.00


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.93	0.51	1.44	11.00
CH116	5580	1.61	0.51	2.12	11.00
CH140	5700	1.44	0.51	1.95	11.00


CH100



CH116




CH140




Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.50	0.51	3.01	11.00
CH116	5580	2.52	0.51	3.03	11.00
CH140	5700	1.94	0.51	2.45	11.00


CH100



CH116



CH140




Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.31	11.00
CH116	5580	5.61	11.00
CH140	5700	5.22	11.00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.48	1.22	-2.26	11.00
CH110	5550	-3.05	1.22	-1.83	11.00
CH134	5670	-1.95	1.22	-0.73	11.00


CH102



CH110




CH134




Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.02	1.22	-1.80	11.00
CH110	5550	-1.85	1.22	-0.63	11.00
CH134	5670	-1.50	1.22	-0.28	11.00


CH102



CH110



CH134




Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.99	11.00
CH110	5550	1.82	11.00
CH134	5670	2.51	11.00


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.04	0.23	0.27	30.00
CH157	5785	-0.03	0.23	0.20	30.00
CH165	5825	-0.70	0.23	-0.47	30.00


TX CH149



TX CH157




TX CH165




Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.35	0.23	0.58	30.00
CH157	5785	0.31	0.23	0.54	30.00
CH165	5825	0.00	0.23	0.23	30.00


TX CH149



TX CH157



TX CH165




Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.44	30.00
CH157	5785	3.38	30.00
CH165	5825	2.90	30.00


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.09	0.51	-0.58	30.00
CH157	5785	-1.05	0.51	-0.54	30.00
CH165	5825	-1.98	0.51	-1.47	30.00


TX CH149



TX CH157




TX CH165




Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.89	0.51	-0.38	30.00
CH157	5785	-0.81	0.51	-0.30	30.00
CH165	5825	-1.13	0.51	-0.62	30.00


TX CH149



TX CH157



TX CH165




Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.53	30.00
CH157	5785	2.59	30.00
CH165	5825	1.99	30.00


Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.04	1.22	-3.82	30.00
CH159	5795	-5.25	1.22	-4.03	30.00

TX CH151




TX CH159




Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.02	1.22	-3.80	30.00
CH159	5795	-5.11	1.22	-3.89	30.00

TX CH151



TX CH159



Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.80	30.00
CH159	5795	-0.95	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.30	2.07	2.37	10.00
CH40	5200	0.89	2.07	2.96	10.00
CH48	5240	1.34	2.07	3.41	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	2.37	1.91	4.28	10.00
CH40	5200	2.96	1.91	4.87	10.00
CH48	5240	3.41	1.91	5.32	10.00


CH36



CH40



CH48




Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.94	2.07	4.01	10.00
CH40	5200	2.18	2.07	4.25	10.00
CH48	5240	2.55	2.07	4.62	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	4.01	2.51	6.52	10.00
CH40	5200	4.25	2.51	6.76	10.00
CH48	5240	4.62	2.51	7.13	10.00


CH36



CH40



CH48



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.28	10.00
CH40	5200	6.66	10.00
CH48	5240	7.07	10.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	8.55	10.00
CH40	5200	8.93	10.00
CH48	5240	9.33	10.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.33	4.39	2.06	10.00
CH46	5230	-1.75	4.39	2.64	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	2.06	1.91	3.97	10.00
CH46	5230	2.64	1.91	4.55	10.00

CH38



CH46




Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.08	4.39	2.31	10.00
CH46	5230	0.00	4.39	4.39	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	2.31	2.51	4.82	10.00
CH46	5230	4.39	2.51	6.90	10.00

CH38



CH46



Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.20	10.00
CH46	5230	6.61	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	7.43	10.00
CH46	5230	8.90	10.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.95	4.52	-1.43	10.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-1.43	1.91	0.48	10.00



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.56	4.52	-2.04	10.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-2.04	2.51	0.47	10.00



Test Mode: UNII-1/TX AC80 Mode_CH42_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.29	10.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	3.49	10.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.12	2.07	3.19	11.00
CH60	5300	1.21	2.07	3.28	11.00
CH64	5320	1.26	2.07	3.33	11.00


CH52



CH60




CH64




Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.99	2.07	4.06	11.00
CH60	5300	2.54	2.07	4.61	11.00
CH64	5320	2.44	2.07	4.51	11.00



CH60



CH64




Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.66	11.00
CH60	5300	7.01	11.00
CH64	5320	6.97	11.00


Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.55	4.39	2.84	11.00
CH62	5310	-1.49	4.39	2.90	11.00

CH54




CH62




Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.14	4.39	4.25	11.00
CH62	5310	-1.76	4.39	2.63	11.00

CH54



CH62




Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.61	11.00
CH62	5310	5.78	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-8.29	4.52	-3.77	11.00

CH58



Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.40	4.52	-2.88	11.00




Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.29	11.00


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.44	2.07	2.51	11.00
CH116	5580	1.68	2.07	3.75	11.00
CH140	5700	1.34	2.07	3.41	11.00


CH100



CH116




CH140




Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.99	2.07	5.06	11.00
CH116	5580	2.82	2.07	4.89	11.00
CH140	5700	2.63	2.07	4.70	11.00


CH100



CH116



CH140




Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.98	11.00
CH116	5580	7.37	11.00
CH140	5700	7.11	11.00


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.41	4.39	1.98	11.00
CH110	5550	-1.37	4.39	3.02	11.00
CH134	5670	-1.82	4.39	2.57	11.00


CH102



CH110




CH134




Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.25	4.39	4.14	11.00
CH110	5550	-0.44	4.39	3.95	11.00
CH134	5670	-1.17	4.39	3.22	11.00


CH102



CH110



CH134




Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.20	11.00
CH110	5550	6.52	11.00
CH134	5670	5.92	11.00


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.45	4.52	-2.93	11.00
CH122	5610	-4.54	4.52	-0.02	11.00

CH106




CH122




Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.57	4.52	-2.05	11.00
CH122	5610	-4.58	4.52	-0.06	11.00

CH106



CH122




Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.54	11.00
CH122	5610	2.97	11.00


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.90	2.07	1.17	30.00
CH157	5785	-1.16	2.07	0.91	30.00
CH165	5825	-1.81	2.07	0.26	30.00


TX CH149



TX CH157




TX CH165




Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.30	2.07	1.77	30.00
CH157	5785	-0.33	2.07	1.74	30.00
CH165	5825	-0.59	2.07	1.48	30.00


TX CH149



TX CH157



TX CH165




Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.49	30.00
CH157	5785	4.36	30.00
CH165	5825	3.92	30.00


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.02	4.39	0.37	30.00
CH159	5795	-4.27	4.39	0.12	30.00

TX CH151




TX CH159




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.41	4.39	0.98	30.00
CH159	5795	-3.34	4.39	1.05	30.00

TX CH151



TX CH159




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.70	30.00
CH159	5795	3.62	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.40	4.52	-4.88	30.00


TX CH155



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/500kHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.74	4.52	-5.22	30.00

TX CH155



Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.04	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9550
120	5179.9750
108	5179.9750
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.6873

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9750
5	5179.9399
15	5179.9550
25	5179.9399
35	5179.9800
40	5179.9600
Max. Deviation (MHz)	0.0601
Max. Deviation (ppm)	11.6023

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9600
120	5259.9750
108	5259.9548
Max. Deviation (MHz)	0.0452
Max. Deviation (ppm)	8.5932

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9750
5	5259.9750
15	5259.9750
25	5259.9902
35	5259.9750
40	5259.9800
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.7529

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9550
120	5499.9599
108	5499.9799
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.1818

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9750
5	5499.9600
15	5499.9550
25	5499.9750
35	5499.9550
40	5499.9800
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.1818

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9550
120	5744.9600
108	5744.9702
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	7.8329

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9750
5	5744.9750
15	5744.9950
25	5744.9600
35	5744.9800
40	5744.9599
Max. Deviation (MHz)	0.0401
Max. Deviation (ppm)	6.9800