


Test Report

Project Information

Profile:	2550050R	EUT:	In-vehicle Multimedia Host
Mode:	Mode3:Transmit at 5755MHz by 802.11ax(40MHz)	Voltage:	DC12V
Environment:	Temp: 25°C; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.70	37.36	55.43	18.07	68.30	12.87	PK	Horizo	PASS
2	5657.50	37.50	55.78	18.28	73.87	18.09	PK	Horizo	PASS
3	5703.00	43.56	62.27	18.71	106.14	43.87	PK	Horizo	PASS
4	5715.35	46.14	64.83	18.69	109.60	44.77	PK	Horizo	PASS
5	5862.25	38.82	57.85	19.03	108.87	51.02	PK	Horizo	PASS
6	5880.45	39.28	58.47	19.19	101.25	42.78	PK	Horizo	PASS
7	5896.54	38.94	58.25	19.31	89.32	31.07	PK	Horizo	PASS
8	5940.41	39.20	58.84	19.64	68.30	9.46	PK	Horizo	PASS

Test Report

Project Information

Profile:	2550050R	EUT:	In-vehicle Multimedia Host
Mode:	Mode3:Transmit at 5755MHz by 802.11ax(40MHz)	Voltage:	DC12V
Environment:	Temp: 25°C; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.80	37.65	55.82	18.17	68.30	12.48	PK	Vertic	PASS
2	5669.04	37.49	55.89	18.40	82.43	26.54	PK	Vertic	PASS
3	5688.70	38.29	56.88	18.59	96.97	40.09	PK	Vertic	PASS
4	5721.20	39.96	58.64	18.68	113.64	55.00	PK	Vertic	PASS
5	5855.10	38.89	57.87	18.98	110.87	53.00	PK	Vertic	PASS
6	5873.46	38.67	57.80	19.13	105.73	47.93	PK	Vertic	PASS
7	5902.71	38.33	57.69	19.36	84.75	27.06	PK	Vertic	PASS
8	5928.71	38.68	58.24	19.56	68.30	10.06	PK	Vertic	PASS

Test Report

Project Information

Profile:	2550050R	EUT:	In-vehicle Multimedia Host
Mode:	Mode3:Transmit at 5795MHz by 802.11ax(40MHz)	Voltage:	DC12V
Environment:	Temp: 25°C; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.96	37.44	55.48	18.04	68.30	12.82	PK	Horizo	PASS
2	5655.23	38.20	56.47	18.27	72.18	15.71	PK	Horizo	PASS
3	5683.34	37.64	56.18	18.54	93.01	36.83	PK	Horizo	PASS
4	5707.71	39.08	57.78	18.70	107.46	49.68	PK	Horizo	PASS
5	5852.18	42.81	61.77	18.96	117.34	55.57	PK	Horizo	PASS
6	5864.36	39.58	58.64	19.06	108.28	49.64	PK	Horizo	PASS
7	5882.89	40.92	60.12	19.20	99.44	39.32	PK	Horizo	PASS
8	5934.56	38.47	58.07	19.60	68.30	10.23	PK	Horizo	PASS

Test Report

Project Information

Profile:	2550050R	EUT:	In-vehicle Multimedia Host
Mode:	Mode3:Transmit at 5795MHz by 802.11ax(40MHz)	Voltage:	DC12V
Environment:	Temp: 25°C; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.49	37.73	55.83	18.10	68.30	12.47	PK	Vertic	PASS
2	5663.35	37.65	56.00	18.35	78.21	22.21	PK	Vertic	PASS
3	5686.26	37.63	56.20	18.57	95.17	38.97	PK	Vertic	PASS
4	5717.63	38.16	56.84	18.68	110.24	53.40	PK	Vertic	PASS
5	5863.06	38.99	58.04	19.05	108.64	50.60	PK	Vertic	PASS
6	5886.14	39.13	58.36	19.23	97.03	38.67	PK	Vertic	PASS
7	5915.39	38.76	58.22	19.46	75.39	17.17	PK	Vertic	PASS
8	5922.86	39.92	59.43	19.51	69.88	10.45	PK	Vertic	PASS

Test Report

Project Information

Profile:	2550050R	EUT:	In-vehicle Multimedia Host
Mode:	Mode4:Transmit at 5775MHz by 802.11ax(80MHz)	Voltage:	DC12V
Environment:	Temp: 25°C; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.29	37.27	55.32	18.05	68.30	12.98	PK	Horizo	PASS
2	5666.60	38.52	56.89	18.37	80.62	23.73	PK	Horizo	PASS
3	5696.34	37.96	56.63	18.67	102.60	45.97	PK	Horizo	PASS
4	5715.84	40.84	59.53	18.69	109.74	50.21	PK	Horizo	PASS
5	5869.08	39.30	58.39	19.09	106.96	48.57	PK	Horizo	PASS
6	5880.78	38.83	58.02	19.19	101.01	42.99	PK	Horizo	PASS
7	5900.93	38.46	57.80	19.34	86.08	28.28	PK	Horizo	PASS
8	5942.20	38.96	58.62	19.66	68.30	9.68	PK	Horizo	PASS

Test Report

Project Information

Profile:	2550050R	EUT:	In-vehicle Multimedia Host
Mode:	Mode4:Transmit at 5775MHz by 802.11ax(80MHz)	Voltage:	DC12V
Environment:	Temp: 25°C; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.01	37.52	55.54	18.02	68.30	12.76	PK	Vertic	PASS
2	5655.71	37.40	55.67	18.27	72.54	16.87	PK	Vertic	PASS
3	5693.25	37.87	56.51	18.64	100.32	43.81	PK	Vertic	PASS
4	5716.33	38.00	56.68	18.68	109.87	53.19	PK	Vertic	PASS
5	5858.51	39.07	58.07	19.00	109.92	51.85	PK	Vertic	PASS
6	5882.73	38.69	57.89	19.20	99.56	41.67	PK	Vertic	PASS
7	5895.73	39.00	58.31	19.31	89.93	31.62	PK	Vertic	PASS
8	5935.05	38.84	58.45	19.61	68.30	9.85	PK	Vertic	PASS

Note : Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Appendix H: Frequency Stability

TestMode	Antenna	Frequency[MHz]	Voltage[Vdc]	Temperature(°C)	Deviation(Hz)	Deviation(ppm)	Limit(ppm)	Verdict
11A	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
11A	Ant1	5180	LV	NT	20000.00	3.861004	20	PASS
11A	Ant1	5180	HV	NT	20000.00	3.861004	20	PASS
11A	Ant1	5200	NV	NT	20000.00	3.846154	20	PASS
11A	Ant1	5200	LV	NT	20000.00	3.846154	20	PASS
11A	Ant1	5200	HV	NT	20000.00	3.846154	20	PASS
11A	Ant1	5240	NV	NT	20000.00	3.816794	20	PASS
11A	Ant1	5240	LV	NT	20000.00	3.816794	20	PASS
11A	Ant1	5240	HV	NT	20000.00	3.816794	20	PASS
11A	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
11A	Ant1	5260	LV	NT	20000.00	3.802281	20	PASS
11A	Ant1	5260	HV	NT	20000.00	3.802281	20	PASS
11A	Ant1	5280	NV	NT	20000.00	3.787879	20	PASS
11A	Ant1	5280	LV	NT	20000.00	3.787879	20	PASS
11A	Ant1	5280	HV	NT	20000.00	3.787879	20	PASS
11A	Ant1	5320	NV	NT	20000.00	3.759398	20	PASS
11A	Ant1	5320	LV	NT	20000.00	3.759398	20	PASS
11A	Ant1	5320	HV	NT	20000.00	3.759398	20	PASS
11A	Ant1	5500	NV	NT	20000.00	3.636364	20	PASS
11A	Ant1	5500	LV	NT	20000.00	3.636364	20	PASS
11A	Ant1	5500	HV	NT	20000.00	3.636364	20	PASS
11A	Ant1	5580	NV	NT	20000.00	3.584229	20	PASS
11A	Ant1	5580	LV	NT	20000.00	3.584229	20	PASS
11A	Ant1	5580	HV	NT	20000.00	3.584229	20	PASS
11A	Ant1	5700	NV	NT	20000.00	3.508772	20	PASS
11A	Ant1	5700	LV	NT	20000.00	3.508772	20	PASS
11A	Ant1	5700	HV	NT	20000.00	3.508772	20	PASS
11A	Ant1	5745	NV	NT	20000.00	3.481288	20	PASS
11A	Ant1	5745	LV	NT	20000.00	3.481288	20	PASS
11A	Ant1	5745	HV	NT	20000.00	3.481288	20	PASS
11A	Ant1	5785	NV	NT	20000.00	3.457217	20	PASS
11A	Ant1	5785	LV	NT	20000.00	3.457217	20	PASS
11A	Ant1	5785	HV	NT	20000.00	3.457217	20	PASS
11A	Ant1	5825	NV	NT	20000.00	3.433476	20	PASS
11A	Ant1	5825	LV	NT	20000.00	3.433476	20	PASS
11A	Ant1	5825	HV	NT	20000.00	3.433476	20	PASS
11N20SISO	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
11N20SISO	Ant1	5180	LV	NT	40000.00	7.722008	20	PASS
11N20SISO	Ant1	5180	HV	NT	40000.00	7.722008	20	PASS
11N20SISO	Ant1	5200	NV	NT	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	LV	NT	20000.00	3.846154	20	PASS
11N20SISO	Ant1	5200	HV	NT	20000.00	3.846154	20	PASS
11N20SISO	Ant1	5240	NV	NT	20000.00	3.816794	20	PASS
11N20SISO	Ant1	5240	LV	NT	40000.00	7.633588	20	PASS
11N20SISO	Ant1	5240	HV	NT	60000.00	11.450382	20	PASS
11N20SISO	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS

11N20SISO	Ant1	5260	LV	NT	40000.00	7.604563	20	PASS
11N20SISO	Ant1	5260	HV	NT	20000.00	3.802281	20	PASS
11N20SISO	Ant1	5280	NV	NT	40000.00	7.575758	20	PASS
11N20SISO	Ant1	5280	LV	NT	40000.00	7.575758	20	PASS
11N20SISO	Ant1	5280	HV	NT	20000.00	3.787879	20	PASS
11N20SISO	Ant1	5320	NV	NT	40000.00	7.518797	20	PASS
11N20SISO	Ant1	5320	LV	NT	40000.00	7.518797	20	PASS
11N20SISO	Ant1	5320	HV	NT	20000.00	3.759398	20	PASS
11N20SISO	Ant1	5500	NV	NT	40000.00	7.272727	20	PASS
11N20SISO	Ant1	5500	LV	NT	20000.00	3.636364	20	PASS
11N20SISO	Ant1	5500	HV	NT	20000.00	3.636364	20	PASS
11N20SISO	Ant1	5580	NV	NT	40000.00	7.168459	20	PASS
11N20SISO	Ant1	5580	LV	NT	40000.00	7.168459	20	PASS
11N20SISO	Ant1	5580	HV	NT	20000.00	3.584229	20	PASS
11N20SISO	Ant1	5700	NV	NT	20000.00	3.508772	20	PASS
11N20SISO	Ant1	5700	LV	NT	40000.00	7.017544	20	PASS
11N20SISO	Ant1	5700	HV	NT	40000.00	7.017544	20	PASS
11N20SISO	Ant1	5745	NV	NT	40000.00	6.962576	20	PASS
11N20SISO	Ant1	5745	LV	NT	40000.00	6.962576	20	PASS
11N20SISO	Ant1	5745	HV	NT	20000.00	3.481288	20	PASS
11N20SISO	Ant1	5785	NV	NT	20000.00	3.457217	20	PASS
11N20SISO	Ant1	5785	LV	NT	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5785	HV	NT	40000.00	6.914434	20	PASS
11N20SISO	Ant1	5825	NV	NT	60000.00	10.300429	20	PASS
11N20SISO	Ant1	5825	LV	NT	40000.00	6.866953	20	PASS
11N20SISO	Ant1	5825	HV	NT	40000.00	6.866953	20	PASS
11N40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	LV	NT	40000.00	7.707129	20	PASS
11N40SISO	Ant1	5190	HV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	HV	NT	40000.00	7.648184	20	PASS
11N40SISO	Ant1	5270	NV	NT	40000.00	7.590133	20	PASS
11N40SISO	Ant1	5270	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5270	HV	NT	40000.00	7.590133	20	PASS
11N40SISO	Ant1	5310	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5310	LV	NT	40000.00	7.532957	20	PASS
11N40SISO	Ant1	5310	HV	NT	40000.00	7.532957	20	PASS
11N40SISO	Ant1	5510	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5510	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5510	HV	NT	40000.00	7.259528	20	PASS
11N40SISO	Ant1	5550	NV	NT	80000.00	14.414414	20	PASS
11N40SISO	Ant1	5550	LV	NT	40000.00	7.207207	20	PASS
11N40SISO	Ant1	5550	HV	NT	40000.00	7.207207	20	PASS
11N40SISO	Ant1	5670	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5670	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5670	HV	NT	40000.00	7.054674	20	PASS
11N40SISO	Ant1	5755	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5755	HV	NT	40000.00	6.950478	20	PASS
11N40SISO	Ant1	5795	NV	NT	40000.00	6.902502	20	PASS

11N40SISO	Ant1	5795	LV	NT	40000.00	6.902502	20	PASS
11N40SISO	Ant1	5795	HV	NT	40000.00	6.902502	20	PASS
11AC20SISO	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5180	LV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	HV	NT	20000.00	3.861004	20	PASS
11AC20SISO	Ant1	5200	NV	NT	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5200	LV	NT	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5200	HV	NT	20000.00	3.846154	20	PASS
11AC20SISO	Ant1	5240	NV	NT	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5240	LV	NT	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5240	HV	NT	20000.00	3.816794	20	PASS
11AC20SISO	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5260	LV	NT	20000.00	3.802281	20	PASS
11AC20SISO	Ant1	5260	HV	NT	40000.00	7.604563	20	PASS
11AC20SISO	Ant1	5280	NV	NT	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	LV	NT	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5280	HV	NT	20000.00	3.787879	20	PASS
11AC20SISO	Ant1	5320	NV	NT	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5320	LV	NT	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5320	HV	NT	20000.00	3.759398	20	PASS
11AC20SISO	Ant1	5500	NV	NT	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5500	LV	NT	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5500	HV	NT	20000.00	3.636364	20	PASS
11AC20SISO	Ant1	5580	NV	NT	20000.00	3.584229	20	PASS
11AC20SISO	Ant1	5580	LV	NT	20000.00	3.584229	20	PASS
11AC20SISO	Ant1	5580	HV	NT	20000.00	3.584229	20	PASS

11AC20SIS O	Ant1	5700	NV	NT	20000.00	3.508772	20	PASS
11AC20SIS O	Ant1	5700	LV	NT	20000.00	3.508772	20	PASS
11AC20SIS O	Ant1	5700	HV	NT	40000.00	7.017544	20	PASS
11AC20SIS O	Ant1	5745	NV	NT	40000.00	6.962576	20	PASS
11AC20SIS O	Ant1	5745	LV	NT	20000.00	3.481288	20	PASS
11AC20SIS O	Ant1	5745	HV	NT	20000.00	3.481288	20	PASS
11AC20SIS O	Ant1	5785	NV	NT	20000.00	3.457217	20	PASS
11AC20SIS O	Ant1	5785	LV	NT	20000.00	3.457217	20	PASS
11AC20SIS O	Ant1	5785	HV	NT	20000.00	3.457217	20	PASS
11AC20SIS O	Ant1	5825	NV	NT	20000.00	3.433476	20	PASS
11AC20SIS O	Ant1	5825	LV	NT	40000.00	6.866953	20	PASS
11AC20SIS O	Ant1	5825	HV	NT	20000.00	3.433476	20	PASS
11AC40SIS O	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	LV	NT	40000.00	7.707129	20	PASS
11AC40SIS O	Ant1	5190	HV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	LV	NT	40000.00	7.648184	20	PASS
11AC40SIS O	Ant1	5230	HV	NT	40000.00	7.648184	20	PASS
11AC40SIS O	Ant1	5270	NV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5270	LV	NT	40000.00	7.590133	20	PASS
11AC40SIS O	Ant1	5270	HV	NT	40000.00	7.590133	20	PASS
11AC40SIS O	Ant1	5310	NV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5310	LV	NT	40000.00	7.532957	20	PASS
11AC40SIS O	Ant1	5310	HV	NT	40000.00	7.532957	20	PASS
11AC40SIS O	Ant1	5510	NV	NT	0.00	0.000000	20	PASS

11AC40SIS O	Ant1	5510	LV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5510	HV	NT	40000.00	7.259528	20	PASS
11AC40SIS O	Ant1	5550	NV	NT	40000.00	7.207207	20	PASS
11AC40SIS O	Ant1	5550	LV	NT	40000.00	7.207207	20	PASS
11AC40SIS O	Ant1	5550	HV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5670	NV	NT	40000.00	7.054674	20	PASS
11AC40SIS O	Ant1	5670	LV	NT	40000.00	7.054674	20	PASS
11AC40SIS O	Ant1	5670	HV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5755	NV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5755	LV	NT	40000.00	6.950478	20	PASS
11AC40SIS O	Ant1	5755	HV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5795	NV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5795	LV	NT	40000.00	6.902502	20	PASS
11AC40SIS O	Ant1	5795	HV	NT	40000.00	6.902502	20	PASS
11AC80SIS O	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5210	LV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5210	HV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5290	NV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5290	LV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5290	HV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5530	NV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5530	LV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5530	HV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5610	NV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5610	LV	NT	0.00	0.000000	20	PASS

11AC80SIS O	Ant1	5610	HV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5775	NV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5775	LV	NT	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5775	HV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
11AX20SIS O	Ant1	5180	LV	NT	20000.00	3.861004	20	PASS
11AX20SIS O	Ant1	5180	HV	NT	20000.00	3.861004	20	PASS
11AX20SIS O	Ant1	5200	NV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5200	LV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5200	HV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5240	NV	NT	20000.00	3.816794	20	PASS
11AX20SIS O	Ant1	5240	LV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5240	HV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
11AX20SIS O	Ant1	5260	LV	NT	20000.00	3.802281	20	PASS
11AX20SIS O	Ant1	5260	HV	NT	20000.00	3.802281	20	PASS
11AX20SIS O	Ant1	5280	NV	NT	20000.00	3.787879	20	PASS
11AX20SIS O	Ant1	5280	LV	NT	20000.00	3.787879	20	PASS
11AX20SIS O	Ant1	5280	HV	NT	40000.00	7.575758	20	PASS
11AX20SIS O	Ant1	5320	NV	NT	20000.00	3.759398	20	PASS
11AX20SIS O	Ant1	5320	LV	NT	20000.00	3.759398	20	PASS
11AX20SIS O	Ant1	5320	HV	NT	20000.00	3.759398	20	PASS
11AX20SIS O	Ant1	5500	NV	NT	20000.00	3.636364	20	PASS
11AX20SIS O	Ant1	5500	LV	NT	20000.00	3.636364	20	PASS
11AX20SIS O	Ant1	5500	HV	NT	20000.00	3.636364	20	PASS

11AX20SIS O	Ant1	5580	NV	NT	20000.00	3.584229	20	PASS
11AX20SIS O	Ant1	5580	LV	NT	20000.00	3.584229	20	PASS
11AX20SIS O	Ant1	5580	HV	NT	40000.00	7.168459	20	PASS
11AX20SIS O	Ant1	5700	NV	NT	20000.00	3.508772	20	PASS
11AX20SIS O	Ant1	5700	LV	NT	20000.00	3.508772	20	PASS
11AX20SIS O	Ant1	5700	HV	NT	20000.00	3.508772	20	PASS
11AX20SIS O	Ant1	5745	NV	NT	20000.00	3.481288	20	PASS
11AX20SIS O	Ant1	5745	LV	NT	20000.00	3.481288	20	PASS
11AX20SIS O	Ant1	5745	HV	NT	20000.00	3.481288	20	PASS
11AX20SIS O	Ant1	5785	NV	NT	20000.00	3.457217	20	PASS
11AX20SIS O	Ant1	5785	LV	NT	20000.00	3.457217	20	PASS
11AX20SIS O	Ant1	5785	HV	NT	20000.00	3.457217	20	PASS
11AX20SIS O	Ant1	5825	NV	NT	20000.00	3.433476	20	PASS
11AX20SIS O	Ant1	5825	LV	NT	20000.00	3.433476	20	PASS
11AX20SIS O	Ant1	5825	HV	NT	20000.00	3.433476	20	PASS
11AX40SIS O	Ant1	5190	NV	NT	40000.00	7.707129	20	PASS
11AX40SIS O	Ant1	5190	LV	NT	40000.00	7.707129	20	PASS
11AX40SIS O	Ant1	5190	HV	NT	40000.00	7.707129	20	PASS
11AX40SIS O	Ant1	5230	NV	NT	40000.00	7.648184	20	PASS
11AX40SIS O	Ant1	5230	LV	NT	40000.00	7.648184	20	PASS
11AX40SIS O	Ant1	5230	HV	NT	40000.00	7.648184	20	PASS
11AX40SIS O	Ant1	5270	NV	NT	40000.00	7.590133	20	PASS
11AX40SIS O	Ant1	5270	LV	NT	40000.00	7.590133	20	PASS
11AX40SIS O	Ant1	5270	HV	NT	40000.00	7.590133	20	PASS
11AX40SIS O	Ant1	5310	NV	NT	40000.00	7.532957	20	PASS

11AX40SIS O	Ant1	5310	LV	NT	40000.00	7.532957	20	PASS
11AX40SIS O	Ant1	5310	HV	NT	40000.00	7.532957	20	PASS
11AX40SIS O	Ant1	5510	NV	NT	40000.00	7.259528	20	PASS
11AX40SIS O	Ant1	5510	LV	NT	40000.00	7.259528	20	PASS
11AX40SIS O	Ant1	5510	HV	NT	40000.00	7.259528	20	PASS
11AX40SIS O	Ant1	5550	NV	NT	40000.00	7.207207	20	PASS
11AX40SIS O	Ant1	5550	LV	NT	40000.00	7.207207	20	PASS
11AX40SIS O	Ant1	5550	HV	NT	40000.00	7.207207	20	PASS
11AX40SIS O	Ant1	5670	NV	NT	40000.00	7.054674	20	PASS
11AX40SIS O	Ant1	5670	LV	NT	40000.00	7.054674	20	PASS
11AX40SIS O	Ant1	5670	HV	NT	40000.00	7.054674	20	PASS
11AX40SIS O	Ant1	5755	NV	NT	40000.00	6.950478	20	PASS
11AX40SIS O	Ant1	5755	LV	NT	40000.00	6.950478	20	PASS
11AX40SIS O	Ant1	5755	HV	NT	40000.00	6.950478	20	PASS
11AX40SIS O	Ant1	5795	NV	NT	40000.00	6.902502	20	PASS
11AX40SIS O	Ant1	5795	LV	NT	40000.00	6.902502	20	PASS
11AX40SIS O	Ant1	5795	HV	NT	40000.00	6.902502	20	PASS
11AX80SIS O	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5210	LV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5210	HV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5290	NV	NT	80000.00	15.122873	20	PASS
11AX80SIS O	Ant1	5290	LV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5290	HV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5530	NV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5530	LV	NT	80000.00	14.466546	20	PASS


11AX80SIS O	Ant1	5530	HV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5610	NV	NT	80000.00	14.260250	20	PASS
11AX80SIS O	Ant1	5610	LV	NT	80000.00	14.260250	20	PASS
11AX80SIS O	Ant1	5610	HV	NT	80000.00	14.260250	20	PASS
11AX80SIS O	Ant1	5775	NV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5775	LV	NT	0.00	0.000000	20	PASS
11AX80SIS O	Ant1	5775	HV	NT	-80000.00	-13.852814	20	PASS

Appendix I: Dynamic Frequency Selection

DFS Detection Thresholds

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC80SISO	5290	Type0	-62.21	-62.00	PASS
11AC80SISO	5530	Type0	-62.50	-62.00	PASS


Test Graphs



Channel Move Time and Channel Closing Transmission Time

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+39	200+60	574.3	10000	PASS
11AC80SISO	5530	200+27.3	200+60	379.3	10000	PASS

Test Graphs



Non-Occupancy Period

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80SISO	5290	see test graph	≥1800	PASS
11AC80SISO	5530	see test graph	≥1800	PASS

Test Graphs

