

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	ERP/EIRP (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	23.91	22.56	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#2	23.82	22.47	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	23.89	22.54	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#0	23.92	22.57	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#1	23.82	22.47	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#3	23.89	22.54	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	22.92	21.57	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	23.67	22.32	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#2	23.62	22.27	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	23.61	22.26	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#0	23.66	22.31	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#1	23.67	22.32	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#3	23.64	22.29	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	22.75	21.4	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	23.40	22.05	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#2	23.44	22.09	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	23.32	21.97	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#0	23.40	22.05	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#1	23.40	22.05	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#3	23.37	22.02	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	22.45	21.1	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	23.84	22.49	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#8	23.75	22.4	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	23.73	22.38	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#0	22.85	21.5	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#4	22.90	21.55	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#7	22.95	21.6	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	22.92	21.57	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	23.74	22.39	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#8	23.59	22.24	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	23.60	22.25	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#0	22.79	21.44	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#4	22.69	21.34	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#7	22.65	21.3	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	22.70	21.35	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	23.56	22.21	PASS



Band26(814-824)	3MHz	QPSK	26775	1RB#8	23.38	22.03	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	23.35	22	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#0	22.62	21.27	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#4	22.48	21.13	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#7	22.46	21.11	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	22.57	21.22	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	24.03	22.68	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#12	23.75	22.4	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	23.84	22.49	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#0	22.90	21.55	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#6	22.84	21.49	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#13	22.84	21.49	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	22.90	21.55	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	23.84	22.49	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#12	23.55	22.2	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	23.61	22.26	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#0	22.83	21.48	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#6	22.72	21.37	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#13	22.61	21.26	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	22.80	21.45	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	23.74	22.39	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#12	23.52	22.17	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	23.50	22.15	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#0	22.74	21.39	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#6	22.60	21.25	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#13	22.49	21.14	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	22.65	21.3	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	23.89	22.54	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#24	23.63	22.28	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	23.47	22.12	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#0	22.86	21.51	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#12	22.71	21.36	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#25	22.52	21.17	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	22.68	21.33	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	23.90	22.55	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#38	23.58	22.23	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	23.34	21.99	PASS
Band26(814-824)	15MHz	QPSK	26765	38RB#0	22.66	21.31	PASS
Band26(814-824)	15MHz	QPSK	26765	38RB#18	22.67	21.32	PASS
Band26(814-824)	15MHz	QPSK	26765	38RB#37	22.63	21.28	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	22.64	21.29	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	23.34	21.99	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	23.31	21.96	PASS



Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	23.35	22	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#0	23.37	22.02	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#1	23.30	21.95	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#3	23.38	22.03	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	22.41	21.06	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	23.48	22.13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	23.45	22.1	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	23.51	22.16	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#0	23.47	22.12	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#1	23.44	22.09	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#3	23.47	22.12	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	22.57	21.22	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	23.63	22.28	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	23.65	22.3	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	23.58	22.23	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#0	23.58	22.23	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#1	23.64	22.29	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#3	23.57	22.22	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.79	21.44	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	23.38	22.03	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	23.29	21.94	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	23.32	21.97	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#0	22.47	21.12	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#4	22.36	21.01	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#7	22.35	21	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	22.41	21.06	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	23.51	22.16	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	23.49	22.14	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	23.58	22.23	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#0	22.56	21.21	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#4	22.59	21.24	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#7	22.63	21.28	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	22.60	21.25	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	23.71	22.36	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	23.62	22.27	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	23.68	22.33	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#0	22.79	21.44	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#4	22.79	21.44	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#7	22.85	21.5	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	22.78	21.43	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	23.60	22.25	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#12	23.32	21.97	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	23.47	22.12	PASS



Band26(824-849)	5MHz	QPSK	26815	12RB#0	22.46	21.11	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#6	22.36	21.01	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#13	22.31	20.96	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	22.41	21.06	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	23.53	22.18	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#12	23.49	22.14	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	23.62	22.27	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#0	22.56	21.21	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#6	22.56	21.21	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#13	22.63	21.28	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	22.60	21.25	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	23.87	22.52	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	23.67	22.32	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	23.74	22.39	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#0	22.81	21.46	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#6	22.75	21.4	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#13	22.81	21.46	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	22.81	21.46	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	23.39	22.04	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	23.30	21.95	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	23.52	22.17	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#0	22.34	20.99	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#12	22.26	20.91	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#25	22.38	21.03	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	22.34	20.99	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	23.44	22.09	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	23.49	22.14	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	23.70	22.35	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#0	22.43	21.08	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#12	22.58	21.23	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#25	22.62	21.27	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	22.51	21.16	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	23.65	22.3	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	23.70	22.35	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	23.67	22.32	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#0	22.81	21.46	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#12	22.75	21.4	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#25	22.88	21.53	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	22.85	21.5	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	23.42	22.07	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	23.46	22.11	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	23.65	22.3	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#0	22.46	21.11	PASS



Band26(824-849)	15MHz	QPSK	26865	38RB#18	22.28	20.93	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#37	22.45	21.1	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	22.47	21.12	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	23.28	21.93	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	23.61	22.26	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	23.70	22.35	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#0	22.51	21.16	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#18	22.57	21.22	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#37	22.51	21.16	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	22.52	21.17	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	23.52	22.17	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	23.65	22.3	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	23.72	22.37	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#0	22.76	21.41	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#18	22.71	21.36	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#37	22.76	21.41	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	22.76	21.41	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	6.05	13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	6.06	13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	6.36	13	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	5.78	13	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	5.55	13	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	5.53	13	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	5.86	13	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	5.57	13	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	5.49	13	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	5.44	13	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	5.32	13	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	5.49	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.79	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	5.85	13	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	5.71	13	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	5.82	13	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	5.73	13	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	5.79	13	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	5.82	13	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	6.05	13	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	6.01	13	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	5.66	13	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	5.91	13	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	5.63	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	5.31	13	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	5.59	13	PASS

Test Graphs

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-P ASS
Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26705-15RB#0-P ASS
Band26(814-824)-3MHz-QPSK-26740-15RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS
Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS	Band26(814-824)-5MHz-QPSK-26740-25RB#0-P ASS
Band26(814-824)-5MHz-QPSK-26765-25RB#0-P ASS	Band26(814-824)-10MHz-QPSK-26740-50RB#0-P ASS

Band26(814-824)-15MHz-QPSK-26765-75RB#0-P ASS	Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-P ASS
Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-P ASS	Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-P ASS
Band26(824-849)-3MHz-QPSK-26805-15RB#0-P ASS	Band26(824-849)-3MHz-QPSK-26915-15RB#0-P ASS
Band26(824-849)-3MHz-QPSK-27025-15RB#0-P ASS	Band26(824-849)-5MHz-QPSK-26815-25RB#0-P ASS

Band26(824-849)-5MHz-QPSK-26915-25RB#0-P ASS	Band26(824-849)-5MHz-QPSK-27015-25RB#0-P ASS
Band26(824-849)-10MHz-QPSK-26840-50RB#0-P ASS	Band26(824-849)-10MHz-QPSK-26915-50RB#0-P ASS
Band26(824-849)-10MHz-QPSK-26990-50RB#0-P ASS	Band26(824-849)-15MHz-QPSK-26865-75RB#0-P ASS
Band26(824-849)-15MHz-QPSK-26915-75RB#0-P ASS	Band26(824-849)-15MHz-QPSK-26965-75RB#0-P ASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1.0932	1.286	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.0960	1.282	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1.0959	1.306	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	2.6975	2.934	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	2.6971	2.941	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	2.7060	2.936	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	4.5059	4.940	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	4.4937	4.946	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	4.5060	4.953	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	8.9532	9.737	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	13.431	14.61	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.0949	1.289	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0901	1.276	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.0935	1.280	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.6904	2.929	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.6967	2.935	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.6968	2.926	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.5028	5.139	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.4973	4.952	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.5140	4.989	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	9.0117	9.784	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	8.9421	9.753	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	9.0186	10.06	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.458	14.72	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.373	14.62	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.447	14.64	PASS

Test Graphs

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-P ASS
Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26705-15RB#0-P ASS
Band26(814-824)-3MHz-QPSK-26740-15RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS
Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS	Band26(814-824)-5MHz-QPSK-26740-25RB#0-P ASS
Band26(814-824)-5MHz-QPSK-26765-25RB#0-P	Band26(814-824)-10MHz-QPSK-26740-50RB#0-P

ASS	ASS
Band26(814-824)-15MHz-QPSK-26765-75RB#0-P	Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-P
ASS	ASS
Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-P	Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-P
ASS	ASS
Band26(824-849)-3MHz-QPSK-26805-15RB#0-P	Band26(824-849)-3MHz-QPSK-26915-15RB#0-P
ASS	ASS
Band26(824-849)-3MHz-QPSK-27025-15RB#0-P	Band26(824-849)-5MHz-QPSK-26815-25RB#0-P




Band26(824-849)-5MHz-QPSK-26915-25RB#0-P

ASS




Band26(824-849)-5MHz-QPSK-27015-25RB#0-P

ASS



Band26(824-849)-10MHz-QPSK-26840-50RB#0-P

ASS



Band26(824-849)-10MHz-QPSK-26915-50RB#0-P

ASS



Band26(824-849)-10MHz-QPSK-26990-50RB#0-P

ASS



Band26(824-849)-15MHz-QPSK-26865-75RB#0-P

ASS



Band26(824-849)-15MHz-QPSK-26915-75RB#0-P

ASS



Band26(824-849)-15MHz-QPSK-26965-75RB#0-P

ASS



Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	-26.00	13.00	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	-25.86	12.86	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	-28.97	15.97	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	-27.93	14.93	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	-30.48	17.48	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	-28.42	15.42	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	-37.15	24.15	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	-39.60	26.60	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	-39.50	26.50	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	-32.26	19.26	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	-30.50	17.50	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	-30.63	17.63	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	-30.64	17.64	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	-29.63	16.63	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	-34.52	21.52	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	-34.31	21.31	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	-36.93	23.93	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	-35.51	22.51	PASS

Plot	Signal Description	Frequency Range (MHz)	Scale (dB)	Ref Level Offset (dB)	Ref Value (dBm)	Peak Frequency (MHz)	Peak Amplitude (dBm)
1	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
2	Band26(814-824)-1.4MHz-QPSK-26703-6RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
3	Band26(814-824)-3MHz-QPSK-26705-15RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
4	Band26(814-824)-3MHz-QPSK-26775-15RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
5	Band26(814-824)-5MHz-QPSK-26715-25RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
6	Band26(814-824)-5MHz-QPSK-26765-25RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
7	Band26(814-824)-10MHz-QPSK-26740-50RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
8	Band26(814-824)-15MHz-QPSK-26765-75RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
9	Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00
10	Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-P	808.000 - 820.000	10.0	6.12	30.00	814.44	-26.00

ASS Band26(824-849)-3MHz-QPSK-26805-15RB#0-P	ASS Band26(824-849)-3MHz-QPSK-27025-15RB#0-P
ASS Band26(824-849)-5MHz-QPSK-26815-25RB#0-P	ASS Band26(824-849)-5MHz-QPSK-27015-25RB#0-P
ASS Band26(824-849)-10MHz-QPSK-26840-50RB#0-P	ASS Band26(824-849)-10MHz-QPSK-26990-50RB#0-P
ASS Band26(824-849)-15MHz-QPSK-26865-75RB#0-P	ASS Band26(824-849)-15MHz-QPSK-26965-75RB#0-P



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	0.009~0.15	-56.92	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	0.15~30	-68.21	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	30~1000	-63.10	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1000~3000	-45.75	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	3000~10000	-34.89	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	0.009~0.15	-56.11	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	0.15~30	-68.85	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	30~1000	-63.60	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1000~3000	-46.05	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	3000~10000	-35.31	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	0.009~0.15	-55.99	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	0.15~30	-67.27	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	30~1000	-63.32	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1000~3000	-45.90	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	3000~10000	-34.87	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	0.009~0.15	-56.66	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	0.15~30	-64.75	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	30~1000	-54.18	-13.0	PASS

Band26(814-824)	3MHz	QPSK	26705	15RB#0	1000~3000	-45.89	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	3000~10000	-35.05	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	0.009~0.15	-55.98	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	0.15~30	-68.92	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	30~1000	-63.14	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	1000~3000	-45.74	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	3000~10000	-34.71	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	0.009~0.15	-56.96	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	0.15~30	-67.73	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	30~1000	-63.49	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	1000~3000	-46.03	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	3000~10000	-24.95	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	0.009~0.15	-54.96	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	0.15~30	-66.83	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	30~1000	-49.69	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	1000~3000	-45.88	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	3000~10000	-35.07	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	0.009~0.15	-58.00	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	0.15~30	-67.11	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	30~1000	-52.97	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	1000~3000	-46.10	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	3000~10000	-34.95	-13.0	PASS

Band26(814-824)	5MHz	QPSK	26765	25RB#0	0.009~0.15	-56.84	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	0.15~30	-68.24	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	30~1000	-59.00	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	1000~3000	-45.80	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	3000~10000	-34.98	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	0.009~0.15	-55.11	-33.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	0.15~30	-67.21	-23.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	30~1000	-45.40	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	1000~3000	-45.88	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	3000~10000	-35.01	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	0.009~0.15	-57.03	-33.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	0.15~30	-67.99	-23.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	30~1000	-45.08	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	1000~3000	-45.71	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	3000~10000	-34.75	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	0.009~0.15	-56.85	-33.0	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	0.15~30	-68.43	-23.0	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	30~1000	-63.07	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1000~3000	-45.53	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	3000~10000	-35.07	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	0.009~0.15	-56.99	-33.0	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	0.15~30	-68.41	-23.0	PASS

Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	30~1000	-63.48	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1000~3000	-44.93	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	3000~10000	-34.93	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	0.009~0.15	-56.14	-33.0	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	0.15~30	-68.60	-23.0	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	30~1000	-40.65	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1000~3000	-45.21	-13.0	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	3000~10000	-35.17	-13.0	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	0.009~0.15	-57.35	-33.0	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	0.15~30	-67.52	-23.0	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	30~1000	-62.89	-13.0	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	1000~3000	-45.85	-13.0	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	3000~10000	-34.82	-13.0	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	0.009~0.15	-56.87	-33.0	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	0.15~30	-68.37	-23.0	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	30~1000	-63.48	-13.0	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	1000~3000	-45.69	-13.0	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	3000~10000	-34.79	-13.0	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	0.009~0.15	-56.83	-33.0	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	0.15~30	-67.18	-23.0	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	30~1000	-35.40	-13.0	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	1000~3000	-45.72	-13.0	PASS


Band26(824-849)	3MHz	QPSK	27025	15RB#0	3000~10000	-34.63	-13.0	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	0.009~0.15	-56.45	-33.0	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	0.15~30	-69.15	-23.0	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	30~1000	-56.94	-13.0	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	1000~3000	-45.83	-13.0	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	3000~10000	-24.81	-13.0	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	0.009~0.15	-56.16	-33.0	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	0.15~30	-67.94	-23.0	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	30~1000	-57.75	-13.0	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	1000~3000	-45.80	-13.0	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	3000~10000	-34.85	-13.0	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	0.009~0.15	-56.89	-33.0	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	0.15~30	-69.50	-23.0	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	30~1000	-35.93	-13.0	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	1000~3000	-45.75	-13.0	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	3000~10000	-34.49	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	0.009~0.15	-57.07	-33.0	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	0.15~30	-66.18	-23.0	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	30~1000	-52.06	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	1000~3000	-45.93	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	3000~10000	-35.03	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	0.009~0.15	-57.42	-33.0	PASS


Band26(824-849)	10MHz	QPSK	26915	50RB#0	0.15~30	-69.39	-23.0	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	30~1000	-49.04	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	1000~3000	-45.98	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	3000~10000	-35.07	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	0.009~0.15	-56.84	-33.0	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	0.15~30	-68.54	-23.0	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	30~1000	-39.76	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	1000~3000	-46.01	-13.0	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	3000~10000	-25.32	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	0.009~0.15	-56.28	-33.0	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	0.15~30	-69.87	-23.0	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	30~1000	-45.57	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	1000~3000	-46.08	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	3000~10000	-35.02	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	0.009~0.15	-55.54	-33.0	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	0.15~30	-69.36	-23.0	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	30~1000	-41.60	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	1000~3000	-46.15	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	3000~10000	-24.32	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	0.009~0.15	-56.72	-33.0	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	0.15~30	-68.10	-23.0	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	30~1000	-40.88	-13.0	PASS


Band26(824-849)	15MHz	QPSK	26965	75RB#0	1000~3000	-46.06	-13.0	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	3000~10000	-35.44	-13.0	PASS


Test Graphs


Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-0.009~0.15-PASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-0.15~30-PASS
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-30~1000-PASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-1000~3000-PASS
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-3000~10000-PASS	Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-0.009~0.15-PASS
Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-0.15~30-PASS	Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-30~1000-PASS











































Appendix F: Frequency Stability

Test Result

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-30	1.95	0.002394	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-20	-4.33	-0.005315	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-10	-4.91	-0.006027	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	0	-3.96	-0.004861	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	10	3.87	0.004750	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	20	-5.10	-0.006260	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	30	-3.95	-0.004848	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	40	-5.68	-0.006972	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	50	-4.01	-0.004922	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-30	-3.39	-0.004139	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-20	-3.74	-0.004567	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-10	2.45	0.002991	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26740	6RB#0	NV	0	-3.87	-0.004725	±2.5	PASS

(814-82 4)										
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	10	4.23	0.005165	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	20	-3.64	-0.004444	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	30	-3.84	-0.004689	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	40	-3.30	-0.004029	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	50	-4.90	-0.005983	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	-30	-4.86	-0.005903	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	-20	-6.38	-0.007749	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	-10	4.46	0.005417	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	0	-4.18	-0.005077	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	10	-4.62	-0.005612	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	20	-5.41	-0.006571	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	30	-4.55	-0.005527	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	40	-5.47	-0.006644	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	50	-5.91	-0.007178	±2.5	PASS

4)										
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	-30	-3.88	-0.004758	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	-20	4.30	0.005273	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	-10	-3.34	-0.004096	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	0	-4.22	-0.005175	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	10	3.57	0.004378	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	20	-3.64	-0.004464	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	30	-3.51	-0.004304	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	40	-4.89	-0.005996	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	50	3.67	0.004500	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	-30	-5.11	-0.006239	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	-20	-3.93	-0.004799	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	-10	-4.19	-0.005116	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	0	-4.28	-0.005226	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	10	-3.18	-0.003883	±2.5	PASS

Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	20	-5.96	-0.007277	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	30	-4.57	-0.005580	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	40	-2.52	-0.003077	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	50	-4.41	-0.005385	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	-30	-4.30	-0.005228	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	-20	2.21	0.002687	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	-10	-3.83	-0.004657	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	0	-2.87	-0.003489	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	10	-4.44	-0.005398	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	20	-6.27	-0.007623	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	30	-4.64	-0.005641	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	40	-5.13	-0.006237	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	50	-3.81	-0.004632	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	-30	-4.64	-0.005683	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-20	-4.26	-0.005217	±2.5	PASS

(814-82 4)										
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	-10	-3.04	-0.003723	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	0	-7.83	-0.009590	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	10	-3.92	-0.004801	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	20	-3.79	-0.004642	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	30	-4.12	-0.005046	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	40	-3.11	-0.003809	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	50	-3.42	-0.004189	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	-30	-4.15	-0.005067	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	-20	-3.89	-0.004750	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	-10	-5.16	-0.006300	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	0	3.55	0.004335	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	10	-3.91	-0.004774	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	20	-6.49	-0.007924	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	30	2.01	0.002454	±2.5	PASS

4)										
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	40	-3.50	-0.004274	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	50	-5.25	-0.006410	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	-30	-6.05	-0.007365	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	-20	-4.61	-0.005612	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	-10	-4.44	-0.005405	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	0	-2.36	-0.002873	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	10	-5.31	-0.006464	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	20	-4.70	-0.005721	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	30	-3.35	-0.004078	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	40	-5.74	-0.006987	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	50	-4.82	-0.005867	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	-30	-1.93	-0.002357	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	-20	-3.55	-0.004335	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	-10	-2.54	-0.003101	±2.5	PASS

Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	0	-2.44	-0.002979	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	10	2.85	0.003480	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	20	-2.90	-0.003541	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	30	-3.67	-0.004481	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	40	-2.41	-0.002943	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	50	-2.61	-0.003187	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	-30	-5.79	-0.007048	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	-20	-2.64	-0.003214	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	-10	4.95	0.006026	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	0	-3.15	-0.003834	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	10	-5.21	-0.006342	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	20	-4.36	-0.005307	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	30	4.58	0.005575	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	40	-4.19	-0.005100	±2.5	PASS
Band26	15MHz	QPSK	26765	75RB#0	NV	50	-3.77	-0.004589	±2.5	PASS

(814-824)										
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	-30	3.44	0.004171	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	-20	-2.69	-0.003262	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	-10	-2.29	-0.002777	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	0	2.96	0.003589	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	10	4.31	0.005226	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	20	3.97	0.004814	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	30	2.73	0.003310	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	40	-3.86	-0.004680	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26797	6RB#0	NV	50	-4.59	-0.005566	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26915	6RB#0	NV	-30	-6.22	-0.007436	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26915	6RB#0	NV	-20	-5.14	-0.006145	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26915	6RB#0	NV	-10	-5.09	-0.006085	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26915	6RB#0	NV	0	-4.17	-0.004985	±2.5	PASS
Band26 (824-849)	1.4MHz	QPSK	26915	6RB#0	NV	10	-6.15	-0.007352	±2.5	PASS

9)										
Band26 (824-84 9)	1.4MHz	QPSK	26915	6RB#0	NV	20	-3.26	-0.003897	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	26915	6RB#0	NV	30	-5.46	-0.006527	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	26915	6RB#0	NV	40	-3.93	-0.004698	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	26915	6RB#0	NV	50	-4.21	-0.005033	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	-30	-4.10	-0.004833	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	-20	-5.32	-0.006271	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	-10	-5.23	-0.006165	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	0	-3.56	-0.004197	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	10	-4.04	-0.004762	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	20	-5.08	-0.005988	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	30	-6.12	-0.007214	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	40	-3.56	-0.004197	±2.5	PASS
Band26 (824-84 9)	1.4MHz	QPSK	27033	6RB#0	NV	50	-3.90	-0.004597	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	-30	3.98	0.004821	±2.5	PASS

Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	-20	-3.34	-0.004046	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	-10	-5.44	-0.006590	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	0	-3.81	-0.004615	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	10	3.35	0.004058	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	20	3.87	0.004688	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	30	-0.81	-0.000981	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	40	2.86	0.003465	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26805	15RB#0	NV	50	3.82	0.004627	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	-30	-5.17	-0.006181	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	-20	-6.98	-0.008344	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	-10	-3.64	-0.004351	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	0	-5.36	-0.006408	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	10	-3.83	-0.004579	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	20	-3.42	-0.004088	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	30	-6.64	-0.007938	±2.5	PASS

(824-84 9)										
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	40	-5.31	-0.006348	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	26915	15RB#0	NV	50	-4.10	-0.004901	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	-30	3.28	0.003870	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	-20	-3.86	-0.004555	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	-10	5.70	0.006726	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	0	-4.37	-0.005156	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	10	4.28	0.005050	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	20	5.75	0.006785	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	30	-4.27	-0.005038	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	40	-4.94	-0.005829	±2.5	PASS
Band26 (824-84 9)	3MHz	QPSK	27025	15RB#0	NV	50	-4.56	-0.005381	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	-30	5.57	0.006739	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	-20	-6.66	-0.008058	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	-10	3.60	0.004356	±2.5	PASS

9)										
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	0	3.16	0.003823	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	10	6.72	0.008131	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	20	-2.20	-0.002662	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	30	-5.63	-0.006812	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	40	2.92	0.003533	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26815	25RB#0	NV	50	-3.58	-0.004332	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	-30	-4.47	-0.005344	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	-20	-2.27	-0.002714	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	-10	-3.54	-0.004232	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	0	-4.25	-0.005081	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	10	-3.66	-0.004375	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	20	2.75	0.003288	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	30	-6.11	-0.007304	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	40	-5.32	-0.006360	±2.5	PASS

Band26 (824-84 9)	5MHz	QPSK	26915	25RB#0	NV	50	-4.99	-0.005965	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	-30	4.69	0.005540	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	-20	-7.27	-0.008588	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	-10	-6.08	-0.007183	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	0	-7.88	-0.009309	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	10	-3.85	-0.004548	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	20	-6.63	-0.007832	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	30	-4.50	-0.005316	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	40	-4.54	-0.005363	±2.5	PASS
Band26 (824-84 9)	5MHz	QPSK	27015	25RB#0	NV	50	-5.70	-0.006734	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	-30	5.07	0.006116	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	-20	-3.89	-0.004692	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	-10	5.07	0.006116	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	0	-6.65	-0.008022	±2.5	PASS
Band26	10MHz	QPSK	26840	50RB#0	NV	10	4.08	0.004922	±2.5	PASS

(824-84 9)										
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	20	-5.87	-0.007081	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	30	-5.24	-0.006321	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	40	-3.93	-0.004741	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26840	50RB#0	NV	50	3.57	0.004306	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	-30	-5.57	-0.006659	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	-20	-4.06	-0.004854	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	-10	3.53	0.004220	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	0	-6.39	-0.007639	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	10	-7.45	-0.008906	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	20	-3.60	-0.004304	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	30	-5.54	-0.006623	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	40	-3.47	-0.004148	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26915	50RB#0	NV	50	-4.01	-0.004794	±2.5	PASS
Band26 (824-84)	10MHz	QPSK	26990	50RB#0	NV	-30	-3.65	-0.004325	±2.5	PASS

9)										
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	-20	-5.73	-0.006789	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	-10	-3.53	-0.004182	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	0	-6.97	-0.008258	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	10	5.52	0.006540	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	20	-3.28	-0.003886	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	30	-4.46	-0.005284	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	40	-5.76	-0.006825	±2.5	PASS
Band26 (824-84 9)	10MHz	QPSK	26990	50RB#0	NV	50	4.56	0.005403	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	-30	-2.06	-0.002477	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	-20	-2.78	-0.003343	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	-10	4.58	0.005508	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	0	3.97	0.004775	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	10	-5.43	-0.006530	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	20	-3.11	-0.003740	±2.5	PASS

Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	30	-3.65	-0.004390	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	40	-4.48	-0.005388	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26865	75RB#0	NV	50	4.20	0.005051	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	-30	3.38	0.004041	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	-20	-5.18	-0.006192	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	-10	-5.58	-0.006671	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	0	-3.90	-0.004662	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	10	-4.70	-0.005619	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	20	-4.80	-0.005738	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	30	-3.71	-0.004435	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	40	-8.47	-0.010126	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26915	75RB#0	NV	50	-4.45	-0.005320	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	-30	4.61	0.005478	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	-20	-4.20	-0.004991	±2.5	PASS
Band26	15MHz	QPSK	26965	75RB#0	NV	-10	-4.27	-0.005074	±2.5	PASS

(824-84 9)										
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	0	-5.03	-0.005977	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	10	-2.58	-0.003066	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	20	6.24	0.007415	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	30	-4.98	-0.005918	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	40	-2.99	-0.003553	±2.5	PASS
Band26 (824-84 9)	15MHz	QPSK	26965	75RB#0	NV	50	-3.68	-0.004373	±2.5	PASS