

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	ERP/EIRP (dBm)	Verdict
Band41	5MHz	QPSK	39675	1RB#0	23.73	26.47	PASS
Band41	5MHz	QPSK	39675	1RB#12	23.69	26.43	PASS
Band41	5MHz	QPSK	39675	1RB#24	23.67	26.41	PASS
Band41	5MHz	QPSK	39675	12RB#0	22.68	25.42	PASS
Band41	5MHz	QPSK	39675	12RB#6	22.64	25.38	PASS
Band41	5MHz	QPSK	39675	12RB#13	22.68	25.42	PASS
Band41	5MHz	QPSK	39675	25RB#0	22.65	25.39	PASS
Band41	5MHz	QPSK	40620	1RB#0	23.13	25.87	PASS
Band41	5MHz	QPSK	40620	1RB#12	23.10	25.84	PASS
Band41	5MHz	QPSK	40620	1RB#24	23.15	25.89	PASS
Band41	5MHz	QPSK	40620	12RB#0	22.09	24.83	PASS
Band41	5MHz	QPSK	40620	12RB#6	22.07	24.81	PASS
Band41	5MHz	QPSK	40620	12RB#13	22.07	24.81	PASS
Band41	5MHz	QPSK	40620	25RB#0	22.13	24.87	PASS
Band41	5MHz	QPSK	41565	1RB#0	22.89	25.63	PASS
Band41	5MHz	QPSK	41565	1RB#12	22.77	25.51	PASS
Band41	5MHz	QPSK	41565	1RB#24	22.68	25.42	PASS
Band41	5MHz	QPSK	41565	12RB#0	22.02	24.76	PASS
Band41	5MHz	QPSK	41565	12RB#6	21.96	24.7	PASS
Band41	5MHz	QPSK	41565	12RB#13	21.94	24.68	PASS
Band41	5MHz	QPSK	41565	25RB#0	22.00	24.74	PASS
Band41	10MHz	QPSK	39700	1RB#0	23.69	26.43	PASS
Band41	10MHz	QPSK	39700	1RB#24	23.56	26.3	PASS
Band41	10MHz	QPSK	39700	1RB#49	23.62	26.36	PASS
Band41	10MHz	QPSK	39700	25RB#0	22.67	25.41	PASS
Band41	10MHz	QPSK	39700	25RB#12	22.62	25.36	PASS
Band41	10MHz	QPSK	39700	25RB#25	22.68	25.42	PASS
Band41	10MHz	QPSK	39700	50RB#0	22.65	25.39	PASS
Band41	10MHz	QPSK	40620	1RB#0	23.22	25.96	PASS
Band41	10MHz	QPSK	40620	1RB#24	23.03	25.77	PASS
Band41	10MHz	QPSK	40620	1RB#49	23.15	25.89	PASS
Band41	10MHz	QPSK	40620	25RB#0	22.16	24.9	PASS
Band41	10MHz	QPSK	40620	25RB#12	22.11	24.85	PASS
Band41	10MHz	QPSK	40620	25RB#25	22.13	24.87	PASS
Band41	10MHz	QPSK	40620	50RB#0	22.18	24.92	PASS
Band41	10MHz	QPSK	41540	1RB#0	23.27	26.01	PASS



Band41	10MHz	QPSK	41540	1RB#24	22.88	25.62	PASS
Band41	10MHz	QPSK	41540	1RB#49	22.87	25.61	PASS
Band41	10MHz	QPSK	41540	25RB#0	22.26	25	PASS
Band41	10MHz	QPSK	41540	25RB#12	22.11	24.85	PASS
Band41	10MHz	QPSK	41540	25RB#25	22.02	24.76	PASS
Band41	10MHz	QPSK	41540	50RB#0	22.15	24.89	PASS
Band41	15MHz	QPSK	39725	1RB#0	23.71	26.45	PASS
Band41	15MHz	QPSK	39725	1RB#38	23.59	26.33	PASS
Band41	15MHz	QPSK	39725	1RB#74	23.64	26.38	PASS
Band41	15MHz	QPSK	39725	38RB#0	22.69	25.43	PASS
Band41	15MHz	QPSK	39725	38RB#18	22.63	25.37	PASS
Band41	15MHz	QPSK	39725	38RB#37	22.66	25.4	PASS
Band41	15MHz	QPSK	39725	75RB#0	22.68	25.42	PASS
Band41	15MHz	QPSK	40620	1RB#0	23.39	26.13	PASS
Band41	15MHz	QPSK	40620	1RB#38	23.09	25.83	PASS
Band41	15MHz	QPSK	40620	1RB#74	23.30	26.04	PASS
Band41	15MHz	QPSK	40620	38RB#0	22.19	24.93	PASS
Band41	15MHz	QPSK	40620	38RB#18	22.11	24.85	PASS
Band41	15MHz	QPSK	40620	38RB#37	22.20	24.94	PASS
Band41	15MHz	QPSK	40620	75RB#0	22.17	24.91	PASS
Band41	15MHz	QPSK	41515	1RB#0	23.50	26.24	PASS
Band41	15MHz	QPSK	41515	1RB#38	23.06	25.8	PASS
Band41	15MHz	QPSK	41515	1RB#74	22.87	25.61	PASS
Band41	15MHz	QPSK	41515	38RB#0	22.25	24.99	PASS
Band41	15MHz	QPSK	41515	38RB#18	22.25	24.99	PASS
Band41	15MHz	QPSK	41515	38RB#37	22.24	24.98	PASS
Band41	15MHz	QPSK	41515	75RB#0	22.26	25	PASS
Band41	20MHz	QPSK	39750	1RB#0	23.69	26.43	PASS
Band41	20MHz	QPSK	39750	1RB#49	23.66	26.4	PASS
Band41	20MHz	QPSK	39750	1RB#99	23.58	26.32	PASS
Band41	20MHz	QPSK	39750	50RB#0	22.66	25.4	PASS
Band41	20MHz	QPSK	39750	50RB#25	22.65	25.39	PASS
Band41	20MHz	QPSK	39750	50RB#50	22.69	25.43	PASS
Band41	20MHz	QPSK	39750	100RB#0	22.69	25.43	PASS
Band41	20MHz	QPSK	40620	1RB#0	23.30	26.04	PASS
Band41	20MHz	QPSK	40620	1RB#49	23.16	25.9	PASS
Band41	20MHz	QPSK	40620	1RB#99	23.18	25.92	PASS
Band41	20MHz	QPSK	40620	50RB#0	22.29	25.03	PASS
Band41	20MHz	QPSK	40620	50RB#25	22.18	24.92	PASS
Band41	20MHz	QPSK	40620	50RB#50	22.21	24.95	PASS
Band41	20MHz	QPSK	40620	100RB#0	22.26	25	PASS
Band41	20MHz	QPSK	41490	1RB#0	23.59	26.33	PASS
Band41	20MHz	QPSK	41490	1RB#49	23.24	25.98	PASS




Band41	20MHz	QPSK	41490	1RB#99	22.94	25.68	PASS
Band41	20MHz	QPSK	41490	50RB#0	22.62	25.36	PASS
Band41	20MHz	QPSK	41490	50RB#25	22.47	25.21	PASS
Band41	20MHz	QPSK	41490	50RB#50	22.19	24.93	PASS
Band41	20MHz	QPSK	41490	100RB#0	22.40	25.14	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	6.36	13	PASS
Band41	5MHz	QPSK	40620	25RB#0	6.22	13	PASS
Band41	5MHz	QPSK	41565	25RB#0	5.84	13	PASS
Band41	10MHz	QPSK	39700	50RB#0	6.13	13	PASS
Band41	10MHz	QPSK	40620	50RB#0	6.14	13	PASS
Band41	10MHz	QPSK	41540	50RB#0	5.79	13	PASS
Band41	15MHz	QPSK	39725	75RB#0	5.91	13	PASS
Band41	15MHz	QPSK	40620	75RB#0	5.79	13	PASS
Band41	15MHz	QPSK	41515	75RB#0	5.60	13	PASS
Band41	20MHz	QPSK	39750	100RB#0	5.99	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	6.02	13	PASS
Band41	20MHz	QPSK	41490	100RB#0	5.72	13	PASS

Test Graphs






Band41-20MHz-QPSK-40620-100RB#0-PASS



Band41-20MHz-QPSK-41490-100RB#0-PASS





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	4.5126	5.781	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.5059	5.361	PASS
Band41	5MHz	QPSK	41565	25RB#0	4.5000	5.280	PASS
Band41	10MHz	QPSK	39700	50RB#0	8.9893	9.777	PASS
Band41	10MHz	QPSK	40620	50RB#0	8.9746	10.85	PASS
Band41	10MHz	QPSK	41540	50RB#0	8.9763	11.53	PASS
Band41	15MHz	QPSK	39725	75RB#0	13.526	16.31	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.452	17.81	PASS
Band41	15MHz	QPSK	41515	75RB#0	13.462	17.93	PASS
Band41	20MHz	QPSK	39750	100RB#0	17.918	22.06	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.928	21.49	PASS
Band41	20MHz	QPSK	41490	100RB#0	17.917	21.19	PASS

Test Graphs








Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	-20.78	7.78	PASS
Band41	5MHz	QPSK	41565	25RB#0	-35.02	10.02	PASS
Band41	10MHz	QPSK	39700	50RB#0	-28.78	3.78	PASS
Band41	10MHz	QPSK	41540	50RB#0	-36.84	11.84	PASS
Band41	15MHz	QPSK	39725	75RB#0	-28.69	3.69	PASS
Band41	15MHz	QPSK	41515	75RB#0	-37.41	12.41	PASS
Band41	20MHz	QPSK	39750	100RB#0	-30.29	5.29	PASS
Band41	20MHz	QPSK	41490	100RB#0	-38.75	13.75	PASS

Test Graphs





Band41-20MHz-QPSK-39750-100RB#0-PASS

Band41-20MHz-QPSK-41490-100RB#0-PASS



Appendix E: Conducted Spurious Emission


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	0.009~0.15	-64.30	-55.0	PASS
Band41	5MHz	QPSK	39675	25RB#0	0.15~30	-71.16	-45.0	PASS
Band41	5MHz	QPSK	39675	25RB#0	30~1000	-60.25	-35.0	PASS
Band41	5MHz	QPSK	39675	25RB#0	1000~3000	-39.28	-25.0	PASS
Band41	5MHz	QPSK	39675	25RB#0	3000~18000	-28.77	-25.0	PASS
Band41	5MHz	QPSK	39675	25RB#0	18000~27000	-42.99	-25.0	PASS
Band41	5MHz	QPSK	40620	25RB#0	0.009~0.15	-73.56	-55.0	PASS
Band41	5MHz	QPSK	40620	25RB#0	0.15~30	-72.17	-45.0	PASS
Band41	5MHz	QPSK	40620	25RB#0	30~1000	-60.09	-35.0	PASS
Band41	5MHz	QPSK	40620	25RB#0	1000~3000	-47.07	-25.0	PASS
Band41	5MHz	QPSK	40620	25RB#0	3000~18000	-28.61	-25.0	PASS
Band41	5MHz	QPSK	40620	25RB#0	18000~27000	-42.74	-25.0	PASS
Band41	5MHz	QPSK	41565	25RB#0	0.009~0.15	-61.03	-55.0	PASS
Band41	5MHz	QPSK	41565	25RB#0	0.15~30	-71.61	-45.0	PASS
Band41	5MHz	QPSK	41565	25RB#0	30~1000	-60.43	-35.0	PASS
Band41	5MHz	QPSK	41565	25RB#0	1000~3000	-39.46	-25.0	PASS
Band41	5MHz	QPSK	41565	25RB#0	3000~18000	-28.37	-25.0	PASS
Band41	5MHz	QPSK	41565	25RB#0	18000~27000	-42.95	-25.0	PASS
Band41	10MHz	QPSK	39700	50RB#0	0.009~0.15	-66.85	-55.0	PASS
Band41	10MHz	QPSK	39700	50RB#0	0.15~30	-72.35	-45.0	PASS
Band41	10MHz	QPSK	39700	50RB#0	30~1000	-60.27	-35.0	PASS
Band41	10MHz	QPSK	39700	50RB#0	1000~3000	-30.71	-25.0	PASS


Band41	10MHz	QPSK	39700	50RB#0	3000~18 000	-28.43	-25.0	PASS
Band41	10MHz	QPSK	39700	50RB#0	18000~2 7000	-42.94	-25.0	PASS
Band41	10MHz	QPSK	40620	50RB#0	0.009~0. 15	-74.75	-55.0	PASS
Band41	10MHz	QPSK	40620	50RB#0	0.15~30	-72.60	-45.0	PASS
Band41	10MHz	QPSK	40620	50RB#0	30~1000	-59.73	-35.0	PASS
Band41	10MHz	QPSK	40620	50RB#0	1000~30 00	-47.17	-25.0	PASS
Band41	10MHz	QPSK	40620	50RB#0	3000~18 000	-28.43	-25.0	PASS
Band41	10MHz	QPSK	40620	50RB#0	18000~2 7000	-43.18	-25.0	PASS
Band41	10MHz	QPSK	41540	50RB#0	0.009~0. 15	-72.21	-55.0	PASS
Band41	10MHz	QPSK	41540	50RB#0	0.15~30	-72.59	-45.0	PASS
Band41	10MHz	QPSK	41540	50RB#0	30~1000	-59.88	-35.0	PASS
Band41	10MHz	QPSK	41540	50RB#0	1000~30 00	-37.56	-25.0	PASS
Band41	10MHz	QPSK	41540	50RB#0	3000~18 000	-28.61	-25.0	PASS
Band41	10MHz	QPSK	41540	50RB#0	18000~2 7000	-42.83	-25.0	PASS
Band41	15MHz	QPSK	39725	75RB#0	0.009~0. 15	-58.98	-55.0	PASS
Band41	15MHz	QPSK	39725	75RB#0	0.15~30	-73.08	-45.0	PASS
Band41	15MHz	QPSK	39725	75RB#0	30~1000	-59.65	-35.0	PASS
Band41	15MHz	QPSK	39725	75RB#0	1000~30 00	-27.97	-25.0	PASS
Band41	15MHz	QPSK	39725	75RB#0	3000~18 000	-28.65	-25.0	PASS
Band41	15MHz	QPSK	39725	75RB#0	18000~2 7000	-42.92	-25.0	PASS
Band41	15MHz	QPSK	40620	75RB#0	0.009~0. 15	-69.93	-55.0	PASS
Band41	15MHz	QPSK	40620	75RB#0	0.15~30	-71.53	-45.0	PASS
Band41	15MHz	QPSK	40620	75RB#0	30~1000	-60.18	-35.0	PASS
Band41	15MHz	QPSK	40620	75RB#0	1000~30 00	-47.04	-25.0	PASS
Band41	15MHz	QPSK	40620	75RB#0	3000~18 000	-28.44	-25.0	PASS
Band41	15MHz	QPSK	40620	75RB#0	18000~2	-43.11	-25.0	PASS


					7000			
Band41	15MHz	QPSK	41515	75RB#0	0.009~0.15	-73.59	-55.0	PASS
Band41	15MHz	QPSK	41515	75RB#0	0.15~30	-72.25	-45.0	PASS
Band41	15MHz	QPSK	41515	75RB#0	30~1000	-59.38	-35.0	PASS
Band41	15MHz	QPSK	41515	75RB#0	1000~3000	-39.03	-25.0	PASS
Band41	15MHz	QPSK	41515	75RB#0	3000~18000	-28.67	-25.0	PASS
Band41	15MHz	QPSK	41515	75RB#0	18000~27000	-42.77	-25.0	PASS
Band41	20MHz	QPSK	39750	100RB#0	0.009~0.15	-68.39	-55.0	PASS
Band41	20MHz	QPSK	39750	100RB#0	0.15~30	-72.31	-45.0	PASS
Band41	20MHz	QPSK	39750	100RB#0	30~1000	-60.53	-35.0	PASS
Band41	20MHz	QPSK	39750	100RB#0	1000~3000	-27.59	-25.0	PASS
Band41	20MHz	QPSK	39750	100RB#0	3000~18000	-28.59	-25.0	PASS
Band41	20MHz	QPSK	39750	100RB#0	18000~27000	-43.18	-25.0	PASS
Band41	20MHz	QPSK	40620	100RB#0	0.009~0.15	-76.08	-55.0	PASS
Band41	20MHz	QPSK	40620	100RB#0	0.15~30	-72.28	-45.0	PASS
Band41	20MHz	QPSK	40620	100RB#0	30~1000	-59.73	-35.0	PASS
Band41	20MHz	QPSK	40620	100RB#0	1000~3000	-47.09	-25.0	PASS
Band41	20MHz	QPSK	40620	100RB#0	3000~18000	-28.50	-25.0	PASS
Band41	20MHz	QPSK	40620	100RB#0	18000~27000	-42.92	-25.0	PASS
Band41	20MHz	QPSK	41490	100RB#0	0.009~0.15	-74.70	-55.0	PASS
Band41	20MHz	QPSK	41490	100RB#0	0.15~30	-71.53	-45.0	PASS
Band41	20MHz	QPSK	41490	100RB#0	30~1000	-60.13	-35.0	PASS
Band41	20MHz	QPSK	41490	100RB#0	1000~3000	-40.31	-25.0	PASS
Band41	20MHz	QPSK	41490	100RB#0	3000~18000	-28.89	-25.0	PASS
Band41	20MHz	QPSK	41490	100RB#0	18000~27000	-42.96	-25.0	PASS


Test Graphs




















Band41-20MHz-QPSK-39750-100RB#0-3000~18000-PASS




Band41-20MHz-QPSK-39750-100RB#0-18000~27000-PASS



Band41-20MHz-QPSK-40620-100RB#0-0.009~0.15-PASS




Band41-20MHz-QPSK-40620-100RB#0-0.15~30-PASS




Band41-20MHz-QPSK-40620-100RB#0-30~1000-PASS




Band41-20MHz-QPSK-40620-100RB#0-1000~3000-PASS



Band41-20MHz-QPSK-40620-100RB#0-3000~18000-PASS



Band41-20MHz-QPSK-40620-100RB#0-18000~27000-PASS



Appendix F: Frequency Stability

Test Result

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	NV	-30	-1330.00	-0.532319	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	-20	-1180.00	-0.472283	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	-10	-4070.00	-1.628977	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	0	-1200.00	-0.480288	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	10	-1450.00	-0.580348	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	20	-4080.00	-1.632980	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	30	-3920.00	-1.568941	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	40	-5780.00	-2.313388	±NA	PASS
Band41	5MHz	QPSK	39675	25RB#0	NV	50	-3910.00	-1.564939	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	-30	1570.00	0.605476	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	-20	1050.00	0.404936	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	-10	2450.00	0.944852	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	0	-4230.00	-1.631315	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	10	-4210.00	-1.623602	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	20	-4210.00	-1.623602	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	30	-4220.00	-1.627459	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	40	-4230.00	-1.631315	±NA	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	50	-4160.00	-1.604319	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	-30	-5480.00	-2.039070	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	-20	-5540.00	-2.061395	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	-10	-5490.00	-2.042791	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	0	-5480.00	-2.039070	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	10	-5540.00	-2.061395	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	20	-5460.00	-2.031628	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	30	-5510.00	-2.050233	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	40	-5490.00	-2.042791	±NA	PASS
Band41	5MHz	QPSK	41565	25RB#0	NV	50	-5450.00	-2.027907	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	-30	-3420.00	-1.367453	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	-20	-3480.00	-1.391443	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	-10	-3530.00	-1.411435	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	0	-3480.00	-1.391443	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	10	-3440.00	-1.375450	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	20	-3410.00	-1.363455	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	30	-3550.00	-1.419432	±NA	PASS
Band41	10MHz	QPSK	39700	50RB#0	NV	40	-3570.00	-1.427429	±NA	PASS



Band41	10MHz	QPSK	39700	50RB#0	NV	50	-3490.00	-1.395442	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	-30	4360.00	1.681450	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	-20	4410.00	1.700733	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	-10	4320.00	1.666024	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	0	4460.00	1.720015	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	10	4420.00	1.704589	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	20	4430.00	1.708446	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	30	4330.00	1.669880	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	40	4380.00	1.689163	±NA	PASS
Band41	10MHz	QPSK	40620	50RB#0	NV	50	4480.00	1.727728	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	-30	-10430.00	-3.884544	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	-20	-10340.00	-3.851024	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	-10	-10490.00	-3.906890	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	0	-10380.00	-3.865922	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	10	-10290.00	-3.832402	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	20	-10330.00	-3.847300	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	30	-10300.00	-3.836127	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	40	-10380.00	-3.865922	±NA	PASS
Band41	10MHz	QPSK	41540	50RB#0	NV	50	-10310.00	-3.839851	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	-30	-5600.00	-2.236868	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	-20	-5680.00	-2.268824	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	-10	-5690.00	-2.272818	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	0	-5660.00	-2.260835	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	10	-5680.00	-2.268824	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	20	-5700.00	-2.276812	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	30	-5630.00	-2.248852	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	40	-5640.00	-2.252846	±NA	PASS
Band41	15MHz	QPSK	39725	75RB#0	NV	50	-5670.00	-2.264829	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	-30	-2840.00	-1.095256	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	-20	-2840.00	-1.095256	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	-10	-2860.00	-1.102970	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	0	-2840.00	-1.095256	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	10	-2860.00	-1.102970	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	20	-2910.00	-1.122252	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	30	-2830.00	-1.091400	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	40	-2870.00	-1.106826	±NA	PASS
Band41	15MHz	QPSK	40620	75RB#0	NV	50	-2810.00	-1.083687	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	-30	-6070.00	-2.262815	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	-20	-5900.00	-2.199441	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	-10	-5930.00	-2.210624	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	0	-6030.00	-2.247903	±NA	PASS

Band41	15MHz	QPSK	41515	75RB#0	NV	10	-5850.00	-2.180801	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	20	-5960.00	-2.221808	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	30	-6030.00	-2.247903	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	40	-6000.00	-2.236719	±NA	PASS
Band41	15MHz	QPSK	41515	75RB#0	NV	50	-5950.00	-2.218080	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	-30	17760.00	7.086991	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	-20	17680.00	7.055068	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	-10	17840.00	7.118915	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	0	17900.00	7.142857	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	10	17750.00	7.083001	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	20	17990.00	7.178771	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	30	17670.00	7.051077	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	40	17940.00	7.158819	±NA	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	50	18190.00	7.258579	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-30	-2140.00	-0.825299	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-20	-2150.00	-0.829155	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-10	-2030.00	-0.782877	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	0	-1790.00	-0.690320	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	10	-2060.00	-0.794447	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	20	-2070.00	-0.798303	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	30	-2130.00	-0.821442	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	40	-2070.00	-0.798303	±NA	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	50	-2000.00	-0.771307	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-30	-13540.00	-5.052239	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-20	-13550.00	-5.055970	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-10	-13640.00	-5.089552	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	0	-13560.00	-5.059701	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	10	-13390.00	-4.996269	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	20	-13310.00	-4.966418	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	30	-13560.00	-5.059701	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	40	-13190.00	-4.921642	±NA	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	50	-13590.00	-5.070896	±NA	PASS