



4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-35.67	-13	Pass	401
823	824	0.051	RMS	824	-32.93	-13	Pass	401
824	829	0.1	RMS	828.563	5.93	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	815.74	-45.68	-13	Pass	401
823	824	0.051	RMS	823.998	-21.15	-13	Pass	401
824	829	0.1	RMS	824.338	19.08	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.62	-13	Pass	401
823	824	0.051	RMS	824	-32.91	-13	Pass	401
824	829	0.1	RMS	828.3	4.75	30	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.51	30	Pass	401
849	850	0.051	RMS	849	-19.58	-13	Pass	401
850	860	0.1	RMS	850.675	-45.93	-13	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.513	6.93	30	Pass	401
849	850	0.051	RMS	849	-33.55	-13	Pass	401
850	860	0.1	RMS	850.025	-36.52	-13	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.54	30	Pass	401
849	850	0.051	RMS	849	-19.59	-13	Pass	401
850	860	0.1	RMS	850.675	-47.28	-13	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.588	6.07	30	Pass	401
849	850	0.051	RMS	849.003	-33.86	-13	Pass	401
850	860	0.1	RMS	850.125	-35.49	-13	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.6	-13	Pass	401
823	824	0.1	RMS	824	-23.85	-13	Pass	401
824	834	0.1	RMS	824.6	19.99	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-38.92	-13	Pass	401
823	824	0.1	RMS	823.998	-35.36	-13	Pass	401
824	834	0.1	RMS	832	3.42	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.64	-48.54	-13	Pass	401
823	824	0.1	RMS	824	-24.62	-13	Pass	401
824	834	0.1	RMS	824.6	19.28	30	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-38.36	-13	Pass	401
823	824	0.1	RMS	824	-35.69	-13	Pass	401
824	834	0.1	RMS	832.35	2.46	30	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.57	30	Pass	401
849	850	0.1	RMS	849	-22.29	-13	Pass	401
850	860	0.1	RMS	850.4	-46.75	-13	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.35	3.49	30	Pass	401
849	850	0.1	RMS	849.008	-35.82	-13	Pass	401
850	860	0.1	RMS	850.025	-35.94	-13	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.49	30	Pass	401
849	850	0.1	RMS	849	-23.67	-13	Pass	401
850	860	0.1	RMS	850.375	-48.18	-13	Pass	401



4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.675	2.52	30	Pass	401
849	850	0.1	RMS	849.003	-35.55	-13	Pass	401
850	860	0.1	RMS	850.1	-35.93	-13	Pass	401



5. LTE_Band7


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.72	-36.89	-25	Pass	401
2494	2496	1	RMS	2495.95	-39.2	-13	Pass	401
2496	2499	1	RMS	2499	-36.62	-10	Pass	4
2499	2500	0.1	RMS	2500	-15.86	-10	Pass	401
2500	2505	0.1	RMS	2500.325	20.59	30	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-37	-25	Pass	401
2494	2496	1	RMS	2496	-28.05	-13	Pass	401
2496	2499	1	RMS	2499	-22.42	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-27.47	-10	Pass	401
2500	2505	0.1	RMS	2503.35	6.31	30	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.578	-39.7	-25	Pass	401
2494	2496	1	RMS	2495.985	-40.21	-13	Pass	401
2496	2499	1	RMS	2499	-37.18	-10	Pass	4
2499	2500	0.1	RMS	2500	-16.62	-10	Pass	401
2500	2505	0.1	RMS	2500.35	19.81	30	Pass	401




5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.78	-25	Pass	401
2494	2496	1	RMS	2495.995	-31.42	-13	Pass	401
2496	2499	1	RMS	2499	-25.41	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-29.26	-10	Pass	401
2500	2505	0.1	RMS	2503.3	5.35	30	Pass	401




5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	20.61	30	Pass	401
2570	2571	0.051	RMS	2570	-19.96	-10	Pass	401
2571	2575	1	RMS	2571	-36.82	-10	Pass	5
2575	2576	1	RMS	2575.003	-44.45	-13	Pass	401
2576	2595	1	RMS	2578.28	-37.12	-25	Pass	401




5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.888	6.22	30	Pass	401
2570	2571	0.1	RMS	2570	-26.71	-10	Pass	401
2571	2575	1	RMS	2571	-21.01	-10	Pass	5
2575	2576	1	RMS	2575.003	-33.68	-13	Pass	401
2576	2595	1	RMS	2576	-38.02	-25	Pass	401




5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	19.68	30	Pass	401
2570	2571	0.1	RMS	2570	-16.3	-10	Pass	401
2571	2575	1	RMS	2571	-37.31	-10	Pass	5
2575	2576	1	RMS	2575.003	-44.66	-13	Pass	401
2576	2595	1	RMS	2578.233	-39.98	-25	Pass	401




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.525	5.19	30	Pass	401
2570	2571	0.1	RMS	2570	-28.68	-10	Pass	401
2571	2575	1	RMS	2571	-23.74	-10	Pass	5
2575	2576	1	RMS	2575.003	-35.56	-13	Pass	401
2576	2595	1	RMS	2576	-39.16	-25	Pass	401




5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.988	-37.9	-25	Pass	401
2490	2496	1	RMS	2491.755	-38.11	-13	Pass	401
2496	2499	1	RMS	2499	-38.31	-10	Pass	4
2499	2500	0.2	RMS	2500	-18.57	-10	Pass	401
2500	2510	0.1	RMS	2500.575	20.82	30	Pass	401




5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-37.02	-25	Pass	401
2490	2496	1	RMS	2495.985	-27.17	-13	Pass	401
2496	2499	1	RMS	2499	-25.23	-10	Pass	4
2499	2500	0.2	RMS	2499.995	-29.2	-10	Pass	401
2500	2510	0.1	RMS	2501.925	3.4	30	Pass	401




5.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.913	-39.47	-25	Pass	401
2490	2496	1	RMS	2491.77	-39.73	-13	Pass	401
2496	2499	1	RMS	2499	-38.42	-10	Pass	4
2499	2500	0.2	RMS	2499.995	-19.8	-10	Pass	401
2500	2510	0.1	RMS	2500.6	19.95	30	Pass	401




5.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.97	-25	Pass	401
2490	2496	1	RMS	2495.985	-30.31	-13	Pass	401
2496	2499	1	RMS	2499	-28.2	-10	Pass	4
2499	2500	0.2	RMS	2499.998	-31.93	-10	Pass	401
2500	2510	0.1	RMS	2508.375	2.3	30	Pass	401




5.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.66	30	Pass	401
2570	2571	0.2	RMS	2570	-18.4	-10	Pass	401
2571	2575	1	RMS	2571	-38.55	-10	Pass	5
2575	2580	1	RMS	2578.175	-38.38	-13	Pass	401
2580	2595	1	RMS	2587.088	-40.95	-25	Pass	401




5.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.05	3.38	30	Pass	401
2570	2571	0.2	RMS	2570	-28.37	-10	Pass	401
2571	2575	1	RMS	2571	-23.33	-10	Pass	5
2575	2580	1	RMS	2575	-27.23	-13	Pass	401
2580	2595	1	RMS	2580	-37.45	-25	Pass	401




5.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.58	30	Pass	401
2570	2571	0.2	RMS	2570	-19.67	-10	Pass	401
2571	2575	1	RMS	2571	-39.05	-10	Pass	5
2575	2580	1	RMS	2578.138	-40.56	-13	Pass	401
2580	2595	1	RMS	2587.125	-42.73	-25	Pass	401




5.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.725	2.45	30	Pass	401
2570	2571	0.2	RMS	2570	-30.87	-10	Pass	401
2571	2575	1	RMS	2571	-26.27	-10	Pass	5
2575	2580	1	RMS	2575.013	-30.03	-13	Pass	401
2580	2595	1	RMS	2580.038	-38.77	-25	Pass	401




5.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-41.28	-25	Pass	401
2490	2496	1	RMS	2494.275	-41.7	-13	Pass	401
2496	2499	1	RMS	2499	-37.09	-10	Pass	4
2499	2500	0.3	RMS	2500	-19.15	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.74	30	Pass	401




5.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.4	-30.76	-25	Pass	401
2490	2496	1	RMS	2495.985	-26.19	-13	Pass	401
2496	2499	1	RMS	2499	-24.04	-10	Pass	4
2499	2500	0.3	RMS	2500	-27.88	-10	Pass	401
2500	2515	0.1	RMS	2513.388	1.72	30	Pass	401




5.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-42.55	-25	Pass	401
2490	2496	1	RMS	2494.305	-42.39	-13	Pass	401
2496	2499	1	RMS	2499	-37.64	-10	Pass	4
2499	2500	0.3	RMS	2500	-19.93	-10	Pass	401
2500	2515	0.1	RMS	2500.863	19.74	30	Pass	401




5.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-34.43	-25	Pass	401
2490	2496	1	RMS	2495.955	-30.03	-13	Pass	401
2496	2499	1	RMS	2499	-28.54	-10	Pass	4
2499	2500	0.3	RMS	2499.995	-31.85	-10	Pass	401
2500	2515	0.1	RMS	2512.45	0.65	30	Pass	401




5.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.59	30	Pass	401
2570	2571	0.3	RMS	2570	-19.83	-10	Pass	401
2571	2575	1	RMS	2571	-37.39	-10	Pass	5
2575	2585	1	RMS	2582.475	-39.86	-13	Pass	401
2585	2595	1	RMS	2585.1	-47.91	-25	Pass	401




5.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2555.863	1.97	30	Pass	401
2570	2571	0.3	RMS	2570.725	-26.5	-10	Pass	401
2571	2575	1	RMS	2571	-22.52	-10	Pass	5
2575	2585	1	RMS	2575.05	-25.58	-13	Pass	401
2585	2595	1	RMS	2585	-39.88	-25	Pass	401




5.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.48	30	Pass	401
2570	2571	0.3	RMS	2570.005	-20.46	-10	Pass	401
2571	2575	1	RMS	2571	-38.02	-10	Pass	5
2575	2585	1	RMS	2582.45	-41.77	-13	Pass	401
2585	2595	1	RMS	2585.075	-47.91	-25	Pass	401




5.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.625	0.86	30	Pass	401
2570	2571	0.3	RMS	2570.018	-30.74	-10	Pass	401
2571	2575	1	RMS	2571	-26.77	-10	Pass	5
2575	2585	1	RMS	2575.025	-29.34	-13	Pass	401
2585	2595	1	RMS	2585.025	-40.92	-25	Pass	401




5.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.213	-44.32	-25	Pass	401
2490	2496	1	RMS	2492.1	-43.16	-13	Pass	401
2496	2499	1	RMS	2499	-39.01	-10	Pass	4
2499	2500	0.51	RMS	2500	-19.72	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.55	30	Pass	401




5.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.9	-25	Pass	16
2490	2496	1	RMS	2496	-29.42	-13	Pass	401
2496	2499	1	RMS	2499	-28.38	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-29.71	-10	Pass	401
2500	2520	0.1	RMS	2514.3	0.27	30	Pass	401




5.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.25	-45.49	-25	Pass	401
2490	2496	1	RMS	2492.04	-43.81	-13	Pass	401
2496	2499	1	RMS	2499	-39.18	-10	Pass	4
2499	2500	0.51	RMS	2500	-19.82	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.69	30	Pass	401




5.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-35.16	-25	Pass	401
2490	2496	1	RMS	2495.955	-32.11	-13	Pass	401
2496	2499	1	RMS	2499	-31.18	-10	Pass	4
2499	2500	0.51	RMS	2499.985	-32.13	-10	Pass	401
2500	2520	0.1	RMS	2516.45	-0.68	30	Pass	401




5.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.27	30	Pass	401
2570	2571	0.51	RMS	2570	-19.83	-10	Pass	401
2571	2575	1	RMS	2571	-39.13	-10	Pass	5
2575	2590	1	RMS	2578.038	-44.26	-13	Pass	401
2590	2595	1	RMS	2590.45	-48.1	-25	Pass	401




5.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2552.85	0.52	30	Pass	401
2570	2571	0.51	RMS	2570.015	-28.84	-10	Pass	401
2571	2575	1	RMS	2571	-27.08	-10	Pass	5
2575	2590	1	RMS	2575.075	-29.12	-13	Pass	401
2590	2595	1	RMS	2590	-44.63	-25	Pass	401




5.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.25	30	Pass	401
2570	2571	0.51	RMS	2570	-20.29	-10	Pass	401
2571	2575	1	RMS	2571	-39.75	-10	Pass	5
2575	2590	1	RMS	2578.375	-44.11	-13	Pass	401
2590	2595	1	RMS	2590.088	-48.14	-25	Pass	401



5.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2554.65	-0.41	30	Pass	401
2570	2571	0.51	RMS	2570	-31.38	-10	Pass	401
2571	2575	1	RMS	2571	-29.75	-10	Pass	5
2575	2590	1	RMS	2575	-31.46	-13	Pass	401
2590	2595	1	RMS	2590	-45.2	-25	Pass	401



6. LTE_Band26(part22)


6.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.63	-13	Pass	401
823	824	0.02	RMS	824	-23	-13	Pass	401
824	826	0.1	RMS	824.25	20.3	30	Pass	401




6.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.15	-13	Pass	401
823	824	0.02	RMS	824	-30.07	-13	Pass	401
824	826	0.1	RMS	824.63	11.89	30	Pass	401




6.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.68	-49.58	-13	Pass	401
823	824	0.02	RMS	824	-24.72	-13	Pass	401
824	826	0.1	RMS	824.25	19.24	30	Pass	401




6.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.92	-13	Pass	401
823	824	0.02	RMS	824	-29.7	-13	Pass	401
824	826	0.1	RMS	824.73	11.03	30	Pass	401




6.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.83	30	Pass	401
849	850	0.02	RMS	849	-18.59	-13	Pass	401
850	860	0.1	RMS	850.725	-46.14	-13	Pass	401




6.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.44	12.55	30	Pass	401
849	850	0.02	RMS	849	-27.84	-13	Pass	401
850	860	0.1	RMS	850	-31.91	-13	Pass	401




6.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	19.75	30	Pass	401
849	850	0.02	RMS	849	-21.8	-13	Pass	401
850	860	0.1	RMS	850.75	-47.44	-13	Pass	401




6.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.33	11.67	30	Pass	401
849	850	0.02	RMS	849	-29.5	-13	Pass	401
850	860	0.1	RMS	850	-33.07	-13	Pass	401




6.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-49.38	-13	Pass	401
823	823.985	0.03	RMS	823.985	-23.69	-13	Pass	34
824	827	0.1	RMS	824.24	20.33	30	Pass	401




6.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.72	-33.83	-13	Pass	401
823	824	0.03	RMS	823.998	-32.58	-13	Pass	401
824	827	0.1	RMS	825.793	8.01	30	Pass	401




6.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-50.64	-13	Pass	401
823	823.985	0.03	RMS	823.985	-24.72	-13	Pass	401
824	827	0.1	RMS	824.255	19.42	30	Pass	401




6.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.2	-13	Pass	401
823	824	0.03	RMS	824	-32.83	-13	Pass	401
824	827	0.1	RMS	826.423	7.09	30	Pass	401




6.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.93	30	Pass	401
849.015	850	0.03	RMS	849.015	-18.73	-13	Pass	34
850	860	0.1	RMS	851.275	-45.5	-13	Pass	401




6.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.278	8.94	30	Pass	401
849	850	0.03	RMS	849	-34.25	-13	Pass	401
850	860	0.1	RMS	850.05	-33.37	-13	Pass	401




6.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.78	30	Pass	401
849.015	850	0.03	RMS	849.015	-21.92	-13	Pass	34
850	860	0.1	RMS	851.25	-47.24	-13	Pass	401




6.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.465	7.96	30	Pass	401
849	850	0.03	RMS	849.003	-33.65	-13	Pass	401
850	860	0.1	RMS	850.2	-32.7	-13	Pass	401




6.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.57	-13	Pass	401
823	824	0.051	RMS	824	-20.79	-13	Pass	401
824	829	0.1	RMS	824.338	19.98	30	Pass	401




6.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-35.53	-13	Pass	401
823	824	0.051	RMS	823.998	-32.88	-13	Pass	401
824	829	0.1	RMS	828.538	6.08	30	Pass	401




6.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-49.23	-13	Pass	401
823	824	0.051	RMS	824	-21.12	-13	Pass	401
824	829	0.1	RMS	824.338	19.22	30	Pass	401




6.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.28	-13	Pass	401
823	824	0.051	RMS	824	-32.8	-13	Pass	401
824	829	0.1	RMS	828.275	5.03	30	Pass	401




6.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.75	30	Pass	401
849	850	0.051	RMS	849.003	-19.16	-13	Pass	401
850	860	0.1	RMS	850.175	-45.66	-13	Pass	401




6.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.5	7.13	30	Pass	401
849	850	0.051	RMS	849.003	-33.18	-13	Pass	401
850	860	0.1	RMS	850.05	-35.76	-13	Pass	401




6.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.75	30	Pass	401
849	850	0.051	RMS	849	-19.19	-13	Pass	401
850	860	0.1	RMS	850.7	-46.88	-13	Pass	401




6.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.363	6.13	30	Pass	401
849	850	0.051	RMS	849	-33.48	-13	Pass	401
850	860	0.1	RMS	850	-34.76	-13	Pass	401




6.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-48.36	-13	Pass	401
823	824	0.1	RMS	824	-23.78	-13	Pass	401
824	834	0.1	RMS	824.575	20.13	30	Pass	401




6.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.96	-13	Pass	401
823	824	0.1	RMS	824	-34.81	-13	Pass	401
824	834	0.1	RMS	831.975	3.4	30	Pass	401




6.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.57	-13	Pass	401
823	824	0.1	RMS	824	-24.58	-13	Pass	401
824	834	0.1	RMS	824.6	19.34	30	Pass	401




6.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.61	-13	Pass	401
823	824	0.1	RMS	824	-35.11	-13	Pass	401
824	834	0.1	RMS	832.425	2.47	30	Pass	401



6.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.7	30	Pass	401
849	850	0.1	RMS	849	-22.11	-13	Pass	401
850	860	0.1	RMS	850.4	-46.57	-13	Pass	401




6.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.375	3.62	30	Pass	401
849	850	0.1	RMS	849.998	-35.5	-13	Pass	401
850	860	0.1	RMS	850	-35.51	-13	Pass	401




6.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	19.64	30	Pass	401
849	850	0.1	RMS	849.003	-23.59	-13	Pass	401
850	860	0.1	RMS	850.4	-47.96	-13	Pass	401




6.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.7	2.62	30	Pass	401
849	850	0.1	RMS	849.003	-35.2	-13	Pass	401
850	860	0.1	RMS	850.075	-35.41	-13	Pass	401




6.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.18	-47.37	-13	Pass	401
823	824	0.15	RMS	824	-24.51	-13	Pass	401
824	839	0.1	RMS	824.825	20	30	Pass	401




6.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	817.98	-36.48	-13	Pass	401
823	824	0.15	RMS	824	-35.41	-13	Pass	401
824	839	0.1	RMS	832.813	1.37	30	Pass	401




6.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.18	-48.32	-13	Pass	401
823	824	0.15	RMS	824	-24.81	-13	Pass	401
824	839	0.1	RMS	824.825	19.09	30	Pass	401




6.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.94	-36.28	-13	Pass	401
823	824	0.15	RMS	823.998	-35.14	-13	Pass	401
824	839	0.1	RMS	833.038	0.47	30	Pass	401




6.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.58	30	Pass	401
849	850	0.15	RMS	849	-24.07	-13	Pass	401
850	860	0.1	RMS	850.175	-47.42	-13	Pass	401




6.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.863	2.16	30	Pass	401
849	850	0.15	RMS	849.998	-33.99	-13	Pass	401
850	860	0.1	RMS	850.025	-35.65	-13	Pass	401




6.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.53	30	Pass	401
849	850	0.15	RMS	849.005	-24.48	-13	Pass	401
850	860	0.1	RMS	850.2	-48.55	-13	Pass	401



6.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.9	1.2	30	Pass	401
849	850	0.15	RMS	849.995	-34.28	-13	Pass	401
850	860	0.1	RMS	850.225	-35.9	-13	Pass	401



7. LTE_Band66


7.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.75	-13	Pass	401
1708	1709	1	RMS	1709	-37.41	-13	Pass	2
1709	1710	0.02	RMS	1710	-22.01	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.29	30	Pass	401




7.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.13	-13	Pass	401
1708	1709	1	RMS	1709	-21.94	-13	Pass	2
1709	1710	0.02	RMS	1710	-29.94	-13	Pass	401
1710	1712	0.1	RMS	1710.65	11.99	30	Pass	401




**7.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.4	-13	Pass	401
1708	1709	1	RMS	1709	-37.84	-13	Pass	2
1709	1710	0.02	RMS	1710	-22.42	-13	Pass	401
1710	1712	0.1	RMS	1710.255	19.98	30	Pass	401




**7.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.27	-13	Pass	401
1708	1709	1	RMS	1709	-24.76	-13	Pass	2
1709	1710	0.02	RMS	1710	-30.88	-13	Pass	401
1710	1712	0.1	RMS	1710.725	11.07	30	Pass	401




7.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.745	20.01	30	Pass	401
1780	1781	0.02	RMS	1780	-23.87	-13	Pass	401
1781	1782	1	RMS	1781	-38.27	-13	Pass	2
1782	1790	1	RMS	1782	-40.16	-13	Pass	401




7.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.435	11.69	30	Pass	401
1780	1781	0.02	RMS	1780	-30.1	-13	Pass	401
1781	1782	1	RMS	1781	-24.45	-13	Pass	2
1782	1790	1	RMS	1782	-34.16	-13	Pass	401




7.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	19.05	30	Pass	401
1780	1781	0.02	RMS	1780	-25.2	-13	Pass	401
1781	1782	1	RMS	1781	-38.98	-13	Pass	2
1782	1790	1	RMS	1782	-40.85	-13	Pass	401




7.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.33	10.87	30	Pass	401
1780	1781	0.02	RMS	1780	-30.99	-13	Pass	401
1781	1782	1	RMS	1781	-25.58	-13	Pass	2
1782	1790	1	RMS	1782	-35.7	-13	Pass	401




7.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.2	-38.2	-13	Pass	401
1708	1709	1	RMS	1709	-37.32	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.66	-13	Pass	35
1710	1713	0.1	RMS	1710.233	20.96	30	Pass	401




7.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-23.8	-13	Pass	401
1708	1709	1	RMS	1709	-22.37	-13	Pass	2
1709	1710	0.03	RMS	1710	-32.39	-13	Pass	401
1710	1713	0.1	RMS	1711.448	8.16	30	Pass	401




7.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.24	-40.48	-13	Pass	401
1708	1709	1	RMS	1709	-39.33	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.88	-13	Pass	35
1710	1713	0.1	RMS	1710.24	19.39	30	Pass	401




7.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.78	-13	Pass	401
1708	1709	1	RMS	1709	-23.13	-13	Pass	2
1709	1710	0.03	RMS	1710	-33.78	-13	Pass	401
1710	1713	0.1	RMS	1711.215	7.11	30	Pass	401




7.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	20.03	30	Pass	401
1780	1781	0.03	RMS	1780	-23.96	-13	Pass	35
1781	1782	1	RMS	1781	-38.91	-13	Pass	2
1782	1790	1	RMS	1782.02	-43.14	-13	Pass	401




7.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.073	7.91	30	Pass	401
1780	1781	0.03	RMS	1780	-32.81	-13	Pass	401
1781	1782	1	RMS	1781	-23.11	-13	Pass	2
1782	1790	1	RMS	1782	-26.06	-13	Pass	401




7.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	19.04	30	Pass	401
1780	1781	0.03	RMS	1780	-23.92	-13	Pass	35
1781	1782	1	RMS	1781	-39.71	-13	Pass	2
1782	1790	1	RMS	1784.7	-43.13	-13	Pass	401




7.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.458	6.72	30	Pass	401
1780	1781	0.03	RMS	1780.008	-33.15	-13	Pass	401
1781	1782	1	RMS	1781	-22.8	-13	Pass	2
1782	1790	1	RMS	1782	-27.2	-13	Pass	401




7.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.12	-13	Pass	401
1708	1709	1	RMS	1709	-36.18	-13	Pass	2
1709	1710	0.01	RMS	1710	-21.57	-13	Pass	401
1710	1715	0.1	RMS	1710.325	19.95	30	Pass	401




7.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-24.45	-13	Pass	401
1708	1709	1	RMS	1709	-23.28	-13	Pass	2
1709	1710	0.051	RMS	1710	-26.69	-13	Pass	401
1710	1715	0.1	RMS	1713.338	5.85	30	Pass	401




7.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.69	-13	Pass	401
1708	1709	1	RMS	1709	-36.6	-13	Pass	2
1709	1710	0.01	RMS	1710	-21.74	-13	Pass	401
1710	1715	0.1	RMS	1710.338	19.18	30	Pass	401




7.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.5	-13	Pass	401
1708	1709	1	RMS	1709	-24.27	-13	Pass	2
1709	1710	0.051	RMS	1710	-27.42	-13	Pass	401
1710	1715	0.1	RMS	1713.325	4.89	30	Pass	401




7.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	19.81	30	Pass	401
1780	1781	0.01	RMS	1780	-21.97	-13	Pass	401
1781	1782	1	RMS	1781	-36.71	-13	Pass	2
1782	1790	1	RMS	1782	-39.18	-13	Pass	401




7.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.9	5.57	30	Pass	401
1780	1781	0.051	RMS	1780.003	-27.53	-13	Pass	401
1781	1782	1	RMS	1781	-24.29	-13	Pass	2
1782	1790	1	RMS	1782	-25.83	-13	Pass	401




7.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	19	30	Pass	401
1780	1781	0.01	RMS	1780	-21.73	-13	Pass	401
1781	1782	1	RMS	1781	-36.25	-13	Pass	2
1782	1790	1	RMS	1782	-40.83	-13	Pass	401




7.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.613	4.71	30	Pass	401
1780	1781	0.051	RMS	1780	-28.26	-13	Pass	401
1781	1782	1	RMS	1781	-24.1	-13	Pass	2
1782	1790	1	RMS	1782	-25.74	-13	Pass	401




7.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.5	-13	Pass	401
1708	1709	1	RMS	1709	-30.86	-13	Pass	2
1709	1710	0.1	RMS	1710	-17.19	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.21	30	Pass	401




7.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-26.26	-13	Pass	401
1708	1709	1	RMS	1709	-25.78	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-30.08	-13	Pass	401
1710	1720	0.1	RMS	1711.925	3.01	30	Pass	401




7.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.84	-13	Pass	401
1708	1709	1	RMS	1709	-31.43	-13	Pass	2
1709	1710	0.1	RMS	1710	-18.26	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.43	30	Pass	401




7.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.23	-13	Pass	401
1708	1709	1	RMS	1709	-26.6	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-31.43	-13	Pass	401
1710	1720	0.1	RMS	1719.075	1.92	30	Pass	401




7.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	19.91	30	Pass	401
1780	1781	0.002	RMS	1780	-32.13	-13	Pass	501
1781	1782	1	RMS	1781	-31.2	-13	Pass	2
1782	1790	1	RMS	1782.02	-42.12	-13	Pass	401




7.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1770.625	2.86	30	Pass	401
1780	1781	0.1	RMS	1780	-31.99	-13	Pass	401
1781	1782	1	RMS	1781	-26.83	-13	Pass	2
1782	1790	1	RMS	1782.02	-28.11	-13	Pass	401




7.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	18.95	30	Pass	401
1780	1781	0.1	RMS	1780.003	-18.28	-13	Pass	401
1781	1782	1	RMS	1781	-32.24	-13	Pass	2
1782	1790	1	RMS	1782	-42.45	-13	Pass	401




7.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.75	1.98	30	Pass	401
1780	1781	0.1	RMS	1780.005	-32.63	-13	Pass	401
1781	1782	1	RMS	1781	-26.79	-13	Pass	2
1782	1790	1	RMS	1782	-27.78	-13	Pass	401




7.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41	-13	Pass	401
1708	1709	1	RMS	1709	-27.74	-13	Pass	2
1709	1710	0.15	RMS	1710	-17.98	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.13	30	Pass	401




7.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.92	-26.17	-13	Pass	401
1708	1709	1	RMS	1709	-25.13	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-31.63	-13	Pass	401
1710	1725	0.1	RMS	1723.388	1.18	30	Pass	401




7.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.06	-13	Pass	401
1708	1709	1	RMS	1709	-28.02	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-18.64	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.13	30	Pass	401




7.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.24	-27.85	-13	Pass	401
1708	1709	1	RMS	1709	-27.39	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.57	-13	Pass	401
1710	1725	0.1	RMS	1721.775	0.15	30	Pass	401




7.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.87	30	Pass	401
1780	1781	0.15	RMS	1780.005	-19.18	-13	Pass	401
1781	1782	1	RMS	1781	-29.03	-13	Pass	2
1782	1790	1	RMS	1782	-41.9	-13	Pass	401




7.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1767.4	1.08	30	Pass	401
1780	1781	0.15	RMS	1780.003	-33.25	-13	Pass	401
1781	1782	1	RMS	1781	-28.45	-13	Pass	2
1782	1790	1	RMS	1782.54	-28.7	-13	Pass	401




7.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	18.9	30	Pass	401
1780	1781	0.15	RMS	1780.003	-19.43	-13	Pass	401
1781	1782	1	RMS	1781	-29.31	-13	Pass	2
1782	1790	1	RMS	1782	-42.08	-13	Pass	401




7.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1767.588	0.13	30	Pass	401
1780	1781	0.15	RMS	1780.003	-33.45	-13	Pass	401
1781	1782	1	RMS	1781	-28.66	-13	Pass	2
1782	1790	1	RMS	1782.06	-28.51	-13	Pass	401




7.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.38	-13	Pass	401
1708	1709	1	RMS	1709	-31.6	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-21.33	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.87	30	Pass	401




7.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.71	-13	Pass	401
1708	1709	1	RMS	1709	-29.2	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.67	-13	Pass	401
1710	1730	0.1	RMS	1713.85	-0.19	30	Pass	401




7.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.62	-13	Pass	401
1708	1709	1	RMS	1709	-31.2	-13	Pass	2
1709	1710	0.2	RMS	1710	-21.27	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.09	30	Pass	401




7.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.73	-13	Pass	401
1708	1709	1	RMS	1709	-29.14	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.79	-13	Pass	401
1710	1730	0.1	RMS	1712.9	-1.2	30	Pass	401




7.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.58	30	Pass	401
1780	1781	0.2	RMS	1780	-21.95	-13	Pass	401
1781	1782	1	RMS	1781	-31.78	-13	Pass	2
1782	1790	1	RMS	1782.12	-40.05	-13	Pass	401




7.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766.25	-0.13	30	Pass	401
1780	1781	0.2	RMS	1780	-34.33	-13	Pass	401
1781	1782	1	RMS	1781	-29.9	-13	Pass	2
1782	1790	1	RMS	1782.02	-30.88	-13	Pass	401




7.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	18.57	30	Pass	401
1780	1781	0.2	RMS	1780	-22.14	-13	Pass	401
1781	1782	1	RMS	1781	-32.41	-13	Pass	2
1782	1790	1	RMS	1782	-42.99	-13	Pass	401



7.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1764.65	-1.23	30	Pass	401
1780	1781	0.2	RMS	1780	-34.81	-13	Pass	401
1781	1782	1	RMS	1781	-29.84	-13	Pass	2
1782	1790	1	RMS	1782.02	-30.62	-13	Pass	401



8. LTE_Band38


8.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2561.625	-40.94	-25	Pass	401
2564	2565	1	RMS	2564.995	-37.78	-13	Pass	401
2565	2569	1	RMS	2569	-27.54	-10	Pass	5
2569	2570	0.051	RMS	2569.995	-17.58	-10	Pass	401
2570	2575	0.1	RMS	2570.313	21.24	30	Pass	401




8.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-38.06	-25	Pass	20
2564	2565	1	RMS	2565	-36.12	-13	Pass	2
2565	2569	1	RMS	2569	-20.8	-10	Pass	5
2569	2570	0.1	RMS	2570	-24.77	-10	Pass	401
2570	2575	0.1	RMS	2574.238	7.41	30	Pass	401




8.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.858	-41.73	-25	Pass	401
2564	2565	1	RMS	2564.98	-38.25	-13	Pass	401
2565	2569	1	RMS	2569	-28.19	-10	Pass	5
2569	2570	0.051	RMS	2570	-20.58	-10	Pass	401
2570	2575	0.1	RMS	2570.35	20.52	30	Pass	401




8.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-38.89	-25	Pass	20
2564	2565	1	RMS	2565	-37.04	-13	Pass	2
2565	2569	1	RMS	2569	-23.07	-10	Pass	5
2569	2570	0.1	RMS	2570	-28.37	-10	Pass	401
2570	2575	0.1	RMS	2572.225	6.39	30	Pass	401




8.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.21	30	Pass	401
2620	2621	0.051	RMS	2620	-18.52	-10	Pass	401
2621	2625	1	RMS	2621	-26.79	-10	Pass	5
2625	2626	1	RMS	2625	-38.5	-13	Pass	401
2626	2645	1	RMS	2628.28	-39.59	-25	Pass	401




8.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.675	7.4	30	Pass	401
2620	2621	0.1	RMS	2620.003	-26.98	-10	Pass	401
2621	2625	1	RMS	2621	-22.88	-10	Pass	5
2625	2626	1	RMS	2625.023	-36.66	-13	Pass	401
2626	2645	1	RMS	2626	-39.91	-25	Pass	20




8.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.45	30	Pass	401
2620	2621	0.051	RMS	2620	-18.49	-10	Pass	401
2621	2625	1	RMS	2621	-27.39	-10	Pass	5
2625	2626	1	RMS	2625.013	-39.01	-13	Pass	401
2626	2645	1	RMS	2628.233	-42.02	-25	Pass	401




8.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.325	6.42	30	Pass	401
2620	2621	0.1	RMS	2620.003	-27.8	-10	Pass	401
2621	2625	1	RMS	2621	-25.18	-10	Pass	5
2625	2626	1	RMS	2625.013	-37.17	-13	Pass	401
2626	2645	1	RMS	2626	-40.58	-25	Pass	20




8.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2552.95	-38.54	-25	Pass	401
2560	2565	1	RMS	2564.988	-36.26	-13	Pass	401
2565	2569	1	RMS	2569	-27.98	-10	Pass	5
2569	2570	0.2	RMS	2570	-17.33	-10	Pass	401
2570	2580	0.1	RMS	2570.575	21.39	30	Pass	401




8.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-38.71	-25	Pass	401
2560	2565	1	RMS	2565	-26.74	-13	Pass	401
2565	2569	1	RMS	2569	-23.07	-10	Pass	5
2569	2570	0.2	RMS	2569.988	-26.86	-10	Pass	401
2570	2580	0.1	RMS	2578.725	3.97	30	Pass	401




8.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2552.875	-39.38	-25	Pass	401
2560	2565	1	RMS	2564.988	-37.7	-13	Pass	401
2565	2569	1	RMS	2569	-29.87	-10	Pass	5
2569	2570	0.2	RMS	2570	-18.16	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.87	30	Pass	401




8.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-39.52	-25	Pass	401
2560	2565	1	RMS	2565	-29.04	-13	Pass	401
2565	2569	1	RMS	2569	-25.5	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-29.14	-10	Pass	401
2570	2580	0.1	RMS	2578.425	3.13	30	Pass	401




8.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	22.1	30	Pass	401
2620	2621	0.1	RMS	2620	-20.99	-10	Pass	401
2621	2625	1	RMS	2621	-29.44	-10	Pass	5
2625	2630	1	RMS	2625.038	-38.06	-13	Pass	401
2630	2645	1	RMS	2637.013	-39.57	-25	Pass	401




8.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.8	4.5	30	Pass	401
2620	2621	0.2	RMS	2620.015	-28.93	-10	Pass	401
2621	2625	1	RMS	2621	-24.94	-10	Pass	5
2625	2630	1	RMS	2625.088	-28.92	-13	Pass	401
2630	2645	1	RMS	2630.113	-39.64	-25	Pass	401




8.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.93	30	Pass	401
2620	2621	0.2	RMS	2620.005	-18.05	-10	Pass	401
2621	2625	1	RMS	2621	-30.15	-10	Pass	5
2625	2630	1	RMS	2625.025	-38.18	-13	Pass	401
2630	2645	1	RMS	2637.088	-41.15	-25	Pass	401




8.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.275	3.53	30	Pass	401
2620	2621	0.2	RMS	2620.008	-30.46	-10	Pass	401
2621	2625	1	RMS	2621	-27.22	-10	Pass	5
2625	2630	1	RMS	2625.013	-30.83	-13	Pass	401
2630	2645	1	RMS	2630	-40.56	-25	Pass	401




8.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-42.14	-25	Pass	401
2555	2565	1	RMS	2564.825	-36.64	-13	Pass	401
2565	2569	1	RMS	2569	-29.13	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-18.65	-10	Pass	401
2570	2585	0.1	RMS	2570.863	21.28	30	Pass	401




8.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.55	-39.64	-25	Pass	401
2555	2565	1	RMS	2564.4	-25.5	-13	Pass	401
2565	2569	1	RMS	2569	-23.08	-10	Pass	5
2569	2570	0.3	RMS	2569.98	-25.89	-10	Pass	401
2570	2585	0.1	RMS	2583.763	2.79	30	Pass	401




8.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-42.45	-25	Pass	401
2555	2565	1	RMS	2565	-37.87	-13	Pass	401
2565	2569	1	RMS	2569	-30.92	-10	Pass	5
2569	2570	0.3	RMS	2570	-18.76	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.62	30	Pass	401




8.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.95	-40.19	-25	Pass	401
2555	2565	1	RMS	2564.95	-28.65	-13	Pass	401
2565	2569	1	RMS	2569	-26.01	-10	Pass	5
2569	2570	0.3	RMS	2570	-29.17	-10	Pass	401
2570	2585	0.1	RMS	2583.238	1.68	30	Pass	401




8.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	22.01	30	Pass	401
2620	2621	0.3	RMS	2620	-19.11	-10	Pass	401
2621	2625	1	RMS	2621	-30.1	-10	Pass	5
2625	2635	1	RMS	2625.6	-37.55	-13	Pass	401
2635	2645	1	RMS	2644.975	-42.82	-25	Pass	401




8.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2608.15	3.1	30	Pass	401
2620	2621	0.3	RMS	2620.013	-27.59	-10	Pass	401
2621	2625	1	RMS	2621	-24.28	-10	Pass	5
2625	2635	1	RMS	2625.05	-26.62	-13	Pass	401
2635	2645	1	RMS	2635.225	-39.62	-25	Pass	401




8.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.7	30	Pass	401
2620	2621	0.3	RMS	2620.005	-19.76	-10	Pass	401
2621	2625	1	RMS	2621	-30.97	-10	Pass	5
2625	2635	1	RMS	2625.125	-37.94	-13	Pass	401
2635	2645	1	RMS	2645	-43.24	-25	Pass	401




8.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.4	2.13	30	Pass	401
2620	2621	0.3	RMS	2620.015	-30.37	-10	Pass	401
2621	2625	1	RMS	2621	-27.4	-10	Pass	5
2625	2635	1	RMS	2625	-29.71	-13	Pass	401
2635	2645	1	RMS	2635.325	-40.81	-25	Pass	401




8.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.85	-43.7	-25	Pass	401
2550	2565	1	RMS	2565	-36.1	-13	Pass	401
2565	2569	1	RMS	2569	-28.69	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-18.39	-10	Pass	401
2570	2590	0.1	RMS	2571.05	20.93	30	Pass	401




8.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-40.9	-25	Pass	401
2550	2565	1	RMS	2565	-27.89	-13	Pass	401
2565	2569	1	RMS	2569	-25.57	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-26.93	-10	Pass	401
2570	2590	0.1	RMS	2588.7	1.85	30	Pass	401




8.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.925	-43.84	-25	Pass	401
2550	2565	1	RMS	2565	-37.44	-13	Pass	401
2565	2569	1	RMS	2569	-29.63	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-18.21	-10	Pass	401
2570	2590	0.1	RMS	2571.05	20	30	Pass	401




8.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.875	-41.41	-25	Pass	401
2550	2565	1	RMS	2564.963	-30.01	-13	Pass	401
2565	2569	1	RMS	2569	-27.77	-10	Pass	5
2569	2570	0.51	RMS	2569.988	-28.62	-10	Pass	401
2570	2590	0.1	RMS	2587.1	1.05	30	Pass	401




8.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.84	30	Pass	401
2620	2621	0.51	RMS	2620.003	-19.1	-10	Pass	401
2621	2625	1	RMS	2621	-32.42	-10	Pass	5
2625	2640	1	RMS	2625.075	-39.37	-13	Pass	401
2640	2645	1	RMS	2640.138	-43.82	-25	Pass	401




8.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.3	1.41	30	Pass	401
2620	2621	0.51	RMS	2620.02	-28.11	-10	Pass	401
2621	2625	1	RMS	2621	-27.21	-10	Pass	5
2625	2640	1	RMS	2625	-29.24	-13	Pass	401
2640	2645	1	RMS	2640.088	-41.41	-25	Pass	401




8.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.91	30	Pass	401
2620	2621	0.51	RMS	2620.003	-19.37	-10	Pass	401
2621	2625	1	RMS	2621	-31.56	-10	Pass	5
2625	2640	1	RMS	2625.038	-38.9	-13	Pass	401
2640	2645	1	RMS	2640.063	-43.82	-25	Pass	401



8.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2603.3	0.61	30	Pass	401
2620	2621	0.51	RMS	2620.008	-30.05	-10	Pass	401
2621	2625	1	RMS	2621	-29.2	-10	Pass	5
2625	2640	1	RMS	2625	-31.1	-13	Pass	401
2640	2645	1	RMS	2640.013	-41.8	-25	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.47	-13	Pass	51
813.9625	814	0.002	RMS	813.999	-31.1	-20	Pass	401
814	819	0.1	RMS	814.238	20.52	30	Pass	401




1.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.1	-13	Pass	401
813.9625	814	0.02	RMS	814	-30.12	-20	Pass	401
814	819	0.1	RMS	814.625	12.15	30	Pass	401




1.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.67	-13	Pass	51
813.9625	814	0.002	RMS	813.994	-32.86	-20	Pass	401
814	819	0.1	RMS	814.25	19.39	30	Pass	401




1.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.93	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.88	-20	Pass	401
814	819	0.1	RMS	814.725	11.29	30	Pass	401




1.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.22	30	Pass	401
824	824.0375	0.002	RMS	824.004	-31.88	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-21.07	-13	Pass	51




1.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.438	11.89	30	Pass	401
824	824.0375	0.02	RMS	824	-29.64	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.27	-13	Pass	401




1.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.25	30	Pass	401
824	824.0375	0.002	RMS	824.007	-33.61	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-21.96	-13	Pass	51




1.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.363	11.08	30	Pass	401
824	824.0375	0.02	RMS	824.001	-30.11	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.69	-13	Pass	401




1.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.27	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-32.99	-20	Pass	20
814	819	0.1	RMS	814.238	20.58	30	Pass	401




1.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.66	-13	Pass	401
813.9625	814	0.03	RMS	814	-32.02	-20	Pass	401
814	819	0.1	RMS	815.8	8.35	30	Pass	401




1.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.35	-13	Pass	51
813.9625	814	0.002	RMS	814	-33.16	-20	Pass	20
814	819	0.1	RMS	814.263	19.66	30	Pass	401




1.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.04	-13	Pass	401
813.9625	814	0.03	RMS	814	-32.77	-20	Pass	401
814	819	0.1	RMS	815.213	7.33	30	Pass	401




1.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.28	30	Pass	401
824	824.0375	0.002	RMS	824.002	-33.43	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-21.3	-13	Pass	51




1.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.063	8.09	30	Pass	401
824	824.0375	0.03	RMS	824.001	-32.11	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.43	-13	Pass	401




1.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	19.25	30	Pass	401
824	824.0375	0.002	RMS	824.002	-33.85	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-21.98	-13	Pass	51




1.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.425	6.96	30	Pass	401
824	824.0375	0.03	RMS	824	-31.79	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.37	-13	Pass	401




1.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.52	-13	Pass	401
813.9625	814	0.02	RMS	814	-24.55	-20	Pass	401
814	819	0.1	RMS	814.325	20.25	30	Pass	401




1.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.07	-13	Pass	401
813.9625	814	0.051	RMS	814	-31.85	-20	Pass	401
814	819	0.1	RMS	816.725	6	30	Pass	401




1.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.04	-13	Pass	401
813.9625	814	0.02	RMS	814	-25.06	-20	Pass	401
814	819	0.1	RMS	814.35	19.46	30	Pass	401




1.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.27	-13	Pass	401
813.9625	814	0.051	RMS	814	-32.17	-20	Pass	401
814	819	0.1	RMS	816.913	5.15	30	Pass	401



1.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	20.09	30	Pass	401
824	824.0375	0.02	RMS	824	-25.33	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.55	-13	Pass	401




1.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.488	5.95	30	Pass	401
824	824.0375	0.051	RMS	824.002	-31.34	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.36	-13	Pass	401



1.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	19.22	30	Pass	401
824	824.0375	0.02	RMS	824	-24.89	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.9	-13	Pass	401




1.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.588	5.19	30	Pass	401
824	824.0375	0.051	RMS	824	-31.57	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-29.43	-13	Pass	401




1.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.16	-13	Pass	401
813.9625	814	0.02	RMS	813.997	-30.5	-20	Pass	401
814	819	0.1	RMS	814.588	20.52	30	Pass	401




1.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.32	-13	Pass	401
813.9625	814	0.1	RMS	814	-32.75	-20	Pass	401
814	819	0.1	RMS	815.913	3.39	30	Pass	401




1.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.85	-13	Pass	401
813.9625	814	0.02	RMS	814	-31.37	-20	Pass	401
814	819	0.1	RMS	814.6	19.68	30	Pass	401




1.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.46	-13	Pass	401
813.9625	814	0.1	RMS	813.999	-33.07	-20	Pass	401
814	819	0.1	RMS	816.075	2.26	30	Pass	401




1.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.15	30	Pass	401
824	824.0375	0.02	RMS	824	-30.36	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25	-13	Pass	401




1.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.075	2.77	30	Pass	401
824	824.0375	0.1	RMS	824	-33.22	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.7	-13	Pass	401




1.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	19.37	30	Pass	401
824	824.0375	0.02	RMS	824	-30.49	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.12	-13	Pass	401



1.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.013	2.08	30	Pass	401
824	824.0375	0.1	RMS	824.002	-33.19	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.36	-13	Pass	401



--BLANK BELOW--