



427 West 12800 South
Draper, UT 84020

Test Report Attachment

FCC ID	SWX-UAW
ISED ID	6545A-UAW
Equipment Under Test	U-AirWire
Test Report Serial Number	TR10697_01
Date of Tests	17 December 2025
Report Issue Date	4 February 2026

Test Personnel

Testing performed by	Evan Hartzell
-----------------------------	---------------

Test Location

Testing was performed at the Unified Compliance Laboratory located at 427 West 12800 South, Draper, UT 84020. Unified Compliance Laboratory is accredited by National Voluntary Laboratory Accreditation Program (NVLAP); NVLAP Code 600241-0 which is effective until 30 June 2026. This site has also been registered with Innovations, Science and Economic Development (ISED) department as was accepted under Appendix B, Phase 1 procedures of the APEC Tel MRA for Canadian recognition. ISED No.: 25346, effective until 30 June 2026. Unified Compliance Laboratory has been assigned Conformity Assessment Number US0223 by ISED and MRA US5037.



Revision History		
Revision	Description	Date
01	Original Report Release	4 February 2026

Table of Contents

1	RF Conducted UNII-6.....	4
1.1	EHT Mode	4
1.2	Power Spectral Density	39

1 RF Conducted UNII-6

NOTE: The first channel contains the equipment setting table(s), if subsequent channels do not have an equipment setting table(s) then the equipment setting table(s) is the same as the first channel.

1.1 EHT Mode

1.1.1 Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	6435.000	20.000000	PASS
RF output power	6435.000	20.000000	PASS
In-Band Emissions	6435.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6435.000	20.000000	PASS
Frequency Stability	6435.000	20.000000	PASS
Emission Bandwidth 26 dB	6475.000	20.000000	PASS
In-Band Emissions	6475.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6475.000	20.000000	PASS
Emission Bandwidth 26 dB	6515.000	20.000000	PASS
In-Band Emissions	6515.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6515.000	20.000000	PASS
Emission Bandwidth 26 dB	6445.000	40.000000	PASS
In-Band Emissions	6445.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6445.000	40.000000	PASS
Emission Bandwidth 26 dB	6485.000	40.000000	PASS
In-Band Emissions	6485.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6485.000	40.000000	PASS
Emission Bandwidth 26 dB	6465.000	80.000000	PASS
In-Band Emissions	6465.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6465.000	80.000000	PASS
Emission Bandwidth 26 dB	6505.000	160.000000	PASS
In-Band Emissions	6505.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6505.000	160.000000	PASS
Tx Spurious Emission	6505.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6505.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6505.000	160.000000	PASS


Emission Bandwidth 26 dB (6435 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	22.050000	---	320.000000	6424.125000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6435.000000	6446.175000	---	-6.4	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	60.000 MHz	60.000 MHz
RBW	300.000 kHz	~ 285.714 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	400	~ 400
SweepTime	25.313 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (6435 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated EIRP (dBm)	Limit Max (dBm)	Gated RMS (dBm)	DutyCycle (%)	Result
6435.000000	7.5	24.0	7.5	99.718	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

In-Band Emissions (6435 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
6435.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6430.150000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6430.150000	-5.4	0.0	-5.4	PASS
6426.850000	-5.7	0.3	-5.4	PASS
6431.750000	-5.7	0.3	-5.4	PASS
6433.350000	-5.7	0.3	-5.4	PASS
6432.550000	-5.7	0.4	-5.4	PASS
6432.450000	-5.8	0.4	-5.4	PASS
6430.050000	-5.8	0.4	-5.4	PASS
6437.150000	-5.8	0.4	-5.4	PASS
6430.650000	-5.8	0.5	-5.4	PASS
6430.550000	-5.8	0.5	-5.4	PASS
6425.750000	-5.9	0.5	-5.4	PASS
6430.750000	-5.9	0.5	-5.4	PASS
6430.850000	-5.9	0.5	-5.4	PASS
6430.250000	-5.9	0.5	-5.4	PASS
6427.450000	-5.9	0.5	-5.4	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.050 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6435 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	19.176030	---	320.000000	6425.411985	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.588015	7125.000000	PASS

99 % Bandwidth



Bandwidth




Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	~ 285.714 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
SweepTime	18.930 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Frequency Stability (6435 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
6435.000000	6434.990515	1.474	-9.485500	---	---	PASS



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42399 GHz	6.42399 GHz
Stop Frequency	6.44599 GHz	6.44599 GHz
Span	22.000 MHz	22.000 MHz
RBW	20.000 kHz	<= 22.000 kHz
VBW	100.000 kHz	>= 60.000 kHz
SweepPoints	10001	~ 10001
Sweptime	473.902 μ s	AUTO
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	50	50
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6475 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	22.322098	---	320.000000	6464.213483	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6475.000000	6486.535581	---	-6.0	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	~ 285.714 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
Sweptime	18.930 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off

In-Band Emissions (6475 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6473.750000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6470.750000	-6.0	0.1	-5.8	PASS
6480.250000	-6.0	0.2	-5.8	PASS
6471.650000	-6.1	0.3	-5.8	PASS
6470.850000	-6.1	0.3	-5.8	PASS
6477.050000	-6.1	0.3	-5.8	PASS
6482.150000	-6.1	0.3	-5.8	PASS
6467.350000	-6.2	0.3	-5.8	PASS
6468.150000	-6.2	0.3	-5.8	PASS
6470.550000	-6.2	0.4	-5.8	PASS
6480.150000	-6.2	0.4	-5.8	PASS
6477.550000	-6.2	0.4	-5.8	PASS
6477.850000	-6.2	0.4	-5.8	PASS
6467.450000	-6.2	0.4	-5.8	PASS
6475.650000	-6.2	0.4	-5.8	PASS
6478.550000	-6.2	0.4	-5.8	PASS




Occupied Channel Bandwidth 99% (6475 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	19.176030	---	320.000000	6465.411985	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.588015	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.45500 GHz	6.45500 GHz
Stop Frequency	6.49500 GHz	6.49500 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	>= 285.714 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
Sweptime	18.930 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6515 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	23.220974	---	320.000000	6503.614232	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6515.000000	6526.835206	---	-6.6	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	~ 285.714 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
Sweptime	18.930 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off

In-Band Emissions (6515 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
6515.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6511.350000	-5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6516.450000	-5.1	0.0	-5.1	PASS
6522.650000	-5.2	0.1	-5.1	PASS
6524.150000	-5.2	0.1	-5.1	PASS
6517.850000	-5.4	0.3	-5.1	PASS
6516.350000	-5.4	0.3	-5.1	PASS
6517.750000	-5.4	0.3	-5.1	PASS
6508.550000	-5.4	0.4	-5.1	PASS
6507.950000	-5.4	0.4	-5.1	PASS
6506.950000	-5.5	0.4	-5.1	PASS
6508.450000	-5.5	0.4	-5.1	PASS
6522.750000	-5.5	0.4	-5.1	PASS
6511.450000	-5.5	0.4	-5.1	PASS
6523.550000	-5.5	0.4	-5.1	PASS
6524.050000	-5.5	0.4	-5.1	PASS
6518.650000	-5.5	0.4	-5.1	PASS




Occupied Channel Bandwidth 99% (6515 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	19.176030	---	320.000000	6505.411985	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.588015	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.49500 GHz	6.49500 GHz
Stop Frequency	6.53500 GHz	6.53500 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	>= 285.714 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
Sweptime	18.930 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6445 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6445.000000	43.750000	---	320.000000	6422.375000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6445.000000	6466.125000	---	-3.0	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	~ 571.429 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweeptime	18.906 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6445 MHz; 24.000 dBm; 40 MHz)

Result


DUT Frequency (MHz)	Result
6445.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6427.145536	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6427.145536	-3.7	0.0	-3.7	PASS
6427.445611	-3.7	0.0	-3.7	PASS
6427.295574	-3.8	0.1	-3.7	PASS
6439.748687	-3.8	0.2	-3.7	PASS
6430.596399	-3.8	0.2	-3.7	PASS
6431.496624	-3.8	0.2	-3.7	PASS
6438.698425	-3.9	0.2	-3.7	PASS
6432.096774	-3.9	0.2	-3.7	PASS
6430.446362	-3.9	0.2	-3.7	PASS
6428.645911	-3.9	0.2	-3.7	PASS
6435.247562	-3.9	0.2	-3.7	PASS
6427.895724	-3.9	0.3	-3.7	PASS
6429.096024	-3.9	0.3	-3.7	PASS
6436.447862	-3.9	0.3	-3.7	PASS
6440.798950	-3.9	0.3	-3.7	PASS




Occupied Channel Bandwidth 99% (6445 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	38.000000	---	320.000000	6425.875000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6463.875000	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	~ 571.429 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweptime	18.906 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6485 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6485.000000	42.000000	---	320.000000	6463.375000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6485.000000	6505.375000	---	-3.0	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.44500 GHz	6.44500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	~ 571.429 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	18.906 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6485 MHz; 24.000 dBm; 40 MHz)

Result


DUT Frequency (MHz)	Result
6485.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6477.048012	-3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6477.048012	-3.1	0.0	-3.1	PASS
6473.147037	-3.2	0.1	-3.1	PASS
6476.297824	-3.3	0.2	-3.1	PASS
6502.704426	-3.3	0.2	-3.1	PASS
6469.846212	-3.4	0.3	-3.1	PASS
6478.098275	-3.5	0.4	-3.1	PASS
6469.996249	-3.5	0.4	-3.1	PASS
6503.604651	-3.5	0.4	-3.1	PASS
6472.096774	-3.5	0.4	-3.1	PASS
6479.598650	-3.5	0.4	-3.1	PASS
6472.246812	-3.6	0.4	-3.1	PASS
6469.696174	-3.6	0.5	-3.1	PASS
6489.651163	-3.6	0.5	-3.1	PASS
6476.747937	-3.6	0.5	-3.1	PASS
6482.449362	-3.6	0.5	-3.1	PASS




Occupied Channel Bandwidth 99% (6485 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	38.250000	---	320.000000	6465.875000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6504.125000	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.44500 GHz	6.44500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	~ 571.429 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweptime	18.906 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off


Emission Bandwidth 26 dB (6465 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6465.000000	86.000000	---	320.000000	6421.250000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6465.000000	6507.250000	---	0.4	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	~ 1.143 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	22.875 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6465 MHz; 24.000 dBm; 80 MHz)

Result


DUT Frequency (MHz)	Result
6465.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6469.750000	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6428.250000	0.9	0.1	0.9	PASS
6476.750000	0.8	0.1	0.9	PASS
6436.750000	0.8	0.2	0.9	PASS
6427.750000	0.8	0.2	0.9	PASS
6441.750000	0.7	0.2	0.9	PASS
6472.750000	0.7	0.2	0.9	PASS
6474.750000	0.7	0.2	0.9	PASS
6432.250000	0.7	0.3	0.9	PASS
6473.250000	0.7	0.3	0.9	PASS
6434.250000	0.7	0.3	0.9	PASS
6435.750000	0.6	0.3	0.9	PASS
6440.750000	0.6	0.3	0.9	PASS
6432.750000	0.6	0.3	0.9	PASS
6478.750000	0.6	0.3	0.9	PASS
6434.750000	0.6	0.3	0.9	PASS




Occupied Channel Bandwidth 99% (6465 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	78.000000	---	320.000000	6426.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6504.250000	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	~ 1.143 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	22.875 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off


Emission Bandwidth 26 dB (6505 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	170.000000	103.500000	66.500000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6505.000000	6421.500000	---	6591.500000	---	2.0	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	~ 2.286 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	32.813 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

In-Band Emissions (6505 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Result
6505.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6513.500000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6513.500000	4.1	0.0	4.1	PASS
6428.500000	4.1	0.0	4.1	PASS
6518.500000	4.0	0.0	4.1	PASS
6432.500000	4.0	0.1	4.1	PASS
6434.500000	4.0	0.1	4.1	PASS
6433.500000	4.0	0.1	4.1	PASS
6474.500000	3.9	0.1	4.1	PASS
6512.500000	3.9	0.2	4.1	PASS
6429.500000	3.9	0.2	4.1	PASS
6472.500000	3.9	0.2	4.1	PASS
6516.500000	3.8	0.2	4.1	PASS
6430.500000	3.8	0.3	4.1	PASS
6578.500000	3.8	0.3	4.1	PASS
6510.500000	3.8	0.3	4.1	PASS
6509.500000	3.7	0.3	4.1	PASS




Occupied Channel Bandwidth 99% (6505 MHz; 24.000 dBm; 160 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	157.000000	98.500000	58.500000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6583.500000	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	~ 2.286 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	32.813 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	20.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39990.250000	-28.8	1.8	-27.0
39979.250000	-29.4	2.4	-27.0
39914.750000	-29.5	2.5	-27.0
39915.250000	-29.6	2.6	-27.0
39966.750000	-29.6	2.6	-27.0
39910.750000	-29.6	2.6	-27.0
39989.250000	-29.7	2.7	-27.0
39935.750000	-29.8	2.8	-27.0
39980.250000	-29.8	2.8	-27.0
39978.250000	-29.8	2.8	-27.0
39753.250000	-29.8	2.8	-27.0
39977.750000	-29.8	2.8	-27.0
39977.250000	-29.8	2.8	-27.0
39964.250000	-29.9	2.9	-27.0
39742.750000	-29.9	2.9	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36483.891128	-45.6	4.4	-41.2
36490.765914	-45.6	4.4	-41.2
36496.265742	-45.7	4.5	-41.2
36486.641042	-45.7	4.5	-41.2
36499.015656	-45.7	4.5	-41.2
36499.703134	-45.7	4.5	-41.2
36475.641386	-45.8	4.6	-41.2
36491.453392	-45.8	4.6	-41.2
36433.705197	-45.8	4.6	-41.2
36481.828693	-45.8	4.6	-41.2
36470.141558	-45.8	4.6	-41.2
36476.328865	-45.8	4.6	-41.2
15714.750000	-45.8	4.6	-41.2
36485.953564	-45.8	4.6	-41.2
36477.703822	-45.9	4.7	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36464.641730	-36.9	15.7	-21.2
36480.453736	-37.2	16.0	-21.2
15734.250000	-37.5	16.3	-21.2
36463.954251	-37.5	16.3	-21.2
36481.141214	-38.0	16.8	-21.2
36443.329896	-38.0	16.8	-21.2
36499.703134	-38.1	16.9	-21.2
36494.203306	-38.2	17.0	-21.2
36494.890785	-38.2	17.0	-21.2
36489.390957	-38.2	17.0	-21.2
15734.750000	-38.3	17.1	-21.2

36497.640699	-38.4	17.2	-21.2
36430.955283	-38.5	17.3	-21.2
36466.704165	-38.6	17.4	-21.2
36479.078779	-38.6	17.4	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band



1.2 Power Spectral Density

1.2.1 Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
Power Spectral Density (SA-2)	6435.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6475.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6515.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6445.000	24.0	40.000000	PASS
Power Spectral Density (SA-2)	6485.000	24.0	40.000000	PASS
Power Spectral Density (SA-2)	6465.000	24.0	80.000000	PASS
Power Spectral Density (SA-2)	6505.000	24.0	160.000000	PASS


Power Spectral Density (SA-2) (6435 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6443.316832	-6.410	-0.8	PASS

Ports

Port	State
1	used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO

Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Power Spectral Density (SA-2) (6475 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6483.118812	-6.774	-0.8	PASS

Ports

Port	State
1	used
2	used




Power Spectral Density (SA-2) (6515 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6523.514851	-6.591	-0.8	PASS

Ports

Port	State
1	used
2	used




Power Spectral Density (SA-2) (6445 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6445.000000	6437.079208	-6.370	-0.8	PASS

Ports

Port	State
1	used
2	used



Power Spectral Density (SA-2) (6485 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6485.000000	6480.247525	-6.141	-0.8	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)




Power Spectral Density (SA-2) (6465 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6465.000000	6435.750000	-6.666	-0.8	PASS

Ports

Port	State
1	used
2	used




Power Spectral Density (SA-2) (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6505.000000	6433.250000	-6.559	-0.8	PASS

Ports

Port	State
1	used
2	used



-- End of Report--