



427 West 12800 South
Draper, UT 84020

Test Report Attachment

FCC ID	SWX-WAVEML6
ISED ID	6545A-WAVEML6
Equipment Under Test	Wave-MLO6
Test Report Serial Number	TR10568_01
Date of Tests	6 - 7, 13 May 2025
Report Issue Date	3 December 2025

Test Personnel

Testing performed by	Evan Hartzell
-----------------------------	---------------

Test Location

Testing was performed at the Unified Compliance Laboratory located at 427 West 12800 South, Draper, UT 84020. Unified Compliance Laboratory is accredited by National Voluntary Laboratory Accreditation Program (NVLAP); NVLAP Code 600241-0 which is effective until 30 June 2026. This site has also been registered with Innovations, Science and Economic Development (ISED) department as was accepted under Appendix B, Phase 1 procedures of the APEC Tel MRA for Canadian recognition. ISED No.: 25346, effective until 30 June 2026. Unified Compliance Laboratory has been assigned Conformity Assessment Number US0223 by ISED and MRA US5037.



Revision History		
Revision	Description	Date
01	Original Report Release	3 December 2025

Table of Contents

1	RF Conducted UNII-5.....	4
1.1	EHT Mode - Horn Antenna	4
1.2	EHT Mode - Horn Antenna - In-Band Emissions.....	63

1 RF Conducted UNII-5

NOTE: The first channel contains the equipment setting table(s), if subsequent channels do not have an equipment setting table(s) then the equipment setting table(s) is the same as the first channel.

1.1 EHT Mode - Horn Antenna

Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	5955.000	20.000000	PASS
RF output power	5955.000	20.000000	PASS
Power Spectral Density (SA-2)	5955.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5955.000	20.000000	PASS
Frequency Stability	5955.000	20.000000	PASS
Emission Bandwidth 26 dB	6195.000	20.000000	PASS
Power Spectral Density (SA-2)	6195.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6195.000	20.000000	PASS
Emission Bandwidth 26 dB	6415.000	20.000000	PASS
Power Spectral Density (SA-2)	6415.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6415.000	20.000000	PASS
Emission Bandwidth 26 dB	5965.000	40.000000	PASS
Power Spectral Density (SA-2)	5965.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5965.000	40.000000	PASS
Emission Bandwidth 26 dB	6205.000	40.000000	PASS
Power Spectral Density (SA-2)	6205.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6205.000	40.000000	PASS
Emission Bandwidth 26 dB	6405.000	40.000000	PASS
Power Spectral Density (SA-2)	6405.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6405.000	40.000000	PASS
Emission Bandwidth 26 dB	5985.000	80.000000	PASS
Power Spectral Density (SA-2)	5985.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5985.000	80.000000	PASS
Emission Bandwidth 26 dB	6225.000	80.000000	PASS
Power Spectral Density (SA-2)	6225.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6225.000	80.000000	PASS
Emission Bandwidth 26 dB	6385.000	80.000000	PASS
Power Spectral Density (SA-2)	6385.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6385.000	80.000000	PASS
Emission Bandwidth 26 dB	6025.000	160.000000	PASS
Power Spectral Density (SA-2)	6025.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6025.000	160.000000	PASS
Tx Spurious Emission	6025.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6025.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6025.000	160.000000	PASS
Emission Bandwidth 26 dB	6185.000	160.000000	PASS
Power Spectral Density (SA-2)	6185.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6185.000	160.000000	PASS
Tx Spurious Emission	6185.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6185.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6185.000	160.000000	PASS
Emission Bandwidth 26 dB	6325.000	160.000000	PASS
Power Spectral Density (SA-2)	6325.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6325.000	160.000000	PASS

Tx Spurious Emission	6325.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6325.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6325.000	160.000000	PASS
Power Spectral Density (SA-2)	6265.000	320.000000	PASS
Occupied Channel Bandwidth 99%	6265.000	320.000000	PASS
Tx Spurious Emission	6265.000	320.000000	PASS
Emissions in restricted frequency bands (Average)	6265.000	320.000000	PASS
Emissions in restricted frequency bands (Peak)	6265.000	320.000000	PASS


Emission Bandwidth 26 dB (5955 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	22.050000	---	320.000000	5944.125000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
5955.000000	5966.175000	---	3.6	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	5.98500 GHz	5.98500 GHz
Span	60.000 MHz	60.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	400	~ 400
SweepTime	25.313 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (5955 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated EIRP (dBm)	Limit Max (dBm)	Gated RMS (dBm)	DutyCycle (%)	Result
5955.000000	15.7	24.0	15.7	99.711	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s


Power Spectral Density (SA-2) (5955 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5963.316832	3.182	3.5	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz

RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB


Occupied Channel Bandwidth 99% (5955 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	19.250000	---	320.000000	5945.375000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5964.625000	7125.000000	PASS

99 %Bandwidth



Bandwidth




Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.93500 GHz	5.93500 GHz
Stop Frequency	5.97500 GHz	5.97500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	≥ 500.000 kHz
VBW	2.000 MHz	≥ 1.500 MHz
SweepPoints	160	~ 160
Sweptime	11.344 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Frequency Stability (5955 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
5955.000000	5954.996701	0.554	-3.299500	---	---	PASS



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94400 GHz	5.94400 GHz
Stop Frequency	5.96600 GHz	5.96600 GHz
Span	22.000 MHz	22.000 MHz
RBW	20.000 kHz	<= 22.000 kHz
VBW	100.000 kHz	>= 60.000 kHz
SweepPoints	10001	~ 10001
Sweptime	473.902 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	50	50
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (6195 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6195.000000	22.350000	---	320.000000	6183.825000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6195.000000	6206.175000	---	3.5	PASS

26 dB Bandwidth



Bandwidth



Power Spectral Density (SA-2) (6195 MHz; 24.000 dBm; 20 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6195.000000	6202.326733	3.383	3.5	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)




Occupied Channel Bandwidth 99% (6195 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6195.000000	19.250000	---	320.000000	6185.375000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6195.000000	6204.625000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 7.MAY.2025 01:15:46


Emission Bandwidth 26 dB (6415 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	23.550000	---	320.000000	6403.075000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6415.000000	6426.625000	---	2.7	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (SA-2) (6415 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6406.485149	2.500	3.5	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (6415 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	19.250000	---	320.000000	6405.375000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.625000	7125.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (5965 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5965.000000	42.500000	---	320.000000	5944.125000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
5965.000000	5986.625000	---	4.1	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.02500 GHz	6.02500 GHz
Span	120.000 MHz	120.000 MHz
RBW	500.000 kHz	~ 571.429 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
Sweptime	30.250 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Power Spectral Density (SA-2) (5965 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5965.000000	5982.425743	1.169	3.5	PASS

Ports

Port	State
------	-------

1	used
2	used




Occupied Channel Bandwidth 99% (5965 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	38.250000	---	320.000000	5945.875000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5984.125000	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.92500 GHz	5.92500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	~ 571.429 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	18.906 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off


Emission Bandwidth 26 dB (6205 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6205.000000	43.000000	---	320.000000	6183.125000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6205.000000	6226.125000	---	4.9	PASS

26 dB Bandwidth



Bandwidth



Power Spectral Density (SA-2) (6205 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6205.000000	6209.752475	0.228	3.5	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)




Occupied Channel Bandwidth 99% (6205 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6205.000000	38.250000	---	320.000000	6185.875000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6205.000000	6224.125000	7125.000000	PASS

99 % Bandwidth



Bandwidth




Emission Bandwidth 26 dB (6405 MHz; 24.000 dBm; 40 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6405.000000	43.500000	---	320.000000	6382.625000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6405.000000	6426.125000	---	3.5	PASS



Bandwidth




Power Spectral Density (SA-2) (6405 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6405.000000	6389.158416	-0.326	3.5	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (6405 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	38.000000	---	320.000000	6385.875000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6423.875000	7125.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (5985 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5985.000000	85.500000	---	320.000000	5943.250000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
5985.000000	6028.750000	---	3.4	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.10500 GHz	6.10500 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	~ 1.143 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
Sweptime	32.406 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm

Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Power Spectral Density (SA-2) (5985 MHz; 24.000 dBm; 80 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5985.000000	6014.250000	-2.441	3.5	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)




Occupied Channel Bandwidth 99% (5985 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	78.000000	---	320.000000	5946.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6024.250000	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	~ 1.143 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	22.875 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm

Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off


Emission Bandwidth 26 dB (6225 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6225.000000	85.000000	---	320.000000	6182.250000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6225.000000	6267.250000	---	3.2	PASS

26 dB Bandwidth



Bandwidth



Power Spectral Density (SA-2) (6225 MHz; 24.000 dBm; 80 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6225.000000	6209.750000	-3.700	3.5	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)




Occupied Channel Bandwidth 99% (6225 MHz; 24.000 dBm; 80 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6225.000000	77.500000	---	320.000000	6186.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6225.000000	6263.750000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 7.MAY.2025 03:05:26


Emission Bandwidth 26 dB (6385 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6385.000000	86.000000	---	320.000000	6343.250000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6385.000000	6429.250000	---	3.1	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (SA-2) (6385 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6385.000000	6348.750000	-3.677	3.5	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (6385 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	77.500000	---	320.000000	6346.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6423.750000	7125.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (6025 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6025.000000	174.000000	---	320.000000	5938.500000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6025.000000	6112.500000	---	5.5	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	~ 2.286 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Power Spectral Density (SA-2) (6025 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6025.000000	6091.250000	-4.902	3.5	PASS

Ports

Port	State
1	used

2	used
---	------

Power Spectral Density (SA-2)




Occupied Channel Bandwidth 99% (6025 MHz; 24.000 dBm; 160 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	158.000000	---	320.000000	5946.500000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6104.500000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	~ 2.286 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	32.813 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (6025 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6025.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-42.5	-56.4	-45.9	10.5	PASS


5924.750000	-25.5	-34.1	-27.0	7.1	PASS
34068.750000	-26.3	-38.6	-27.0	11.6	PASS
35738.250000	-25.1	-37.6	-27.0	10.6	PASS
37601.750000	-24.1	-35.9	-27.0	8.9	PASS
39946.250000	-20.5	-31.4	-27.0	4.4	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39946.250000	-20.5	-6.5	-27.0
39988.250000	-20.9	-6.1	-27.0
39978.750000	-21.0	-6.0	-27.0
39978.250000	-21.0	-6.0	-27.0
39952.250000	-21.0	-6.0	-27.0
39957.250000	-21.0	-6.0	-27.0
39951.750000	-21.1	-5.9	-27.0
39957.750000	-21.1	-5.9	-27.0
39846.750000	-21.2	-5.8	-27.0
39992.750000	-21.2	-5.8	-27.0
39993.750000	-21.2	-5.8	-27.0
39950.250000	-21.2	-5.8	-27.0
39906.250000	-21.2	-5.8	-27.0
39926.750000	-21.2	-5.8	-27.0
39924.750000	-21.2	-5.8	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6025 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6025.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
18075.278898	-46.1	4.9	-41.2
18064.966720	-46.3	5.1	-41.2
18065.654198	-46.3	5.1	-41.2
18075.966376	-46.4	5.2	-41.2
18073.216462	-46.4	5.2	-41.2
18067.029155	-46.4	5.2	-41.2
18089.715946	-46.4	5.2	-41.2
18082.841161	-46.4	5.2	-41.2
18058.091935	-46.4	5.2	-41.2
18101.403081	-46.4	5.2	-41.2
18064.279241	-46.4	5.2	-41.2
18091.090903	-46.5	5.3	-41.2
18070.466548	-46.5	5.3	-41.2
36490.765914	-46.5	5.3	-41.2
18079.403769	-46.5	5.3	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Emissions in restricted frequency bands (Peak) (6025 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6025.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36496.265742	-29.0	7.8	-21.2
36496.953220	-29.0	7.8	-21.2
36455.017031	-29.1	7.9	-21.2
36443.329896	-29.1	7.9	-21.2
15720.250000	-29.6	8.4	-21.2
15691.250000	-29.6	8.4	-21.2
36486.641042	-29.7	8.5	-21.2
15747.750000	-29.8	8.6	-21.2
36481.828693	-29.9	8.7	-21.2
36483.203650	-29.9	8.7	-21.2
17793.250000	-30.1	8.9	-21.2
15693.250000	-30.2	9.0	-21.2
15749.750000	-30.2	9.0	-21.2
36490.078435	-30.2	9.0	-21.2
36490.765914	-30.3	9.1	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
-----------------------	----------------------	-----------------	-------------------

1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band




Emission Bandwidth 26 dB (6185 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6185.000000	172.000000	---	320.000000	6099.500000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6185.000000	6271.500000	---	4.3	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (SA-2) (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6185.000000	6209.750000	-6.210	3.5	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (6185 MHz; 24.000 dBm; 160 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	158.000000	---	320.000000	6106.500000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6264.500000	7125.000000	PASS



Bandwidth



Tx Spurious Emission (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6185.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-41.8	-56.4	-45.9	10.5	PASS
34061.750000	-26.8	-38.7	-27.0	11.7	PASS
35648.750000	-25.4	-36.5	-27.0	9.5	PASS
37916.750000	-24.2	-36.1	-27.0	9.1	PASS
39933.750000	-20.4	-31.6	-27.0	4.6	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39933.750000	-20.4	-6.6	-27.0
39953.250000	-20.5	-6.5	-27.0
39987.250000	-21.0	-6.0	-27.0
39933.250000	-21.0	-6.0	-27.0
39927.250000	-21.0	-6.0	-27.0
39906.250000	-21.0	-6.0	-27.0
39928.250000	-21.0	-6.0	-27.0
39917.750000	-21.1	-5.9	-27.0
39860.750000	-21.2	-5.8	-27.0
39993.250000	-21.3	-5.7	-27.0
39943.750000	-21.4	-5.6	-27.0
39975.750000	-21.4	-5.6	-27.0

39908.750000	-21.4	-5.6	-27.0
39915.250000	-21.4	-5.6	-27.0
39978.250000	-21.4	-5.6	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6185.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36494.890785	-46.6	5.4	-41.2
36499.015656	-46.6	5.4	-41.2
36496.265742	-46.6	5.4	-41.2
36491.453392	-46.6	5.4	-41.2
36471.516515	-46.7	5.5	-41.2
36493.515828	-46.7	5.5	-41.2

36499.703134	-46.7	5.5	-41.2
36488.016000	-46.7	5.5	-41.2
36498.328177	-46.7	5.5	-41.2
36495.578263	-46.7	5.5	-41.2
36465.329208	-46.8	5.6	-41.2
36496.953220	-46.8	5.6	-41.2
36469.454080	-46.8	5.6	-41.2
36489.390957	-46.8	5.6	-41.2
36488.703478	-46.8	5.6	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Emissions in restricted frequency bands (Peak) (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6185.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36491.453392	-29.1	7.9	-21.2

36492.140871	-29.4	8.2	-21.2
36470.829037	-29.5	8.3	-21.2
15719.750000	-29.7	8.5	-21.2
15829.250000	-29.7	8.5	-21.2
15723.250000	-29.9	8.7	-21.2
36446.079810	-29.9	8.7	-21.2
15718.250000	-30.0	8.8	-21.2
36475.641386	-30.1	8.9	-21.2
15731.250000	-30.1	8.9	-21.2
36497.640699	-30.1	8.9	-21.2
31644.729852	-30.2	9.0	-21.2
36499.703134	-30.2	9.0	-21.2
36469.454080	-30.2	9.0	-21.2
36435.080154	-30.3	9.1	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band




— Limit - - - Threshold × Critical × Final Critical — Sum Level

Emission Bandwidth 26 dB (6325 MHz; 24.000 dBm; 160 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6325.000000	172.000000	---	320.000000	6239.500000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6325.000000	6411.500000	---	4.7	PASS



Bandwidth



Power Spectral Density (SA-2) (6325 MHz; 24.000 dBm; 160 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6325.000000	6351.750000	-6.248	3.5	PASS

Ports

Port	State
------	-------

1	used
2	used




Occupied Channel Bandwidth 99% (6325 MHz; 24.000 dBm; 160 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6325.000000	157.000000	---	320.000000	6246.500000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6325.000000	6403.500000	7125.000000	PASS



Bandwidth



Tx Spurious Emission (6325 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6325.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-42.0	-56.4	-45.9	10.5	PASS
33981.250000	-26.7	-38.6	-27.0	11.6	PASS
35669.750000	-25.4	-36.5	-27.0	9.5	PASS
37636.750000	-24.2	-35.8	-27.0	8.8	PASS
39977.250000	-21.0	-31.4	-27.0	4.4	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39977.250000	-21.0	-6.0	-27.0
39944.250000	-21.0	-6.0	-27.0
39989.250000	-21.1	-5.9	-27.0
39968.750000	-21.1	-5.9	-27.0
39960.250000	-21.1	-5.9	-27.0
39942.250000	-21.1	-5.9	-27.0
39978.250000	-21.1	-5.9	-27.0
39976.250000	-21.2	-5.8	-27.0
39988.750000	-21.2	-5.8	-27.0
39992.750000	-21.2	-5.8	-27.0

39931.750000	-21.3	-5.7	-27.0
39916.250000	-21.3	-5.7	-27.0
39939.750000	-21.3	-5.7	-27.0
39927.250000	-21.4	-5.6	-27.0
39273.750000	-21.5	-5.5	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6325 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6325.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36495.578263	-46.4	5.2	-41.2
36477.703822	-46.5	5.3	-41.2
36491.453392	-46.6	5.4	-41.2
36499.015656	-46.6	5.4	-41.2

36498.328177	-46.6	5.4	-41.2
36483.891128	-46.6	5.4	-41.2
36488.016000	-46.6	5.4	-41.2
36494.203306	-46.6	5.4	-41.2
36496.953220	-46.6	5.4	-41.2
36496.265742	-46.7	5.5	-41.2
36497.640699	-46.7	5.5	-41.2
36493.515828	-46.7	5.5	-41.2
36494.890785	-46.7	5.5	-41.2
36499.703134	-46.7	5.5	-41.2
36485.953564	-46.8	5.6	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6325 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6325.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36489.390957	-29.1	7.9	-21.2
36477.703822	-29.2	8.0	-21.2
15779.750000	-29.3	8.1	-21.2
36475.641386	-29.4	8.2	-21.2
15724.250000	-29.5	8.3	-21.2
15697.250000	-29.7	8.5	-21.2
15780.250000	-29.8	8.6	-21.2
36495.578263	-29.9	8.7	-21.2
36499.703134	-29.9	8.7	-21.2
36461.891816	-30.0	8.8	-21.2
15723.750000	-30.0	8.8	-21.2
36496.953220	-30.1	8.9	-21.2
36484.578607	-30.1	8.9	-21.2
36464.641730	-30.1	8.9	-21.2
15794.250000	-30.1	8.9	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band



Power Spectral Density (SA-2) (6265 MHz; 24.000 dBm; 320 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6265.000000	6351.750000	-8.969	3.5	PASS

Ports

Port	State
1	used

2	used
---	------

Power Spectral Density (SA-2)




Occupied Channel Bandwidth 99% (6265 MHz; 24.000 dBm; 320 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 12.MAY.2025 03:15:40

Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	~ 4.571 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6265 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6265.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-42.8	-56.4	-45.9	10.5	PASS
34039.250000	-26.3	-38.6	-27.0	11.6	PASS


35667.250000	-25.6	-36.5	-27.0	9.5	PASS
36956.750000	-24.1	-35.6	-27.0	8.6	PASS
39937.750000	-19.8	-31.6	-27.0	4.6	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39937.750000	-19.8	-7.2	-27.0
39941.250000	-19.9	-7.1	-27.0
39996.750000	-20.7	-6.3	-27.0
39937.250000	-20.7	-6.3	-27.0
39981.750000	-20.9	-6.1	-27.0
39954.750000	-20.9	-6.1	-27.0
39941.750000	-21.1	-5.9	-27.0
39967.750000	-21.1	-5.9	-27.0
39921.250000	-21.1	-5.9	-27.0
39258.750000	-21.1	-5.9	-27.0
39912.750000	-21.2	-5.8	-27.0
39983.750000	-21.2	-5.8	-27.0
39834.750000	-21.2	-5.8	-27.0
39915.750000	-21.2	-5.8	-27.0
39989.250000	-21.3	-5.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6265 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6265.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36499.015656	-46.4	5.2	-41.2
36496.953220	-46.5	5.3	-41.2
36496.265742	-46.5	5.3	-41.2
36477.703822	-46.6	5.4	-41.2
36481.141214	-46.6	5.4	-41.2
36479.078779	-46.6	5.4	-41.2
36475.641386	-46.6	5.4	-41.2
36483.891128	-46.6	5.4	-41.2
36492.140871	-46.6	5.4	-41.2
36468.079123	-46.7	5.5	-41.2
36499.703134	-46.7	5.5	-41.2
36498.328177	-46.7	5.5	-41.2
36483.203650	-46.7	5.5	-41.2
36490.765914	-46.7	5.5	-41.2
36485.266085	-46.7	5.5	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Emissions in restricted frequency bands (Peak) (6265 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6265.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15841.250000	-28.4	7.2	-21.2
36450.204681	-29.4	8.2	-21.2
36454.329552	-29.5	8.3	-21.2
15705.250000	-29.7	8.5	-21.2
15820.750000	-29.8	8.6	-21.2
36494.890785	-29.8	8.6	-21.2
36445.392331	-29.8	8.6	-21.2
36479.766257	-29.8	8.6	-21.2
36450.892160	-29.9	8.7	-21.2
36495.578263	-29.9	8.7	-21.2
36446.767289	-30.1	8.9	-21.2
15708.750000	-30.1	8.9	-21.2
17785.250000	-30.2	9.0	-21.2
15827.750000	-30.3	9.1	-21.2
15721.250000	-30.3	9.1	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
-----------------------	----------------------	-----------------	-------------------

1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2



1.2 EHT Mode - Horn Antenna - In-Band Emissions

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
In-Band Emissions	5955.000	24.0	20.000000	PASS
In-Band Emissions	6195.000	24.0	20.000000	PASS
In-Band Emissions	6415.000	24.0	20.000000	PASS
In-Band Emissions	5965.000	24.0	40.000000	PASS
In-Band Emissions	6205.000	24.0	40.000000	PASS
In-Band Emissions	6405.000	24.0	40.000000	PASS
In-Band Emissions	5985.000	24.0	80.000000	PASS
In-Band Emissions	6225.000	24.0	80.000000	PASS
In-Band Emissions	6385.000	24.0	80.000000	PASS
In-Band Emissions	6025.000	24.0	160.000000	PASS
In-Band Emissions	6185.000	24.0	160.000000	PASS
In-Band Emissions	6325.000	24.0	160.000000	PASS
In-Band Emissions	6265.000	24.0	320.000000	PASS

In-Band Emissions (5955 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
5955.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5963.245877	15.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5963.245877	15.1	0.0	15.1	PASS
5959.647676	15.0	0.1	15.1	PASS
5963.395802	14.9	0.2	15.1	PASS
5964.295352	14.9	0.2	15.1	PASS
5959.797601	14.8	0.3	15.1	PASS
5963.095952	14.7	0.4	15.1	PASS
5964.145427	14.7	0.4	15.1	PASS
5962.796102	14.7	0.4	15.1	PASS
5958.748126	14.6	0.5	15.1	PASS
5961.746627	14.6	0.5	15.1	PASS
5961.146927	14.6	0.5	15.1	PASS
5961.296852	14.6	0.5	15.1	PASS
5964.445277	14.5	0.6	15.1	PASS
5959.497751	14.5	0.6	15.1	PASS
5960.847076	14.5	0.6	15.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	>= 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	667	~ 667
SweepTime	1.100 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6195 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
6195.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6187.503748	15.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6187.503748	15.0	0.0	15.0	PASS
6201.596702	14.9	0.1	15.0	PASS
6201.446777	14.8	0.2	15.0	PASS
6189.752624	14.8	0.2	15.0	PASS

6200.697151	14.8	0.2	15.0	PASS
6204.295352	14.8	0.3	15.0	PASS
6189.152924	14.7	0.3	15.0	PASS
6186.004498	14.7	0.3	15.0	PASS
6191.251874	14.6	0.4	15.0	PASS
6199.197901	14.6	0.4	15.0	PASS
6186.604198	14.6	0.4	15.0	PASS
6185.854573	14.6	0.4	15.0	PASS
6192.001499	14.6	0.5	15.0	PASS
6198.148426	14.5	0.5	15.0	PASS
6186.154423	14.5	0.5	15.0	PASS



In-Band Emissions (6415 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6407.053973	14.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6407.053973	14.2	0.0	14.2	PASS
6406.754123	14.2	0.0	14.2	PASS
6406.004498	14.1	0.0	14.2	PASS
6407.653673	14.1	0.1	14.2	PASS
6409.152924	14.1	0.1	14.2	PASS
6405.854573	14.0	0.2	14.2	PASS
6407.803598	14.0	0.2	14.2	PASS
6407.203898	14.0	0.2	14.2	PASS
6406.904048	13.9	0.2	14.2	PASS
6408.403298	13.9	0.3	14.2	PASS

6409.002999	13.8	0.3	14.2	PASS
6406.604198	13.8	0.3	14.2	PASS
6408.103448	13.8	0.4	14.2	PASS
6413.350825	13.8	0.4	14.2	PASS
6408.553223	13.8	0.4	14.2	PASS



In-Band Emissions (5965 MHz; 24.000 dBm; 40 MHz)

Result


DUT Frequency (MHz)	Result
5965.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5982.375000	15.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5983.875000	15.1	0.1	15.2	PASS
5982.125000	14.8	0.4	15.2	PASS
5980.875000	14.7	0.5	15.2	PASS
5981.375000	14.7	0.5	15.2	PASS
5970.625000	14.6	0.6	15.2	PASS
5969.125000	14.6	0.6	15.2	PASS
5982.875000	14.6	0.6	15.2	PASS
5978.375000	14.6	0.6	15.2	PASS
5981.625000	14.6	0.6	15.2	PASS
5980.125000	14.5	0.6	15.2	PASS
5973.875000	14.5	0.7	15.2	PASS
5975.625000	14.5	0.7	15.2	PASS
5979.375000	14.5	0.7	15.2	PASS
5975.375000	14.5	0.7	15.2	PASS
5982.625000	14.4	0.8	15.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6205 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
6205.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6211.875000	14.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6211.875000	14.7	0.0	14.7	PASS
6223.375000	14.5	0.2	14.7	PASS
6189.875000	14.4	0.3	14.7	PASS
6208.875000	14.3	0.4	14.7	PASS

6223.625000	14.2	0.4	14.7	PASS
6212.125000	14.2	0.5	14.7	PASS
6223.125000	14.2	0.5	14.7	PASS
6209.375000	14.1	0.6	14.7	PASS
6217.875000	14.1	0.6	14.7	PASS
6218.125000	14.0	0.6	14.7	PASS
6188.625000	14.0	0.6	14.7	PASS
6207.875000	14.0	0.6	14.7	PASS
6207.375000	14.0	0.6	14.7	PASS
6220.375000	14.0	0.6	14.7	PASS
6215.875000	14.0	0.7	14.7	PASS



In-Band Emissions (6405 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6388.125000	13.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6388.125000	13.6	0.0	13.6	PASS
6388.625000	13.5	0.0	13.6	PASS
6398.625000	13.5	0.1	13.6	PASS
6387.875000	13.5	0.1	13.6	PASS
6397.625000	13.5	0.1	13.6	PASS
6403.875000	13.4	0.2	13.6	PASS
6400.125000	13.4	0.2	13.6	PASS
6390.375000	13.3	0.2	13.6	PASS
6399.875000	13.3	0.3	13.6	PASS
6387.125000	13.3	0.3	13.6	PASS

6386.625000	13.3	0.3	13.6	PASS
6401.875000	13.3	0.3	13.6	PASS
6388.875000	13.3	0.3	13.6	PASS
6392.875000	13.2	0.4	13.6	PASS
6389.125000	13.2	0.4	13.6	PASS



In-Band Emissions (5985 MHz; 24.000 dBm; 80 MHz)

Result


DUT Frequency (MHz)	Result
5985.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6012.750000	14.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6012.750000	14.0	0.0	14.0	PASS
6019.750000	13.9	0.0	14.0	PASS
5994.750000	13.9	0.1	14.0	PASS
5992.250000	13.8	0.2	14.0	PASS
6010.750000	13.8	0.2	14.0	PASS
5996.750000	13.7	0.3	14.0	PASS
5979.750000	13.7	0.3	14.0	PASS
5998.750000	13.7	0.3	14.0	PASS
5990.250000	13.7	0.3	14.0	PASS
5997.750000	13.7	0.3	14.0	PASS
5989.750000	13.7	0.3	14.0	PASS
6002.750000	13.7	0.3	14.0	PASS
5996.250000	13.7	0.3	14.0	PASS
6007.250000	13.7	0.3	14.0	PASS
6003.750000	13.7	0.3	14.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6225 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Result
6225.000000	PASS

Inband Peak


Frequency (MHz)	Level (dBm)
6238.750000	13.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6188.250000	13.1	0.2	13.3	PASS
6216.250000	13.0	0.2	13.3	PASS
6220.750000	13.0	0.2	13.3	PASS
6221.750000	12.9	0.3	13.3	PASS

6226.250000	12.9	0.3	13.3	PASS
6201.250000	12.9	0.3	13.3	PASS
6223.250000	12.9	0.3	13.3	PASS
6207.250000	12.9	0.3	13.3	PASS
6210.750000	12.9	0.3	13.3	PASS
6211.250000	12.9	0.3	13.3	PASS
6218.250000	12.9	0.4	13.3	PASS
6221.250000	12.9	0.4	13.3	PASS
6215.250000	12.8	0.4	13.3	PASS
6220.250000	12.8	0.5	13.3	PASS
6208.250000	12.8	0.5	13.3	PASS

In Band



In-Band Emissions (6385 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6354.250000	13.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6354.250000	13.4	0.0	13.4	PASS
6369.750000	13.3	0.1	13.4	PASS
6368.750000	13.3	0.1	13.4	PASS
6355.250000	13.2	0.1	13.4	PASS
6368.250000	13.2	0.2	13.4	PASS
6358.750000	13.1	0.3	13.4	PASS
6360.750000	13.1	0.3	13.4	PASS
6355.750000	13.0	0.3	13.4	PASS
6370.750000	13.0	0.4	13.4	PASS
6375.750000	13.0	0.4	13.4	PASS

6367.250000	13.0	0.4	13.4	PASS
6378.750000	12.9	0.4	13.4	PASS
6370.250000	12.9	0.5	13.4	PASS
6373.750000	12.9	0.5	13.4	PASS
6367.750000	12.9	0.5	13.4	PASS



In-Band Emissions (6025 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Result
6025.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6089.500000	14.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6089.500000	14.9	0.0	14.9	PASS
6093.500000	14.6	0.3	14.9	PASS
6101.500000	14.6	0.3	14.9	PASS
6090.500000	14.6	0.3	14.9	PASS
6098.500000	14.5	0.4	14.9	PASS
6097.500000	14.5	0.4	14.9	PASS
6091.500000	14.4	0.5	14.9	PASS
6094.500000	14.4	0.5	14.9	PASS
6084.500000	14.4	0.5	14.9	PASS
6102.500000	14.4	0.5	14.9	PASS
6100.500000	14.4	0.5	14.9	PASS
6083.500000	14.3	0.6	14.9	PASS
6081.500000	14.3	0.6	14.9	PASS
6092.500000	14.3	0.6	14.9	PASS
6082.500000	14.2	0.6	14.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	≥ 2.000 MHz
VBW	10.000 MHz	≥ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6213.500000	13.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6213.500000	13.2	0.0	13.2	PASS
6207.500000	13.2	0.0	13.2	PASS
6188.500000	13.2	0.0	13.2	PASS
6212.500000	13.2	0.0	13.2	PASS

6204.500000	13.2	0.1	13.2	PASS
6182.500000	13.2	0.1	13.2	PASS
6179.500000	13.2	0.1	13.2	PASS
6214.500000	13.1	0.1	13.2	PASS
6217.500000	13.1	0.1	13.2	PASS
6211.500000	13.1	0.1	13.2	PASS
6208.500000	13.1	0.1	13.2	PASS
6215.500000	13.1	0.1	13.2	PASS
6250.500000	13.1	0.1	13.2	PASS
6199.500000	13.1	0.1	13.2	PASS
6216.500000	13.1	0.2	13.2	PASS



In-Band Emissions (6325 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6325.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6342.500000	13.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6351.500000	13.4	0.0	13.4	PASS
6353.500000	13.3	0.0	13.4	PASS
6336.500000	13.3	0.1	13.4	PASS
6359.500000	13.3	0.1	13.4	PASS
6356.500000	13.3	0.1	13.4	PASS
6331.500000	13.3	0.1	13.4	PASS
6372.500000	13.3	0.1	13.4	PASS
6371.500000	13.3	0.1	13.4	PASS
6373.500000	13.3	0.1	13.4	PASS

6358.500000	13.2	0.2	13.4	PASS
6374.500000	13.2	0.2	13.4	PASS
6344.500000	13.2	0.2	13.4	PASS
6377.500000	13.2	0.2	13.4	PASS
6363.500000	13.1	0.2	13.4	PASS
6362.500000	13.1	0.3	13.4	PASS



In-Band Emissions (6265 MHz; 24.000 dBm; 320 MHz)

Result


DUT Frequency (MHz)	Result
6265.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6366.250000	14.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6366.250000	14.1	0.0	14.1	PASS
6361.250000	14.1	0.0	14.1	PASS
6356.250000	14.1	0.0	14.1	PASS
6358.750000	14.0	0.0	14.1	PASS
6363.750000	14.0	0.0	14.1	PASS
6353.750000	14.0	0.1	14.1	PASS
6373.750000	14.0	0.1	14.1	PASS
6368.750000	14.0	0.1	14.1	PASS
6351.250000	13.9	0.1	14.1	PASS
6371.250000	13.9	0.1	14.1	PASS
6376.250000	13.9	0.1	14.1	PASS
6378.750000	13.9	0.2	14.1	PASS
6216.250000	13.9	0.2	14.1	PASS
6338.750000	13.9	0.2	14.1	PASS
6218.750000	13.8	0.2	14.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	≥ 5.000 MHz
VBW	20.000 MHz	≥ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

-- End of Report--