



Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	38.9	43.57	4.630	74.00	30.43	PK	Horizo	PASS
2	11770.00	30.4	35.01	4.630	54.00	18.99	AV	Horizo	PASS
3	17655.00	35.3	45.98	10.650	68.30	22.32	PK	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	38.5	43.14	4.630	74.00	30.86	PK	Vertic	PASS
2	11770.00	32.0	36.61	4.630	54.00	17.39	AV	Vertic	PASS
3	17655.00	35.6	46.21	10.650	68.30	22.09	PK	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11670.00	39.0	43.39	4.390	74.00	30.61	PK	Horizo	PASS
2	11670.00	30.5	34.89	4.390	54.00	19.11	AV	Horizo	PASS
3	17505.00	35.8	45.91	10.140	68.30	22.39	PK	Horizo	PASS


Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11670.00	40.2	44.60	4.390	74.00	29.40	PK	Vertic	PASS
2	11670.00	31.2	35.63	4.390	54.00	18.37	AV	Vertic	PASS
3	17505.00	36.3	46.40	10.140	68.30	21.90	PK	Vertic	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11750.00	39.2	43.75	4.530	74.00	30.25	PK	Horizo	PASS
2	11750.00	29.7	34.26	4.530	54.00	19.74	AV	Horizo	PASS
3	17625.00	36.5	47.17	10.630	68.30	21.13	PK	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11750.00	39.0	43.48	4.530	74.00	30.52	PK	Vertic	PASS
2	11750.00	30.7	35.18	4.530	54.00	18.82	AV	Vertic	PASS
3	17625.00	36.8	47.40	10.630	68.30	20.90	PK	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11710.00	41.0	45.33	4.360	74.00	28.67	PK	Horizo	PASS
2	11710.00	30.4	34.79	4.360	54.00	19.21	AV	Horizo	PASS
3	17565.00	35.8	46.24	10.470	68.30	22.06	PK	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11710.00	38.6	42.99	4.360	74.00	31.01	PK	Vertic	PASS
2	11710.00	30.7	35.08	4.360	54.00	18.92	AV	Vertic	PASS
3	17565.00	37.3	47.73	10.470	68.30	20.57	PK	Vertic	PASS


Transmit at 5180MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.55	14.5	27.81	13.310	40.00	12.19	PK	Horizo	PASS
2	62.74	13.6	25.67	12.050	40.00	14.33	PK	Horizo	PASS
3	112.94	20.7	32.49	11.830	43.50	11.01	PK	Horizo	PASS
4	214.30	14.6	26.78	12.160	43.50	16.72	PK	Horizo	PASS
5	428.19	18.1	34.58	16.460	46.00	11.42	PK	Horizo	PASS
6	717.25	16.8	37.50	20.740	46.00	8.50	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	33.88	23.2	36.22	13.030	40.00	3.78	PK	Vertic	PASS
2	41.64	24.0	38.14	14.100	40.00	1.86	PK	Vertic	PASS
3	102.75	20.9	33.36	12.460	43.50	10.14	PK	Vertic	PASS
4	263.53	23.9	37.28	13.410	46.00	8.72	PK	Vertic	PASS
5	502.15	25.3	42.94	17.690	46.00	3.06	PK	Vertic	PASS
6	809.88	16.1	37.78	21.670	46.00	8.22	PK	Vertic	PASS



Test Graph



Note:

1. Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. In the report, for the sections below 1G and 18~40G, verification tests were only performed on the worst channel in the worst mode of the 1~18G range.
4. All test data above 18GHz are noise base, so no data shown in this report.

Maximum Conducted Output Power
INPAQ Antenna:

INPAQ Antenna											
	Mode	Channel	Frequency (MHz)	Average Power (dBm)			EIRP (dBm)			Limit (dBm)	
				MAIN	AUX	MAIN+AUX	MAIN	AUX	MAIN+AUX	Average Power	EIRP
5GHz WLAN	802.11a 6Mbps	36	5180	11.37	11.38	14.39	13.69	12.88	16.71	24.00	24.00
		40	5200	11.44	11.35	14.41	13.76	12.85	16.73	24.00	24.00
		48	5240	11.34	11.40	14.38	13.66	12.90	16.70	24.00	24.00
		52	5260	13.18	13.29	16.25	14.14	15.40	17.21	24.00	30.00
		56	5280	13.08	13.11	16.11	14.04	15.22	17.07	24.00	30.00
		64	5320	13.26	13.28	16.28	14.22	15.39	17.24	24.00	30.00
		100	5500	13.32	13.31	16.33	15.19	15.46	18.20	24.00	30.00
		116	5580	13.07	13.31	16.20	14.94	15.46	18.07	24.00	30.00
		140	5700	13.27	13.10	16.20	15.14	15.25	18.07	24.00	30.00
		149	5745	13.10	13.38	16.25	14.15	14.93	17.30	30.00	30.00
		157	5785	13.11	13.17	16.15	14.16	14.72	17.20	30.00	30.00
		165	5825	13.09	13.24	16.18	14.14	14.79	17.23	30.00	30.00
		169	5845	13.07	13.06	16.08	14.62	15.21	17.63	30.00	30.00
		173	5865	13.09	13.07	16.09	14.64	15.22	17.64	30.00	30.00
		177	5885	13.05	13.11	16.09	14.60	15.26	17.64	30.00	30.00
	802.11ac-VHT20 MCS0	36	5180	11.36	11.40	14.39	13.68	12.90	16.71	24.00	24.00
		40	5200	11.31	11.47	14.40	13.63	12.97	16.72	24.00	24.00
		48	5240	11.49	11.30	14.41	13.81	12.80	16.73	24.00	24.00
		52	5260	13.27	13.13	16.21	14.23	15.24	17.17	24.00	30.00
		56	5280	13.18	13.06	16.13	14.14	15.17	17.09	24.00	30.00
		64	5320	13.28	13.18	16.24	14.24	15.29	17.20	24.00	30.00
		100	5500	13.11	13.10	16.12	14.98	15.25	17.99	24.00	30.00
		116	5580	13.04	13.29	16.18	14.91	15.44	18.05	24.00	30.00
		140	5700	13.03	13.15	16.10	14.90	15.30	17.97	24.00	30.00
		149	5745	13.23	13.12	16.19	14.28	14.67	17.24	30.00	30.00
		157	5785	13.05	13.26	16.17	14.10	14.81	17.22	30.00	30.00
		165	5825	13.19	13.13	16.17	14.24	14.68	17.22	30.00	30.00
		169	5845	13.02	13.11	16.08	14.57	15.26	17.63	30.00	30.00
		173	5865	13.06	13.08	16.08	14.61	15.23	17.63	30.00	30.00
		177	5885	13.06	13.06	16.07	14.61	15.21	17.62	30.00	30.00
	802.11ac-VHT40 MCS0	38	5190	13.24	13.19	16.23	15.56	14.69	18.55	24.00	24.00
		46	5230	13.12	13.18	16.16	15.44	14.68	18.48	24.00	24.00
		54	5270	13.07	13.24	16.17	14.03	15.35	17.13	24.00	30.00
		62	5310	13.04	13.21	16.14	14.00	15.32	17.10	24.00	30.00
		102	5510	13.21	13.12	16.18	15.08	15.27	18.05	24.00	30.00
		118	5590	13.16	13.07	16.13	15.03	15.22	18.00	24.00	30.00
		134	5670	13.15	13.33	16.25	15.02	15.48	18.12	24.00	30.00
		151	5755	13.28	13.16	16.23	14.33	14.71	17.28	30.00	30.00
		159	5795	13.32	13.38	16.36	14.37	14.93	17.41	30.00	30.00
		167	5835	13.01	13.10	16.07	14.56	15.25	17.62	30.00	30.00

	802.11ac-VHT80 MCS0	175	5875	13.08	13.06	16.08	14.63	15.21	17.63	30.00	30.00
		42	5210	13.31	13.22	16.28	15.63	14.72	18.60	24.00	24.00
		58	5290	13.32	13.22	16.28	14.28	15.33	17.24	24.00	30.00
		106	5530	13.15	13.15	16.16	15.02	15.30	18.03	24.00	30.00
		122	5610	13.27	13.30	16.30	15.14	15.45	18.17	24.00	30.00
		155	5775	13.29	13.31	16.31	14.34	14.86	17.36	30.00	30.00
		171	5855	13.04	13.10	16.08	14.59	15.25	17.63	30.00	30.00
	802.11ax-HE20 MCS0	36	5180	11.39	11.41	14.41	13.71	12.91	16.73	24.00	24.00
		40	5200	11.37	11.51	14.45	13.69	13.01	16.77	24.00	24.00
		48	5240	11.57	11.30	14.45	13.89	12.80	16.77	24.00	24.00
		52	5260	13.20	13.21	16.22	14.16	15.32	17.18	24.00	30.00
		56	5280	13.21	13.35	16.29	14.17	15.46	17.25	24.00	30.00
		64	5320	13.13	13.25	16.20	14.09	15.36	17.16	24.00	30.00
		100	5500	13.12	13.12	16.13	14.99	15.27	18.00	24.00	30.00
		116	5580	13.08	13.15	16.13	14.95	15.30	18.00	24.00	30.00
		140	5700	13.23	13.30	16.28	15.10	15.45	18.15	24.00	30.00
		149	5745	13.12	13.30	16.22	14.17	14.85	17.27	30.00	30.00
		157	5785	13.17	13.11	16.15	14.22	14.66	17.20	30.00	30.00
		165	5825	13.15	13.32	16.25	14.20	14.87	17.30	30.00	30.00
		169	5845	13.09	13.12	16.12	14.64	15.27	17.67	30.00	30.00
		173	5865	13.07	13.09	16.09	14.62	15.24	17.64	30.00	30.00
		177	5885	13.05	13.06	16.07	14.60	15.21	17.62	30.00	30.00
	802.11ax-HE40 MCS0	38	5190	13.31	13.30	16.32	15.63	14.80	18.64	24.00	24.00
		46	5230	13.20	13.30	16.26	15.52	14.80	18.58	24.00	24.00
		54	5270	13.14	13.06	16.11	14.10	15.17	17.07	24.00	30.00
		62	5310	13.08	13.28	16.19	14.04	15.39	17.15	24.00	30.00
		102	5510	13.12	13.19	16.17	14.99	15.34	18.04	24.00	30.00
		118	5590	13.08	13.24	16.17	14.95	15.39	18.04	24.00	30.00
		134	5670	13.37	13.10	16.25	15.24	15.25	18.12	24.00	30.00
		151	5755	13.30	13.33	16.33	14.35	14.88	17.38	30.00	30.00
		159	5795	13.21	13.31	16.27	14.26	14.86	17.32	30.00	30.00
		167	5835	13.01	13.14	16.09	14.56	15.29	17.64	30.00	30.00
		175	5875	13.08	13.10	16.10	14.63	15.25	17.65	30.00	30.00
	802.11ax-HE80 MCS0	42	5210	13.41	13.47	16.45	15.73	14.97	18.77	24.00	24.00
		58	5290	13.44	13.36	16.41	14.40	15.47	17.37	24.00	30.00
		106	5530	13.41	13.29	16.36	15.28	15.44	18.23	24.00	30.00
		122	5610	13.45	13.37	16.42	15.32	15.52	18.29	24.00	30.00
		155	5775	13.47	13.41	16.45	14.52	14.96	17.50	30.00	30.00
		171	5855	13.27	13.31	16.30	14.82	15.46	17.85	30.00	30.00

AWAN Antenna:

AWAN Antenna											
	Mode	Channel	Frequency (MHz)	Average Power (dBm)			EIRP (dBm)			Limit (dBm)	
				MAIN	AUX	MAIN+AUX	MAIN	AUX	MAIN+AUX	Average Power	EIRP
5GHz WLAN	802.11a 6Mbps	36	5180	11.37	11.38	14.39	13.74	13.41	16.76	24.00	24.00
		40	5200	11.44	11.35	14.41	13.81	13.38	16.78	24.00	24.00
		48	5240	11.34	11.40	14.38	13.71	13.43	16.75	24.00	24.00
		52	5260	13.18	13.29	16.25	15.85	15.40	18.92	24.00	30.00
		56	5280	13.08	13.11	16.11	15.75	15.22	18.78	24.00	30.00
		64	5320	13.26	13.28	16.28	15.93	15.39	18.95	24.00	30.00
		100	5500	13.32	13.31	16.33	15.26	16.18	18.27	24.00	30.00
		116	5580	13.07	13.31	16.20	15.01	16.18	18.14	24.00	30.00
		140	5700	13.27	13.10	16.20	15.21	15.97	18.14	24.00	30.00
		149	5745	13.10	13.38	16.25	15.77	15.77	18.92	30.00	30.00
		157	5785	13.11	13.17	16.15	15.78	15.56	18.82	30.00	30.00
		165	5825	13.09	13.24	16.18	15.76	15.63	18.85	30.00	30.00
		169	5845	13.07	13.06	16.08	15.62	15.50	18.63	30.00	30.00
		173	5865	13.09	13.07	16.09	15.64	15.51	18.64	30.00	30.00
		177	5885	13.05	13.11	16.09	15.60	15.55	18.64	30.00	30.00
	802.11ac-VHT20 MCS0	36	5180	11.36	11.40	14.39	13.73	13.43	16.76	24.00	24.00
		40	5200	11.31	11.47	14.40	13.68	13.50	16.77	24.00	24.00
		48	5240	11.49	11.30	14.41	13.86	13.33	16.78	24.00	24.00
		52	5260	13.27	13.13	16.21	15.94	15.24	18.88	24.00	30.00
		56	5280	13.18	13.06	16.13	15.85	15.17	18.80	24.00	30.00
		64	5320	13.28	13.18	16.24	15.95	15.29	18.91	24.00	30.00
		100	5500	13.11	13.10	16.12	15.05	15.97	18.06	24.00	30.00
		116	5580	13.04	13.29	16.18	14.98	16.16	18.12	24.00	30.00
		140	5700	13.03	13.15	16.10	14.97	16.02	18.04	24.00	30.00
		149	5745	13.23	13.12	16.19	15.90	15.51	18.86	30.00	30.00
		157	5785	13.05	13.26	16.17	15.72	15.65	18.84	30.00	30.00
		165	5825	13.19	13.13	16.17	15.86	15.52	18.84	30.00	30.00
		169	5845	13.02	13.11	16.08	15.57	15.55	18.63	30.00	30.00
		173	5865	13.06	13.08	16.08	15.61	15.52	18.63	30.00	30.00
		177	5885	13.06	13.06	16.07	15.61	15.50	18.62	30.00	30.00
	802.11ac-VHT40 MCS0	38	5190	13.24	13.19	16.23	15.61	15.22	18.60	24.00	24.00
		46	5230	13.12	13.18	16.16	15.49	15.21	18.53	24.00	24.00
		54	5270	13.07	13.24	16.17	15.74	15.35	18.84	24.00	30.00
		62	5310	13.04	13.21	16.14	15.71	15.32	18.81	24.00	30.00
		102	5510	13.21	13.12	16.18	15.15	15.99	18.12	24.00	30.00
		118	5590	13.16	13.07	16.13	15.10	15.94	18.07	24.00	30.00
		134	5670	13.15	13.33	16.25	15.09	16.20	18.19	24.00	30.00
		151	5755	13.28	13.16	16.23	15.95	15.55	18.90	30.00	30.00
		159	5795	13.32	13.38	16.36	15.99	15.77	19.03	30.00	30.00
		167	5835	13.01	13.10	16.07	15.56	15.54	18.62	30.00	30.00


	802.11ac-VHT80 MCS0	175	5875	13.08	13.06	16.08	15.63	15.50	18.63	30.00	30.00
		42	5210	13.31	13.22	16.28	15.68	15.25	18.65	24.00	24.00
		58	5290	13.32	13.22	16.28	15.99	15.33	18.95	24.00	30.00
		106	5530	13.15	13.15	16.16	15.09	16.02	18.10	24.00	30.00
		122	5610	13.27	13.30	16.30	15.21	16.17	18.24	24.00	30.00
		155	5775	13.29	13.31	16.31	15.96	15.70	18.98	30.00	30.00
		171	5855	13.04	13.10	16.08	15.59	15.54	18.63	30.00	30.00
	802.11ax-HE20 MCS0	36	5180	11.39	11.41	14.41	13.76	13.44	16.78	24.00	24.00
		40	5200	11.37	11.51	14.45	13.74	13.54	16.82	24.00	24.00
		48	5240	11.57	11.30	14.45	13.94	13.33	16.82	24.00	24.00
		52	5260	13.20	13.21	16.22	15.87	15.32	18.89	24.00	30.00
		56	5280	13.21	13.35	16.29	15.88	15.46	18.96	24.00	30.00
		64	5320	13.13	13.25	16.20	15.80	15.36	18.87	24.00	30.00
		100	5500	13.12	13.12	16.13	15.06	15.99	18.07	24.00	30.00
		116	5580	13.08	13.15	16.13	15.02	16.02	18.07	24.00	30.00
		140	5700	13.23	13.30	16.28	15.17	16.17	18.22	24.00	30.00
		149	5745	13.12	13.30	16.22	15.79	15.69	18.89	30.00	30.00
		157	5785	13.17	13.11	16.15	15.84	15.50	18.82	30.00	30.00
		165	5825	13.15	13.32	16.25	15.82	15.71	18.92	30.00	30.00
		169	5845	13.09	13.12	16.12	15.64	15.56	18.67	30.00	30.00
		173	5865	13.07	13.09	16.09	15.62	15.53	18.64	30.00	30.00
		177	5885	13.05	13.06	16.07	15.60	15.50	18.62	30.00	30.00
	802.11ax-HE40 MCS0	38	5190	13.31	13.30	16.32	15.68	15.33	18.69	24.00	24.00
		46	5230	13.20	13.30	16.26	15.57	15.33	18.63	24.00	24.00
		54	5270	13.14	13.06	16.11	15.81	15.17	18.78	24.00	30.00
		62	5310	13.08	13.28	16.19	15.75	15.39	18.86	24.00	30.00
		102	5510	13.12	13.19	16.17	15.06	16.06	18.11	24.00	30.00
		118	5590	13.08	13.24	16.17	15.02	16.11	18.11	24.00	30.00
		134	5670	13.37	13.10	16.25	15.31	15.97	18.19	24.00	30.00
		151	5755	13.30	13.33	16.33	15.97	15.72	19.00	30.00	30.00
		159	5795	13.21	13.31	16.27	15.88	15.70	18.94	30.00	30.00
		167	5835	13.01	13.14	16.09	15.56	15.58	18.64	30.00	30.00
		175	5875	13.08	13.10	16.10	15.63	15.54	18.65	30.00	30.00
	802.11ax-HE80 MCS0	42	5210	13.41	13.47	16.45	15.78	15.50	18.82	24.00	24.00
		58	5290	13.44	13.36	16.41	16.11	15.47	19.08	24.00	30.00
		106	5530	13.41	13.29	16.36	15.35	16.16	18.30	24.00	30.00
		122	5610	13.45	13.37	16.42	15.39	16.24	18.36	24.00	30.00
		155	5775	13.47	13.41	16.45	16.14	15.80	19.12	30.00	30.00
		171	5855	13.27	13.31	16.30	15.82	15.75	18.85	30.00	30.00

Note 1: Limit = limit – (Directional gain -6dBi)

Note 2: EIRP = Average Power + Antenna Gain (Antenna Gain refers to the Antenna Information in Chapter 1)


Radiated Emission Band Edge
INPAQ Antenna:

Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5023.80	38.7	48.18	9.450	74.00	25.82	PK	Horizo	PASS
2	5150.00	36.9	46.47	9.590	74.00	27.53	PK	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4980.07	27.4	36.71	9.290	54.00	17.29	AV	Horizo	PASS
2	5150.00	28.4	37.95	9.590	54.00	16.05	AV	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4972.56	38.6	47.84	9.250	74.00	26.16	PK	Vertic	PASS
2	5150.00	35.5	45.11	9.590	74.00	28.89	PK	Vertic	PASS


Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5032.77	28.0	37.46	9.460	54.00	16.54	AV	Vertic	PASS
2	5150.00	28.4	37.98	9.590	54.00	16.02	AV	Vertic	PASS




Transmit at 5320MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.1	45.53	9.460	74.00	28.47	PK	Horizo	PASS
2	5379.36	38.3	47.81	9.560	74.00	26.19	PK	Horizo	PASS


Transmit at 5320MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.6	36.08	9.460	54.00	17.92	AV	Horizo	PASS
2	5361.21	28.2	37.73	9.500	54.00	16.27	AV	Horizo	PASS




Transmit at 5320MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.4	43.87	9.460	74.00	30.13	PK	Vertic	PASS
2	5357.76	38.5	48.02	9.490	74.00	25.98	PK	Vertic	PASS


Transmit at 5320MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.1	37.53	9.460	54.00	16.47	AV	Vertic	PASS
2	5360.72	28.6	38.10	9.490	54.00	15.90	AV	Vertic	PASS




Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.6	56.36	9.800	68.30	11.94	PK	Horizo	PASS
2	5466.53	53.4	63.19	9.810	68.30	5.11	PK	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.20	28.4	38.16	9.760	54.00	15.84	AV	Horizo	PASS
2	5460.00	29.1	38.93	9.800	54.00	15.07	AV	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	48.1	57.91	9.800	68.30	10.39	PK	Vertic	PASS
2	5468.88	56.2	66.03	9.820	68.30	2.27	PK	Vertic	PASS


Transmit at 5500MHz by 802.11a with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5422.62	30.4	40.13	9.690	54.00	13.87	AV	Vertic	PASS
2	5460.00	30.2	39.97	9.800	54.00	14.03	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	49.2	60.57	11.350	68.30	7.73	PK	Horizo	PASS
2	5733.85	48.7	60.12	11.380	68.30	8.18	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	54.0	65.38	11.350	68.30	2.92	PK	Vertic	PASS
2	5727.35	53.4	64.80	11.360	68.30	3.50	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5028.89	39.1	48.55	9.460	74.00	25.45	PK	Horizo	PASS
2	5150.00	36.7	46.28	9.590	74.00	27.72	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5018.45	27.9	37.36	9.440	54.00	16.64	AV	Horizo	PASS
2	5150.00	28.4	37.97	9.590	54.00	16.03	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4890.45	37.5	46.32	8.840	74.00	27.68	PK	Vertic	PASS
2	5150.00	36.9	46.49	9.590	74.00	27.51	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4808.00	27.5	35.85	8.340	54.00	18.15	AV	Vertic	PASS
2	5150.00	28.6	38.14	9.590	54.00	15.86	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.8	45.25	9.460	74.00	28.75	PK	Horizo	PASS
2	5355.41	37.5	46.99	9.480	74.00	27.01	PK	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.9	36.34	9.460	54.00	17.66	AV	Horizo	PASS
2	5382.71	27.5	37.03	9.570	54.00	16.97	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.9	45.34	9.460	74.00	28.66	PK	Vertic	PASS
2	5357.93	38.6	48.12	9.490	74.00	25.88	PK	Vertic	PASS




Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.1	36.55	9.460	54.00	17.45	AV	Vertic	PASS
2	5363.21	28.0	37.47	9.500	54.00	16.53	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.2	48.97	9.800	68.30	19.33	PK	Horizo	PASS
2	5467.76	52.3	62.13	9.820	68.30	6.17	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5444.54	27.6	37.31	9.750	54.00	16.69	AV	Horizo	PASS
2	5460.00	28.0	37.75	9.800	54.00	16.25	AV	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	45.5	55.33	9.800	68.30	12.97	PK	Vertic	PASS
2	5469.20	56.0	65.85	9.820	68.30	2.45	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5427.98	27.6	37.35	9.710	54.00	16.65	AV	Vertic	PASS
2	5460.00	30.3	40.08	9.800	54.00	13.92	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	38.9	50.27	11.350	68.30	18.03	PK	Horizo	PASS
2	5728.85	47.1	58.46	11.370	68.30	9.84	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	44.2	55.51	11.350	68.30	12.79	PK	Vertic	PASS
2	5728.35	54.0	65.38	11.370	68.30	2.92	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5003.83	38.4	47.76	9.410	74.00	26.24	PK	Horizo	PASS
2	5150.00	38.7	48.29	9.590	74.00	25.71	PK	Horizo	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4916.24	27.5	36.49	8.990	54.00	17.51	AV	Horizo	PASS
2	5150.00	32.0	41.59	9.590	54.00	12.41	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4754.27	38.0	46.30	8.310	74.00	27.70	PK	Vertic	PASS
2	5150.00	38.0	47.54	9.590	74.00	26.46	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4697.65	27.4	35.62	8.270	54.00	18.38	AV	Vertic	PASS
2	5150.00	32.4	42.01	9.590	54.00	11.99	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.2	45.65	9.460	74.00	28.35	PK	Horizo	PASS
2	5359.74	38.0	47.45	9.490	74.00	26.55	PK	Horizo	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.9	37.40	9.460	54.00	16.60	AV	Horizo	PASS
2	5386.99	27.6	37.23	9.590	54.00	16.77	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	38.5	47.98	9.460	74.00	26.02	PK	Vertic	PASS
2	5352.90	47.0	56.48	9.460	74.00	17.52	PK	Vertic	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.5	39.91	9.460	54.00	14.09	AV	Vertic	PASS
2	5355.49	29.9	39.33	9.480	54.00	14.67	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.7	48.51	9.800	68.30	19.79	PK	Horizo	PASS
2	5468.80	50.5	60.30	9.820	68.30	8.00	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5411.47	27.5	37.15	9.670	54.00	16.85	AV	Horizo	PASS
2	5460.00	28.6	38.43	9.800	54.00	15.57	AV	Horizo	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	43.0	52.76	9.800	68.30	15.54	PK	Vertic	PASS
2	5469.70	57.9	67.73	9.820	68.30	0.57	PK	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5427.94	28.3	38.01	9.710	54.00	15.99	AV	Vertic	PASS
2	5460.00	30.6	40.40	9.800	54.00	13.60	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.0	46.82	9.820	68.30	21.48	PK	Horizo	PASS
2	5725.00	42.3	53.61	11.350	68.30	14.69	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5426.72	27.0	36.67	9.710	54.00	17.33	AV	Horizo	PASS
2	5460.00	26.4	36.18	9.800	54.00	17.82	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.9	46.73	9.820	68.30	21.57	PK	Vertic	PASS
2	5725.00	45.6	56.95	11.350	68.30	11.35	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5420.76	27.3	36.97	9.690	54.00	17.03	AV	Vertic	PASS
2	5460.00	26.4	36.22	9.800	54.00	17.78	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5121.56	41.4	50.94	9.520	74.00	23.06	PK	Horizo	PASS
2	5150.00	39.4	49.00	9.590	74.00	25.00	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4992.66	27.7	37.01	9.360	54.00	16.99	AV	Horizo	PASS
2	5150.00	31.7	41.29	9.590	54.00	12.71	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4981.97	37.6	46.87	9.310	74.00	27.13	PK	Vertic	PASS
2	5150.00	42.3	51.85	9.590	74.00	22.15	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4883.91	27.4	36.20	8.800	54.00	17.80	AV	Vertic	PASS
2	5150.00	32.6	42.22	9.590	54.00	11.78	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.9	47.36	9.460	74.00	26.64	PK	Horizo	PASS
2	5359.15	39.4	48.84	9.490	74.00	25.16	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.9	40.40	9.460	54.00	13.60	AV	Horizo	PASS
2	5372.85	28.8	38.32	9.540	54.00	15.68	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	42.6	52.09	9.460	74.00	21.91	PK	Vertic	PASS
2	5380.17	44.9	54.51	9.570	74.00	19.49	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.4	44.89	9.460	54.00	9.11	AV	Vertic	PASS
2	5360.75	32.5	41.96	9.490	54.00	12.04	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.21	52.5	62.28	9.770	74.00	11.72	PK	Horizo	PASS
2	5460.00	44.6	54.42	9.800	68.30	13.88	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5435.58	31.7	41.43	9.720	54.00	12.57	AV	Horizo	PASS
2	5460.00	31.3	41.07	9.800	54.00	12.93	AV	Horizo	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	44.2	53.97	9.800	68.30	14.33	PK	Vertic	PASS
2	5461.61	52.7	62.52	9.800	68.30	5.78	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO*Test Graph***Data List**


NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5426.29	30.2	39.89	9.710	54.00	14.11	AV	Vertic	PASS
2	5460.00	30.8	40.56	9.800	54.00	13.44	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.8	47.58	9.820	68.30	20.72	PK	Horizo	PASS
2	5725.00	37.3	48.65	11.350	68.30	19.65	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5430.04	27.3	37.01	9.710	54.00	16.99	AV	Horizo	PASS
2	5460.00	26.7	36.47	9.800	54.00	17.53	AV	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.4	47.21	9.820	68.30	21.09	PK	Vertic	PASS
2	5725.00	38.2	49.56	11.350	68.30	18.74	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5367.48	27.5	36.98	9.520	54.00	17.02	AV	Vertic	PASS
2	5460.00	26.7	36.50	9.800	54.00	17.50	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.84	38.6	49.43	10.870	68.30	18.87	PK	Horizo	PASS
2	5671.80	39.2	50.24	11.080	84.47	34.23	PK	Horizo	PASS
3	5711.45	49.8	61.11	11.290	108.51	47.40	PK	Horizo	PASS
4	5724.61	57.7	69.00	11.350	121.42	52.42	PK	Horizo	PASS
5	5858.84	38.4	50.00	11.650	109.82	59.82	PK	Horizo	PASS
6	5872.16	39.1	50.69	11.640	106.09	55.40	PK	Horizo	PASS
7	5917.50	38.9	50.58	11.670	73.83	23.25	PK	Horizo	PASS
8	5940.58	38.9	50.62	11.760	68.30	17.68	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.19	38.7	49.61	10.870	68.30	18.69	PK	Vertic	PASS
2	5671.64	39.2	50.30	11.080	84.35	34.05	PK	Vertic	PASS
3	5699.91	44.6	55.83	11.240	105.24	49.41	PK	Vertic	PASS
4	5717.63	53.7	65.01	11.320	110.24	45.23	PK	Vertic	PASS
5	5852.34	38.2	49.87	11.660	116.97	67.10	PK	Vertic	PASS
6	5870.05	38.4	50.00	11.640	106.68	56.68	PK	Vertic	PASS
7	5897.03	38.3	49.90	11.620	88.96	39.06	PK	Vertic	PASS
8	5939.44	38.4	50.15	11.750	68.30	18.15	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.66	38.5	49.44	10.920	68.30	18.86	PK	Horizo	PASS
2	5675.86	38.6	49.69	11.100	87.48	37.79	PK	Horizo	PASS
3	5702.19	38.4	49.67	11.250	105.91	56.24	PK	Horizo	PASS
4	5716.65	38.3	49.58	11.320	109.96	60.38	PK	Horizo	PASS
5	5856.40	56.3	67.93	11.650	110.51	42.58	PK	Horizo	PASS
6	5873.79	46.0	57.61	11.640	105.64	48.03	PK	Horizo	PASS
7	5901.58	38.6	50.23	11.620	85.60	35.37	PK	Horizo	PASS
8	5930.34	38.6	50.34	11.720	68.30	17.96	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	38.7	49.56	10.860	68.30	18.74	PK	Vertic	PASS
2	5671.31	38.0	49.05	11.080	84.11	35.06	PK	Vertic	PASS
3	5702.19	38.0	49.28	11.250	105.91	56.63	PK	Vertic	PASS
4	5714.54	38.0	49.34	11.300	109.37	60.03	PK	Vertic	PASS
5	5856.08	59.2	70.83	11.660	110.60	39.77	PK	Vertic	PASS
6	5881.26	43.2	54.83	11.630	100.65	45.82	PK	Vertic	PASS
7	5908.40	38.7	50.30	11.650	80.55	30.25	PK	Vertic	PASS
8	5939.44	38.9	50.69	11.750	68.30	17.61	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	38.2	49.03	10.880	68.30	19.27	PK	Horizo	PASS
2	5679.28	38.4	49.56	11.120	90.00	40.44	PK	Horizo	PASS
3	5710.64	50.7	61.95	11.290	108.28	46.33	PK	Horizo	PASS
4	5721.04	62.3	73.61	11.330	113.27	39.66	PK	Horizo	PASS
5	5853.96	38.2	49.88	11.660	113.26	63.38	PK	Horizo	PASS
6	5872.98	38.0	49.63	11.640	105.87	56.24	PK	Horizo	PASS
7	5897.51	38.5	50.13	11.620	88.60	38.47	PK	Horizo	PASS
8	5931.15	38.2	49.89	11.730	68.30	18.41	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant MIMO*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.69	38.4	49.28	10.910	68.30	19.02	PK	Vertic	PASS
2	5670.66	40.7	51.79	11.070	83.63	31.84	PK	Vertic	PASS
3	5706.41	54.0	65.31	11.270	107.10	41.79	PK	Vertic	PASS
4	5720.71	66.6	77.94	11.330	112.53	34.59	PK	Vertic	PASS
5	5855.91	38.5	50.11	11.660	110.64	60.53	PK	Vertic	PASS
6	5868.91	38.3	49.93	11.640	107.00	57.07	PK	Vertic	PASS
7	5901.58	38.2	49.78	11.620	85.60	35.82	PK	Vertic	PASS
8	5934.40	39.3	51.01	11.740	68.30	17.29	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.49	37.9	48.76	10.880	68.30	19.54	PK	Horizo	PASS
2	5678.14	38.4	49.52	11.110	89.16	39.64	PK	Horizo	PASS
3	5707.23	38.1	49.40	11.270	107.33	57.93	PK	Horizo	PASS
4	5718.60	38.4	49.69	11.320	110.51	60.82	PK	Horizo	PASS
5	5855.43	51.7	63.35	11.660	110.78	47.43	PK	Horizo	PASS
6	5878.34	44.3	55.94	11.640	102.82	46.88	PK	Horizo	PASS
7	5896.70	38.3	49.89	11.620	89.20	39.31	PK	Horizo	PASS
8	5948.21	38.6	50.36	11.780	68.30	17.94	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.30	37.8	48.69	10.880	68.30	19.61	PK	Vertic	PASS
2	5675.05	37.7	48.83	11.100	86.88	38.05	PK	Vertic	PASS
3	5706.74	38.5	49.81	11.270	107.19	57.38	PK	Vertic	PASS
4	5717.79	38.7	50.00	11.320	110.28	60.28	PK	Vertic	PASS
5	5854.29	58.8	70.44	11.660	112.52	42.08	PK	Vertic	PASS
6	5861.44	56.4	68.03	11.650	109.10	41.07	PK	Vertic	PASS
7	5879.15	50.2	61.85	11.640	102.22	40.37	PK	Vertic	PASS
8	5927.25	38.3	50.04	11.710	68.30	18.26	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.90	38.6	49.50	10.900	68.30	18.80	PK	Horizo	PASS
2	5680.74	39.4	50.54	11.120	91.08	40.54	PK	Horizo	PASS
3	5712.59	49.9	61.21	11.300	108.83	47.62	PK	Horizo	PASS
4	5720.55	52.2	63.52	11.330	112.15	48.63	PK	Horizo	PASS
5	5854.61	37.8	49.48	11.660	111.78	62.30	PK	Horizo	PASS
6	5872.16	38.1	49.70	11.640	106.09	56.39	PK	Horizo	PASS
7	5906.29	38.2	49.79	11.640	82.11	32.32	PK	Horizo	PASS
8	5935.05	38.6	50.29	11.740	68.30	18.01	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant MIMO*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.06	38.2	49.14	10.900	68.30	19.16	PK	Vertic	PASS
2	5687.24	41.8	53.01	11.170	95.89	42.88	PK	Vertic	PASS
3	5712.43	55.2	66.53	11.290	108.78	42.25	PK	Vertic	PASS
4	5720.55	58.3	69.63	11.330	112.15	42.52	PK	Vertic	PASS
5	5854.61	37.7	49.35	11.660	111.78	62.43	PK	Vertic	PASS
6	5869.56	38.3	49.92	11.640	106.82	56.90	PK	Vertic	PASS
7	5893.61	38.1	49.69	11.630	91.49	41.80	PK	Vertic	PASS
8	5933.75	38.5	50.18	11.730	68.30	18.12	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant MIMO




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.93	38.2	49.05	10.890	68.30	19.25	PK	Horizo	PASS
2	5675.05	38.1	49.19	11.100	86.88	37.69	PK	Horizo	PASS
3	5714.21	38.7	50.00	11.300	109.28	59.28	PK	Horizo	PASS
4	5722.18	38.6	49.96	11.340	115.86	65.90	PK	Horizo	PASS
5	5850.88	44.4	56.10	11.660	120.30	64.20	PK	Horizo	PASS
6	5872.33	39.5	51.14	11.640	106.05	54.91	PK	Horizo	PASS
7	5903.04	38.6	50.19	11.630	84.51	34.32	PK	Horizo	PASS
8	5944.80	38.4	50.19	11.770	68.30	18.11	PK	Horizo	PASS


Transmit at 5795MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.60	38.8	49.71	10.890	68.30	18.59	PK	Vertic	PASS
2	5668.71	38.4	49.49	11.050	82.19	32.70	PK	Vertic	PASS
3	5708.85	39.5	50.76	11.270	107.78	57.02	PK	Vertic	PASS
4	5717.14	42.6	53.91	11.320	110.10	56.19	PK	Vertic	PASS
5	5856.40	46.6	58.24	11.650	110.51	52.27	PK	Vertic	PASS
6	5879.64	39.2	50.85	11.640	101.86	51.01	PK	Vertic	PASS
7	5910.68	38.4	50.08	11.650	78.87	28.79	PK	Vertic	PASS
8	5942.69	38.6	50.39	11.760	68.30	17.91	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.49	38.9	49.81	10.880	68.30	18.49	PK	Horizo	PASS
2	5677.16	41.7	52.84	11.110	88.44	35.60	PK	Horizo	PASS
3	5704.14	43.1	54.37	11.260	106.46	52.09	PK	Horizo	PASS
4	5718.93	41.0	52.30	11.320	110.60	58.30	PK	Horizo	PASS
5	5853.48	43.7	55.31	11.660	114.38	59.07	PK	Horizo	PASS
6	5863.88	44.4	56.09	11.650	108.41	52.32	PK	Horizo	PASS
7	5901.41	38.5	50.13	11.620	85.72	35.59	PK	Horizo	PASS
8	5932.61	38.4	50.09	11.730	68.30	18.21	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.89	44.0	54.98	10.940	68.30	13.32	PK	Vertic	PASS
2	5696.18	54.3	65.49	11.220	102.48	36.99	PK	Vertic	PASS
3	5701.05	55.6	66.82	11.240	105.59	38.77	PK	Vertic	PASS
4	5713.89	51.3	62.59	11.300	109.19	46.60	PK	Vertic	PASS
5	5857.05	49.2	60.87	11.650	110.33	49.46	PK	Vertic	PASS
6	5869.73	47.5	59.10	11.640	106.78	47.68	PK	Vertic	PASS
7	5882.56	47.7	59.29	11.630	99.68	40.39	PK	Vertic	PASS
8	5929.36	38.9	50.63	11.720	68.30	17.67	PK	Vertic	PASS


Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.00	38.9	49.83	10.900	68.30	18.47	PK	Horizo	PASS
2	5658.00	39.1	50.12	11.000	74.24	24.12	PK	Horizo	PASS
3	5705.40	38.6	49.84	11.270	106.81	56.97	PK	Horizo	PASS
4	5719.20	39.2	50.51	11.320	110.68	60.17	PK	Horizo	PASS
5	5906.40	38.8	50.47	11.640	102.30	51.83	PK	Horizo	PASS
6	5924.00	39.0	50.64	11.690	89.05	38.41	PK	Horizo	PASS
7	5952.20	39.1	50.85	11.790	88.30	37.45	PK	Horizo	PASS
8	6000.40	39.5	51.42	11.940	88.30	36.88	PK	Horizo	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5630.20	26.6	37.46	10.820	68.30	30.84	AV	Horizo	PASS
2	5666.00	26.5	37.55	11.040	80.18	42.63	AV	Horizo	PASS
3	5701.80	26.6	37.80	11.250	105.80	68.00	AV	Horizo	PASS
4	5711.40	26.4	37.72	11.290	108.49	70.77	AV	Horizo	PASS
5	5905.40	26.6	38.27	11.640	83.05	44.78	AV	Horizo	PASS
6	5947.00	26.7	38.48	11.780	68.30	29.82	AV	Horizo	PASS
7	5968.20	26.9	38.74	11.840	68.30	29.56	AV	Horizo	PASS
8	6000.60	26.9	38.88	11.940	68.30	29.42	AV	Horizo	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.00	38.3	49.16	10.900	68.30	19.14	PK	Vertic	PASS
2	5657.20	38.9	49.92	11.000	73.65	23.73	PK	Vertic	PASS
3	5689.60	38.9	50.09	11.180	97.63	47.54	PK	Vertic	PASS
4	5703.40	39.3	50.57	11.260	106.25	55.68	PK	Vertic	PASS
5	5898.60	38.7	50.30	11.620	108.18	57.88	PK	Vertic	PASS
6	5923.60	38.7	50.36	11.690	89.35	38.99	PK	Vertic	PASS
7	5959.20	39.3	51.09	11.810	88.30	37.21	PK	Vertic	PASS
8	5998.80	39.4	51.37	11.940	88.30	36.93	PK	Vertic	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.40	26.6	37.52	10.890	68.30	30.78	AV	Vertic	PASS
2	5666.00	26.6	37.63	11.040	80.18	42.55	AV	Vertic	PASS
3	5706.60	26.5	37.77	11.270	107.15	69.38	AV	Vertic	PASS
4	5717.80	26.5	37.84	11.320	110.28	72.44	AV	Vertic	PASS
5	5907.20	26.7	38.38	11.640	81.70	43.32	AV	Vertic	PASS
6	5955.60	26.7	38.50	11.800	68.30	29.80	AV	Vertic	PASS
7	5998.20	27.0	38.93	11.930	68.30	29.37	AV	Vertic	PASS
8	6019.80	26.9	38.93	12.010	68.30	29.37	AV	Vertic	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.40	38.4	49.30	10.930	68.30	19.00	PK	Horizo	PASS
2	5675.20	38.2	49.29	11.100	86.99	37.70	PK	Horizo	PASS
3	5710.60	38.7	49.94	11.290	108.27	58.33	PK	Horizo	PASS
4	5719.40	38.5	49.80	11.320	110.73	60.93	PK	Horizo	PASS
5	5898.60	42.1	53.69	11.620	108.18	54.49	PK	Horizo	PASS
6	5919.20	38.9	50.61	11.680	92.66	42.05	PK	Horizo	PASS
7	5943.40	39.2	50.97	11.760	88.30	37.33	PK	Horizo	PASS
8	5983.00	39.8	51.70	11.890	88.30	36.60	PK	Horizo	PASS


Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.40	26.6	37.44	10.880	68.30	30.86	AV	Horizo	PASS
2	5671.20	26.5	37.53	11.080	84.03	46.50	AV	Horizo	PASS
3	5696.80	26.6	37.78	11.220	102.94	65.16	AV	Horizo	PASS
4	5719.80	26.5	37.80	11.330	110.84	73.04	AV	Horizo	PASS
5	5898.00	27.1	38.74	11.620	88.63	49.89	AV	Horizo	PASS
6	5919.80	26.8	38.43	11.680	72.21	33.78	AV	Horizo	PASS
7	5950.80	26.7	38.52	11.790	68.30	29.78	AV	Horizo	PASS
8	5985.40	26.8	38.72	11.890	68.30	29.58	AV	Horizo	PASS


Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5649.00	38.7	49.63	10.940	68.30	18.67	PK	Vertic	PASS
2	5669.80	38.3	49.34	11.070	82.99	33.65	PK	Vertic	PASS
3	5698.80	38.8	50.06	11.230	104.42	54.36	PK	Vertic	PASS
4	5720.20	38.6	49.97	11.330	111.36	61.39	PK	Vertic	PASS
5	5901.00	46.8	58.37	11.620	106.37	48.00	PK	Vertic	PASS
6	5909.20	40.5	52.10	11.650	100.19	48.09	PK	Vertic	PASS
7	5949.60	38.7	50.51	11.780	88.30	37.79	PK	Vertic	PASS
8	5976.60	38.8	50.65	11.870	88.30	37.65	PK	Vertic	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.40	26.6	37.48	10.880	68.30	30.82	AV	Vertic	PASS
2	5662.80	26.5	37.54	11.020	77.80	40.26	AV	Vertic	PASS
3	5691.20	26.4	37.60	11.190	98.81	61.21	AV	Vertic	PASS
4	5717.20	26.5	37.82	11.320	110.12	72.30	AV	Vertic	PASS
5	5913.20	27.1	38.71	11.660	77.18	38.47	AV	Vertic	PASS
6	5942.20	26.9	38.69	11.760	68.30	29.61	AV	Vertic	PASS
7	5960.00	26.9	38.69	11.820	68.30	29.61	AV	Vertic	PASS
8	5994.40	27.0	38.87	11.920	68.30	29.43	AV	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.00	38.3	49.16	10.860	68.30	19.14	PK	Horizo	PASS
2	5661.60	38.5	49.54	11.020	76.91	27.37	PK	Horizo	PASS
3	5700.60	38.6	49.88	11.240	105.47	55.59	PK	Horizo	PASS
4	5717.40	38.8	50.07	11.320	110.17	60.10	PK	Horizo	PASS
5	5903.00	50.3	61.94	11.630	104.86	42.92	PK	Horizo	PASS
6	5920.40	40.1	51.74	11.680	91.76	40.02	PK	Horizo	PASS
7	5947.60	38.8	50.55	11.780	88.30	37.75	PK	Horizo	PASS
8	5981.80	38.5	50.35	11.880	88.30	37.95	PK	Horizo	PASS


Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.20	26.5	37.41	10.900	68.30	30.89	AV	Horizo	PASS
2	5665.80	26.6	37.67	11.040	80.03	42.36	AV	Horizo	PASS
3	5696.40	26.4	37.63	11.220	102.65	65.02	AV	Horizo	PASS
4	5718.80	26.5	37.81	11.320	110.56	72.75	AV	Horizo	PASS
5	5903.40	30.6	42.21	11.630	84.56	42.35	AV	Horizo	PASS
6	5911.80	27.2	38.89	11.660	78.23	39.34	AV	Horizo	PASS
7	5956.00	26.7	38.45	11.800	68.30	29.85	AV	Horizo	PASS
8	5986.00	26.8	38.74	11.900	68.30	29.56	AV	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.80	38.6	49.45	10.900	68.30	18.85	PK	Vertic	PASS
2	5669.20	38.6	49.62	11.070	82.55	32.93	PK	Vertic	PASS
3	5689.80	38.3	49.51	11.180	97.78	48.27	PK	Vertic	PASS
4	5708.60	38.9	50.16	11.270	107.71	57.55	PK	Vertic	PASS
5	5904.80	53.4	65.06	11.630	103.50	38.44	PK	Vertic	PASS
6	5929.80	47.7	59.42	11.720	88.30	28.88	PK	Vertic	PASS
7	5962.20	38.7	50.49	11.820	88.30	37.81	PK	Vertic	PASS
8	5995.00	39.0	50.87	11.920	88.30	37.43	PK	Vertic	PASS


Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.40	26.6	37.53	10.900	68.30	30.77	AV	Vertic	PASS
2	5666.20	26.6	37.66	11.040	80.32	42.66	AV	Vertic	PASS
3	5696.80	26.5	37.73	11.220	102.94	65.21	AV	Vertic	PASS
4	5710.20	26.5	37.75	11.290	108.16	70.41	AV	Vertic	PASS
5	5900.40	35.2	46.83	11.620	86.82	39.99	AV	Vertic	PASS
6	5916.60	28.4	40.08	11.670	74.62	34.54	AV	Vertic	PASS
7	5963.60	27.0	38.80	11.830	68.30	29.50	AV	Vertic	PASS
8	5983.00	26.9	38.81	11.890	68.30	29.49	AV	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.60	39.3	50.20	10.900	68.30	18.10	PK	Horizo	PASS
2	5673.40	38.9	49.94	11.090	85.66	35.72	PK	Horizo	PASS
3	5705.40	38.5	49.77	11.270	106.81	57.04	PK	Horizo	PASS
4	5719.60	38.4	49.73	11.320	110.79	61.06	PK	Horizo	PASS
5	5900.20	38.6	50.19	11.620	106.97	56.78	PK	Horizo	PASS
6	5910.60	38.5	50.12	11.650	99.13	49.01	PK	Horizo	PASS
7	5952.60	38.7	50.52	11.790	88.30	37.78	PK	Horizo	PASS
8	6001.00	38.9	50.80	11.940	88.30	37.50	PK	Horizo	PASS


Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.40	26.5	37.45	10.940	68.30	30.85	AV	Horizo	PASS
2	5679.60	26.6	37.67	11.120	90.24	52.57	AV	Horizo	PASS
3	5699.40	26.7	37.98	11.240	104.86	66.88	AV	Horizo	PASS
4	5717.40	26.6	37.92	11.320	110.17	72.25	AV	Horizo	PASS
5	5902.60	26.7	38.31	11.630	85.16	46.85	AV	Horizo	PASS
6	5931.20	26.7	38.43	11.730	68.30	29.87	AV	Horizo	PASS
7	5962.80	26.8	38.61	11.820	68.30	29.69	AV	Horizo	PASS
8	6001.40	26.9	38.86	11.940	68.30	29.44	AV	Horizo	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.40	38.4	49.32	10.920	68.30	18.98	PK	Vertic	PASS
2	5659.20	38.7	49.73	11.010	75.13	25.40	PK	Vertic	PASS
3	5683.40	38.9	50.02	11.150	93.05	43.03	PK	Vertic	PASS
4	5718.20	38.7	49.97	11.320	110.40	60.43	PK	Vertic	PASS
5	5897.80	41.3	52.96	11.620	108.79	55.83	PK	Vertic	PASS
6	5920.80	38.2	49.91	11.680	91.46	41.55	PK	Vertic	PASS
7	5937.60	44.8	56.55	11.750	88.30	31.75	PK	Vertic	PASS
8	5980.00	39.1	51.00	11.880	88.30	37.30	PK	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.40	26.6	37.50	10.950	68.60	31.10	AV	Vertic	PASS
2	5674.80	26.5	37.60	11.090	86.69	49.09	AV	Vertic	PASS
3	5708.20	26.6	37.91	11.270	107.60	69.69	AV	Vertic	PASS
4	5716.00	27.0	38.29	11.310	109.78	71.49	AV	Vertic	PASS
5	5897.20	27.8	39.41	11.620	89.24	49.83	AV	Vertic	PASS
6	5915.60	27.0	38.70	11.670	75.37	36.67	AV	Vertic	PASS
7	5936.60	31.9	43.67	11.740	68.30	24.63	AV	Vertic	PASS
8	5966.40	28.4	40.19	11.840	68.30	28.11	AV	Vertic	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.40	38.8	49.67	10.880	68.30	18.63	PK	Horizo	PASS
2	5674.20	38.6	49.66	11.090	86.25	36.59	PK	Horizo	PASS
3	5708.40	38.4	49.63	11.270	107.65	58.02	PK	Horizo	PASS
4	5721.80	38.3	49.63	11.330	115.01	65.38	PK	Horizo	PASS
5	5906.40	46.4	58.02	11.640	102.30	44.28	PK	Horizo	PASS
6	5928.20	47.0	58.69	11.720	88.30	29.61	PK	Horizo	PASS
7	5946.20	49.3	61.11	11.770	88.30	27.19	PK	Horizo	PASS
8	5973.80	39.1	50.96	11.860	88.30	37.34	PK	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.20	26.5	37.35	10.890	68.30	30.95	AV	Horizo	PASS
2	5669.40	26.5	37.53	11.070	82.69	45.16	AV	Horizo	PASS
3	5695.80	26.5	37.74	11.220	102.20	64.46	AV	Horizo	PASS
4	5715.00	26.4	37.72	11.300	109.50	71.78	AV	Horizo	PASS
5	5906.00	48.1	59.69	11.640	82.60	22.91	AV	Horizo	PASS
6	5918.00	39.3	50.97	11.680	73.56	22.59	AV	Horizo	PASS
7	5945.60	26.9	38.70	11.770	68.30	29.60	AV	Horizo	PASS
8	5980.00	26.8	38.69	11.880	68.30	29.61	AV	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.40	38.6	49.43	10.870	68.30	18.87	PK	Vertic	PASS
2	5659.80	38.3	49.28	11.010	75.58	26.30	PK	Vertic	PASS
3	5701.20	38.5	49.77	11.240	105.64	55.87	PK	Vertic	PASS
4	5718.20	38.1	49.40	11.320	110.40	61.00	PK	Vertic	PASS
5	5903.80	50.6	62.22	11.630	104.26	42.04	PK	Vertic	PASS
6	5918.80	47.3	58.94	11.680	92.96	34.02	PK	Vertic	PASS
7	5955.00	38.8	50.56	11.800	88.30	37.74	PK	Vertic	PASS
8	5982.00	43.5	55.40	11.880	88.30	32.90	PK	Vertic	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.20	26.6	37.52	10.920	68.30	30.78	AV	Vertic	PASS
2	5672.60	26.6	37.63	11.080	85.06	47.43	AV	Vertic	PASS
3	5705.80	26.5	37.80	11.270	106.93	69.13	AV	Vertic	PASS
4	5720.80	26.6	37.93	11.330	112.72	74.79	AV	Vertic	PASS
5	5897.40	54.7	66.33	11.620	89.09	22.76	AV	Vertic	PASS
6	5913.60	33.5	45.15	11.660	76.87	31.72	AV	Vertic	PASS
7	5944.20	37.3	49.09	11.770	68.30	19.21	AV	Vertic	PASS
8	5975.20	27.0	38.84	11.860	68.30	29.46	AV	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.20	42.4	53.33	10.890	68.30	14.97	PK	Horizo	PASS
2	5667.20	46.4	57.44	11.050	81.06	23.62	PK	Horizo	PASS
3	5705.00	38.6	49.84	11.260	106.70	56.86	PK	Horizo	PASS
4	5719.40	46.4	57.76	11.320	110.73	52.97	PK	Horizo	PASS
5	5901.20	55.6	67.26	11.620	106.22	38.96	PK	Horizo	PASS
6	5904.60	53.2	64.81	11.630	103.66	38.85	PK	Horizo	PASS
7	5937.20	56.4	68.15	11.750	88.30	20.15	PK	Horizo	PASS
8	5991.00	53.9	65.78	11.910	88.30	22.52	PK	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.00	30.2	41.17	10.950	68.30	27.13	AV	Horizo	PASS
2	5655.20	30.2	41.18	10.980	72.16	30.98	AV	Horizo	PASS
3	5689.20	26.5	37.67	11.180	97.34	59.67	AV	Horizo	PASS
4	5714.40	26.7	38.03	11.300	109.33	71.30	AV	Horizo	PASS
5	5908.40	41.9	53.58	11.650	80.79	27.21	AV	Horizo	PASS
6	5912.00	40.8	52.43	11.660	78.08	25.65	AV	Horizo	PASS
7	5922.60	39.6	51.25	11.690	70.10	18.85	AV	Horizo	PASS
8	5994.00	35.9	47.86	11.920	68.30	20.44	AV	Horizo	PASS


Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.40	43.6	54.50	10.930	68.30	13.80	PK	Vertic	PASS
2	5659.20	46.8	57.79	11.010	75.13	17.34	PK	Vertic	PASS
3	5702.40	39.2	50.48	11.250	105.97	55.49	PK	Vertic	PASS
4	5724.20	44.7	56.02	11.350	120.48	64.46	PK	Vertic	PASS
5	5899.00	64.5	76.09	11.620	107.88	31.79	PK	Vertic	PASS
6	5915.80	66.0	77.66	11.670	95.22	17.56	PK	Vertic	PASS
7	5996.20	53.1	64.99	11.930	88.30	23.31	PK	Vertic	PASS
8	6011.80	42.6	54.58	11.980	88.30	33.72	PK	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.00	26.7	37.62	10.880	68.30	30.68	AV	Vertic	PASS
2	5669.40	26.6	37.67	11.070	82.69	45.02	AV	Vertic	PASS
3	5697.00	32.5	43.69	11.230	103.09	59.40	AV	Vertic	PASS
4	5720.80	27.4	38.72	11.330	112.72	74.00	AV	Vertic	PASS
5	5908.40	46.7	58.38	11.650	80.79	22.41	AV	Vertic	PASS
6	5958.60	32.9	44.69	11.810	68.30	23.61	AV	Vertic	PASS
7	5967.00	37.1	48.98	11.840	68.30	19.32	AV	Vertic	PASS
8	5989.80	38.0	49.87	11.910	68.30	18.43	AV	Vertic	PASS

AWAN Antenna:
Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4933.06	37.7	46.79	9.060	74.00	27.21	PK	Horizo	PASS
2	5150.00	37.9	47.44	9.590	74.00	26.56	PK	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4988.26	27.6	36.92	9.340	54.00	17.08	AV	Horizo	PASS
2	5150.00	29.0	38.54	9.590	54.00	15.46	AV	Horizo	PASS




Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4805.84	38.4	46.71	8.330	74.00	27.29	PK	Vertic	PASS
2	5150.00	37.8	47.40	9.590	74.00	26.60	PK	Vertic	PASS




Transmit at 5180MHz by 802.11a with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4967.39	27.5	36.71	9.230	54.00	17.29	AV	Vertic	PASS
2	5150.00	28.3	37.86	9.590	54.00	16.14	AV	Vertic	PASS


Transmit at 5320MHz by 802.11a with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.4	46.89	9.460	74.00	27.11	PK	Horizo	PASS
2	5357.63	39.4	48.89	9.490	74.00	25.11	PK	Horizo	PASS


Transmit at 5320MHz by 802.11a with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.8	38.23	9.460	54.00	15.77	AV	Horizo	PASS
2	5380.69	29.3	38.90	9.570	54.00	15.10	AV	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.5	46.00	9.460	74.00	28.00	PK	Vertic	PASS
2	5367.88	39.1	48.64	9.520	74.00	25.36	PK	Vertic	PASS