



Transmit at 5320MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.7	38.20	9.460	54.00	15.80	AV	Vertic	PASS
2	5361.34	29.1	38.55	9.500	54.00	15.45	AV	Vertic	PASS


Transmit at 5500MHz by 802.11a with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.8	47.58	9.800	68.30	20.72	PK	Horizo	PASS
2	5464.67	41.8	51.56	9.810	68.30	16.74	PK	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5418.70	28.4	38.09	9.680	54.00	15.91	AV	Horizo	PASS
2	5460.00	28.0	37.79	9.800	54.00	16.21	AV	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.1	48.87	9.800	68.30	19.43	PK	Vertic	PASS
2	5461.63	40.9	50.65	9.800	68.30	17.65	PK	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5434.34	28.1	37.82	9.720	54.00	16.18	AV	Vertic	PASS
2	5460.00	28.5	38.33	9.800	54.00	15.67	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	38.5	49.81	11.350	68.30	18.49	PK	Horizo	PASS
2	5730.70	42.1	53.43	11.380	68.30	14.87	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	40.0	51.35	11.350	68.30	16.95	PK	Vertic	PASS
2	5742.25	40.5	51.95	11.430	68.30	16.35	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4821.02	38.9	47.34	8.410	74.00	26.66	PK	Horizo	PASS
2	5150.00	37.4	46.99	9.590	74.00	27.01	PK	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4928.58	28.2	37.25	9.040	54.00	16.75	AV	Horizo	PASS
2	5150.00	30.5	40.09	9.590	54.00	13.91	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4869.24	38.4	47.07	8.690	74.00	26.93	PK	Vertic	PASS
2	5150.00	37.4	46.94	9.590	74.00	27.06	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4868.20	28.2	36.92	8.690	54.00	17.08	AV	Vertic	PASS
2	5150.00	30.5	40.12	9.590	54.00	13.88	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.5	45.93	9.460	74.00	28.07	PK	Horizo	PASS
2	5369.44	39.5	49.04	9.530	74.00	24.96	PK	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	29.1	38.52	9.460	54.00	15.48	AV	Horizo	PASS
2	5373.73	28.6	38.14	9.540	54.00	15.86	AV	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.4	46.86	9.460	74.00	27.14	PK	Vertic	PASS
2	5366.89	39.1	48.65	9.520	74.00	25.35	PK	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.8	37.22	9.460	54.00	16.78	AV	Vertic	PASS
2	5368.31	28.6	38.09	9.520	54.00	15.91	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.1	47.88	9.800	68.30	20.42	PK	Horizo	PASS
2	5466.96	42.3	52.12	9.810	68.30	16.18	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5422.48	28.4	38.08	9.690	54.00	15.92	AV	Horizo	PASS
2	5460.00	29.0	38.77	9.800	54.00	15.23	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.9	48.72	9.800	68.30	19.58	PK	Vertic	PASS
2	5466.91	42.1	51.92	9.810	68.30	16.38	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5438.36	29.4	39.10	9.730	54.00	14.90	AV	Vertic	PASS
2	5460.00	28.0	37.81	9.800	54.00	16.19	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	40.5	51.87	11.350	68.30	16.43	PK	Horizo	PASS
2	5751.80	39.6	51.09	11.470	68.30	17.21	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	43.4	54.70	11.350	68.30	13.60	PK	Vertic	PASS
2	5728.50	41.7	53.04	11.370	68.30	15.26	PK	Vertic	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4911.00	38.6	47.57	8.960	74.00	26.43	PK	Horizo	PASS
2	5150.00	42.4	51.96	9.590	74.00	22.04	PK	Horizo	PASS




Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4929.91	28.2	37.28	9.040	54.00	16.72	AV	Horizo	PASS
2	5150.00	33.7	43.29	9.590	54.00	10.71	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4889.17	39.5	48.38	8.840	74.00	25.62	PK	Vertic	PASS
2	5150.00	38.7	48.28	9.590	74.00	25.72	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4899.91	28.3	37.23	8.910	54.00	16.77	AV	Vertic	PASS
2	5150.00	31.7	41.24	9.590	54.00	12.76	AV	Vertic	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	42.6	52.05	9.460	74.00	21.95	PK	Horizo	PASS
2	5359.19	42.6	52.09	9.490	74.00	21.91	PK	Horizo	PASS




Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.4	42.82	9.460	54.00	11.18	AV	Horizo	PASS
2	5358.91	31.7	41.21	9.490	54.00	12.79	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	40.8	50.22	9.460	74.00	23.78	PK	Vertic	PASS
2	5352.05	48.1	57.56	9.460	74.00	16.44	PK	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.9	40.39	9.460	54.00	13.61	AV	Vertic	PASS
2	5362.34	28.6	38.07	9.500	54.00	15.93	AV	Vertic	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	43.2	53.04	9.800	68.30	15.26	PK	Horizo	PASS
2	5469.94	52.9	62.74	9.820	68.30	5.56	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5437.19	28.1	37.79	9.730	54.00	16.21	AV	Horizo	PASS
2	5460.00	30.2	40.03	9.800	54.00	13.97	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.0	50.81	9.800	68.30	17.49	PK	Vertic	PASS
2	5465.92	49.5	59.35	9.810	68.30	8.95	PK	Vertic	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5432.87	27.6	37.30	9.720	54.00	16.70	AV	Vertic	PASS
2	5460.00	30.1	39.93	9.800	54.00	14.07	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.0	46.78	9.820	68.30	21.52	PK	Horizo	PASS
2	5725.00	38.0	49.36	11.350	68.30	18.94	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5394.98	27.1	36.75	9.620	54.00	17.25	AV	Horizo	PASS
2	5460.00	26.4	36.18	9.800	54.00	17.82	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.8	46.60	9.820	68.30	21.70	PK	Vertic	PASS
2	5725.00	44.5	55.83	11.350	68.30	12.47	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5399.80	26.9	36.49	9.640	54.00	17.51	AV	Vertic	PASS
2	5460.00	26.7	36.50	9.800	54.00	17.50	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5098.69	43.9	53.41	9.480	74.00	20.59	PK	Horizo	PASS
2	5150.00	45.4	55.00	9.590	74.00	19.00	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5104.50	33.0	42.52	9.490	54.00	11.48	AV	Horizo	PASS
2	5150.00	38.0	47.59	9.590	54.00	6.41	AV	Horizo	PASS




Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.91	42.5	51.96	9.480	74.00	22.04	PK	Vertic	PASS
2	5150.00	44.3	53.88	9.590	74.00	20.12	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4981.69	27.5	36.81	9.310	54.00	17.19	AV	Vertic	PASS
2	5150.00	36.3	45.86	9.590	54.00	8.14	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	44.6	54.03	9.460	74.00	19.97	PK	Horizo	PASS
2	5362.53	50.0	59.54	9.500	74.00	14.46	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.4	43.89	9.460	54.00	10.11	AV	Horizo	PASS
2	5374.29	39.9	49.41	9.540	54.00	4.59	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	40.9	50.31	9.460	74.00	23.69	PK	Vertic	PASS
2	5384.69	50.6	60.19	9.580	74.00	13.81	PK	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.5	43.97	9.460	54.00	10.03	AV	Vertic	PASS
2	5373.40	39.0	48.54	9.540	54.00	5.46	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	45.0	54.81	9.800	68.30	13.49	PK	Horizo	PASS
2	5462.05	49.1	58.86	9.800	68.30	9.44	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5430.30	32.4	42.10	9.710	54.00	11.90	AV	Horizo	PASS
2	5460.00	33.7	43.53	9.800	54.00	10.47	AV	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	44.4	54.24	9.800	68.30	14.06	PK	Vertic	PASS
2	5468.87	46.4	56.17	9.820	68.30	12.13	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.14	33.9	43.66	9.760	54.00	10.34	AV	Vertic	PASS
2	5460.00	33.1	42.87	9.800	54.00	11.13	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	39.4	49.23	9.820	68.30	19.07	PK	Horizo	PASS
2	5725.00	39.4	50.78	11.350	68.30	17.52	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5393.73	27.1	36.66	9.610	54.00	17.34	AV	Horizo	PASS
2	5460.00	27.4	37.17	9.800	54.00	16.83	AV	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.5	47.33	9.820	68.30	20.97	PK	Vertic	PASS
2	5725.00	39.6	50.97	11.350	68.30	17.33	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5379.57	27.1	36.64	9.560	54.00	17.36	AV	Vertic	PASS
2	5460.00	26.9	36.74	9.800	54.00	17.26	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.31	39.3	50.22	10.920	68.30	18.08	PK	Horizo	PASS
2	5692.28	40.2	51.42	11.190	99.60	48.18	PK	Horizo	PASS
3	5711.61	39.5	50.79	11.290	108.55	57.76	PK	Horizo	PASS
4	5718.60	39.6	50.95	11.320	110.51	59.56	PK	Horizo	PASS
5	5851.53	39.0	50.61	11.660	118.82	68.21	PK	Horizo	PASS
6	5876.23	39.2	50.88	11.640	104.39	53.51	PK	Horizo	PASS
7	5904.01	38.9	50.48	11.630	83.79	33.31	PK	Horizo	PASS
8	5933.59	39.4	51.11	11.730	68.30	17.19	PK	Horizo	PASS


Transmit at 5745MHz by 802.11a with Ant MIMO

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.30	40.3	51.13	10.880	68.30	17.17	PK	Vertic	PASS
2	5672.29	39.7	50.74	11.080	84.83	34.09	PK	Vertic	PASS
3	5709.34	40.1	51.39	11.280	107.92	56.53	PK	Vertic	PASS
4	5722.18	45.2	56.50	11.340	115.86	59.36	PK	Vertic	PASS
5	5853.96	39.2	50.90	11.660	113.26	62.36	PK	Vertic	PASS
6	5877.69	39.5	51.14	11.640	103.30	52.16	PK	Vertic	PASS
7	5917.18	39.3	50.97	11.670	74.07	23.10	PK	Vertic	PASS
8	5939.44	39.9	51.68	11.750	68.30	16.62	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant MIMO**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.76	38.8	49.73	10.890	68.30	18.57	PK	Horizo	PASS
2	5674.89	39.4	50.47	11.090	86.76	36.29	PK	Horizo	PASS
3	5706.90	40.1	51.41	11.270	107.23	55.82	PK	Horizo	PASS
4	5720.39	39.8	51.14	11.330	111.78	60.64	PK	Horizo	PASS
5	5858.03	39.0	50.64	11.650	110.05	59.41	PK	Horizo	PASS
6	5882.56	39.3	50.93	11.630	99.68	48.75	PK	Horizo	PASS
7	5909.54	39.9	51.51	11.650	79.71	28.20	PK	Horizo	PASS
8	5932.13	39.6	51.30	11.730	68.30	17.00	PK	Horizo	PASS


Transmit at 5825MHz by 802.11a with Ant MIMO

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	38.7	49.58	10.880	68.30	18.72	PK	Vertic	PASS
2	5675.05	39.4	50.53	11.100	86.88	36.35	PK	Vertic	PASS
3	5701.54	39.6	50.80	11.240	105.73	54.93	PK	Vertic	PASS
4	5718.28	39.2	50.47	11.320	110.42	59.95	PK	Vertic	PASS
5	5862.09	40.4	52.06	11.650	108.91	56.85	PK	Vertic	PASS
6	5900.44	39.7	51.31	11.620	86.44	35.13	PK	Vertic	PASS
7	5924.33	39.3	51.02	11.700	68.80	17.78	PK	Vertic	PASS
8	5938.79	40.1	51.89	11.750	68.30	16.41	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.46	39.7	50.59	10.880	68.30	17.71	PK	Horizo	PASS
2	5678.46	38.9	50.05	11.110	89.40	39.35	PK	Horizo	PASS
3	5704.79	39.4	50.67	11.260	106.64	55.97	PK	Horizo	PASS
4	5717.46	41.4	52.70	11.320	110.19	57.49	PK	Horizo	PASS
5	5865.18	39.7	51.36	11.650	108.05	56.69	PK	Horizo	PASS
6	5902.39	39.9	51.53	11.630	84.99	33.46	PK	Horizo	PASS
7	5925.30	40.2	51.91	11.710	68.30	16.39	PK	Horizo	PASS
8	5938.30	40.2	51.91	11.750	68.30	16.39	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant MIMO


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.76	39.1	49.95	10.890	68.30	18.35	PK	Vertic	PASS
2	5678.63	39.1	50.18	11.110	89.52	39.34	PK	Vertic	PASS
3	5693.25	40.3	51.50	11.200	100.32	48.82	PK	Vertic	PASS
4	5713.40	40.5	51.81	11.300	109.05	57.24	PK	Vertic	PASS
5	5852.01	39.8	51.47	11.660	117.71	66.24	PK	Vertic	PASS
6	5876.88	39.7	51.29	11.640	103.91	52.62	PK	Vertic	PASS
7	5889.06	39.4	51.03	11.630	94.86	43.83	PK	Vertic	PASS
8	5939.76	39.4	51.14	11.750	68.30	17.16	PK	Vertic	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.91	39.3	50.19	10.940	68.30	18.11	PK	Horizo	PASS
2	5670.83	38.8	49.90	11.070	83.75	33.85	PK	Horizo	PASS
3	5709.83	39.3	50.60	11.290	108.05	57.45	PK	Horizo	PASS
4	5718.44	39.6	50.90	11.320	110.46	59.56	PK	Horizo	PASS
5	5852.50	39.4	51.04	11.660	116.60	65.56	PK	Horizo	PASS
6	5887.76	39.6	51.25	11.630	95.83	44.58	PK	Horizo	PASS
7	5912.46	39.7	51.37	11.660	77.55	26.18	PK	Horizo	PASS
8	5938.63	39.4	51.16	11.750	68.30	17.14	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant MIMO


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.35	39.5	50.36	10.870	68.30	17.94	PK	Vertic	PASS
2	5674.08	39.6	50.65	11.090	86.16	35.51	PK	Vertic	PASS
3	5707.06	39.5	50.77	11.270	107.28	56.51	PK	Vertic	PASS
4	5719.58	39.2	50.53	11.320	110.78	60.25	PK	Vertic	PASS
5	5862.09	40.1	51.79	11.650	108.91	57.12	PK	Vertic	PASS
6	5874.44	39.7	51.33	11.640	105.46	54.13	PK	Vertic	PASS
7	5905.48	39.5	51.10	11.640	82.71	31.61	PK	Vertic	PASS
8	5940.90	39.4	51.15	11.760	68.30	17.15	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.25	38.5	49.36	10.890	68.30	18.94	PK	Horizo	PASS
2	5671.15	38.9	50.02	11.080	83.99	33.97	PK	Horizo	PASS
3	5698.13	39.3	50.51	11.230	103.92	53.41	PK	Horizo	PASS
4	5708.53	46.2	57.44	11.270	107.69	50.25	PK	Horizo	PASS
5	5855.43	38.3	49.96	11.660	110.78	60.82	PK	Horizo	PASS
6	5879.80	38.5	50.16	11.640	101.73	51.57	PK	Horizo	PASS
7	5907.43	39.6	51.21	11.640	81.27	30.06	PK	Horizo	PASS
8	5941.88	39.0	50.75	11.760	68.30	17.55	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	38.6	49.51	10.880	68.30	18.79	PK	Vertic	PASS
2	5672.13	38.5	49.54	11.080	84.71	35.17	PK	Vertic	PASS
3	5702.51	42.9	54.17	11.250	106.00	51.83	PK	Vertic	PASS
4	5717.30	48.0	59.27	11.320	110.15	50.88	PK	Vertic	PASS
5	5857.54	39.0	50.68	11.650	110.19	59.51	PK	Vertic	PASS
6	5878.99	38.5	50.10	11.640	102.34	52.24	PK	Vertic	PASS
7	5915.39	39.1	50.80	11.670	75.39	24.59	PK	Vertic	PASS
8	5944.64	38.9	50.68	11.770	68.30	17.62	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.04	38.3	49.24	10.900	68.30	19.06	PK	Horizo	PASS
2	5687.89	38.9	50.09	11.170	96.37	46.28	PK	Horizo	PASS
3	5710.80	38.2	49.51	11.290	108.33	58.82	PK	Horizo	PASS
4	5716.33	39.1	50.38	11.320	109.87	59.49	PK	Horizo	PASS
5	5857.05	40.4	52.09	11.650	110.33	58.24	PK	Horizo	PASS
6	5882.24	38.2	49.83	11.630	99.92	50.09	PK	Horizo	PASS
7	5916.20	38.7	50.41	11.670	74.79	24.38	PK	Horizo	PASS
8	5944.48	38.5	50.31	11.770	68.30	17.99	PK	Horizo	PASS


Transmit at 5795MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.15	39.3	50.18	10.920	68.30	18.12	PK	Vertic	PASS
2	5680.41	38.6	49.71	11.120	90.84	41.13	PK	Vertic	PASS
3	5710.48	38.6	49.93	11.290	108.24	58.31	PK	Vertic	PASS
4	5720.88	39.6	50.95	11.330	112.90	61.95	PK	Vertic	PASS
5	5854.94	43.8	55.45	11.660	111.04	55.59	PK	Vertic	PASS
6	5881.26	38.8	50.47	11.630	100.65	50.18	PK	Vertic	PASS
7	5909.38	39.0	50.67	11.650	79.83	29.16	PK	Vertic	PASS
8	5938.79	38.3	50.03	11.750	68.30	18.27	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.99	39.9	50.78	10.840	68.30	17.52	PK	Horizo	PASS
2	5666.76	43.9	54.93	11.040	80.74	25.81	PK	Horizo	PASS
3	5687.73	44.1	55.31	11.170	96.25	40.94	PK	Horizo	PASS
4	5702.68	44.4	55.66	11.250	106.05	50.39	PK	Horizo	PASS
5	5856.40	47.9	59.53	11.650	110.51	50.98	PK	Horizo	PASS
6	5873.14	44.1	55.70	11.640	105.82	50.12	PK	Horizo	PASS
7	5900.76	41.5	53.09	11.620	86.20	33.11	PK	Horizo	PASS
8	5930.50	38.7	50.45	11.720	68.30	17.85	PK	Horizo	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.05	39.7	50.56	10.860	68.30	17.74	PK	Vertic	PASS
2	5672.29	47.8	58.85	11.080	84.83	25.98	PK	Vertic	PASS
3	5694.23	47.8	58.97	11.210	101.04	42.07	PK	Vertic	PASS
4	5706.25	47.7	59.01	11.270	107.05	48.04	PK	Vertic	PASS
5	5857.86	47.0	58.68	11.650	110.10	51.42	PK	Vertic	PASS
6	5889.55	49.9	61.56	11.630	94.50	32.94	PK	Vertic	PASS
7	5924.65	39.2	50.93	11.700	68.56	17.63	PK	Vertic	PASS
8	5942.69	38.6	50.40	11.760	68.30	17.90	PK	Vertic	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.20	38.7	49.54	10.890	68.30	18.76	PK	Horizo	PASS
2	5659.00	38.3	49.26	11.010	74.98	25.72	PK	Horizo	PASS
3	5704.20	38.3	49.53	11.260	106.48	56.95	PK	Horizo	PASS
4	5714.20	38.4	49.72	11.300	109.28	59.56	PK	Horizo	PASS
5	5903.80	38.8	50.42	11.630	104.26	53.84	PK	Horizo	PASS
6	5925.40	40.3	51.99	11.710	88.30	36.31	PK	Horizo	PASS
7	5964.80	39.0	50.85	11.830	88.30	37.45	PK	Horizo	PASS
8	5984.80	39.8	51.64	11.890	88.30	36.66	PK	Horizo	PASS


Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.20	26.7	37.53	10.840	68.30	30.77	AV	Horizo	PASS
2	5655.20	26.4	37.40	10.980	72.16	34.76	AV	Horizo	PASS
3	5705.00	26.7	37.95	11.260	106.70	68.75	AV	Horizo	PASS
4	5721.00	26.5	37.78	11.330	113.18	75.40	AV	Horizo	PASS
5	5901.40	27.2	38.86	11.620	86.07	47.21	AV	Horizo	PASS
6	5942.80	26.7	38.45	11.760	68.30	29.85	AV	Horizo	PASS
7	5973.80	26.9	38.74	11.860	68.30	29.56	AV	Horizo	PASS
8	5996.20	27.1	38.98	11.930	68.30	29.32	AV	Horizo	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.00	39.2	50.15	10.930	68.30	18.15	PK	Vertic	PASS
2	5668.80	38.3	49.35	11.060	82.25	32.90	PK	Vertic	PASS
3	5704.60	38.7	49.99	11.260	106.59	56.60	PK	Vertic	PASS
4	5721.00	38.5	49.81	11.330	113.18	63.37	PK	Vertic	PASS
5	5903.80	39.3	50.90	11.630	104.26	53.36	PK	Vertic	PASS
6	5929.60	40.3	52.01	11.720	88.30	36.29	PK	Vertic	PASS
7	5956.40	38.9	50.68	11.800	88.30	37.62	PK	Vertic	PASS
8	6005.00	40.2	52.15	11.960	88.30	36.15	PK	Vertic	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.00	26.5	37.34	10.860	68.30	30.96	AV	Vertic	PASS
2	5664.20	26.7	37.68	11.030	78.84	41.16	AV	Vertic	PASS
3	5695.60	26.8	37.98	11.220	102.06	64.08	AV	Vertic	PASS
4	5718.00	26.7	37.97	11.320	110.34	72.37	AV	Vertic	PASS
5	5899.40	26.7	38.34	11.620	87.58	49.24	AV	Vertic	PASS
6	5934.80	26.8	38.58	11.740	68.30	29.72	AV	Vertic	PASS
7	5963.40	26.8	38.63	11.830	68.30	29.67	AV	Vertic	PASS
8	6003.60	26.9	38.88	11.950	68.30	29.42	AV	Vertic	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.60	39.7	50.54	10.890	68.30	17.76	PK	Horizo	PASS
2	5666.60	38.5	49.54	11.040	80.62	31.08	PK	Horizo	PASS
3	5699.80	38.7	49.92	11.240	105.15	55.23	PK	Horizo	PASS
4	5723.40	38.5	49.89	11.350	118.65	68.76	PK	Horizo	PASS
5	5898.20	46.3	57.89	11.620	108.48	50.59	PK	Horizo	PASS
6	5920.40	38.6	50.23	11.680	91.76	41.53	PK	Horizo	PASS
7	5945.60	39.0	50.72	11.770	88.30	37.58	PK	Horizo	PASS
8	5984.80	38.6	50.53	11.890	88.30	37.77	PK	Horizo	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.60	26.6	37.46	10.900	68.30	30.84	AV	Horizo	PASS
2	5675.40	26.5	37.63	11.100	87.14	49.51	AV	Horizo	PASS
3	5704.00	26.4	37.67	11.260	106.42	68.75	AV	Horizo	PASS
4	5717.80	26.4	37.74	11.320	110.28	72.54	AV	Horizo	PASS
5	5900.80	26.9	38.52	11.620	86.52	48.00	AV	Horizo	PASS
6	5921.60	26.7	38.37	11.690	70.86	32.49	AV	Horizo	PASS
7	5949.60	26.8	38.60	11.780	68.30	29.70	AV	Horizo	PASS
8	5992.20	26.8	38.74	11.920	68.30	29.56	AV	Horizo	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.60	38.2	49.11	10.910	68.30	19.19	PK	Vertic	PASS
2	5671.40	39.2	50.24	11.080	84.18	33.94	PK	Vertic	PASS
3	5700.40	38.7	49.97	11.240	105.41	55.44	PK	Vertic	PASS
4	5715.80	38.5	49.77	11.310	109.73	59.96	PK	Vertic	PASS
5	5899.00	47.3	58.95	11.620	107.88	48.93	PK	Vertic	PASS
6	5915.60	39.3	51.00	11.670	95.37	44.37	PK	Vertic	PASS
7	5948.80	39.6	51.39	11.780	88.30	36.91	PK	Vertic	PASS
8	5981.20	38.8	50.65	11.880	88.30	37.65	PK	Vertic	PASS


Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.80	26.6	37.49	10.880	68.30	30.81	AV	Vertic	PASS
2	5663.00	26.6	37.65	11.030	77.95	40.30	AV	Vertic	PASS
3	5695.60	26.5	37.71	11.220	102.06	64.35	AV	Vertic	PASS
4	5711.80	26.6	37.88	11.290	108.61	70.73	AV	Vertic	PASS
5	5914.20	27.3	38.93	11.660	76.42	37.49	AV	Vertic	PASS
6	5946.60	26.8	38.61	11.770	68.30	29.69	AV	Vertic	PASS
7	5984.00	27.0	38.85	11.890	68.30	29.45	AV	Vertic	PASS
8	6015.60	27.0	39.01	12.000	68.30	29.29	AV	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.80	38.7	49.57	10.880	68.30	18.73	PK	Horizo	PASS
2	5671.00	38.7	49.80	11.080	83.88	34.08	PK	Horizo	PASS
3	5699.00	38.3	49.50	11.240	104.56	55.06	PK	Horizo	PASS
4	5708.60	38.8	50.09	11.270	107.71	57.62	PK	Horizo	PASS
5	5897.60	51.0	62.65	11.620	108.94	46.29	PK	Horizo	PASS
6	5910.40	45.7	57.39	11.650	99.28	41.89	PK	Horizo	PASS
7	5952.60	38.6	50.41	11.790	88.30	37.89	PK	Horizo	PASS
8	5988.80	39.4	51.34	11.910	88.30	36.96	PK	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.20	26.8	37.63	10.830	68.30	30.67	AV	Horizo	PASS
2	5667.40	26.5	37.56	11.050	81.21	43.65	AV	Horizo	PASS
3	5699.00	26.5	37.72	11.240	104.56	66.84	AV	Horizo	PASS
4	5717.00	26.4	37.76	11.320	110.06	72.30	AV	Horizo	PASS
5	5902.60	39.0	50.64	11.630	85.16	34.52	AV	Horizo	PASS
6	5927.20	26.9	38.61	11.710	68.30	29.69	AV	Horizo	PASS
7	5953.80	27.1	38.88	11.800	68.30	29.42	AV	Horizo	PASS
8	5982.00	26.9	38.78	11.880	68.30	29.52	AV	Horizo	PASS


Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.00	39.1	49.94	10.890	68.30	18.36	PK	Vertic	PASS
2	5663.00	39.0	50.05	11.030	77.95	27.90	PK	Vertic	PASS
3	5688.00	38.5	49.66	11.170	96.45	46.79	PK	Vertic	PASS
4	5713.00	38.5	49.79	11.300	108.94	59.15	PK	Vertic	PASS
5	5897.60	55.3	66.88	11.620	108.94	42.06	PK	Vertic	PASS
6	5917.20	44.1	55.72	11.670	94.16	38.44	PK	Vertic	PASS
7	5940.80	46.1	57.84	11.760	88.30	30.46	PK	Vertic	PASS
8	5973.80	39.2	51.07	11.860	88.30	37.23	PK	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.80	26.5	37.46	10.940	68.30	30.84	AV	Vertic	PASS
2	5680.20	26.5	37.65	11.120	90.69	53.04	AV	Vertic	PASS
3	5707.80	26.5	37.72	11.270	107.49	69.77	AV	Vertic	PASS
4	5720.80	26.4	37.77	11.330	112.72	74.95	AV	Vertic	PASS
5	5903.20	34.3	45.88	11.630	84.71	38.83	AV	Vertic	PASS
6	5916.60	28.5	40.19	11.670	74.62	34.43	AV	Vertic	PASS
7	5948.00	27.1	38.83	11.780	68.30	29.47	AV	Vertic	PASS
8	5980.00	26.9	38.75	11.880	68.30	29.55	AV	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.40	38.4	49.27	10.900	68.30	19.03	PK	Horizo	PASS
2	5670.60	38.9	49.92	11.070	83.58	33.66	PK	Horizo	PASS
3	5695.60	38.9	50.08	11.220	102.06	51.98	PK	Horizo	PASS
4	5720.00	38.9	50.25	11.330	110.90	60.65	PK	Horizo	PASS
5	5899.20	39.0	50.61	11.620	107.73	57.12	PK	Horizo	PASS
6	5921.20	39.1	50.79	11.690	91.16	40.37	PK	Horizo	PASS
7	5939.00	43.8	55.50	11.750	88.30	32.80	PK	Horizo	PASS
8	5991.60	38.8	50.70	11.910	88.30	37.60	PK	Horizo	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.60	26.5	37.45	10.930	68.30	30.85	AV	Horizo	PASS
2	5675.60	26.6	37.72	11.100	87.28	49.56	AV	Horizo	PASS
3	5702.00	26.7	37.98	11.250	105.86	67.88	AV	Horizo	PASS
4	5721.80	26.6	37.95	11.330	115.01	77.06	AV	Horizo	PASS
5	5898.00	26.9	38.52	11.620	88.63	50.11	AV	Horizo	PASS
6	5907.40	30.9	42.52	11.640	81.54	39.02	AV	Horizo	PASS
7	5950.40	26.7	38.52	11.790	68.30	29.78	AV	Horizo	PASS
8	5981.80	26.9	38.80	11.880	68.30	29.50	AV	Horizo	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.40	39.0	49.85	10.890	68.30	18.45	PK	Vertic	PASS
2	5674.00	38.6	49.70	11.090	86.10	36.40	PK	Vertic	PASS
3	5695.80	38.7	49.93	11.220	102.20	52.27	PK	Vertic	PASS
4	5716.00	38.4	49.69	11.310	109.78	60.09	PK	Vertic	PASS
5	5902.20	39.6	51.23	11.630	105.47	54.24	PK	Vertic	PASS
6	5935.20	38.8	50.56	11.740	88.30	37.74	PK	Vertic	PASS
7	5965.60	39.4	51.19	11.830	88.30	37.11	PK	Vertic	PASS
8	6010.40	39.0	50.94	11.970	88.30	37.36	PK	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.20	26.7	37.59	10.920	68.30	30.71	AV	Vertic	PASS
2	5674.00	26.7	37.76	11.090	86.10	48.34	AV	Vertic	PASS
3	5700.20	26.7	37.91	11.240	105.36	67.45	AV	Vertic	PASS
4	5720.40	26.8	38.11	11.330	111.81	73.70	AV	Vertic	PASS
5	5899.40	27.6	39.24	11.620	87.58	48.34	AV	Vertic	PASS
6	5919.80	32.1	43.79	11.680	72.21	28.42	AV	Vertic	PASS
7	5948.80	26.8	38.59	11.780	68.30	29.71	AV	Vertic	PASS
8	5988.80	26.9	38.82	11.910	68.30	29.48	AV	Vertic	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.80	39.0	49.81	10.820	68.30	18.49	PK	Horizo	PASS
2	5657.40	38.8	49.81	11.000	73.80	23.99	PK	Horizo	PASS
3	5698.00	38.9	50.13	11.230	103.83	53.70	PK	Horizo	PASS
4	5718.80	39.5	50.85	11.320	110.56	59.71	PK	Horizo	PASS
5	5907.20	53.4	65.08	11.640	101.70	36.62	PK	Horizo	PASS
6	5926.20	57.5	69.23	11.710	88.30	19.07	PK	Horizo	PASS
7	5950.00	39.1	50.86	11.780	88.30	37.44	PK	Horizo	PASS
8	5993.40	38.6	50.54	11.920	88.30	37.76	PK	Horizo	PASS


Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.00	26.5	37.38	10.850	68.30	30.92	AV	Horizo	PASS
2	5670.20	26.6	37.62	11.070	83.29	45.67	AV	Horizo	PASS
3	5700.00	26.6	37.85	11.240	105.30	67.45	AV	Horizo	PASS
4	5719.20	26.5	37.80	11.320	110.68	72.88	AV	Horizo	PASS
5	5902.80	30.3	41.94	11.630	85.01	43.07	AV	Horizo	PASS
6	5929.40	41.6	53.29	11.720	68.30	15.01	AV	Horizo	PASS
7	5954.60	26.8	38.64	11.800	68.30	29.66	AV	Horizo	PASS
8	5987.00	26.9	38.81	11.900	68.30	29.49	AV	Horizo	PASS


Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.40	39.1	49.99	10.880	68.30	18.31	PK	Vertic	PASS
2	5663.20	38.6	49.59	11.030	78.10	28.51	PK	Vertic	PASS
3	5693.40	38.6	49.79	11.200	100.43	50.64	PK	Vertic	PASS
4	5714.40	38.5	49.77	11.300	109.33	59.56	PK	Vertic	PASS
5	5904.60	50.5	62.11	11.630	103.66	41.55	PK	Vertic	PASS
6	5923.40	45.6	57.25	11.690	89.50	32.25	PK	Vertic	PASS
7	5961.60	39.1	50.87	11.820	88.30	37.43	PK	Vertic	PASS
8	5974.00	45.9	57.75	11.860	88.30	30.55	PK	Vertic	PASS


Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.40	26.6	37.52	10.930	68.30	30.78	AV	Vertic	PASS
2	5679.60	26.5	37.66	11.120	90.24	52.58	AV	Vertic	PASS
3	5701.00	26.5	37.74	11.240	105.58	67.84	AV	Vertic	PASS
4	5720.20	26.7	38.06	11.330	111.36	73.30	AV	Vertic	PASS
5	5907.40	34.9	46.58	11.640	81.54	34.96	AV	Vertic	PASS
6	5922.80	30.9	42.60	11.690	69.95	27.35	AV	Vertic	PASS
7	5940.80	35.3	47.04	11.760	68.30	21.26	AV	Vertic	PASS
8	5972.60	27.1	38.95	11.860	68.30	29.35	AV	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.00	50.5	61.43	10.900	68.30	6.87	PK	Horizo	PASS
2	5684.80	38.7	49.80	11.150	94.09	44.29	PK	Horizo	PASS
3	5701.20	38.7	49.96	11.240	105.64	55.68	PK	Horizo	PASS
4	5715.00	38.7	49.99	11.300	109.50	59.51	PK	Horizo	PASS
5	5906.60	51.4	63.07	11.640	102.15	39.08	PK	Horizo	PASS
6	5937.40	57.2	68.91	11.750	88.30	19.39	PK	Horizo	PASS
7	5970.80	45.4	57.27	11.850	88.30	31.03	PK	Horizo	PASS
8	5988.20	53.3	65.23	11.900	88.30	23.07	PK	Horizo	PASS


Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.40	30.1	40.93	10.820	68.30	27.37	AV	Horizo	PASS
2	5679.00	30.4	41.52	11.120	89.80	48.28	AV	Horizo	PASS
3	5709.20	34.4	45.72	11.280	107.88	62.16	AV	Horizo	PASS
4	5719.80	26.7	38.04	11.330	110.84	72.80	AV	Horizo	PASS
5	5896.20	44.5	56.14	11.620	89.99	33.85	AV	Horizo	PASS
6	5945.60	40.3	52.08	11.770	68.30	16.22	AV	Horizo	PASS
7	5950.60	33.1	44.84	11.790	68.30	23.46	AV	Horizo	PASS
8	5978.00	31.5	43.41	11.870	68.30	24.89	AV	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.40	38.4	49.31	10.890	68.30	18.99	PK	Vertic	PASS
2	5660.40	47.2	58.24	11.010	76.02	17.78	PK	Vertic	PASS
3	5690.40	41.5	52.67	11.180	98.22	45.55	PK	Vertic	PASS
4	5704.80	44.4	55.70	11.260	106.65	50.95	PK	Vertic	PASS
5	5926.60	52.1	63.83	11.710	88.30	24.47	PK	Vertic	PASS
6	5945.80	62.6	74.37	11.770	88.30	13.93	PK	Vertic	PASS
7	5950.40	60.5	72.30	11.790	88.30	16.00	PK	Vertic	PASS
8	6006.00	44.7	56.64	11.960	88.30	31.66	PK	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5655.60	29.7	40.66	10.980	72.46	31.80	AV	Vertic	PASS
2	5676.00	27.3	38.40	11.100	87.58	49.18	AV	Vertic	PASS
3	5704.40	26.9	38.17	11.260	106.53	68.36	AV	Vertic	PASS
4	5719.20	27.2	38.48	11.320	110.68	72.20	AV	Vertic	PASS
5	5906.00	46.1	57.76	11.640	82.60	24.84	AV	Vertic	PASS
6	5924.60	49.2	60.90	11.700	68.60	7.70	AV	Vertic	PASS
7	5929.20	50.0	61.71	11.720	68.30	6.59	AV	Vertic	PASS
8	5986.20	37.2	49.09	11.900	68.30	19.21	AV	Vertic	PASS

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

The End