







































11ax40MIMO-Ant2-5755-PASS



11ax40MIMO-Ant3-5755-PASS




11ax40MIMO-Ant2-5795-PASS




11ax40MIMO-Ant3-5795-PASS




11ax80MIMO-Ant2-5210-PASS



11ax80MIMO-Ant3-5210-PASS







RU-RLAN**Maximum conducted output power
Test Result**

Test Mode	Frequency [MHz]	RU#Size	RU#Index	Conducted Average Ant2(dBm)	Conducted Average Ant3(dBm)	Conducted Average Total (dBm)	Conducted Limit (dBm)	Verdict
11ax20-MIMO	5180	26	0	9.82	9.53	12.69	≤23.98	PASS
	5200	26	4	9.49	9.17	12.34	≤23.98	PASS
	5240	26	8	10.05	9.67	12.87	≤23.98	PASS
	5180	52	37	12.53	12.31	15.43	≤23.98	PASS
	5200	52	39	12.43	12.11	15.28	≤23.98	PASS
	5240	52	40	12.96	12.45	15.72	≤23.98	PASS
	5180	106	53	15.59	15.36	18.49	≤23.98	PASS
	5200	106	53	15.63	15.32	18.49	≤23.98	PASS
	5240	106	54	15.76	15.32	18.56	≤23.98	PASS
11ax40-MIMO	5190	242	61	16.83	16.58	19.72	≤23.98	PASS
	5230	242	62	16.75	16.63	19.70	≤23.98	PASS
11ax80-MIMO	5210	484	65	15.54	15.45	18.51	≤23.98	PASS
		484	66	15.69	15.54	18.63	≤23.98	PASS
11ax160-MIMO	5250	996	67	11.60	11.25	14.44	≤23.98	PASS
		996	68	11.84	11.33	14.60	≤23.98	PASS
	5250_UNII-1	996	67	10.72	12.59	14.77	≤23.98	PASS
		996	68	-5.08	-3.85	-1.41	≤23.98	PASS
	5250_UNII-2A	996	67	-6.36	-3.87	-1.93	≤23.98	PASS
		996	68	9.45	12.06	13.96	≤23.98	PASS


Test Mode	Frequency [MHz]	RU#Size	RU#Index	Conducted Average Ant2(dBm)	Conducted Average Ant3(dBm)	Conducted Average Total (dBm)	Conducted Limit (dBm)	Verdict
11ax20-MIMO	5260	26	0	9.86	9.31	12.60	≤23.98	PASS
	5300	26	4	9.55	9.06	12.32	≤23.98	PASS
	5320	26	8	10.08	9.61	12.86	≤23.98	PASS
	5260	52	37	12.68	12.13	15.42	≤23.98	PASS
	5300	52	39	12.46	12.05	15.27	≤23.98	PASS
	5320	52	40	12.78	12.37	15.59	≤23.98	PASS
	5260	106	53	15.09	14.52	17.82	≤23.98	PASS
	5300	106	53	15.17	14.69	17.95	≤23.98	PASS
	5320	106	54	15.18	14.71	17.96	≤23.98	PASS
11ax40-MIMO	5270	242	61	16.74	16.48	19.62	≤23.98	PASS
	5310	242	62	16.89	16.61	19.76	≤23.98	PASS
11ax80-MIMO	5290	484	65	13.23	12.91	16.08	≤23.98	PASS
		484	66	13.24	12.92	16.09	≤23.98	PASS


Test Mode	Frequency [MHz]	RU#Size	RU#Index	Conducted Average Ant2(dBm)	Conducted Average Ant3(dBm)	Conducted Average Total (dBm)	Conducted Limit (dBm)	Verdict
11ax20-MIMO	5500	26	0	9.79	9.77	12.79	≤23.98	PASS
	5600	26	4	9.46	9.18	12.33	≤23.98	PASS
	5700	26	8	9.80	9.77	12.80	≤23.98	PASS
	5720	26	8	9.79	9.66	12.74	≤23.98	PASS
	5720_UNII-2C	26	8	-13.61	-13.11	-10.34	≤23.98	PASS
	5720_UNII-3	26	8	8.19	8.10	11.16	≤23.98	PASS
	5500	52	37	12.87	12.51	15.70	≤23.98	PASS
	5600	52	39	12.55	12.02	15.30	≤23.98	PASS
	5700	52	40	12.61	12.48	15.56	≤23.98	PASS
	5720	52	40	12.57	12.33	15.46	≤23.98	PASS
	5720_UNII-2C	52	40	-7.08	-6.94	-4.00	≤23.98	PASS
	5720_UNII-3	52	40	10.89	10.92	13.92	≤23.98	PASS
	5500	106	53	15.74	15.28	18.53	≤23.98	PASS
	5600	106	53	15.57	15.22	18.41	≤23.98	PASS
	5700	106	54	15.38	15.35	18.38	≤23.98	PASS
	5720	106	54	15.35	15.23	18.30	≤23.98	PASS
	5720_UNII-2C	106	54	10.18	10.43	13.32	≤23.98	PASS
	5720_UNII-3	106	54	11.28	11.44	14.37	≤23.98	PASS
11ax40-MIMO	5510	242	61	14.73	14.84	17.80	≤23.98	PASS
	5590	242	61	14.84	14.78	17.82	≤23.98	PASS
	5670	242	62	14.75	14.80	17.79	≤23.98	PASS
	5710	242	62	14.69	14.81	17.76	≤23.98	PASS
	5710_UNII-2C	242	62	14.31	14.80	17.57	≤23.98	PASS
	5710_UNII-3	242	62	8.90	9.18	12.05	≤23.98	PASS
11ax80-MIMO	5530	484	65	13.96	13.58	16.78	≤23.98	PASS
	5610	484	66	13.82	13.55	16.70	≤23.98	PASS
	5690	484	66	13.79	13.71	16.76	≤23.98	PASS
	5690_UNII-2C	484	66	15.41	15.72	18.58	≤23.98	PASS
	5690_UNII-3	484	66	6.55	6.52	9.55	≤23.98	PASS
11ax160-MIMO	5570	996	67	12.52	11.93	15.25	≤23.98	PASS
		996	68	12.55	11.82	15.21	≤23.98	PASS

Test Mode	Frequency [MHz]	RU#Size	RU#Index	Conducted Average Ant2(dBm)	Conducted Average Ant3(dBm)	Conducted Average Total (dBm)	Conducted Limit (dBm)	Verdict
11ax20-MIMO	5745	26	0	20.88	20.33	23.62	≤30.00	PASS
	5785	26	4	20.63	20.19	23.43	≤30.00	PASS
	5825	26	8	20.96	20.42	23.71	≤30.00	PASS
	5745	52	37	20.78	20.24	23.53	≤30.00	PASS
	5785	52	39	20.67	20.23	23.47	≤30.00	PASS
	5825	52	40	20.93	20.25	23.61	≤30.00	PASS
	5745	106	53	20.82	20.27	23.56	≤30.00	PASS
	5785	106	53	20.86	20.40	23.65	≤30.00	PASS
	5825	106	54	20.95	20.28	23.64	≤30.00	PASS
11ax40-MIMO	5755	242	61	21.28	20.70	24.01	≤30.00	PASS
	5795	242	62	21.29	20.65	23.99	≤30.00	PASS
11ax80-MIMO	5775	484	65	20.07	19.63	22.87	≤30.00	PASS
		484	66	20.13	19.44	22.81	≤30.00	PASS


Note: The Duty Cycle Factor is compensated in the graph.

Test Graphs Straddle Channel Power







11ax20MIMO-Ant2-5720_UNII-3-TPC_H-26Tone-RU8-PASS




11ax20MIMO-Ant3-5720_UNII-3-TPC_H-26Tone-RU8-PASS



11ax20MIMO-Ant2-5720_UNII-3-TPC_H-52Tone-RU40-PASS




11ax20MIMO-Ant3-5720_UNII-3-TPC_H-52Tone-RU40-PASS



11ax20MIMO-Ant2-5720_UNII-3-TPC_H-106Tone-RU54-PASS




11ax20MIMO-Ant3-5720_UNII-3-TPC_H-106Tone-RU54-PASS




11ax40MIMO-Ant2-5710_UNII-2C-TPC_H-242Tone-RU62-PASS



11ax40MIMO-Ant3-5710_UNII-2C-TPC_H-242Tone-RU62-PASS



11ax40MIMO-Ant2-5710_UNII-3-TPC_H-242Tone-RU62-PASS








11ax40MIMO-Ant3-5710_UNII-3-TPC_H-242Tone-RU62-PASS




11ax80MIMO-Ant2-5690_UNII-2C-TPC_H-484Tone-RU66-PASS



11ax80MIMO-Ant3-5690_UNII-2C-TPC_H-484Tone-RU66-PASS





**Maximum power spectral density
Test Result**

Test Mode	ANT	Freq. [MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11ax20MIMO	Ant2	5180	26Tone	RU0	6.92	≤11.00	PASS
11ax20MIMO	Ant3	5180	26Tone	RU0	6.76	≤11.00	PASS
11ax20MIMO	total	5180	26Tone	RU0	9.85	≤11.00	PASS
11ax20MIMO	Ant2	5180	52Tone	RU37	7.37	≤11.00	PASS
11ax20MIMO	Ant3	5180	52Tone	RU37	7.70	≤11.00	PASS
11ax20MIMO	total	5180	52Tone	RU37	10.55	≤11.00	PASS
11ax20MIMO	Ant2	5180	106Tone	RU53	7.50	≤11.00	PASS
11ax20MIMO	Ant3	5180	106Tone	RU53	7.88	≤11.00	PASS
11ax20MIMO	total	5180	106Tone	RU53	10.70	≤11.00	PASS
11ax20MIMO	Ant2	5200	26Tone	RU4	5.63	≤11.00	PASS
11ax20MIMO	Ant3	5200	26Tone	RU4	8.62	≤11.00	PASS
11ax20MIMO	total	5200	26Tone	RU4	5.59	≤11.00	PASS
11ax20MIMO	Ant2	5200	52Tone	RU39	7.45	≤11.00	PASS
11ax20MIMO	Ant3	5200	52Tone	RU39	10.53	≤11.00	PASS
11ax20MIMO	total	5200	52Tone	RU39	7.58	≤11.00	PASS
11ax20MIMO	Ant2	5200	106Tone	RU53	7.77	≤11.00	PASS
11ax20MIMO	Ant3	5200	106Tone	RU53	8.05	≤11.00	PASS
11ax20MIMO	total	5200	106Tone	RU53	10.92	≤11.00	PASS
11ax20MIMO	Ant2	5240	26Tone	RU8	7.53	≤11.00	PASS
11ax20MIMO	Ant3	5240	26Tone	RU8	6.89	≤11.00	PASS
11ax20MIMO	total	5240	26Tone	RU8	10.23	≤11.00	PASS
11ax20MIMO	Ant2	5240	52Tone	RU40	7.84	≤11.00	PASS
11ax20MIMO	Ant3	5240	52Tone	RU40	7.82	≤11.00	PASS
11ax20MIMO	total	5240	52Tone	RU40	10.84	≤11.00	PASS
11ax20MIMO	Ant2	5240	106Tone	RU54	7.69	≤11.00	PASS
11ax20MIMO	Ant3	5240	106Tone	RU54	10.71	≤11.00	PASS
11ax20MIMO	total	5240	106Tone	RU54	7.71	≤11.00	PASS
11ax20MIMO	Ant2	5260	26Tone	RU0	7.46	≤11.00	PASS
11ax20MIMO	Ant3	5260	26Tone	RU0	7.19	≤11.00	PASS
11ax20MIMO	total	5260	26Tone	RU0	10.34	≤11.00	PASS
11ax20MIMO	Ant2	5260	52Tone	RU37	7.98	≤11.00	PASS
11ax20MIMO	Ant3	5260	52Tone	RU37	7.64	≤11.00	PASS
11ax20MIMO	total	5260	52Tone	RU37	10.82	≤11.00	PASS
11ax20MIMO	Ant2	5260	106Tone	RU53	7.92	≤11.00	PASS
11ax20MIMO	Ant3	5260	106Tone	RU53	7.53	≤11.00	PASS
11ax20MIMO	total	5260	106Tone	RU53	10.74	≤11.00	PASS
11ax20MIMO	Ant2	5300	26Tone	RU4	7.29	≤11.00	PASS
11ax20MIMO	Ant3	5300	26Tone	RU4	6.95	≤11.00	PASS
11ax20MIMO	total	5300	26Tone	RU4	10.13	≤11.00	PASS
11ax20MIMO	Ant2	5300	52Tone	RU39	7.81	≤11.00	PASS
11ax20MIMO	Ant3	5300	52Tone	RU39	7.66	≤11.00	PASS
11ax20MIMO	total	5300	52Tone	RU39	10.75	≤11.00	PASS
11ax20MIMO	Ant2	5300	106Tone	RU53	8.06	≤11.00	PASS
11ax20MIMO	Ant3	5300	106Tone	RU53	7.86	≤11.00	PASS
11ax20MIMO	total	5300	106Tone	RU53	10.97	≤11.00	PASS
11ax20MIMO	Ant2	5320	26Tone	RU8	7.90	≤11.00	PASS
11ax20MIMO	Ant3	5320	26Tone	RU8	10.97	≤11.00	PASS
11ax20MIMO	total	5320	26Tone	RU8	8.08	≤11.00	PASS
11ax20MIMO	Ant2	5320	52Tone	RU40	7.72	≤11.00	PASS
11ax20MIMO	Ant3	5320	52Tone	RU40	7.09	≤11.00	PASS
11ax20MIMO	total	5320	52Tone	RU40	10.43	≤11.00	PASS
11ax20MIMO	Ant2	5320	106Tone	RU54	7.99	≤11.00	PASS
11ax20MIMO	Ant3	5320	106Tone	RU54	7.93	≤11.00	PASS
11ax20MIMO	total	5320	106Tone	RU54	10.97	≤11.00	PASS
11ax20MIMO	Ant2	5500	26Tone	RU0	7.25	≤11.00	PASS
11ax20MIMO	Ant3	5500	26Tone	RU0	7.74	≤11.00	PASS
11ax20MIMO	total	5500	26Tone	RU0	10.51	≤11.00	PASS
11ax20MIMO	Ant2	5500	52Tone	RU37	7.59	≤11.00	PASS
11ax20MIMO	Ant3	5500	52Tone	RU37	7.40	≤11.00	PASS
11ax20MIMO	total	5500	52Tone	RU37	10.51	≤11.00	PASS
11ax20MIMO	Ant2	5500	106Tone	RU53	7.58	≤11.00	PASS
11ax20MIMO	Ant3	5500	106Tone	RU53	7.57	≤11.00	PASS

11ax20MIMO	total	5500	106Tone	RU53	10.59	≤11.00	PASS
11ax20MIMO	Ant2	5600	26Tone	RU4	4.70	≤11.00	PASS
11ax20MIMO	Ant3	5600	26Tone	RU4	4.87	≤11.00	PASS
11ax20MIMO	total	5600	26Tone	RU4	7.80	≤11.00	PASS
11ax20MIMO	Ant2	5600	52Tone	RU39	7.11	≤11.00	PASS
11ax20MIMO	Ant3	5600	52Tone	RU39	6.67	≤11.00	PASS
11ax20MIMO	total	5600	52Tone	RU39	9.91	≤11.00	PASS
11ax20MIMO	Ant2	5600	106Tone	RU53	7.22	≤11.00	PASS
11ax20MIMO	Ant3	5600	106Tone	RU53	7.06	≤11.00	PASS
11ax20MIMO	total	5600	106Tone	RU53	10.15	≤11.00	PASS
11ax20MIMO	Ant2	5700	26Tone	RU8	6.17	≤11.00	PASS
11ax20MIMO	Ant3	5700	26Tone	RU8	6.36	≤11.00	PASS
11ax20MIMO	total	5700	26Tone	RU8	9.28	≤11.00	PASS
11ax20MIMO	Ant2	5700	52Tone	RU40	7.46	≤11.00	PASS
11ax20MIMO	Ant3	5700	52Tone	RU40	7.21	≤11.00	PASS
11ax20MIMO	total	5700	52Tone	RU40	10.35	≤11.00	PASS
11ax20MIMO	Ant2	5700	106Tone	RU54	7.05	≤11.00	PASS
11ax20MIMO	Ant3	5700	106Tone	RU54	7.23	≤11.00	PASS
11ax20MIMO	total	5700	106Tone	RU54	10.15	≤11.00	PASS
11ax20MIMO	Ant2	5720 UNII-2C	26Tone	RU8	-15.51	≤11.00	PASS
11ax20MIMO	Ant3	5720 UNII-2C	26Tone	RU8	-15.33	≤11.00	PASS
11ax20MIMO	total	5720 UNII-2C	26Tone	RU8	-12.41	≤11.00	PASS
11ax20MIMO	Ant2	5720 UNII-2C	52Tone	RU40	-2.19	≤11.00	PASS
11ax20MIMO	Ant3	5720 UNII-2C	52Tone	RU40	-1.55	≤11.00	PASS
11ax20MIMO	total	5720 UNII-2C	52Tone	RU40	1.15	≤11.00	PASS
11ax20MIMO	Ant2	5720 UNII-2C	106Tone	RU54	5.85	≤11.00	PASS
11ax20MIMO	Ant3	5720 UNII-2C	106Tone	RU54	6.74	≤11.00	PASS
11ax20MIMO	total	5720 UNII-2C	106Tone	RU54	9.33	≤11.00	PASS
11ax20MIMO	Ant2	5720 UNII-3	26Tone	RU8	3.12	≤30.00	PASS
11ax20MIMO	Ant3	5720 UNII-3	26Tone	RU8	4.49	≤30.00	PASS
11ax20MIMO	total	5720 UNII-3	26Tone	RU8	6.87	≤30.00	PASS
11ax20MIMO	Ant2	5720 UNII-3	52Tone	RU40	3.38	≤30.00	PASS
11ax20MIMO	Ant3	5720 UNII-3	52Tone	RU40	4.13	≤30.00	PASS
11ax20MIMO	total	5720 UNII-3	52Tone	RU40	6.78	≤30.00	PASS
11ax20MIMO	Ant2	5720 UNII-3	106Tone	RU54	3.01	≤30.00	PASS
11ax20MIMO	Ant3	5720 UNII-3	106Tone	RU54	3.96	≤30.00	PASS
11ax20MIMO	total	5720 UNII-3	106Tone	RU54	6.52	≤30.00	PASS
11ax20MIMO	Ant2	5745	26Tone	RU0	13.09	≤30.00	PASS
11ax20MIMO	Ant3	5745	26Tone	RU0	14.13	≤30.00	PASS
11ax20MIMO	total	5745	26Tone	RU0	16.65	≤30.00	PASS
11ax20MIMO	Ant2	5745	52Tone	RU37	9.89	≤30.00	PASS
11ax20MIMO	Ant3	5745	52Tone	RU37	10.85	≤30.00	PASS
11ax20MIMO	total	5745	52Tone	RU37	13.41	≤30.00	PASS
11ax20MIMO	Ant2	5745	106Tone	RU53	6.96	≤30.00	PASS
11ax20MIMO	Ant3	5745	106Tone	RU53	8.13	≤30.00	PASS
11ax20MIMO	total	5745	106Tone	RU53	10.59	≤30.00	PASS
11ax20MIMO	Ant2	5785	26Tone	RU4	12.40	≤30.00	PASS
11ax20MIMO	Ant3	5785	26Tone	RU4	12.86	≤30.00	PASS
11ax20MIMO	total	5785	26Tone	RU4	15.65	≤30.00	PASS
11ax20MIMO	Ant2	5785	52Tone	RU39	9.97	≤30.00	PASS
11ax20MIMO	Ant3	5785	52Tone	RU39	10.49	≤30.00	PASS
11ax20MIMO	total	5785	52Tone	RU39	13.25	≤30.00	PASS
11ax20MIMO	Ant2	5785	106Tone	RU53	7.42	≤30.00	PASS
11ax20MIMO	Ant3	5785	106Tone	RU53	8.14	≤30.00	PASS
11ax20MIMO	total	5785	106Tone	RU53	10.81	≤30.00	PASS
11ax20MIMO	Ant2	5825	26Tone	RU8	16.64	≤30.00	PASS
11ax20MIMO	Ant3	5825	26Tone	RU8	13.61	≤30.00	PASS
11ax20MIMO	total	5825	26Tone	RU8	13.65	≤30.00	PASS
11ax20MIMO	Ant2	5825	52Tone	RU40	10.72	≤30.00	PASS
11ax20MIMO	Ant3	5825	52Tone	RU40	13.70	≤30.00	PASS
11ax20MIMO	total	5825	52Tone	RU40	10.66	≤30.00	PASS
11ax20MIMO	Ant2	5825	106Tone	RU54	7.63	≤30.00	PASS
11ax20MIMO	Ant3	5825	106Tone	RU54	7.92	≤30.00	PASS
11ax20MIMO	total	5825	106Tone	RU54	10.79	≤30.00	PASS
11ax40MIMO	Ant2	5190	242Tone	RU61	6.33	≤11.00	PASS
11ax40MIMO	Ant3	5190	242Tone	RU61	7.16	≤11.00	PASS
11ax40MIMO	total	5190	242Tone	RU61	9.78	≤11.00	PASS

11ax40MIMO	Ant2	5230	242Tone	RU62	6.54	≤11.00	PASS
11ax40MIMO	Ant3	5230	242Tone	RU62	7.85	≤11.00	PASS
11ax40MIMO	total	5230	242Tone	RU62	10.25	≤11.00	PASS
11ax40MIMO	Ant2	5270	242Tone	RU61	6.86	≤11.00	PASS
11ax40MIMO	Ant3	5270	242Tone	RU61	6.77	≤11.00	PASS
11ax40MIMO	total	5270	242Tone	RU61	9.83	≤11.00	PASS
11ax40MIMO	Ant2	5310	242Tone	RU62	6.33	≤11.00	PASS
11ax40MIMO	Ant3	5310	242Tone	RU62	5.98	≤11.00	PASS
11ax40MIMO	total	5310	242Tone	RU62	9.17	≤11.00	PASS
11ax40MIMO	Ant2	5510	242Tone	RU61	5.50	≤11.00	PASS
11ax40MIMO	Ant3	5510	242Tone	RU61	5.64	≤11.00	PASS
11ax40MIMO	total	5510	242Tone	RU61	8.58	≤11.00	PASS
11ax40MIMO	Ant2	5590	242Tone	RU61	5.34	≤11.00	PASS
11ax40MIMO	Ant3	5590	242Tone	RU61	5.88	≤11.00	PASS
11ax40MIMO	total	5590	242Tone	RU61	8.63	≤11.00	PASS
11ax40MIMO	Ant2	5670	242Tone	RU62	5.20	≤11.00	PASS
11ax40MIMO	Ant3	5670	242Tone	RU62	4.99	≤11.00	PASS
11ax40MIMO	total	5670	242Tone	RU62	8.11	≤11.00	PASS
11ax40MIMO	Ant2	5710_UNII-2C	242Tone	RU62	4.20	≤11.00	PASS
11ax40MIMO	Ant3	5710_UNII-2C	242Tone	RU62	5.17	≤11.00	PASS
11ax40MIMO	total	5710_UNII-2C	242Tone	RU62	7.72	≤11.00	PASS
11ax40MIMO	Ant2	5710_UNII-3	242Tone	RU62	1.10	≤30.00	PASS
11ax40MIMO	Ant3	5710_UNII-3	242Tone	RU62	2.14	≤30.00	PASS
11ax40MIMO	total	5710_UNII-3	242Tone	RU62	4.66	≤30.00	PASS
11ax40MIMO	Ant2	5755	242Tone	RU61	4.15	≤30.00	PASS
11ax40MIMO	Ant3	5755	242Tone	RU61	4.79	≤30.00	PASS
11ax40MIMO	total	5755	242Tone	RU61	7.49	≤30.00	PASS
11ax40MIMO	Ant2	5795	242Tone	RU62	4.02	≤30.00	PASS
11ax40MIMO	Ant3	5795	242Tone	RU62	4.42	≤30.00	PASS
11ax40MIMO	total	5795	242Tone	RU62	7.23	≤30.00	PASS
11ax80MIMO	Ant2	5210	484Tone	RU65	3.13	≤11.00	PASS
11ax80MIMO	Ant3	5210	484Tone	RU65	3.27	≤11.00	PASS
11ax80MIMO	total	5210	484Tone	RU65	6.21	≤11.00	PASS
11ax80MIMO	Ant2	5210	484Tone	RU66	3.09	≤11.00	PASS
11ax80MIMO	Ant3	5210	484Tone	RU66	2.80	≤11.00	PASS
11ax80MIMO	total	5210	484Tone	RU66	5.96	≤11.00	PASS
11ax80MIMO	Ant2	5290	484Tone	RU65	3.49	≤11.00	PASS
11ax80MIMO	Ant3	5290	484Tone	RU65	3.46	≤11.00	PASS
11ax80MIMO	total	5290	484Tone	RU65	6.49	≤11.00	PASS
11ax80MIMO	Ant2	5290	484Tone	RU66	2.90	≤11.00	PASS
11ax80MIMO	Ant3	5290	484Tone	RU66	2.44	≤11.00	PASS
11ax80MIMO	total	5290	484Tone	RU66	5.69	≤11.00	PASS
11ax80MIMO	Ant2	5530	484Tone	RU65	3.18	≤11.00	PASS
11ax80MIMO	Ant3	5530	484Tone	RU65	2.45	≤11.00	PASS
11ax80MIMO	total	5530	484Tone	RU65	5.84	≤11.00	PASS
11ax80MIMO	Ant2	5610	484Tone	RU65	3.19	≤11.00	PASS
11ax80MIMO	Ant3	5610	484Tone	RU65	3.99	≤11.00	PASS
11ax80MIMO	total	5610	484Tone	RU65	6.62	≤11.00	PASS
11ax80MIMO	Ant2	5690_UNII-2C	484Tone	RU66	1.82	≤11.00	PASS
11ax80MIMO	Ant3	5690_UNII-2C	484Tone	RU66	2.59	≤11.00	PASS
11ax80MIMO	total	5690_UNII-2C	484Tone	RU66	5.23	≤11.00	PASS
11ax80MIMO	Ant2	5690_UNII-3	484Tone	RU66	-1.37	≤30.00	PASS
11ax80MIMO	Ant3	5690_UNII-3	484Tone	RU66	-0.75	≤30.00	PASS
11ax80MIMO	total	5690_UNII-3	484Tone	RU66	1.96	≤30.00	PASS
11ax80MIMO	Ant2	5775	484Tone	RU65	0.04	≤30.00	PASS
11ax80MIMO	Ant3	5775	484Tone	RU65	0.88	≤30.00	PASS
11ax80MIMO	total	5775	484Tone	RU65	3.49	≤30.00	PASS
11ax80MIMO	Ant2	5775	484Tone	RU66	-0.17	≤30.00	PASS
11ax80MIMO	Ant3	5775	484Tone	RU66	0.76	≤30.00	PASS
11ax80MIMO	total	5775	484Tone	RU66	3.33	≤30.00	PASS
11ax160MIMO	Ant2	5250_UNII-1	996Tone	RU67	-1.72	≤11.00	PASS
11ax160MIMO	Ant3	5250_UNII-1	996Tone	RU67	-5.23	≤11.00	PASS
11ax160MIMO	total	5250_UNII-1	996Tone	RU67	-4.28	≤11.00	PASS
11ax160MIMO	Ant2	5250_UNII-1	996Tone	RU68	-10.41	≤11.00	PASS
11ax160MIMO	Ant3	5250_UNII-1	996Tone	RU68	-16.54	≤11.00	PASS
11ax160MIMO	total	5250_UNII-1	996Tone	RU68	-9.46	≤11.00	PASS
11ax160MIMO	Ant2	5250_UNII-2A	996Tone	RU67	-17.62	≤11.00	PASS

11ax160MIMO	Ant3	5250 UNII-2A	996Tone	RU67	-14.48	≤11.00	PASS
11ax160MIMO	total	5250 UNII-2A	996Tone	RU67	-17.37	≤11.00	PASS
11ax160MIMO	Ant2	5250 UNII-2A	996Tone	RU68	-2.42	≤11.00	PASS
11ax160MIMO	Ant3	5250 UNII-2A	996Tone	RU68	0.35	≤11.00	PASS
11ax160MIMO	total	5250 UNII-2A	996Tone	RU68	-2.92	≤11.00	PASS
11ax160MIMO	Ant2	5570	996Tone	RU67	-2.15	≤11.00	PASS
11ax160MIMO	Ant3	5570	996Tone	RU67	-2.92	≤11.00	PASS
11ax160MIMO	total	5570	996Tone	RU67	0.49	≤11.00	PASS
11ax160MIMO	Ant2	5570	996Tone	RU68	-2.83	≤11.00	PASS
11ax160MIMO	Ant3	5570	996Tone	RU68	-3.20	≤11.00	PASS
11ax160MIMO	total	5570	996Tone	RU68	0.00	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs

