









11AX160MIMO Ant0 6665



11AX160MIMO Ant1 6665



11AX20MIMO Ant0 5955 26Tone RU0


























11.3. APPENDIX B: DUTY CYCLE

11.3.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11A-MIMO	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
11AX20MIMO	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
11AX40MIMO	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
11AX80MIMO	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
11AX160MIMO	100.00	100.00	1.0000	100.00	0.00	0.01	0.01

Test Mode	RuSize	RuIndex	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11AX20MIMO	26Tone	RU0	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
	52Tone	RU38	100.00	100.00	1.0000	100.00	0.00	0.01	0.01
	106Tone	RU54	100.00	100.00	1.0000	100.00	0.00	0.01	0.01

Note:

Duty Cycle Correction Factor=10log (1/x).

Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.


If the EUT is configured to transmit with duty cycle $\geq 98\%$, set VBW $\leq$ RBW/100 (i.e., 10 kHz) but not less than 10 Hz.

11.3.2. Test Graphs






11AX80MIMO_Ant0_5985



11AX160MIMO_Ant0_6025



11AX20MIMO_Ant0_5955_26Tone_RU0



11.4. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result-Indoor Client

Test Mode	Antenna	Channel	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A-MIMO	Ant0	5955	4.30	4.90	≤24.00	PASS
	Ant1	5955	5.26	6.06	≤24.00	PASS
	total	5955	7.82	8.52	≤24.00	PASS
	Ant0	6175	3.92	4.52	≤24.00	PASS
	Ant1	6175	5.30	6.10	≤24.00	PASS
	total	6175	7.67	8.37	≤24.00	PASS
	Ant0	6415	4.17	4.77	≤24.00	PASS
	Ant1	6415	4.79	5.59	≤24.00	PASS
	total	6415	7.50	8.20	≤24.00	PASS
	Ant0	6435	4.95	5.55	≤24.00	PASS
	Ant1	6435	5.70	6.50	≤24.00	PASS
	total	6435	8.35	9.05	≤24.00	PASS
	Ant0	6475	5.09	5.69	≤24.00	PASS
	Ant1	6475	5.74	6.54	≤24.00	PASS
	total	6475	8.44	9.14	≤24.00	PASS
	Ant0	6515	5.06	5.66	≤24.00	PASS
	Ant1	6515	5.77	6.57	≤24.00	PASS
	total	6515	8.44	9.14	≤24.00	PASS
	Ant0	6535	5.09	5.69	≤24.00	PASS
	Ant1	6535	5.51	6.31	≤24.00	PASS
	total	6535	8.32	9.02	≤24.00	PASS
	Ant0	6715	5.31	5.91	≤24.00	PASS
	Ant1	6715	5.55	6.35	≤24.00	PASS
	total	6715	8.44	9.14	≤24.00	PASS
	Ant0	6855	5.30	5.90	≤24.00	PASS
	Ant1	6855	5.29	6.09	≤24.00	PASS
	total	6855	8.31	9.01	≤24.00	PASS
	Ant0	6875	5.17	5.77	≤24.00	PASS
	Ant1	6875	5.54	6.34	≤24.00	PASS
	total	6875	8.37	9.07	≤24.00	PASS
	Ant0	7015	4.95	5.55	≤24.00	PASS
	Ant1	7015	5.80	6.60	≤24.00	PASS
	total	7015	8.41	9.11	≤24.00	PASS
	Ant0	7115	5.27	5.87	≤24.00	PASS
	Ant1	7115	5.41	6.21	≤24.00	PASS
	total	7115	8.35	9.05	≤24.00	PASS
11AX20MIMO	Ant0	5955	6.91	7.51	≤24.00	PASS
	Ant1	5955	7.08	7.88	≤24.00	PASS
	total	5955	10.01	10.71	≤24.00	PASS
	Ant0	6175	6.36	6.96	≤24.00	PASS
	Ant1	6175	7.77	8.57	≤24.00	PASS
	total	6175	10.13	10.83	≤24.00	PASS
	Ant0	6415	6.77	7.37	≤24.00	PASS
	Ant1	6415	7.46	8.26	≤24.00	PASS
	total	6415	10.14	10.84	≤24.00	PASS
	Ant0	6435	6.93	7.53	≤24.00	PASS
	Ant1	6435	7.27	8.07	≤24.00	PASS
	total	6435	10.11	10.81	≤24.00	PASS
	Ant0	6475	5.12	5.72	≤24.00	PASS
	Ant1	6475	5.87	6.67	≤24.00	PASS
	total	6475	8.52	9.22	≤24.00	PASS
	Ant0	6515	5.25	5.85	≤24.00	PASS
	Ant1	6515	6.09	6.89	≤24.00	PASS
	total	6515	8.70	9.40	≤24.00	PASS

	Ant0	6535	5.23	5.83	≤24.00	PASS
	Ant1	6535	5.94	6.74	≤24.00	PASS
	total	6535	8.61	9.31	≤24.00	PASS
	Ant0	6715	4.19	4.79	≤24.00	PASS
	Ant1	6715	6.05	6.85	≤24.00	PASS
	total	6715	8.23	8.93	≤24.00	PASS
	Ant0	6855	5.10	5.70	≤24.00	PASS
	Ant1	6855	5.68	6.48	≤24.00	PASS
	total	6855	8.41	9.11	≤24.00	PASS
	Ant0	6875	5.25	5.85	≤24.00	PASS
	Ant1	6875	5.74	6.54	≤24.00	PASS
	total	6875	8.51	9.21	≤24.00	PASS
	Ant0	7015	4.95	5.55	≤24.00	PASS
	Ant1	7015	6.02	6.82	≤24.00	PASS
	total	7015	8.53	9.23	≤24.00	PASS
	Ant0	7115	4.84	5.44	≤24.00	PASS
	Ant1	7115	5.32	6.12	≤24.00	PASS
	total	7115	8.10	8.80	≤24.00	PASS
11AX40MIMO	Ant0	5965	7.41	8.01	≤24.00	PASS
	Ant1	5965	8.05	8.85	≤24.00	PASS
	total	5965	10.75	11.45	≤24.00	PASS
	Ant0	6165	7.17	7.77	≤24.00	PASS
	Ant1	6165	8.74	9.54	≤24.00	PASS
	total	6165	11.04	11.74	≤24.00	PASS
	Ant0	6405	7.35	7.95	≤24.00	PASS
	Ant1	6405	8.49	9.29	≤24.00	PASS
	total	6405	10.97	11.67	≤24.00	PASS
	Ant0	6445	7.44	8.04	≤24.00	PASS
	Ant1	6445	8.14	8.94	≤24.00	PASS
	total	6445	10.81	11.51	≤24.00	PASS
	Ant0	6485	7.55	8.15	≤24.00	PASS
	Ant1	6485	8.40	9.20	≤24.00	PASS
	total	6485	11.01	11.71	≤24.00	PASS
	Ant0	6525	7.79	8.39	≤24.00	PASS
	Ant1	6525	8.36	9.16	≤24.00	PASS
	total	6525	11.09	11.79	≤24.00	PASS
	Ant0	6565	7.55	8.15	≤24.00	PASS
	Ant1	6565	8.11	8.91	≤24.00	PASS
	total	6565	10.85	11.55	≤24.00	PASS
	Ant0	6725	7.59	8.19	≤24.00	PASS
	Ant1	6725	8.51	9.31	≤24.00	PASS
	total	6725	11.08	11.78	≤24.00	PASS
	Ant0	6845	8.12	8.72	≤24.00	PASS
	Ant1	6845	8.87	9.67	≤24.00	PASS
	total	6845	11.52	12.22	≤24.00	PASS
	Ant0	6885	7.73	8.33	≤24.00	PASS
	Ant1	6885	8.29	9.09	≤24.00	PASS
	total	6885	11.03	11.73	≤24.00	PASS
	Ant0	7005	7.69	8.29	≤24.00	PASS
	Ant1	7005	8.89	9.69	≤24.00	PASS
	total	7005	11.34	12.04	≤24.00	PASS
	Ant0	7085	7.71	8.31	≤24.00	PASS
	Ant1	7085	8.66	9.46	≤24.00	PASS
	total	7085	11.22	11.92	≤24.00	PASS
11AX80MIMO	Ant0	5985	10.16	10.76	≤24.00	PASS
	Ant1	5985	10.58	11.38	≤24.00	PASS
	total	5985	13.39	14.09	≤24.00	PASS
	Ant0	6145	10.27	10.87	≤24.00	PASS
	Ant1	6145	10.67	11.47	≤24.00	PASS
	total	6145	13.48	14.18	≤24.00	PASS

	Ant0	6385	9.73	10.33	≤24.00	PASS
	Ant1	6385	10.77	11.57	≤24.00	PASS
	total	6385	13.29	13.99	≤24.00	PASS
	Ant0	6465	10.18	10.78	≤24.00	PASS
	Ant1	6465	10.99	11.79	≤24.00	PASS
	total	6465	13.61	14.31	≤24.00	PASS
	Ant0	6545	10.06	10.66	≤24.00	PASS
	Ant1	6545	10.54	11.34	≤24.00	PASS
	total	6545	13.32	14.02	≤24.00	PASS
	Ant0	6705	10.18	10.78	≤24.00	PASS
	Ant1	6705	11.02	11.82	≤24.00	PASS
	total	6705	13.63	14.33	≤24.00	PASS
	Ant0	6785	10.50	11.10	≤24.00	PASS
	Ant1	6785	10.81	11.61	≤24.00	PASS
	total	6785	13.67	14.37	≤24.00	PASS
	Ant0	6865	10.11	10.71	≤24.00	PASS
	Ant1	6865	10.25	11.05	≤24.00	PASS
	total	6865	13.19	13.89	≤24.00	PASS
	Ant0	6945	10.46	11.06	≤24.00	PASS
	Ant1	6945	10.69	11.49	≤24.00	PASS
	total	6945	13.59	14.29	≤24.00	PASS
11AX160MIMO	Ant0	7025	10.25	10.85	≤24.00	PASS
	Ant1	7025	11.01	11.81	≤24.00	PASS
	total	7025	13.66	14.36	≤24.00	PASS
	Ant0	6025	13.36	13.96	≤24.00	PASS
	Ant1	6025	14.06	14.86	≤24.00	PASS
	total	6025	16.73	17.43	≤24.00	PASS
	Ant0	6185	12.76	13.36	≤24.00	PASS
	Ant1	6185	13.56	14.36	≤24.00	PASS
	total	6185	16.19	16.89	≤24.00	PASS
	Ant0	6345	12.93	13.53	≤24.00	PASS
	Ant1	6345	13.52	14.32	≤24.00	PASS
	total	6345	16.25	16.95	≤24.00	PASS
	Ant0	6505	13.35	13.95	≤24.00	PASS
	Ant1	6505	13.69	14.49	≤24.00	PASS
	total	6505	16.53	17.23	≤24.00	PASS
	Ant0	6665	13.57	14.17	≤24.00	PASS
	Ant1	6665	13.73	14.53	≤24.00	PASS
	total	6665	16.66	17.36	≤24.00	PASS
	Ant0	6825	13.58	14.18	≤24.00	PASS
	Ant1	6825	13.80	14.60	≤24.00	PASS
	total	6825	16.70	17.40	≤24.00	PASS
	Ant0	6985	13.48	14.08	≤24.00	PASS
	Ant1	6985	13.82	14.62	≤24.00	PASS
	total	6985	16.66	17.36	≤24.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

Test Mode	Antenna	Channel	Ru Size	Ru Index	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant0	5955	26Tone	RU0	-3.24	-2.64	≤24.00	PASS
			52Tone	RU37	-0.51	0.09	≤24.00	PASS
			106Tone	RU53	2.18	2.78	≤24.00	PASS
	Ant1	5955	26Tone	RU0	-1.48	-0.68	≤24.00	PASS
			52Tone	RU37	1.48	2.28	≤24.00	PASS
			106Tone	RU53	4.30	5.10	≤24.00	PASS
	total	5955	26Tone	RU0	0.74	1.44	≤24.00	PASS
			52Tone	RU37	3.61	4.31	≤24.00	PASS
			106Tone	RU53	6.38	7.08	≤24.00	PASS
	Ant0	6175	26Tone	RU4	-2.70	-2.10	≤24.00	PASS
			52Tone	RU38	-1.21	-0.61	≤24.00	PASS
			106Tone	RU53	2.46	3.06	≤24.00	PASS
	Ant1	6175	26Tone	RU4	0.23	1.03	≤24.00	PASS
			52Tone	RU38	1.79	2.59	≤24.00	PASS
			106Tone	RU53	3.48	4.28	≤24.00	PASS
	total	6175	26Tone	RU4	2.02	2.72	≤24.00	PASS
			52Tone	RU38	3.55	4.25	≤24.00	PASS
			106Tone	RU53	6.01	6.71	≤24.00	PASS
	Ant0	6415	26Tone	RU8	-3.30	-2.70	≤24.00	PASS
			52Tone	RU40	-0.95	-0.35	≤24.00	PASS
			106Tone	RU54	2.42	3.02	≤24.00	PASS
	Ant1	6415	26Tone	RU8	-2.07	-1.27	≤24.00	PASS
			52Tone	RU40	0.25	1.05	≤24.00	PASS
			106Tone	RU54	2.90	3.70	≤24.00	PASS
	total	6415	26Tone	RU8	0.37	1.07	≤24.00	PASS
			52Tone	RU40	2.70	3.40	≤24.00	PASS
			106Tone	RU54	5.68	6.38	≤24.00	PASS
	Ant0	6435	26Tone	RU0	-2.64	-2.04	≤24.00	PASS
			52Tone	RU37	-0.43	0.17	≤24.00	PASS
			106Tone	RU53	2.99	3.59	≤24.00	PASS
	Ant1	6435	26Tone	RU0	-1.55	-0.75	≤24.00	PASS
			52Tone	RU37	0.82	1.62	≤24.00	PASS
			106Tone	RU53	3.57	4.37	≤24.00	PASS
	total	6435	26Tone	RU0	0.95	1.65	≤24.00	PASS
			52Tone	RU37	3.25	3.95	≤24.00	PASS
			106Tone	RU53	6.30	7.00	≤24.00	PASS
	Ant0	6475	26Tone	RU4	-1.89	-1.29	≤24.00	PASS
			52Tone	RU38	-0.43	0.17	≤24.00	PASS
			106Tone	RU53	1.65	2.25	≤24.00	PASS
	Ant1	6475	26Tone	RU4	-0.77	0.03	≤24.00	PASS
			52Tone	RU38	0.76	1.56	≤24.00	PASS
			106Tone	RU53	2.95	3.75	≤24.00	PASS
	total	6475	26Tone	RU4	1.72	2.42	≤24.00	PASS
			52Tone	RU38	3.22	3.92	≤24.00	PASS
			106Tone	RU53	5.36	6.06	≤24.00	PASS
	Ant0	6515	26Tone	RU8	-2.59	-1.99	≤24.00	PASS
			52Tone	RU40	-0.45	0.15	≤24.00	PASS
			106Tone	RU54	2.12	2.72	≤24.00	PASS
	Ant1	6515	26Tone	RU8	-1.43	-0.63	≤24.00	PASS
			52Tone	RU40	0.88	1.68	≤24.00	PASS
			106Tone	RU54	3.41	4.21	≤24.00	PASS
	total	6515	26Tone	RU8	1.04	1.74	≤24.00	PASS
			52Tone	RU40	3.28	3.98	≤24.00	PASS
			106Tone	RU54	5.82	6.52	≤24.00	PASS
	Ant0	6535	26Tone	RU0	-2.64	-2.04	≤24.00	PASS
			52Tone	RU37	-0.25	0.35	≤24.00	PASS

			106Tone	RU53	2.34	2.94	≤24.00	PASS
	Ant1	6535	26Tone	RU0	-1.49	-0.69	≤24.00	PASS
			52Tone	RU37	0.94	1.74	≤24.00	PASS
			106Tone	RU53	3.54	4.34	≤24.00	PASS
	total	6535	26Tone	RU0	0.98	1.68	≤24.00	PASS
			52Tone	RU37	3.40	4.10	≤24.00	PASS
			106Tone	RU53	5.99	6.69	≤24.00	PASS
	Ant0	6715	26Tone	RU4	-1.97	-1.37	≤24.00	PASS
			52Tone	RU38	-0.43	0.17	≤24.00	PASS
			106Tone	RU53	2.32	2.92	≤24.00	PASS
	Ant1	6715	26Tone	RU4	-0.46	0.34	≤24.00	PASS
			52Tone	RU38	1.19	1.99	≤24.00	PASS
			106Tone	RU53	4.02	4.82	≤24.00	PASS
	total	6715	26Tone	RU4	1.86	2.56	≤24.00	PASS
			52Tone	RU38	3.47	4.17	≤24.00	PASS
			106Tone	RU53	6.26	6.96	≤24.00	PASS
	Ant0	6855	26Tone	RU8	-2.64	-2.04	≤24.00	PASS
			52Tone	RU40	-0.31	0.29	≤24.00	PASS
			106Tone	RU54	2.36	2.96	≤24.00	PASS
	Ant1	6855	26Tone	RU8	-1.55	-0.75	≤24.00	PASS
			52Tone	RU40	1.00	1.80	≤24.00	PASS
			106Tone	RU54	3.60	4.40	≤24.00	PASS
	total	6855	26Tone	RU8	0.95	1.65	≤24.00	PASS
			52Tone	RU40	3.40	4.10	≤24.00	PASS
			106Tone	RU54	6.03	6.73	≤24.00	PASS
	Ant0	6875	26Tone	RU0	-2.59	-1.99	≤24.00	PASS
			52Tone	RU37	-0.10	0.50	≤24.00	PASS
			106Tone	RU53	2.47	3.07	≤24.00	PASS
	Ant1	6875	26Tone	RU0	-1.38	-0.58	≤24.00	PASS
			52Tone	RU37	1.10	1.90	≤24.00	PASS
			106Tone	RU53	3.75	4.55	≤24.00	PASS
	total	6875	26Tone	RU0	1.07	1.77	≤24.00	PASS
			52Tone	RU37	3.55	4.25	≤24.00	PASS
			106Tone	RU53	6.17	6.87	≤24.00	PASS
	Ant0	7015	26Tone	RU4	-1.81	-1.21	≤24.00	PASS
			52Tone	RU38	-0.20	0.40	≤24.00	PASS
			106Tone	RU53	2.15	2.75	≤24.00	PASS
	Ant1	7015	26Tone	RU4	-0.78	0.02	≤24.00	PASS
			52Tone	RU38	1.02	1.82	≤24.00	PASS
			106Tone	RU53	3.39	4.19	≤24.00	PASS
	total	7015	26Tone	RU4	1.75	2.45	≤24.00	PASS
			52Tone	RU38	3.46	4.16	≤24.00	PASS
			106Tone	RU53	5.82	6.52	≤24.00	PASS
	Ant0	7115	26Tone	RU8	-3.46	-2.86	≤24.00	PASS
			52Tone	RU40	-0.71	-0.11	≤24.00	PASS
			106Tone	RU54	-0.47	0.13	≤24.00	PASS
	Ant1	7115	26Tone	RU8	-2.76	-1.96	≤24.00	PASS
			52Tone	RU40	0.23	1.03	≤24.00	PASS
			106Tone	RU54	0.28	1.08	≤24.00	PASS
	total	7115	26Tone	RU8	-0.09	0.61	≤24.00	PASS
			52Tone	RU40	2.80	3.50	≤24.00	PASS
			106Tone	RU54	2.93	3.63	≤24.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.4.2. Test Result-Standard Power Client

Test Mode	Antenna	Channel	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A-MIMO	Ant0	5955	12.90	13.50	≤30.00	PASS
	Ant1	5955	13.60	14.40	≤30.00	PASS
	total	5955	16.27	16.97	≤30.00	PASS
	Ant0	6175	12.41	13.01	≤30.00	PASS
	Ant1	6175	13.83	14.63	≤30.00	PASS
	total	6175	16.19	16.89	≤30.00	PASS
	Ant0	6415	12.71	13.31	≤30.00	PASS
	Ant1	6415	13.63	14.43	≤30.00	PASS
	total	6415	16.20	16.90	≤30.00	PASS
	Ant0	6535	12.81	13.41	≤30.00	PASS
	Ant1	6535	13.31	14.11	≤30.00	PASS
	total	6535	16.08	16.78	≤30.00	PASS
	Ant0	6715	12.89	13.49	≤30.00	PASS
	Ant1	6715	13.16	13.96	≤30.00	PASS
	total	6715	16.04	16.74	≤30.00	PASS
	Ant0	6855	12.80	13.40	≤30.00	PASS
	Ant1	6855	12.98	13.78	≤30.00	PASS
	total	6855	15.90	16.60	≤30.00	PASS
11AX20MIMO	Ant0	5955	13.62	14.22	≤30.00	PASS
	Ant1	5955	14.44	15.24	≤30.00	PASS
	total	5955	17.06	17.76	≤30.00	PASS
	Ant0	6175	12.67	13.27	≤30.00	PASS
	Ant1	6175	14.18	14.98	≤30.00	PASS
	total	6175	16.50	17.20	≤30.00	PASS
	Ant0	6415	13.00	13.60	≤30.00	PASS
	Ant1	6415	13.86	14.66	≤30.00	PASS
	total	6415	16.46	17.16	≤30.00	PASS
	Ant0	6535	13.71	14.31	≤30.00	PASS
	Ant1	6535	14.18	14.98	≤30.00	PASS
	total	6535	16.96	17.66	≤30.00	PASS
	Ant0	6715	13.72	14.32	≤30.00	PASS
	Ant1	6715	13.84	14.64	≤30.00	PASS
	total	6715	16.79	17.49	≤30.00	PASS
	Ant0	6855	13.41	14.01	≤30.00	PASS
	Ant1	6855	13.83	14.63	≤30.00	PASS
	total	6855	16.64	17.34	≤30.00	PASS
11AX40MIMO	Ant0	5965	13.01	13.61	≤30.00	PASS
	Ant1	5965	13.53	14.33	≤30.00	PASS
	total	5965	16.29	16.99	≤30.00	PASS
	Ant0	6165	12.08	12.68	≤30.00	PASS
	Ant1	6165	13.09	13.89	≤30.00	PASS
	total	6165	15.62	16.32	≤30.00	PASS
	Ant0	6405	12.57	13.17	≤30.00	PASS
	Ant1	6405	13.14	13.94	≤30.00	PASS
	total	6405	15.87	16.57	≤30.00	PASS
	Ant0	6565	12.87	13.47	≤30.00	PASS
	Ant1	6565	12.88	13.68	≤30.00	PASS
	total	6565	15.89	16.59	≤30.00	PASS
	Ant0	6725	13.62	14.22	≤30.00	PASS
	Ant1	6725	13.65	14.45	≤30.00	PASS
	total	6725	16.65	17.35	≤30.00	PASS
	Ant0	6845	13.15	13.75	≤30.00	PASS
	Ant1	6845	13.10	13.90	≤30.00	PASS
	total	6845	16.14	16.84	≤30.00	PASS
11AX80MIMO	Ant0	5985	13.03	13.63	≤30.00	PASS

	Ant1	5985	13.63	14.43	≤30.00	PASS
	total	5985	16.35	17.05	≤30.00	PASS
	Ant0	6145	12.68	13.28	≤30.00	PASS
	Ant1	6145	13.70	14.50	≤30.00	PASS
	total	6145	16.23	16.93	≤30.00	PASS
	Ant0	6385	12.83	13.43	≤30.00	PASS
	Ant1	6385	13.59	14.39	≤30.00	PASS
	total	6385	16.24	16.94	≤30.00	PASS
	Ant0	6625	13.41	14.01	≤30.00	PASS
	Ant1	6625	13.59	14.39	≤30.00	PASS
	total	6625	16.51	17.21	≤30.00	PASS
	Ant0	6705	13.60	14.20	≤30.00	PASS
	Ant1	6705	13.74	14.54	≤30.00	PASS
	total	6705	16.68	17.38	≤30.00	PASS
	Ant0	6785	13.51	14.11	≤30.00	PASS
	Ant1	6785	13.67	14.47	≤30.00	PASS
	total	6785	16.60	17.30	≤30.00	PASS
11AX160MIMO	Ant0	6025	13.26	13.86	≤30.00	PASS
	Ant1	6025	14.18	14.98	≤30.00	PASS
	total	6025	16.75	17.45	≤30.00	PASS
	Ant0	6185	12.89	13.49	≤30.00	PASS
	Ant1	6185	13.69	14.49	≤30.00	PASS
	total	6185	16.32	17.02	≤30.00	PASS
	Ant0	6345	12.94	13.54	≤30.00	PASS
	Ant1	6345	13.52	14.32	≤30.00	PASS
	total	6345	16.25	16.95	≤30.00	PASS
	Ant0	6665	12.94	13.54	≤30.00	PASS
	Ant1	6665	13.28	14.08	≤30.00	PASS
	total	6665	16.12	16.82	≤30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

Test Mode	Antenna	Channel	Ru Size	Ru Index	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant0	5955	26Tone	RU0	13.52	14.12	≤30.00	PASS
			52Tone	RU37	13.35	13.95	≤30.00	PASS
			106Tone	RU53	13.37	13.97	≤30.00	PASS
	Ant1	5955	26Tone	RU0	14.03	14.83	≤30.00	PASS
			52Tone	RU37	13.82	14.62	≤30.00	PASS
			106Tone	RU53	13.82	14.62	≤30.00	PASS
	total	5955	26Tone	RU0	16.79	17.49	≤30.00	PASS
			52Tone	RU37	16.60	17.30	≤30.00	PASS
			106Tone	RU53	16.61	17.31	≤30.00	PASS
	Ant0	6175	26Tone	RU4	11.89	12.49	≤30.00	PASS
			52Tone	RU38	11.84	12.44	≤30.00	PASS
			106Tone	RU53	12.02	12.62	≤30.00	PASS
	Ant1	6175	26Tone	RU4	13.10	13.90	≤30.00	PASS
			52Tone	RU38	12.95	13.75	≤30.00	PASS
			106Tone	RU53	13.18	13.98	≤30.00	PASS
	total	6175	26Tone	RU4	15.55	16.25	≤30.00	PASS
			52Tone	RU38	15.44	16.14	≤30.00	PASS
			106Tone	RU53	15.65	16.35	≤30.00	PASS
	Ant0	6415	26Tone	RU8	12.82	13.42	≤30.00	PASS
			52Tone	RU40	12.62	13.22	≤30.00	PASS
			106Tone	RU54	12.61	13.21	≤30.00	PASS
	Ant1	6415	26Tone	RU8	13.54	14.34	≤30.00	PASS
			52Tone	RU40	13.31	14.11	≤30.00	PASS
			106Tone	RU54	13.34	14.14	≤30.00	PASS

	total	6415	26Tone	RU8	16.21	16.91	≤30.00	PASS
			52Tone	RU40	15.99	16.69	≤30.00	PASS
			106Tone	RU54	16.00	16.70	≤30.00	PASS
	Ant0	6535	26Tone	RU0	13.53	14.13	≤30.00	PASS
			52Tone	RU37	13.31	13.91	≤30.00	PASS
			106Tone	RU53	13.27	13.87	≤30.00	PASS
	Ant1	6535	26Tone	RU0	13.69	14.49	≤30.00	PASS
			52Tone	RU37	13.51	14.31	≤30.00	PASS
			106Tone	RU53	13.59	14.39	≤30.00	PASS
	total	6535	26Tone	RU0	16.62	17.32	≤30.00	PASS
			52Tone	RU37	16.42	17.12	≤30.00	PASS
			106Tone	RU53	16.44	17.14	≤30.00	PASS
	Ant0	6715	26Tone	RU4	13.00	13.60	≤30.00	PASS
			52Tone	RU38	13.02	13.62	≤30.00	PASS
			106Tone	RU53	13.25	13.85	≤30.00	PASS
	Ant1	6715	26Tone	RU4	13.16	13.96	≤30.00	PASS
			52Tone	RU38	13.41	14.21	≤30.00	PASS
			106Tone	RU53	13.57	14.37	≤30.00	PASS
	total	6715	26Tone	RU4	16.09	16.79	≤30.00	PASS
			52Tone	RU38	16.23	16.93	≤30.00	PASS
			106Tone	RU53	16.42	17.12	≤30.00	PASS
	Ant0	6855	26Tone	RU8	13.20	13.80	≤30.00	PASS
			52Tone	RU40	13.05	13.65	≤30.00	PASS
			106Tone	RU54	13.13	13.73	≤30.00	PASS
	Ant1	6855	26Tone	RU8	13.27	14.07	≤30.00	PASS
			52Tone	RU40	13.21	14.01	≤30.00	PASS
			106Tone	RU54	13.30	14.10	≤30.00	PASS
	total	6855	26Tone	RU8	16.25	16.95	≤30.00	PASS
			52Tone	RU40	16.14	16.84	≤30.00	PASS
			106Tone	RU54	16.23	16.93	≤30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

11.5. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result-Indoor Client

TestMode	Antenna	Channel	Result [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-MIMO	Ant0	5955	-5.75	-5.15	≤ -1.00	PASS
	Ant1	5955	-4.86	-4.06	≤ -1.00	PASS
	total	5955	-2.27	-1.57	≤ -1.00	PASS
	Ant0	6175	-6.16	-5.56	≤ -1.00	PASS
	Ant1	6175	-4.83	-4.03	≤ -1.00	PASS
	total	6175	-2.43	-1.73	≤ -1.00	PASS
	Ant0	6415	-5.91	-5.31	≤ -1.00	PASS
	Ant1	6415	-5.32	-4.52	≤ -1.00	PASS
	total	6415	-2.59	-1.89	≤ -1.00	PASS
	Ant0	6435	-5.59	-4.99	≤ -1.00	PASS
	Ant1	6435	-4.80	-4.00	≤ -1.00	PASS
	total	6435	-2.17	-1.47	≤ -1.00	PASS
	Ant0	6475	-5.44	-4.84	≤ -1.00	PASS
	Ant1	6475	-4.75	-3.95	≤ -1.00	PASS
	total	6475	-2.07	-1.37	≤ -1.00	PASS
	Ant0	6515	-5.39	-4.79	≤ -1.00	PASS
	Ant1	6515	-4.74	-3.94	≤ -1.00	PASS
	total	6515	-2.04	-1.34	≤ -1.00	PASS
	Ant0	6535	-5.43	-4.83	≤ -1.00	PASS
	Ant1	6535	-4.95	-4.15	≤ -1.00	PASS
	total	6535	-2.17	-1.47	≤ -1.00	PASS
	Ant0	6715	-5.24	-4.64	≤ -1.00	PASS
	Ant1	6715	-5.15	-4.35	≤ -1.00	PASS
	total	6715	-2.18	-1.48	≤ -1.00	PASS
	Ant0	6855	-5.28	-4.68	≤ -1.00	PASS
	Ant1	6855	-5.38	-4.58	≤ -1.00	PASS
	total	6855	-2.32	-1.62	≤ -1.00	PASS
	Ant0	6875	-5.43	-4.83	≤ -1.00	PASS
	Ant1	6875	-5.14	-4.34	≤ -1.00	PASS
	total	6875	-2.27	-1.57	≤ -1.00	PASS
	Ant0	7015	-5.64	-5.04	≤ -1.00	PASS
	Ant1	7015	-4.79	-3.99	≤ -1.00	PASS
	total	7015	-2.18	-1.48	≤ -1.00	PASS
	Ant0	7115	-5.37	-4.77	≤ -1.00	PASS
	Ant1	7115	-5.10	-4.30	≤ -1.00	PASS
	total	7115	-2.22	-1.52	≤ -1.00	PASS
11AX20MIMO	Ant0	5955	-5.06	-4.46	≤ -1.00	PASS
	Ant1	5955	-5.00	-4.20	≤ -1.00	PASS
	total	5955	-2.02	-1.32	≤ -1.00	PASS
	Ant0	6175	-5.89	-5.29	≤ -1.00	PASS
	Ant1	6175	-4.45	-3.65	≤ -1.00	PASS
	total	6175	-2.10	-1.40	≤ -1.00	PASS
	Ant0	6415	-5.29	-4.69	≤ -1.00	PASS
	Ant1	6415	-4.76	-3.96	≤ -1.00	PASS
	total	6415	-2.01	-1.31	≤ -1.00	PASS
	Ant0	6435	-5.30	-4.70	≤ -1.00	PASS
	Ant1	6435	-4.86	-4.06	≤ -1.00	PASS
	total	6435	-2.06	-1.36	≤ -1.00	PASS
	Ant0	6475	-5.49	-4.89	≤ -1.00	PASS
	Ant1	6475	-4.62	-3.82	≤ -1.00	PASS
	total	6475	-2.02	-1.32	≤ -1.00	PASS
	Ant0	6515	-5.28	-4.68	≤ -1.00	PASS
	Ant1	6515	-4.48	-3.68	≤ -1.00	PASS
	total	6515	-1.85	-1.15	≤ -1.00	PASS
	Ant0	6535	-5.33	-4.73	≤ -1.00	PASS

	Ant1	6535	-4.63	-3.83	≤ -1.00	PASS
	total	6535	-1.96	-1.26	≤ -1.00	PASS
	Ant0	6715	-6.36	-5.76	≤ -1.00	PASS
	Ant1	6715	-4.55	-3.75	≤ -1.00	PASS
	total	6715	-2.35	-1.65	≤ -1.00	PASS
	Ant0	6855	-5.31	-4.71	≤ -1.00	PASS
	Ant1	6855	-5.03	-4.23	≤ -1.00	PASS
	total	6855	-2.16	-1.46	≤ -1.00	PASS
	Ant0	6875	-5.37	-4.77	≤ -1.00	PASS
	Ant1	6875	-4.95	-4.15	≤ -1.00	PASS
	total	6875	-2.14	-1.44	≤ -1.00	PASS
	Ant0	7015	-5.62	-5.02	≤ -1.00	PASS
	Ant1	7015	-4.53	-3.73	≤ -1.00	PASS
	total	7015	-2.03	-1.33	≤ -1.00	PASS
	Ant0	7115	-5.78	-5.18	≤ -1.00	PASS
	Ant1	7115	-5.20	-4.40	≤ -1.00	PASS
	total	7115	-2.47	-1.77	≤ -1.00	PASS
11AX40MIMO	Ant0	5965	-5.95	-5.35	≤ -1.00	PASS
	Ant1	5965	-5.25	-4.45	≤ -1.00	PASS
	total	5965	-2.58	-1.88	≤ -1.00	PASS
	Ant0	6165	-6.18	-5.58	≤ -1.00	PASS
	Ant1	6165	-4.52	-3.72	≤ -1.00	PASS
	total	6165	-2.26	-1.56	≤ -1.00	PASS
	Ant0	6405	-5.80	-5.20	≤ -1.00	PASS
	Ant1	6405	-4.62	-3.82	≤ -1.00	PASS
	total	6405	-2.16	-1.46	≤ -1.00	PASS
	Ant0	6445	-5.70	-5.10	≤ -1.00	PASS
	Ant1	6445	-4.90	-4.10	≤ -1.00	PASS
	total	6445	-2.27	-1.57	≤ -1.00	PASS
	Ant0	6485	-5.57	-4.97	≤ -1.00	PASS
	Ant1	6485	-4.67	-3.87	≤ -1.00	PASS
	total	6485	-2.09	-1.39	≤ -1.00	PASS
	Ant0	6525	-5.31	-4.71	≤ -1.00	PASS
	Ant1	6525	-4.73	-3.93	≤ -1.00	PASS
	total	6525	-2.00	-1.30	≤ -1.00	PASS
	Ant0	6565	-5.60	-5.00	≤ -1.00	PASS
	Ant1	6565	-5.09	-4.29	≤ -1.00	PASS
	total	6565	-2.33	-1.63	≤ -1.00	PASS
	Ant0	6725	-5.66	-5.06	≤ -1.00	PASS
	Ant1	6725	-4.77	-3.97	≤ -1.00	PASS
	total	6725	-2.18	-1.48	≤ -1.00	PASS
	Ant0	6845	-5.20	-4.60	≤ -1.00	PASS
	Ant1	6845	-4.59	-3.79	≤ -1.00	PASS
	total	6845	-1.87	-1.17	≤ -1.00	PASS
	Ant0	6885	-5.57	-4.97	≤ -1.00	PASS
	Ant1	6885	-5.05	-4.25	≤ -1.00	PASS
	total	6885	-2.29	-1.59	≤ -1.00	PASS
	Ant0	7005	-5.54	-4.94	≤ -1.00	PASS
	Ant1	7005	-4.47	-3.67	≤ -1.00	PASS
	total	7005	-1.96	-1.26	≤ -1.00	PASS
	Ant0	7085	-5.56	-4.96	≤ -1.00	PASS
	Ant1	7085	-4.58	-3.78	≤ -1.00	PASS
	total	7085	-2.03	-1.33	≤ -1.00	PASS
11AX80MIMO	Ant0	5985	-5.70	-5.10	≤ -1.00	PASS
	Ant1	5985	-5.13	-4.33	≤ -1.00	PASS
	total	5985	-2.40	-1.70	≤ -1.00	PASS
	Ant0	6145	-5.51	-4.91	≤ -1.00	PASS
	Ant1	6145	-5.11	-4.31	≤ -1.00	PASS
	total	6145	-2.30	-1.60	≤ -1.00	PASS
	Ant0	6385	-5.87	-5.27	≤ -1.00	PASS

	Ant1	6385	-4.85	-4.05	≤ -1.00	PASS
	total	6385	-2.32	-1.62	≤ -1.00	PASS
	Ant0	6465	-5.32	-4.72	≤ -1.00	PASS
	Ant1	6465	-4.49	-3.69	≤ -1.00	PASS
	total	6465	-1.87	-1.17	≤ -1.00	PASS
	Ant0	6545	-5.49	-4.89	≤ -1.00	PASS
	Ant1	6545	-4.97	-4.17	≤ -1.00	PASS
	total	6545	-2.21	-1.51	≤ -1.00	PASS
	Ant0	6705	-5.56	-4.96	≤ -1.00	PASS
	Ant1	6705	-4.83	-4.03	≤ -1.00	PASS
	total	6705	-2.17	-1.47	≤ -1.00	PASS
	Ant0	6785	-5.34	-4.74	≤ -1.00	PASS
	Ant1	6785	-5.16	-4.36	≤ -1.00	PASS
	total	6785	-2.24	-1.54	≤ -1.00	PASS
	Ant0	6865	-5.68	-5.08	≤ -1.00	PASS
	Ant1	6865	-5.55	-4.75	≤ -1.00	PASS
	total	6865	-2.60	-1.90	≤ -1.00	PASS
	Ant0	6945	-5.19	-4.59	≤ -1.00	PASS
	Ant1	6945	-5.08	-4.28	≤ -1.00	PASS
	total	6945	-2.12	-1.42	≤ -1.00	PASS
	Ant0	7025	-5.40	-4.80	≤ -1.00	PASS
	Ant1	7025	-4.72	-3.92	≤ -1.00	PASS
	total	7025	-2.04	-1.34	≤ -1.00	PASS
11AX160MIMO	Ant0	6025	-5.54	-4.94	≤ -1.00	PASS
	Ant1	6025	-5.16	-4.36	≤ -1.00	PASS
	total	6025	-2.34	-1.64	≤ -1.00	PASS
	Ant0	6185	-5.99	-5.39	≤ -1.00	PASS
	Ant1	6185	-5.16	-4.36	≤ -1.00	PASS
	total	6185	-2.54	-1.84	≤ -1.00	PASS
	Ant0	6345	-5.48	-4.88	≤ -1.00	PASS
	Ant1	6345	-5.02	-4.22	≤ -1.00	PASS
	total	6345	-2.23	-1.53	≤ -1.00	PASS
	Ant0	6505	-5.28	-4.68	≤ -1.00	PASS
	Ant1	6505	-4.86	-4.06	≤ -1.00	PASS
	total	6505	-2.05	-1.35	≤ -1.00	PASS
	Ant0	6665	-5.43	-4.83	≤ -1.00	PASS
	Ant1	6665	-5.29	-4.49	≤ -1.00	PASS
	total	6665	-2.35	-1.65	≤ -1.00	PASS
	Ant0	6825	-5.27	-4.67	≤ -1.00	PASS
	Ant1	6825	-5.13	-4.33	≤ -1.00	PASS
	total	6825	-2.19	-1.49	≤ -1.00	PASS
	Ant0	6985	-5.09	-4.49	≤ -1.00	PASS
	Ant1	6985	-4.86	-4.06	≤ -1.00	PASS
	total	6985	-1.96	-1.26	≤ -1.00	PASS

Note: The Duty Cycle Factor and RBW Factor is compensated in the graph.

TestMode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Result [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant0	5955	26Tone	RU0	-6.12	-5.52	≤-1.00	PASS
			52Tone	RU37	-6.28	-5.68	≤-1.00	PASS
			106Tone	RU53	-6.59	-5.99	≤-1.00	PASS
	Ant1	5955	26Tone	RU0	-4.32	-3.52	≤-1.00	PASS
			52Tone	RU37	-4.29	-3.49	≤-1.00	PASS
			106Tone	RU53	-4.44	-3.64	≤-1.00	PASS
	total	5955	26Tone	RU0	-2.12	-1.42	≤-1.00	PASS
			52Tone	RU37	-2.16	-1.46	≤-1.00	PASS
			106Tone	RU53	-2.37	-1.67	≤-1.00	PASS
	Ant0	6175	26Tone	RU4	-6.59	-5.99	≤-1.00	PASS
			52Tone	RU38	-7.01	-6.41	≤-1.00	PASS
			106Tone	RU53	-6.29	-5.69	≤-1.00	PASS
	Ant1	6175	26Tone	RU4	-3.72	-2.92	≤-1.00	PASS
			52Tone	RU38	-4.01	-3.21	≤-1.00	PASS
			106Tone	RU53	-5.20	-4.40	≤-1.00	PASS
	total	6175	26Tone	RU4	-1.91	-1.21	≤-1.00	PASS
			52Tone	RU38	-2.25	-1.55	≤-1.00	PASS
			106Tone	RU53	-2.70	-2.00	≤-1.00	PASS
	Ant0	6415	26Tone	RU8	-6.18	-5.58	≤-1.00	PASS
			52Tone	RU40	-6.71	-6.11	≤-1.00	PASS
			106Tone	RU54	-6.76	-6.16	≤-1.00	PASS
	Ant1	6415	26Tone	RU8	-4.92	-4.12	≤-1.00	PASS
			52Tone	RU40	-5.52	-4.72	≤-1.00	PASS
			106Tone	RU54	-5.97	-5.17	≤-1.00	PASS
	total	6415	26Tone	RU8	-2.49	-1.79	≤-1.00	PASS
			52Tone	RU40	-3.06	-2.36	≤-1.00	PASS
			106Tone	RU54	-3.34	-2.64	≤-1.00	PASS
	Ant0	6435	26Tone	RU0	-5.53	-4.93	≤-1.00	PASS
			52Tone	RU37	-6.21	-5.61	≤-1.00	PASS
			106Tone	RU53	-5.76	-5.16	≤-1.00	PASS
	Ant1	6435	26Tone	RU0	-4.49	-3.69	≤-1.00	PASS
			52Tone	RU37	-4.96	-4.16	≤-1.00	PASS
			106Tone	RU53	-5.23	-4.43	≤-1.00	PASS
	total	6435	26Tone	RU0	-1.97	-1.27	≤-1.00	PASS
			52Tone	RU37	-2.53	-1.83	≤-1.00	PASS
			106Tone	RU53	-2.48	-1.78	≤-1.00	PASS
	Ant0	6475	26Tone	RU4	-5.77	-5.17	≤-1.00	PASS
			52Tone	RU38	-6.21	-5.61	≤-1.00	PASS
			106Tone	RU53	-7.07	-6.47	≤-1.00	PASS
	Ant1	6475	26Tone	RU4	-4.75	-3.95	≤-1.00	PASS
			52Tone	RU38	-5.01	-4.21	≤-1.00	PASS
			106Tone	RU53	-5.83	-5.03	≤-1.00	PASS
	total	6475	26Tone	RU4	-2.22	-1.52	≤-1.00	PASS
			52Tone	RU38	-2.56	-1.86	≤-1.00	PASS
			106Tone	RU53	-3.40	-2.70	≤-1.00	PASS
	Ant0	6515	26Tone	RU8	-5.42	-4.82	≤-1.00	PASS
			52Tone	RU40	-6.18	-5.58	≤-1.00	PASS
			106Tone	RU54	-6.54	-5.94	≤-1.00	PASS
	Ant1	6515	26Tone	RU8	-4.31	-3.51	≤-1.00	PASS
			52Tone	RU40	-4.80	-4.00	≤-1.00	PASS
			106Tone	RU54	-5.22	-4.42	≤-1.00	PASS
	total	6515	26Tone	RU8	-1.82	-1.12	≤-1.00	PASS
			52Tone	RU40	-2.43	-1.73	≤-1.00	PASS
			106Tone	RU54	-2.82	-2.12	≤-1.00	PASS
	Ant0	6535	26Tone	RU0	-5.53	-4.93	≤-1.00	PASS
			52Tone	RU37	-5.99	-5.39	≤-1.00	PASS
			106Tone	RU53	-6.33	-5.73	≤-1.00	PASS
	Ant1	6535	26Tone	RU0	-4.33	-3.53	≤-1.00	PASS
			52Tone	RU37	-4.83	-4.03	≤-1.00	PASS
			106Tone	RU53	-5.18	-4.38	≤-1.00	PASS
	total	6535	26Tone	RU0	-1.88	-1.18	≤-1.00	PASS
			52Tone	RU37	-2.36	-1.66	≤-1.00	PASS
			106Tone	RU53	-2.71	-2.01	≤-1.00	PASS
	Ant0	6715	26Tone	RU4	-5.88	-5.28	≤-1.00	PASS

	Ant1	6715	52Tone	RU38	-6.23	-5.63	≤ -1.00	PASS
			106Tone	RU53	-6.42	-5.82	≤ -1.00	PASS
			26Tone	RU4	-4.39	-3.59	≤ -1.00	PASS
	total	6715	52Tone	RU38	-4.55	-3.75	≤ -1.00	PASS
			106Tone	RU53	-4.79	-3.99	≤ -1.00	PASS
			26Tone	RU4	-2.06	-1.36	≤ -1.00	PASS
	Ant0	6855	52Tone	RU38	-2.30	-1.60	≤ -1.00	PASS
			106Tone	RU53	-2.52	-1.82	≤ -1.00	PASS
			26Tone	RU8	-5.59	-4.99	≤ -1.00	PASS
	Ant1	6855	52Tone	RU40	-6.13	-5.53	≤ -1.00	PASS
			106Tone	RU54	-6.45	-5.85	≤ -1.00	PASS
			26Tone	RU8	-4.45	-3.65	≤ -1.00	PASS
	total	6855	52Tone	RU40	-4.80	-4.00	≤ -1.00	PASS
			106Tone	RU54	-5.13	-4.33	≤ -1.00	PASS
			26Tone	RU8	-1.97	-1.27	≤ -1.00	PASS
	Ant0	6875	52Tone	RU40	-2.40	-1.70	≤ -1.00	PASS
			106Tone	RU54	-2.73	-2.03	≤ -1.00	PASS
			26Tone	RU0	-5.50	-4.90	≤ -1.00	PASS
	Ant1	6875	52Tone	RU37	-5.86	-5.26	≤ -1.00	PASS
			106Tone	RU53	-6.20	-5.60	≤ -1.00	PASS
			26Tone	RU0	-4.25	-3.45	≤ -1.00	PASS
	total	6875	52Tone	RU37	-4.69	-3.89	≤ -1.00	PASS
			106Tone	RU53	-5.03	-4.23	≤ -1.00	PASS
			26Tone	RU0	-1.82	-1.12	≤ -1.00	PASS
	Ant0	7015	52Tone	RU37	-2.23	-1.53	≤ -1.00	PASS
			106Tone	RU53	-2.57	-1.87	≤ -1.00	PASS
			26Tone	RU4	-5.68	-5.08	≤ -1.00	PASS
	Ant1	7015	52Tone	RU38	-6.01	-5.41	≤ -1.00	PASS
			106Tone	RU53	-6.50	-5.90	≤ -1.00	PASS
			26Tone	RU4	-4.78	-3.98	≤ -1.00	PASS
	total	7015	52Tone	RU38	-4.74	-3.94	≤ -1.00	PASS
			106Tone	RU53	-5.31	-4.51	≤ -1.00	PASS
			26Tone	RU4	-2.20	-1.50	≤ -1.00	PASS
	Ant0	7115	52Tone	RU38	-2.32	-1.62	≤ -1.00	PASS
			106Tone	RU53	-2.85	-2.15	≤ -1.00	PASS
			26Tone	RU8	-6.42	-5.82	≤ -1.00	PASS
	Ant1	7115	52Tone	RU40	-6.43	-5.83	≤ -1.00	PASS
			106Tone	RU54	-9.26	-8.66	≤ -1.00	PASS
			26Tone	RU8	-5.66	-4.86	≤ -1.00	PASS
	total	7115	52Tone	RU40	-5.48	-4.68	≤ -1.00	PASS
			106Tone	RU54	-8.50	-7.70	≤ -1.00	PASS
			26Tone	RU8	-3.01	-2.31	≤ -1.00	PASS
	total	7115	52Tone	RU40	-2.92	-2.22	≤ -1.00	PASS
			106Tone	RU54	-5.85	-5.15	≤ -1.00	PASS

Note: The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs-Indoor Client

