


2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Bandedge [PK]

2412MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Bandedge [AV]

2412MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-31.56	-21.20	-10.36	14.69	0.00	-46.25	-50.45	-50.93	-55.12	-54.47
2.36G	2.5235G	1M	PK	2.48639G	-33.71	-21.20	-12.51	14.69	0.00	-48.40	-54.19	-53.78	-53.96	-56.15

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.10	-41.20	-0.90	14.69	0.00	-56.79	-60.91	-62.03	-64.83	-64.83
2.36G	2.5235G	1M	AV	2.48361G	-44.36	-41.20	-3.16	14.69	0.00	-59.05	-64.45	-64.06	-66.19	-65.96

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-29.75	-21.20	-8.55	14.69	0.00	-44.44	-49.45	-47.62	-53.53	-55.33
2.36G	2.5235G	1M	PK	2.48442G	-33.75	-21.20	-12.55	14.69	0.00	-48.44	-54.37	-53.78	-54.07	-55.92

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.52	-41.20	-0.32	14.69	0.00	-56.21	-60.65	-60.91	-64.23	-64.63
2.36G	2.5235G	1M	AV	2.48361G	-44.35	-41.20	-3.15	14.69	0.00	-59.04	-64.45	-63.88	-66.44	-65.96

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2462MHz

09/03/2026



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.63				-52.63	-41.23	-41.20	-0.03
802.11b_Nss1,(1Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.4859G	11.60	-55.45	-56.39			-52.88	-41.28	-41.20	-0.08
802.11b_Nss1,(1Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.48377G	14.69	-62.05	-60.67	-64.07	-62.20	-56.06	-41.37	-41.20	-0.17
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.80				-52.80	-41.40	-41.20	-0.20
802.11g_Nss1,(6Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.38976G	11.60	-55.30	-56.60			-52.89	-41.29	-41.20	-0.09
802.11g_Nss1,(6Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.48361G	14.69	-60.29	-61.06	-63.88	-63.70	-55.93	-41.24	-41.20	-0.04
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.63				-52.63	-41.23	-41.20	-0.03
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-55.54	-56.19			-52.84	-41.24	-41.20	-0.04
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.36G	2.5235G	AV	2.48377G	14.69	-60.54	-60.80	-64.45	-63.34	-55.96	-41.27	-41.20	-0.07

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-54.81				-54.81	-43.41	-41.20	-2.21
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-55.44				-55.44	-44.04	-41.20	-2.84
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.40	-43.45				-43.45	-32.05	-21.20	-10.85
2412MHz	Pass	2.36G	2.5235G	PK	2.48393G	11.40	-44.32				-44.32	-32.92	-21.20	-11.72
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.63				-52.63	-41.23	-41.20	-0.03
2437MHz	Pass	2.36G	2.5235G	AV	2.4841G	11.40	-54.59				-54.59	-43.19	-41.20	-1.99
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.40	-42.55				-42.55	-31.15	-21.20	-9.95
2437MHz	Pass	2.36G	2.5235G	PK	2.48361G	11.40	-43.66				-43.66	-32.26	-21.20	-11.06
2462MHz	Pass	2.36G	2.5235G	AV	2.38976G	11.40	-55.46				-55.46	-44.06	-41.20	-2.86
2462MHz	Pass	2.36G	2.5235G	AV	2.48639G	11.40	-53.29				-53.29	-41.89	-41.20	-0.69
2462MHz	Pass	2.36G	2.5235G	PK	2.38649G	11.40	-44.78				-44.78	-33.38	-21.20	-12.18
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	11.40	-43.22				-43.22	-31.82	-21.20	-10.62
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.80				-52.80	-41.40	-41.20	-0.20
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-57.84				-57.84	-46.44	-41.20	-5.24
2412MHz	Pass	2.36G	2.5235G	PK	2.38959G	11.40	-40.95				-40.95	-29.55	-21.20	-8.35
2412MHz	Pass	2.36G	2.5235G	PK	2.48573G	11.40	-46.79				-46.79	-35.39	-21.20	-14.19
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-53.07				-53.07	-41.67	-41.20	-0.47
2417MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-56.48				-56.48	-45.08	-41.20	-3.88
2417MHz	Pass	2.36G	2.5235G	PK	2.38894G	11.40	-41.73				-41.73	-30.33	-21.20	-9.13
2417MHz	Pass	2.36G	2.5235G	PK	2.48361G	11.40	-45.28				-45.28	-33.88	-21.20	-12.68
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	11.40	-52.80				-52.80	-41.40	-41.20	-0.20
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.80				-52.80	-41.40	-41.20	-0.20
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-53.74				-53.74	-42.34	-41.20	-1.14
2437MHz	Pass	2.36G	2.5235G	PK	2.38992G	11.40	-41.98				-41.98	-30.58	-21.20	-9.38
2437MHz	Pass	2.36G	2.5235G	PK	2.4872G	11.40	-42.15				-42.15	-30.75	-21.20	-9.55
2457MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-55.79				-55.79	-44.39	-41.20	-3.19
2457MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-53.54				-53.54	-42.14	-41.20	-0.94
2457MHz	Pass	2.36G	2.5235G	AV	2.48377G	11.40	-53.54				-53.54	-42.14	-41.20	-0.94
2457MHz	Pass	2.36G	2.5235G	PK	2.38894G	11.40	-44.81				-44.81	-33.41	-21.20	-12.21
2457MHz	Pass	2.36G	2.5235G	PK	2.48377G	11.40	-41.26				-41.26	-29.86	-21.20	-8.66
2462MHz	Pass	2.36G	2.5235G	AV	2.38959G	11.40	-58.82				-58.82	-47.42	-41.20	-6.22
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-52.96				-52.96	-41.56	-41.20	-0.36
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.40	-46.25				-46.25	-34.85	-21.20	-13.65
2462MHz	Pass	2.36G	2.5235G	PK	2.48475G	11.40	-40.86				-40.86	-29.46	-21.20	-8.26
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38959G	11.40	-52.96				-52.96	-41.56	-41.20	-0.36
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.96				-52.96	-41.56	-41.20	-0.36
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-55.90				-55.90	-44.50	-41.20	-3.30
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	11.40	-41.43				-41.43	-30.03	-21.20	-8.83
2412MHz	Pass	2.36G	2.5235G	PK	2.48361G	11.40	-43.90				-43.90	-32.50	-21.20	-11.30
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.69				-52.69	-41.29	-41.20	-0.09
2417MHz	Pass	2.36G	2.5235G	AV	2.48377G	11.40	-60.42				-60.42	-49.02	-41.20	-7.82
2417MHz	Pass	2.36G	2.5235G	PK	2.38959G	11.40	-36.38				-36.38	-24.98	-21.20	-3.78
2417MHz	Pass	2.36G	2.5235G	PK	2.48639G	11.40	-49.68				-49.68	-38.28	-21.20	-17.08
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-52.63				-52.63	-41.23	-41.20	-0.03
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-53.28				-53.28	-41.88	-41.20	-0.68
2437MHz	Pass	2.36G	2.5235G	PK	2.38878G	11.40	-40.83				-40.83	-29.43	-21.20	-8.23
2437MHz	Pass	2.36G	2.5235G	PK	2.48491G	11.40	-41.91				-41.91	-30.51	-21.20	-9.31
2457MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-58.46				-58.46	-47.06	-41.20	-5.86
2457MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-53.34				-53.34	-41.94	-41.20	-0.74
2457MHz	Pass	2.36G	2.5235G	PK	2.38845G	11.40	-47.53				-47.53	-36.13	-21.20	-14.93
2457MHz	Pass	2.36G	2.5235G	PK	2.48377G	11.40	-36.40				-36.40	-25.00	-21.20	-3.80
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.40	-56.40				-56.40	-45.00	-41.20	-3.80
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.40	-53.11				-53.11	-41.71	-41.20	-0.51
2462MHz	Pass	2.36G	2.5235G	AV	2.48377G	11.40	-53.11				-53.11	-41.71	-41.20	-0.51
2462MHz	Pass	2.36G	2.5235G	PK	2.38763G	11.40	-45.38				-45.38	-33.98	-21.20	-12.78
2462MHz	Pass	2.36G	2.5235G	PK	2.48393G	11.40	-41.11				-41.11	-29.71	-21.20	-8.51
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-55.68	-56.40			-53.01	-41.41	-41.20	-0.21
2412MHz	Pass	2.36G	2.5235G	AV	2.48393G	11.60	-57.16	-56.63			-53.88	-42.28	-41.20	-1.08
2412MHz	Pass	2.36G	2.5235G	PK	2.38927G	11.60	-43.85	-45.88			-41.74	-30.14	-21.20	-8.94
2412MHz	Pass	2.36G	2.5235G	PK	2.48622G	11.60	-45.65	-45.94			-42.78	-31.18	-21.20	-9.98
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-56.40	-56.91			-53.64	-42.04	-41.20	-0.84
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	11.60	-56.89	-56.38			-53.62	-42.02	-41.20	-0.82
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.60	-45.73	-45.45			-42.58	-30.98	-21.20	-9.78
2437MHz	Pass	2.36G	2.5235G	PK	2.48459G	11.60	-44.50	-45.29			-41.87	-30.27	-21.20	-9.07
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-56.65	-57.18			-53.90	-42.30	-41.20	-1.10

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2462MHz	Pass	2.36G	2.5235G	AV	2.4859G	11.60	-55.45	-56.39			-52.88	-41.28	-41.20	-0.08
2462MHz	Pass	2.36G	2.5235G	PK	2.38567G	11.60	-46.50	-46.03			-43.25	-31.65	-21.20	-10.45
2462MHz	Pass	2.36G	2.5235G	PK	2.48655G	11.60	-45.51	-44.89			-42.18	-30.58	-21.20	-9.38
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38976G	11.60	-55.92	-55.92			-52.91	-41.31	-41.20	-0.11
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-57.16	-56.63			-53.88	-42.28	-41.20	-1.08
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.60	-44.21	-45.45			-41.78	-30.18	-21.20	-8.98
2412MHz	Pass	2.36G	2.5235G	PK	2.48442G	11.60	-46.24	-43.95			-41.94	-30.34	-21.20	-9.14
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-55.79	-57.33			-53.48	-41.88	-41.20	-0.68
2417MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-58.18	-58.70			-55.42	-43.82	-41.20	-2.62
2417MHz	Pass	2.36G	2.5235G	PK	2.38845G	11.60	-45.21	-46.73			-42.89	-31.29	-21.20	-10.09
2417MHz	Pass	2.36G	2.5235G	PK	2.48475G	11.60	-47.96	-47.07			-44.48	-32.88	-21.20	-11.68
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	11.60	-55.30	-56.60			-52.89	-41.29	-41.20	-0.09
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-56.20	-56.07			-53.12	-41.52	-41.20	-0.32
2437MHz	Pass	2.36G	2.5235G	PK	2.38959G	11.60	-44.22	-45.79			-41.92	-30.32	-21.20	-9.12
2437MHz	Pass	2.36G	2.5235G	PK	2.48377G	11.60	-44.83	-44.13			-41.46	-29.86	-21.20	-8.66
2457MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-58.46	-59.19			-55.80	-44.20	-41.20	-3.00
2457MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-56.48	-55.43			-52.91	-41.31	-41.20	-0.11
2457MHz	Pass	2.36G	2.5235G	PK	2.38943G	11.60	-48.03	-48.79			-45.38	-33.78	-21.20	-12.58
2457MHz	Pass	2.36G	2.5235G	PK	2.4854G	11.60	-46.39	-44.34			-42.23	-30.63	-21.20	-9.43
2462MHz	Pass	2.36G	2.5235G	AV	2.38894G	11.60	-57.45	-57.74			-54.58	-42.98	-41.20	-1.78
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-56.14	-56.14			-53.13	-41.53	-41.20	-0.33
2462MHz	Pass	2.36G	2.5235G	PK	2.38992G	11.60	-47.06	-46.18			-43.59	-31.99	-21.20	-10.79
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	11.60	-43.38	-46.16			-41.54	-29.94	-21.20	-8.74
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-56.88	-55.54			-53.15	-41.55	-41.20	-0.35
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-59.86	-59.07			-56.44	-44.84	-41.20	-3.64
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	11.60	-46.25	-45.02			-42.58	-30.98	-21.20	-9.78
2412MHz	Pass	2.36G	2.5235G	PK	2.48393G	11.60	-49.57	-48.61			-46.05	-34.45	-21.20	-13.25
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-55.54	-56.19			-52.84	-41.24	-41.20	-0.04
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-56.34	-55.68			-52.99	-41.39	-41.20	-0.19
2437MHz	Pass	2.36G	2.5235G	PK	2.38943G	11.60	-46.12	-45.32			-42.69	-31.09	-21.20	-9.89
2437MHz	Pass	2.36G	2.5235G	PK	2.48557G	11.60	-45.44	-44.91			-42.16	-30.56	-21.20	-9.36
2457MHz	Pass	2.36G	2.5235G	AV	2.38992G	11.60	-58.64	-59.19			-55.90	-44.30	-41.20	-3.10
2457MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-56.07	-56.62			-53.33	-41.73	-41.20	-0.53
2457MHz	Pass	2.36G	2.5235G	AV	2.48377G	11.60	-56.07	-56.62			-53.33	-41.73	-41.20	-0.53
2457MHz	Pass	2.36G	2.5235G	PK	2.38992G	11.60	-47.42	-49.08			-45.16	-33.56	-21.20	-12.36
2457MHz	Pass	2.36G	2.5235G	PK	2.48361G	11.60	-43.15	-46.04			-41.35	-29.75	-21.20	-8.55
2462MHz	Pass	2.36G	2.5235G	AV	2.38976G	11.60	-61.08	-61.56			-58.30	-46.70	-41.20	-5.50
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	11.60	-57.52	-56.76			-54.11	-42.51	-41.20	-1.31
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	11.60	-49.87	-51.19			-47.47	-35.87	-21.20	-14.67
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	11.60	-46.04	-45.21			-42.59	-30.99	-21.20	-9.79
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-61.59	-60.65	-64.43	-65.70	-56.61	-41.92	-41.20	-0.72
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	14.69	-65.06	-61.61	-64.45	-66.19	-57.95	-43.26	-41.20	-2.06
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	14.69	-51.40	-49.37	-53.99	-55.12	-45.87	-31.18	-21.20	-9.98
2412MHz	Pass	2.36G	2.5235G	PK	2.4841G	14.69	-55.21	-50.12	-53.38	-53.89	-46.69	-32.00	-21.20	-10.80
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-61.59	-61.04	-64.43	-63.14	-56.33	-41.64	-41.20	-0.44
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	14.69	-62.05	-60.67	-64.07	-62.20	-56.06	-41.37	-41.20	-0.17
2437MHz	Pass	2.36G	2.5235G	PK	2.38845G	14.69	-50.18	-49.04	-54.79	-53.81	-45.30	-30.61	-21.20	-9.41
2437MHz	Pass	2.36G	2.5235G	PK	2.4859G	14.69	-50.67	-49.44	-53.90	-52.21	-45.22	-30.53	-21.20	-9.33
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-61.45	-62.18	-65.04	-64.43	-57.00	-42.31	-41.20	-1.11
2462MHz	Pass	2.36G	2.5235G	AV	2.48393G	14.69	-61.20	-60.80	-64.07	-64.45	-56.31	-41.62	-41.20	-0.42
2462MHz	Pass	2.36G	2.5235G	PK	2.38845G	14.69	-51.76	-50.73	-54.35	-52.83	-46.20	-31.51	-21.20	-10.31
2462MHz	Pass	2.36G	2.5235G	PK	2.48508G	14.69	-49.61	-49.61	-53.28	-54.56	-45.22	-30.53	-21.20	-9.33
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-60.91	-62.03	-64.83	-64.83	-56.79	-42.10	-41.20	-0.90
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	14.69	-64.45	-64.06	-66.19	-65.96	-59.05	-44.36	-41.20	-3.16
2412MHz	Pass	2.36G	2.5235G	PK	2.38927G	14.69	-50.45	-50.93	-55.12	-54.47	-46.25	-31.56	-21.20	-10.36
2412MHz	Pass	2.36G	2.5235G	PK	2.48639G	14.69	-54.19	-53.78	-53.96	-56.15	-48.40	-33.71	-21.20	-12.51
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-60.15	-60.27	-65.70	-65.26	-56.07	-41.38	-41.20	-0.18
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	14.69	-60.93	-59.70	-65.72	-64.86	-56.07	-41.38	-41.20	-0.18
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	14.69	-48.42	-49.95	-55.82	-53.70	-45.03	-30.34	-21.20	-9.14
2437MHz	Pass	2.36G	2.5235G	PK	2.48393G	14.69	-50.95	-47.39	-54.95	-55.08	-44.87	-30.18	-21.20	-8.98
2462MHz	Pass	2.36G	2.5235G	AV	2.38976G	14.69	-63.67	-64.63	-66.42	-66.17	-59.05	-44.36	-41.20	-3.16
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	14.69	-60.29	-61.06	-63.88	-63.70	-55.93	-41.24	-41.20	-0.04
2462MHz	Pass	2.36G	2.5235G	PK	2.38959G	14.69	-51.49	-54.73	-55.90	-55.82	-48.06	-33.37	-21.20	-12.17
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	14.69	-49.09	-50.27	-53.78	-53.22	-45.13	-30.44	-21.20	-9.24
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-60.65	-60.91	-64.23	-64.63	-56.21	-41.52	-41.20	-0.32




Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	14.69	-64.45	-63.88	-66.44	-65.96	-59.04	-44.35	-41.20	-3.15
2412MHz	Pass	2.36G	2.5235G	PK	2.3891G	14.69	-49.45	-47.62	-53.53	-55.33	-44.44	-29.75	-21.20	-8.55
2412MHz	Pass	2.36G	2.5235G	PK	2.48442G	14.69	-54.37	-53.78	-54.07	-55.92	-48.44	-33.75	-21.20	-12.55
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-62.49	-63.32	-65.70	-65.26	-57.97	-43.28	-41.20	-2.08
2437MHz	Pass	2.36G	2.5235G	AV	2.48393G	14.69	-63.17	-62.83	-65.72	-65.06	-58.01	-43.32	-41.20	-2.12
2437MHz	Pass	2.36G	2.5235G	PK	2.38943G	14.69	-52.18	-53.14	-55.61	-54.41	-47.63	-32.94	-21.20	-11.74
2437MHz	Pass	2.36G	2.5235G	PK	2.4872G	14.69	-51.56	-52.96	-55.63	-54.44	-47.36	-32.67	-21.20	-11.47
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	14.69	-63.67	-64.83	-66.42	-66.17	-59.11	-44.42	-41.20	-3.22
2462MHz	Pass	2.36G	2.5235G	AV	2.48377G	14.69	-60.54	-60.80	-64.45	-63.34	-55.96	-41.27	-41.20	-0.07
2462MHz	Pass	2.36G	2.5235G	PK	2.38992G	14.69	-53.47	-54.11	-55.39	-56.12	-48.63	-33.94	-21.20	-12.74
2462MHz	Pass	2.36G	2.5235G	PK	2.48426G	14.69	-48.60	-49.68	-54.19	-52.40	-44.67	-29.98	-21.20	-8.78

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2412MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-32.05	-21.20	-10.85	11.40	0.00	-43.45	-43.45
2.36G	2.5235G	1M	PK	2.48393G	-32.92	-21.20	-11.72	11.40	0.00	-44.32	-44.32

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2412MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-43.41	-41.20	-2.21	11.40	0.00	-54.81	-54.81
2.36G	2.5235G	1M	AV	2.48361G	-44.04	-41.20	-2.84	11.40	0.00	-55.44	-55.44

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-31.15	-21.20	-9.95	11.40	0.00	-42.55	-42.55
2.36G	2.5235G	1M	PK	2.48361G	-32.26	-21.20	-11.06	11.40	0.00	-43.66	-43.66

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.23	-41.20	-0.03	11.40	0.00	-52.63	-52.63
2.36G	2.5235G	1M	AV	2.4841G	-43.19	-41.20	-1.99	11.40	0.00	-54.59	-54.59

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38649G	-33.38	-21.20	-12.18	11.40	0.00	-44.78	-44.78
2.36G	2.5235G	1M	PK	2.48377G	-31.82	-21.20	-10.62	11.40	0.00	-43.22	-43.22

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-44.06	-41.20	-2.86	11.40	0.00	-55.46	-55.46
2.36G	2.5235G	1M	AV	2.48639G	-41.89	-41.20	-0.69	11.40	0.00	-53.29	-53.29

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [PK]


2412MHz



2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [AV]

2412MHz




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [PK]

2417MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38894G	-30.33	-21.20	-9.13	11.40	0.00	-41.73	-41.73
2.36G	2.5235G	1M	PK	2.48361G	-33.88	-21.20	-12.68	11.40	0.00	-45.28	-45.28

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [AV]

2417MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.67	-41.20	-0.47	11.40	0.00	-53.07	-53.07
2.36G	2.5235G	1M	AV	2.48361G	-45.08	-41.20	-3.88	11.40	0.00	-56.48	-56.48

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [PK]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-30.58	-21.20	-9.38	11.40	0.00	-41.98	-41.98
2.36G	2.5235G	1M	PK	2.4872G	-30.75	-21.20	-9.55	11.40	0.00	-42.15	-42.15

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [AV]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-41.40	-41.20	-0.20	11.40	0.00	-52.80	-52.80
2.36G	2.5235G	1M	AV	2.38992G	-41.40	-41.20	-0.20	11.40	0.00	-52.80	-52.80
2.36G	2.5235G	1M	AV	2.48361G	-42.34	-41.20	-1.14	11.40	0.00	-53.74	-53.74

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2457MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38894G	-33.41	-21.20	-12.21	11.40	0.00	-44.81	-44.81
2.36G	2.5235G	1M	PK	2.48377G	-29.86	-21.20	-8.66	11.40	0.00	-41.26	-41.26

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2457MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-44.39	-41.20	-3.19	11.40	0.00	-55.79	-55.79
2.36G	2.5235G	1M	AV	2.48361G	-42.14	-41.20	-0.94	11.40	0.00	-53.54	-53.54
2.36G	2.5235G	1M	AV	2.48377G	-42.14	-41.20	-0.94	11.40	0.00	-53.54	-53.54

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [PK]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-34.85	-21.20	-13.65	11.40	0.00	-46.25	-46.25
2.36G	2.5235G	1M	PK	2.48475G	-29.46	-21.20	-8.26	11.40	0.00	-40.86	-40.86

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [AV]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-47.42	-41.20	-6.22	11.40	0.00	-58.82	-58.82
2.36G	2.5235G	1M	AV	2.48361G	-41.56	-41.20	-0.36	11.40	0.00	-52.96	-52.96

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-30.03	-21.20	-8.83	11.40	0.00	-41.43	-41.43
2.36G	2.5235G	1M	PK	2.48361G	-32.50	-21.20	-11.30	11.40	0.00	-43.90	-43.90

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.56	-41.20	-0.36	11.40	0.00	-52.96	-52.96
2.36G	2.5235G	1M	AV	2.38992G	-41.56	-41.20	-0.36	11.40	0.00	-52.96	-52.96
2.36G	2.5235G	1M	AV	2.48361G	-44.50	-41.20	-3.30	11.40	0.00	-55.90	-55.90

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2417MHz

11/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-24.98	-21.20	-3.78	11.40	0.00	-36.38	-36.38
2.36G	2.5235G	1M	PK	2.48639G	-38.28	-21.20	-17.08	11.40	0.00	-49.68	-49.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2417MHz

11/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.29	-41.20	-0.09	11.40	0.00	-52.69	-52.69
2.36G	2.5235G	1M	AV	2.48377G	-49.02	-41.20	-7.82	11.40	0.00	-60.42	-60.42

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2457MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2457MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38763G	-33.98	-21.20	-12.78	11.40	0.00	-45.38	-45.38
2.36G	2.5235G	1M	PK	2.48393G	-29.71	-21.20	-8.51	11.40	0.00	-41.11	-41.11

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2462MHz

09/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-45.00	-41.20	-3.80	11.40	0.00	-56.40	-56.40
2.36G	2.5235G	1M	AV	2.48361G	-41.71	-41.20	-0.51	11.40	0.00	-53.11	-53.11
2.36G	2.5235G	1M	AV	2.48377G	-41.71	-41.20	-0.51	11.40	0.00	-53.11	-53.11

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2412MHz

09/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-30.14	-21.20	-8.94	11.60	0.00	-41.74	-43.85	-45.88
2.36G	2.5235G	1M	PK	2.48622G	-31.18	-21.20	-9.98	11.60	0.00	-42.78	-45.65	-45.94

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.41	-41.20	-0.21	11.60	0.00	-53.01	-55.68	-56.40
2.36G	2.5235G	1M	AV	2.48393G	-42.28	-41.20	-1.08	11.60	0.00	-53.88	-57.16	-56.63

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-30.98	-21.20	-9.78	11.60	0.00	-42.58	-45.73	-45.45
2.36G	2.5235G	1M	PK	2.48459G	-30.27	-21.20	-9.07	11.60	0.00	-41.87	-44.50	-45.29

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2437MHz

09/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.04	-41.20	-0.84	11.60	0.00	-53.64	-56.40	-56.91
2.36G	2.5235G	1M	AV	2.48377G	-42.02	-41.20	-0.82	11.60	0.00	-53.62	-56.89	-56.38

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2462MHz

09/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38567G	-31.65	-21.20	-10.45	11.60	0.00	-43.25	-46.50	-46.03
2.36G	2.5235G	1M	PK	2.46655G	-30.58	-21.20	-9.38	11.60	0.00	-42.18	-45.51	-44.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.30	-41.20	-1.10	11.60	0.00	-53.90	-56.65	-57.18
2.36G	2.5235G	1M	AV	2.4659G	-41.28	-41.20	-0.08	11.60	0.00	-52.88	-55.45	-56.39

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-30.18	-21.20	-8.98	11.60	0.00	-41.78	-44.21	-45.45
2.36G	2.5235G	1M	PK	2.48442G	-30.34	-21.20	-9.14	11.60	0.00	-41.94	-46.24	-43.95

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-41.31	-41.20	-0.11	11.60	0.00	-52.91	-55.92	-55.92
2.36G	2.5235G	1M	AV	2.48361G	-42.28	-41.20	-1.08	11.60	0.00	-53.88	-57.16	-56.63

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2417MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2417MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-30.32	-21.20	-9.12	11.60	0.00	-41.92	-44.22	-45.79
2.36G	2.5235G	1M	PK	2.48377G	-29.86	-21.20	-8.66	11.60	0.00	-41.46	-44.83	-44.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-41.29	-41.20	-0.09	11.60	0.00	-52.89	-55.30	-56.60
2.36G	2.5235G	1M	AV	2.48361G	-41.52	-41.20	-0.32	11.60	0.00	-53.12	-56.20	-56.07

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [PK]

2457MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-33.78	-21.20	-12.58	11.60	0.00	-45.38	-48.03	-48.79
2.36G	2.5235G	1M	PK	2.4854G	-30.63	-21.20	-9.43	11.60	0.00	-42.23	-46.39	-44.34

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [AV]

2457MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-44.20	-41.20	-3.00	11.60	0.00	-55.80	-58.46	-59.19
2.36G	2.5235G	1M	AV	2.48361G	-41.31	-41.20	-0.11	11.60	0.00	-52.91	-56.48	-55.43

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-31.99	-21.20	-10.79	11.60	0.00	-43.59	-47.06	-46.18
2.36G	2.5235G	1M	PK	2.4841G	-29.94	-21.20	-8.74	11.60	0.00	-41.54	-43.38	-46.16

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38894G	-42.98	-41.20	-1.78	11.60	0.00	-54.58	-57.45	-57.74
2.36G	2.5235G	1M	AV	2.48361G	-41.53	-41.20	-0.33	11.60	0.00	-53.13	-56.14	-56.14

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-30.98	-21.20	-9.78	11.60	0.00	-42.58	-46.25	-45.02
2.36G	2.5235G	1M	PK	2.48393G	-34.45	-21.20	-13.25	11.60	0.00	-46.05	-49.57	-48.61

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.55	-41.20	-0.35	11.60	0.00	-53.15	-56.88	-55.54
2.36G	2.5235G	1M	AV	2.48361G	-44.84	-41.20	-3.64	11.60	0.00	-56.44	-59.86	-59.07

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-31.09	-21.20	-9.89	11.60	0.00	-42.69	-46.12	-45.32
2.36G	2.5235G	1M	PK	2.48557G	-30.56	-21.20	-9.36	11.60	0.00	-42.16	-45.44	-44.91

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.24	-41.20	-0.04	11.60	0.00	-52.84	-55.54	-56.19
2.36G	2.5235G	1M	AV	2.48361G	-41.39	-41.20	-0.19	11.60	0.00	-52.99	-56.34	-55.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2457MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-33.56	-21.20	-12.36	11.60	0.00	-45.16	-47.42	-49.08
2.36G	2.5235G	1M	PK	2.48361G	-29.75	-21.20	-8.55	11.60	0.00	-41.35	-43.15	-46.04

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2457MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-44.30	-41.20	-3.10	11.60	0.00	-55.90	-56.64	-59.19
2.36G	2.5235G	1M	AV	2.48361G	-41.73	-41.20	-0.53	11.60	0.00	-53.33	-56.07	-56.62
2.36G	2.5235G	1M	AV	2.48377G	-41.73	-41.20	-0.53	11.60	0.00	-53.33	-56.07	-56.62

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-35.87	-21.20	-14.67	11.60	0.00	-47.47	-49.87	-51.19
2.36G	2.5235G	1M	PK	2.4841G	-30.99	-21.20	-9.79	11.60	0.00	-42.59	-46.04	-45.21

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2462MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-46.70	-41.20	-5.50	11.60	0.00	-58.30	-61.08	-61.56
2.36G	2.5235G	1M	AV	2.48361G	-42.51	-41.20	-1.31	11.60	0.00	-54.11	-57.52	-56.76

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-31.18	-21.20	-9.98	14.69	0.00	-45.87	-51.40	-49.37	-53.99	-55.12
2.36G	2.5235G	1M	PK	2.4841G	-32.00	-21.20	-10.80	14.69	0.00	-46.69	-55.21	-50.12	-53.38	-53.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.92	-41.20	-0.72	14.69	0.00	-56.61	-61.59	-60.65	-64.43	-65.70
2.36G	2.5235G	1M	AV	2.48361G	-43.26	-41.20	-2.06	14.69	0.00	-57.95	-65.06	-61.61	-64.45	-66.19

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2412MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2412MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-29.75	-21.20	-8.55	14.69	0.00	-44.44	-49.45	-47.62	-53.53	-55.33
2.36G	2.5235G	1M	PK	2.48442G	-33.75	-21.20	-12.55	14.69	0.00	-48.44	-54.37	-53.78	-54.07	-55.92

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2412MHz

09/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.52	-41.20	-0.32	14.69	0.00	-56.21	-60.65	-60.91	-64.23	-64.63
2.36G	2.5235G	1M	AV	2.48361G	-44.35	-41.20	-3.15	14.69	0.00	-59.04	-64.45	-63.88	-66.44	-65.96

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2462MHz

09/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2462MHz

09/03/2026



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1(1Mbps)_1TX	Pass	1G	3G	AV	2.384G	3.40	-49.72	-49.72	-46.32	-41.20	-5.12
802.11g_Nss1(6Mbps)_1TX	Pass	1G	3G	AV	2.384G	3.40	-48.24	-48.24	-44.84	-41.20	-3.64
802.11ax HEW20_Nss1(MCS0)_1TX	Pass	1G	3G	AV	2.384G	3.40	-50.02	-50.02	-46.62	-41.20	-5.42

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.384G	3.40	-49.72	-49.72	-46.32	-41.20	-5.12
2412MHz	Pass	1G	3G	AV	2.5G	3.40	-62.12	-62.12	-58.72	-41.20	-17.52
2412MHz	Pass	1G	3G	PK	2.384G	3.40	-44.59	-44.59	-41.19	-21.20	-19.99
2412MHz	Pass	1G	3G	PK	2.5G	3.40	-53.03	-53.03	-49.63	-21.20	-28.43
2437MHz	Pass	1G	3G	AV	2.276G	3.40	-53.32	-53.32	-49.92	-41.20	-8.72
2437MHz	Pass	1G	3G	AV	2.376G	3.40	-54.57	-54.57	-51.17	-41.20	-9.97
2437MHz	Pass	1G	3G	AV	2.498G	3.40	-54.96	-54.96	-51.56	-41.20	-10.36
2437MHz	Pass	1G	3G	PK	2.274G	3.40	-45.04	-45.04	-41.64	-21.20	-20.44
2437MHz	Pass	1G	3G	PK	2.3G	3.40	-47.05	-47.05	-43.65	-21.20	-22.45
2437MHz	Pass	1G	3G	PK	2.5G	3.40	-49.42	-49.42	-46.02	-21.20	-24.82
2462MHz	Pass	1G	3G	AV	2.3G	3.40	-54.70	-54.70	-51.30	-41.20	-10.10
2462MHz	Pass	1G	3G	AV	2.5G	3.40	-50.56	-50.56	-47.16	-41.20	-5.96
2462MHz	Pass	1G	3G	PK	2.318G	3.40	-46.34	-46.34	-42.94	-21.20	-21.74
2462MHz	Pass	1G	3G	PK	2.5G	3.40	-46.17	-46.17	-42.77	-21.20	-21.57
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	3.40	-52.37	-52.37	-48.97	-41.20	-7.77
2412MHz	Pass	1G	3G	AV	2.5G	3.40	-62.48	-62.48	-59.08	-41.20	-17.88
2412MHz	Pass	1G	3G	PK	2.386G	3.40	-43.45	-43.45	-40.05	-21.20	-18.85
2412MHz	Pass	1G	3G	PK	2.5G	3.40	-54.55	-54.55	-51.15	-21.20	-29.95
2437MHz	Pass	1G	3G	AV	2.384G	3.40	-48.24	-48.24	-44.84	-41.20	-3.64
2437MHz	Pass	1G	3G	AV	2.5G	3.40	-50.84	-50.84	-47.44	-41.20	-6.24
2437MHz	Pass	1G	3G	PK	2.382G	3.40	-37.95	-37.95	-34.55	-21.20	-13.35
2437MHz	Pass	1G	3G	PK	2.5G	3.40	-41.17	-41.17	-37.77	-21.20	-16.57
2462MHz	Pass	1G	3G	AV	2.31G	3.40	-55.48	-55.48	-52.08	-41.20	-10.88
2462MHz	Pass	1G	3G	AV	2.5G	3.40	-54.75	-54.75	-51.35	-41.20	-10.15
2462MHz	Pass	1G	3G	PK	2.3G	3.40	-47.23	-47.23	-43.83	-21.20	-22.63
2462MHz	Pass	1G	3G	PK	2.5G	3.40	-45.48	-45.48	-42.08	-21.20	-20.88
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.384G	3.40	-51.03	-51.03	-47.63	-41.20	-6.43
2412MHz	Pass	1G	3G	AV	2.5G	3.40	-63.02	-63.02	-59.62	-41.20	-18.42
2412MHz	Pass	1G	3G	PK	2.382G	3.40	-41.18	-41.18	-37.78	-21.20	-16.58
2412MHz	Pass	1G	3G	PK	2.5G	3.40	-54.31	-54.31	-50.91	-21.20	-29.71
2437MHz	Pass	1G	3G	AV	2.384G	3.40	-50.02	-50.02	-46.62	-41.20	-5.42
2437MHz	Pass	1G	3G	AV	2.5G	3.40	-51.10	-51.10	-47.70	-41.20	-6.50
2437MHz	Pass	1G	3G	PK	2.382G	3.40	-38.16	-38.16	-34.76	-21.20	-13.56
2437MHz	Pass	1G	3G	PK	2.5G	3.40	-41.98	-41.98	-38.58	-21.20	-17.38
2462MHz	Pass	1G	3G	AV	2.31G	3.40	-55.86	-55.86	-52.46	-41.20	-11.26
2462MHz	Pass	1G	3G	AV	2.5G	3.40	-54.33	-54.33	-50.93	-41.20	-9.73
2462MHz	Pass	1G	3G	PK	2.314G	3.40	-46.37	-46.37	-42.97	-21.20	-21.77
2462MHz	Pass	1G	3G	PK	2.498G	3.40	-44.13	-44.13	-40.73	-21.20	-19.53


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2412MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-41.19	-21.20	-19.99	3.40	0.00	-44.59	-44.59
1G	3G	1M	PK	2.5G	-49.63	-21.20	-28.43	3.40	0.00	-53.03	-53.03

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2412MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-46.32	-41.20	-5.12	3.40	0.00	-49.72	-49.72
1G	3G	1M	AV	2.5G	-58.72	-41.20	-17.52	3.40	0.00	-62.12	-62.12

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.274G	-41.64	-21.20	-20.44	3.40	0.00	-45.04	-45.04
1G	3G	1M	PK	2.3G	-43.65	-21.20	-22.45	3.40	0.00	-47.05	-47.05
1G	3G	1M	PK	2.5G	-46.02	-21.20	-24.82	3.40	0.00	-49.42	-49.42

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.276G	-49.92	-41.20	-8.72	3.40	0.00	-53.32	-53.32
1G	3G	1M	AV	2.376G	-51.17	-41.20	-9.97	3.40	0.00	-54.57	-54.57
1G	3G	1M	AV	2.498G	-51.56	-41.20	-10.36	3.40	0.00	-54.96	-54.96

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]

2462MHz

27/03/2026



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.318G	-42.94	-21.20	-21.74	3.40	0.00	-46.34	-46.34
1G	3G	1M	PK	2.5G	-42.77	-21.20	-21.57	3.40	0.00	-46.17	-46.17

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]

2462MHz

27/03/2026



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.3G	-51.30	-41.20	-10.10	3.40	0.00	-54.70	-54.70
1G	3G	1M	AV	2.5G	-47.16	-41.20	-5.96	3.40	0.00	-50.56	-50.56

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2412MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-40.05	-21.20	-18.85	3.40	0.00	-43.45	-43.45
1G	3G	1M	PK	2.5G	-51.15	-21.20	-29.95	3.40	0.00	-54.55	-54.55

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2412MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-48.97	-41.20	-7.77	3.40	0.00	-52.37	-52.37
1G	3G	1M	AV	2.5G	-59.08	-41.20	-17.88	3.40	0.00	-62.48	-62.48

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.382G	-34.55	-21.20	-13.35	3.40	0.00	-37.95	-37.95
1G	3G	1M	PK	2.5G	-37.77	-21.20	-16.57	3.40	0.00	-41.17	-41.17

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-44.84	-41.20	-3.64	3.40	0.00	-48.24	-48.24
1G	3G	1M	AV	2.5G	-47.44	-41.20	-6.24	3.40	0.00	-50.84	-50.84

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2462MHz

27/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2462MHz

27/03/2026




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2412MHz

27/03/2026



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.382G	-37.78	-21.20	-16.58	3.40	0.00	-41.18	-41.18
1G	3G	1M	PK	2.5G	-50.91	-21.20	-29.71	3.40	0.00	-54.31	-54.31

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2412MHz

27/03/2026



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-47.63	-41.20	-6.43	3.40	0.00	-51.03	-51.03
1G	3G	1M	AV	2.5G	-59.62	-41.20	-18.42	3.40	0.00	-63.02	-63.02

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

27/03/2026



Limit:PK
ERP:PK
Port:1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.382G	-34.76	-21.20	-13.56	3.40	0.00	-38.16	-38.16
1G	3G	1M	PK	2.5G	-38.58	-21.20	-17.38	3.40	0.00	-41.98	-41.98

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

27/03/2026



Limit:AV
ERP:AV
Port:1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-46.62	-41.20	-5.42	3.40	0.00	-50.02	-50.02
1G	3G	1M	AV	2.5G	-47.70	-41.20	-6.50	3.40	0.00	-51.10	-51.10

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2462MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.314G	-42.97	-21.20	-21.77	3.40	0.00	-46.37	-46.37
1G	3G	1M	PK	2.498G	-40.73	-21.20	-19.53	3.40	0.00	-44.13	-44.13

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2462MHz

27/03/2026



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.31G	-52.46	-41.20	-11.26	3.40	0.00	-55.86	-55.86
1G	3G	1M	AV	2.5G	-50.93	-41.20	-9.73	3.40	0.00	-54.33	-54.33

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	1G	3G	AV	2.258G	11.90	-53.35	-53.35	-41.45	-41.20	-0.25
802.11g_Nss1,(6Mbps)_1TX	Pass	1G	3G	AV	2.262G	11.90	-53.88	-53.88	-41.98	-41.20	-0.78
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	3G	AV	2.276G	11.90	-53.73	-53.73	-41.83	-41.20	-0.63

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.258G	11.90	-53.35	-53.35	-41.45	-41.20	-0.25
2412MHz	Pass	1G	3G	AV	2.384G	11.90	-56.51	-56.51	-44.61	-41.20	-3.41
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-62.34	-62.34	-50.44	-41.20	-9.24
2412MHz	Pass	1G	3G	PK	2.244G	11.90	-44.78	-44.78	-32.88	-21.20	-11.68
2412MHz	Pass	1G	3G	PK	2.382G	11.90	-47.94	-47.94	-36.04	-21.20	-14.84
2412MHz	Pass	1G	3G	PK	2.498G	11.90	-54.39	-54.39	-42.49	-21.20	-21.29
2437MHz	Pass	1G	3G	AV	2.278G	11.90	-53.63	-53.63	-41.73	-41.20	-0.53
2437MHz	Pass	1G	3G	AV	2.3G	11.90	-54.91	-54.91	-43.01	-41.20	-1.81
2437MHz	Pass	1G	3G	AV	2.5G	11.90	-59.09	-59.09	-47.19	-41.20	-5.99
2437MHz	Pass	1G	3G	PK	2.27G	11.90	-44.91	-44.91	-33.01	-21.20	-11.81
2437MHz	Pass	1G	3G	PK	2.31G	11.90	-47.10	-47.10	-35.20	-21.20	-14.00
2437MHz	Pass	1G	3G	PK	2.5G	11.90	-51.80	-51.80	-39.90	-21.20	-18.70
2462MHz	Pass	1G	3G	AV	2.296G	11.90	-57.89	-57.89	-45.99	-41.20	-4.79
2462MHz	Pass	1G	3G	AV	2.31G	11.90	-58.52	-58.52	-46.62	-41.20	-5.42
2462MHz	Pass	1G	3G	AV	2.498G	11.90	-62.73	-62.73	-50.83	-41.20	-9.63
2462MHz	Pass	1G	3G	PK	2.31G	11.90	-49.77	-49.77	-37.87	-21.20	-16.67
2462MHz	Pass	1G	3G	PK	2.498G	11.90	-54.28	-54.28	-42.38	-21.20	-21.18
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.26G	11.90	-55.95	-55.95	-44.05	-41.20	-2.85
2412MHz	Pass	1G	3G	AV	2.38G	11.90	-58.48	-58.48	-46.58	-41.20	-5.38
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-64.02	-64.02	-52.12	-41.20	-10.92
2412MHz	Pass	1G	3G	PK	2.238G	11.90	-47.23	-47.23	-35.33	-21.20	-14.13
2412MHz	Pass	1G	3G	PK	2.38G	11.90	-49.88	-49.88	-37.98	-21.20	-16.78
2412MHz	Pass	1G	3G	PK	2.498G	11.90	-55.71	-55.71	-43.81	-21.20	-22.61
2437MHz	Pass	1G	3G	AV	2.262G	11.90	-53.88	-53.88	-41.98	-41.20	-0.78
2437MHz	Pass	1G	3G	AV	2.3G	11.90	-55.50	-55.50	-43.60	-41.20	-2.40
2437MHz	Pass	1G	3G	AV	2.5G	11.90	-57.44	-57.44	-45.54	-41.20	-4.34
2437MHz	Pass	1G	3G	PK	2.272G	11.90	-45.52	-45.52	-33.62	-21.20	-12.42
2437MHz	Pass	1G	3G	PK	2.3G	11.90	-48.29	-48.29	-36.39	-21.20	-15.19
2437MHz	Pass	1G	3G	PK	2.498G	11.90	-48.62	-48.62	-36.72	-21.20	-15.52
2462MHz	Pass	1G	3G	AV	2.296G	11.90	-60.55	-60.55	-48.65	-41.20	-7.45
2462MHz	Pass	1G	3G	AV	2.314G	11.90	-60.73	-60.73	-48.83	-41.20	-7.63
2462MHz	Pass	1G	3G	AV	2.498G	11.90	-62.88	-62.88	-50.98	-41.20	-9.78
2462MHz	Pass	1G	3G	PK	2.316G	11.90	-51.18	-51.18	-39.28	-21.20	-18.08
2462MHz	Pass	1G	3G	PK	2.498G	11.90	-52.80	-52.80	-40.90	-21.20	-19.70
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.26G	11.90	-59.97	-59.97	-48.07	-41.20	-6.87
2412MHz	Pass	1G	3G	AV	2.386G	11.90	-63.26	-63.26	-51.36	-41.20	-10.16
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-66.82	-66.82	-54.92	-41.20	-13.72
2412MHz	Pass	1G	3G	PK	2.262G	11.90	-50.12	-50.12	-38.22	-21.20	-17.02
2412MHz	Pass	1G	3G	PK	2.386G	11.90	-53.71	-53.71	-41.81	-21.20	-20.61
2412MHz	Pass	1G	3G	PK	2.5G	11.90	-59.64	-59.64	-47.74	-21.20	-26.54
2437MHz	Pass	1G	3G	AV	2.276G	11.90	-53.73	-53.73	-41.83	-41.20	-0.63
2437MHz	Pass	1G	3G	AV	2.3G	11.90	-55.36	-55.36	-43.46	-41.20	-2.26
2437MHz	Pass	1G	3G	AV	2.5G	11.90	-56.14	-56.14	-44.24	-41.20	-3.04
2437MHz	Pass	1G	3G	PK	2.266G	11.90	-45.29	-45.29	-33.39	-21.20	-12.19
2437MHz	Pass	1G	3G	PK	2.3G	11.90	-46.44	-46.44	-34.54	-21.20	-13.34
2437MHz	Pass	1G	3G	PK	2.498G	11.90	-47.02	-47.02	-35.12	-21.20	-13.92
2462MHz	Pass	1G	3G	AV	2.298G	11.90	-60.54	-60.54	-48.64	-41.20	-7.44
2462MHz	Pass	1G	3G	AV	2.312G	11.90	-60.62	-60.62	-48.72	-41.20	-7.52
2462MHz	Pass	1G	3G	AV	2.496G	11.90	-60.97	-60.97	-49.07	-41.20	-7.87
2462MHz	Pass	1G	3G	PK	2.318G	11.90	-51.68	-51.68	-39.78	-21.20	-18.58
2462MHz	Pass	1G	3G	PK	2.496G	11.90	-51.28	-51.28	-39.38	-21.20	-18.18


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2412MHz

27/03/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.244G	-32.88	-21.20	-11.68	11.90	0.00	-44.78	-44.78
1G	3G	1M	PK	2.382G	-36.04	-21.20	-14.84	11.90	0.00	-47.94	-47.94
1G	3G	1M	PK	2.498G	-42.49	-21.20	-21.29	11.90	0.00	-54.39	-54.39

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2412MHz

27/03/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.258G	-41.45	-41.20	-0.25	11.90	0.00	-53.35	-53.35
1G	3G	1M	AV	2.384G	-44.61	-41.20	-3.41	11.90	0.00	-56.51	-56.51
1G	3G	1M	AV	2.5G	-50.44	-41.20	-9.24	11.90	0.00	-62.34	-62.34

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.27G	-35.01	-21.20	-11.81	11.90	0.00	-44.91	-44.91
1G	3G	1M	PK	2.31G	-35.20	-21.20	-14.00	11.90	0.00	-47.10	-47.10
1G	3G	1M	PK	2.5G	-39.90	-21.20	-18.70	11.90	0.00	-51.80	-51.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.278G	-41.73	-41.20	-0.53	11.90	0.00	-53.63	-53.63
1G	3G	1M	AV	2.3G	-43.01	-41.20	-1.81	11.90	0.00	-54.91	-54.91
1G	3G	1M	AV	2.5G	-47.19	-41.20	-5.99	11.90	0.00	-59.09	-59.09

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2462MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.31G	-37.87	-21.20	-16.67	11.90	0.00	-49.77	-49.77
1G	3G	1M	PK	2.498G	-42.38	-21.20	-21.18	11.90	0.00	-54.28	-54.28

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2462MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.296G	-45.99	-41.20	-4.79	11.90	0.00	-57.89	-57.89
1G	3G	1M	AV	2.31G	-46.62	-41.20	-5.42	11.90	0.00	-58.52	-58.52
1G	3G	1M	AV	2.498G	-50.83	-41.20	-9.63	11.90	0.00	-62.73	-62.73

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [PK]

2412MHz

27/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [AV]

2412MHz

27/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [PK]

2437MHz

27/03/2026



Limit.PK
EIRP.PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.272G	-35.62	-21.20	-12.42	11.90	0.00	-45.52	-45.52
1G	3G	1M	PK	2.3G	-36.39	-21.20	-15.19	11.90	0.00	-48.29	-48.29
1G	3G	1M	PK	2.498G	-36.72	-21.20	-15.52	11.90	0.00	-48.62	-48.62

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [AV]

2437MHz

27/03/2026



Limit.AV
EIRP.AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.262G	-41.98	-41.20	-0.78	11.90	0.00	-53.88	-53.88
1G	3G	1M	AV	2.3G	-43.60	-41.20	-2.40	11.90	0.00	-55.50	-55.50
1G	3G	1M	AV	2.5G	-45.54	-41.20	-4.34	11.90	0.00	-57.44	-57.44

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2462MHz

27/03/2026



Limit PK
ERP PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.316G	-39.28	-21.20	-18.08	11.90	0.00	-51.18	-51.18
1G	3G	1M	PK	2.498G	-40.90	-21.20	-19.70	11.90	0.00	-52.80	-52.80

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2462MHz

27/03/2026



Limit AV
ERP AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.296G	-48.65	-41.20	-7.45	11.90	0.00	-60.55	-60.55
1G	3G	1M	AV	2.314G	-48.83	-41.20	-7.63	11.90	0.00	-60.73	-60.73
1G	3G	1M	AV	2.498G	-50.98	-41.20	-9.78	11.90	0.00	-62.88	-62.88

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2412MHz

27/03/2026




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2412MHz

27/03/2026




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.266G	-35.39	-21.20	-12.19	11.90	0.00	-45.29	-45.29
1G	3G	1M	PK	2.3G	-34.54	-21.20	-13.34	11.90	0.00	-46.44	-46.44
1G	3G	1M	PK	2.498G	-35.12	-21.20	-13.92	11.90	0.00	-47.02	-47.02

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.276G	-41.83	-41.20	-0.63	11.90	0.00	-53.73	-53.73
1G	3G	1M	AV	2.3G	-43.46	-41.20	-2.26	11.90	0.00	-55.36	-55.36
1G	3G	1M	AV	2.5G	-44.24	-41.20	-3.04	11.90	0.00	-56.14	-56.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2462MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.318G	-39.78	-21.20	-18.58	11.90	0.00	-51.68	-51.68
1G	3G	1M	PK	2.496G	-39.38	-21.20	-18.18	11.90	0.00	-51.28	-51.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2462MHz

27/03/2026



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.298G	-48.64	-41.20	-7.44	11.90	0.00	-60.54	-60.54
1G	3G	1M	AV	2.312G	-48.72	-41.20	-7.52	11.90	0.00	-60.62	-60.62
1G	3G	1M	AV	2.496G	-49.07	-41.20	-7.87	11.90	0.00	-60.97	-60.97

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	1G	3G	AV	2.258G	11.90	-53.35	-53.35	-41.45	-41.20	-0.25
802.11g_Nss1,(6Mbps)_1TX	Pass	1G	3G	AV	2.262G	11.90	-53.88	-53.88	-41.98	-41.20	-0.78
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	3G	AV	2.276G	11.90	-53.73	-53.73	-41.83	-41.20	-0.63

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.258G	11.90	-53.35	-53.35	-41.45	-41.20	-0.25
2412MHz	Pass	1G	3G	AV	2.384G	11.90	-56.51	-56.51	-44.61	-41.20	-3.41
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-62.34	-62.34	-50.44	-41.20	-9.24
2412MHz	Pass	1G	3G	PK	2.244G	11.90	-44.78	-44.78	-32.88	-21.20	-11.68
2412MHz	Pass	1G	3G	PK	2.382G	11.90	-47.94	-47.94	-36.04	-21.20	-14.84
2412MHz	Pass	1G	3G	PK	2.498G	11.90	-54.39	-54.39	-42.49	-21.20	-21.29
2437MHz	Pass	1G	3G	AV	2.278G	11.90	-53.63	-53.63	-41.73	-41.20	-0.53
2437MHz	Pass	1G	3G	AV	2.3G	11.90	-54.91	-54.91	-43.01	-41.20	-1.81
2437MHz	Pass	1G	3G	AV	2.5G	11.90	-59.09	-59.09	-47.19	-41.20	-5.99
2437MHz	Pass	1G	3G	PK	2.27G	11.90	-44.91	-44.91	-33.01	-21.20	-11.81
2437MHz	Pass	1G	3G	PK	2.31G	11.90	-47.10	-47.10	-35.20	-21.20	-14.00
2437MHz	Pass	1G	3G	PK	2.5G	11.90	-51.80	-51.80	-39.90	-21.20	-18.70
2462MHz	Pass	1G	3G	AV	2.296G	11.90	-57.89	-57.89	-45.99	-41.20	-4.79
2462MHz	Pass	1G	3G	AV	2.31G	11.90	-58.52	-58.52	-46.62	-41.20	-5.42
2462MHz	Pass	1G	3G	AV	2.498G	11.90	-62.73	-62.73	-50.83	-41.20	-9.63
2462MHz	Pass	1G	3G	PK	2.31G	11.90	-49.77	-49.77	-37.87	-21.20	-16.67
2462MHz	Pass	1G	3G	PK	2.498G	11.90	-54.28	-54.28	-42.38	-21.20	-21.18
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.26G	11.90	-55.95	-55.95	-44.05	-41.20	-2.85
2412MHz	Pass	1G	3G	AV	2.38G	11.90	-58.48	-58.48	-46.58	-41.20	-5.38
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-64.02	-64.02	-52.12	-41.20	-10.92
2412MHz	Pass	1G	3G	PK	2.238G	11.90	-47.23	-47.23	-35.33	-21.20	-14.13
2412MHz	Pass	1G	3G	PK	2.38G	11.90	-49.88	-49.88	-37.98	-21.20	-16.78
2412MHz	Pass	1G	3G	PK	2.498G	11.90	-55.71	-55.71	-43.81	-21.20	-22.61
2437MHz	Pass	1G	3G	AV	2.262G	11.90	-53.88	-53.88	-41.98	-41.20	-0.78
2437MHz	Pass	1G	3G	AV	2.3G	11.90	-55.50	-55.50	-43.60	-41.20	-2.40
2437MHz	Pass	1G	3G	AV	2.5G	11.90	-57.44	-57.44	-45.54	-41.20	-4.34
2437MHz	Pass	1G	3G	PK	2.272G	11.90	-45.52	-45.52	-33.62	-21.20	-12.42
2437MHz	Pass	1G	3G	PK	2.3G	11.90	-48.29	-48.29	-36.39	-21.20	-15.19
2437MHz	Pass	1G	3G	PK	2.498G	11.90	-48.62	-48.62	-36.72	-21.20	-15.52
2462MHz	Pass	1G	3G	AV	2.296G	11.90	-60.55	-60.55	-48.65	-41.20	-7.45
2462MHz	Pass	1G	3G	AV	2.314G	11.90	-60.73	-60.73	-48.83	-41.20	-7.63
2462MHz	Pass	1G	3G	AV	2.498G	11.90	-62.88	-62.88	-50.98	-41.20	-9.78
2462MHz	Pass	1G	3G	PK	2.316G	11.90	-51.18	-51.18	-39.28	-21.20	-18.08
2462MHz	Pass	1G	3G	PK	2.498G	11.90	-52.80	-52.80	-40.90	-21.20	-19.70
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.26G	11.90	-59.97	-59.97	-48.07	-41.20	-6.87
2412MHz	Pass	1G	3G	AV	2.386G	11.90	-63.26	-63.26	-51.36	-41.20	-10.16
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-66.82	-66.82	-54.92	-41.20	-13.72
2412MHz	Pass	1G	3G	PK	2.262G	11.90	-50.12	-50.12	-38.22	-21.20	-17.02
2412MHz	Pass	1G	3G	PK	2.386G	11.90	-53.71	-53.71	-41.81	-21.20	-20.61
2412MHz	Pass	1G	3G	PK	2.5G	11.90	-59.64	-59.64	-47.74	-21.20	-26.54
2437MHz	Pass	1G	3G	AV	2.276G	11.90	-53.73	-53.73	-41.83	-41.20	-0.63
2437MHz	Pass	1G	3G	AV	2.3G	11.90	-55.36	-55.36	-43.46	-41.20	-2.26
2437MHz	Pass	1G	3G	AV	2.5G	11.90	-56.14	-56.14	-44.24	-41.20	-3.04
2437MHz	Pass	1G	3G	PK	2.266G	11.90	-45.29	-45.29	-33.39	-21.20	-12.19
2437MHz	Pass	1G	3G	PK	2.3G	11.90	-46.44	-46.44	-34.54	-21.20	-13.34
2437MHz	Pass	1G	3G	PK	2.498G	11.90	-47.02	-47.02	-35.12	-21.20	-13.92
2462MHz	Pass	1G	3G	AV	2.298G	11.90	-60.54	-60.54	-48.64	-41.20	-7.44
2462MHz	Pass	1G	3G	AV	2.312G	11.90	-60.62	-60.62	-48.72	-41.20	-7.52
2462MHz	Pass	1G	3G	AV	2.496G	11.90	-60.97	-60.97	-49.07	-41.20	-7.87
2462MHz	Pass	1G	3G	PK	2.318G	11.90	-51.68	-51.68	-39.78	-21.20	-18.58
2462MHz	Pass	1G	3G	PK	2.496G	11.90	-51.28	-51.28	-39.38	-21.20	-18.18


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2412MHz

27/03/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Prum(dBm)	P1(dBm)
1G	3G	1M	PK	2.244G	-32.88	-21.20	-11.68	11.90	0.00	-44.78	-44.78
1G	3G	1M	PK	2.382G	-36.04	-21.20	-14.84	11.90	0.00	-47.94	-47.94
1G	3G	1M	PK	2.498G	-42.49	-21.20	-21.29	11.90	0.00	-54.39	-54.39

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2412MHz

27/03/2026




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Prum(dBm)	P1(dBm)
1G	3G	1M	AV	2.258G	-41.45	-41.20	-0.25	11.90	0.00	-53.35	-53.35
1G	3G	1M	AV	2.384G	-44.61	-41.20	-3.41	11.90	0.00	-56.51	-56.51
1G	3G	1M	AV	2.5G	-50.44	-41.20	-9.24	11.90	0.00	-62.34	-62.34

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.27G	-35.01	-21.20	-11.81	11.90	0.00	-44.91	-44.91
1G	3G	1M	PK	2.31G	-35.20	-21.20	-14.00	11.90	0.00	-47.10	-47.10
1G	3G	1M	PK	2.5G	-39.90	-21.20	-18.70	11.90	0.00	-51.80	-51.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.278G	-41.73	-41.20	-0.53	11.90	0.00	-53.63	-53.63
1G	3G	1M	AV	2.3G	-43.01	-41.20	-1.81	11.90	0.00	-54.91	-54.91
1G	3G	1M	AV	2.5G	-47.19	-41.20	-5.99	11.90	0.00	-59.09	-59.09

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2462MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.31G	-37.87	-21.20	-16.67	11.90	0.00	-49.77	-49.77
1G	3G	1M	PK	2.498G	-42.38	-21.20	-21.18	11.90	0.00	-54.28	-54.28

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2462MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.296G	-45.99	-41.20	-4.79	11.90	0.00	-57.89	-57.89
1G	3G	1M	AV	2.31G	-46.62	-41.20	-5.42	11.90	0.00	-58.52	-58.52
1G	3G	1M	AV	2.498G	-50.83	-41.20	-9.63	11.90	0.00	-62.73	-62.73

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [PK]

2412MHz

27/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [AV]

2412MHz

27/03/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [PK]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.272G	-35.62	-21.20	-12.42	11.90	0.00	-45.52	-45.52
1G	3G	1M	PK	2.3G	-36.39	-21.20	-15.19	11.90	0.00	-48.29	-48.29
1G	3G	1M	PK	2.498G	-36.72	-21.20	-15.52	11.90	0.00	-48.62	-48.62

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Other [AV]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.262G	-41.98	-41.20	-0.78	11.90	0.00	-53.88	-53.88
1G	3G	1M	AV	2.3G	-43.60	-41.20	-2.40	11.90	0.00	-55.50	-55.50
1G	3G	1M	AV	2.5G	-45.54	-41.20	-4.34	11.90	0.00	-57.44	-57.44

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2462MHz

27/03/2026



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.316G	-39.28	-21.20	-18.08	11.90	0.00	-51.18	-51.18
1G	3G	1M	PK	2.498G	-40.90	-21.20	-19.70	11.90	0.00	-52.80	-52.80

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2462MHz

27/03/2026



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.296G	-48.65	-41.20	-7.45	11.90	0.00	-60.55	-60.55
1G	3G	1M	AV	2.314G	-48.83	-41.20	-7.63	11.90	0.00	-60.73	-60.73
1G	3G	1M	AV	2.498G	-50.98	-41.20	-9.78	11.90	0.00	-62.88	-62.88

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2412MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.262G	-38.22	-21.20	-17.02	11.90	0.00	-50.12	-50.12
1G	3G	1M	PK	2.386G	-41.81	-21.20	-20.61	11.90	0.00	-53.71	-53.71
1G	3G	1M	PK	2.5G	-47.74	-21.20	-26.54	11.90	0.00	-59.64	-59.64

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2412MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.26G	-48.07	-41.20	-6.87	11.90	0.00	-59.97	-59.97
1G	3G	1M	AV	2.386G	-51.36	-41.20	-10.16	11.90	0.00	-63.26	-63.26
1G	3G	1M	AV	2.5G	-54.92	-41.20	-13.72	11.90	0.00	-66.82	-66.82

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.266G	-35.39	-21.20	-12.19	11.90	0.00	-45.29	-45.29
1G	3G	1M	PK	2.3G	-34.54	-21.20	-13.34	11.90	0.00	-46.44	-46.44
1G	3G	1M	PK	2.498G	-35.12	-21.20	-13.92	11.90	0.00	-47.02	-47.02

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.276G	-41.83	-41.20	-0.63	11.90	0.00	-53.73	-53.73
1G	3G	1M	AV	2.3G	-43.46	-41.20	-2.26	11.90	0.00	-55.36	-55.36
1G	3G	1M	AV	2.5G	-44.24	-41.20	-3.04	11.90	0.00	-56.14	-56.14

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

2462MHz

27/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.318G	-39.78	-21.20	-18.58	11.90	0.00	-51.68	-51.68
1G	3G	1M	PK	2.496G	-39.38	-21.20	-18.18	11.90	0.00	-51.28	-51.28

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

2462MHz

27/03/2026



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.298G	-48.64	-41.20	-7.44	11.90	0.00	-60.54	-60.54
1G	3G	1M	AV	2.312G	-48.72	-41.20	-7.52	11.90	0.00	-60.62	-60.62
1G	3G	1M	AV	2.496G	-49.07	-41.20	-7.87	11.90	0.00	-60.97	-60.97

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_1TX	Pass	1G	3G	AV	2.386G	2.90	-49.26				-49.26	-46.36	-41.20	-5.16
802.11b_Nss1.(1Mbps)_2TX	Pass	1G	3G	AV	2.386G	3.10	-54.08	-54.87			-51.45	-48.35	-41.20	-7.15
802.11b_Nss1.(1Mbps)_4TX	Pass	1G	3G	AV	2.386G	3.40	-59.62	-57.97	-56.68	-62.83	-52.71	-49.31	-41.20	-8.11
802.11g_Nss1.(6Mbps)_1TX	Pass	1G	3G	AV	2.386G	2.90	-45.58				-45.58	-42.68	-41.20	-1.48
802.11g_Nss1.(6Mbps)_2TX	Pass	1G	3G	AV	2.386G	3.10	-49.91	-50.18			-47.03	-43.93	-41.20	-2.73
802.11g_Nss1.(6Mbps)_4TX	Pass	1G	3G	AV	2.386G	3.40	-56.46	-56.59	-55.36	-60.33	-50.81	-47.41	-41.20	-6.21
802.11be EHT20_Nss1.(MCS0)_1TX	Pass	1G	3G	AV	2.388G	2.90	-44.62				-44.62	-41.72	-41.20	-0.52
802.11be EHT20_Nss1.(MCS0)_2TX	Pass	1G	3G	AV	2.388G	3.10	-47.84	-50.05			-45.80	-42.70	-41.20	-1.50
802.11be EHT20_Nss1.(MCS0)_4TX	Pass	1G	3G	AV	2.388G	3.40	-52.34	-55.66	-54.69	-58.95	-48.79	-45.39	-41.20	-4.19

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	2.90	-49.26				-49.26	-46.36	-41.20	-5.16
2412MHz	Pass	1G	3G	AV	2.488G	2.90	-71.51				-71.51	-68.61	-41.20	-27.41
2412MHz	Pass	1G	3G	PK	2.386G	2.90	-45.26				-45.26	-42.36	-21.20	-21.16
2412MHz	Pass	1G	3G	PK	2.496G	2.90	-63.44				-63.44	-60.54	-21.20	-39.34
2437MHz	Pass	1G	3G	AV	2.384G	2.90	-61.27				-61.27	-58.37	-41.20	-17.17
2437MHz	Pass	1G	3G	AV	2.494G	2.90	-70.79				-70.79	-67.89	-41.20	-26.69
2437MHz	Pass	1G	3G	PK	2.386G	2.90	-54.28				-54.28	-51.38	-21.20	-30.18
2437MHz	Pass	1G	3G	PK	2.492G	2.90	-62.00				-62.00	-59.10	-21.20	-37.90
2462MHz	Pass	1G	3G	AV	2.386G	2.90	-62.39				-62.39	-59.49	-41.20	-18.29
2462MHz	Pass	1G	3G	AV	2.488G	2.90	-71.02				-71.02	-68.12	-41.20	-26.92
2462MHz	Pass	1G	3G	PK	2.386G	2.90	-54.28				-54.28	-51.38	-21.20	-30.18
2462MHz	Pass	1G	3G	PK	2.488G	2.90	-62.78				-62.78	-59.88	-21.20	-38.68
802.11g Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	2.90	-45.58				-45.58	-42.68	-41.20	-1.48
2412MHz	Pass	1G	3G	AV	2.488G	2.90	-71.26				-71.26	-68.36	-41.20	-27.16
2412MHz	Pass	1G	3G	PK	2.384G	2.90	-35.22				-35.22	-32.32	-21.20	-11.12
2412MHz	Pass	1G	3G	PK	2.496G	2.90	-62.17				-62.17	-59.27	-21.20	-38.07
2437MHz	Pass	1G	3G	AV	2.386G	2.90	-51.92				-51.92	-49.02	-41.20	-7.82
2437MHz	Pass	1G	3G	AV	2.488G	2.90	-71.26				-71.26	-68.36	-41.20	-27.16
2437MHz	Pass	1G	3G	PK	2.384G	2.90	-39.50				-39.50	-36.60	-21.20	-15.40
2437MHz	Pass	1G	3G	PK	2.486G	2.90	-63.73				-63.73	-60.83	-21.20	-39.63
2462MHz	Pass	1G	3G	AV	2.386G	2.90	-64.52				-64.52	-61.62	-41.20	-20.42
2462MHz	Pass	1G	3G	AV	2.486G	2.90	-71.26				-71.26	-68.36	-41.20	-27.16
2462MHz	Pass	1G	3G	PK	2.384G	2.90	-56.50				-56.50	-53.60	-21.20	-32.40
2462MHz	Pass	1G	3G	PK	2.494G	2.90	-63.24				-63.24	-60.34	-21.20	-39.14
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	2.90	-44.62				-44.62	-41.72	-41.20	-0.52
2412MHz	Pass	1G	3G	AV	2.484G	2.90	-71.50				-71.50	-68.60	-41.20	-27.40
2412MHz	Pass	1G	3G	PK	2.388G	2.90	-35.90				-35.90	-33.00	-21.20	-11.80
2412MHz	Pass	1G	3G	PK	2.484G	2.90	-63.05				-63.05	-60.15	-21.20	-38.95
2437MHz	Pass	1G	3G	AV	2.384G	2.90	-50.86				-50.86	-47.96	-41.20	-6.76
2437MHz	Pass	1G	3G	AV	2.488G	2.90	-71.26				-71.26	-68.36	-41.20	-27.16
2437MHz	Pass	1G	3G	PK	2.388G	2.90	-39.91				-39.91	-37.01	-21.20	-15.81
2437MHz	Pass	1G	3G	PK	2.494G	2.90	-61.92				-61.92	-59.02	-21.20	-37.82
2462MHz	Pass	1G	3G	AV	2.386G	2.90	-64.64				-64.64	-61.74	-41.20	-20.54
2462MHz	Pass	1G	3G	AV	2.492G	2.90	-70.79				-70.79	-67.89	-41.20	-26.69
2462MHz	Pass	1G	3G	PK	2.384G	2.90	-56.94				-56.94	-54.04	-21.20	-32.84
2462MHz	Pass	1G	3G	PK	2.386G	2.90	-56.94				-56.94	-54.04	-21.20	-32.84
2462MHz	Pass	1G	3G	PK	2.496G	2.90	-62.17				-62.17	-59.27	-21.20	-38.07
802.11b Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	3.10	-54.08	-54.87			-51.45	-48.35	-41.20	-7.15
2412MHz	Pass	1G	3G	AV	2.494G	3.10	-71.51	-71.02			-68.25	-65.15	-41.20	-23.95
2412MHz	Pass	1G	3G	PK	2.386G	3.10	-49.95	-50.90			-47.39	-44.29	-21.20	-23.09
2412MHz	Pass	1G	3G	PK	2.492G	3.10	-63.73	-62.60			-60.12	-57.02	-21.20	-35.82
2437MHz	Pass	1G	3G	AV	2.384G	3.10	-63.79	-65.10			-61.39	-58.29	-41.20	-17.09
2437MHz	Pass	1G	3G	AV	2.498G	3.10	-71.03	-71.76			-68.37	-65.27	-41.20	-24.07
2437MHz	Pass	1G	3G	PK	2.386G	3.10	-56.24	-57.31			-53.73	-50.63	-21.20	-29.43
2437MHz	Pass	1G	3G	PK	2.49G	3.10	-63.05	-63.24			-60.13	-57.03	-21.20	-35.83
2462MHz	Pass	1G	3G	AV	2.384G	3.10	-64.21	-64.10			-61.14	-58.04	-41.20	-16.84
2462MHz	Pass	1G	3G	AV	2.492G	3.10	-71.26	-71.51			-68.37	-65.27	-41.20	-24.07
2462MHz	Pass	1G	3G	PK	2.386G	3.10	-53.76	-57.55			-52.24	-49.14	-21.20	-27.94
2462MHz	Pass	1G	3G	PK	2.488G	3.10	-63.73	-60.99			-59.14	-56.04	-21.20	-34.84
802.11g Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	3.10	-49.91	-50.18			-47.03	-43.93	-41.20	-2.73
2412MHz	Pass	1G	3G	AV	2.498G	3.10	-71.26	-70.79			-68.01	-64.91	-41.20	-23.71
2412MHz	Pass	1G	3G	PK	2.384G	3.10	-39.79	-40.78			-37.25	-34.15	-21.20	-12.95
2412MHz	Pass	1G	3G	PK	2.498G	3.10	-63.25	-62.17			-59.67	-56.57	-21.20	-35.37
2437MHz	Pass	1G	3G	AV	2.386G	3.10	-57.62	-58.50			-55.03	-51.93	-41.20	-10.73
2437MHz	Pass	1G	3G	AV	2.5G	3.10	-71.03	-71.27			-68.14	-65.04	-41.20	-23.84
2437MHz	Pass	1G	3G	PK	2.384G	3.10	-49.57	-47.36			-45.32	-42.22	-21.20	-21.02
2437MHz	Pass	1G	3G	PK	2.488G	3.10	-62.69	-63.15			-59.90	-56.80	-21.20	-35.60
2462MHz	Pass	1G	3G	AV	2.384G	3.10	-64.87	-65.46			-62.14	-59.04	-41.20	-17.84
2462MHz	Pass	1G	3G	AV	2.492G	3.10	-71.02	-71.26			-68.13	-65.03	-41.20	-23.83
2462MHz	Pass	1G	3G	PK	2.384G	3.10	-56.07	-58.94			-54.26	-51.16	-21.20	-29.96
2462MHz	Pass	1G	3G	PK	2.488G	3.10	-64.04	-61.29			-59.44	-56.34	-21.20	-35.14
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	3.10	-47.84	-50.05			-45.80	-42.70	-41.20	-1.50
2412MHz	Pass	1G	3G	AV	2.484G	3.10	-71.26	-71.26			-68.25	-65.15	-41.20	-23.95

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2412MHz	Pass	1G	3G	PK	2.386G	3.10	-37.48	-41.50			-36.03	-32.93	-21.20	-11.73
2412MHz	Pass	1G	3G	PK	2.498G	3.10	-62.69	-63.44			-60.04	-56.94	-21.20	-35.74
2437MHz	Pass	1G	3G	AV	2.384G	3.10	-57.19	-54.95			-52.92	-49.82	-41.20	-8.62
2437MHz	Pass	1G	3G	AV	2.498G	3.10	-71.76	-71.03			-68.37	-65.27	-41.20	-24.07
2437MHz	Pass	1G	3G	PK	2.386G	3.10	-43.57	-45.90			-41.57	-38.47	-21.20	-17.27
2437MHz	Pass	1G	3G	PK	2.496G	3.10	-62.78	-63.06			-59.91	-56.81	-21.20	-35.61
2462MHz	Pass	1G	3G	AV	2.386G	3.10	-66.91	-66.49			-63.68	-60.58	-41.20	-19.38
2462MHz	Pass	1G	3G	AV	2.486G	3.10	-71.50	-71.26			-68.37	-65.27	-41.20	-24.07
2462MHz	Pass	1G	3G	PK	2.384G	3.10	-59.29	-58.44			-55.83	-52.73	-21.20	-31.53
2462MHz	Pass	1G	3G	PK	2.49G	3.10	-63.63	-61.68			-59.54	-56.44	-21.20	-35.24
802.11b_Nss1(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	3.40	-59.62	-57.97	-56.68	-62.83	-52.71	-49.31	-41.20	-8.11
2412MHz	Pass	1G	3G	AV	2.5G	3.40	-71.51	-71.27	-71.76	-71.03	-65.36	-61.96	-41.20	-20.76
2412MHz	Pass	1G	3G	PK	2.384G	3.40	-54.29	-52.80	-51.20	-55.79	-47.17	-43.77	-21.20	-22.57
2412MHz	Pass	1G	3G	PK	2.492G	3.40	-62.17	-63.84	-63.15	-63.15	-57.02	-53.62	-21.20	-32.42
2437MHz	Pass	1G	3G	AV	2.386G	3.40	-64.64	-65.21	-66.77	-66.49	-59.67	-56.27	-41.20	-15.07
2437MHz	Pass	1G	3G	AV	2.494G	3.40	-71.76	-71.26	-71.26	-71.02	-65.30	-61.90	-41.20	-20.70
2437MHz	Pass	1G	3G	PK	2.384G	3.40	-56.72	-57.71	-59.78	-57.22	-51.69	-48.29	-21.20	-27.09
2437MHz	Pass	1G	3G	PK	2.492G	3.40	-61.44	-64.26	-63.06	-63.44	-56.90	-53.50	-21.20	-32.30
2462MHz	Pass	1G	3G	AV	2.384G	3.40	-64.64	-66.36	-67.36	-67.52	-60.29	-56.89	-41.20	-15.69
2462MHz	Pass	1G	3G	AV	2.496G	3.40	-71.26	-70.79	-70.79	-71.76	-65.11	-61.71	-41.20	-20.51
2462MHz	Pass	1G	3G	PK	2.386G	3.40	-58.27	-58.22	-59.11	-59.72	-52.77	-49.37	-21.20	-28.17
2462MHz	Pass	1G	3G	PK	2.498G	3.40	-62.51	-63.44	-62.69	-64.05	-57.11	-53.71	-21.20	-32.51
802.11g_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	3.40	-56.46	-56.59	-55.36	-60.33	-50.81	-47.41	-41.20	-6.21
2412MHz	Pass	1G	3G	AV	2.498G	3.40	-71.76	-71.51	-71.26	-71.26	-65.42	-62.02	-41.20	-20.82
2412MHz	Pass	1G	3G	PK	2.384G	3.40	-46.73	-44.63	-45.45	-51.06	-40.36	-36.96	-21.20	-15.76
2412MHz	Pass	1G	3G	PK	2.498G	3.40	-63.64	-62.09	-63.44	-64.81	-57.37	-53.97	-21.20	-32.77
2437MHz	Pass	1G	3G	AV	2.386G	3.40	-63.01	-63.89	-66.35	-66.22	-58.60	-55.20	-41.20	-14.00
2437MHz	Pass	1G	3G	AV	2.5G	3.40	-71.51	-71.27	-70.14	-71.76	-65.10	-61.70	-41.20	-20.50
2437MHz	Pass	1G	3G	PK	2.384G	3.40	-56.46	-56.03	-58.22	-57.37	-50.92	-47.52	-21.20	-26.32
2437MHz	Pass	1G	3G	PK	2.5G	3.40	-63.84	-63.15	-62.97	-61.92	-56.89	-53.49	-21.20	-32.29
2462MHz	Pass	1G	3G	AV	2.384G	3.40	-66.78	-67.21	-68.68	-68.86	-61.77	-58.37	-41.20	-17.17
2462MHz	Pass	1G	3G	AV	2.5G	3.40	-72.02	-71.27	-69.72	-71.03	-64.91	-61.51	-41.20	-20.31
2462MHz	Pass	1G	3G	PK	2.386G	3.40	-59.59	-59.47	-61.30	-61.61	-54.36	-50.96	-21.20	-29.76
2462MHz	Pass	1G	3G	PK	2.5G	3.40	-64.05	-64.15	-59.76	-61.52	-55.95	-52.55	-21.20	-31.35
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	3.40	-52.34	-55.66	-54.69	-58.95	-48.79	-45.39	-41.20	-4.19
2412MHz	Pass	1G	3G	AV	2.484G	3.40	-71.50	-71.50	-71.02	-71.02	-65.23	-61.83	-41.20	-20.63
2412MHz	Pass	1G	3G	PK	2.388G	3.40	-44.02	-47.69	-46.25	-48.19	-40.20	-36.80	-21.20	-15.60
2412MHz	Pass	1G	3G	PK	2.488G	3.40	-63.24	-63.34	-63.44	-63.83	-57.44	-54.04	-21.20	-32.84
2437MHz	Pass	1G	3G	AV	2.386G	3.40	-62.92	-61.89	-64.52	-65.70	-57.50	-54.10	-41.20	-12.90
2437MHz	Pass	1G	3G	AV	2.5G	3.40	-71.76	-71.51	-69.52	-71.03	-64.84	-61.44	-41.20	-20.24
2437MHz	Pass	1G	3G	PK	2.386G	3.40	-54.84	-50.65	-55.78	-55.63	-47.63	-44.23	-21.20	-23.03
2437MHz	Pass	1G	3G	PK	2.5G	3.40	-63.54	-64.15	-61.92	-63.64	-57.21	-53.81	-21.20	-32.61
2462MHz	Pass	1G	3G	AV	2.384G	3.40	-66.92	-67.83	-68.86	-69.23	-62.09	-58.69	-41.20	-17.49
2462MHz	Pass	1G	3G	AV	2.5G	3.40	-71.27	-71.03	-69.72	-71.51	-64.80	-61.40	-41.20	-20.20
2462MHz	Pass	1G	3G	PK	2.386G	3.40	-59.11	-58.27	-62.09	-61.69	-53.97	-50.57	-21.20	-29.37
2462MHz	Pass	1G	3G	PK	2.486G	3.40	-63.53	-62.87	-63.53	-64.92	-57.63	-54.23	-21.20	-33.03


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-42.36	-21.20	-21.16	2.90	0.00	-45.26	-45.26
1G	3G	1M	PK	2.486G	-60.54	-21.20	-39.34	2.90	0.00	-63.44	-63.44

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-46.36	-41.20	-5.16	2.90	0.00	-49.26	-49.26
1G	3G	1M	AV	2.486G	-66.61	-41.20	-27.41	2.90	0.00	-71.51	-71.51

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-51.38	-21.20	-30.18	2.90	0.00	-54.28	-54.28
1G	3G	1M	PK	2.492G	-59.10	-21.20	-37.90	2.90	0.00	-62.00	-62.00

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-58.37	-41.20	-17.17	2.90	0.00	-61.27	-61.27
1G	3G	1M	AV	2.494G	-67.89	-41.20	-26.69	2.90	0.00	-70.79	-70.79

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]

2462MHz

10/03/2026



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-51.38	-21.20	-30.18	2.90	0.00	-54.28	-54.28
1G	3G	1M	PK	2.488G	-59.88	-21.20	-38.68	2.90	0.00	-62.78	-62.78

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]

2462MHz

10/03/2026



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-59.49	-41.20	-18.29	2.90	0.00	-62.39	-62.39
1G	3G	1M	AV	2.488G	-68.12	-41.20	-26.92	2.90	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-32.32	-21.20	-11.12	2.90	0.00	-35.22	-35.22
1G	3G	1M	PK	2.496G	-59.27	-21.20	-38.07	2.90	0.00	-62.17	-62.17

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-42.68	-41.20	-1.48	2.90	0.00	-45.58	-45.58
1G	3G	1M	AV	2.488G	-68.36	-41.20	-27.16	2.90	0.00	-71.26	-71.26

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2437MHz

10/03/2026



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-36.60	-21.20	-15.40	2.90	0.00	-39.50	-39.50
1G	3G	1M	PK	2.486G	-60.83	-21.20	-39.63	2.90	0.00	-63.73	-63.73

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2437MHz

10/03/2026



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-49.02	-41.20	-7.82	2.90	0.00	-51.92	-51.92
1G	3G	1M	AV	2.488G	-68.36	-41.20	-27.16	2.90	0.00	-71.26	-71.26

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-53.60	-21.20	-32.40	2.90	0.00	-56.50	-56.50
1G	3G	1M	PK	2.494G	-60.34	-21.20	-39.14	2.90	0.00	-63.24	-63.24

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-61.62	-41.20	-20.42	2.90	0.00	-64.52	-64.52
1G	3G	1M	AV	2.486G	-68.36	-41.20	-27.16	2.90	0.00	-71.26	-71.26

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2412MHz

10/03/2026



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.388G	-33.00	-21.20	-11.80	2.90	0.00	-35.90	-35.90
1G	3G	1M	PK	2.484G	-60.15	-21.20	-38.95	2.90	0.00	-63.05	-63.05

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2412MHz

10/03/2026



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.388G	-41.72	-41.20	-0.52	2.90	0.00	-44.62	-44.62
1G	3G	1M	AV	2.484G	-68.60	-41.20	-27.40	2.90	0.00	-71.50	-71.50

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.388G	-37.01	-21.20	-15.81	2.90	0.00	-39.91	-39.91
1G	3G	1M	PK	2.494G	-59.02	-21.20	-37.82	2.90	0.00	-61.92	-61.92

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-47.96	-41.20	-6.76	2.90	0.00	-50.86	-50.86
1G	3G	1M	AV	2.488G	-68.36	-41.20	-27.16	2.90	0.00	-71.26	-71.26

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-54.04	-21.20	-32.84	2.90	0.00	-56.94	-56.94
1G	3G	1M	PK	2.386G	-54.04	-21.20	-32.84	2.90	0.00	-56.94	-56.94
1G	3G	1M	PK	2.496G	-59.27	-21.20	-38.07	2.90	0.00	-62.17	-62.17

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-61.74	-41.20	-20.54	2.90	0.00	-64.64	-64.64
1G	3G	1M	AV	2.492G	-67.89	-41.20	-26.69	2.90	0.00	-70.79	-70.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Other [PK]

2412MHz

10/03/2026



Limit:PK
EIRP:PK
Sum:PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.386G	-44.29	-21.20	-23.09	3.10	0.00	-47.39	-49.95	-50.90
1G	3G	1M	PK	2.492G	-57.02	-21.20	-35.82	3.10	0.00	-60.12	-63.73	-62.60

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Other [AV]

2412MHz

10/03/2026



Limit:AV
EIRP:AV
Sum:AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.386G	-48.35	-41.20	-7.15	3.10	0.00	-51.45	-54.08	-54.87
1G	3G	1M	AV	2.494G	-65.15	-41.20	-23.95	3.10	0.00	-68.25	-71.51	-71.02

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [PK]

2437MHz

10/03/2026



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.386G	-50.63	-21.20	-29.43	3.10	0.00	-53.73	-56.24	-57.31
1G	3G	1M	PK	2.49G	-57.03	-21.20	-35.83	3.10	0.00	-60.13	-63.05	-63.24

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [AV]

2437MHz

10/03/2026




Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-58.29	-41.20	-17.09	3.10	0.00	-61.39	-63.79	-65.10
1G	3G	1M	AV	2.498G	-65.27	-41.20	-24.07	3.10	0.00	-68.37	-71.03	-71.76

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Other [PK]


2462MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Other [AV]

2462MHz




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [PK]

2412MHz

10/03/2026



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-34.15	-21.20	-12.95	3.10	0.00	-37.25	-39.79	-40.78
1G	3G	1M	PK	2.498G	-56.57	-21.20	-35.37	3.10	0.00	-59.67	-63.25	-62.17

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [AV]

2412MHz

10/03/2026



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.386G	-43.93	-41.20	-2.73	3.10	0.00	-47.03	-49.91	-50.18
1G	3G	1M	AV	2.498G	-64.91	-41.20	-23.71	3.10	0.00	-68.01	-71.26	-70.79

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [PK]

2437MHz

10/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-42.22	-21.20	-21.02	3.10	0.00	-45.32	-49.57	-47.36
1G	3G	1M	PK	2.488G	-56.80	-21.20	-35.60	3.10	0.00	-59.90	-62.69	-63.15

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.386G	-51.93	-41.20	-10.73	3.10	0.00	-55.03	-57.62	-58.50
1G	3G	1M	AV	2.5G	-65.04	-41.20	-23.84	3.10	0.00	-68.14	-71.03	-71.27

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [PK]


2462MHz



2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [AV]

2462MHz




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.386G	-32.93	-21.20	-11.73	3.10	0.00	-36.03	-37.48	-41.50
1G	3G	1M	PK	2.498G	-56.94	-21.20	-35.74	3.10	0.00	-60.04	-62.69	-63.44

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.386G	-42.70	-41.20	-1.50	3.10	0.00	-45.80	-47.84	-50.05
1G	3G	1M	AV	2.484G	-65.15	-41.20	-23.95	3.10	0.00	-68.25	-71.26	-71.26

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]

2437MHz

10/03/2026



Limit.PK
ERP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.386G	-38.47	-21.20	-17.27	3.10	0.00	-41.57	-43.57	-45.90
1G	3G	1M	PK	2.496G	-56.81	-21.20	-35.61	3.10	0.00	-59.91	-62.78	-63.06

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2437MHz

10/03/2026



Limit.AV
ERP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-49.82	-41.20	-8.62	3.10	0.00	-52.92	-57.19	-54.95
1G	3G	1M	AV	2.498G	-65.27	-41.20	-24.07	3.10	0.00	-68.37	-71.76	-71.03

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]

2462MHz

10/03/2026



Limit.PK
ERP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-52.73	-21.20	-31.53	3.10	0.00	-55.83	-59.29	-58.44
1G	3G	1M	PK	2.49G	-56.44	-21.20	-35.24	3.10	0.00	-59.54	-63.63	-61.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2462MHz

10/03/2026



Limit.AV
ERP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.386G	-60.58	-41.20	-19.38	3.10	0.00	-63.68	-66.91	-66.49
1G	3G	1M	AV	2.486G	-65.27	-41.20	-24.07	3.10	0.00	-68.37	-71.50	-71.26

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [PK]

2412MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [AV]

2412MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.384G	-48.29	-21.20	-27.09	3.40	0.00	-51.69	-56.72	-57.71	-59.78	-57.22
1G	3G	1M	PK	2.492G	-53.50	-21.20	-32.30	3.40	0.00	-56.90	-61.44	-64.26	-63.06	-63.44

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.386G	-56.27	-41.20	-15.07	3.40	0.00	-59.67	-64.64	-65.21	-66.77	-66.49
1G	3G	1M	AV	2.494G	-61.90	-41.20	-20.70	3.40	0.00	-65.30	-71.76	-71.26	-71.26	-71.02

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [PK]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [AV]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.384G	-36.96	-21.20	-15.76	3.40	0.00	-40.36	-46.73	-44.63	-45.45	-51.06
1G	3G	1M	PK	2.498G	-53.97	-21.20	-32.77	3.40	0.00	-57.37	-63.64	-62.09	-63.44	-64.81

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.386G	-47.41	-41.20	-6.21	3.40	0.00	-50.81	-56.46	-56.59	-55.36	-60.33
1G	3G	1M	AV	2.498G	-62.02	-41.20	-20.82	3.40	0.00	-65.42	-71.76	-71.51	-71.26	-71.26

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.384G	-47.52	-21.20	-26.32	3.40	0.00	-50.92	-56.46	-56.03	-58.22	-57.37
1G	3G	1M	PK	2.5G	-53.49	-21.20	-32.29	3.40	0.00	-56.89	-63.84	-63.15	-62.97	-61.92

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.386G	-55.20	-41.20	-14.00	3.40	0.00	-58.60	-63.01	-63.89	-66.35	-66.22
1G	3G	1M	AV	2.5G	-61.70	-41.20	-20.50	3.40	0.00	-65.10	-71.51	-71.27	-70.14	-71.76

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [PK]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [AV]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.388G	-36.80	-21.20	-15.60	3.40	0.00	-40.20	-44.02	-47.69	-46.25	-48.19
1G	3G	1M	PK	2.488G	-54.04	-21.20	-32.84	3.40	0.00	-57.44	-63.24	-63.34	-63.44	-63.83

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.388G	-45.39	-41.20	-4.19	3.40	0.00	-48.79	-52.34	-55.66	-54.69	-58.95
1G	3G	1M	AV	2.484G	-61.83	-41.20	-20.63	3.40	0.00	-65.23	-71.50	-71.50	-71.02	-71.02

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [PK]

2437MHz

10/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [AV]

2437MHz

10/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.386G	-50.57	-21.20	-29.37	3.40	0.00	-53.97	-59.11	-58.27	-62.09	-61.69
1G	3G	1M	PK	2.466G	-54.23	-21.20	-33.03	3.40	0.00	-57.63	-63.53	-62.87	-63.53	-64.92

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [AV]

2462MHz

10/03/2026



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.384G	-58.69	-41.20	-17.49	3.40	0.00	-62.09	-66.92	-67.83	-68.86	-69.23
1G	3G	1M	AV	2.5G	-61.40	-41.20	-20.20	3.40	0.00	-64.80	-71.27	-71.03	-69.72	-71.51

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_1TX	Pass	1G	3G	AV	2.386G	11.40	-58.29				-58.29	-46.89	-41.20	-5.69
802.11b_Nss1.(1Mbps)_2TX	Pass	1G	3G	AV	2.384G	11.60	-67.21	-66.50			-63.83	-52.23	-41.20	-11.03
802.11b_Nss1.(1Mbps)_4TX	Pass	1G	3G	AV	2.384G	11.90	-67.21	-66.22	-68.68	-69.23	-61.65	-49.75	-41.20	-8.55
802.11g_Nss1.(6Mbps)_1TX	Pass	1G	3G	AV	2.39G	11.40	-53.01				-53.01	-41.61	-41.20	-0.41
802.11g_Nss1.(6Mbps)_2TX	Pass	1G	3G	AV	1.722G	11.60	-72.20	-58.80			-58.61	-47.01	-41.20	-5.81
802.11g_Nss1.(6Mbps)_4TX	Pass	1G	3G	AV	2.39G	11.90	-66.34	-67.50	-68.49	-69.80	-61.83	-49.93	-41.20	-8.73
802.11be EHT20_Nss1.(MCS0)_1TX	Pass	1G	3G	AV	2.388G	11.40	-53.08				-53.08	-41.68	-41.20	-0.48
802.11be EHT20_Nss1.(MCS0)_2TX	Pass	1G	3G	AV	2.388G	11.60	-55.16	-58.39			-53.47	-41.87	-41.20	-0.67
802.11be EHT20_Nss1.(MCS0)_4TX	Pass	1G	3G	AV	2.388G	11.90	-62.30	-64.63	-63.10	-66.91	-57.89	-45.99	-41.20	-4.79

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	11.40	-58.29				-58.29	-46.89	-41.20	-5.69
2412MHz	Pass	1G	3G	AV	2.486G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2412MHz	Pass	1G	3G	PK	2.386G	11.40	-52.83				-52.83	-41.43	-21.20	-20.23
2412MHz	Pass	1G	3G	PK	2.498G	11.40	-62.17				-62.17	-50.77	-21.20	-29.57
2437MHz	Pass	1G	3G	AV	2.386G	11.40	-63.20				-63.20	-51.80	-41.20	-10.60
2437MHz	Pass	1G	3G	AV	2.494G	11.40	-70.57				-70.57	-59.17	-41.20	-17.97
2437MHz	Pass	1G	3G	PK	2.386G	11.40	-55.20				-55.20	-43.80	-21.20	-22.60
2437MHz	Pass	1G	3G	PK	2.488G	11.40	-61.60				-61.60	-50.20	-21.20	-29.00
2462MHz	Pass	1G	3G	AV	2.386G	11.40	-64.75				-64.75	-53.35	-41.20	-12.15
2462MHz	Pass	1G	3G	AV	2.484G	11.40	-70.79				-70.79	-59.39	-41.20	-18.19
2462MHz	Pass	1G	3G	PK	2.386G	11.40	-57.12				-57.12	-45.72	-21.20	-24.52
2462MHz	Pass	1G	3G	PK	2.498G	11.40	-62.96				-62.96	-51.56	-21.20	-30.36
802.11g_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.39G	11.40	-53.01				-53.01	-41.61	-41.20	-0.41
2412MHz	Pass	1G	3G	AV	2.484G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2412MHz	Pass	1G	3G	PK	2.386G	11.40	-44.82				-44.82	-33.42	-21.20	-12.22
2412MHz	Pass	1G	3G	PK	2.492G	11.40	-62.96				-62.96	-51.56	-21.20	-30.36
2437MHz	Pass	1G	3G	AV	2.384G	11.40	-62.06				-62.06	-50.66	-41.20	-9.46
2437MHz	Pass	1G	3G	AV	2.488G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2437MHz	Pass	1G	3G	PK	2.386G	11.40	-52.12				-52.12	-40.72	-21.20	-19.52
2437MHz	Pass	1G	3G	PK	2.5G	11.40	-62.17				-62.17	-50.77	-21.20	-29.57
2462MHz	Pass	1G	3G	AV	2.384G	11.40	-66.63				-66.63	-55.23	-41.20	-14.03
2462MHz	Pass	1G	3G	AV	2.488G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2462MHz	Pass	1G	3G	PK	2.386G	11.40	-58.54				-58.54	-47.14	-21.20	-25.94
2462MHz	Pass	1G	3G	PK	2.494G	11.40	-62.43				-62.43	-51.03	-21.20	-29.83
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	11.40	-53.08				-53.08	-41.68	-41.20	-0.48
2412MHz	Pass	1G	3G	AV	2.488G	11.40	-71.26				-71.26	-59.86	-41.20	-18.66
2412MHz	Pass	1G	3G	PK	2.388G	11.40	-44.02				-44.02	-32.62	-21.20	-11.42
2412MHz	Pass	1G	3G	PK	2.488G	11.40	-62.25				-62.25	-50.85	-21.20	-29.65
2437MHz	Pass	1G	3G	AV	2.386G	11.40	-63.30				-63.30	-51.90	-41.20	-10.70
2437MHz	Pass	1G	3G	AV	2.492G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2437MHz	Pass	1G	3G	PK	2.384G	11.40	-54.09				-54.09	-42.69	-21.20	-21.49
2437MHz	Pass	1G	3G	PK	2.488G	11.40	-62.42				-62.42	-51.02	-21.20	-29.82
2462MHz	Pass	1G	3G	AV	2.384G	11.40	-66.92				-66.92	-55.52	-41.20	-14.32
2462MHz	Pass	1G	3G	AV	2.484G	11.40	-70.79				-70.79	-59.39	-41.20	-18.19
2462MHz	Pass	1G	3G	PK	2.386G	11.40	-59.59				-59.59	-48.19	-21.20	-26.99
2462MHz	Pass	1G	3G	PK	2.388G	11.40	-59.59				-59.59	-48.19	-21.20	-26.99
2462MHz	Pass	1G	3G	PK	2.5G	11.40	-62.52				-62.52	-51.12	-21.20	-29.92
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.384G	11.60	-67.21	-66.50			-63.83	-52.23	-41.20	-11.03
2412MHz	Pass	1G	3G	AV	2.486G	11.60	-71.26	-71.02			-68.13	-56.53	-41.20	-15.33
2412MHz	Pass	1G	3G	PK	2.384G	11.60	-59.85	-57.91			-55.76	-44.16	-21.20	-22.96
2412MHz	Pass	1G	3G	PK	2.486G	11.60	-62.25	-64.36			-60.17	-48.57	-21.20	-27.37
2437MHz	Pass	1G	3G	AV	2.384G	11.60	-67.52	-67.07			-64.28	-52.68	-41.20	-11.48
2437MHz	Pass	1G	3G	AV	2.492G	11.60	-71.02	-71.51			-68.25	-56.65	-41.20	-15.45
2437MHz	Pass	1G	3G	PK	2.384G	11.60	-58.66	-59.29			-55.95	-44.35	-21.20	-23.15
2437MHz	Pass	1G	3G	PK	2.494G	11.60	-62.96	-62.96			-59.95	-48.35	-21.20	-27.15
2462MHz	Pass	1G	3G	AV	2.384G	11.60	-67.07	-67.07			-64.06	-52.46	-41.20	-11.26
2462MHz	Pass	1G	3G	AV	2.492G	11.60	-70.57	-71.51			-68.00	-56.40	-41.20	-15.20
2462MHz	Pass	1G	3G	PK	2.384G	11.60	-59.47	-58.49			-55.94	-44.34	-21.20	-23.14
2462MHz	Pass	1G	3G	PK	2.492G	11.60	-63.63	-62.42			-59.97	-48.37	-21.20	-27.17
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.39G	11.60	-63.58	-65.20			-61.30	-49.70	-41.20	-8.50
2412MHz	Pass	1G	3G	AV	2.486G	11.60	-71.02	-71.26			-68.13	-56.53	-41.20	-15.33
2412MHz	Pass	1G	3G	PK	2.39G	11.60	-51.77	-55.23			-50.15	-38.55	-21.20	-17.35
2412MHz	Pass	1G	3G	PK	2.492G	11.60	-64.36	-61.52			-59.70	-48.10	-21.20	-26.90
2437MHz	Pass	1G	3G	AV	1.722G	11.60	-72.20	-58.80			-58.61	-47.01	-41.20	-5.81
2437MHz	Pass	1G	3G	AV	2.384G	11.60	-66.50	-66.36			-63.42	-51.82	-41.20	-10.62
2437MHz	Pass	1G	3G	AV	2.49G	11.60	-70.57	-71.51			-68.00	-56.40	-41.20	-15.20
2437MHz	Pass	1G	3G	PK	2.386G	11.60	-58.32	-57.96			-55.13	-43.53	-21.20	-22.33
2437MHz	Pass	1G	3G	PK	2.486G	11.60	-62.78	-63.15			-59.95	-48.35	-21.20	-27.15
2462MHz	Pass	1G	3G	AV	2.384G	11.60	-68.86	-69.04			-65.94	-54.34	-41.20	-13.14
2462MHz	Pass	1G	3G	AV	2.49G	11.60	-71.76	-71.26			-68.49	-56.89	-41.20	-15.69
2462MHz	Pass	1G	3G	PK	2.384G	11.60	-62.10	-60.72			-58.35	-46.75	-21.20	-25.55
2462MHz	Pass	1G	3G	PK	2.498G	11.60	-62.96	-62.96			-59.95	-48.35	-21.20	-27.15
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	11.60	-55.16	-58.39			-53.47	-41.87	-41.20	-0.67


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2412MHz	Pass	1G	3G	AV	2.484G	11.60	-71.50	-70.56			-67.99	-56.39	-41.20	-15.19
2412MHz	Pass	1G	3G	PK	2.386G	11.60	-44.26	-45.43			-41.80	-30.20	-21.20	-9.00
2412MHz	Pass	1G	3G	PK	2.5G	11.60	-61.68	-64.05			-59.69	-48.09	-21.20	-26.89
2437MHz	Pass	1G	3G	AV	2.384G	11.60	-66.50	-65.83			-63.14	-51.54	-41.20	-10.34
2437MHz	Pass	1G	3G	AV	2.498G	11.60	-70.79	-71.03			-67.90	-56.30	-41.20	-15.10
2437MHz	Pass	1G	3G	PK	2.386G	11.60	-57.65	-58.43			-55.01	-43.41	-21.20	-22.21
2437MHz	Pass	1G	3G	PK	2.496G	11.60	-62.87	-63.44			-60.14	-48.54	-21.20	-27.34
2462MHz	Pass	1G	3G	AV	2.384G	11.60	-68.86	-70.02			-66.39	-54.79	-41.20	-13.59
2462MHz	Pass	1G	3G	AV	2.496G	11.60	-71.03	-71.03			-68.02	-56.42	-41.20	-15.22
2462MHz	Pass	1G	3G	PK	2.384G	11.60	-61.23	-62.69			-58.89	-47.29	-21.20	-26.09
2462MHz	Pass	1G	3G	PK	2.492G	11.60	-63.73	-62.51			-60.07	-48.47	-21.20	-27.27
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	11.90	-69.04	-67.67	-68.33	-70.01	-62.66	-50.76	-41.20	-9.56
2412MHz	Pass	1G	3G	AV	2.486G	11.90	-71.50	-71.02	-71.50	-71.26	-65.29	-53.39	-41.20	-12.19
2412MHz	Pass	1G	3G	PK	2.384G	11.90	-61.38	-60.44	-61.08	-62.61	-55.29	-43.39	-21.20	-22.19
2412MHz	Pass	1G	3G	PK	2.5G	11.90	-63.74	-63.74	-64.05	-61.92	-57.25	-45.35	-21.20	-24.15
2437MHz	Pass	1G	3G	AV	2.384G	11.90	-67.21	-66.22	-68.68	-69.23	-61.65	-49.75	-41.20	-8.55
2437MHz	Pass	1G	3G	AV	2.484G	11.90	-71.26	-71.02	-71.50	-71.26	-65.24	-53.34	-41.20	-12.14
2437MHz	Pass	1G	3G	PK	2.384G	11.90	-59.72	-59.11	-61.69	-61.01	-54.24	-42.34	-21.20	-21.14
2437MHz	Pass	1G	3G	PK	2.49G	11.90	-61.84	-63.63	-63.73	-63.05	-56.97	-45.07	-21.20	-23.87
2462MHz	Pass	1G	3G	AV	2.386G	11.90	-67.06	-67.67	-69.22	-69.04	-62.13	-50.23	-41.20	-9.03
2462MHz	Pass	1G	3G	AV	2.496G	11.90	-71.26	-71.51	-71.51	-70.57	-65.17	-53.27	-41.20	-12.07
2462MHz	Pass	1G	3G	PK	2.386G	11.90	-58.71	-59.65	-61.08	-62.26	-54.20	-42.30	-21.20	-21.10
2462MHz	Pass	1G	3G	PK	2.484G	11.90	-64.81	-62.34	-64.81	-61.21	-56.99	-45.09	-21.20	-23.89
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.39G	11.90	-66.34	-67.50	-68.49	-69.80	-61.83	-49.93	-41.20	-8.73
2412MHz	Pass	1G	3G	AV	2.486G	11.90	-71.26	-71.26	-71.50	-71.26	-65.30	-53.40	-41.20	-12.20
2412MHz	Pass	1G	3G	PK	2.39G	11.90	-55.73	-57.35	-59.22	-62.00	-51.98	-40.08	-21.20	-18.88
2412MHz	Pass	1G	3G	PK	2.498G	11.90	-63.64	-61.29	-64.81	-63.44	-57.08	-45.18	-21.20	-23.98
2437MHz	Pass	1G	3G	AV	2.386G	11.90	-68.67	-69.41	-70.22	-70.44	-63.61	-51.71	-41.20	-10.51
2437MHz	Pass	1G	3G	AV	2.496G	11.90	-70.79	-71.51	-71.51	-71.26	-65.24	-53.34	-41.20	-12.14
2437MHz	Pass	1G	3G	PK	2.386G	11.90	-60.10	-62.51	-62.43	-62.34	-55.70	-43.80	-21.20	-22.60
2437MHz	Pass	1G	3G	PK	2.488G	11.90	-62.96	-62.78	-65.04	-62.69	-57.25	-45.35	-21.20	-24.15
2462MHz	Pass	1G	3G	AV	2.386G	11.90	-69.22	-69.61	-70.01	-70.22	-63.73	-51.83	-41.20	-10.63
2462MHz	Pass	1G	3G	AV	2.486G	11.90	-71.26	-71.76	-71.26	-71.02	-65.30	-53.40	-41.20	-12.20
2462MHz	Pass	1G	3G	PK	2.384G	11.90	-61.08	-62.87	-61.77	-62.26	-55.92	-44.02	-21.20	-22.82
2462MHz	Pass	1G	3G	PK	2.488G	11.90	-62.60	-64.47	-61.84	-63.34	-56.94	-45.04	-21.20	-23.84
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	11.90	-62.30	-64.63	-63.10	-66.91	-57.89	-45.99	-41.20	-4.79
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-71.51	-70.80	-71.27	-71.51	-65.24	-53.34	-41.20	-12.14
2412MHz	Pass	1G	3G	PK	2.39G	11.90	-52.43	-51.87	-54.48	-60.50	-47.78	-35.88	-21.20	-14.68
2412MHz	Pass	1G	3G	PK	2.486G	11.90	-61.06	-63.34	-63.73	-64.36	-56.91	-45.01	-21.20	-23.81
2437MHz	Pass	1G	3G	AV	2.384G	11.90	-68.68	-69.61	-70.02	-70.23	-63.57	-51.67	-41.20	-10.47
2437MHz	Pass	1G	3G	AV	2.494G	11.90	-71.02	-71.51	-71.26	-71.26	-65.24	-53.34	-41.20	-12.14
2437MHz	Pass	1G	3G	PK	2.384G	11.90	-61.08	-61.69	-63.15	-61.53	-55.78	-43.88	-21.20	-22.68
2437MHz	Pass	1G	3G	PK	2.486G	11.90	-62.60	-62.00	-63.43	-63.34	-56.78	-44.88	-21.20	-23.68
2462MHz	Pass	1G	3G	AV	2.386G	11.90	-69.61	-69.41	-70.22	-69.81	-63.73	-51.83	-41.20	-10.63
2462MHz	Pass	1G	3G	AV	2.496G	11.90	-71.26	-71.26	-71.76	-71.26	-65.36	-53.46	-41.20	-12.26
2462MHz	Pass	1G	3G	PK	2.384G	11.90	-59.72	-62.10	-63.73	-63.06	-55.85	-43.95	-21.20	-22.75
2462MHz	Pass	1G	3G	PK	2.5G	11.90	-63.94	-63.34	-62.97	-62.78	-57.21	-45.31	-21.20	-24.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]


2412MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2412MHz




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]

2437MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]

2437MHz


10/03/2026



2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]


2462MHz



2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]


2462MHz



2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]


2412MHz



2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2412MHz




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-40.72	-21.20	-19.52	11.40	0.00	-52.12	-52.12
1G	3G	1M	PK	2.5G	-50.77	-21.20	-29.57	11.40	0.00	-62.17	-62.17

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-50.66	-41.20	-9.46	11.40	0.00	-62.06	-62.06
1G	3G	1M	AV	2.488G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-47.14	-21.20	-25.94	11.40	0.00	-58.54	-58.54
1G	3G	1M	PK	2.494G	-51.03	-21.20	-29.83	11.40	0.00	-62.43	-62.43

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-55.23	-41.20	-14.03	11.40	0.00	-66.63	-66.63
1G	3G	1M	AV	2.488G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.388G	-32.62	-21.20	-11.42	11.40	0.00	-44.02	-44.02
1G	3G	1M	PK	2.488G	-50.85	-21.20	-29.65	11.40	0.00	-62.25	-62.25

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.388G	-41.68	-41.20	-0.48	11.40	0.00	-53.08	-53.08
1G	3G	1M	AV	2.488G	-59.86	-41.20	-18.66	11.40	0.00	-71.26	-71.26

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-42.69	-21.20	-21.49	11.40	0.00	-54.09	-54.09
1G	3G	1M	PK	2.488G	-51.02	-21.20	-29.82	11.40	0.00	-62.42	-62.42

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-51.90	-41.20	-10.70	11.40	0.00	-63.30	-63.30
1G	3G	1M	AV	2.492G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-44.16	-21.20	-22.96	11.60	0.00	-55.76	-59.85	-57.91
1G	3G	1M	PK	2.466G	-48.57	-21.20	-27.37	11.60	0.00	-60.17	-62.25	-64.36

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [AV]

2412MHz

10/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-52.23	-41.20	-11.03	11.60	0.00	-63.83	-67.21	-66.50
1G	3G	1M	AV	2.466G	-56.53	-41.20	-15.33	11.60	0.00	-68.13	-71.26	-71.02

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [PK]

2437MHz

10/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-44.35	-21.20	-23.15	11.60	0.00	-55.95	-58.66	-59.29
1G	3G	1M	PK	2.494G	-48.35	-21.20	-27.15	11.60	0.00	-59.95	-62.96	-62.96

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-52.68	-41.20	-11.48	11.60	0.00	-64.28	-67.52	-67.07
1G	3G	1M	AV	2.492G	-56.65	-41.20	-15.45	11.60	0.00	-68.25	-71.02	-71.51

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-44.34	-21.20	-23.14	11.60	0.00	-55.94	-59.47	-58.49
1G	3G	1M	PK	2.492G	-48.37	-21.20	-27.17	11.60	0.00	-59.97	-63.63	-62.42

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-52.46	-41.20	-11.26	11.60	0.00	-64.06	-67.07	-67.07
1G	3G	1M	AV	2.492G	-56.40	-41.20	-15.20	11.60	0.00	-68.00	-70.57	-71.51

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [PK]


2412MHz



2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [AV]

2412MHz





2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [PK]

2437MHz

10/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.386G	-43.53	-21.20	-22.33	11.60	0.00	-55.13	-58.32	-57.96
1G	3G	1M	PK	2.486G	-48.35	-21.20	-27.15	11.60	0.00	-59.95	-62.78	-63.15

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [AV]

2437MHz

10/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	1.722G	-47.01	-41.20	-5.81	11.60	0.00	-58.61	-72.20	-58.80
1G	3G	1M	AV	2.394G	-51.82	-41.20	-10.62	11.60	0.00	-63.42	-66.50	-66.36
1G	3G	1M	AV	2.49G	-56.40	-41.20	-15.20	11.60	0.00	-68.00	-70.57	-71.51

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [PK]

2462MHz

10/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-46.75	-21.20	-25.55	11.60	0.00	-58.35	-62.10	-60.72
1G	3G	1M	PK	2.498G	-48.35	-21.20	-27.15	11.60	0.00	-59.95	-62.96	-62.96

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-54.34	-41.20	-13.14	11.60	0.00	-65.94	-68.86	-69.04
1G	3G	1M	AV	2.49G	-56.89	-41.20	-15.69	11.60	0.00	-68.49	-71.76	-71.26

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]

2412MHz

10/03/2026



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.386G	-30.20	-21.20	-9.00	11.60	0.00	-41.80	-44.26	-45.43
1G	3G	1M	PK	2.5G	-48.09	-21.20	-26.89	11.60	0.00	-59.69	-61.68	-64.05

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2412MHz

10/03/2026



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.386G	-41.87	-41.20	-0.67	11.60	0.00	-53.47	-55.16	-58.39
1G	3G	1M	AV	2.484G	-56.39	-41.20	-15.19	11.60	0.00	-67.99	-71.50	-70.56

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]

2437MHz

10/03/2026





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.386G	-43.41	-21.20	-22.21	11.60	0.00	-55.01	-57.65	-58.43
1G	3G	1M	PK	2.496G	-48.54	-21.20	-27.34	11.60	0.00	-60.14	-62.87	-63.44

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-51.54	-41.20	-10.34	11.60	0.00	-63.14	-66.50	-65.83
1G	3G	1M	AV	2.498G	-56.30	-41.20	-15.10	11.60	0.00	-67.90	-70.79	-71.03

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [PK]

2462MHz

10/03/2026



Limit.PK
ERP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-47.29	-21.20	-26.09	11.60	0.00	-58.89	-61.23	-62.69
1G	3G	1M	PK	2.492G	-48.47	-21.20	-27.27	11.60	0.00	-60.07	-63.73	-62.51

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Other [AV]

2462MHz

10/03/2026



Limit.AV
ERP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-54.79	-41.20	-13.59	11.60	0.00	-66.39	-68.86	-70.02
1G	3G	1M	AV	2.496G	-56.42	-41.20	-15.22	11.60	0.00	-68.02	-71.03	-71.03

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.384G	-43.39	-21.20	-22.19	11.90	0.00	-55.29	-61.38	-60.44	-61.08	-62.61
1G	3G	1M	PK	2.5G	-45.35	-21.20	-24.15	11.90	0.00	-57.25	-63.74	-63.74	-64.05	-61.92

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.386G	-50.76	-41.20	-9.56	11.90	0.00	-62.66	-69.04	-67.67	-68.33	-70.01
1G	3G	1M	AV	2.486G	-53.39	-41.20	-12.19	11.90	0.00	-65.29	-71.50	-71.02	-71.50	-71.26

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [PK]

2437MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [AV]

2437MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [PK]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_4TX

CSE Other [AV]

2462MHz

10/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.39G	-40.08	-21.20	-18.88	11.90	0.00	-51.98	-55.73	-57.35	-59.22	-62.00
1G	3G	1M	PK	2.486G	-45.18	-21.20	-23.98	11.90	0.00	-57.08	-63.64	-61.29	-64.81	-63.44

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.39G	-49.93	-41.20	-8.73	11.90	0.00	-61.83	-66.34	-67.50	-68.49	-69.80
1G	3G	1M	AV	2.486G	-53.40	-41.20	-12.20	11.90	0.00	-65.30	-71.26	-71.26	-71.50	-71.26

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [PK]

2437MHz

10/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [AV]

2437MHz

10/03/2026




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.384G	-44.02	-21.20	-22.82	11.90	0.00	-55.92	-61.08	-62.87	-61.77	-62.26
1G	3G	1M	PK	2.486G	-45.04	-21.20	-23.84	11.90	0.00	-56.94	-62.60	-64.47	-61.84	-63.34

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.386G	-51.83	-41.20	-10.63	11.90	0.00	-63.73	-69.22	-69.61	-70.01	-70.22
1G	3G	1M	AV	2.486G	-53.40	-41.20	-12.20	11.90	0.00	-65.30	-71.26	-71.76	-71.26	-71.02

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.39G	-35.88	-21.20	-14.68	11.90	0.00	-47.78	-52.43	-51.87	-54.48	-60.50
1G	3G	1M	PK	2.466G	-45.01	-21.20	-23.81	11.90	0.00	-56.91	-61.06	-63.34	-63.73	-64.36

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.388G	-45.99	-41.20	-4.79	11.90	0.00	-57.89	-62.30	-64.63	-63.10	-66.91
1G	3G	1M	AV	2.5G	-53.34	-41.20	-12.14	11.90	0.00	-65.24	-71.51	-70.80	-71.27	-71.51

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.384G	-43.88	-21.20	-22.68	11.90	0.00	-55.78	-61.08	-61.69	-63.15	-61.53
1G	3G	1M	PK	2.486G	-44.88	-21.20	-23.68	11.90	0.00	-56.78	-62.60	-62.00	-63.43	-63.34

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.384G	-51.67	-41.20	-10.47	11.90	0.00	-63.57	-68.68	-69.61	-70.02	-70.23
1G	3G	1M	AV	2.484G	-53.34	-41.20	-12.14	11.90	0.00	-65.24	-71.02	-71.51	-71.26	-71.26

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	PK	2.384G	-43.95	-21.20	-22.75	11.90	0.00	-55.85	-59.72	-62.10	-63.73	-63.06
1G	3G	1M	PK	2.5G	-45.31	-21.20	-24.11	11.90	0.00	-57.21	-63.94	-63.34	-62.97	-62.78

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Other [AV]

2462MHz

10/03/2026



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	3G	1M	AV	2.386G	-51.83	-41.20	-10.63	11.90	0.00	-63.73	-69.61	-69.41	-70.22	-69.81
1G	3G	1M	AV	2.496G	-53.46	-41.20	-12.26	11.90	0.00	-65.36	-71.26	-71.26	-71.76	-71.26

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_1TX	Pass	1G	3G	AV	2.386G	11.40	-58.29				-58.29	-46.89	-41.20	-5.69
802.11b_Nss1.(1Mbps)_2TX	Pass	1G	3G	AV	2.384G	11.60	-67.21	-66.50			-63.83	-52.23	-41.20	-11.03
802.11b_Nss1.(1Mbps)_4TX	Pass	1G	3G	AV	2.384G	11.90	-67.21	-66.22	-68.68	-69.23	-61.65	-49.75	-41.20	-8.55
802.11g_Nss1.(6Mbps)_1TX	Pass	1G	3G	AV	2.39G	11.40	-53.01				-53.01	-41.61	-41.20	-0.41
802.11g_Nss1.(6Mbps)_2TX	Pass	1G	3G	AV	1.722G	11.60	-72.20	-58.80			-58.61	-47.01	-41.20	-5.81
802.11g_Nss1.(6Mbps)_4TX	Pass	1G	3G	AV	2.39G	11.90	-66.34	-67.50	-68.49	-69.80	-61.83	-49.93	-41.20	-8.73
802.11be EHT20_Nss1.(MCS0)_1TX	Pass	1G	3G	AV	2.388G	11.40	-53.08				-53.08	-41.68	-41.20	-0.48
802.11be EHT20_Nss1.(MCS0)_2TX	Pass	1G	3G	AV	2.388G	11.60	-55.16	-58.39			-53.47	-41.87	-41.20	-0.67
802.11be EHT20_Nss1.(MCS0)_4TX	Pass	1G	3G	AV	2.388G	11.90	-62.30	-64.63	-63.10	-66.91	-57.89	-45.99	-41.20	-4.79

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	11.40	-58.29				-58.29	-46.89	-41.20	-5.69
2412MHz	Pass	1G	3G	AV	2.486G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2412MHz	Pass	1G	3G	PK	2.386G	11.40	-52.83				-52.83	-41.43	-21.20	-20.23
2412MHz	Pass	1G	3G	PK	2.498G	11.40	-62.17				-62.17	-50.77	-21.20	-29.57
2437MHz	Pass	1G	3G	AV	2.386G	11.40	-63.20				-63.20	-51.80	-41.20	-10.60
2437MHz	Pass	1G	3G	AV	2.494G	11.40	-70.57				-70.57	-59.17	-41.20	-17.97
2437MHz	Pass	1G	3G	PK	2.386G	11.40	-55.20				-55.20	-43.80	-21.20	-22.60
2437MHz	Pass	1G	3G	PK	2.488G	11.40	-61.60				-61.60	-50.20	-21.20	-29.00
2462MHz	Pass	1G	3G	AV	2.386G	11.40	-64.75				-64.75	-53.35	-41.20	-12.15
2462MHz	Pass	1G	3G	AV	2.484G	11.40	-70.79				-70.79	-59.39	-41.20	-18.19
2462MHz	Pass	1G	3G	PK	2.386G	11.40	-57.12				-57.12	-45.72	-21.20	-24.52
2462MHz	Pass	1G	3G	PK	2.498G	11.40	-62.96				-62.96	-51.56	-21.20	-30.36
802.11g_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.39G	11.40	-53.01				-53.01	-41.61	-41.20	-0.41
2412MHz	Pass	1G	3G	AV	2.484G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2412MHz	Pass	1G	3G	PK	2.386G	11.40	-44.82				-44.82	-33.42	-21.20	-12.22
2412MHz	Pass	1G	3G	PK	2.492G	11.40	-62.96				-62.96	-51.56	-21.20	-30.36
2437MHz	Pass	1G	3G	AV	2.384G	11.40	-62.06				-62.06	-50.66	-41.20	-9.46
2437MHz	Pass	1G	3G	AV	2.488G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2437MHz	Pass	1G	3G	PK	2.386G	11.40	-52.12				-52.12	-40.72	-21.20	-19.52
2437MHz	Pass	1G	3G	PK	2.5G	11.40	-62.17				-62.17	-50.77	-21.20	-29.57
2462MHz	Pass	1G	3G	AV	2.384G	11.40	-66.63				-66.63	-55.23	-41.20	-14.03
2462MHz	Pass	1G	3G	AV	2.488G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2462MHz	Pass	1G	3G	PK	2.386G	11.40	-58.54				-58.54	-47.14	-21.20	-25.94
2462MHz	Pass	1G	3G	PK	2.494G	11.40	-62.43				-62.43	-51.03	-21.20	-29.83
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	11.40	-53.08				-53.08	-41.68	-41.20	-0.48
2412MHz	Pass	1G	3G	AV	2.488G	11.40	-71.26				-71.26	-59.86	-41.20	-18.66
2412MHz	Pass	1G	3G	PK	2.388G	11.40	-44.02				-44.02	-32.62	-21.20	-11.42
2412MHz	Pass	1G	3G	PK	2.488G	11.40	-62.25				-62.25	-50.85	-21.20	-29.65
2437MHz	Pass	1G	3G	AV	2.386G	11.40	-63.30				-63.30	-51.90	-41.20	-10.70
2437MHz	Pass	1G	3G	AV	2.492G	11.40	-71.02				-71.02	-59.62	-41.20	-18.42
2437MHz	Pass	1G	3G	PK	2.384G	11.40	-54.09				-54.09	-42.69	-21.20	-21.49
2437MHz	Pass	1G	3G	PK	2.488G	11.40	-62.42				-62.42	-51.02	-21.20	-29.82
2462MHz	Pass	1G	3G	AV	2.384G	11.40	-66.92				-66.92	-55.52	-41.20	-14.32
2462MHz	Pass	1G	3G	AV	2.484G	11.40	-70.79				-70.79	-59.39	-41.20	-18.19
2462MHz	Pass	1G	3G	PK	2.386G	11.40	-59.59				-59.59	-48.19	-21.20	-26.99
2462MHz	Pass	1G	3G	PK	2.388G	11.40	-59.59				-59.59	-48.19	-21.20	-26.99
2462MHz	Pass	1G	3G	PK	2.5G	11.40	-62.52				-62.52	-51.12	-21.20	-29.92
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.384G	11.60	-67.21	-66.50			-63.83	-52.23	-41.20	-11.03
2412MHz	Pass	1G	3G	AV	2.486G	11.60	-71.26	-71.02			-68.13	-56.53	-41.20	-15.33
2412MHz	Pass	1G	3G	PK	2.384G	11.60	-59.85	-57.91			-55.76	-44.16	-21.20	-22.96
2412MHz	Pass	1G	3G	PK	2.486G	11.60	-62.25	-64.36			-60.17	-48.57	-21.20	-27.37
2437MHz	Pass	1G	3G	AV	2.384G	11.60	-67.52	-67.07			-64.28	-52.68	-41.20	-11.48
2437MHz	Pass	1G	3G	AV	2.492G	11.60	-71.02	-71.51			-68.25	-56.65	-41.20	-15.45
2437MHz	Pass	1G	3G	PK	2.384G	11.60	-58.66	-59.29			-55.95	-44.35	-21.20	-23.15
2437MHz	Pass	1G	3G	PK	2.494G	11.60	-62.96	-62.96			-59.95	-48.35	-21.20	-27.15
2462MHz	Pass	1G	3G	AV	2.384G	11.60	-67.07	-67.07			-64.06	-52.46	-41.20	-11.26
2462MHz	Pass	1G	3G	AV	2.492G	11.60	-70.57	-71.51			-68.00	-56.40	-41.20	-15.20
2462MHz	Pass	1G	3G	PK	2.384G	11.60	-59.47	-58.49			-55.94	-44.34	-21.20	-23.14
2462MHz	Pass	1G	3G	PK	2.492G	11.60	-63.63	-62.42			-59.97	-48.37	-21.20	-27.17
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.39G	11.60	-63.58	-65.20			-61.30	-49.70	-41.20	-8.50
2412MHz	Pass	1G	3G	AV	2.486G	11.60	-71.02	-71.26			-68.13	-56.53	-41.20	-15.33
2412MHz	Pass	1G	3G	PK	2.39G	11.60	-51.77	-55.23			-50.15	-38.55	-21.20	-17.35
2412MHz	Pass	1G	3G	PK	2.492G	11.60	-64.36	-61.52			-59.70	-48.10	-21.20	-26.90
2437MHz	Pass	1G	3G	AV	1.722G	11.60	-72.20	-58.80			-58.61	-47.01	-41.20	-5.81
2437MHz	Pass	1G	3G	AV	2.384G	11.60	-66.50	-66.36			-63.42	-51.82	-41.20	-10.62
2437MHz	Pass	1G	3G	AV	2.49G	11.60	-70.57	-71.51			-68.00	-56.40	-41.20	-15.20
2437MHz	Pass	1G	3G	PK	2.386G	11.60	-58.32	-57.96			-55.13	-43.53	-21.20	-22.33
2437MHz	Pass	1G	3G	PK	2.486G	11.60	-62.78	-63.15			-59.95	-48.35	-21.20	-27.15
2462MHz	Pass	1G	3G	AV	2.384G	11.60	-68.86	-69.04			-65.94	-54.34	-41.20	-13.14
2462MHz	Pass	1G	3G	AV	2.49G	11.60	-71.76	-71.26			-68.49	-56.89	-41.20	-15.69
2462MHz	Pass	1G	3G	PK	2.384G	11.60	-62.10	-60.72			-58.35	-46.75	-21.20	-25.55
2462MHz	Pass	1G	3G	PK	2.498G	11.60	-62.96	-62.96			-59.95	-48.35	-21.20	-27.15
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	11.60	-55.16	-58.39			-53.47	-41.87	-41.20	-0.67


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2412MHz	Pass	1G	3G	AV	2.484G	11.60	-71.50	-70.56			-67.99	-56.39	-41.20	-15.19
2412MHz	Pass	1G	3G	PK	2.386G	11.60	-44.26	-45.43			-41.80	-30.20	-21.20	-9.00
2412MHz	Pass	1G	3G	PK	2.5G	11.60	-61.68	-64.05			-59.69	-48.09	-21.20	-26.89
2437MHz	Pass	1G	3G	AV	2.384G	11.60	-66.50	-65.83			-63.14	-51.54	-41.20	-10.34
2437MHz	Pass	1G	3G	AV	2.498G	11.60	-70.79	-71.03			-67.90	-56.30	-41.20	-15.10
2437MHz	Pass	1G	3G	PK	2.386G	11.60	-57.65	-58.43			-55.01	-43.41	-21.20	-22.21
2437MHz	Pass	1G	3G	PK	2.496G	11.60	-62.87	-63.44			-60.14	-48.54	-21.20	-27.34
2462MHz	Pass	1G	3G	AV	2.384G	11.60	-68.86	-70.02			-66.39	-54.79	-41.20	-13.59
2462MHz	Pass	1G	3G	AV	2.496G	11.60	-71.03	-71.03			-68.02	-56.42	-41.20	-15.22
2462MHz	Pass	1G	3G	PK	2.384G	11.60	-61.23	-62.69			-58.89	-47.29	-21.20	-26.09
2462MHz	Pass	1G	3G	PK	2.492G	11.60	-63.73	-62.51			-60.07	-48.47	-21.20	-27.27
802.11b_Nss1(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.386G	11.90	-69.04	-67.67	-68.33	-70.01	-62.66	-50.76	-41.20	-9.56
2412MHz	Pass	1G	3G	AV	2.486G	11.90	-71.50	-71.02	-71.50	-71.26	-65.29	-53.39	-41.20	-12.19
2412MHz	Pass	1G	3G	PK	2.384G	11.90	-61.38	-60.44	-61.08	-62.61	-55.29	-43.39	-21.20	-22.19
2412MHz	Pass	1G	3G	PK	2.5G	11.90	-63.74	-63.74	-64.05	-61.92	-57.25	-45.35	-21.20	-24.15
2437MHz	Pass	1G	3G	AV	2.384G	11.90	-67.21	-66.22	-68.68	-69.23	-61.65	-49.75	-41.20	-8.55
2437MHz	Pass	1G	3G	AV	2.484G	11.90	-71.26	-71.02	-71.50	-71.26	-65.24	-53.34	-41.20	-12.14
2437MHz	Pass	1G	3G	PK	2.384G	11.90	-59.72	-59.11	-61.69	-61.01	-54.24	-42.34	-21.20	-21.14
2437MHz	Pass	1G	3G	PK	2.49G	11.90	-61.84	-63.63	-63.73	-63.05	-56.97	-45.07	-21.20	-23.87
2462MHz	Pass	1G	3G	AV	2.386G	11.90	-67.06	-67.67	-69.22	-69.04	-62.13	-50.23	-41.20	-9.03
2462MHz	Pass	1G	3G	AV	2.496G	11.90	-71.26	-71.51	-71.51	-70.57	-65.17	-53.27	-41.20	-12.07
2462MHz	Pass	1G	3G	PK	2.386G	11.90	-58.71	-59.65	-61.08	-62.26	-54.20	-42.30	-21.20	-21.10
2462MHz	Pass	1G	3G	PK	2.484G	11.90	-64.81	-62.34	-64.81	-61.21	-56.99	-45.09	-21.20	-23.89
802.11g_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.39G	11.90	-66.34	-67.50	-68.49	-69.80	-61.83	-49.93	-41.20	-8.73
2412MHz	Pass	1G	3G	AV	2.486G	11.90	-71.26	-71.26	-71.50	-71.26	-65.30	-53.40	-41.20	-12.20
2412MHz	Pass	1G	3G	PK	2.39G	11.90	-55.73	-57.35	-59.22	-62.00	-51.98	-40.08	-21.20	-18.88
2412MHz	Pass	1G	3G	PK	2.498G	11.90	-63.64	-61.29	-64.81	-63.44	-57.08	-45.18	-21.20	-23.98
2437MHz	Pass	1G	3G	AV	2.386G	11.90	-68.67	-69.41	-70.22	-70.44	-63.61	-51.71	-41.20	-10.51
2437MHz	Pass	1G	3G	AV	2.496G	11.90	-70.79	-71.51	-71.51	-71.26	-65.24	-53.34	-41.20	-12.14
2437MHz	Pass	1G	3G	PK	2.386G	11.90	-60.10	-62.51	-62.43	-62.34	-55.70	-43.80	-21.20	-22.60
2437MHz	Pass	1G	3G	PK	2.488G	11.90	-62.96	-62.78	-65.04	-62.69	-57.25	-45.35	-21.20	-24.15
2462MHz	Pass	1G	3G	AV	2.386G	11.90	-69.22	-69.61	-70.01	-70.22	-63.73	-51.83	-41.20	-10.63
2462MHz	Pass	1G	3G	AV	2.486G	11.90	-71.26	-71.76	-71.26	-71.02	-65.30	-53.40	-41.20	-12.20
2462MHz	Pass	1G	3G	PK	2.384G	11.90	-61.08	-62.87	-61.77	-62.26	-55.92	-44.02	-21.20	-22.82
2462MHz	Pass	1G	3G	PK	2.488G	11.90	-62.60	-64.47	-61.84	-63.34	-56.94	-45.04	-21.20	-23.84
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.388G	11.90	-62.30	-64.63	-63.10	-66.91	-57.89	-45.99	-41.20	-4.79
2412MHz	Pass	1G	3G	AV	2.5G	11.90	-71.51	-70.80	-71.27	-71.51	-65.24	-53.34	-41.20	-12.14
2412MHz	Pass	1G	3G	PK	2.39G	11.90	-52.43	-51.87	-54.48	-60.50	-47.78	-35.88	-21.20	-14.68
2412MHz	Pass	1G	3G	PK	2.486G	11.90	-61.06	-63.34	-63.73	-64.36	-56.91	-45.01	-21.20	-23.81
2437MHz	Pass	1G	3G	AV	2.384G	11.90	-68.68	-69.61	-70.02	-70.23	-63.57	-51.67	-41.20	-10.47
2437MHz	Pass	1G	3G	AV	2.494G	11.90	-71.02	-71.51	-71.26	-71.26	-65.24	-53.34	-41.20	-12.14
2437MHz	Pass	1G	3G	PK	2.384G	11.90	-61.08	-61.69	-63.15	-61.53	-55.78	-43.88	-21.20	-22.68
2437MHz	Pass	1G	3G	PK	2.486G	11.90	-62.60	-62.00	-63.43	-63.34	-56.78	-44.88	-21.20	-23.68
2462MHz	Pass	1G	3G	AV	2.386G	11.90	-69.61	-69.41	-70.22	-69.81	-63.73	-51.83	-41.20	-10.63
2462MHz	Pass	1G	3G	AV	2.496G	11.90	-71.26	-71.26	-71.76	-71.26	-65.36	-53.46	-41.20	-12.26
2462MHz	Pass	1G	3G	PK	2.384G	11.90	-59.72	-62.10	-63.73	-63.06	-55.85	-43.95	-21.20	-22.75
2462MHz	Pass	1G	3G	PK	2.5G	11.90	-63.94	-63.34	-62.97	-62.78	-57.21	-45.31	-21.20	-24.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2412MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-41.43	-21.20	-20.23	11.40	0.00	-52.83	-52.83
1G	3G	1M	PK	2.486G	-50.77	-21.20	-29.57	11.40	0.00	-62.17	-62.17

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2412MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-46.89	-41.20	-5.69	11.40	0.00	-58.29	-58.29
1G	3G	1M	AV	2.486G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-43.80	-21.20	-22.60	11.40	0.00	-55.20	-55.20
1G	3G	1M	PK	2.488G	-50.20	-21.20	-29.00	11.40	0.00	-61.60	-61.60

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-51.80	-41.20	-10.60	11.40	0.00	-63.20	-63.20
1G	3G	1M	AV	2.484G	-59.17	-41.20	-17.97	11.40	0.00	-70.57	-70.57

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-45.72	-21.20	-24.52	11.40	0.00	-57.12	-57.12
1G	3G	1M	PK	2.486G	-51.56	-21.20	-30.36	11.40	0.00	-62.96	-62.96

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-53.35	-41.20	-12.15	11.40	0.00	-64.75	-64.75
1G	3G	1M	AV	2.484G	-59.39	-41.20	-18.19	11.40	0.00	-70.79	-70.79

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-33.42	-21.20	-12.22	11.40	0.00	-44.82	-44.82
1G	3G	1M	PK	2.492G	-51.56	-21.20	-30.36	11.40	0.00	-62.96	-62.96

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.39G	-41.61	-41.20	-0.41	11.40	0.00	-53.01	-53.01
1G	3G	1M	AV	2.484G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-40.72	-21.20	-19.52	11.40	0.00	-52.12	-52.12
1G	3G	1M	PK	2.5G	-50.77	-21.20	-29.57	11.40	0.00	-62.17	-62.17

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-50.66	-41.20	-9.46	11.40	0.00	-62.06	-62.06
1G	3G	1M	AV	2.488G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-47.14	-21.20	-25.94	11.40	0.00	-58.54	-58.54
1G	3G	1M	PK	2.494G	-51.03	-21.20	-29.83	11.40	0.00	-62.43	-62.43

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-55.23	-41.20	-14.03	11.40	0.00	-66.63	-66.63
1G	3G	1M	AV	2.488G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2412MHz

10/03/2026



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.388G	-32.62	-21.20	-11.42	11.40	0.00	-44.02	-44.02
1G	3G	1M	PK	2.488G	-50.85	-21.20	-29.65	11.40	0.00	-62.25	-62.25

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2412MHz

10/03/2026



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.388G	-41.68	-41.20	-0.48	11.40	0.00	-53.08	-53.08
1G	3G	1M	AV	2.488G	-59.86	-41.20	-18.66	11.40	0.00	-71.26	-71.26

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.384G	-42.69	-21.20	-21.49	11.40	0.00	-54.09	-54.09
1G	3G	1M	PK	2.488G	-51.02	-21.20	-29.82	11.40	0.00	-62.42	-62.42

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.386G	-51.90	-41.20	-10.70	11.40	0.00	-63.30	-63.30
1G	3G	1M	AV	2.492G	-59.62	-41.20	-18.42	11.40	0.00	-71.02	-71.02

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.386G	-48.19	-21.20	-26.99	11.40	0.00	-59.59	-59.59
1G	3G	1M	PK	2.388G	-48.19	-21.20	-26.99	11.40	0.00	-59.59	-59.59
1G	3G	1M	PK	2.5G	-51.12	-21.20	-29.92	11.40	0.00	-62.52	-62.52

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-55.52	-41.20	-14.32	11.40	0.00	-66.92	-66.92
1G	3G	1M	AV	2.484G	-59.39	-41.20	-18.19	11.40	0.00	-70.79	-70.79

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [PK]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-44.16	-21.20	-22.96	11.60	0.00	-55.76	-59.85	-57.91
1G	3G	1M	PK	2.486G	-48.57	-21.20	-27.37	11.60	0.00	-60.17	-62.25	-64.36

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [AV]

2412MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-52.23	-41.20	-11.03	11.60	0.00	-63.83	-67.21	-66.50
1G	3G	1M	AV	2.486G	-56.53	-41.20	-15.33	11.60	0.00	-68.13	-71.26	-71.02

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [PK]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-44.35	-21.20	-23.15	11.60	0.00	-55.95	-58.66	-59.29
1G	3G	1M	PK	2.494G	-48.35	-21.20	-27.15	11.60	0.00	-59.95	-62.96	-62.96

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [AV]

2437MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-52.68	-41.20	-11.48	11.60	0.00	-64.28	-67.52	-67.07
1G	3G	1M	AV	2.492G	-56.65	-41.20	-15.45	11.60	0.00	-68.25	-71.02	-71.51

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [PK]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	PK	2.384G	-44.34	-21.20	-23.14	11.60	0.00	-55.94	-59.47	-58.49
1G	3G	1M	PK	2.492G	-48.37	-21.20	-27.17	11.60	0.00	-59.97	-63.63	-62.42

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_2TX

CSE Other [AV]

2462MHz

10/03/2026




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	3G	1M	AV	2.384G	-52.46	-41.20	-11.26	11.60	0.00	-64.06	-67.07	-67.07
1G	3G	1M	AV	2.492G	-56.40	-41.20	-15.20	11.60	0.00	-68.00	-70.57	-71.51

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [PK]

2412MHz



2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Other [AV]

2412MHz

