





BT6.0-ASK_Ant6_High_Hop_2478



Date: 28.JAN.2026 09:51:18

BT6.0-ASK_Ant7_High_Hop_2478



Date: 28.JAN.2026 10:00:50




Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
BT6.0-ASK	Ant6	2404	Reference	6.92	6.92	---	PASS
			30~1000	6.92	-44.54	≤ -13.08	PASS
			1000~26500	6.92	-35.93	≤ -13.08	PASS
	Ant7	2404	Reference	7.25	7.25	---	PASS
			30~1000	7.25	-44.34	≤ -12.75	PASS
			1000~26500	7.25	-36	≤ -12.75	PASS
	Ant6	2440	Reference	7.15	7.15	---	PASS
			30~1000	7.15	-44.98	≤ -12.85	PASS
			1000~26500	7.15	-36	≤ -12.85	PASS
	Ant7	2440	Reference	7.81	7.81	---	PASS
			30~1000	7.81	-44.38	≤ -12.19	PASS
			1000~26500	7.81	-36.25	≤ -12.19	PASS
	Ant6	2478	Reference	7.54	7.54	---	PASS
			30~1000	7.54	-44.83	≤ -12.46	PASS
			1000~26500	7.54	-35.95	≤ -12.46	PASS
	Ant7	2478	Reference	7.79	7.79	---	PASS
			30~1000	7.79	-44.68	≤ -12.21	PASS
			1000~26500	7.79	-36.46	≤ -12.21	PASS





Test Graphs
























Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.154	48.20	-17.58	65.78	28.20	9.55	10.45	QP
2	0.154	39.70	-16.08	55.78	19.70	9.55	10.45	Average
3	0.181	41.21	-23.25	64.46	21.20	9.55	10.46	QP
4	0.181	29.81	-24.65	54.46	9.80	9.55	10.46	Average
5	0.570	36.77	-19.23	56.00	16.80	9.59	10.38	QP
6	0.570	30.87	-15.13	46.00	10.90	9.59	10.38	Average
7	2.099	40.34	-15.66	56.00	20.50	9.60	10.24	QP
8	2.099	35.04	-10.96	46.00	15.20	9.60	10.24	Average
9	2.384	43.57	-12.43	56.00	23.74	9.60	10.23	QP
10 *	2.384	38.93	-7.07	46.00	19.10	9.60	10.23	Average
11	4.926	33.35	-22.65	56.00	13.50	9.65	10.20	QP
12	4.926	26.05	-19.95	46.00	6.20	9.65	10.20	Average
13	17.291	35.96	-24.04	60.00	15.80	9.87	10.29	QP
14	17.291	29.96	-20.04	50.00	9.80	9.87	10.29	Average



Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.160	54.30	-11.17	65.47	34.30	9.55	10.45	QP
2	0.160	39.20	-16.27	55.47	19.20	9.55	10.45	Average
3	0.244	43.72	-18.23	61.95	23.60	9.65	10.47	QP
4	0.244	34.32	-17.63	51.95	14.20	9.65	10.47	Average
5	0.641	38.75	-17.25	56.00	18.60	9.79	10.36	QP
6	0.641	34.25	-11.75	46.00	14.10	9.79	10.36	Average
7	0.984	39.74	-16.26	56.00	19.51	9.96	10.27	QP
8	0.984	31.74	-14.26	46.00	11.51	9.96	10.27	Average
9	2.474	43.19	-12.81	56.00	23.20	9.76	10.23	QP
10	2.474	32.49	-13.51	46.00	12.50	9.76	10.23	Average
11	5.031	38.03	-21.97	60.00	18.20	9.63	10.20	QP
12	5.031	30.03	-19.97	50.00	10.20	9.63	10.20	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	22 ~ 23 °C
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	6	Bluetooth BR_GFSK	0	2402	3Mbps	-	-
Mode 2	2400-2483.5	6	Bluetooth BR_GFSK	39	2441	3Mbps	-	-
Mode 3	2400-2483.5	6	Bluetooth BR_GFSK	78	2480	3Mbps	-	-
Mode 10	2400-2483.5	7	Bluetooth BR_GFSK	0	2402	3Mbps	-	-
Mode 11	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	3Mbps	-	-
Mode 12	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	3Mbps	-	-
Mode 43	2400-2483.5	6	Bluetooth LE ASK Tx	2	2404	1Mbps	-	-
Mode 44	2400-2483.5	6	Bluetooth LE ASK Tx	38	2440	1Mbps	-	-
Mode 45	2400-2483.5	6	Bluetooth LE ASK Tx	76	2478	1Mbps	-	-
Mode 52	2400-2483.5	7	Bluetooth LE ASK Tx	2	2404	1Mbps	-	-
Mode 53	2400-2483.5	7	Bluetooth LE ASK Tx	38	2440	1Mbps	-	-
Mode 54	2400-2483.5	7	Bluetooth LE ASK Tx	76	2478	1Mbps	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2361.61	55.49	74.00	-18.51	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	39.34	74.00	-34.66	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	2381.50	56.02	74.00	-17.98	H	PEAK	Pass	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	41.89	74.00	-32.11	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2492.15	55.67	74.00	-18.33	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	41.08	74.00	-32.92	H	PEAK	Pass	Harmonic
10	Bluetooth BR_GFSK	0	2383.97	56.08	74.00	-17.92	H	PEAK	Pass	Band Edge
10	Bluetooth BR_GFSK	0	4804.00	39.45	74.00	-34.55	V	PEAK	Pass	Harmonic
11	Bluetooth BR_GFSK	39	2493.28	56.69	74.00	-17.31	H	PEAK	Pass	Band Edge
11	Bluetooth BR_GFSK	39	7323.00	41.70	74.00	-32.30	H	PEAK	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2497.17	55.64	74.00	-18.36	V	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	7440.00	41.58	74.00	-32.42	V	PEAK	Pass	Harmonic
43	Bluetooth LE ASK Tx	2	2386.18	55.21	74.00	-18.79	V	PEAK	Pass	Band Edge
43	Bluetooth LE ASK Tx	2	4808.00	40.14	74.00	-33.86	V	PEAK	Pass	Harmonic
44	Bluetooth LE ASK Tx	38	2389.69	55.81	74.00	-18.19	V	PEAK	Pass	Band Edge
44	Bluetooth LE ASK Tx	38	4880.00	40.33	74.00	-33.67	V	PEAK	Pass	Harmonic
45	Bluetooth LE ASK Tx	76	2483.74	65.58	74.00	-8.42	H	PEAK	Pass	Band Edge
45	Bluetooth LE ASK Tx	76	4956.00	39.92	74.00	-34.08	V	PEAK	Pass	Harmonic
52	Bluetooth LE ASK Tx	2	2387.48	55.96	74.00	-18.04	H	PEAK	Pass	Band Edge
52	Bluetooth LE ASK Tx	2	4808.00	39.48	74.00	-34.52	H	PEAK	Pass	Harmonic
53	Bluetooth LE ASK Tx	38	2386.70	55.89	74.00	-18.11	V	PEAK	Pass	Band Edge
53	Bluetooth LE ASK Tx	38	4880.00	39.58	74.00	-34.42	V	PEAK	Pass	Harmonic
54	Bluetooth LE ASK Tx	76	2483.50	63.64	74.00	-10.36	H	PEAK	Pass	Band Edge
54	Bluetooth LE ASK Tx	76	4956.00	39.72	74.00	-34.28	V	PEAK	Pass	Harmonic





Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.58</td><td>55.40</td><td>74.00</td><td>-18.60</td><td>42.97</td><td>32.13</td><td>6.64</td><td>32.34</td><td>6.00</td><td>105</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>2357.58</td><td>30.64</td><td>54.00</td><td>-23.36</td><td>18.21</td><td>32.13</td><td>6.64</td><td>32.34</td><td>6.00</td><td>105</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.58	55.40	74.00	-18.60	42.97	32.13	6.64	32.34	6.00	105	246	PEAK	2	2357.58	30.64	54.00	-23.36	18.21	32.13	6.64	32.34	6.00	105	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.28</td><td>-----</td><td>-----</td><td>91.60</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>105</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.52</td><td>-----</td><td>-----</td><td>66.84</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>105</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.28	-----	-----	91.60	32.31	6.70	32.33	6.00	105	246	PEAK	2	2402.00	79.52	-----	-----	66.84	32.31	6.70	32.33	6.00	105	246	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2357.58	55.40	74.00	-18.60	42.97	32.13	6.64	32.34	6.00	105	246	PEAK																																																																																																																		
2	2357.58	30.64	54.00	-23.36	18.21	32.13	6.64	32.34	6.00	105	246	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	104.28	-----	-----	91.60	32.31	6.70	32.33	6.00	105	246	PEAK																																																																																																																		
2	2402.00	79.52	-----	-----	66.84	32.31	6.70	32.33	6.00	105	246	AVERAGE																																																																																																																		





Mode	1																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.61</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>43.03</td><td>32.15</td><td>6.65</td><td>32.34</td><td>6.00</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>2361.61</td><td>30.73</td><td>54.00</td><td>-23.27</td><td>18.27</td><td>32.15</td><td>6.65</td><td>32.34</td><td>6.00</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.61	55.49	74.00	-18.51	43.03	32.15	6.65	32.34	6.00	303	PEAK	2	2361.61	30.73	54.00	-23.27	18.27	32.15	6.65	32.34	6.00	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.65</td><td>-----</td><td>-----</td><td>88.97</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.89</td><td>-----</td><td>-----</td><td>64.21</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>303</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.65	-----	-----	88.97	32.31	6.70	32.33	6.00	303	PEAK	2	2402.00	76.89	-----	-----	64.21	32.31	6.70	32.33	6.00	303	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2361.61	55.49	74.00	-18.51	43.03	32.15	6.65	32.34	6.00	303	PEAK																																																																																																																		
2	2361.61	30.73	54.00	-23.27	18.27	32.15	6.65	32.34	6.00	303	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	101.65	-----	-----	88.97	32.31	6.70	32.33	6.00	303	PEAK																																																																																																																		
2	2402.00	76.89	-----	-----	64.21	32.31	6.70	32.33	6.00	303	AVERAGE																																																																																																																		




Mode	1																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal											Vertical																																																																																													
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.34</td><td>74.00</td><td>-34.66</td><td>61.78</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.34	74.00	-34.66	61.78	34.10	9.62	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.24</td><td>74.00</td><td>-34.76</td><td>61.68</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.24	74.00	-34.76	61.68	34.10	9.62	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	39.34	74.00	-34.66	61.78	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	39.24	74.00	-34.76	61.68	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																													





Mode	2																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.50</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>43.45</td><td>32.23</td><td>6.68</td><td>32.34</td><td>6.00</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>2381.50</td><td>31.26</td><td>54.00</td><td>-22.74</td><td>18.69</td><td>32.23</td><td>6.68</td><td>32.34</td><td>6.00</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.50	56.02	74.00	-17.98	43.45	32.23	6.68	32.34	6.00	100	293	PEAK	2	2381.50	31.26	54.00	-22.74	18.69	32.23	6.68	32.34	6.00	100	293	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>103.86</td><td>-----</td><td>-----</td><td>90.96</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>79.10</td><td>-----</td><td>-----</td><td>66.20</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	103.86	-----	-----	90.96	32.47	6.76	32.33	6.00	100	293	PEAK	2	2441.00	79.10	-----	-----	66.20	32.47	6.76	32.33	6.00	100	293	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2381.50	56.02	74.00	-17.98	43.45	32.23	6.68	32.34	6.00	100	293	PEAK																																																																																																																		
2	2381.50	31.26	54.00	-22.74	18.69	32.23	6.68	32.34	6.00	100	293	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2441.00	103.86	-----	-----	90.96	32.47	6.76	32.33	6.00	100	293	PEAK																																																																																																																		
2	2441.00	79.10	-----	-----	66.20	32.47	6.76	32.33	6.00	100	293	AVERAGE																																																																																																																		




Mode	2																																																																			
	Band Edge - R																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.18</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>42.50</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>2491.18</td><td>30.74</td><td>54.00</td><td>-23.26</td><td>17.74</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.18	55.50	74.00	-18.50	42.50	32.50	6.83	32.33	6.00	100	293	PEAK	2	2491.18	30.74	54.00	-23.26	17.74	32.50	6.83	32.33	6.00	100	293	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2491.18	55.50	74.00	-18.50	42.50	32.50	6.83	32.33	6.00	100	293	PEAK																																																								
2	2491.18	30.74	54.00	-23.26	17.74	32.50	6.83	32.33	6.00	100	293	AVERAGE																																																								





Mode	2																																																																																																																										
	Band Edge - L																																																																																																																										
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																										
ANT	6																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																				
Peak																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.17</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>42.85</td><td>32.26</td><td>6.69</td><td>32.33</td><td>6.00</td><td>371</td><td>305 PEAK</td></tr><tr><td>2</td><td>2389.17</td><td>30.71</td><td>54.00</td><td>-23.29</td><td>18.09</td><td>32.26</td><td>6.69</td><td>32.33</td><td>6.00</td><td>371</td><td>305 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	55.47	74.00	-18.53	42.85	32.26	6.69	32.33	6.00	371	305 PEAK	2	2389.17	30.71	54.00	-23.29	18.09	32.26	6.69	32.33	6.00	371	305 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2441.00</td><td>102.02</td><td>-----</td><td>89.12</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>371</td><td>305 PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>77.26</td><td>-----</td><td>64.36</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>371</td><td>305 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	102.02	-----	89.12	32.47	6.76	32.33	6.00	371	305 PEAK	2	2441.00	77.26	-----	64.36	32.47	6.76	32.33	6.00	371	305 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2389.17	55.47	74.00	-18.53	42.85	32.26	6.69	32.33	6.00	371	305 PEAK																																																																																																																
2	2389.17	30.71	54.00	-23.29	18.09	32.26	6.69	32.33	6.00	371	305 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2441.00	102.02	-----	89.12	32.47	6.76	32.33	6.00	371	305 PEAK																																																																																																																	
2	2441.00	77.26	-----	64.36	32.47	6.76	32.33	6.00	371	305 AVERAGE																																																																																																																	





Mode	2																																																																			
	Band Edge - R																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																			
ANT	6																																																																			
Pol.	Vertical						Fundamental																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.78</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>43.00</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>371</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>2488.78</td><td>31.24</td><td>54.00</td><td>-22.76</td><td>18.24</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>371</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.78	56.00	74.00	-18.00	43.00	32.50	6.83	32.33	6.00	371	305	PEAK	2	2488.78	31.24	54.00	-22.76	18.24	32.50	6.83	32.33	6.00	371	305	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2488.78	56.00	74.00	-18.00	43.00	32.50	6.83	32.33	6.00	371	305	PEAK																																																								
2	2488.78	31.24	54.00	-22.76	18.24	32.50	6.83	32.33	6.00	371	305	AVERAGE																																																								





Mode	2																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>62.02</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>60.98</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.63	74.00	-34.37	62.02	34.10	9.69	66.18	0.00	--- PEAK	2	7323.00	41.89	74.00	-32.11	60.98	35.65	11.95	66.69	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>38.91</td><td>74.00</td><td>-35.09</td><td>61.30</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.56</td><td>74.00</td><td>-32.44</td><td>60.65</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	38.91	74.00	-35.09	61.30	34.10	9.69	66.18	0.00	--- PEAK	2	7323.00	41.56	74.00	-32.44	60.65	35.65	11.95	66.69	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4882.00	39.63	74.00	-34.37	62.02	34.10	9.69	66.18	0.00	--- PEAK																																																																																																																
2	7323.00	41.89	74.00	-32.11	60.98	35.65	11.95	66.69	0.00	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4882.00	38.91	74.00	-35.09	61.30	34.10	9.69	66.18	0.00	--- PEAK																																																																																																																
2	7323.00	41.56	74.00	-32.44	60.65	35.65	11.95	66.69	0.00	--- PEAK																																																																																																																





Mode	3																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.87</td><td>55.44</td><td>74.00</td><td>-18.56</td><td>42.43</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>106</td><td>247 PEAK</td></tr><tr><td>2</td><td>2495.87</td><td>30.68</td><td>54.00</td><td>-23.32</td><td>17.67</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>106</td><td>247 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.87	55.44	74.00	-18.56	42.43	32.50	6.84	32.33	6.00	106	247 PEAK	2	2495.87	30.68	54.00	-23.32	17.67	32.50	6.84	32.33	6.00	106	247 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.65</td><td>-----</td><td>-----</td><td>93.66</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>106</td><td>247 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.89</td><td>-----</td><td>-----</td><td>68.90</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>106</td><td>247 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.65	-----	-----	93.66	32.50	6.82	32.33	6.00	106	247 PEAK	2	2480.00	81.89	-----	-----	68.90	32.50	6.82	32.33	6.00	106	247 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2495.87	55.44	74.00	-18.56	42.43	32.50	6.84	32.33	6.00	106	247 PEAK																																																																																																														
2	2495.87	30.68	54.00	-23.32	17.67	32.50	6.84	32.33	6.00	106	247 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2480.00	106.65	-----	-----	93.66	32.50	6.82	32.33	6.00	106	247 PEAK																																																																																																														
2	2480.00	81.89	-----	-----	68.90	32.50	6.82	32.33	6.00	106	247 AVERAGE																																																																																																														





Mode	3																																																																																																																																	
	Band Edge																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																	
ANT	6																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.15</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>42.67</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>400</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>2492.15</td><td>30.91</td><td>54.00</td><td>-23.09</td><td>17.91</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>400</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.15	55.67	74.00	-18.33	42.67	32.50	6.83	32.33	6.00	400	303	PEAK	2	2492.15	30.91	54.00	-23.09	17.91	32.50	6.83	32.33	6.00	400	303	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.01</td><td>-----</td><td>-----</td><td>90.02</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>400</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.25</td><td>-----</td><td>-----</td><td>65.26</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>400</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.01	-----	-----	90.02	32.50	6.82	32.33	6.00	400	303	PEAK	2	2480.00	78.25	-----	-----	65.26	32.50	6.82	32.33	6.00	400	303	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	2492.15	55.67	74.00	-18.33	42.67	32.50	6.83	32.33	6.00	400	303	PEAK																																																																																																																						
2	2492.15	30.91	54.00	-23.09	17.91	32.50	6.83	32.33	6.00	400	303	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	2480.00	103.01	-----	-----	90.02	32.50	6.82	32.33	6.00	400	303	PEAK																																																																																																																						
2	2480.00	78.25	-----	-----	65.26	32.50	6.82	32.33	6.00	400	303	AVERAGE																																																																																																																						





Mode	3																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																			
ANT	6																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.53</td><td>74.00</td><td>-34.47</td><td>61.92</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>59.97</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.53	74.00	-34.47	61.92	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	41.08	74.00	-32.92	59.97	35.78	12.03	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>62.54</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.79</td><td>74.00</td><td>-33.21</td><td>59.68</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.15	74.00	-33.85	62.54	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	40.79	74.00	-33.21	59.68	35.78	12.03	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4960.00	39.53	74.00	-34.47	61.92	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																								
2	7440.00	41.08	74.00	-32.92	59.97	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4960.00	40.15	74.00	-33.85	62.54	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																								
2	7440.00	40.79	74.00	-33.21	59.68	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																								



Mode	10																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.97</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>43.49</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>2383.97</td><td>31.32</td><td>54.00</td><td>-22.68</td><td>18.73</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.97	56.08	74.00	-17.92	43.49	32.24	6.68	32.33	6.00	100	118	PEAK	2	2383.97	31.32	54.00	-22.68	18.73	32.24	6.68	32.33	6.00	100	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.26</td><td>-----</td><td>-----</td><td>92.58</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.50</td><td>-----</td><td>-----</td><td>67.82</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.26	-----	-----	92.58	32.31	6.70	32.33	6.00	100	118	PEAK	2	2402.00	80.50	-----	-----	67.82	32.31	6.70	32.33	6.00	100	118	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2383.97	56.08	74.00	-17.92	43.49	32.24	6.68	32.33	6.00	100	118	PEAK																																																																																																																		
2	2383.97	31.32	54.00	-22.68	18.73	32.24	6.68	32.33	6.00	100	118	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	105.26	-----	-----	92.58	32.31	6.70	32.33	6.00	100	118	PEAK																																																																																																																		
2	2402.00	80.50	-----	-----	67.82	32.31	6.70	32.33	6.00	100	118	AVERAGE																																																																																																																		





Mode	10																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.53</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>42.62</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>392</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2385.53</td><td>30.45</td><td>54.00</td><td>-23.55</td><td>17.86</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>392</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.53	55.21	74.00	-18.79	42.62	32.24	6.68	32.33	6.00	392	206	PEAK	2	2385.53	30.45	54.00	-23.55	17.86	32.24	6.68	32.33	6.00	392	206	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.76</td><td>-----</td><td>-----</td><td>89.08</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>392</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>77.00</td><td>-----</td><td>-----</td><td>64.32</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>392</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.76	-----	-----	89.08	32.31	6.70	32.33	6.00	392	206	PEAK	2	2402.00	77.00	-----	-----	64.32	32.31	6.70	32.33	6.00	392	206	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2385.53	55.21	74.00	-18.79	42.62	32.24	6.68	32.33	6.00	392	206	PEAK																																																																																																																		
2	2385.53	30.45	54.00	-23.55	17.86	32.24	6.68	32.33	6.00	392	206	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	101.76	-----	-----	89.08	32.31	6.70	32.33	6.00	392	206	PEAK																																																																																																																		
2	2402.00	77.00	-----	-----	64.32	32.31	6.70	32.33	6.00	392	206	AVERAGE																																																																																																																		




Mode	10																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																							
ANT	7																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.13</td><td>74.00</td><td>-34.87</td><td>61.57</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.13	74.00	-34.87	61.57	34.10	9.62	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.45</td><td>74.00</td><td>-34.55</td><td>61.89</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.45	74.00	-34.55	61.89	34.10	9.62	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.13	74.00	-34.87	61.57	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.45	74.00	-34.55	61.89	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																												





Mode	11																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2374.22</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>43.35</td><td>32.20</td><td>6.67</td><td>32.34</td><td>6.00</td><td>101</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>2374.22</td><td>31.12</td><td>54.00</td><td>-22.88</td><td>18.59</td><td>32.20</td><td>6.67</td><td>32.34</td><td>6.00</td><td>101</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2374.22	55.88	74.00	-18.12	43.35	32.20	6.67	32.34	6.00	101	119	PEAK	2	2374.22	31.12	54.00	-22.88	18.59	32.20	6.67	32.34	6.00	101	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>105.91</td><td>-----</td><td>-----</td><td>93.01</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>101</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>81.15</td><td>-----</td><td>-----</td><td>68.25</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>101</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2441.00	105.91	-----	-----	93.01	32.47	6.76	32.33	6.00	101	119	PEAK	2	2441.00	81.15	-----	-----	68.25	32.47	6.76	32.33	6.00	101	119	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2374.22	55.88	74.00	-18.12	43.35	32.20	6.67	32.34	6.00	101	119	PEAK																																																																																																																		
2	2374.22	31.12	54.00	-22.88	18.59	32.20	6.67	32.34	6.00	101	119	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2441.00	105.91	-----	-----	93.01	32.47	6.76	32.33	6.00	101	119	PEAK																																																																																																																		
2	2441.00	81.15	-----	-----	68.25	32.47	6.76	32.33	6.00	101	119	AVERAGE																																																																																																																		




Mode	11																																																																	
	Band Edge - R																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal										Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.28</td><td>56.69</td><td>74.00</td><td>-17.31</td><td>43.68</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>101</td><td>119 PEAK</td></tr><tr><td>2</td><td>2493.28</td><td>31.93</td><td>54.00</td><td>-22.07</td><td>18.92</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>101</td><td>119 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.28	56.69	74.00	-17.31	43.68	32.50	6.84	32.33	6.00	101	119 PEAK	2	2493.28	31.93	54.00	-22.07	18.92	32.50	6.84	32.33	6.00	101	119 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2493.28	56.69	74.00	-17.31	43.68	32.50	6.84	32.33	6.00	101	119 PEAK																																																							
2	2493.28	31.93	54.00	-22.07	18.92	32.50	6.84	32.33	6.00	101	119 AVERAGE																																																							



Mode	11																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																								
ANT	7																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>42.72</td><td>32.26</td><td>6.69</td><td>32.33</td><td>6.00</td><td>375</td><td>210 PEAK</td></tr><tr><td>2</td><td>2388.91</td><td>30.58</td><td>54.00</td><td>-23.42</td><td>17.96</td><td>32.26</td><td>6.69</td><td>32.33</td><td>6.00</td><td>375</td><td>210 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	55.34	74.00	-18.66	42.72	32.26	6.69	32.33	6.00	375	210 PEAK	2	2388.91	30.58	54.00	-23.42	17.96	32.26	6.69	32.33	6.00	375	210 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2441.00</td><td>102.25</td><td>-----</td><td>-----</td><td>89.35</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>375</td><td>210 PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>77.49</td><td>-----</td><td>-----</td><td>64.59</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>375</td><td>210 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	102.25	-----	-----	89.35	32.47	6.76	32.33	6.00	375	210 PEAK	2	2441.00	77.49	-----	-----	64.59	32.47	6.76	32.33	6.00	375	210 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2388.91	55.34	74.00	-18.66	42.72	32.26	6.69	32.33	6.00	375	210 PEAK																																																																																																														
2	2388.91	30.58	54.00	-23.42	17.96	32.26	6.69	32.33	6.00	375	210 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2441.00	102.25	-----	-----	89.35	32.47	6.76	32.33	6.00	375	210 PEAK																																																																																																														
2	2441.00	77.49	-----	-----	64.59	32.47	6.76	32.33	6.00	375	210 AVERAGE																																																																																																														



Mode	11																																																																	
	Band Edge - R																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	7																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>42.57</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>375</td><td>210 PEAK</td></tr><tr><td>2</td><td>2485.54</td><td>30.80</td><td>54.00</td><td>-23.20</td><td>17.81</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>375</td><td>210 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.54	55.56	74.00	-18.44	42.57	32.50	6.82	32.33	6.00	375	210 PEAK	2	2485.54	30.80	54.00	-23.20	17.81	32.50	6.82	32.33	6.00	375	210 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2485.54	55.56	74.00	-18.44	42.57	32.50	6.82	32.33	6.00	375	210 PEAK																																																							
2	2485.54	30.80	54.00	-23.20	17.81	32.50	6.82	32.33	6.00	375	210 AVERAGE																																																							





Mode	11																																																																												
	Harmonic																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																												
ANT	7																																																																												
Pol.	Horizontal											Vertical																																																																	
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>61.83</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.70</td><td>74.00</td><td>-32.30</td><td>60.79</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4882.00	39.44	74.00	-34.56	61.83	34.10	9.69	66.18	0.00	---	---	PEAK	2	7323.00	41.70	74.00	-32.30	60.79	35.65	11.95	66.69	0.00	---	---	PEAK
			Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4882.00	39.44	74.00	-34.56	61.83	34.10	9.69	66.18	0.00	---	---	PEAK																																																																	
2	7323.00	41.70	74.00	-32.30	60.79	35.65	11.95	66.69	0.00	---	---	PEAK																																																																	
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>61.80</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>59.61</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4882.00	39.41	74.00	-34.59	61.80	34.10	9.69	66.18	0.00	---	---	PEAK	2	7323.00	40.52	74.00	-33.48	59.61	35.65	11.95	66.69	0.00	---	---	PEAK	
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4882.00	39.41	74.00	-34.59	61.80	34.10	9.69	66.18	0.00	---	---	PEAK																																																																	
2	7323.00	40.52	74.00	-33.48	59.61	35.65	11.95	66.69	0.00	---	---	PEAK																																																																	





Mode	12																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.45</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>42.59</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>106</td><td>248 PEAK</td></tr><tr><td>2</td><td>2494.45</td><td>30.84</td><td>54.00</td><td>-23.16</td><td>17.83</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>106</td><td>248 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.45	55.60	74.00	-18.40	42.59	32.50	6.84	32.33	6.00	106	248 PEAK	2	2494.45	30.84	54.00	-23.16	17.83	32.50	6.84	32.33	6.00	106	248 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.58</td><td>-----</td><td>-----</td><td>93.59</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>106</td><td>248 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.82</td><td>-----</td><td>-----</td><td>68.83</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>106</td><td>248 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.58	-----	-----	93.59	32.50	6.82	32.33	6.00	106	248 PEAK	2	2480.00	81.82	-----	-----	68.83	32.50	6.82	32.33	6.00	106	248 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2494.45	55.60	74.00	-18.40	42.59	32.50	6.84	32.33	6.00	106	248 PEAK																																																																																																																		
2	2494.45	30.84	54.00	-23.16	17.83	32.50	6.84	32.33	6.00	106	248 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	106.58	-----	-----	93.59	32.50	6.82	32.33	6.00	106	248 PEAK																																																																																																																		
2	2480.00	81.82	-----	-----	68.83	32.50	6.82	32.33	6.00	106	248 AVERAGE																																																																																																																		



Mode	12																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.17</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>42.63</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>400</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>2497.17</td><td>30.88</td><td>54.00</td><td>-23.12</td><td>17.87</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>400</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.17	55.64	74.00	-18.36	42.63	32.50	6.84	32.33	6.00	400	302	PEAK	2	2497.17	30.88	54.00	-23.12	17.87	32.50	6.84	32.33	6.00	400	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.24</td><td>-----</td><td>-----</td><td>90.25</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>400</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.48</td><td>-----</td><td>-----</td><td>65.49</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>400</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.24	-----	-----	90.25	32.50	6.82	32.33	6.00	400	302	PEAK	2	2480.00	78.48	-----	-----	65.49	32.50	6.82	32.33	6.00	400	302	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2497.17	55.64	74.00	-18.36	42.63	32.50	6.84	32.33	6.00	400	302	PEAK																																																																																																																		
2	2497.17	30.88	54.00	-23.12	17.87	32.50	6.84	32.33	6.00	400	302	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	103.24	-----	-----	90.25	32.50	6.82	32.33	6.00	400	302	PEAK																																																																																																																		
2	2480.00	78.48	-----	-----	65.49	32.50	6.82	32.33	6.00	400	302	AVERAGE																																																																																																																		





Mode	12																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>62.06</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.28</td><td>74.00</td><td>-32.72</td><td>60.17</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.67	74.00	-34.33	62.06	34.04	9.76	66.19	0.00	--- PEAK	2	7440.00	41.28	74.00	-32.72	60.17	35.78	12.03	66.70	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.78</td><td>74.00</td><td>-34.22</td><td>62.17</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>60.47</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.78	74.00	-34.22	62.17	34.04	9.76	66.19	0.00	--- PEAK	2	7440.00	41.58	74.00	-32.42	60.47	35.78	12.03	66.70	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4960.00	39.67	74.00	-34.33	62.06	34.04	9.76	66.19	0.00	--- PEAK																																																																																																																
2	7440.00	41.28	74.00	-32.72	60.17	35.78	12.03	66.70	0.00	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4960.00	39.78	74.00	-34.22	62.17	34.04	9.76	66.19	0.00	--- PEAK																																																																																																																
2	7440.00	41.58	74.00	-32.42	60.47	35.78	12.03	66.70	0.00	--- PEAK																																																																																																																





Mode	11	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG) The plot shows a blue line representing the average signal level across the frequency range 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Two red horizontal lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m and another at approximately 50 dBuV/m. The signal level is consistently below the lower limit.	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG) The plot shows a blue line representing the average signal level across the frequency range 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Two red horizontal lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m and another at approximately 50 dBuV/m. The signal level is consistently below the lower limit.





Mode	11																																																																																																																			
	30-1G																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																			
ANT	7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>55.58</td><td>19.24</td><td>40.00</td><td>-20.76</td><td>37.92</td><td>12.55</td><td>0.82</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>132.46</td><td>23.27</td><td>43.50</td><td>-20.23</td><td>36.12</td><td>17.58</td><td>1.60</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>185.08</td><td>23.54</td><td>43.50</td><td>-19.96</td><td>38.99</td><td>14.71</td><td>1.90</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>299.05</td><td>19.97</td><td>46.00</td><td>-26.03</td><td>30.29</td><td>19.32</td><td>2.44</td><td>32.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>387.69</td><td>21.00</td><td>46.00</td><td>-25.00</td><td>28.98</td><td>21.38</td><td>2.78</td><td>32.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>710.70</td><td>29.99</td><td>46.00</td><td>-16.01</td><td>31.76</td><td>26.78</td><td>3.76</td><td>32.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	55.58	19.24	40.00	-20.76	37.92	12.55	0.82	32.05	0.00	---	---	Peak	2	132.46	23.27	43.50	-20.23	36.12	17.58	1.60	32.03	0.00	---	---	Peak	3	185.08	23.54	43.50	-19.96	38.99	14.71	1.90	32.06	0.00	---	---	Peak	4	299.05	19.97	46.00	-26.03	30.29	19.32	2.44	32.08	0.00	---	---	Peak	5	387.69	21.00	46.00	-25.00	28.98	21.38	2.78	32.14	0.00	---	---	Peak	6	710.70	29.99	46.00	-16.01	31.76	26.78	3.76	32.31	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	55.58	19.24	40.00	-20.76	37.92	12.55	0.82	32.05	0.00	---	---	Peak																																																																																																								
2	132.46	23.27	43.50	-20.23	36.12	17.58	1.60	32.03	0.00	---	---	Peak																																																																																																								
3	185.08	23.54	43.50	-19.96	38.99	14.71	1.90	32.06	0.00	---	---	Peak																																																																																																								
4	299.05	19.97	46.00	-26.03	30.29	19.32	2.44	32.08	0.00	---	---	Peak																																																																																																								
5	387.69	21.00	46.00	-25.00	28.98	21.38	2.78	32.14	0.00	---	---	Peak																																																																																																								
6	710.70	29.99	46.00	-16.01	31.76	26.78	3.76	32.31	0.00	---	---	Peak																																																																																																								
																																																																																																																				
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>52.92</td><td>29.95</td><td>40.00</td><td>-10.05</td><td>47.95</td><td>13.29</td><td>0.78</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>123.61</td><td>19.00</td><td>43.50</td><td>-24.50</td><td>31.90</td><td>17.58</td><td>1.55</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>186.29</td><td>19.90</td><td>43.50</td><td>-23.60</td><td>35.35</td><td>14.70</td><td>1.91</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>261.10</td><td>19.05</td><td>46.00</td><td>-26.95</td><td>28.63</td><td>20.22</td><td>2.26</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>470.99</td><td>25.43</td><td>46.00</td><td>-20.57</td><td>31.16</td><td>23.43</td><td>3.06</td><td>32.22</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>719.55</td><td>32.31</td><td>46.00</td><td>-13.69</td><td>33.53</td><td>27.29</td><td>3.78</td><td>32.29</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	52.92	29.95	40.00	-10.05	47.95	13.29	0.78	32.07	0.00	---	---	Peak	2	123.61	19.00	43.50	-24.50	31.90	17.58	1.55	32.03	0.00	---	---	Peak	3	186.29	19.90	43.50	-23.60	35.35	14.70	1.91	32.06	0.00	---	---	Peak	4	261.10	19.05	46.00	-26.95	28.63	20.22	2.26	32.06	0.00	---	---	Peak	5	470.99	25.43	46.00	-20.57	31.16	23.43	3.06	32.22	0.00	---	---	Peak	6	719.55	32.31	46.00	-13.69	33.53	27.29	3.78	32.29	0.00	---	---	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	52.92	29.95	40.00	-10.05	47.95	13.29	0.78	32.07	0.00	---	---	Peak																																																																																																								
2	123.61	19.00	43.50	-24.50	31.90	17.58	1.55	32.03	0.00	---	---	Peak																																																																																																								
3	186.29	19.90	43.50	-23.60	35.35	14.70	1.91	32.06	0.00	---	---	Peak																																																																																																								
4	261.10	19.05	46.00	-26.95	28.63	20.22	2.26	32.06	0.00	---	---	Peak																																																																																																								
5	470.99	25.43	46.00	-20.57	31.16	23.43	3.06	32.22	0.00	---	---	Peak																																																																																																								
6	719.55	32.31	46.00	-13.69	33.53	27.29	3.78	32.29	0.00	---	---	Peak																																																																																																								





Mode	43																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH2_2404MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2349.78</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>42.36</td><td>32.10</td><td>6.63</td><td>32.35</td><td>6.00</td><td>100</td><td>127 PEAK</td></tr><tr><td>2</td><td>2349.78</td><td>8.54</td><td>54.00</td><td>-45.46</td><td>-3.84</td><td>32.10</td><td>6.63</td><td>32.35</td><td>6.00</td><td>100</td><td>127 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2349.78	54.74	74.00	-19.26	42.36	32.10	6.63	32.35	6.00	100	127 PEAK	2	2349.78	8.54	54.00	-45.46	-3.84	32.10	6.63	32.35	6.00	100	127 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>103.93</td><td>-----</td><td>-----</td><td>91.23</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>100</td><td>127 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>57.79</td><td>-----</td><td>-----</td><td>45.09</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>100</td><td>127 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.93	-----	-----	91.23	32.32	6.71	32.33	6.00	100	127 PEAK	2	2404.00	57.79	-----	-----	45.09	32.32	6.71	32.33	6.00	100	127 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2349.78	54.74	74.00	-19.26	42.36	32.10	6.63	32.35	6.00	100	127 PEAK																																																																																																																		
2	2349.78	8.54	54.00	-45.46	-3.84	32.10	6.63	32.35	6.00	100	127 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2404.00	103.93	-----	-----	91.23	32.32	6.71	32.33	6.00	100	127 PEAK																																																																																																																		
2	2404.00	57.79	-----	-----	45.09	32.32	6.71	32.33	6.00	100	127 AVERAGE																																																																																																																		





Mode	43																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH2_2404MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.18</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>42.62</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>390</td><td>209 PEAK</td></tr><tr><td>2</td><td>2386.18</td><td>9.01</td><td>54.00</td><td>-44.99</td><td>-3.58</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>390</td><td>209 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.18	55.21	74.00	-18.79	42.62	32.24	6.68	32.33	6.00	390	209 PEAK	2	2386.18	9.01	54.00	-44.99	-3.58	32.24	6.68	32.33	6.00	390	209 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.85</td><td>-----</td><td>-----</td><td>88.15</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>390</td><td>209 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>54.65</td><td>-----</td><td>-----</td><td>41.95</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>390</td><td>209 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	100.85	-----	-----	88.15	32.32	6.71	32.33	6.00	390	209 PEAK	2	2404.00	54.65	-----	-----	41.95	32.32	6.71	32.33	6.00	390	209 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2386.18	55.21	74.00	-18.79	42.62	32.24	6.68	32.33	6.00	390	209 PEAK																																																																																																															
2	2386.18	9.01	54.00	-44.99	-3.58	32.24	6.68	32.33	6.00	390	209 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2404.00	100.85	-----	-----	88.15	32.32	6.71	32.33	6.00	390	209 PEAK																																																																																																															
2	2404.00	54.65	-----	-----	41.95	32.32	6.71	32.33	6.00	390	209 AVERAGE																																																																																																															




Mode	43																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH2_2404MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>61.89</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	39.46	74.00	-34.54	61.89	34.10	9.63	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>62.57</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	40.14	74.00	-33.86	62.57	34.10	9.63	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	4808.00	39.46	74.00	-34.54	61.89	34.10	9.63	66.16	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4808.00	40.14	74.00	-33.86	62.57	34.10	9.63	66.16	0.00	---	---	PEAK																																																																																													





Mode	44																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH38_2440MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2363.56</td><td>55.04</td><td>74.00</td><td>-18.96</td><td>42.58</td><td>32.15</td><td>6.65</td><td>32.34</td><td>6.00</td><td>100</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>2363.56</td><td>8.84</td><td>54.00</td><td>-45.16</td><td>-3.62</td><td>32.15</td><td>6.65</td><td>32.34</td><td>6.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2363.56	55.04	74.00	-18.96	42.58	32.15	6.65	32.34	6.00	100	288	PEAK	2	2363.56	8.84	54.00	-45.16	-3.62	32.15	6.65	32.34	6.00	100	288	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>104.20</td><td>-----</td><td>-----</td><td>91.31</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>58.00</td><td>-----</td><td>-----</td><td>45.11</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	104.20	-----	-----	91.31	32.46	6.76	32.33	6.00	100	288	PEAK	2	2440.00	58.00	-----	-----	45.11	32.46	6.76	32.33	6.00	100	288	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2363.56	55.04	74.00	-18.96	42.58	32.15	6.65	32.34	6.00	100	288	PEAK																																																																																																																		
2	2363.56	8.84	54.00	-45.16	-3.62	32.15	6.65	32.34	6.00	100	288	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2440.00	104.20	-----	-----	91.31	32.46	6.76	32.33	6.00	100	288	PEAK																																																																																																																		
2	2440.00	58.00	-----	-----	45.11	32.46	6.76	32.33	6.00	100	288	AVERAGE																																																																																																																		




Mode	44																																																										
	Band Edge - R																																																										
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																										
ANT	6																																																										
Pol.	Horizontal	Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.42</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>42.41</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>2488.42</td><td>9.21</td><td>54.00</td><td>-44.79</td><td>-3.79</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.42	55.41	74.00	-18.59	42.41	32.50	6.83	32.33	6.00	100	288	PEAK	2	2488.42	9.21	54.00	-44.79	-3.79	32.50	6.83	32.33	6.00	100	288	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2488.42	55.41	74.00	-18.59	42.41	32.50	6.83	32.33	6.00	100	288	PEAK																																															
2	2488.42	9.21	54.00	-44.79	-3.79	32.50	6.83	32.33	6.00	100	288	AVERAGE																																															





Mode	44																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>43.19</td><td>32.26</td><td>6.69</td><td>32.33</td><td>6.00</td><td>373</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>2389.69</td><td>9.61</td><td>54.00</td><td>-44.39</td><td>-3.01</td><td>32.26</td><td>6.69</td><td>32.33</td><td>6.00</td><td>373</td><td>302</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	55.81	74.00	-18.19	43.19	32.26	6.69	32.33	6.00	373	302	PEAK	2	2389.69	9.61	54.00	-44.39	-3.01	32.26	6.69	32.33	6.00	373	302	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.62</td><td>74.00</td><td>27.62</td><td>88.73</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>373</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>42.53</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>373</td><td>302</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.62	74.00	27.62	88.73	32.46	6.76	32.33	6.00	373	302	PEAK	2	2440.00	55.42	74.00	-18.58	42.53	32.46	6.76	32.33	6.00	373	302	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2389.69	55.81	74.00	-18.19	43.19	32.26	6.69	32.33	6.00	373	302	PEAK																																																																																																																		
2	2389.69	9.61	54.00	-44.39	-3.01	32.26	6.69	32.33	6.00	373	302	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2440.00	101.62	74.00	27.62	88.73	32.46	6.76	32.33	6.00	373	302	PEAK																																																																																																																		
2	2440.00	55.42	74.00	-18.58	42.53	32.46	6.76	32.33	6.00	373	302	AVERAGE																																																																																																																		





Mode	44																																																								
	Band Edge - R																																																								
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																								
ANT	6																																																								
Pol.	Vertical	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.94</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>42.61</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>373</td><td>302 PEAK</td></tr><tr><td>2</td><td>2487.94</td><td>9.41</td><td>54.00</td><td>-44.59</td><td>-3.59</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>373</td><td>302 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.94	55.61	74.00	-18.39	42.61	32.50	6.83	32.33	6.00	373	302 PEAK	2	2487.94	9.41	54.00	-44.59	-3.59	32.50	6.83	32.33	6.00	373	302 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2487.94	55.61	74.00	-18.39	42.61	32.50	6.83	32.33	6.00	373	302 PEAK																																														
2	2487.94	9.41	54.00	-44.59	-3.59	32.50	6.83	32.33	6.00	373	302 AVERAGE																																														





Mode	44																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>39.70</td><td>74.00</td><td>-34.30</td><td>62.09</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4888.00	39.70	74.00	-34.30	62.09	34.10	9.69	66.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>40.33</td><td>74.00</td><td>-33.67</td><td>62.72</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4888.00	40.33	74.00	-33.67	62.72	34.10	9.69	66.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4888.00	39.70	74.00	-34.30	62.09	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4888.00	40.33	74.00	-33.67	62.72	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																								



Mode	45																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH76_2478MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>65.58</td><td>74.00</td><td>-8.42</td><td>52.59</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>128</td><td>247 PEAK</td></tr><tr><td>2</td><td>2483.74</td><td>19.38</td><td>54.00</td><td>-34.62</td><td>6.39</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>128</td><td>247 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	65.58	74.00	-8.42	52.59	32.50	6.82	32.33	6.00	128	247 PEAK	2	2483.74	19.38	54.00	-34.62	6.39	32.50	6.82	32.33	6.00	128	247 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.73</td><td>-----</td><td>-----</td><td>92.75</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>128</td><td>247 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>59.53</td><td>-----</td><td>-----</td><td>46.55</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>128</td><td>247 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.73	-----	-----	92.75	32.50	6.81	32.33	6.00	128	247 PEAK	2	2478.00	59.53	-----	-----	46.55	32.50	6.81	32.33	6.00	128	247 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.74	65.58	74.00	-8.42	52.59	32.50	6.82	32.33	6.00	128	247 PEAK																																																																																																																		
2	2483.74	19.38	54.00	-34.62	6.39	32.50	6.82	32.33	6.00	128	247 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	105.73	-----	-----	92.75	32.50	6.81	32.33	6.00	128	247 PEAK																																																																																																																		
2	2478.00	59.53	-----	-----	46.55	32.50	6.81	32.33	6.00	128	247 AVERAGE																																																																																																																		





Mode	45																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH76_2478MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>63.09</td><td>74.00</td><td>-10.91</td><td>50.10</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>400</td><td>302 PEAK</td></tr><tr><td>2</td><td>2483.56</td><td>16.89</td><td>54.00</td><td>-37.11</td><td>3.90</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>400</td><td>302 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	63.09	74.00	-10.91	50.10	32.50	6.82	32.33	6.00	400	302 PEAK	2	2483.56	16.89	54.00	-37.11	3.90	32.50	6.82	32.33	6.00	400	302 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.53</td><td>-----</td><td>-----</td><td>89.55</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>400</td><td>302 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>56.33</td><td>-----</td><td>-----</td><td>43.35</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>400</td><td>302 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.53	-----	-----	89.55	32.50	6.81	32.33	6.00	400	302 PEAK	2	2478.00	56.33	-----	-----	43.35	32.50	6.81	32.33	6.00	400	302 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.56	63.09	74.00	-10.91	50.10	32.50	6.82	32.33	6.00	400	302 PEAK																																																																																																																		
2	2483.56	16.89	54.00	-37.11	3.90	32.50	6.82	32.33	6.00	400	302 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	102.53	-----	-----	89.55	32.50	6.81	32.33	6.00	400	302 PEAK																																																																																																																		
2	2478.00	56.33	-----	-----	43.35	32.50	6.81	32.33	6.00	400	302 AVERAGE																																																																																																																		





Mode	45																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH76_2478MHz																																																																																																							
ANT	6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>62.28</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.86	74.00	-34.14	62.28	34.02	9.75	66.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>62.34</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.92	74.00	-34.08	62.34	34.02	9.75	66.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	4956.00	39.86	74.00	-34.14	62.28	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	4956.00	39.92	74.00	-34.08	62.34	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																												





Mode	52																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH2_2404MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>43.36</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>100</td><td>125 PEAK</td></tr><tr><td>2</td><td>2387.48</td><td>9.76</td><td>54.00</td><td>-44.24</td><td>-2.84</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>100</td><td>125 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	55.96	74.00	-18.04	43.36	32.25	6.68	32.33	6.00	100	125 PEAK	2	2387.48	9.76	54.00	-44.24	-2.84	32.25	6.68	32.33	6.00	100	125 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>104.46</td><td>-----</td><td>-----</td><td>91.76</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>100</td><td>125 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>58.26</td><td>-----</td><td>-----</td><td>45.56</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>100</td><td>125 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	104.46	-----	-----	91.76	32.32	6.71	32.33	6.00	100	125 PEAK	2	2404.00	58.26	-----	-----	45.56	32.32	6.71	32.33	6.00	100	125 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2387.48	55.96	74.00	-18.04	43.36	32.25	6.68	32.33	6.00	100	125 PEAK																																																																																																																		
2	2387.48	9.76	54.00	-44.24	-2.84	32.25	6.68	32.33	6.00	100	125 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2404.00	104.46	-----	-----	91.76	32.32	6.71	32.33	6.00	100	125 PEAK																																																																																																																		
2	2404.00	58.26	-----	-----	45.56	32.32	6.71	32.33	6.00	100	125 AVERAGE																																																																																																																		





Mode	52																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH2_2404MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2324.04</td><td>55.27</td><td>74.00</td><td>-18.73</td><td>43.23</td><td>31.79</td><td>6.60</td><td>32.35</td><td>6.00</td><td>390</td><td>208</td><td>PEAK</td></tr><tr><td>2</td><td>2324.04</td><td>9.07</td><td>54.00</td><td>-44.93</td><td>-2.97</td><td>31.79</td><td>6.60</td><td>32.35</td><td>6.00</td><td>390</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2324.04	55.27	74.00	-18.73	43.23	31.79	6.60	32.35	6.00	390	208	PEAK	2	2324.04	9.07	54.00	-44.93	-2.97	31.79	6.60	32.35	6.00	390	208	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.86</td><td>-----</td><td>-----</td><td>88.16</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>390</td><td>208</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>54.66</td><td>-----</td><td>-----</td><td>41.96</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>390</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	100.86	-----	-----	88.16	32.32	6.71	32.33	6.00	390	208	PEAK	2	2404.00	54.66	-----	-----	41.96	32.32	6.71	32.33	6.00	390	208	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2324.04	55.27	74.00	-18.73	43.23	31.79	6.60	32.35	6.00	390	208	PEAK																																																																																																																		
2	2324.04	9.07	54.00	-44.93	-2.97	31.79	6.60	32.35	6.00	390	208	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2404.00	100.86	-----	-----	88.16	32.32	6.71	32.33	6.00	390	208	PEAK																																																																																																																		
2	2404.00	54.66	-----	-----	41.96	32.32	6.71	32.33	6.00	390	208	AVERAGE																																																																																																																		



Mode	52																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH2_2404MHz																																																																																																								
ANT	7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>61.91</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	39.48	74.00	-34.52	61.91	34.10	9.63	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>61.20</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	38.77	74.00	-35.23	61.20	34.10	9.63	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	4808.00	39.48	74.00	-34.52	61.91	34.10	9.63	66.16	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4808.00	38.77	74.00	-35.23	61.20	34.10	9.63	66.16	0.00	---	---	PEAK																																																																																													





Mode	53																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.75</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>43.13</td><td>32.19</td><td>6.66</td><td>32.34</td><td>6.00</td><td>100</td><td>123 PEAK</td></tr><tr><td>2</td><td>2371.75</td><td>9.44</td><td>54.00</td><td>-44.56</td><td>-3.07</td><td>32.19</td><td>6.66</td><td>32.34</td><td>6.00</td><td>100</td><td>123 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.75	55.64	74.00	-18.36	43.13	32.19	6.66	32.34	6.00	100	123 PEAK	2	2371.75	9.44	54.00	-44.56	-3.07	32.19	6.66	32.34	6.00	100	123 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>105.36</td><td>-----</td><td>-----</td><td>92.47</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>123 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>59.16</td><td>-----</td><td>-----</td><td>46.27</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>123 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	105.36	-----	-----	92.47	32.46	6.76	32.33	6.00	100	123 PEAK	2	2440.00	59.16	-----	-----	46.27	32.46	6.76	32.33	6.00	100	123 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2371.75	55.64	74.00	-18.36	43.13	32.19	6.66	32.34	6.00	100	123 PEAK																																																																																																																		
2	2371.75	9.44	54.00	-44.56	-3.07	32.19	6.66	32.34	6.00	100	123 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	105.36	-----	-----	92.47	32.46	6.76	32.33	6.00	100	123 PEAK																																																																																																																		
2	2440.00	59.16	-----	-----	46.27	32.46	6.76	32.33	6.00	100	123 AVERAGE																																																																																																																		




Mode	53																																																										
	Band Edge - R																																																										
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																										
ANT	7																																																										
Pol.	Horizontal	Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.92</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>42.89</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>2489.92</td><td>9.69</td><td>54.00</td><td>-44.31</td><td>-3.31</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.92	55.89	74.00	-18.11	42.89	32.50	6.83	32.33	6.00	100	123	PEAK	2	2489.92	9.69	54.00	-44.31	-3.31	32.50	6.83	32.33	6.00	100	123	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2489.92	55.89	74.00	-18.11	42.89	32.50	6.83	32.33	6.00	100	123	PEAK																																															
2	2489.92	9.69	54.00	-44.31	-3.31	32.50	6.83	32.33	6.00	100	123	AVERAGE																																															





Mode	53																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.70</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>43.29</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>387</td><td>220</td><td>PEAK</td></tr><tr><td>2</td><td>2386.70</td><td>9.69</td><td>54.00</td><td>-44.31</td><td>-2.91</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>387</td><td>220</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	55.89	74.00	-18.11	43.29	32.25	6.68	32.33	6.00	387	220	PEAK	2	2386.70	9.69	54.00	-44.31	-2.91	32.25	6.68	32.33	6.00	387	220	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.82</td><td>-----</td><td>-----</td><td>87.93</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>387</td><td>220</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>54.62</td><td>-----</td><td>-----</td><td>41.73</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>387</td><td>220</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.82	-----	-----	87.93	32.46	6.76	32.33	6.00	387	220	PEAK	2	2440.00	54.62	-----	-----	41.73	32.46	6.76	32.33	6.00	387	220	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2386.70	55.89	74.00	-18.11	43.29	32.25	6.68	32.33	6.00	387	220	PEAK																																																																																																																		
2	2386.70	9.69	54.00	-44.31	-2.91	32.25	6.68	32.33	6.00	387	220	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2440.00	100.82	-----	-----	87.93	32.46	6.76	32.33	6.00	387	220	PEAK																																																																																																																		
2	2440.00	54.62	-----	-----	41.73	32.46	6.76	32.33	6.00	387	220	AVERAGE																																																																																																																		





Mode	53																																																										
	Band Edge - R																																																										
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																										
ANT	7																																																										
Pol.	Vertical	Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.18</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>42.83</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>387</td><td>220</td><td>PEAK</td></tr><tr><td>2</td><td>2497.18</td><td>9.64</td><td>54.00</td><td>-44.36</td><td>-3.37</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>387</td><td>220</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.18	55.84	74.00	-18.16	42.83	32.50	6.84	32.33	6.00	387	220	PEAK	2	2497.18	9.64	54.00	-44.36	-3.37	32.50	6.84	32.33	6.00	387	220	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2497.18	55.84	74.00	-18.16	42.83	32.50	6.84	32.33	6.00	387	220	PEAK																																															
2	2497.18	9.64	54.00	-44.36	-3.37	32.50	6.84	32.33	6.00	387	220	AVERAGE																																															





Mode	53																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH38_2440MHz																																																																																																		
ANT	7																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.28</td><td>74.00</td><td>-34.72</td><td>61.67</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.28	74.00	-34.72	61.67	34.10	9.69	66.18	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>61.97</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.58	74.00	-34.42	61.97	34.10	9.69	66.18	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4880.00	39.28	74.00	-34.72	61.67	34.10	9.69	66.18	0.00	--- PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4880.00	39.58	74.00	-34.42	61.97	34.10	9.69	66.18	0.00	--- PEAK																																																																																									





Mode	54																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH76_2478MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>63.64</td><td>74.00</td><td>-10.36</td><td>50.65</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>123</td><td>112 PEAK</td></tr><tr><td>2</td><td>2483.50</td><td>17.44</td><td>54.00</td><td>-36.56</td><td>4.45</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>123</td><td>112 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	63.64	74.00	-10.36	50.65	32.50	6.82	32.33	6.00	123	112 PEAK	2	2483.50	17.44	54.00	-36.56	4.45	32.50	6.82	32.33	6.00	123	112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.36</td><td>-----</td><td>-----</td><td>91.38</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>123</td><td>112 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>58.16</td><td>-----</td><td>-----</td><td>45.18</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>123</td><td>112 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.36	-----	-----	91.38	32.50	6.81	32.33	6.00	123	112 PEAK	2	2478.00	58.16	-----	-----	45.18	32.50	6.81	32.33	6.00	123	112 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.50	63.64	74.00	-10.36	50.65	32.50	6.82	32.33	6.00	123	112 PEAK																																																																																																																		
2	2483.50	17.44	54.00	-36.56	4.45	32.50	6.82	32.33	6.00	123	112 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	104.36	-----	-----	91.38	32.50	6.81	32.33	6.00	123	112 PEAK																																																																																																																		
2	2478.00	58.16	-----	-----	45.18	32.50	6.81	32.33	6.00	123	112 AVERAGE																																																																																																																		



Mode	54																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH76_2478MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>59.25</td><td>74.00</td><td>-14.75</td><td>46.26</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>313</td><td>360 PEAK</td></tr><tr><td>2</td><td>2483.50</td><td>13.05</td><td>54.00</td><td>-40.95</td><td>0.06</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>313</td><td>360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	59.25	74.00	-14.75	46.26	32.50	6.82	32.33	6.00	313	360 PEAK	2	2483.50	13.05	54.00	-40.95	0.06	32.50	6.82	32.33	6.00	313	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.89</td><td>-----</td><td>-----</td><td>84.91</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>313</td><td>360 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>51.69</td><td>-----</td><td>-----</td><td>38.71</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>313</td><td>360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.89	-----	-----	84.91	32.50	6.81	32.33	6.00	313	360 PEAK	2	2478.00	51.69	-----	-----	38.71	32.50	6.81	32.33	6.00	313	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.50	59.25	74.00	-14.75	46.26	32.50	6.82	32.33	6.00	313	360 PEAK																																																																																																																		
2	2483.50	13.05	54.00	-40.95	0.06	32.50	6.82	32.33	6.00	313	360 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	97.89	-----	-----	84.91	32.50	6.81	32.33	6.00	313	360 PEAK																																																																																																																		
2	2478.00	51.69	-----	-----	38.71	32.50	6.81	32.33	6.00	313	360 AVERAGE																																																																																																																		





Mode	54																																																																															
	Harmonic																																																																															
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK_CH76_2478MHz																																																																															
ANT	7																																																																															
Pol.	Horizontal						Vertical																																																																									
Peak Avg																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>61.88</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	4956.00	39.46	74.00	-34.54	61.88	34.02	9.75	66.19	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>39.72</td><td>74.00</td><td>-34.28</td><td>62.14</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	4956.00	39.72	74.00	-34.28	62.14	34.02	9.75	66.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
1	4956.00	39.46	74.00	-34.54	61.88	34.02	9.75	66.19	0.00	---	PEAK																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
1	4956.00	39.72	74.00	-34.28	62.14	34.02	9.75	66.19	0.00	---	PEAK																																																																					
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>61.88</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.46	74.00	-34.54	61.88	34.02	9.75	66.19	0.00	---	PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>39.72</td><td>74.00</td><td>-34.28</td><td>62.14</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.72	74.00	-34.28	62.14	34.02	9.75	66.19	0.00	---	PEAK																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	4956.00	39.46	74.00	-34.54	61.88	34.02	9.75	66.19	0.00	---	PEAK																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	4956.00	39.72	74.00	-34.28	62.14	34.02	9.75	66.19	0.00	---	PEAK																																																																					



Mode	45	
	18G-25G	
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH76_2478MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG) The plot shows a blue line representing the measured signal level across a frequency range from 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m (labeled 'FCC PART 15C') and another at approximately 50 dBuV/m (labeled 'FCC PART 15C (AVG)'). The measured signal is consistently below the 50 dBuV/m limit.	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG) The plot shows a blue line representing the measured signal level across a frequency range from 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m (labeled 'FCC PART 15C') and another at approximately 50 dBuV/m (labeled 'FCC PART 15C (AVG)'). The measured signal is consistently below the 50 dBuV/m limit.




Mode	45																																																																																																																																																																																																																											
	30-1G																																																																																																																																																																																																																											
	2400-2483.5_ Bluetooth LE CS Tx (Channel Sounding) ASK _CH76_2478MHz																																																																																																																																																																																																																											
ANT	6																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for Part 15C and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.09</td><td>21.65</td><td>40.00</td><td>-18.35</td><td>28.84</td><td>24.38</td><td>0.49</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>58.74</td><td>17.29</td><td>40.00</td><td>-22.71</td><td>36.44</td><td>12.04</td><td>0.87</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>103.11</td><td>19.92</td><td>43.50</td><td>-23.58</td><td>34.10</td><td>16.42</td><td>1.43</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>131.37</td><td>22.37</td><td>43.50</td><td>-21.13</td><td>35.21</td><td>17.60</td><td>1.59</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>177.68</td><td>22.07</td><td>43.50</td><td>-21.43</td><td>37.27</td><td>14.99</td><td>1.86</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>724.40</td><td>28.00</td><td>46.00</td><td>-18.00</td><td>28.88</td><td>27.60</td><td>3.79</td><td>32.27</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.09	21.65	40.00	-18.35	28.84	24.38	0.49	32.06	0.00	---	---	Peak	2	58.74	17.29	40.00	-22.71	36.44	12.04	0.87	32.06	0.00	---	---	Peak	3	103.11	19.92	43.50	-23.58	34.10	16.42	1.43	32.03	0.00	---	---	Peak	4	131.37	22.37	43.50	-21.13	35.21	17.60	1.59	32.03	0.00	---	---	Peak	5	177.68	22.07	43.50	-21.43	37.27	14.99	1.86	32.05	0.00	---	---	Peak	6	724.40	28.00	46.00	-18.00	28.88	27.60	3.79	32.27	0.00	---	---	Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for Part 15C and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>53.04</td><td>29.95</td><td>40.00</td><td>-10.05</td><td>47.99</td><td>13.25</td><td>0.78</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>80.93</td><td>23.52</td><td>40.00</td><td>-16.48</td><td>40.93</td><td>13.50</td><td>1.16</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>134.52</td><td>20.36</td><td>43.50</td><td>-23.14</td><td>33.25</td><td>17.53</td><td>1.61</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>183.38</td><td>21.18</td><td>43.50</td><td>-22.32</td><td>36.61</td><td>14.74</td><td>1.89</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>243.16</td><td>19.23</td><td>46.00</td><td>-26.77</td><td>31.35</td><td>17.75</td><td>2.18</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>588.84</td><td>26.53</td><td>46.00</td><td>-19.47</td><td>29.69</td><td>25.71</td><td>3.42</td><td>32.29</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	53.04	29.95	40.00	-10.05	47.99	13.25	0.78	32.07	0.00	---	---	Peak	2	80.93	23.52	40.00	-16.48	40.93	13.50	1.16	32.07	0.00	---	---	Peak	3	134.52	20.36	43.50	-23.14	33.25	17.53	1.61	32.03	0.00	---	---	Peak	4	183.38	21.18	43.50	-22.32	36.61	14.74	1.89	32.06	0.00	---	---	Peak	5	243.16	19.23	46.00	-26.77	31.35	17.75	2.18	32.05	0.00	---	---	Peak	6	588.84	26.53	46.00	-19.47	29.69	25.71	3.42	32.29	0.00	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	31.09	21.65	40.00	-18.35	28.84	24.38	0.49	32.06	0.00	---	---	Peak																																																																																																																																																																																																																
2	58.74	17.29	40.00	-22.71	36.44	12.04	0.87	32.06	0.00	---	---	Peak																																																																																																																																																																																																																
3	103.11	19.92	43.50	-23.58	34.10	16.42	1.43	32.03	0.00	---	---	Peak																																																																																																																																																																																																																
4	131.37	22.37	43.50	-21.13	35.21	17.60	1.59	32.03	0.00	---	---	Peak																																																																																																																																																																																																																
5	177.68	22.07	43.50	-21.43	37.27	14.99	1.86	32.05	0.00	---	---	Peak																																																																																																																																																																																																																
6	724.40	28.00	46.00	-18.00	28.88	27.60	3.79	32.27	0.00	---	---	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	53.04	29.95	40.00	-10.05	47.99	13.25	0.78	32.07	0.00	---	---	Peak																																																																																																																																																																																																																
2	80.93	23.52	40.00	-16.48	40.93	13.50	1.16	32.07	0.00	---	---	Peak																																																																																																																																																																																																																
3	134.52	20.36	43.50	-23.14	33.25	17.53	1.61	32.03	0.00	---	---	Peak																																																																																																																																																																																																																
4	183.38	21.18	43.50	-22.32	36.61	14.74	1.89	32.06	0.00	---	---	Peak																																																																																																																																																																																																																
5	243.16	19.23	46.00	-26.77	31.35	17.75	2.18	32.05	0.00	---	---	Peak																																																																																																																																																																																																																
6	588.84	26.53	46.00	-19.47	29.69	25.71	3.42	32.29	0.00	---	---	Peak																																																																																																																																																																																																																

Appendix D. Duty Cycle Plots

3DH5 on time (One Pulse) Plot on Channel 39_Ant 6




3DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

3DH5 on time (One Pulse) Plot on Channel 39_Ant 7




3DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

BLE ASK on time (One Pulse) Plot on Channel 2_Ant 6




BLE ASK on time (Count Pulses) Plot on Channel 2




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 0.245 / 100 = 0.49 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -46.20 \text{ dB}$

BLE ASK on time (One Pulse) Plot on Channel 2_Ant 7



BLE ASK on time (Count Pulses) Plot on Channel 2



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 0.245 / 100 = 0.49 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -46.20 \text{ dB}$