






## Occupied channel bandwidth

## Test Result

| TestMode    | Antenna | Freq(MHz) | OCB [MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|-------------|---------|-----------|-----------|-----------|-----------|------------|---------|
| 11BE320MIMO | Ant6    | 6105      | 316.802   | 5946.2946 | 6263.0961 | 320        | Pass    |
|             | Ant7    | 6105      | 316.802   | 5946.2946 | 6263.0961 | 320        | Pass    |
|             | Ant6    | 6265      | 317.411   | 6105.9900 | 6423.4008 | 320        | Pass    |
|             | Ant7    | 6265      | 317.411   | 6105.9900 | 6423.4008 | 320        | Pass    |
|             | Ant6    | 6425      | 317.106   | 6265.9900 | 6583.0961 | 320        | Pass    |
|             | Ant7    | 6425      | 316.802   | 6266.2946 | 6583.0961 | 320        | Pass    |
|             | Ant6    | 6585      | 317.411   | 6425.9900 | 6743.4008 | 320        | Pass    |
|             | Ant7    | 6585      | 317.106   | 6426.2946 | 6743.4008 | 320        | Pass    |
|             | Ant6    | 6745      | 316.802   | 6585.9900 | 6902.7915 | 320        | Pass    |
|             | Ant7    | 6745      | 315.888   | 6586.9039 | 6902.7915 | 320        | Pass    |
|             | Ant6    | 6905      | 316.802   | 6745.3808 | 7062.1823 | 320        | Pass    |
|             | Ant7    | 6905      | 315.888   | 6745.9900 | 7061.8777 | 320        | Pass    |
| 11A-CDD     | Ant6    | 5955      | 17.496    | 5946.1280 | 5963.6245 | ---        | ---     |
|             | Ant7    | 5955      | 17.211    | 5946.3755 | 5963.5864 | ---        | ---     |
|             | Ant6    | 6195      | 17.515    | 6186.0709 | 6203.5864 | ---        | ---     |
|             | Ant7    | 6195      | 17.192    | 6186.3565 | 6203.5483 | ---        | ---     |
|             | Ant6    | 6415      | 17.515    | 6406.0709 | 6423.5864 | ---        | ---     |
|             | Ant7    | 6415      | 17.173    | 6406.3755 | 6423.5483 | ---        | ---     |
|             | Ant6    | 6435      | 17.477    | 6426.1090 | 6443.5864 | ---        | ---     |
|             | Ant7    | 6435      | 17.173    | 6426.3946 | 6443.5673 | ---        | ---     |
|             | Ant6    | 6475      | 17.515    | 6466.1090 | 6483.6245 | ---        | ---     |
|             | Ant7    | 6475      | 17.173    | 6466.4136 | 6483.5864 | ---        | ---     |
|             | Ant6    | 6515      | 17.477    | 6506.1280 | 6523.6054 | ---        | ---     |
|             | Ant7    | 6515      | 17.154    | 6506.3946 | 6523.5483 | ---        | ---     |
|             | Ant6    | 6535      | 17.554    | 6526.0519 | 6543.6054 | ---        | ---     |
|             | Ant7    | 6535      | 17.173    | 6526.3755 | 6543.5483 | ---        | ---     |
|             | Ant6    | 6695      | 17.496    | 6686.1280 | 6703.6245 | ---        | ---     |
|             | Ant7    | 6695      | 17.173    | 6686.3946 | 6703.5673 | ---        | ---     |
|             | Ant6    | 6855      | 17.458    | 6846.1471 | 6863.6054 | ---        | ---     |
|             | Ant7    | 6855      | 17.116    | 6846.4136 | 6863.5293 | ---        | ---     |
|             | Ant6    | 6875      | 17.573    | 6866.0328 | 6883.6054 | ---        | ---     |
|             | Ant7    | 6875      | 17.192    | 6866.3565 | 6883.5483 | ---        | ---     |
|             | Ant6    | 6895      | 17.477    | 6886.1280 | 6903.6054 | ---        | ---     |
|             | Ant7    | 6895      | 17.135    | 6886.4136 | 6903.5483 | ---        | ---     |



|            |      |      |        |           |           |     |     |
|------------|------|------|--------|-----------|-----------|-----|-----|
|            | Ant6 | 6995 | 17.496 | 6986.0328 | 7003.5293 | --- | --- |
|            | Ant7 | 6995 | 17.135 | 6986.3565 | 7003.4912 | --- | --- |
|            | Ant6 | 7095 | 17.573 | 7086.0519 | 7103.6245 | --- | --- |
|            | Ant7 | 7095 | 17.249 | 7086.3375 | 7103.5864 | --- | --- |
|            | Ant6 | 7115 | 17.496 | 7106.0900 | 7123.5864 | --- | --- |
|            | Ant7 | 7115 | 17.173 | 7106.3755 | 7123.5483 | --- | --- |
| 11BE20MIMO | Ant6 | 5955 | 19.191 | 5945.4046 | 5964.5954 | --- | --- |
|            | Ant7 | 5955 | 19.21  | 5945.3855 | 5964.5954 | --- | --- |
|            | Ant6 | 6195 | 19.21  | 6185.3665 | 6204.5764 | --- | --- |
|            | Ant7 | 6195 | 19.21  | 6185.3665 | 6204.5764 | --- | --- |
|            | Ant6 | 6415 | 19.248 | 6405.3475 | 6424.5954 | --- | --- |
|            | Ant7 | 6415 | 19.21  | 6405.3855 | 6424.5954 | --- | --- |
|            | Ant6 | 6435 | 19.191 | 6425.3855 | 6444.5764 | --- | --- |
|            | Ant7 | 6435 | 19.21  | 6425.3665 | 6444.5764 | --- | --- |
|            | Ant6 | 6475 | 19.172 | 6465.3855 | 6484.5574 | --- | --- |
|            | Ant7 | 6475 | 19.191 | 6465.3855 | 6484.5764 | --- | --- |
|            | Ant6 | 6515 | 19.172 | 6505.4046 | 6524.5764 | --- | --- |
|            | Ant7 | 6515 | 19.191 | 6505.3855 | 6524.5764 | --- | --- |
|            | Ant6 | 6535 | 19.172 | 6525.3855 | 6544.5574 | --- | --- |
|            | Ant7 | 6535 | 19.191 | 6525.3855 | 6544.5764 | --- | --- |
|            | Ant6 | 6695 | 19.191 | 6685.3855 | 6704.5764 | --- | --- |
|            | Ant7 | 6695 | 19.191 | 6685.3855 | 6704.5764 | --- | --- |
|            | Ant6 | 6855 | 19.134 | 6845.4046 | 6864.5383 | --- | --- |
|            | Ant7 | 6855 | 19.172 | 6845.4046 | 6864.5764 | --- | --- |
|            | Ant6 | 6875 | 19.21  | 6865.3475 | 6884.5574 | --- | --- |
|            | Ant7 | 6875 | 19.21  | 6865.3665 | 6884.5764 | --- | --- |
|            | Ant6 | 6895 | 19.172 | 6885.4046 | 6904.5764 | --- | --- |
|            | Ant7 | 6895 | 19.172 | 6885.3855 | 6904.5574 | --- | --- |
|            | Ant6 | 6995 | 19.191 | 6985.3475 | 7004.5383 | --- | --- |
|            | Ant7 | 6995 | 19.153 | 6985.3665 | 7004.5193 | --- | --- |
|            | Ant6 | 7095 | 19.229 | 7085.3665 | 7104.5954 | --- | --- |
|            | Ant7 | 7095 | 19.21  | 7085.3855 | 7104.5954 | --- | --- |
|            | Ant6 | 7115 | 19.191 | 7105.3855 | 7124.5764 | --- | --- |
|            | Ant7 | 7115 | 19.21  | 7105.3855 | 7124.5954 | --- | --- |
| 11BE40MIMO | Ant6 | 5965 | 38.229 | 5945.9234 | 5984.1528 | --- | --- |
|            | Ant7 | 5965 | 38.153 | 5945.9234 | 5984.0766 | --- | --- |
|            | Ant6 | 6205 | 38.267 | 6185.8091 | 6224.0766 | --- | --- |
|            | Ant7 | 6205 | 38.191 | 6185.8853 | 6224.0766 | --- | --- |
|            | Ant6 | 6405 | 38.191 | 6385.8853 | 6424.0766 | --- | --- |



|            |      |      |        |           |           |     |     |
|------------|------|------|--------|-----------|-----------|-----|-----|
|            | Ant7 | 6405 | 38.153 | 6385.8853 | 6424.0386 | --- | --- |
|            | Ant6 | 6445 | 38.344 | 6425.8091 | 6464.1528 | --- | --- |
|            | Ant7 | 6445 | 38.153 | 6425.8853 | 6464.0386 | --- | --- |
|            | Ant6 | 6485 | 38.229 | 6465.8853 | 6504.1147 | --- | --- |
|            | Ant7 | 6485 | 38.153 | 6465.8853 | 6504.0386 | --- | --- |
|            | Ant6 | 6525 | 38.267 | 6505.8091 | 6544.0766 | --- | --- |
|            | Ant7 | 6525 | 38.115 | 6505.9234 | 6544.0386 | --- | --- |
|            | Ant6 | 6565 | 38.229 | 6545.8472 | 6584.0766 | --- | --- |
|            | Ant7 | 6565 | 38.229 | 6545.8472 | 6584.0766 | --- | --- |
|            | Ant6 | 6685 | 38.306 | 6665.8472 | 6704.1528 | --- | --- |
|            | Ant7 | 6685 | 38.153 | 6665.9234 | 6704.0766 | --- | --- |
|            | Ant6 | 6845 | 38.153 | 6825.8472 | 6864.0005 | --- | --- |
|            | Ant7 | 6845 | 38.191 | 6825.8472 | 6864.0386 | --- | --- |
|            | Ant6 | 6885 | 38.229 | 6865.8472 | 6904.0766 | --- | --- |
|            | Ant7 | 6885 | 38.229 | 6865.8472 | 6904.0766 | --- | --- |
|            | Ant6 | 6925 | 38.306 | 6905.8091 | 6944.1147 | --- | --- |
|            | Ant7 | 6925 | 38.229 | 6905.8472 | 6944.0766 | --- | --- |
|            | Ant6 | 7005 | 38.191 | 6985.8472 | 7024.0386 | --- | --- |
|            | Ant7 | 7005 | 38.191 | 6985.8091 | 7024.0005 | --- | --- |
|            | Ant6 | 7085 | 38.382 | 7065.7330 | 7104.1147 | --- | --- |
|            | Ant7 | 7085 | 38.306 | 7065.8091 | 7104.1147 | --- | --- |
| 11BE80MIMO | Ant6 | 5985 | 77.677 | 5946.1614 | 6023.8386 | --- | --- |
|            | Ant7 | 5985 | 77.601 | 5946.1614 | 6023.7625 | --- | --- |
|            | Ant6 | 6225 | 78.134 | 6185.8567 | 6263.9910 | --- | --- |
|            | Ant7 | 6225 | 77.753 | 6186.0090 | 6263.7625 | --- | --- |
|            | Ant6 | 6385 | 77.677 | 6346.0852 | 6423.7625 | --- | --- |
|            | Ant7 | 6385 | 77.601 | 6346.1614 | 6423.7625 | --- | --- |
|            | Ant6 | 6465 | 77.677 | 6426.1614 | 6503.8386 | --- | --- |
|            | Ant7 | 6465 | 77.601 | 6426.1614 | 6503.7625 | --- | --- |
|            | Ant6 | 6545 | 77.677 | 6506.0090 | 6583.6863 | --- | --- |
|            | Ant7 | 6545 | 77.677 | 6506.1614 | 6583.8386 | --- | --- |
|            | Ant6 | 6625 | 77.753 | 6586.0852 | 6663.8386 | --- | --- |
|            | Ant7 | 6625 | 77.525 | 6586.2375 | 6663.7625 | --- | --- |
|            | Ant6 | 6705 | 77.753 | 6666.1614 | 6743.9148 | --- | --- |
|            | Ant7 | 6705 | 77.83  | 6666.0852 | 6743.9148 | --- | --- |
|            | Ant6 | 6785 | 77.753 | 6746.0852 | 6823.8386 | --- | --- |
|            | Ant7 | 6785 | 77.677 | 6746.0852 | 6823.7625 | --- | --- |
|            | Ant6 | 6865 | 77.677 | 6826.0090 | 6903.6863 | --- | --- |
|            | Ant7 | 6865 | 77.525 | 6826.1614 | 6903.6863 | --- | --- |


|             |      |      |         |           |           |     |     |
|-------------|------|------|---------|-----------|-----------|-----|-----|
|             | Ant6 | 6945 | 77.753  | 6906.0090 | 6983.7625 | --- | --- |
|             | Ant7 | 6945 | 77.677  | 6906.0852 | 6983.7625 | --- | --- |
|             | Ant6 | 7025 | 77.906  | 6985.7806 | 7063.6863 | --- | --- |
|             | Ant7 | 7025 | 77.83   | 6985.9329 | 7063.7625 | --- | --- |
| 11BE160MIMO | Ant6 | 6025 | 158.705 | 5945.4950 | 6104.2004 | --- | --- |
|             | Ant7 | 6025 | 159.467 | 5945.1904 | 6104.6573 | --- | --- |
|             | Ant6 | 6185 | 158.858 | 6105.3427 | 6264.2004 | --- | --- |
|             | Ant7 | 6185 | 159.01  | 6105.3427 | 6264.3527 | --- | --- |
|             | Ant6 | 6345 | 158.858 | 6265.1904 | 6424.0481 | --- | --- |
|             | Ant7 | 6345 | 158.705 | 6265.3427 | 6424.0481 | --- | --- |
|             | Ant6 | 6505 | 160.076 | 6424.7335 | 6584.8096 | --- | --- |
|             | Ant7 | 6505 | 159.467 | 6425.1904 | 6584.6573 | --- | --- |
|             | Ant6 | 6665 | 159.01  | 6585.3427 | 6744.3527 | --- | --- |
|             | Ant7 | 6665 | 158.858 | 6585.4950 | 6744.3527 | --- | --- |
|             | Ant6 | 6825 | 159.924 | 6744.7335 | 6904.6573 | --- | --- |
|             | Ant7 | 6825 | 158.858 | 6745.1904 | 6904.0481 | --- | --- |
|             | Ant6 | 6985 | 158.401 | 6905.3427 | 7063.7435 | --- | --- |
|             | Ant7 | 6985 | 158.553 | 6905.1904 | 7063.7435 | --- | --- |


Note1: For channels with a nominal bandwidth of 320MHz, compliance is demonstrated by way of the 99%BW.


Note2: For channels with a nominal bandwidth less than 320MHz(e.g 20,40,80,160MHz), compliance is demonstrated by way of the 26dB EBW.





## Test Graphs


















## 11A-CDD\_Ant6\_5955



Date: 28.SEP.2025 16:54:40


## 11A-CDD\_Ant7\_5955




Date: 28.SEP.2025 16:56:28



11A-CDD\_Ant6\_6195




11A-CDD\_Ant7\_6195






11A-CDD\_Ant6\_6415




11A-CDD\_Ant7\_6415






11A-CDD\_Ant6\_6435



Date: 28.SEP.2025 17:05:21


11A-CDD\_Ant7\_6435




Date: 28.SEP.2025 17:06:53



11A-CDD\_Ant6\_6475




11A-CDD\_Ant7\_6475






11A-CDD\_Ant6\_6515




11A-CDD\_Ant7\_6515






11A-CDD\_Ant6\_6535



Date: 28.SEP.2025 17:28:35


11A-CDD\_Ant7\_6535




Date: 28.SEP.2025 17:30:09



11A-CDD\_Ant6\_6695




11A-CDD\_Ant7\_6695






11A-CDD\_Ant6\_6855




11A-CDD\_Ant7\_6855






11A-CDD\_Ant6\_6875




11A-CDD\_Ant7\_6875







11A-CDD\_Ant6\_6895




11A-CDD\_Ant7\_6895








11A-CDD\_Ant6\_7095




11A-CDD\_Ant7\_7095






11A-CDD\_Ant6\_7115




11A-CDD\_Ant7\_7115






11BE20MIMO\_Ant6\_5955




11BE20MIMO\_Ant7\_5955






11BE20MIMO\_Ant6\_6195




11BE20MIMO\_Ant7\_6195






11BE20MIMO\_Ant6\_6415



Date: 28.SEP.2025 18:44:13


11BE20MIMO\_Ant7\_6415



Date: 28.SEP.2025 18:45:47




11BE20MIMO\_Ant6\_6435



Date: 28.SEP.2025 18:47:42


11BE20MIMO\_Ant7\_6435




Date: 28.SEP.2025 18:49:16



11BE20MIMO\_Ant6\_6475




11BE20MIMO\_Ant7\_6475






11BE20MIMO\_Ant6\_6515




11BE20MIMO\_Ant7\_6515






11BE20MIMO\_Ant6\_6535




11BE20MIMO\_Ant7\_6535






11BE20MIMO\_Ant6\_6695




11BE20MIMO\_Ant7\_6695






11BE20MIMO\_Ant6\_6855




11BE20MIMO\_Ant7\_6855






11BE20MIMO\_Ant6\_6875



Date: 28.SEP.2025 19:09:00


11BE20MIMO\_Ant7\_6875



Date: 28.SEP.2025 19:10:32




11BE20MIMO\_Ant6\_6895



Date: 28.SEP.2025 19:12:18


11BE20MIMO\_Ant7\_6895




Date: 28.SEP.2025 19:13:50



11BE20MIMO\_Ant6\_6995




11BE20MIMO\_Ant7\_6995






11BE20MIMO\_Ant6\_7095




11BE20MIMO\_Ant7\_7095






11BE20MIMO\_Ant6\_7115



Date: 7.NOV.2025 03:13:41


11BE20MIMO\_Ant7\_7115




Date: 7.NOV.2025 03:15:13



11BE40MIMO\_Ant6\_5965




11BE40MIMO\_Ant7\_5965






11BE40MIMO\_Ant6\_6205




11BE40MIMO\_Ant7\_6205






11BE40MIMO\_Ant6\_6405




11BE40MIMO\_Ant7\_6405






11BE40MIMO\_Ant6\_6445




11BE40MIMO\_Ant7\_6445






11BE40MIMO\_Ant6\_6485



Date: 28.SEP.2025 19:48:29


11BE40MIMO\_Ant7\_6485




Date: 28.SEP.2025 19:50:02



11BE40MIMO\_Ant6\_6525




11BE40MIMO\_Ant7\_6525






11BE40MIMO\_Ant6\_6565




11BE40MIMO\_Ant7\_6565






11BE40MIMO\_Ant6\_6685




11BE40MIMO\_Ant7\_6685






11BE40MIMO\_Ant6\_6845




11BE40MIMO\_Ant7\_6845






11BE40MIMO\_Ant6\_6885




11BE40MIMO\_Ant7\_6885






11BE40MIMO\_Ant6\_6925




11BE40MIMO\_Ant7\_6925






11BE40MIMO\_Ant6\_7005




11BE40MIMO\_Ant7\_7005






11BE40MIMO\_Ant6\_7085



Date: 28.SEP.2025 20:28:05


11BE40MIMO\_Ant7\_7085




Date: 28.SEP.2025 20:29:39



11BE80MIMO\_Ant6\_5985




11BE80MIMO\_Ant7\_5985






11BE80MIMO\_Ant6\_6225



Date: 28.SEP.2025 20:36:29


11BE80MIMO\_Ant7\_6225




Date: 28.SEP.2025 20:38:01



11BE80MIMO\_Ant6\_6385




11BE80MIMO\_Ant7\_6385






11BE80MIMO\_Ant6\_6465




11BE80MIMO\_Ant7\_6465






11BE80MIMO\_Ant6\_6545



Date: 28.SEP.2025 20:46:52


11BE80MIMO\_Ant7\_6545




Date: 28.SEP.2025 20:48:25



11BE80MIMO\_Ant6\_6625




11BE80MIMO\_Ant7\_6625






11BE80MIMO\_Ant6\_6705



Date: 28.SEP.2025 21:03:43


11BE80MIMO\_Ant7\_6705




Date: 28.SEP.2025 21:05:15



11BE80MIMO\_Ant6\_6785




11BE80MIMO\_Ant7\_6785






11BE80MIMO\_Ant6\_6865



Date: 28.SEP.2025 21:10:36


11BE80MIMO\_Ant7\_6865




Date: 28.SEP.2025 21:12:08



11BE80MIMO\_Ant6\_6945




11BE80MIMO\_Ant7\_6945








11BE80MIMO\_Ant6\_7025





11BE80MIMO\_Ant7\_7025

















11BE160MIMO\_Ant6\_6665



11BE160MIMO\_Ant7\_6665









## Maximum power spectral density Test Result

| TestMode    | Antenna | Freq(MHz) | Result [dBm/MHz] | Gain [dBi] | EIRP [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|-------------|---------|-----------|------------------|------------|----------------|-----------------|---------|
| 11BE320MIMO | Ant6    | 6105      | -12.93           | 0.20       | -12.73         | ≤-5.00          | PASS    |
|             | Ant7    | 6105      | -13.12           | -0.30      | -13.42         | ≤-5.00          | PASS    |
|             | total   | 6105      | -10.01           | -0.04      | -10.05         | ≤-5.00          | PASS    |
|             | Ant6    | 6265      | -11.86           | 0.20       | -11.66         | ≤-5.00          | PASS    |
|             | Ant7    | 6265      | -12.23           | -0.30      | -12.53         | ≤-5.00          | PASS    |
|             | total   | 6265      | -9.03            | -0.04      | -9.07          | ≤-5.00          | PASS    |
|             | Ant6    | 6425      | -11.44           | 0.60       | -10.84         | ≤-5.00          | PASS    |
|             | Ant7    | 6425      | -12.47           | -0.60      | -13.07         | ≤-5.00          | PASS    |
|             | total   | 6425      | -8.91            | 0.04       | -8.87          | ≤-5.00          | PASS    |
|             | Ant6    | 6585      | -12.33           | 0.60       | -11.73         | ≤-5.00          | PASS    |
|             | Ant7    | 6585      | -12.51           | -0.60      | -13.11         | ≤-5.00          | PASS    |
|             | total   | 6585      | -9.41            | 0.04       | -9.37          | ≤-5.00          | PASS    |
|             | Ant6    | 6745      | -13.40           | 0.00       | -13.40         | ≤-5.00          | PASS    |
|             | Ant7    | 6745      | -13.42           | -0.40      | -13.82         | ≤-5.00          | PASS    |
|             | total   | 6745      | -10.40           | -0.20      | -10.60         | ≤-5.00          | PASS    |
|             | Ant6    | 6905      | -11.73           | 0.00       | -11.73         | ≤-5.00          | PASS    |
|             | Ant7    | 6905      | -11.97           | -0.40      | -12.37         | ≤-5.00          | PASS    |
|             | total   | 6905      | -8.84            | -0.20      | -9.04          | ≤-5.00          | PASS    |
| 11A-CDD     | Ant6    | 5955      | -10.96           | 0.20       | -10.76         | ≤-5.00          | PASS    |
|             | Ant7    | 5955      | -11.03           | -0.30      | -11.33         | ≤-5.00          | PASS    |
|             | total   | 5955      | -7.98            | 2.96       | -5.02          | ≤-5.00          | PASS    |
|             | Ant6    | 6195      | -11.19           | 0.20       | -10.99         | ≤-5.00          | PASS    |
|             | Ant7    | 6195      | -11.68           | -0.30      | -11.98         | ≤-5.00          | PASS    |
|             | total   | 6195      | -8.42            | 2.96       | -5.46          | ≤-5.00          | PASS    |
|             | Ant6    | 6415      | -11.09           | 0.20       | -10.89         | ≤-5.00          | PASS    |
|             | Ant7    | 6415      | -11.49           | -0.30      | -11.79         | ≤-5.00          | PASS    |
|             | total   | 6415      | -8.28            | 2.96       | -5.32          | ≤-5.00          | PASS    |
|             | Ant6    | 6435      | -11.00           | 0.60       | -10.40         | ≤-5.00          | PASS    |
|             | Ant7    | 6435      | -11.21           | -0.60      | -11.81         | ≤-5.00          | PASS    |
|             | total   | 6435      | -8.09            | 3.03       | -5.06          | ≤-5.00          | PASS    |
|             | Ant6    | 6475      | -11.27           | 0.60       | -10.67         | ≤-5.00          | PASS    |
|             | Ant7    | 6475      | -11.11           | -0.60      | -11.71         | ≤-5.00          | PASS    |
|             | total   | 6475      | -8.18            | 3.03       | -5.15          | ≤-5.00          | PASS    |
|             | Ant6    | 6515      | -11.56           | 0.60       | -10.96         | ≤-5.00          | PASS    |
|             | Ant7    | 6515      | -11.47           | -0.60      | -12.07         | ≤-5.00          | PASS    |
|             | total   | 6515      | -8.50            | 3.03       | -5.47          | ≤-5.00          | PASS    |
|             | Ant6    | 6535      | -11.24           | 0.00       | -11.24         | ≤-5.00          | PASS    |
|             | Ant7    | 6535      | -11.39           | -0.40      | -11.79         | ≤-5.00          | PASS    |
|             | total   | 6535      | -8.30            | 2.81       | -5.49          | ≤-5.00          | PASS    |
|             | Ant6    | 6695      | -11.39           | 0.00       | -11.39         | ≤-5.00          | PASS    |
|             | Ant7    | 6695      | -10.86           | -0.40      | -11.26         | ≤-5.00          | PASS    |
|             | total   | 6695      | -8.11            | 2.81       | -5.30          | ≤-5.00          | PASS    |
|             | Ant6    | 6855      | -10.82           | 0.00       | -10.82         | ≤-5.00          | PASS    |
|             | Ant7    | 6855      | -10.86           | -0.40      | -11.26         | ≤-5.00          | PASS    |
|             | total   | 6855      | -7.83            | 2.81       | -5.02          | ≤-5.00          | PASS    |
|             | Ant6    | 6875      | -11.21           | 0.00       | -11.21         | ≤-5.00          | PASS    |
|             | Ant7    | 6875      | -10.98           | -0.40      | -11.38         | ≤-5.00          | PASS    |
|             | total   | 6875      | -8.08            | 2.81       | -5.27          | ≤-5.00          | PASS    |
|             | Ant6    | 6895      | -11.22           | -0.50      | -11.72         | ≤-5.00          | PASS    |
|             | Ant7    | 6895      | -11.24           | -0.20      | -11.44         | ≤-5.00          | PASS    |
|             | total   | 6895      | -8.22            | 2.66       | -5.56          | ≤-5.00          | PASS    |
|             | Ant6    | 6995      | -11.81           | -0.50      | -12.31         | ≤-5.00          | PASS    |
|             | Ant7    | 6995      | -11.30           | -0.20      | -11.50         | ≤-5.00          | PASS    |



|            |       |      |        |       |        |        |      |
|------------|-------|------|--------|-------|--------|--------|------|
|            | total | 6995 | -8.54  | 2.66  | -5.88  | ≤-5.00 | PASS |
|            | Ant6  | 7095 | -11.32 | -0.50 | -11.82 | ≤-5.00 | PASS |
|            | Ant7  | 7095 | -11.19 | -0.20 | -11.39 | ≤-5.00 | PASS |
|            | total | 7095 | -8.24  | 2.66  | -5.58  | ≤-5.00 | PASS |
|            | Ant6  | 7115 | -11.13 | -0.50 | -11.63 | ≤-5.00 | PASS |
|            | Ant7  | 7115 | -10.86 | -0.20 | -11.06 | ≤-5.00 | PASS |
| 11BE20MIMO | total | 7115 | -7.98  | 2.66  | -5.32  | ≤-5.00 | PASS |
|            | Ant6  | 5955 | -7.91  | 0.20  | -7.71  | ≤-5.00 | PASS |
|            | Ant7  | 5955 | -8.11  | -0.30 | -8.41  | ≤-5.00 | PASS |
|            | total | 5955 | -5.00  | -0.04 | -5.04  | ≤-5.00 | PASS |
|            | Ant6  | 6195 | -8.24  | 0.20  | -8.04  | ≤-5.00 | PASS |
|            | Ant7  | 6195 | -8.70  | -0.30 | -9.00  | ≤-5.00 | PASS |
|            | total | 6195 | -5.45  | -0.04 | -5.49  | ≤-5.00 | PASS |
|            | Ant6  | 6415 | -7.98  | 0.20  | -7.78  | ≤-5.00 | PASS |
|            | Ant7  | 6415 | -8.81  | -0.30 | -9.11  | ≤-5.00 | PASS |
|            | total | 6415 | -5.36  | -0.04 | -5.40  | ≤-5.00 | PASS |
|            | Ant6  | 6435 | -7.83  | 0.60  | -7.23  | ≤-5.00 | PASS |
|            | Ant7  | 6435 | -8.65  | -0.60 | -9.25  | ≤-5.00 | PASS |
|            | total | 6435 | -5.21  | 0.04  | -5.17  | ≤-5.00 | PASS |
|            | Ant6  | 6475 | -8.35  | 0.60  | -7.75  | ≤-5.00 | PASS |
|            | Ant7  | 6475 | -8.62  | -0.60 | -9.22  | ≤-5.00 | PASS |
|            | total | 6475 | -5.47  | 0.04  | -5.43  | ≤-5.00 | PASS |
|            | Ant6  | 6515 | -8.29  | 0.60  | -7.69  | ≤-5.00 | PASS |
|            | Ant7  | 6515 | -8.48  | -0.60 | -9.08  | ≤-5.00 | PASS |
|            | total | 6515 | -5.37  | 0.04  | -5.33  | ≤-5.00 | PASS |
|            | Ant6  | 6535 | -7.91  | 0.00  | -7.91  | ≤-5.00 | PASS |
|            | Ant7  | 6535 | -8.27  | -0.40 | -8.67  | ≤-5.00 | PASS |
|            | total | 6535 | -5.08  | -0.20 | -5.28  | ≤-5.00 | PASS |
|            | Ant6  | 6695 | -8.37  | 0.00  | -8.37  | ≤-5.00 | PASS |
|            | Ant7  | 6695 | -7.87  | -0.40 | -8.27  | ≤-5.00 | PASS |
|            | total | 6695 | -5.10  | -0.20 | -5.30  | ≤-5.00 | PASS |
|            | Ant6  | 6855 | -8.22  | 0.00  | -8.22  | ≤-5.00 | PASS |
|            | Ant7  | 6855 | -8.41  | -0.40 | -8.81  | ≤-5.00 | PASS |
|            | total | 6855 | -5.30  | -0.20 | -5.50  | ≤-5.00 | PASS |
|            | Ant6  | 6875 | -8.06  | 0.00  | -8.06  | ≤-5.00 | PASS |
|            | Ant7  | 6875 | -8.05  | -0.40 | -8.45  | ≤-5.00 | PASS |
|            | total | 6875 | -5.04  | -0.20 | -5.24  | ≤-5.00 | PASS |
|            | Ant6  | 6895 | -8.17  | -0.50 | -8.67  | ≤-5.00 | PASS |
|            | Ant7  | 6895 | -8.23  | -0.20 | -8.43  | ≤-5.00 | PASS |
|            | total | 6895 | -5.19  | -0.35 | -5.54  | ≤-5.00 | PASS |
|            | Ant6  | 6995 | -8.20  | -0.50 | -8.70  | ≤-5.00 | PASS |
|            | Ant7  | 6995 | -8.19  | -0.20 | -8.39  | ≤-5.00 | PASS |
|            | total | 6995 | -5.18  | -0.35 | -5.53  | ≤-5.00 | PASS |
|            | Ant6  | 7095 | -8.46  | -0.50 | -8.96  | ≤-5.00 | PASS |
|            | Ant7  | 7095 | -8.43  | -0.20 | -8.63  | ≤-5.00 | PASS |
|            | total | 7095 | -5.43  | -0.35 | -5.78  | ≤-5.00 | PASS |
|            | Ant6  | 7115 | -19.73 | -0.50 | -20.23 | ≤-5.00 | PASS |
|            | Ant7  | 7115 | -19.31 | -0.20 | -19.51 | ≤-5.00 | PASS |
|            | total | 7115 | -16.50 | -0.35 | -16.85 | ≤-5.00 | PASS |
| 11BE40MIMO | Ant6  | 5965 | -8.29  | 0.20  | -8.09  | ≤-5.00 | PASS |
|            | Ant7  | 5965 | -8.88  | -0.30 | -9.18  | ≤-5.00 | PASS |
|            | total | 5965 | -5.56  | -0.04 | -5.60  | ≤-5.00 | PASS |
|            | Ant6  | 6205 | -8.41  | 0.20  | -8.21  | ≤-5.00 | PASS |
|            | Ant7  | 6205 | -9.27  | -0.30 | -9.57  | ≤-5.00 | PASS |
|            | total | 6205 | -5.81  | -0.04 | -5.85  | ≤-5.00 | PASS |
|            | Ant6  | 6405 | -8.62  | 0.20  | -8.42  | ≤-5.00 | PASS |
|            | Ant7  | 6405 | -8.06  | -0.30 | -8.36  | ≤-5.00 | PASS |
|            | total | 6405 | -5.32  | -0.04 | -5.36  | ≤-5.00 | PASS |



|            |       |      |       |       |       |        |      |
|------------|-------|------|-------|-------|-------|--------|------|
|            | Ant6  | 6445 | -8.68 | 0.60  | -8.08 | ≤-5.00 | PASS |
|            | Ant7  | 6445 | -9.17 | -0.60 | -9.77 | ≤-5.00 | PASS |
|            | total | 6445 | -5.91 | 0.04  | -5.87 | ≤-5.00 | PASS |
|            | Ant6  | 6485 | -8.76 | 0.60  | -8.16 | ≤-5.00 | PASS |
|            | Ant7  | 6485 | -7.60 | -0.60 | -8.20 | ≤-5.00 | PASS |
|            | total | 6485 | -5.13 | 0.04  | -5.09 | ≤-5.00 | PASS |
|            | Ant6  | 6525 | -8.54 | 0.60  | -7.94 | ≤-5.00 | PASS |
|            | Ant7  | 6525 | -7.67 | -0.60 | -8.27 | ≤-5.00 | PASS |
|            | total | 6525 | -5.07 | 0.04  | -5.03 | ≤-5.00 | PASS |
|            | Ant6  | 6565 | -9.01 | 0.00  | -9.01 | ≤-5.00 | PASS |
|            | Ant7  | 6565 | -7.79 | -0.40 | -8.19 | ≤-5.00 | PASS |
|            | total | 6565 | -5.35 | -0.20 | -5.55 | ≤-5.00 | PASS |
|            | Ant6  | 6685 | -7.96 | 0.00  | -7.96 | ≤-5.00 | PASS |
|            | Ant7  | 6685 | -7.88 | -0.40 | -8.28 | ≤-5.00 | PASS |
|            | total | 6685 | -4.91 | -0.20 | -5.11 | ≤-5.00 | PASS |
|            | Ant6  | 6845 | -9.03 | 0.00  | -9.03 | ≤-5.00 | PASS |
|            | Ant7  | 6845 | -8.06 | -0.40 | -8.46 | ≤-5.00 | PASS |
|            | total | 6845 | -5.51 | -0.20 | -5.71 | ≤-5.00 | PASS |
|            | Ant6  | 6885 | -7.87 | 0.00  | -7.87 | ≤-5.00 | PASS |
|            | Ant7  | 6885 | -7.83 | -0.40 | -8.23 | ≤-5.00 | PASS |
|            | total | 6885 | -4.84 | -0.20 | -5.04 | ≤-5.00 | PASS |
|            | Ant6  | 6925 | -8.13 | -0.50 | -8.63 | ≤-5.00 | PASS |
|            | Ant7  | 6925 | -7.91 | -0.20 | -8.11 | ≤-5.00 | PASS |
|            | total | 6925 | -5.01 | -0.35 | -5.36 | ≤-5.00 | PASS |
|            | Ant6  | 7005 | -8.14 | -0.50 | -8.64 | ≤-5.00 | PASS |
|            | Ant7  | 7005 | -8.04 | -0.20 | -8.24 | ≤-5.00 | PASS |
|            | total | 7005 | -5.08 | -0.35 | -5.43 | ≤-5.00 | PASS |
|            | Ant6  | 7085 | -8.49 | -0.50 | -8.99 | ≤-5.00 | PASS |
|            | Ant7  | 7085 | -8.42 | -0.20 | -8.62 | ≤-5.00 | PASS |
|            | total | 7085 | -5.44 | -0.35 | -5.79 | ≤-5.00 | PASS |
| 11BE80MIMO | Ant6  | 5985 | -7.99 | 0.20  | -7.79 | ≤-5.00 | PASS |
|            | Ant7  | 5985 | -8.30 | -0.30 | -8.60 | ≤-5.00 | PASS |
|            | total | 5985 | -5.13 | -0.04 | -5.17 | ≤-5.00 | PASS |
|            | Ant6  | 6225 | -7.90 | 0.20  | -7.70 | ≤-5.00 | PASS |
|            | Ant7  | 6225 | -8.54 | -0.30 | -8.84 | ≤-5.00 | PASS |
|            | total | 6225 | -5.20 | -0.04 | -5.24 | ≤-5.00 | PASS |
|            | Ant6  | 6385 | -7.85 | 0.20  | -7.65 | ≤-5.00 | PASS |
|            | Ant7  | 6385 | -8.43 | -0.30 | -8.73 | ≤-5.00 | PASS |
|            | total | 6385 | -5.12 | -0.04 | -5.16 | ≤-5.00 | PASS |
|            | Ant6  | 6465 | -8.15 | 0.60  | -7.55 | ≤-5.00 | PASS |
|            | Ant7  | 6465 | -8.46 | -0.60 | -9.06 | ≤-5.00 | PASS |
|            | total | 6465 | -5.29 | 0.04  | -5.25 | ≤-5.00 | PASS |
|            | Ant6  | 6545 | -8.61 | 0.60  | -8.01 | ≤-5.00 | PASS |
|            | Ant7  | 6545 | -8.29 | -0.60 | -8.89 | ≤-5.00 | PASS |
|            | total | 6545 | -5.44 | 0.04  | -5.40 | ≤-5.00 | PASS |
|            | Ant6  | 6625 | -8.51 | 0.00  | -8.51 | ≤-5.00 | PASS |
|            | Ant7  | 6625 | -7.91 | -0.40 | -8.31 | ≤-5.00 | PASS |
|            | total | 6625 | -5.19 | -0.20 | -5.39 | ≤-5.00 | PASS |
|            | Ant6  | 6705 | -8.49 | 0.00  | -8.49 | ≤-5.00 | PASS |
|            | Ant7  | 6705 | -7.95 | -0.40 | -8.35 | ≤-5.00 | PASS |
|            | total | 6705 | -5.20 | -0.20 | -5.40 | ≤-5.00 | PASS |
|            | Ant6  | 6785 | -8.35 | 0.00  | -8.35 | ≤-5.00 | PASS |
|            | Ant7  | 6785 | -8.11 | -0.40 | -8.51 | ≤-5.00 | PASS |
|            | total | 6785 | -5.22 | -0.20 | -5.42 | ≤-5.00 | PASS |
|            | Ant6  | 6865 | -8.24 | 0.00  | -8.24 | ≤-5.00 | PASS |
|            | Ant7  | 6865 | -8.39 | -0.40 | -8.79 | ≤-5.00 | PASS |
|            | total | 6865 | -5.30 | -0.20 | -5.50 | ≤-5.00 | PASS |
|            | Ant6  | 6945 | -8.30 | -0.50 | -8.80 | ≤-5.00 | PASS |





|             |       |      |        |       |        |        |      |
|-------------|-------|------|--------|-------|--------|--------|------|
|             | Ant7  | 6945 | -7.47  | -0.20 | -7.67  | ≤-5.00 | PASS |
|             | total | 6945 | -4.85  | -0.35 | -5.20  | ≤-5.00 | PASS |
|             | Ant6  | 7025 | -8.55  | -0.50 | -9.05  | ≤-5.00 | PASS |
|             | Ant7  | 7025 | -8.18  | -0.20 | -8.38  | ≤-5.00 | PASS |
|             | total | 7025 | -5.35  | -0.35 | -5.70  | ≤-5.00 | PASS |
| 11BE160MIMO | Ant6  | 6025 | -10.42 | 0.20  | -10.22 | ≤-5.00 | PASS |
|             | Ant7  | 6025 | -10.51 | -0.30 | -10.81 | ≤-5.00 | PASS |
|             | total | 6025 | -7.45  | -0.04 | -7.49  | ≤-5.00 | PASS |
|             | Ant6  | 6185 | -9.73  | 0.20  | -9.53  | ≤-5.00 | PASS |
|             | Ant7  | 6185 | -10.27 | -0.30 | -10.57 | ≤-5.00 | PASS |
|             | total | 6185 | -6.98  | -0.04 | -7.02  | ≤-5.00 | PASS |
|             | Ant6  | 6345 | -9.65  | 0.20  | -9.45  | ≤-5.00 | PASS |
|             | Ant7  | 6345 | -10.06 | -0.30 | -10.36 | ≤-5.00 | PASS |
|             | total | 6345 | -6.84  | -0.04 | -6.88  | ≤-5.00 | PASS |
|             | Ant6  | 6505 | -10.85 | 0.60  | -10.25 | ≤-5.00 | PASS |
|             | Ant7  | 6505 | -10.88 | -0.60 | -11.48 | ≤-5.00 | PASS |
|             | total | 6505 | -7.85  | 0.04  | -7.81  | ≤-5.00 | PASS |
|             | Ant6  | 6665 | -10.74 | 0.00  | -10.74 | ≤-5.00 | PASS |
|             | Ant7  | 6665 | -10.14 | -0.40 | -10.54 | ≤-5.00 | PASS |
|             | total | 6665 | -7.42  | -0.20 | -7.62  | ≤-5.00 | PASS |
|             | Ant6  | 6825 | -10.03 | 0.00  | -10.03 | ≤-5.00 | PASS |
|             | Ant7  | 6825 | -10.20 | -0.40 | -10.60 | ≤-5.00 | PASS |
|             | total | 6825 | -7.10  | -0.20 | -7.30  | ≤-5.00 | PASS |
|             | Ant6  | 6985 | -9.94  | -0.50 | -10.44 | ≤-5.00 | PASS |
|             | Ant7  | 6985 | -9.89  | -0.20 | -10.09 | ≤-5.00 | PASS |
|             | total | 6985 | -6.90  | -0.35 | -7.25  | ≤-5.00 | PASS |


Note: 1.The Duty Cycle Factor and is compensated in the graph.





## Test Graphs


















11A-CDD\_Ant6\_5955




11A-CDD\_Ant7\_5955






11A-CDD\_Ant6\_6195




11A-CDD\_Ant7\_6195






11A-CDD\_Ant6\_6415




11A-CDD\_Ant7\_6415






11A-CDD\_Ant6\_6435




11A-CDD\_Ant7\_6435







11A-CDD\_Ant6\_6475




11A-CDD\_Ant7\_6475








11A-CDD\_Ant6\_6535




11A-CDD\_Ant7\_6535






11A-CDD\_Ant6\_6695




11A-CDD\_Ant7\_6695






11A-CDD\_Ant6\_6855




11A-CDD\_Ant7\_6855






11A-CDD\_Ant6\_6875




11A-CDD\_Ant7\_6875






11A-CDD\_Ant6\_6895




11A-CDD\_Ant7\_6895






11A-CDD\_Ant6\_6995




11A-CDD\_Ant7\_6995






11A-CDD\_Ant6\_7095



Date: 13.OCT,2025 16:42:09


11A-CDD\_Ant7\_7095



Date: 13.OCT,2025 16:42:24



11A-CDD\_Ant6\_7115



11A-CDD\_Ant7\_7115

