

Appendix-B LTE Band 2

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	24.2	25.15	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.67	24.62	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.67	24.62	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	23.35	24.3	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	24.07	25.02	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.78	24.73	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.71	24.66	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	23.34	24.29	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.93	24.88	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.59	24.54	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.57	24.52	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	23.14	24.09	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	23.32	24.27	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	23.34	24.29	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	23.23	24.18	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	22.23	23.18	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	23.51	24.46	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	23.2	24.15	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	23.23	24.18	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	22.2	23.15	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	23.4	24.35	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	23.16	24.11	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	23.27	24.22	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	22.09	23.04	33	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	22.71	23.66	33	PASS
Band2	1.4MHz	64QAM	18607	1RB#2	22.45	23.4	33	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	22.13	23.08	33	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	21.33	22.28	33	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	22.56	23.51	33	PASS
Band2	1.4MHz	64QAM	18900	1RB#2	22.29	23.24	33	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	22.23	23.18	33	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	21.18	22.13	33	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	22.08	23.03	33	PASS
Band2	1.4MHz	64QAM	19193	1RB#2	22.41	23.36	33	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	22.37	23.32	33	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	21.25	22.2	33	PASS
Band2	1.4MHz	256QAM	18607	1RB#0	19.62	20.57	33	PASS

Band2	1.4MHz	256QAM	18607	1RB#2	19.41	20.36	33	PASS
Band2	1.4MHz	256QAM	18607	1RB#5	19.48	20.43	33	PASS
Band2	1.4MHz	256QAM	18607	6RB#0	19.27	20.22	33	PASS
Band2	1.4MHz	256QAM	18900	1RB#0	19.49	20.44	33	PASS
Band2	1.4MHz	256QAM	18900	1RB#2	19.24	20.19	33	PASS
Band2	1.4MHz	256QAM	18900	1RB#5	19.23	20.18	33	PASS
Band2	1.4MHz	256QAM	18900	6RB#0	19.22	20.17	33	PASS
Band2	1.4MHz	256QAM	19193	1RB#0	19.39	20.34	33	PASS
Band2	1.4MHz	256QAM	19193	1RB#2	19.18	20.13	33	PASS
Band2	1.4MHz	256QAM	19193	1RB#5	19.25	20.2	33	PASS
Band2	1.4MHz	256QAM	19193	6RB#0	19.11	20.06	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	24.06	25.01	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.79	24.74	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.78	24.73	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	23.39	24.34	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	24.13	25.08	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.7	24.65	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.66	24.61	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	23.35	24.3	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.97	24.92	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.62	24.57	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.72	24.67	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	23.25	24.2	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	23.43	24.38	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	23.48	24.43	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	23.26	24.21	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	22.29	23.24	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	23.38	24.33	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	23.36	24.31	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	23.45	24.4	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	22.24	23.19	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	23.7	24.65	33	PASS
Band2	3MHz	16QAM	19185	1RB#8	23.15	24.1	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.88	23.83	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	22.24	23.19	33	PASS
Band2	3MHz	64QAM	18615	1RB#0	22.49	23.44	33	PASS
Band2	3MHz	64QAM	18615	1RB#8	22.5	23.45	33	PASS
Band2	3MHz	64QAM	18615	1RB#14	22.52	23.47	33	PASS
Band2	3MHz	64QAM	18615	15RB#0	21.27	22.22	33	PASS
Band2	3MHz	64QAM	18900	1RB#0	22.32	23.27	33	PASS
Band2	3MHz	64QAM	18900	1RB#8	22.29	23.24	33	PASS
Band2	3MHz	64QAM	18900	1RB#14	22.64	23.59	33	PASS
Band2	3MHz	64QAM	18900	15RB#0	21.25	22.2	33	PASS
Band2	3MHz	64QAM	19185	1RB#0	22.48	23.43	33	PASS
Band2	3MHz	64QAM	19185	1RB#8	22.32	23.27	33	PASS

Band2	3MHz	64QAM	19185	1RB#14	22.01	22.96	33	PASS
Band2	3MHz	64QAM	19185	15RB#0	21.07	22.02	33	PASS
Band2	3MHz	256QAM	18615	1RB#0	19.46	20.41	33	PASS
Band2	3MHz	256QAM	18615	1RB#8	19.43	20.38	33	PASS
Band2	3MHz	256QAM	18615	1RB#14	19.13	20.08	33	PASS
Band2	3MHz	256QAM	18615	15RB#0	19.26	20.21	33	PASS
Band2	3MHz	256QAM	18900	1RB#0	19.39	20.34	33	PASS
Band2	3MHz	256QAM	18900	1RB#8	19.36	20.31	33	PASS
Band2	3MHz	256QAM	18900	1RB#14	19.33	20.28	33	PASS
Band2	3MHz	256QAM	18900	15RB#0	19.28	20.23	33	PASS
Band2	3MHz	256QAM	19185	1RB#0	19.41	20.36	33	PASS
Band2	3MHz	256QAM	19185	1RB#8	19.37	20.32	33	PASS
Band2	3MHz	256QAM	19185	1RB#14	19.17	20.12	33	PASS
Band2	3MHz	256QAM	19185	15RB#0	19.19	20.14	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	24.07	25.02	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.69	24.64	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.74	24.69	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	23.29	24.24	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	24.12	25.07	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.86	24.81	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.67	24.62	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	23.27	24.22	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	24.11	25.06	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.76	24.71	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.55	24.5	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	23.2	24.15	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	23.54	24.49	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	23.23	24.18	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	23.02	23.97	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	22.36	23.31	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	23.37	24.32	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	23.3	24.25	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	23.3	24.25	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	22.22	23.17	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	23.26	24.21	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	23.16	24.11	33	PASS
Band2	5MHz	16QAM	19175	1RB#24	23.03	23.98	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	22.23	23.18	33	PASS
Band2	5MHz	64QAM	18625	1RB#0	22.6	23.55	33	PASS
Band2	5MHz	64QAM	18625	1RB#12	22.69	23.64	33	PASS
Band2	5MHz	64QAM	18625	1RB#24	22.36	23.31	33	PASS
Band2	5MHz	64QAM	18625	25RB#0	21.17	22.12	33	PASS
Band2	5MHz	64QAM	18900	1RB#0	22.29	23.24	33	PASS
Band2	5MHz	64QAM	18900	1RB#12	22.44	23.39	33	PASS
Band2	5MHz	64QAM	18900	1RB#24	22.33	23.28	33	PASS

Band2	5MHz	64QAM	18900	25RB#0	21.11	22.06	33	PASS
Band2	5MHz	64QAM	19175	1RB#0	22.41	23.36	33	PASS
Band2	5MHz	64QAM	19175	1RB#12	22.14	23.09	33	PASS
Band2	5MHz	64QAM	19175	1RB#24	22.44	23.39	33	PASS
Band2	5MHz	64QAM	19175	25RB#0	21.22	22.17	33	PASS
Band2	5MHz	256QAM	18625	1RB#0	19.29	20.24	33	PASS
Band2	5MHz	256QAM	18625	1RB#12	19.45	20.4	33	PASS
Band2	5MHz	256QAM	18625	1RB#24	19.43	20.38	33	PASS
Band2	5MHz	256QAM	18625	25RB#0	19.33	20.28	33	PASS
Band2	5MHz	256QAM	18900	1RB#0	19.21	20.16	33	PASS
Band2	5MHz	256QAM	18900	1RB#12	19.37	20.32	33	PASS
Band2	5MHz	256QAM	18900	1RB#24	19.21	20.16	33	PASS
Band2	5MHz	256QAM	18900	25RB#0	19.25	20.2	33	PASS
Band2	5MHz	256QAM	19175	1RB#0	19.28	20.23	33	PASS
Band2	5MHz	256QAM	19175	1RB#12	19.49	20.44	33	PASS
Band2	5MHz	256QAM	19175	1RB#24	19.26	20.21	33	PASS
Band2	5MHz	256QAM	19175	25RB#0	19.19	20.14	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	24.11	25.06	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.74	24.69	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.71	24.66	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	23.26	24.21	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	24.13	25.08	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.85	24.8	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.72	24.67	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	23.18	24.13	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	24.08	25.03	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.69	24.64	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.64	24.59	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	23.28	24.23	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	23.33	24.28	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	23.23	24.18	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	23.39	24.34	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	22.29	23.24	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	23.25	24.2	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	23.12	24.07	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	23.12	24.07	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	22.24	23.19	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	23.48	24.43	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	23.18	24.13	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	23.16	24.11	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	22.21	23.16	33	PASS
Band2	10MHz	64QAM	18650	1RB#0	22.62	23.57	33	PASS
Band2	10MHz	64QAM	18650	1RB#24	22.52	23.47	33	PASS
Band2	10MHz	64QAM	18650	1RB#49	22.51	23.46	33	PASS
Band2	10MHz	64QAM	18650	50RB#0	21.35	22.3	33	PASS

Band2	10MHz	64QAM	18900	1RB#0	22.32	23.27	33	PASS
Band2	10MHz	64QAM	18900	1RB#24	22.31	23.26	33	PASS
Band2	10MHz	64QAM	18900	1RB#49	22.45	23.4	33	PASS
Band2	10MHz	64QAM	18900	50RB#0	21.14	22.09	33	PASS
Band2	10MHz	64QAM	19150	1RB#0	22.56	23.51	33	PASS
Band2	10MHz	64QAM	19150	1RB#24	22.2	23.15	33	PASS
Band2	10MHz	64QAM	19150	1RB#49	22.37	23.32	33	PASS
Band2	10MHz	64QAM	19150	50RB#0	21.17	22.12	33	PASS
Band2	10MHz	256QAM	18650	1RB#0	19.23	20.18	33	PASS
Band2	10MHz	256QAM	18650	1RB#24	19.59	20.54	33	PASS
Band2	10MHz	256QAM	18650	1RB#49	19.3	20.25	33	PASS
Band2	10MHz	256QAM	18650	50RB#0	19.34	20.29	33	PASS
Band2	10MHz	256QAM	18900	1RB#0	19.24	20.19	33	PASS
Band2	10MHz	256QAM	18900	1RB#24	19.31	20.26	33	PASS
Band2	10MHz	256QAM	18900	1RB#49	19.17	20.12	33	PASS
Band2	10MHz	256QAM	18900	50RB#0	19.25	20.2	33	PASS
Band2	10MHz	256QAM	19150	1RB#0	19.41	20.36	33	PASS
Band2	10MHz	256QAM	19150	1RB#24	19.48	20.43	33	PASS
Band2	10MHz	256QAM	19150	1RB#49	19.1	20.05	33	PASS
Band2	10MHz	256QAM	19150	50RB#0	19.15	20.1	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	24.05	25	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	23.6	24.55	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.62	24.57	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	23.13	24.08	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.9	24.85	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.58	24.53	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.51	24.46	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	23.02	23.97	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.95	24.9	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.42	24.37	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.34	24.29	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.99	23.94	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	23.33	24.28	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	23.11	24.06	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	23.18	24.13	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	22.17	23.12	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	23.32	24.27	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	23.14	24.09	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	23.05	24	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	22.06	23.01	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	23.17	24.12	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	23.05	24	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.91	23.86	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	22.11	23.06	33	PASS
Band2	15MHz	64QAM	18675	1RB#0	22.12	23.07	33	PASS

Band2	15MHz	64QAM	18675	1RB#38	22.34	23.29	33	PASS
Band2	15MHz	64QAM	18675	1RB#74	22.05	23	33	PASS
Band2	15MHz	64QAM	18675	75RB#0	21.09	22.04	33	PASS
Band2	15MHz	64QAM	18900	1RB#0	22.57	23.52	33	PASS
Band2	15MHz	64QAM	18900	1RB#38	22.76	23.71	33	PASS
Band2	15MHz	64QAM	18900	1RB#74	22.32	23.27	33	PASS
Band2	15MHz	64QAM	18900	75RB#0	21.12	22.07	33	PASS
Band2	15MHz	64QAM	19125	1RB#0	22.18	23.13	33	PASS
Band2	15MHz	64QAM	19125	1RB#38	22.05	23	33	PASS
Band2	15MHz	64QAM	19125	1RB#74	21.93	22.88	33	PASS
Band2	15MHz	64QAM	19125	75RB#0	21.04	21.99	33	PASS
Band2	15MHz	256QAM	18675	1RB#0	19.25	20.2	33	PASS
Band2	15MHz	256QAM	18675	1RB#38	19.36	20.31	33	PASS
Band2	15MHz	256QAM	18675	1RB#74	19.17	20.12	33	PASS
Band2	15MHz	256QAM	18675	75RB#0	19.21	20.16	33	PASS
Band2	15MHz	256QAM	18900	1RB#0	19.07	20.02	33	PASS
Band2	15MHz	256QAM	18900	1RB#38	19.18	20.13	33	PASS
Band2	15MHz	256QAM	18900	1RB#74	18.88	19.83	33	PASS
Band2	15MHz	256QAM	18900	75RB#0	19.08	20.03	33	PASS
Band2	15MHz	256QAM	19125	1RB#0	19.24	20.19	33	PASS
Band2	15MHz	256QAM	19125	1RB#38	19.35	20.3	33	PASS
Band2	15MHz	256QAM	19125	1RB#74	19.1	20.05	33	PASS
Band2	15MHz	256QAM	19125	75RB#0	19.11	20.06	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.92	24.87	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.51	24.46	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.55	24.5	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	23.2	24.15	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.91	24.86	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.58	24.53	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.58	24.53	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	23.09	24.04	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.89	24.84	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.49	24.44	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.44	24.39	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	23.15	24.1	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	23.34	24.29	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	23.13	24.08	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.91	23.86	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	22.13	23.08	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	23.56	24.51	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	23.1	24.05	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	23.05	24	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	22.13	23.08	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	23.38	24.33	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.76	23.71	33	PASS

Band2	20MHz	16QAM	19100	1RB#99	22.91	23.86	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	22.07	23.02	33	PASS
Band2	20MHz	64QAM	18700	1RB#0	22.32	23.27	33	PASS
Band2	20MHz	64QAM	18700	1RB#49	22.55	23.5	33	PASS
Band2	20MHz	64QAM	18700	1RB#99	22.36	23.31	33	PASS
Band2	20MHz	64QAM	18700	100RB#0	21.13	22.08	33	PASS
Band2	20MHz	64QAM	18900	1RB#0	22.41	23.36	33	PASS
Band2	20MHz	64QAM	18900	1RB#49	22.3	23.25	33	PASS
Band2	20MHz	64QAM	18900	1RB#99	22.27	23.22	33	PASS
Band2	20MHz	64QAM	18900	100RB#0	21.01	21.96	33	PASS
Band2	20MHz	64QAM	19100	1RB#0	22.29	23.24	33	PASS
Band2	20MHz	64QAM	19100	1RB#49	22.13	23.08	33	PASS
Band2	20MHz	64QAM	19100	1RB#99	22.42	23.37	33	PASS
Band2	20MHz	64QAM	19100	100RB#0	21.05	22	33	PASS
Band2	20MHz	256QAM	18700	1RB#0	19.14	20.09	33	PASS
Band2	20MHz	256QAM	18700	1RB#49	19.18	20.13	33	PASS
Band2	20MHz	256QAM	18700	1RB#99	19.41	20.36	33	PASS
Band2	20MHz	256QAM	18700	100RB#0	19.16	20.11	33	PASS
Band2	20MHz	256QAM	18900	1RB#0	19.21	20.16	33	PASS
Band2	20MHz	256QAM	18900	1RB#49	19.25	20.2	33	PASS
Band2	20MHz	256QAM	18900	1RB#99	19.28	20.23	33	PASS
Band2	20MHz	256QAM	18900	100RB#0	19.1	20.05	33	PASS
Band2	20MHz	256QAM	19100	1RB#0	18.95	19.9	33	PASS
Band2	20MHz	256QAM	19100	1RB#49	18.93	19.88	33	PASS
Band2	20MHz	256QAM	19100	1RB#99	18.98	19.93	33	PASS
Band2	20MHz	256QAM	19100	100RB#0	19.03	19.98	33	PASS


Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	4.89	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.16	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	4.33	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	5.74	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.97	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	5.24	13	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	6.23	13	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	6.38	13	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	5.86	13	PASS
Band2	1.4MHz	256QAM	18607	6RB#0	6.60	13	PASS
Band2	1.4MHz	256QAM	18900	6RB#0	6.61	13	PASS
Band2	1.4MHz	256QAM	19193	6RB#0	6.50	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.18	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.35	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	4.94	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	5.92	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.12	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	5.71	13	PASS
Band2	3MHz	64QAM	18615	15RB#0	6.36	13	PASS
Band2	3MHz	64QAM	18900	15RB#0	6.48	13	PASS
Band2	3MHz	64QAM	19185	15RB#0	6.18	13	PASS
Band2	3MHz	256QAM	18615	15RB#0	6.62	13	PASS
Band2	3MHz	256QAM	18900	15RB#0	6.65	13	PASS
Band2	3MHz	256QAM	19185	15RB#0	6.59	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.16	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.35	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.99	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	5.90	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.07	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	5.78	13	PASS
Band2	5MHz	64QAM	18625	25RB#0	6.31	13	PASS
Band2	5MHz	64QAM	18900	25RB#0	6.44	13	PASS
Band2	5MHz	64QAM	19175	25RB#0	6.23	13	PASS
Band2	5MHz	256QAM	18625	25RB#0	6.60	13	PASS
Band2	5MHz	256QAM	18900	25RB#0	6.61	13	PASS
Band2	5MHz	256QAM	19175	25RB#0	6.58	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.20	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.38	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.20	13	PASS


Band2	10MHz	16QAM	18650	50RB#0	5.93	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.09	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	5.97	13	PASS
Band2	10MHz	64QAM	18650	50RB#0	6.32	13	PASS
Band2	10MHz	64QAM	18900	50RB#0	6.44	13	PASS
Band2	10MHz	64QAM	19150	50RB#0	6.33	13	PASS
Band2	10MHz	256QAM	18650	50RB#0	6.57	13	PASS
Band2	10MHz	256QAM	18900	50RB#0	6.53	13	PASS
Band2	10MHz	256QAM	19150	50RB#0	6.62	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.12	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.28	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.26	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	5.93	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.03	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.04	13	PASS
Band2	15MHz	64QAM	18675	75RB#0	6.27	13	PASS
Band2	15MHz	64QAM	18900	75RB#0	6.34	13	PASS
Band2	15MHz	64QAM	19125	75RB#0	6.33	13	PASS
Band2	15MHz	256QAM	18675	75RB#0	6.43	13	PASS
Band2	15MHz	256QAM	18900	75RB#0	6.45	13	PASS
Band2	15MHz	256QAM	19125	75RB#0	6.52	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.22	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.39	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.32	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	5.97	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.12	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.06	13	PASS
Band2	20MHz	64QAM	18700	100RB#0	6.35	13	PASS
Band2	20MHz	64QAM	18900	100RB#0	6.42	13	PASS
Band2	20MHz	64QAM	19100	100RB#0	6.42	13	PASS
Band2	20MHz	256QAM	18700	100RB#0	6.55	13	PASS
Band2	20MHz	256QAM	18900	100RB#0	6.61	13	PASS
Band2	20MHz	256QAM	19100	100RB#0	6.67	13	PASS

Test Graphs







Band2-1.4MHz-64QAM-18607-6RB#0-PASS




Band2-1.4MHz-64QAM-18900-6RB#0-PASS




Band2-1.4MHz-64QAM-19193-6RB#0-PASS



Band2-1.4MHz-256QAM-18607-6RB#0-PASS




Band2-1.4MHz-256QAM-18900-6RB#0-PASS




Band2-1.4MHz-256QAM-19193-6RB#0-PASS




Band2-3MHz-QPSK-18615-15RB#0-PASS



Band2-3MHz-QPSK-18900-15RB#0-PASS



Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-3MHz-16QAM-18615-15RB#0-PASS



Band2-3MHz-16QAM-18900-15RB#0-PASS




Band2-3MHz-16QAM-19185-15RB#0-PASS




Band2-3MHz-64QAM-18615-15RB#0-PASS



Band2-3MHz-64QAM-18900-15RB#0-PASS



Band2-3MHz-64QAM-19185-15RB#0-PASS



Band2-3MHz-256QAM-18615-15RB#0-PASS



Band2-3MHz-256QAM-18900-15RB#0-PASS




Band2-3MHz-256QAM-19185-15RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS



Band2-5MHz-QPSK-18900-25RB#0-PASS



Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-5MHz-16QAM-18625-25RB#0-PASS




Band2-5MHz-16QAM-18900-25RB#0-PASS



Band2-5MHz-16QAM-19175-25RB#0-PASS




Band2-5MHz-64QAM-18625-25RB#0-PASS



Band2-5MHz-64QAM-18900-25RB#0-PASS



Band2-5MHz-64QAM-19175-25RB#0-PASS



Band2-5MHz-256QAM-18625-25RB#0-PASS



Band2-5MHz-256QAM-18900-25RB#0-PASS




Band2-5MHz-256QAM-19175-25RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-QPSK-18900-50RB#0-PASS



Band2-10MHz-QPSK-19150-50RB#0-PASS



Band2-10MHz-16QAM-18650-50RB#0-PASS



Band2-10MHz-16QAM-18900-50RB#0-PASS



Band2-10MHz-16QAM-19150-50RB#0-PASS




Band2-10MHz-64QAM-18650-50RB#0-PASS



Band2-10MHz-64QAM-18900-50RB#0-PASS



Band2-10MHz-64QAM-19150-50RB#0-PASS



Band2-10MHz-256QAM-18650-50RB#0-PASS



Band2-10MHz-256QAM-18900-50RB#0-PASS




Band2-10MHz-256QAM-19150-50RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS



Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-16QAM-18675-75RB#0-PASS




Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-15MHz-16QAM-19125-75RB#0-PASS




Band2-15MHz-64QAM-18675-75RB#0-PASS



Band2-15MHz-64QAM-18900-75RB#0-PASS




Band2-15MHz-64QAM-19125-75RB#0-PASS



Band2-15MHz-256QAM-18675-75RB#0-PASS




Band2-15MHz-256QAM-18900-75RB#0-PASS




Band2-15MHz-256QAM-19125-75RB#0-PASS




Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS




Band2-20MHz-16QAM-18900-100RB#0-PASS



Band2-20MHz-16QAM-19100-100RB#0-PASS




Band2-20MHz-64QAM-18700-100RB#0-PASS



Band2-20MHz-64QAM-18900-100RB#0-PASS



Band2-20MHz-64QAM-19100-100RB#0-PASS



Band2-20MHz-256QAM-18700-100RB#0-PASS



Band2-20MHz-256QAM-18900-100RB#0-PASS



Band2-20MHz-256QAM-19100-100RB#0-PASS


26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.1057	1.354	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.1019	1.355	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.1077	1.372	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1040	1.353	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1031	1.345	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1045	1.373	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	1.0971	1.340	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	1.0956	1.333	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	1.0918	1.321	PASS
Band2	1.4MHz	256QAM	18607	6RB#0	1.0997	1.337	PASS
Band2	1.4MHz	256QAM	18900	6RB#0	1.0994	1.323	PASS
Band2	1.4MHz	256QAM	19193	6RB#0	1.1014	1.312	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7093	3.019	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7015	3.004	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.6998	3.095	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6986	3.022	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6993	3.071	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7015	3.020	PASS
Band2	3MHz	64QAM	18615	15RB#0	2.7062	3.024	PASS
Band2	3MHz	64QAM	18900	15RB#0	2.6951	3.018	PASS
Band2	3MHz	64QAM	19185	15RB#0	2.7017	3.013	PASS
Band2	3MHz	256QAM	18615	15RB#0	2.6960	2.986	PASS
Band2	3MHz	256QAM	18900	15RB#0	2.6974	3.028	PASS
Band2	3MHz	256QAM	19185	15RB#0	2.7034	3.004	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5121	5.198	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5222	5.154	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5112	5.165	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5318	5.145	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5180	5.163	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5185	5.181	PASS
Band2	5MHz	64QAM	18625	25RB#0	4.4975	5.115	PASS
Band2	5MHz	64QAM	18900	25RB#0	4.5037	5.175	PASS
Band2	5MHz	64QAM	19175	25RB#0	4.5075	5.104	PASS
Band2	5MHz	256QAM	18625	25RB#0	4.4902	5.088	PASS
Band2	5MHz	256QAM	18900	25RB#0	4.4928	5.120	PASS
Band2	5MHz	256QAM	19175	25RB#0	4.4879	5.130	PASS
Band2	10MHz	QPSK	18650	50RB#0	9.0058	10.00	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.0003	10.01	PASS


Band2	10MHz	QPSK	19150	50RB#0	9.0194	10.17	PASS
Band2	10MHz	16QAM	18650	50RB#0	9.0206	10.02	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.0315	10.08	PASS
Band2	10MHz	16QAM	19150	50RB#0	9.0170	10.12	PASS
Band2	10MHz	64QAM	18650	50RB#0	8.9804	9.879	PASS
Band2	10MHz	64QAM	18900	50RB#0	8.9815	9.932	PASS
Band2	10MHz	64QAM	19150	50RB#0	9.0058	9.996	PASS
Band2	10MHz	256QAM	18650	50RB#0	8.9817	9.975	PASS
Band2	10MHz	256QAM	18900	50RB#0	8.9752	9.970	PASS
Band2	10MHz	256QAM	19150	50RB#0	8.9893	10.04	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.519	14.98	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.495	14.97	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.537	14.89	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.497	15.04	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.514	14.98	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.557	15.08	PASS
Band2	15MHz	64QAM	18675	75RB#0	13.471	14.95	PASS
Band2	15MHz	64QAM	18900	75RB#0	13.431	14.72	PASS
Band2	15MHz	64QAM	19125	75RB#0	13.525	14.97	PASS
Band2	15MHz	256QAM	18675	75RB#0	13.443	14.83	PASS
Band2	15MHz	256QAM	18900	75RB#0	13.466	14.77	PASS
Band2	15MHz	256QAM	19125	75RB#0	13.520	14.87	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.985	19.81	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.009	19.91	PASS
Band2	20MHz	QPSK	19100	100RB#0	18.035	19.85	PASS
Band2	20MHz	16QAM	18700	100RB#0	18.001	19.80	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.973	19.70	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.999	19.92	PASS
Band2	20MHz	64QAM	18700	100RB#0	17.930	19.68	PASS
Band2	20MHz	64QAM	18900	100RB#0	17.981	19.44	PASS
Band2	20MHz	64QAM	19100	100RB#0	17.969	19.65	PASS
Band2	20MHz	256QAM	18700	100RB#0	17.937	19.54	PASS
Band2	20MHz	256QAM	18900	100RB#0	17.945	19.72	PASS
Band2	20MHz	256QAM	19100	100RB#0	17.993	19.61	PASS

Test Graphs






Band2-1.4MHz-64QAM-18607-6RB#0-PASS




Band2-1.4MHz-64QAM-18900-6RB#0-PASS




Band2-1.4MHz-64QAM-19193-6RB#0-PASS




Band2-1.4MHz-256QAM-18607-6RB#0-PASS



Band2-1.4MHz-256QAM-18900-6RB#0-PASS



Band2-1.4MHz-256QAM-19193-6RB#0-PASS



Band2-3MHz-QPSK-18615-15RB#0-PASS



Band2-3MHz-QPSK-18900-15RB#0-PASS



Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-3MHz-16QAM-18615-15RB#0-PASS




Band2-3MHz-16QAM-18900-15RB#0-PASS



Band2-3MHz-16QAM-19185-15RB#0-PASS



Band2-3MHz-64QAM-18615-15RB#0-PASS




Band2-3MHz-64QAM-18900-15RB#0-PASS



Band2-3MHz-64QAM-19185-15RB#0-PASS




Band2-3MHz-256QAM-18615-15RB#0-PASS



Band2-3MHz-256QAM-18900-15RB#0-PASS



Band2-3MHz-256QAM-19185-15RB#0-PASS



Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-QPSK-18900-25RB#0-PASS



Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-5MHz-16QAM-18625-25RB#0-PASS



Band2-5MHz-16QAM-18900-25RB#0-PASS



Band2-5MHz-16QAM-19175-25RB#0-PASS



Band2-5MHz-64QAM-18625-25RB#0-PASS



Band2-5MHz-64QAM-18900-25RB#0-PASS



Band2-5MHz-64QAM-19175-25RB#0-PASS



Band2-5MHz-256QAM-18625-25RB#0-PASS



Band2-5MHz-256QAM-18900-25RB#0-PASS



Band2-5MHz-256QAM-19175-25RB#0-PASS



Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-QPSK-18900-50RB#0-PASS



Band2-10MHz-QPSK-19150-50RB#0-PASS




Band2-10MHz-16QAM-18650-50RB#0-PASS



Band2-10MHz-16QAM-18900-50RB#0-PASS




Band2-10MHz-16QAM-19150-50RB#0-PASS



Band2-10MHz-64QAM-18650-50RB#0-PASS



Band2-10MHz-64QAM-18900-50RB#0-PASS



Band2-10MHz-64QAM-19150-50RB#0-PASS



Band2-10MHz-256QAM-18650-50RB#0-PASS



Band2-10MHz-256QAM-18900-50RB#0-PASS



Band2-10MHz-256QAM-19150-50RB#0-PASS



Band2-15MHz-QPSK-18675-75RB#0-PASS



Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-16QAM-18675-75RB#0-PASS



Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-15MHz-16QAM-19125-75RB#0-PASS



Band2-15MHz-64QAM-18675-75RB#0-PASS



Band2-15MHz-64QAM-18900-75RB#0-PASS




Band2-15MHz-64QAM-19125-75RB#0-PASS



Band2-15MHz-256QAM-18675-75RB#0-PASS



Band2-15MHz-256QAM-18900-75RB#0-PASS



Band2-15MHz-256QAM-19125-75RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS




Band2-20MHz-QPSK-18900-100RB#0-PASS




Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS



Band2-20MHz-16QAM-18900-100RB#0-PASS



Band2-20MHz-16QAM-19100-100RB#0-PASS



Band2-20MHz-64QAM-18700-100RB#0-PASS



Band2-20MHz-64QAM-18900-100RB#0-PASS



Band2-20MHz-64QAM-19100-100RB#0-PASS



Band2-20MHz-256QAM-18700-100RB#0-PASS



Band2-20MHz-256QAM-18900-100RB#0-PASS




Band2-20MHz-256QAM-19100-100RB#0-PASS


Band Edge

Test Graphs







Band2-3MHz-QPSK-19185-1RB#14-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS



Band2-5MHz-QPSK-18625-1RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-QPSK-19175-1RB#24-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-10MHz-QPSK-18650-1RB#0-PASS



Band2-10MHz-QPSK-18650-50RB#0-PASS




Band2-10MHz-QPSK-19150-1RB#49-PASS




Band2-10MHz-QPSK-19150-50RB#0-PASS




Band2-15MHz-QPSK-18675-1RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-QPSK-19125-1RB#74-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-20MHz-QPSK-18700-1RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS




Band2-20MHz-QPSK-19100-1RB#99-PASS




Band2-20MHz-QPSK-19100-100RB#0-PASS

Conducted Spurious Emission

Test Graphs








Band2-20MHz-QPSK-19100-1RB#0-30~1000-PASS



Band2-20MHz-QPSK-19100-1RB#0-1000~3000-PASS



Band2-20MHz-QPSK-19100-1RB#0-3000~20000-PASS

Frequency Stability

Test Result

Voltage									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	VN	NT	-3.86	-0.002053	PASS
Band2	20MHz	QPSK	18900	100RB#0	VL	NT	-5.66	-0.003011	PASS
Band2	20MHz	QPSK	18900	100RB#0	VH	NT	-3.23	-0.001718	PASS

Temperature									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	NV	-30	-3.60	-0.001915	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-20	4.71	0.002505	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-10	2.65	0.001410	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	0	-5.99	-0.003186	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	10	2.46	0.001309	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	20	-3.75	-0.001995	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	30	6.68	0.003553	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	40	-4.92	-0.002617	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	50	-4.29	-0.002282	PASS

~The End~