

Appendix-B LTE Band 25

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	24.17	25.12	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	23.68	24.63	33	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	23.66	24.61	33	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	23.22	24.17	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	24.17	25.12	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	23.76	24.71	33	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	23.66	24.61	33	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	23.25	24.2	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	23.89	24.84	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	23.58	24.53	33	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	23.54	24.49	33	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	23.14	24.09	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	23.34	24.29	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	23.29	24.24	33	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	23.33	24.28	33	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	22.28	23.23	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	23.53	24.48	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	23.06	24.01	33	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	23.14	24.09	33	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	22.19	23.14	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	23.63	24.58	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	23.09	24.04	33	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	23.12	24.07	33	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	22.07	23.02	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	22.36	23.31	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#2	22.36	23.31	33	PASS
Band25	1.4MHz	64QAM	26047	1RB#5	22.57	23.52	33	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	21.26	22.21	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	22.41	23.36	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#2	22.41	23.36	33	PASS
Band25	1.4MHz	64QAM	26365	1RB#5	22.3	23.25	33	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	21.2	22.15	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	22.25	23.2	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#2	22.38	23.33	33	PASS
Band25	1.4MHz	64QAM	26683	1RB#5	22.43	23.38	33	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	21.15	22.1	33	PASS
Band25	1.4MHz	256QAM	26047	1RB#0	19.53	20.48	33	PASS

Band25	1.4MHz	256QAM	26047	1RB#2	19.39	20.34	33	PASS
Band25	1.4MHz	256QAM	26047	1RB#5	19.35	20.3	33	PASS
Band25	1.4MHz	256QAM	26047	6RB#0	19.19	20.14	33	PASS
Band25	1.4MHz	256QAM	26365	1RB#0	19.55	20.5	33	PASS
Band25	1.4MHz	256QAM	26365	1RB#2	19.65	20.6	33	PASS
Band25	1.4MHz	256QAM	26365	1RB#5	19.47	20.42	33	PASS
Band25	1.4MHz	256QAM	26365	6RB#0	19.34	20.29	33	PASS
Band25	1.4MHz	256QAM	26683	1RB#0	19.42	20.37	33	PASS
Band25	1.4MHz	256QAM	26683	1RB#2	19.39	20.34	33	PASS
Band25	1.4MHz	256QAM	26683	1RB#5	19.19	20.14	33	PASS
Band25	1.4MHz	256QAM	26683	6RB#0	19.18	20.13	33	PASS
Band25	3MHz	QPSK	26055	1RB#0	24.06	25.01	33	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.72	24.67	33	PASS
Band25	3MHz	QPSK	26055	1RB#14	23.68	24.63	33	PASS
Band25	3MHz	QPSK	26055	15RB#0	23.27	24.22	33	PASS
Band25	3MHz	QPSK	26365	1RB#0	24.2	25.15	33	PASS
Band25	3MHz	QPSK	26365	1RB#8	23.81	24.76	33	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.71	24.66	33	PASS
Band25	3MHz	QPSK	26365	15RB#0	23.33	24.28	33	PASS
Band25	3MHz	QPSK	26675	1RB#0	24.09	25.04	33	PASS
Band25	3MHz	QPSK	26675	1RB#8	23.7	24.65	33	PASS
Band25	3MHz	QPSK	26675	1RB#14	23.74	24.69	33	PASS
Band25	3MHz	QPSK	26675	15RB#0	23.24	24.19	33	PASS
Band25	3MHz	16QAM	26055	1RB#0	23.63	24.58	33	PASS
Band25	3MHz	16QAM	26055	1RB#8	23.35	24.3	33	PASS
Band25	3MHz	16QAM	26055	1RB#14	22.98	23.93	33	PASS
Band25	3MHz	16QAM	26055	15RB#0	22.24	23.19	33	PASS
Band25	3MHz	16QAM	26365	1RB#0	23.57	24.52	33	PASS
Band25	3MHz	16QAM	26365	1RB#8	23.3	24.25	33	PASS
Band25	3MHz	16QAM	26365	1RB#14	23.27	24.22	33	PASS
Band25	3MHz	16QAM	26365	15RB#0	22.28	23.23	33	PASS
Band25	3MHz	16QAM	26675	1RB#0	23.34	24.29	33	PASS
Band25	3MHz	16QAM	26675	1RB#8	23.17	24.12	33	PASS
Band25	3MHz	16QAM	26675	1RB#14	23.17	24.12	33	PASS
Band25	3MHz	16QAM	26675	15RB#0	22.15	23.1	33	PASS
Band25	3MHz	64QAM	26055	1RB#0	22.46	23.41	33	PASS
Band25	3MHz	64QAM	26055	1RB#8	22.38	23.33	33	PASS
Band25	3MHz	64QAM	26055	1RB#14	22.47	23.42	33	PASS
Band25	3MHz	64QAM	26055	15RB#0	21.24	22.19	33	PASS
Band25	3MHz	64QAM	26365	1RB#0	22.38	23.33	33	PASS
Band25	3MHz	64QAM	26365	1RB#8	22.51	23.46	33	PASS
Band25	3MHz	64QAM	26365	1RB#14	22.39	23.34	33	PASS
Band25	3MHz	64QAM	26365	15RB#0	21.3	22.25	33	PASS
Band25	3MHz	64QAM	26675	1RB#0	22.46	23.41	33	PASS
Band25	3MHz	64QAM	26675	1RB#8	22.38	23.33	33	PASS

Band25	3MHz	64QAM	26675	1RB#14	22.31	23.26	33	PASS
Band25	3MHz	64QAM	26675	15RB#0	21.19	22.14	33	PASS
Band25	3MHz	256QAM	26055	1RB#0	19.22	20.17	33	PASS
Band25	3MHz	256QAM	26055	1RB#8	18.98	19.93	33	PASS
Band25	3MHz	256QAM	26055	1RB#14	19.22	20.17	33	PASS
Band25	3MHz	256QAM	26055	15RB#0	19.31	20.26	33	PASS
Band25	3MHz	256QAM	26365	1RB#0	19.38	20.33	33	PASS
Band25	3MHz	256QAM	26365	1RB#8	19.45	20.4	33	PASS
Band25	3MHz	256QAM	26365	1RB#14	19.27	20.22	33	PASS
Band25	3MHz	256QAM	26365	15RB#0	19.24	20.19	33	PASS
Band25	3MHz	256QAM	26675	1RB#0	19.37	20.32	33	PASS
Band25	3MHz	256QAM	26675	1RB#8	19.51	20.46	33	PASS
Band25	3MHz	256QAM	26675	1RB#14	19.19	20.14	33	PASS
Band25	3MHz	256QAM	26675	15RB#0	19.22	20.17	33	PASS
Band25	5MHz	QPSK	26065	1RB#0	24.13	25.08	33	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.65	24.6	33	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.7	24.65	33	PASS
Band25	5MHz	QPSK	26065	25RB#0	23.27	24.22	33	PASS
Band25	5MHz	QPSK	26365	1RB#0	24.17	25.12	33	PASS
Band25	5MHz	QPSK	26365	1RB#12	23.76	24.71	33	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.73	24.68	33	PASS
Band25	5MHz	QPSK	26365	25RB#0	23.25	24.2	33	PASS
Band25	5MHz	QPSK	26665	1RB#0	24.01	24.96	33	PASS
Band25	5MHz	QPSK	26665	1RB#12	23.57	24.52	33	PASS
Band25	5MHz	QPSK	26665	1RB#24	23.56	24.51	33	PASS
Band25	5MHz	QPSK	26665	25RB#0	23.36	24.31	33	PASS
Band25	5MHz	16QAM	26065	1RB#0	23.4	24.35	33	PASS
Band25	5MHz	16QAM	26065	1RB#12	23.11	24.06	33	PASS
Band25	5MHz	16QAM	26065	1RB#24	23.17	24.12	33	PASS
Band25	5MHz	16QAM	26065	25RB#0	22.31	23.26	33	PASS
Band25	5MHz	16QAM	26365	1RB#0	23.56	24.51	33	PASS
Band25	5MHz	16QAM	26365	1RB#12	23.43	24.38	33	PASS
Band25	5MHz	16QAM	26365	1RB#24	23.1	24.05	33	PASS
Band25	5MHz	16QAM	26365	25RB#0	22.22	23.17	33	PASS
Band25	5MHz	16QAM	26665	1RB#0	23.49	24.44	33	PASS
Band25	5MHz	16QAM	26665	1RB#12	23.16	24.11	33	PASS
Band25	5MHz	16QAM	26665	1RB#24	22.96	23.91	33	PASS
Band25	5MHz	16QAM	26665	25RB#0	22.19	23.14	33	PASS
Band25	5MHz	64QAM	26065	1RB#0	22.42	23.37	33	PASS
Band25	5MHz	64QAM	26065	1RB#12	22.41	23.36	33	PASS
Band25	5MHz	64QAM	26065	1RB#24	22.45	23.4	33	PASS
Band25	5MHz	64QAM	26065	25RB#0	21.34	22.29	33	PASS
Band25	5MHz	64QAM	26365	1RB#0	22.34	23.29	33	PASS
Band25	5MHz	64QAM	26365	1RB#12	22.47	23.42	33	PASS
Band25	5MHz	64QAM	26365	1RB#24	22.5	23.45	33	PASS

Band25	5MHz	64QAM	26365	25RB#0	21.23	22.18	33	PASS
Band25	5MHz	64QAM	26665	1RB#0	22.47	23.42	33	PASS
Band25	5MHz	64QAM	26665	1RB#12	22.26	23.21	33	PASS
Band25	5MHz	64QAM	26665	1RB#24	22.36	23.31	33	PASS
Band25	5MHz	64QAM	26665	25RB#0	21.21	22.16	33	PASS
Band25	5MHz	256QAM	26065	1RB#0	19.52	20.47	33	PASS
Band25	5MHz	256QAM	26065	1RB#12	19.62	20.57	33	PASS
Band25	5MHz	256QAM	26065	1RB#24	19.51	20.46	33	PASS
Band25	5MHz	256QAM	26065	25RB#0	19.3	20.25	33	PASS
Band25	5MHz	256QAM	26365	1RB#0	19.46	20.41	33	PASS
Band25	5MHz	256QAM	26365	1RB#12	19.52	20.47	33	PASS
Band25	5MHz	256QAM	26365	1RB#24	19.31	20.26	33	PASS
Band25	5MHz	256QAM	26365	25RB#0	19.25	20.2	33	PASS
Band25	5MHz	256QAM	26665	1RB#0	19.26	20.21	33	PASS
Band25	5MHz	256QAM	26665	1RB#12	19.18	20.13	33	PASS
Band25	5MHz	256QAM	26665	1RB#24	19.29	20.24	33	PASS
Band25	5MHz	256QAM	26665	25RB#0	19.22	20.17	33	PASS
Band25	10MHz	QPSK	26090	1RB#0	24.17	25.12	33	PASS
Band25	10MHz	QPSK	26090	1RB#24	23.75	24.7	33	PASS
Band25	10MHz	QPSK	26090	1RB#49	23.72	24.67	33	PASS
Band25	10MHz	QPSK	26090	50RB#0	23.32	24.27	33	PASS
Band25	10MHz	QPSK	26365	1RB#0	24.13	25.08	33	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.77	24.72	33	PASS
Band25	10MHz	QPSK	26365	1RB#49	23.72	24.67	33	PASS
Band25	10MHz	QPSK	26365	50RB#0	23.3	24.25	33	PASS
Band25	10MHz	QPSK	26640	1RB#0	24.15	25.1	33	PASS
Band25	10MHz	QPSK	26640	1RB#24	23.64	24.59	33	PASS
Band25	10MHz	QPSK	26640	1RB#49	23.68	24.63	33	PASS
Band25	10MHz	QPSK	26640	50RB#0	23.2	24.15	33	PASS
Band25	10MHz	16QAM	26090	1RB#0	23.31	24.26	33	PASS
Band25	10MHz	16QAM	26090	1RB#24	23.23	24.18	33	PASS
Band25	10MHz	16QAM	26090	1RB#49	23.26	24.21	33	PASS
Band25	10MHz	16QAM	26090	50RB#0	22.29	23.24	33	PASS
Band25	10MHz	16QAM	26365	1RB#0	23.36	24.31	33	PASS
Band25	10MHz	16QAM	26365	1RB#24	23.31	24.26	33	PASS
Band25	10MHz	16QAM	26365	1RB#49	23.09	24.04	33	PASS
Band25	10MHz	16QAM	26365	50RB#0	22.25	23.2	33	PASS
Band25	10MHz	16QAM	26640	1RB#0	23.05	24	33	PASS
Band25	10MHz	16QAM	26640	1RB#24	23.13	24.08	33	PASS
Band25	10MHz	16QAM	26640	1RB#49	23.21	24.16	33	PASS
Band25	10MHz	16QAM	26640	50RB#0	22.31	23.26	33	PASS
Band25	10MHz	64QAM	26090	1RB#0	22.49	23.44	33	PASS
Band25	10MHz	64QAM	26090	1RB#24	22.65	23.6	33	PASS
Band25	10MHz	64QAM	26090	1RB#49	22.32	23.27	33	PASS
Band25	10MHz	64QAM	26090	50RB#0	21.22	22.17	33	PASS

Band25	10MHz	64QAM	26365	1RB#0	22.15	23.1	33	PASS
Band25	10MHz	64QAM	26365	1RB#24	22.29	23.24	33	PASS
Band25	10MHz	64QAM	26365	1RB#49	22.39	23.34	33	PASS
Band25	10MHz	64QAM	26365	50RB#0	21.14	22.09	33	PASS
Band25	10MHz	64QAM	26640	1RB#0	22.35	23.3	33	PASS
Band25	10MHz	64QAM	26640	1RB#24	22.35	23.3	33	PASS
Band25	10MHz	64QAM	26640	1RB#49	22.44	23.39	33	PASS
Band25	10MHz	64QAM	26640	50RB#0	21.2	22.15	33	PASS
Band25	10MHz	256QAM	26090	1RB#0	19.32	20.27	33	PASS
Band25	10MHz	256QAM	26090	1RB#24	19.12	20.07	33	PASS
Band25	10MHz	256QAM	26090	1RB#49	19.61	20.56	33	PASS
Band25	10MHz	256QAM	26090	50RB#0	19.32	20.27	33	PASS
Band25	10MHz	256QAM	26365	1RB#0	19.37	20.32	33	PASS
Band25	10MHz	256QAM	26365	1RB#24	19.35	20.3	33	PASS
Band25	10MHz	256QAM	26365	1RB#49	19.33	20.28	33	PASS
Band25	10MHz	256QAM	26365	50RB#0	19.28	20.23	33	PASS
Band25	10MHz	256QAM	26640	1RB#0	19.43	20.38	33	PASS
Band25	10MHz	256QAM	26640	1RB#24	19.36	20.31	33	PASS
Band25	10MHz	256QAM	26640	1RB#49	19.15	20.1	33	PASS
Band25	10MHz	256QAM	26640	50RB#0	19.33	20.28	33	PASS
Band25	15MHz	QPSK	26115	1RB#0	24	24.95	33	PASS
Band25	15MHz	QPSK	26115	1RB#38	23.53	24.48	33	PASS
Band25	15MHz	QPSK	26115	1RB#74	23.62	24.57	33	PASS
Band25	15MHz	QPSK	26115	75RB#0	23.15	24.1	33	PASS
Band25	15MHz	QPSK	26365	1RB#0	23.89	24.84	33	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.52	24.47	33	PASS
Band25	15MHz	QPSK	26365	1RB#74	23.49	24.44	33	PASS
Band25	15MHz	QPSK	26365	75RB#0	23.07	24.02	33	PASS
Band25	15MHz	QPSK	26615	1RB#0	23.86	24.81	33	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.5	24.45	33	PASS
Band25	15MHz	QPSK	26615	1RB#74	23.48	24.43	33	PASS
Band25	15MHz	QPSK	26615	75RB#0	23.09	24.04	33	PASS
Band25	15MHz	16QAM	26115	1RB#0	23.15	24.1	33	PASS
Band25	15MHz	16QAM	26115	1RB#38	22.92	23.87	33	PASS
Band25	15MHz	16QAM	26115	1RB#74	23.17	24.12	33	PASS
Band25	15MHz	16QAM	26115	75RB#0	22.17	23.12	33	PASS
Band25	15MHz	16QAM	26365	1RB#0	23.14	24.09	33	PASS
Band25	15MHz	16QAM	26365	1RB#38	23.32	24.27	33	PASS
Band25	15MHz	16QAM	26365	1RB#74	23.21	24.16	33	PASS
Band25	15MHz	16QAM	26365	75RB#0	22.11	23.06	33	PASS
Band25	15MHz	16QAM	26615	1RB#0	23.46	24.41	33	PASS
Band25	15MHz	16QAM	26615	1RB#38	23.06	24.01	33	PASS
Band25	15MHz	16QAM	26615	1RB#74	22.87	23.82	33	PASS
Band25	15MHz	16QAM	26615	75RB#0	22.12	23.07	33	PASS
Band25	15MHz	64QAM	26115	1RB#0	22.42	23.37	33	PASS

Band25	15MHz	64QAM	26115	1RB#38	22.14	23.09	33	PASS
Band25	15MHz	64QAM	26115	1RB#74	22.21	23.16	33	PASS
Band25	15MHz	64QAM	26115	75RB#0	21.12	22.07	33	PASS
Band25	15MHz	64QAM	26365	1RB#0	22.08	23.03	33	PASS
Band25	15MHz	64QAM	26365	1RB#38	22.38	23.33	33	PASS
Band25	15MHz	64QAM	26365	1RB#74	22.12	23.07	33	PASS
Band25	15MHz	64QAM	26365	75RB#0	21.05	22	33	PASS
Band25	15MHz	64QAM	26615	1RB#0	22.22	23.17	33	PASS
Band25	15MHz	64QAM	26615	1RB#38	22.03	22.98	33	PASS
Band25	15MHz	64QAM	26615	1RB#74	22.22	23.17	33	PASS
Band25	15MHz	64QAM	26615	75RB#0	21.01	21.96	33	PASS
Band25	15MHz	256QAM	26115	1RB#0	19.31	20.26	33	PASS
Band25	15MHz	256QAM	26115	1RB#38	19.3	20.25	33	PASS
Band25	15MHz	256QAM	26115	1RB#74	19.11	20.06	33	PASS
Band25	15MHz	256QAM	26115	75RB#0	19.19	20.14	33	PASS
Band25	15MHz	256QAM	26365	1RB#0	19.27	20.22	33	PASS
Band25	15MHz	256QAM	26365	1RB#38	19.38	20.33	33	PASS
Band25	15MHz	256QAM	26365	1RB#74	19.15	20.1	33	PASS
Band25	15MHz	256QAM	26365	75RB#0	19.09	20.04	33	PASS
Band25	15MHz	256QAM	26615	1RB#0	19.36	20.31	33	PASS
Band25	15MHz	256QAM	26615	1RB#38	19.27	20.22	33	PASS
Band25	15MHz	256QAM	26615	1RB#74	19.32	20.27	33	PASS
Band25	15MHz	256QAM	26615	75RB#0	19.16	20.11	33	PASS
Band25	20MHz	QPSK	26140	1RB#0	23.88	24.83	33	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.56	24.51	33	PASS
Band25	20MHz	QPSK	26140	1RB#99	23.54	24.49	33	PASS
Band25	20MHz	QPSK	26140	100RB#0	23.15	24.1	33	PASS
Band25	20MHz	QPSK	26365	1RB#0	23.87	24.82	33	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.5	24.45	33	PASS
Band25	20MHz	QPSK	26365	1RB#99	23.46	24.41	33	PASS
Band25	20MHz	QPSK	26365	100RB#0	23.04	23.99	33	PASS
Band25	20MHz	QPSK	26590	1RB#0	23.91	24.86	33	PASS
Band25	20MHz	QPSK	26590	1RB#49	23.49	24.44	33	PASS
Band25	20MHz	QPSK	26590	1RB#99	23.53	24.48	33	PASS
Band25	20MHz	QPSK	26590	100RB#0	23.2	24.15	33	PASS
Band25	20MHz	16QAM	26140	1RB#0	23.19	24.14	33	PASS
Band25	20MHz	16QAM	26140	1RB#49	23.11	24.06	33	PASS
Band25	20MHz	16QAM	26140	1RB#99	23.18	24.13	33	PASS
Band25	20MHz	16QAM	26140	100RB#0	22.17	23.12	33	PASS
Band25	20MHz	16QAM	26365	1RB#0	23.28	24.23	33	PASS
Band25	20MHz	16QAM	26365	1RB#49	23.13	24.08	33	PASS
Band25	20MHz	16QAM	26365	1RB#99	22.88	23.83	33	PASS
Band25	20MHz	16QAM	26365	100RB#0	22.13	23.08	33	PASS
Band25	20MHz	16QAM	26590	1RB#0	23.02	23.97	33	PASS
Band25	20MHz	16QAM	26590	1RB#49	23.16	24.11	33	PASS

Band25	20MHz	16QAM	26590	1RB#99	22.92	23.87	33	PASS
Band25	20MHz	16QAM	26590	100RB#0	22.16	23.11	33	PASS
Band25	20MHz	64QAM	26140	1RB#0	22.2	23.15	33	PASS
Band25	20MHz	64QAM	26140	1RB#49	22.2	23.15	33	PASS
Band25	20MHz	64QAM	26140	1RB#99	22.27	23.22	33	PASS
Band25	20MHz	64QAM	26140	100RB#0	21.13	22.08	33	PASS
Band25	20MHz	64QAM	26365	1RB#0	22.38	23.33	33	PASS
Band25	20MHz	64QAM	26365	1RB#49	22.15	23.1	33	PASS
Band25	20MHz	64QAM	26365	1RB#99	22.24	23.19	33	PASS
Band25	20MHz	64QAM	26365	100RB#0	20.97	21.92	33	PASS
Band25	20MHz	64QAM	26590	1RB#0	22.18	23.13	33	PASS
Band25	20MHz	64QAM	26590	1RB#49	22.05	23	33	PASS
Band25	20MHz	64QAM	26590	1RB#99	22.64	23.59	33	PASS
Band25	20MHz	64QAM	26590	100RB#0	21.1	22.05	33	PASS
Band25	20MHz	256QAM	26140	1RB#0	19.27	20.22	33	PASS
Band25	20MHz	256QAM	26140	1RB#49	19.25	20.2	33	PASS
Band25	20MHz	256QAM	26140	1RB#99	19.3	20.25	33	PASS
Band25	20MHz	256QAM	26140	100RB#0	19.19	20.14	33	PASS
Band25	20MHz	256QAM	26365	1RB#0	19.24	20.19	33	PASS
Band25	20MHz	256QAM	26365	1RB#49	19.29	20.24	33	PASS
Band25	20MHz	256QAM	26365	1RB#99	19.34	20.29	33	PASS
Band25	20MHz	256QAM	26365	100RB#0	19.13	20.08	33	PASS
Band25	20MHz	256QAM	26590	1RB#0	19.27	20.22	33	PASS
Band25	20MHz	256QAM	26590	1RB#49	19.32	20.27	33	PASS
Band25	20MHz	256QAM	26590	1RB#99	19.18	20.13	33	PASS
Band25	20MHz	256QAM	26590	100RB#0	19.23	20.18	33	PASS


Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	4.87	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	5.09	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	3.50	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	5.74	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	5.90	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	4.50	13	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	6.24	13	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	6.39	13	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	5.28	13	PASS
Band25	1.4MHz	256QAM	26047	6RB#0	6.60	13	PASS
Band25	1.4MHz	256QAM	26365	6RB#0	10.97	13	PASS
Band25	1.4MHz	256QAM	26683	6RB#0	6.29	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	5.20	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	5.32	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	4.33	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	5.96	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	6.04	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	5.13	13	PASS
Band25	3MHz	64QAM	26055	15RB#0	6.35	13	PASS
Band25	3MHz	64QAM	26365	15RB#0	6.46	13	PASS
Band25	3MHz	64QAM	26675	15RB#0	5.71	13	PASS
Band25	3MHz	256QAM	26055	15RB#0	6.62	13	PASS
Band25	3MHz	256QAM	26365	15RB#0	6.64	13	PASS
Band25	3MHz	256QAM	26675	15RB#0	6.39	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	5.16	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	5.32	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.37	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	5.92	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	6.06	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	5.16	13	PASS
Band25	5MHz	64QAM	26065	25RB#0	6.32	13	PASS
Band25	5MHz	64QAM	26365	25RB#0	6.43	13	PASS
Band25	5MHz	64QAM	26665	25RB#0	5.72	13	PASS
Band25	5MHz	256QAM	26065	25RB#0	6.58	13	PASS
Band25	5MHz	256QAM	26365	25RB#0	6.61	13	PASS
Band25	5MHz	256QAM	26665	25RB#0	6.36	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	5.18	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	5.35	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	4.75	13	PASS


Band25	10MHz	16QAM	26090	50RB#0	5.94	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	6.08	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	5.53	13	PASS
Band25	10MHz	64QAM	26090	50RB#0	6.31	13	PASS
Band25	10MHz	64QAM	26365	50RB#0	6.43	13	PASS
Band25	10MHz	64QAM	26640	50RB#0	6.01	13	PASS
Band25	10MHz	256QAM	26090	50RB#0	6.57	13	PASS
Band25	10MHz	256QAM	26365	50RB#0	6.61	13	PASS
Band25	10MHz	256QAM	26640	50RB#0	6.44	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	5.11	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	5.26	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	4.91	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	5.92	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	6.02	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	5.81	13	PASS
Band25	15MHz	64QAM	26115	75RB#0	6.26	13	PASS
Band25	15MHz	64QAM	26365	75RB#0	6.33	13	PASS
Band25	15MHz	64QAM	26615	75RB#0	6.18	13	PASS
Band25	15MHz	256QAM	26115	75RB#0	6.44	13	PASS
Band25	15MHz	256QAM	26365	75RB#0	6.46	13	PASS
Band25	15MHz	256QAM	26615	75RB#0	6.42	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	5.22	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	5.37	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	5.11	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	5.97	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	6.09	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	5.88	13	PASS
Band25	20MHz	64QAM	26140	100RB#0	6.33	13	PASS
Band25	20MHz	64QAM	26365	100RB#0	6.43	13	PASS
Band25	20MHz	64QAM	26590	100RB#0	6.27	13	PASS
Band25	20MHz	256QAM	26140	100RB#0	6.56	13	PASS
Band25	20MHz	256QAM	26365	100RB#0	6.59	13	PASS
Band25	20MHz	256QAM	26590	100RB#0	6.60	13	PASS

Test Graphs






Band25-1.4MHz-64QAM-26047-6RB#0-PASS



Band25-1.4MHz-64QAM-26365-6RB#0-PASS




Band25-1.4MHz-64QAM-26683-6RB#0-PASS



Band25-1.4MHz-256QAM-26047-6RB#0-PASS




Band25-1.4MHz-256QAM-26365-6RB#0-PASS




Band25-1.4MHz-256QAM-26683-6RB#0-PASS




Band25-3MHz-QPSK-26055-15RB#0-PASS



Band25-3MHz-QPSK-26365-15RB#0-PASS




Band25-3MHz-QPSK-26675-15RB#0-PASS



Band25-3MHz-16QAM-26055-15RB#0-PASS




Band25-3MHz-16QAM-26365-15RB#0-PASS



Band25-3MHz-16QAM-26675-15RB#0-PASS




Band25-3MHz-64QAM-26055-15RB#0-PASS




Band25-3MHz-64QAM-26365-15RB#0-PASS




Band25-3MHz-64QAM-26675-15RB#0-PASS



Band25-3MHz-256QAM-26055-15RB#0-PASS




Band25-3MHz-256QAM-26365-15RB#0-PASS



Band25-3MHz-256QAM-26675-15RB#0-PASS




Band25-5MHz-QPSK-26065-25RB#0-PASS



Band25-5MHz-QPSK-26365-25RB#0-PASS



Band25-5MHz-QPSK-26665-25RB#0-PASS



Band25-5MHz-16QAM-26065-25RB#0-PASS




Band25-5MHz-16QAM-26365-25RB#0-PASS



Band25-5MHz-16QAM-26665-25RB#0-PASS




Band25-5MHz-64QAM-26065-25RB#0-PASS




Band25-5MHz-64QAM-26365-25RB#0-PASS



Band25-5MHz-64QAM-26665-25RB#0-PASS



Band25-5MHz-256QAM-26065-25RB#0-PASS



Band25-5MHz-256QAM-26365-25RB#0-PASS



Band25-5MHz-256QAM-26665-25RB#0-PASS




Band25-10MHz-QPSK-26090-50RB#0-PASS



Band25-10MHz-QPSK-26365-50RB#0-PASS



Band25-10MHz-QPSK-26640-50RB#0-PASS



Band25-10MHz-16QAM-26090-50RB#0-PASS




Band25-10MHz-16QAM-26365-50RB#0-PASS




Band25-10MHz-16QAM-26640-50RB#0-PASS




Band25-10MHz-64QAM-26090-50RB#0-PASS



Band25-10MHz-64QAM-26365-50RB#0-PASS




Band25-10MHz-64QAM-26640-50RB#0-PASS



Band25-10MHz-256QAM-26090-50RB#0-PASS



Band25-10MHz-256QAM-26365-50RB#0-PASS




Band25-10MHz-256QAM-26640-50RB#0-PASS




Band25-15MHz-QPSK-26115-75RB#0-PASS



Band25-15MHz-QPSK-26365-75RB#0-PASS



Band25-15MHz-QPSK-26615-75RB#0-PASS



Band25-15MHz-16QAM-26115-75RB#0-PASS



Band25-15MHz-16QAM-26365-75RB#0-PASS




Band25-15MHz-16QAM-26615-75RB#0-PASS




Band25-15MHz-64QAM-26115-75RB#0-PASS



Band25-15MHz-64QAM-26365-75RB#0-PASS



Band25-15MHz-64QAM-26615-75RB#0-PASS



Band25-15MHz-256QAM-26115-75RB#0-PASS




Band25-15MHz-256QAM-26365-75RB#0-PASS



Band25-15MHz-256QAM-26615-75RB#0-PASS




Band25-20MHz-QPSK-26140-100RB#0-PASS



Band25-20MHz-QPSK-26365-100RB#0-PASS



Band25-20MHz-QPSK-26590-100RB#0-PASS




Band25-20MHz-16QAM-26140-100RB#0-PASS



Band25-20MHz-16QAM-26365-100RB#0-PASS




Band25-20MHz-16QAM-26590-100RB#0-PASS




Band25-20MHz-64QAM-26140-100RB#0-PASS



Band25-20MHz-64QAM-26365-100RB#0-PASS



Band25-20MHz-64QAM-26590-100RB#0-PASS



Band25-20MHz-256QAM-26140-100RB#0-PASS



Band25-20MHz-256QAM-26365-100RB#0-PASS



Band25-20MHz-256QAM-26590-100RB#0-PASS

26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.1003	1.346	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.1026	1.376	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.1085	1.392	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.1075	1.368	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.1065	1.351	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.1069	1.396	PASS
Band25	1.4MHz	64QAM	26047	6RB#0	1.0961	1.367	PASS
Band25	1.4MHz	64QAM	26365	6RB#0	1.0999	1.338	PASS
Band25	1.4MHz	64QAM	26683	6RB#0	1.0956	1.363	PASS
Band25	1.4MHz	256QAM	26047	6RB#0	1.1010	1.337	PASS
Band25	1.4MHz	256QAM	26365	6RB#0	1.0887	1.349	PASS
Band25	1.4MHz	256QAM	26683	6RB#0	1.0941	1.314	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.7036	3.052	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.7007	3.085	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.7095	3.051	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.6989	3.017	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.6963	3.047	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.7090	3.072	PASS
Band25	3MHz	64QAM	26055	15RB#0	2.7043	3.048	PASS
Band25	3MHz	64QAM	26365	15RB#0	2.7060	2.993	PASS
Band25	3MHz	64QAM	26675	15RB#0	2.6991	3.026	PASS
Band25	3MHz	256QAM	26055	15RB#0	2.6959	2.993	PASS
Band25	3MHz	256QAM	26365	15RB#0	2.6884	3.004	PASS
Band25	3MHz	256QAM	26675	15RB#0	2.6912	2.992	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.5182	5.184	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.5182	5.174	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.5216	5.234	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.5305	5.199	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.5131	5.154	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.5211	5.163	PASS
Band25	5MHz	64QAM	26065	25RB#0	4.5049	5.127	PASS
Band25	5MHz	64QAM	26365	25RB#0	4.5009	5.140	PASS
Band25	5MHz	64QAM	26665	25RB#0	4.5093	5.129	PASS
Band25	5MHz	256QAM	26065	25RB#0	4.5097	5.205	PASS
Band25	5MHz	256QAM	26365	25RB#0	4.5028	5.062	PASS
Band25	5MHz	256QAM	26665	25RB#0	4.4995	5.104	PASS
Band25	10MHz	QPSK	26090	50RB#0	9.0170	10.04	PASS
Band25	10MHz	QPSK	26365	50RB#0	9.0057	10.03	PASS


Band25	10MHz	QPSK	26640	50RB#0	8.9774	10.00	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.9924	10.03	PASS
Band25	10MHz	16QAM	26365	50RB#0	9.0090	10.04	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.9727	10.03	PASS
Band25	10MHz	64QAM	26090	50RB#0	8.9967	10.06	PASS
Band25	10MHz	64QAM	26365	50RB#0	8.9697	9.910	PASS
Band25	10MHz	64QAM	26640	50RB#0	8.9590	9.831	PASS
Band25	10MHz	256QAM	26090	50RB#0	9.0022	9.947	PASS
Band25	10MHz	256QAM	26365	50RB#0	8.9965	9.924	PASS
Band25	10MHz	256QAM	26640	50RB#0	8.9518	9.999	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.494	14.99	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.493	14.95	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.460	14.93	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.510	15.03	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.489	15.00	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.453	14.92	PASS
Band25	15MHz	64QAM	26115	75RB#0	13.447	14.74	PASS
Band25	15MHz	64QAM	26365	75RB#0	13.485	14.91	PASS
Band25	15MHz	64QAM	26615	75RB#0	13.426	14.80	PASS
Band25	15MHz	256QAM	26115	75RB#0	13.439	14.77	PASS
Band25	15MHz	256QAM	26365	75RB#0	13.441	14.72	PASS
Band25	15MHz	256QAM	26615	75RB#0	13.444	14.66	PASS
Band25	20MHz	QPSK	26140	100RB#0	18.002	19.90	PASS
Band25	20MHz	QPSK	26365	100RB#0	18.006	19.85	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.945	19.87	PASS
Band25	20MHz	16QAM	26140	100RB#0	17.999	19.79	PASS
Band25	20MHz	16QAM	26365	100RB#0	17.980	19.80	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.971	19.78	PASS
Band25	20MHz	64QAM	26140	100RB#0	17.936	19.71	PASS
Band25	20MHz	64QAM	26365	100RB#0	17.971	19.74	PASS
Band25	20MHz	64QAM	26590	100RB#0	17.946	19.78	PASS
Band25	20MHz	256QAM	26140	100RB#0	17.947	19.72	PASS
Band25	20MHz	256QAM	26365	100RB#0	17.943	19.62	PASS
Band25	20MHz	256QAM	26590	100RB#0	17.900	19.47	PASS

Test Graphs





Band25-1.4MHz-64QAM-26047-6RB#0-PASS




Band25-1.4MHz-64QAM-26365-6RB#0-PASS




Band25-1.4MHz-64QAM-26683-6RB#0-PASS



Band25-1.4MHz-256QAM-26047-6RB#0-PASS



Band25-1.4MHz-256QAM-26365-6RB#0-PASS



Band25-1.4MHz-256QAM-26683-6RB#0-PASS



Band25-3MHz-QPSK-26055-15RB#0-PASS



Band25-3MHz-QPSK-26365-15RB#0-PASS



Band25-3MHz-QPSK-26675-15RB#0-PASS




Band25-3MHz-16QAM-26055-15RB#0-PASS



Band25-3MHz-16QAM-26365-15RB#0-PASS



Band25-3MHz-16QAM-26675-15RB#0-PASS



Band25-3MHz-64QAM-26055-15RB#0-PASS



Band25-3MHz-64QAM-26365-15RB#0-PASS



Band25-3MHz-64QAM-26675-15RB#0-PASS




Band25-3MHz-256QAM-26055-15RB#0-PASS



Band25-3MHz-256QAM-26365-15RB#0-PASS



Band25-3MHz-256QAM-26675-15RB#0-PASS




Band25-5MHz-QPSK-26065-25RB#0-PASS




Band25-5MHz-QPSK-26365-25RB#0-PASS



Band25-5MHz-QPSK-26665-25RB#0-PASS




Band25-5MHz-16QAM-26065-25RB#0-PASS



Band25-5MHz-16QAM-26365-25RB#0-PASS



Band25-5MHz-16QAM-26665-25RB#0-PASS



Band25-5MHz-64QAM-26065-25RB#0-PASS



Band25-5MHz-64QAM-26365-25RB#0-PASS



Band25-5MHz-64QAM-26665-25RB#0-PASS



Band25-5MHz-256QAM-26065-25RB#0-PASS



Band25-5MHz-256QAM-26365-25RB#0-PASS



Band25-5MHz-256QAM-26665-25RB#0-PASS



Band25-10MHz-QPSK-26090-50RB#0-PASS




Band25-10MHz-QPSK-26365-50RB#0-PASS



Band25-10MHz-QPSK-26640-50RB#0-PASS



Band25-10MHz-16QAM-26090-50RB#0-PASS



Band25-10MHz-16QAM-26365-50RB#0-PASS



Band25-10MHz-16QAM-26640-50RB#0-PASS



Band25-10MHz-64QAM-26090-50RB#0-PASS




Band25-10MHz-64QAM-26365-50RB#0-PASS



Band25-10MHz-64QAM-26640-50RB#0-PASS



Band25-10MHz-256QAM-26090-50RB#0-PASS



Band25-10MHz-256QAM-26365-50RB#0-PASS



Band25-10MHz-256QAM-26640-50RB#0-PASS



Band25-15MHz-QPSK-26115-75RB#0-PASS



Band25-15MHz-QPSK-26365-75RB#0-PASS



Band25-15MHz-QPSK-26615-75RB#0-PASS



Band25-15MHz-16QAM-26115-75RB#0-PASS



Band25-15MHz-16QAM-26365-75RB#0-PASS



Band25-15MHz-16QAM-26615-75RB#0-PASS




Band25-15MHz-64QAM-26115-75RB#0-PASS



Band25-15MHz-64QAM-26365-75RB#0-PASS



Band25-15MHz-64QAM-26615-75RB#0-PASS



Band25-15MHz-256QAM-26115-75RB#0-PASS



Band25-15MHz-256QAM-26365-75RB#0-PASS



Band25-15MHz-256QAM-26615-75RB#0-PASS



Band25-20MHz-QPSK-26140-100RB#0-PASS




Band25-20MHz-QPSK-26365-100RB#0-PASS



Band25-20MHz-QPSK-26590-100RB#0-PASS




Band25-20MHz-16QAM-26140-100RB#0-PASS



Band25-20MHz-16QAM-26365-100RB#0-PASS



Band25-20MHz-16QAM-26590-100RB#0-PASS



Band25-20MHz-64QAM-26140-100RB#0-PASS



Band25-20MHz-64QAM-26365-100RB#0-PASS



Band25-20MHz-64QAM-26590-100RB#0-PASS



Band25-20MHz-256QAM-26140-100RB#0-PASS




Band25-20MHz-256QAM-26365-100RB#0-PASS




Band25-20MHz-256QAM-26590-100RB#0-PASS


Band Edge

Test Graphs







Band25-3MHz-QPSK-26675-1RB#14-PASS



Band25-3MHz-QPSK-26675-15RB#0-PASS



Band25-5MHz-QPSK-26065-1RB#0-PASS




Band25-5MHz-QPSK-26065-25RB#0-PASS




Band25-5MHz-QPSK-26665-1RB#24-PASS




Band25-5MHz-QPSK-26665-25RB#0-PASS



Band25-10MHz-QPSK-26090-1RB#0-PASS



Band25-10MHz-QPSK-26090-50RB#0-PASS




Band25-10MHz-QPSK-26640-1RB#49-PASS




Band25-10MHz-QPSK-26640-50RB#0-PASS




Band25-15MHz-QPSK-26115-1RB#0-PASS



Band25-15MHz-QPSK-26115-75RB#0-PASS




Band25-15MHz-QPSK-26615-1RB#74-PASS



Band25-15MHz-QPSK-26615-75RB#0-PASS




Band25-20MHz-QPSK-26140-1RB#0-PASS



Band25-20MHz-QPSK-26140-100RB#0-PASS




Band25-20MHz-QPSK-26590-1RB#99-PASS




Band25-20MHz-QPSK-26590-100RB#0-PASS

Conducted Spurious Emission

Test Graphs






Band25-20MHz-QPSK-26365-1RB#0-0.15~30-PASS




Band25-20MHz-QPSK-26365-1RB#0-30~1000-PASS



Band25-20MHz-QPSK-26365-1RB#0-1000~3000-PASS



Band25-20MHz-QPSK-26365-1RB#0-3000~20000-PASS



Band25-20MHz-QPSK-26590-1RB#0-0.009~0.15-PASS




Band25-20MHz-QPSK-26590-1RB#0-0.15~30-PASS



Band25-20MHz-QPSK-26590-1RB#0-30~1000-PASS



Band25-20MHz-QPSK-26590-1RB#0-1000~3000-PASS



Band25-20MHz-QPSK-26590-1RB#0-3000~20000-PASS

Frequency Stability

Test Result

Voltage									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band25	20MHz	QPSK	26365	100RB#0	VN	NT	-3.42	-0.001817	PASS
Band25	20MHz	QPSK	26365	100RB#0	VL	NT	-5.85	-0.003108	PASS
Band25	20MHz	QPSK	26365	100RB#0	VH	NT	-3.92	-0.002082	PASS

Temperature									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band25	20MHz	QPSK	26365	100RB#0	NV	-30	-4.79	-0.002544	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	-20	-30.44	-0.016170	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	-10	-3.73	-0.001981	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	0	-27.44	-0.014576	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	10	1.79	0.000951	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	20	-3.46	-0.001838	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	30	-35.35	-0.018778	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	40	-5.26	-0.002794	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	50	5.02	0.002667	PASS

~The End~